```
mysql> show tables;
+----+
| Tables_in_cms2080 |
| department
+-----+
1 row in set (0.01 sec)
mysql> describe department;
+----+
| Field | Type | Null | Key | Default | Extra |
+-----
| dept_block_no | decimal(4,0) | YES | NULL
3 rows in set (0.00 sec)
mysql> show tables;
 Tables_in_cms2080 |
 department
| student
2 rows in set (0.01 \text{ sec})
mysql> describe student;
+----+
 Field | Type | Null | Key | Default | Extra |
+----+
stu_id | decimal(4,0) | NO | PRI | NULL | stu_name | varchar(25) | NO | NULL | stu_address | varchar(25) | YES | NULL | dept_id | decimal(4,0) | YES | MUL | NULL | age | decimal(3,0) | YES | NULL
5 rows in set (0.01 \text{ sec})
mysql> show tables;
+----+
| Tables_in_cms2080 |
| department
 staff
| student
3 rows in set (0.01 \text{ sec})
mysql> describe staff;
+----+
 Field | Type | Null | Key | Default | Extra |
 staff_id | decimal(4,0) | NO | PRI | NULL
| staff_name | varchar(25) | YES | NULL
| dept_id | decimal(4,0) | YES | MUL | NULL
+-----
3 rows in set (0.00 \text{ sec})
```

```
Tables_in_cms2080 |
  department
  marks
  staff
  student
  subject
5 rows in set (0.00 sec)
mysql> describe marks;
+----
  Field | Type | Null | Key | Default | Extra |
  marks_obtain | decimal(4,0) | YES | NULL
 sub_id | decimal(4,0) | NO | PRI | NULL
              | decimal(4,0) | NO
 | stu_id
                                  | PRI | NULL
 Tables_in_cms2080 |
 -----+
 department
 staff
 student
 subject
4 rows in set (0.01 sec)
mysql> describe subject;
 Field | Type
                       | Null | Key | Default | Extra |
 sub_id | decimal(4,0) | NO |
                               PRI |
                                    NULL
| sub_name | varchar(25)
| sub_code | varchar(25)
                       YES YES
                                    NULL
                                   I NULL
| staff_id | decimal(4,0) | YES | MUL | NULL
+----+
4 rows in set (0.00 sec)
```

2.

mysql> show tables;