

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Valentine?</title>
  <style>
    body {
      background: linear-gradient(135deg, #ffd1dc, #ffe6f0);
      font-family: 'Arial', sans-serif;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
      margin: 0;
    }
  
```

```
.card {
  background: white;
  padding: 40px;
  border-radius: 20px;
  text-align: center;
  box-shadow: 0 10px 30px rgba(0,0,0,0.15);
  width: 320px;
}
```

```
.emoji {
  font-size: 60px;
  margin-bottom: 10px;
}
```

```
h1 {
  font-size: 22px;
  margin-bottom: 30px;
}
```

```
.buttons {
  position: relative;
  height: 120px;
}
```

```
}
```

```
button {  
  font-size: 18px;  
  padding: 12px 25px;  
  border: none;  
  border-radius: 30px;  
  cursor: pointer;  
  transition: 0.2s ease;  
}
```

```
#yes {  
  background-color: #ff4d6d;  
  color: white;  
}
```

```
#no {  
  position: absolute;  
  background-color: #ccc;  
}
```

```
.message {  
  display: none;  
  font-size: 22px;  
  margin-top: 20px;  
  color: #ff4d6d;  
  font-weight: bold;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="card">  
  <div class="emoji">🐻💖</div>  
  <h1>Alex, will you be my Valentine?</h1>
```

```
<div class="buttons">  
  <button id="yes">Yes</button>
```

```
<button id="no">No</button>
</div>

<div class="message" id="message">
  Yay!! I knew you'd say yes 💕
</div>
</div>

<script>
  const noBtn = document.getElementById("no");
  const yesBtn = document.getElementById("yes");
  const message = document.getElementById("message");

  noBtn.addEventListener("mouseover", () => {
    const x = Math.random() * 200;
    const y = Math.random() * 80;
    noBtn.style.left = `${x}px`;
    noBtn.style.top = `${y}px`;
  });

  yesBtn.addEventListener("click", () => {
    setTimeout(() => {
      message.style.display = "block";
    }, 2000);
  });
</script>

</body>
</html>
```