Asynchronous Web Chat Project

Guidelines for production server

September 30, 2022

Those sections details how to setup up the VM for the production environment. You must first reproduce the same steps than for the development environment and then move one with the following steps.

1 WSGI server

- 1. Install the application requirements out of the virtual environment
- 2. Install Gunicorn for Python using the pip tool from Python 3.8. Also make sure to install gunicorn system wide with the following command:

```
$ : sudo apt install gunicorn
```

3. Try launching the application with gunicorn:

```
$ : cd WebChatApp
$ : gunicorn —bind 0.0.0.0:8000 ChatServerPlayground.wsgi
```

If it does not work, then there is something wrong with your setup. You must fix it before moving onto next steps.

1.1 Gunicorn setup

1. Create Gunicorn socket and service files:

```
$ : cd /etc/systemd/system

$ : sudo cp ~/WebChatApp/ProjectFiles/gunicorn.socket ./

$ : sudo cp ~/WebChatApp/ProjectFiles/gunicorn.service ./
```

2. Enable Gunicorn to start whenever the VM starts:

```
$ : sudo systemctl start gunicorn.socket
$ : sudo systemctl enable gunicorn.socket
```

1.2 Nginx setup

1. Create the Nginx configuration :

```
\ : \ cd / etc/nginx/sites-available \\ \ : \ sudo \ cp \sim / WebChatApp/ProjectFiles/ChatServerPlayground ./
```

2. Update Nginx config file at "/etc/nginx/nginx.conf" with the following :

```
http{
client_max_body_size 10M;
}
```

3. Set up the firewall:

```
$ : sudo ln -s ChatServerPlayground ../nginx/sites-enabled
$ : sudo nginx -t
$ : sudo systemctl restart nginx
$ : sudo ufw allow 'Nginx Full'
$ : sudo systemctl restart gunicorn
```

2 ASGI server

2.1 Redis setup

1. Allow redis to be managed by systemd :

```
Open "/etc/redis/redis.conf" change 'supervised no' to 'supervised systemd'
```

```
$ : sudo systemctl restart redis.service
$ : sudo systemctl status redis
```

2. Confirm Red is is running at 127.0.0.1. Port should be 6379 by default :

```
$ : sudo apt install net-tools
$ : sudo netstat -lnp — grep redis
$ : sudo systemctl restart redis.service
```

2.2 Channels and Daphne

1. Install the python-decouple library :

```
$: pip install python-decouple
```

- 2. At the top of "WebChatApp/ChatServerPlayground/settings.py" ", add: from pathlib import Path from decouple import config
- 1. Create the django ASGI application

```
$ : cd WebChatApp/ChatServerPlayground
$ : cp ../ProjectFiles/asgi.py ./
```

2. Creating daphne service:

```
$ : sudo apt install daphne
$ : cd /etc/sustemd/system
$ : sudo cp ~/WebChatApp/ProjectFiles/daphne.service ./
$ : systemctl daemon-reload
$ : systemctl start daphne.service
$ : systemctl status daphne.service
```

3. Starting daphne automatically:

```
$: cp WebChatApp/ProjectFiles/boot.sh ~/
$: chmod u+x ~/boot.sh
$: cd /etc/systemd/system
$: sudo cp ~/WebChatApp/on_boot.service ./
$: systemctl daemon-reload
$: sudo systemctl start on_boot
$: sudo systemctl enable on_boot
```

4. Allow daphne service through firewall:

s: ufw allow 8001

\$: sudo shutdown -r now

5. Check the status of on_boot.service:

\$: systemctl status on_boot.service

- 6. Correct the ws_path in WebSockets connections in HTML templates: window.location.host to window.location.hostname and add the port 8001 each time you change host to hostname.
- 7. Set up port forwarding in the configuration of the VM in VirtualBox : 8000 to 80 and 8001 to 8001. You should have the following :

Nom	Protocole	IP hôte	Port hôte	IP invité	Port invité
Rule 1	TCP		8001		8001
web	TCP		8000		80

3 Systemctl services tips

- Must be executed if you change the gunicorn.service file. sudo systemctl daemon-reload
- If you change code on your server you must execute this to see the changes take place.

sudo systemctl restart gunicorn

- To check the status of a service sudo systemctl status gunicorn
- Where all the logs are consolidated to. sudo journalctl
- View the last entries in the error log sudo tail -F /var/log/nginx/error.log
- Nginx process logs sudo journaletl -u nginx
- Nginx access logs sudo less /var/log/nginx/access.log
- Nginx error logs sudo less /var/log/nginx/error.log
- gunicorn application logs sudo journalctl -u gunicorn
- check gunicorn socket logs sudo journalctl -u gunicorn.socket