
application qt
App recip
main.cpp
img
qt library recipe
qmake
qlibrary.so
App
Calculation
add(1,2);
Sub(1,2);
Library (math)
add();
Sub();
Sandi
add()
o/p
libmath.a
libmath.so

Library (math)

SRC_URI

↳ file://

do_compile () {

```
${CC} -c math.c
${AR} -rcs libmath.a math.o
```

}

do_install () {

cd ${D}${libdir}/

cp ${D}${incldir}/

move

}

FILES:${PN}-dev





Calculator

```
${CC}  -I(Sysroot/include)
       -L(Sysroot/lib)
       libmath.a
```

-I(Sysroot/include) → STAGING_INCDIR

-L(Sysroot/lib) → STAGING_LIBDIR

Sysroot → usr

usr → bin, lib, sbin, include

DEPENDS = "math"

Yocto



we will make the version of all tools the same

DEPENDS

STAGING → Inc

→ lib

FILES: SPW3-dev

${PN}-dbg



-I
include directory
-L
library directory
-l
libmath.a
linker
${CC} -static
PP
Cc
As
Linker
.so
.a


math
recipe 1
mathlib
recipe 2
mathvers
recipe 3
PROVIDES
Math
PREFERED_PROVIDER_math = mathlib

DEPENDS → Compilation

↳ only used in bb

RDEPENDS

↳ runtime

↳ Depend on specific recipe @ runtime




qt-app
binary
image
./weather
rpi
RDEPENDS:${PN} = " qtbase qtmultimedia "
so
so
DEPENDS = " copy paste "

Shared object

```
do_install() {
    ln -s libmath.so.1.1.0 libmath.so
    install -d ${S}/libmath.so.1.1.0 ${D}${libdir}/
}
```

very Important in Dynamic

.bb

```
RDEPENDS:${PN} = "math"
DEPENDS = "math"
```

this required for Dynamic library to be installed in the image

bitbake core-image-minimal

→ recipe

→ IMAGE_INSTALL → rootfs

→ inherit base → bbclass → Image

IMAGE_

FSTYPE → type of the image that will be in deploy

wic

oe image creator

→ dd, tar, xz, gzip, bmap


partition 2
boot
rootfs
wic
IMAGE_INSTALL
wic
IMAGE_BOOT_FILE


IMAGE
recipe_core
image.bb
core_image_m.bb
IMAGE_INSTALL
IMAGE_FEATURES
Conf
distro
iti.conf

inherit core-image

IMAGE_INSTALL ← packages Needed

IMAGE_ROOTFS_SIZE

DISTRO_FEATURES = "systemd"

python
tcpdump

Task