

Learning Goals	<ul style="list-style-type: none">• Learn symmetric migrations.• Learn about the <code>`VERSION`</code> argument to the <code>`rake db:migrate`</code> command.
-----------------------	--

Over time, it is inevitable that your database requirements will change. When they do, it is important that we are able to roll back database schema changes in case something goes wrong.

By the end of this challenge you should know:

- The differences between standalone vs symmetric migrations
- When to use symmetric migrations
- How to write symmetric migrations

Why Symmetric Migrations

For instance, imagine you are building a database for a hospital. For every patient, you store their location in 2 columns:

1. Floor # => Level 3
2. Direction # => "East Wing"
3. Room Number # => 24

One day your CTO comes in and requests you to combine the 3 columns into 1 column, e.g.

```
# Original:
{floor: 3, direction: "east", room_number: 24}

# New:
# location format: "<floor>-<direction>-<room_number>"
{location: "3-east-24"}
```

This seems like a pretty simple request, you just need to

1. Add a "location" columns to the table
2. Copy information from the "floor", "direction", "room_number" columns to the "location" column
3. Delete the 3 columns: "floor", "direction", "room_number"

This is fairly straightforward to do in ActiveRecord, you just need to:

1. Write a migration to add 1 columns named "location" with type "string" to the table
2. Update each row in the table (in a ruby file / in the console)
3. Write a migration to delete the 3 columns from the table

But remember, this is a hospital's database! Each piece of patient-related information is critical and no data loss can be tolerated. What if after running all the migrations, the hospital uses the new DB for 1 month, then decides they want to revert to using the original 3 columns to store patient location? You are now faced with some problems:

1. You can't just drop the DB and use a backup from 1 month ago, the current DB contains 1 additional month of data
2. ActiveRecord can revert the column creation/deletion automatically, however the data in those columns need to be converted manually

To prevent this kind of problem from occurring, you should write your migrations to be symmetric!

What are Symmetric Migrations

Each ActiveRecord Migration has a **up** and **down** component. When you write a **change** method, ActiveRecord tries to infer the **up** and **down** components for you.

For example, a **change** migration file like below:

```
class CreateUsers < ActiveRecord::
Migration[5.0]
  def change
    # create a 'users' table
    create_table :users do |t|
      t.string :name
      t.string :email

      t.timestamps
    end

    # add a 'user_id' column to the
    'registrations' table
    add_column :registrations, :user_id, :integer
  end
end
```

ActiveRecord will automatically infer that this **change** migration should be converted to the following:

```
class CreateUsers < ActiveRecord::
Migration[5.0]
  def up
    # create a 'users' table
    create_table :users do |t|
      t.string :name
      t.string :email

      t.timestamps
    end

    # add a 'user_id' column to the
    'registrations' table
    add_column :registrations, :user_id, :integer
  end

  def down
    # drop the 'users' table
    drop_table :users

    # remove the 'user_id' column
    from the registrations table
    remove_column :registrations,
:user_id
  end
end
```

Writing a Symmetric Migration

In the hospital example above, ActiveRecord doesn't know how to handle copying the code from the 1 column to the 3 columns. In this scenario, we will write a symmetric migration by writing the **up** and **down** migrations directly.

Let's say this is for a **patients** table, the more complex symmetric migration might look like below

```
class ChangeColumnsOnPatients < ActiveRecord::Migration[5.0]
  def up
    add_column :patients, :location, :string

    Patient.all.each do |patient|
      # use the :column_to_be_deleted to update the 3 new columns
      patient.update(location: "#{patient.floor}-#{patient.direction}-#{patient.room_number}")
    end

    remove_column :patients, :floor
    remove_column :patients, :direction
    remove_column :patients, :room_number
  end

  def down
    add_column :patients, :floor
    add_column :patients, :direction
    add_column :patients, :room_number

    Patient.all.each do |patient|
      # use the 3 new columns to join them into 1 column
      location_info = patient.location.split("-")
      floor = location_info[0]
      direction = location_info[1]
      room_number = location_info[2]
      patient.update(
        floor: floor,
        direction: direction,
        room_number: room_number
      )
    end
  end
end
```

```
        remove_column :patients, :location  
      end  
    end  
  end
```

Objectives

Now that you know what are symmetric migrations, lets try implementing it in your **ar-student-schema**.

A common problem in real life apps is whether to store a person's name as **first_name**, **middle_name**, **last_name** (in 3 columns) or join them into 1 column (e.g. **name**)

Try to write a symmetric migration in the previous challenge to merge the **first_name** and **last_name** for each student into 1 column **name**. You can reference the hospital example given above.

Special Note

For your **ar-student-schema** project, you cannot use commands you may have found online, e.g. **rails db:rollback**, **rake db:rollback** as this is not a Rails project.

Instead, when you want to test rolling back the DB, please use the following format:

```
# you have two migrations named as follows  
"20170421000000_first_migration.rb"  
"20170421000001_second_migration.rb"  
  
# in the terminal, you would use the following commands  
  
# run all migrations  
rake db:migrate  
  
# roll back second migration  
rake db:migrate VERSION=20170421000000 # => version number depends on
```

n the timestamp of your first migration