irregularis + *vesiculiferum* short 5.8S: 27 copies†, 15 cultures
irregularis main type: 3 copies, 2 cultures
irregularis main type: 27 copies, 8 cultures
irregularis main type: 1 copy, 1 culture
irregularis main type: 2 copies, 1 culture
irregularis main type: 3 copies, 1 culture
irregularis + sp. short 5.8S: 2 copies, 2 cultures
irregularis main type: 5 copies, 4 cultures
irregularis main type: 2 copies, 2 cultures
irregularis main type: 6 copies, 4 cultures
irregularis short 5.8S: 1 copy, 1 culture
irregularis main type: 5 copies, 3 cultures
irregularis main type: 1 copy, 1 culture
vesiculiferum main type: 23 copies, 8 cultures
silesianus main type: 7 copies, 2 cultures
silesianus short 5.8S: 3 copies, 2 cultures
sp. main type: 9 copies, 2 cultures
intraradices + *prolifer* short 5.8S: 8 copies, 4 cultures
intraradices main type: 12 copies, 4 cultures
prolifer main type: 6 copies, 1 culture
intraradices same-length copy: 1 copy, 1 culture
Rhizophagus irregularis
[Rhizoglomus] vesiculiferum
Rhizophagus intraradices
Rhizophagus prolifer
Rhizophagus silesianus
Rhizophagus sp.
clade of short-5.8S copies only (bold)
SH-aLRT ≥ 80 and UFBoot ≥ 95
0.01 substitutions/site