

(a) LongGloDB: taxa the reference does not hold
102 ASVs, each species removed from the LSU reference
Inside a reference species: 4, assigned known 4
Inside none: 98, assigned known 0
G. gigantea KS302
assigned to G. rosea (4)
LSU: distance to the nearest named reference species (%)
ITS: distance to the nearest named reference species (%)
(b) LongGloDB: species the reference holds
164 ASVs, LSU reference intact
Inside own species: 139, kept 135
Inside another species only: 8, assigned to it 8
Inside none: 17, kept 1
F. mosseae BEG12: kept;
no ITS distance in the prediction
F. coronatus MR101
assigned to F. mosseae (8)
41 ASVs at 0, 0
ITS: distance to the nearest named reference species (%)
(c) EUKARYOME: taxa the reference does not hold
2,706 sequences, each taxon removed from the LSU reference where it is held
Inside a reference species: 1, assigned known 1
Inside none: 2,705, assigned known 12
D. achra (2),
assigned to D. duoreactiva
S. constrictum, S. nigrum (10),
assigned to other
Septoglomus species
D. bareai (1),
assigned to D. jakucsiae
LSU: distance to the nearest named reference species (%)
ITS: distance to the nearest named reference species (%)
(d) EUKARYOME: species the reference holds
199 sequences, LSU reference intact
Inside own species: 158, kept 149
Inside another species only: 2, assigned to it 2
Inside none: 39, kept 3
ITS: distance to the nearest named reference species (%)
>30 or none
predicted inside a named reference species
predicted inside none
assigned to a known species or group
not assigned to a known species
within-species limit (ITS and LSU)