
R. irregulare + R. vesiculiferum short 5.8S: 27 sequences+, 15 cultures
R. irregulare main type: 3 sequences, 2 cultures
R. irregulare main type: 27 sequences, 8 cultures
R. irregulare main type: 1 sequence, 1 culture
R. irregulare main type: 2 sequences, 1 culture
R. irregulare main type: 3 sequences, 1 culture
R. irregulare + R. sp. short 5.8S: 2 sequences, 2 cultures
R. irregulare main type: 5 sequences, 4 cultures
R. irregulare main type: 2 sequences, 2 cultures
R. irregulare main type: 6 sequences, 4 cultures
R. irregulare short 5.8S: 1 sequence, 1 culture
R. irregulare main type: 5 sequences, 3 cultures
R. irregulare main type: 1 sequence, 1 culture
R. vesiculiferum main type: 23 sequences, 8 cultures
R. silesianum main type: 7 sequences, 2 cultures
R. silesianum short 5.8S: 3 sequences, 2 cultures
R. sp. main type: 9 sequences, 2 cultures
R. intraradices + R. proliferum short 5.8S: 8 sequences, 4 cultures
R. intraradices main type: 12 sequences, 4 cultures
R. proliferum main type: 6 sequences, 1 culture
R. intraradices same-length sequence: 1 sequence, 1 culture
R. irregulare
R. vesiculiferum
R. intraradices
R. proliferum
R. silesianum
R. sp.
clade of short-5.8S sequences only (bold)
SH-aLRT ≥ 80 and UFBoot ≥ 95
0.01 substitutions/site