TECHNICAL DOCUMENTATION

Virtual Account Payment Integration

Vendor Payment (Payment Gateway)

Document Coverage:

1. Sequence Diagram
2. Authorization
3. API Bill Presentment (Inquiry)
4. API Payment Flag (Notif Payment)
5. API Payment Status


Version 1.1 | May 2026

Version History

Version	Date	PIC	Remarks
1.0	04 May 2026	Sutyoso, Lidia	Initial Version
1.1	11 May 2026	Sutyoso, Lidia	- Add Section 2. Authorization - Add feeBaseAmount.value, feeBaseAmount.currency, feeTaxAmount.value, feeTaxAmount.currency in: - 4. API Payment Flag > Request Payload - 4. API Payment Flag > Response Fields - 5. API Payment Status > Response Fields
1.2	15 May 2026	Sutyoso	Update url end point untuk API Bill Presentment (Inquiry) & API Payment Flag (Notif Payment)

1. Sequence Diagram

The diagram below illustrates the complete interaction flow between three actors for the Virtual Account online payment system. The Bill Presentment API and Payment Flag API are mandatory pairs; the Payment Status API is optional.



Notes:

- Steps 1-8 are mandatory. Bill Presentment (Steps 2-3) and Payment Flag (Steps 7-8) APIs must be used together as a pair.
- Steps 9-10 (*) are optional. The Payment Status API allows the Company Partner to check payment status.
- Payment status data is available from D-day (today) until D-1 (yesterday).

2. Authorization

2.1 Introduction & OAuth 2.0 Overview

The Vendor Payment (Payment Gateway) Corporate Banking API uses OAuth 2.0 as its authorization framework. To access any service, you must first obtain a valid access token using the client_credentials grant type.

The authorization flow involves two types of signatures:

- Signature Asymmetric (RSA) — used to obtain the Access Token
- Signature Symmetric (HMAC-SHA512) — used for subsequent API transaction requests

Partners will receive the following credentials from Vendor Payment (Payment Gateway):

- Client ID
- Client Secret
- X-PARTNER-ID
- CHANNEL-ID

2.2 Environment URLs

URL	Usage
https://apidev.sedayu.one/staging/s1/b1-gateway/api/nicepay	Vendor Payment (Payment Gateway) UAT Environment – HTTPS (Port 443)
https://asgapis.sedayu.one/s1/b1-gateway/api/nicepay	Vendor Payment (Payment Gateway) Production Environment – HTTPS (Port 443)
https://simulator.api.vendorpayment.com	Vendor Payment (Payment Gateway) Simulator Production – HTTPS (Port 443)

2.3 Access Token Request

To obtain an access token, send a POST request to the token endpoint with the required headers and body.

2.3.1 Endpoint

Method	Endpoint	Usage
POST	/openapi/v1.0/access-token/b2b	Get Access Token (B2B)

2.3.2 Request Headers

Header	Description	Example
X-TIMESTAMP	Client's local time in ISO-8601 format (yyyy-MM-ddTHH:mm:ssTZD)	2024-03-19T11:46:16+07:00

Header	Description	Example
X-CLIENT-KEY	Your Client ID provided by Vendor Payment (Payment Gateway)	3a03f741-0787-409a-b092-e1238b81f05t
X-SIGNATURE	Asymmetric signature (SHA256withRSA), Base64 encoded	See Section 2.4
Content-Type	Request content type	application/json

2.3.3 Request Body

```
{
  "grantType": "client_credentials"
}
```

2.3.4 Response Fields

Field	Type	Description
responseCode	String	Response result code (e.g. 2007300 = Successful)
responseMessage	String	Response message (e.g. Successful)
accessToken	String	Bearer token to use in subsequent API calls
tokenType	String	Token type (always "bearer")
expiresIn	String	Token validity in seconds (900 = 15 minutes)

2.3.5 Sample Request & Response

```
curl https://api.vendorpayment.com/openapi/v1.0/access-token/b2b \
  -H "X-TIMESTAMP: 2024-03-19T11:46:16+07:00" \
  -H "X-CLIENT-KEY: 3a03f741-0787-409a-b092-e1238b81f05t" \
  -H "X-SIGNATURE: <Base64-encoded-RSA-signature>" \
  -H "Content-Type: application/json" \
  -d '{"grantType": "client_credentials"}'
```

Sample Success Response:

```
{
  "responseCode": "2007300",
  "responseMessage": "Successful",
  "accessToken": "7t4tbXnlyn4NABRn0FAhB69CRhxghlPPfPK2l9quE29l4D4k5DLH57",
  "tokenType": "bearer",
  "expiresIn": "900"
}
```

2.4 Signature Asymmetric (RSA)

The asymmetric signature is used exclusively to obtain the Access Token. Vendor Payment (Payment Gateway) uses your submitted Public Key (X.509 format) to verify the signature on every access token request.

2.4.1 Validation Process

The following steps are performed by Vendor Payment (Payment Gateway) to validate your request:

- Retrieve X-TIMESTAMP from HTTP Header
- Retrieve Client ID from HTTP Header (X-CLIENT-KEY)
- Retrieve the RSA signature (Base64) from HTTP Header (X-SIGNATURE)
- Construct StringToSign from Client ID and Timestamp
- Validate the RSA signature using the Partner's Public Key

2.4.2 Generating the Signature

Use SHA256withRSA with your Private Key:

```
Algorithm  : SHA256withRSA
Input      : StringToSign = {X-CLIENT-KEY} + "|" + {X-TIMESTAMP}
Output     : X-SIGNATURE  = Base64Encode( SHA256withRSA(PrivateKey, StringToSign) )

Example StringToSign:
3a03f741-0787-409a-b092-e1238b81f05t|2024-03-19T11:46:16+07:00
```

Important: Partner must submit their Public Key in X.509 format to Vendor Payment (Payment Gateway) before integration.

Sample Public Key format (X.509):

```
-----BEGIN PUBLIC KEY-----
MIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAomV+Vm1xlRXanmh108Ku
sls7SSKec0oCejtc9QGObpd4RnQ+7gihm2k6etnSNP7b+XrpY+fBkiQNaBInii9M
...
-----END PUBLIC KEY-----
```

2.4.3 Failure Response

If signature validation fails, the following error is returned:

```
{
  "responseCode": "4017300",
  "responseMessage": "Unauthorized. [Signature]"
}
```

2.5 Request Headers for Transaction APIs

After obtaining the Access Token, include the following headers in every subsequent API request:

Field	Type	Length	Mand.	Description
Authorization	String	N/A	Y	Bearer {accessToken} — prefix must be "Bearer"
Content-Type	String	16 (Fixed)	Y	application/json
X-TIMESTAMP	String	25 (Fixed)	Y	ISO-8601 format: yyyy-MM-ddTHH:mm:ssTZD
X-SIGNATURE	String	N/A	Y	Symmetric HMAC-SHA512 signature, Base64 encoded
X-EXTERNAL-ID	String	36 (Max)	Y	Unique numeric string reference per day
ORIGIN	String	N/A	N	Origin domain (e.g. www.yourdomain.com)

2.6 Signature Symmetric (HMAC-SHA512)

The symmetric signature is used for all transaction API calls (Bill Presentment, Payment Flag, Payment Status). It uses your Client Secret as the HMAC key.

2.6.1 Validation Process

- Retrieve X-TIMESTAMP from HTTP Header
- Look up the Client Secret for the given Client ID
- Retrieve the HMAC signature (lowercase Base64) from X-SIGNATURE header
- Re-calculate HMAC-SHA512 using the Client Secret and StringToSign
- Compare client HMAC with calculated HMAC — they must match

2.6.2 Generating the Signature

```
Algorithm  : HMAC-SHA512
Key        : Client Secret (plain value)
Output     : X-SIGNATURE = Base64Encode( HMAC-SHA512(ClientSecret, StringToSign) )

StringToSign = HTTPMethod + ":" + RelativeUrl + ":" + AccessToken + ":"
             + Lowercase(HexEncode(SHA-256(MinifyJson(RequestBody)))) + ":" + Timestamp
```

2.6.3 StringToSign Components

Component	Rules
HTTP Method	Uppercase — e.g. GET, POST, PUT, PATCH, DELETE
Relative URL	Path after hostname, including query string. Must begin with /. Sort query params lexicographically. URI-encode special characters (e.g. comma in path must be %2C).
Access Token	The OAuth 2.0 Bearer token from the Authorization header (without "Bearer" prefix). Valid for 900 seconds.
Request Body	Minify JSON (remove all whitespace outside of key/value strings), then SHA-256 hash, then HexEncode, then Lowercase. If body is empty, use empty string.

Component	Rules
Timestamp	ISO-8601 format: yyyy-MM-ddTHH:mm:ssTZD (must match X-TIMESTAMP header exactly)

2.6.4 Relative URL Encoding Rules

- Do NOT encode: forward slash / in path, question mark ?, equals =, ampersand &, unreserved chars A-Z a-z 0-9 - _ . ~
- DO encode: all other characters including commas in path values (comma = %2C)
- Sort query parameters lexicographically by name; if same name, sort by value

2.6.5 Symmetric Signature Examples

Parameter	Scenario — POST with JSON Body
HTTP Method	POST
URL	/banking/corporates/transfers
Client Secret	efc71ced-b0e7-4b47-8270-3c24829764aa
Access Token	gp9HjjEj813Y9JGoqwOeOPWbnt4CUpvIJbU1mMU4a11MNDZ7Sg5u9a
Timestamp	2017-03-17T09:44:18+07:00
Request Body (minified)	{"CorporateID":"H2HAUTO009","SourceAccountNumber":"0611104625","Amount":"175000000"}
SHA-256 of body	76075cecf83d811f03358522d612a0073806ff1e88d77dd94b641173bf1c5ba6
StringToSign	POST:/banking/corporates/transfers:gp9HjjEj813Y...:76075cec...:2017-03-17T09:44:18+07:00
X-SIGNATURE (result)	rGQ5wohaC6m7euLMfmEIwgFzJFtIKNMDPVmavxT+6lpmu56n...==

2.6.6 Failure Response

```
{
  "responseCode": "401xx00",
  "responseMessage": "Unauthorized. [Signature]",
  "data": {}
}

Note: xx = service-specific code (e.g. 24 for Inquiry, 25 for Payment)
```

2.7 Symmetric Encryption (AES-256)

Some services require symmetric encryption to protect confidential data fields.

Parameter	Value
Algorithm	AES-256

Parameter	Value
Key	Plain value of Client Secret
IV	First 8 characters + Last 8 characters of Client Secret

2.8 Error Codes & Handling

HTTP Code	Error Code	Error Message / Cause
400	4007301	Invalid field format [clientId / clientSecret / grantType]
400	4007301	Invalid field format [X-TIMESTAMP] — check ISO-8601 format and current time
400	4007302	Invalid mandatory field [X-CLIENT-KEY] — field missing or empty
401	4017300	Unauthorized. [Signature] — RSA or HMAC mismatch
401	4017300	Unauthorized. [Unknown client] — X-CLIENT-KEY or CHANNEL-ID/X-PARTNER-ID mismatch
401	4017300	Unauthorized. [Connection not allowed] — IP not whitelisted
401	4013601	Invalid token (B2B) — access token expired, missing, or incorrect
504	5047300	Timeout

2.9 Step-by-Step Guide: Generate Access Token

Step 1 — Set the Endpoint

Use the appropriate environment URL:

```
POST https://api.vendorpayment.com/openapi/v1.0/access-token/b2b
```

Step 2 — Set the Headers

```
X-TIMESTAMP : 2024-03-19T11:46:16+07:00
X-CLIENT-KEY: 3a03f741-0787-409a-b092-e1238b81f05t
Content-Type: application/json
X-SIGNATURE : <generated — see Step 3>
```

Step 3 — Generate the Asymmetric Signature (X-SIGNATURE)

```
Formula    : SHA256withRSA(PrivateKey, StringToSign)
StringToSign: {X-CLIENT-KEY}|{X-TIMESTAMP}
Example    : 3a03f741-0787-409a-b092-e1238b81f05t|2024-03-19T11:46:16+07:00
Output     : Base64Encode the RSA-signed result
```

Step 4 — Set the Request Body

```
{ "grantType": "client_credentials" }
```

Step 5 — Send the Request & Handle Response

On success (HTTP 200), you will receive an accessToken valid for 900 seconds. Store it and use it in the Authorization header for all subsequent API calls as:

```
Authorization: Bearer {accessToken}
```

2.10 Step-by-Step Guide: Call Transaction APIs

UStep 1 — Set the Endpoint (per API)

Each API has its own URL (see Sections 3–5). Example for Bill Presentment:

```
POST https://api.vendorpayment.com/openapi/v1.0/transfer-va/inquiry
```

Step 2 — Prepare the Request Headers

```
Authorization : Bearer {accessToken}
X-TIMESTAMP   : 2024-03-19T11:46:16+07:00
X-SIGNATURE   : <generated — see Step 3>
CHANNEL-ID    : 95231
X-PARTNER-ID  : {Your Partner ID}
X-EXTERNAL-ID : {Unique numeric string, max 36 chars, unique per day}
Content-Type  : application/json
```

Step 3 — Generate the Symmetric Signature (X-SIGNATURE)

```
Formula      : HMAC-SHA512(ClientSecret, StringToSign)
StringToSign :
POST:/openapi/v1.0/transfer-va/inquiry:{accessToken}:{sha256Body}:{timestamp}

Where {sha256Body} = Lowercase(HexEncode(SHA-256(MinifyJson(requestBody))))
  - MinifyJson: remove all whitespace outside key/value strings
  - If body is empty: SHA-256 of empty string =
    e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Example X-SIGNATURE:
x/mBhQVw6mqOdFYZdC6ltX10pGKXRdzsUc+7LBrlWY/RgBAyu4A1x...==
```

Step 4 — Send the Request & Handle Response

Common errors during transaction API calls:

Error	Common Cause & Fix
Unauthorized. [Unknown client]	CHANNEL-ID and X-PARTNER-ID do not match. Verify your credentials.

Error	Common Cause & Fix
Unauthorized. [Signature]	HMAC mismatch — most commonly caused by incorrect JSON minification before SHA-256 hashing. Remove ALL whitespace from JSON body before hashing.
Unauthorized. [Connection not allowed]	Your IP is not whitelisted. Contact Vendor Payment (Payment Gateway) to add your server IP.
Invalid token (B2B)	Access token expired (valid 900s) or incorrect. Re-generate a new token.

Minify JSON Example:

BEFORE (formatted):

```
{
  "CorporateID" : "H2HAUTO009",
  "SourceAccountNumber" : "0611104625",
  "Amount" : "175000000"
}
```

AFTER (minified):

```
{"CorporateID":"H2HAUTO009","SourceAccountNumber":"0611104625","Amount":"175000000"}
```

3. API Bill Presentment (Inquiry)

This API is used by Vendor Payment (Payment Gateway), acting as the client, to send a request to the Company Partner (server) to retrieve the customer's list of bills before payment is processed.

3.1 Endpoint

Method	Endpoint	Description
POST	/openapi/**v**1.0/transfer-va/inquiry	Retrieve customer bill details for Virtual Account payment

3.2 Request Headers

Field	Data Type	Length	Mand.	Description
CHANNEL-ID	String	(5) Fixed	Y	Channel Identifier using WSID Virtual Account (95231)
X-PARTNER-ID	String	(8) Max	Y	Partner ID using Company Code VA
X-EXTERNAL-ID	String	(36) Max	Y	Numeric String. Reference number unique in the same day.

3.3 Request Payload

Field	Data Type	Length	Mand.	Description
partnerServiceId	String	(8) Fixed	Y	Derivative of X-PARTNER-ID. 8 chars, left padded with spaces.
customerNo	String	(18) Max	Y	Unique number (up to 18 digits).
virtualAccountNo	String	(26) Max	Y	partnerServiceId (8 digit) + customerNo (up to 18 digit).
trxDateInit	Date	(25) Fixed	Y	ISO-8601 Vendor Payment (Payment Gateway) internal datetime.
channelCode	Numeric	(4) Fixed	Y	ISO-18245 Channel code (6011=ATM, 6014=Internet Banking, 6016=Mobile App, etc.).
language	String	(2) Fixed	N	ISO-639-1 Language code.
amount.value	String	(13.2) Max	Y*	Numeric Transaction Amount with 2 decimal places.
amount.currency	String	(3) Fixed	Y*	ISO-4217 Currency (IDR, USD, SGD).
hashedSourceAccountNo	String	(32) Fixed	N	Source account number in hash.
sourceBankCode	String	(3) Fixed	N	Source account bank code.
additionalInfo	Object	-	N	Optional. Additional information for custom use.
passApp	String	(64) Max	N	Key for 3rd party to access API (like client secret).
inquiryRequestId	String	(30) Fixed	Y	Unique identifier generated by Vendor Payment (Payment Gateway).

3.4 Response Fields

Field	Data Type	Length	Mand.	Description
responseCode	String	(7) Fixed	Y	Response code from Partner. Refer to Appendix A.
responseMessage	String	(150) Max	Y	Response message from Partner.
virtualAccountData	Object	-	Y	Main response data container.
inquiryStatus	String	(2) Fixed	Y	00 = Success inquiry; 01 = Failed inquiry.
inquiryReason.english	String	(64) Max	Y	Reason for inquiry status in English.
inquiryReason.indonesia	String	(64) Max	Y	Reason for inquiry status in Bahasa.
partnerServiceId	String	(8) Fixed	Y	Echo from request.
customerNo	String	(18) Max	Y	Unique number (up to 18 digits).
virtualAccountNo	String	(26) Max	Y	partnerServiceId (8 digit left padding space " ") + customerNo (up to 18 digit).
virtualAccountName	String	(30) Max	Y	Customer name.

Field	Data Type	Length	Mand.	Description
inquiryRequestId	String	(30) Fixed	Y	Echo from request.
totalAmount.value	String	(13.2) Max	Y	Total amount with 2 decimal places.
totalAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
subCompany	String	Max 5	C	Partner's product code (sub company code). Mandatory for non-multibills transaction.
billDetails	Array	Max 5	C	Mandatory for multi settlements.
billDetails[].billCode	String	(2) Fixed	N	Customer bill code generated by Partner.
billDetails[].billNo	String	(18) Max	Y	Customer bill number generated by Partner.
billDetails[].billName	String	(20) Max	N	Customer bill name.
billDetails[].billShortName	String	(10) Max	N	Customer bill short name.
billDetails[].billDescription	Object	-	Y	Bill description in English and Bahasa.
billDetails[].billSubCompany	String	(5) Fixed	Y	Bill sub company code.
billDetails[].billAmount.value	String	(13.2) Max	Y	Numeric Transaction Amount.
billDetails[].billAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
billDetails[].billAmount.additionalInfo				Optional additional information.
billDetails[].billAmount.additionalInfo.isFeeBearee	Boolean	-	N	Indicates whether the fee is absorbed by the payer for the associated bill item
freeTexts	Array	Max 5	N	Display texts for channel screen (bilingual).
additionalInfo	Object	-	N	Optional additional information.

3.5 Important Notes

- *Final inquiry status is NOT determined by responseCode/responseMessage alone.*
- *Vendor Payment (Payment Gateway) checks inquiryStatus if responseCode is 2002400 or 2022400.*
- *If responseCode is not 2002400 or 2022400, the transaction is considered failed.*
- *If inquiryStatus/inquiryReason are empty, the transaction will be rejected.*
- *Currency of totalAmount and billAmount must be the same. Supported: IDR*

3.6 Request Sample

```
curl -X POST https://copartners.com/openapi/v1.0/transfer-va/inquiry
  -H 'Content-type: application/json'
  -H 'Authorization: Bearer
gp9HjjEj813Y9JGoqwOeOPWbnt4CUpvIJbU1mMU4a11MNDZ7Sg5u9a'
  -H 'X-TIMESTAMP: 2023-12-25T13:59:21+08:00'
  -H 'CHANNEL-ID: 95231'  -H 'X-PARTNER-ID: 12345'
  -H 'X-EXTERNAL-ID: 12345678901234567890123456789012345678'
  -d '{
```

```
    "partnerServiceId": " 12345",
    "customerNo": "12345678901234567 8",
    "virtualAccountNo": " 12345123456789012345678",
    "trxDateInit": "2022-02-12T17:29:57+07:00",
    "channelCode": 6011, "sourceBankCode": "014", "additionalInfo": {},
    "inquiryRequestId": "20220211090931123450000113 6962"
  }'
```

3.7 Response Sample

```
{
 "responseCode": "2002400",
 "responseMessage": "Successful",
 "virtualAccountData": {
   "inquiryStatus": "00",
   "inquiryReason": {
     "english": "Success",
     "indonesia": "Sukses"
   },
   "partnerServiceId": " 12345",
   "customerNo": "12345678901234567 8",
   "virtualAccountNo": " 12345123456789012345678",
   "virtualAccountName": "Jokul Doe",
   "inquiryRequestId": "20220211103103123450000113 6962",
   "totalAmount": {
     "value": "105000.00",
     "currency": "IDR"
   },
   "subCompany": "",
   "billDetails": [
     {
       "billNo": "12345678901234567 8",
       "billDescription": {
         "english": "Maintenance",
         "indonesia": "Pemeliharaan"
       },
       "billSubCompany": "00000",
       "billAmount": {
         "value": "50000.00",
         "currency": "IDR"
       },
       "additionalInfo": {}
```

```
  },
  {
    "billNo": "223456789012345678",
    "billDescription": {
      "english": "Electricity",
      "indonesia": "Listrik"
    },
    "billSubCompany": "00001",
    "billAmount": {
      "value": "20000.00",
      "currency": "IDR"
    },
    "additionalInfo": {}
  },
  {
    "billNo": "323456789012345678",
    "billDescription": {
      "english": "Water",
      "indonesia": "Air"
    },
    "billSubCompany": "00002",
    "billAmount": {
      "value": "30000.00",
      "currency": "IDR"
    },
    "additionalInfo": {
      "isFeeBearer": true
      },
  },
  {
    "billNo": "423456789012345678",
    "billDescription": {
      "english": "Platform Fee",
      "indonesia": "Biaya Platform"
    },
    "billSubCompany": "00003",
    "billAmount": {
      "value": "5000.00",
      "currency": "IDR"
    },
    "additionalInfo": {}
  }
```

```
    ],
    "freeTexts": []
  },
  "additionalInfo": {}
}
```

3.8 Response Codes (Appendix A)

Scenario	responseCode	responseMessage	Inquiry Status
Access Token Invalid	4012401	Invalid Token (B2B)	-
Unauthorized. Signature	4012400	Unauthorized. [reason]	-
Missing Mandatory Field	4002402	Invalid Mandatory Field {name}	01
Invalid Field Format	4002401	Invalid Field Format {name}	01
Cannot use same X-EXTERNAL-ID	4092400	Conflict	01
Virtual Account Number Valid	2002400	Success	00
Virtual Account Has Been Paid	4042414	Paid Bill	01
Virtual Account Has Expired	4042419	Invalid Bill/Virtual Account	01
Virtual Account Unregistered	4042412	Invalid Bill/Virtual Account [Reason]	01
Request/Response Parsing Error	4002400	Bad Request	01

4. API Payment Flag (Notif Payment)

After bill presentment, the customer confirms the bills to pay. Vendor Payment (Payment Gateway) deducts the amount from the customer's account and sends a payment confirmation (payment flag) to be acknowledged by the Company Partner.

4.1 Endpoint

Method	Endpoint	Description
POST	/openapi/**v**1.0/transfer-va/payment	Send payment notification/flag to Company Partner

4.2 Request Headers

Field	Data Type	Length	Mand.	Description
CHANNEL-ID	String	(5) Fixed	Y	Channel Identifier using WSID Virtual Account (95231)
X-PARTNER-ID	String	(8) Max	Y	Partner ID using Company Code VA
X-EXTERNAL-ID	String	(36) Max	Y	Numeric String. Reference number unique per day.

4.3 Request Payload

Field	Data Type	Length	Mand.	Description
partnerServiceId	String	(8) Fixed	Y	Derivative of X-PARTNER-ID. 8 chars, left padded with spaces.
customerNo	String	(18) Max	Y	Unique number (up to 18 digits).
virtualAccountNo	String	(26) Max	Y	partnerServiceId (8 digit) + customerNo (up to 18 digit).
virtualAccountName	String	(30) Max	Y	Customer name.
trxId	String	(64) Fixed	N	Unique identifier by Partner. Mandatory if from Create VA Request.
paymentRequestId	String	(30) Fixed	Y	Unique identifier by Vendor Payment (Payment Gateway). Must match inquiryRequestId.
channelCode	Numeric	(4) Fixed	Y	ISO-18245 Channel code.
paidAmount.value	String	(13.2) Max	Y	Total paid amount through Vendor Payment (Payment Gateway) with 2 decimals.
paidAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.

Field	Data Type	Length	Mand.	Description
totalAmount.value	String	(13.2) Max	Y	Total amount from inquiry with 2 decimals.
totalAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
feeBaseAmount.value	String	(13.2) Max	Y	Actual fee from inquiry with 2 decimals.
feeBaseAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
feeTaxAmount.value	String	(13.2) Max	Y	Actual fee (Tax) from Payment Gateway with 2 decimals.
feeTaxAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
trxDateTime	Date	(25) Fixed	Y	ISO-8601 Vendor Payment (Payment Gateway) internal system datetime.
referenceNo	String	(11) Fixed	C	Payment auth code by Vendor Payment (Payment Gateway).
flagAdvise	String	(1) Fixed	Y	N = New request; Y = Advice/retry request.
subCompany	String	(5) Fixed	C	Sub Company code
billDetails	Array	Max 5	C	Mandatory for multi settlements.
billDetails[].billNo	String	(18) Max	Y	From Inquiry Response.
billDetails[].billDescription	Object	-	Y	Bill description in English and Bahasa.
billDetails[].billSubCompany	Object	-	Y	Bill description in English and Bahasa.
billDetails[].billAmount.value	String	(13.2) Max	Y	Total paid amount through Vendor Payment (Payment Gateway) with 2 decimals.
billDetails[].billAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
billDetails[].feeBaseAmount.value	String	(13.2) Max	Y	Actual fee (DPP) from Payment Gateway with 2 decimals.
billDetails[].feeBaseAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
billDetails[].feeTaxAmount.value	String	(13.2) Max	Y	Actual fee (Tax) from Payment Gateway with 2 decimals.
billDetails[].feeTaxAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
billDetails[].additionalInfo	Object	-	N	Optional additional information.
billDetails[].billReferenceNo	String	(11) Fixed	Y	Numeric. Generated by Vendor Payment (Payment Gateway).
freeTexts	Array	Max 5	N	From Inquiry Response.
additionalInfo	Object	-	N	Optional additional information.

4.4 Response Fields

Field	Data Type	Length	Mand.	Description
responseCode	String	(7) Fixed	Y	Response code from Partner.

Field	Data Type	Length	Mand.	Description
responseMessage	String	(150) Max	Y	Response message from Partner.
paymentFlagStatus	String	Max 2	Y	Status for Payment Flag defined by Partner to be displayed to BCA's Channel screen. This field may vary with these values: - 00 = Success payment flag - 01 = Reject payment flag by partner, partner must define reason for this status in paymentFlagReason field values in two languages - 02 = Timeout payment flag between switcher to partner. If company's reconciliation type is reversal or force settle, transaction with status 02 will be considered as success transaction. Payment flag status other than 00,01,02 will be considered as 01.
paymentFlagReason.english	String	(200) Max	Y	Reason in English.
paymentFlagReason.indonesia	String	(200) Max	Y	Reason in Bahasa.
partnerServiceId	String	(8) Fixed	Y	Derivative of X-PARTNER-ID. 8 chars, left padded with spaces.
customerNo	String	(18) Max	Y	Unique number (up to 18 digits).
virtualAccountNo	String	(26) Max	Y	partnerServiceId (8 digit) + customerNo (up to 18 digit).
virtualAccountName	String	(30) Max	Y	Customer name.
paymentRequestId	String	(30) Fixed	Y	Echo from request.
paidAmount.value	String	(13.2) Max	Y	Total paid amount through Vendor Payment (Payment Gateway) with 2 decimals.
paidAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
totalAmount.value	String	(13.2) Max	Y	Total amount from inquiry with 2 decimals.
totalAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
feeBaseAmount.value	String	(13.2) Max	Y	Actual fee (DPP) from Payment Gateway with 2 decimals.
feeBaseAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
feeTaxAmount.value	String	(13.2) Max	Y	Actual fee (Tax) from Payment Gateway with 2 decimals.
feeTaxAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
trxDateTime	Date	(25) Fixed	Y	ISO-8601 from payment request.
referenceNo	String	(11) Fixed	C	From payment request.

Field	Data Type	Length	Mand.	Description
billDetails	Array	Max 5	C	Mandatory for multi settlements.
billDetails[].billerReferenceId	String	(11) Fixed	Y	From Payment Request. This field value must be the same with billerReferenceNo from payment request
billDetails[].billNo	String	(18) Max	Y	From Inquiry Response
billDetails[].billDescription	Object	-	Y	From Inquiry Response
billDetails[].billSubCompany	String	(5) Fixed	Y	From Inquiry Response
billDetails[].billAmount.value	String	(13.2) Max	Y	From Inquiry Response
billDetails[].billAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
billDetails[].feeBaseAmount.value	String	(13.2) Max	Y	From Payment Request. Actual fee (DPP) from Payment Gateway with 2 decimals.
billDetails[].feeBaseAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
billDetails[].feeTaxAmount.value	String	(13.2) Max	Y	From Payment Request. Actual fee (Tax) from Payment Gateway with 2 decimals.
billDetails[].feeTaxAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
billDetails[].additionalInfo	Object	-	N	Optional additional information.
billDetails[].additionalInfo.isFeeBearer	Boolean	-	N	Indicates whether the fee is absorbed by the payer for the associated bill item
billDetails[].status	String	Max 2	Y	Payment status for specific Bill
billDetails[].reason	Object	-	N	Reason for Payment Status for specific Bill in English
freeTexts	Array	Max 9	N	Display texts for channel screen.
additionalInfo	Object	-	N	Optional additional information.

4.5 Timeout Conditions

responseCode	paymentFlagStatus	Status in billDetails	Final Status
No response	No response	No response	Timeout
No response	Present	Present	Timeout
Success	No response	No response	Timeout
Failed	No response	No response	Failed

4.6 Important Notes

- *totalAmount must be the same as returned from bill presentment inquiry.*
- *paymentRequestId corresponds to inquiryRequestId for each transaction pair.*
- *Currency must be same for totalAmount, billAmount, paidAmount. Supported: IDR, SGD, USD.*
- *Same X-EXTERNAL-ID with different paymentRequestId -> respond with 4092500 (Conflict).*
- *Double flagging with same X-EXTERNAL-ID and paymentRequestId -> respond with 4042518 (Inconsistent Request).*

4.7 Request Sample

```
curl -X POST https://copartners.com/openapi/v1.0/transfer-va/payment
-H 'Content-Type: application/json'
-H 'Authorization: Bearer gp9HjjEj813Y9JGoqwOeOPWbnt4CUpvIJbU1mMU4a11MNDZ7Sg5u9a'
-H 'X-TIMESTAMP: 2023-12-25T13:59:21+08:00'
-H 'X-SIGNATURE:
85be817c55b2c135157c7e89f52499bf0c25ad6eeebe04a986e8c862561b19a5'
-H 'ORIGIN: www.hostname.com'
-H 'CHANNEL-ID':'95231'
-H 'X-PARTNER-ID': '12345'
-H 'X-EXTERNAL-ID': '12345678901234567890123456789012345'
-d '{
 "partnerServiceId": " 12345",
 "customerNo": "123456789012345678",
 "virtualAccountNo": " 1234512345678901234567 8",
 "virtualAccountName": "Jokul Doe",
 "trxId": "",
 "paymentRequestId": "20220211103103123450000113 6962",
 "channelCode": 6011,
 "paidAmount": {
   "value": "105000.00",
   "currency": "IDR"
 },
 "totalAmount": {
   "value": "105000.00",
   "currency": "IDR"
 },
 "feeBaseAmount": {
   "value": "2000.00",
   "currency": "IDR"
 },
 "feeTaxAmount": {
   "value": "220.00",
   "currency": "IDR"
```

```
},
"trxDateTime": "2022-02-12T17:29:57+07:00",
"referenceNo": "REF998877",
"flagAdvise": "N",
"subCompany": "00000",
"billDetails": [
  {
    "billNo": "123456789012345678",
    "billDescription": {
      "english": "Maintenance",
      "indonesia": "Pemeliharaan"
    },
    "billSubCompany": "00000",
    "billAmount": {
      "value": "50000.00",
      "currency": "IDR"
    },
    "feeBaseAmount": {
      "value": "0.00",
      "currency": "IDR"
    },
    "feeTaxAmount": {
      "value": "0.00",
      "currency": "IDR"
    },
    "additionalInfo": {},
    "billReferenceNo": "00113696201"
  },
  {
    "billNo": "223456789012345678",
    "billDescription": {
      "english": "Electricity",
      "indonesia": "Listrik"
    },
    "billSubCompany": "00001",
    "billAmount": {
      "value": "20000.00",
      "currency": "IDR"
    },
    "feeBaseAmount": {
      "value": "0.00",
      "currency": "IDR"
```

```
    },
    "feeTaxAmount": {
      "value": "0.00",
      "currency": "IDR"
    },
    "additionalInfo": {},
    "billReferenceNo": "00213696201"
  },
  {
    "billNo": "323456789012345678",
    "billDescription": {
      "english": "Water",
      "indonesia": "Air"
    },
    "billSubCompany": "00002",
    "billAmount": {
      "value": "30000.00",
      "currency": "IDR"
    },
    "feeBaseAmount": {
      "value": "0.00",
      "currency": "IDR"
    },
    "feeTaxAmount": {
      "value": "0.00",
      "currency": "IDR"
    },
    "additionalInfo": {
      "isFeeBearer": true
    },
    "billReferenceNo": "00313696201"
  },
  {
    "billNo": "423456789012345678",
    "billDescription": {
      "english": "Platform Fee",
      "indonesia": "Biaya Platform"
    },
    "billSubCompany": "00003",
    "billAmount": {
      "value": "5000.00",
      "currency": "IDR"
```

```
    },
    "feeBaseAmount": {
      "value": "2000.00",
      "currency": "IDR"
    },
    "feeTaxAmount": {
      "value": "220.00",
      "currency": "IDR"
    },
    "additionalInfo": {},
    "billReferenceNo": "00413696201"
  }
],
"freeTexts": [],
"additionalInfo": {}
}'
```

4.8 Response Codes (Appendix A)

Scenario	responseCode	responseMessage	paymentFlagStatus
Access Token Invalid	4012501	Invalid Token (B2B)	-
Unauthorized. Signature	4012500	Unauthorized. [reason]	-
Missing Mandatory Field	4002502	Invalid Mandatory Field {name}	01
Invalid Field Format	4002501	Invalid Field Format {name}	01
Cannot use same X-EXTERNAL-ID	4092500	Conflict	00
Virtual Account Number Valid	2002500	Success	00
Virtual Account Has Been Paid	4042514	Paid Bill	01
Virtual Account Has Expired	4042519	Invalid Bill/Virtual Account	01
Virtual Account Unregistered	4042512	Invalid Bill/Virtual Account [Reason]	01
Invalid Amount	4042513	Invalid amount	01
Duplicate X-EXTERNAL-ID + paymentRequestId	4042518	Inconsistent Request	00/01
Request/Response Parsing Error	4002500	Bad Request	01

4.9 Response Sample

```
{
 "responseCode": "2002500",
 "responseMessage": "Success",
 "virtualAccountData": {
   "paymentFlagStatus": "00",
   "paymentFlagReason": {
     "english": "Success",
     "indonesia": "Sukses"
   },
   "partnerServiceId": "12345",
   "customerNo": "123456789012345678",
   "virtualAccountNo": "1234512345678901234 5678",
   "virtualAccountName": "Jokul Doe",
   "paymentRequestId": "20220211103103123450000 1136962",
   "paidAmount": {
     "value": "105000.00",
     "currency": "IDR"
   },
   "totalAmount": {
     "value": "105000.00",
     "currency": "IDR"
   },
   "feeBaseAmount": {
     "value": "2000.00",
     "currency": "IDR"
   },
   "feeTaxAmount": {
      "value": "220.00",
      "currency": "IDR"
   },
   "trxDateTime": "2022-02-12T17:29:57+07:00",
   "referenceNo": "REF998877",
   "billDetails": [
     {
       "billerReferenceId": "00113696201",
       "billNo": "123456789012345678",
       "billDescription": {
         "english": "Maintenance",
         "indonesia": "Pemeliharaan"
       },
       "billSubCompany": "00000",
       "billAmount": {
```

```
        "value": "50000.00",
        "currency": "IDR"
      },
    "feeBaseAmount": {
      "value": "0.00",
      "currency": "IDR"
    },
    "feeTaxAmount": {
      "value": "0.00",
      "currency": "IDR"
    },
      "additionalInfo": {},
      "status": "00",
      "reason": {
        "english": "Success",
        "indonesia": "Sukses"
      }
    },
    {
      "billerReferenceId": "00213696201",
      "billNo": "223456789012345678",
      "billDescription": {
        "english": "Electricity",
        "indonesia": "Listrik"
      },
      "billSubCompany": "00001",
      "billAmount": {
        "value": "20000.00",
        "currency": "IDR"
      },
      "feeBaseAmount": {
        "value": "0.00",
        "currency": "IDR"
      },
      "feeTaxAmount": {
        "value": "0.00",
        "currency": "IDR"
      },
      "additionalInfo": {},
      "status": "00",
      "reason": {
        "english": "Success",
```

```
        "indonesia": "Sukses"
      }
    },
    {
      "billerReferenceId": "00313696201",
      "billNo": "323456789012345678",
      "billDescription": {
        "english": "Water",
        "indonesia": "Air"
      },
      "billSubCompany": "00002",
      "billAmount": {
        "value": "30000.00",
        "currency": "IDR"
      },
      "feeBaseAmount": {
        "value": "0.00",
        "currency": "IDR"
      },
      "feeTaxAmount": {
        "value": "0.00",
        "currency": "IDR"
      },
      "additionalInfo": {},
      "status": "00",
      "reason": {
        "english": "Success",
        "indonesia": "Sukses"
      }
    },
    {
      "billerReferenceId": "00413696201",
      "billNo": "423456789012345678",
      "billDescription": {
        "english": "Platform Fee",
        "indonesia": "Biaya Platform"
      },
      "billSubCompany": "00003",
      "billAmount": {
        "value": "5000.00",
        "currency": "IDR"
      },
```

```
      "feeBaseAmount": {
        "value": "2000.00",
        "currency": "IDR"
      },
      "feeTaxAmount": {
        "value": "220.00",
        "currency": "IDR"
      },
      "additionalInfo": {},
      "status": "00",
      "reason": {
        "english": "Success",
        "indonesia": "Sukses"
      }
    }
  ],
  "freeTexts": []
},
"additionalInfo": {}
}
```

5. API Payment Status

An optional service allowing Company Partners to monitor Virtual Account payment status. Partners use virtualAccountNo and inquiryRequestId as keys to query status. Data is available from D-day (today) to D-1 (yesterday).

5.1 Endpoint

Method	Endpoint	Description
POST	/openapi/v1.0/transfer-va/status	Check payment status for a Virtual Account transaction

5.2 Environment URLs

URL	Usage
https://devapi.vendorpayment.com	Vendor Payment (Payment Gateway) UAT environment. HTTPS (443)
https://api.vendorpayment.com	Vendor Payment (Payment Gateway) Production environment. HTTPS (443)

5.3 Request Headers

Field	Data Type	Length	Mand.	Description
CHANNEL-ID	String	(5) Fixed	Y	Channel Identifier using WSID Virtual Account (95231)
X-PARTNER-ID	String	(5) Fixed	Y	Partner ID using Company Code VA
X-EXTERNAL-ID	String	(36) Max	Y	Numeric String. Reference number unique per day.

5.4 Request Payload

Field	Data Type	Length	Mand.	Description
partnerServiceId	String	(8) Fixed	Y	Derivative of X-PARTNER-ID. 8 digit left padded with spaces.
customerNo	String	(18) Max	Y	Unique number (up to 18 digits).
virtualAccountNo	String	(26) Max	Y	partnerServiceId (8 digit) + customerNo (up to 18 digit).
inquiryRequestId	String	(30) Fixed	Y	Unique identifier from Inquiry. Generated by Vendor Payment (Payment Gateway).

Field	Data Type	Length	Mand.	Description
paymentRequestId	String	(30) Fixed	N	Unique identifier from Payment. Must match inquiryRequestId.
additionalInfo	Object	-	N	Optional additional information.

5.5 Response Fields

Field	Data Type	Length	Mand.	Description
responseCode	String	(7) Fixed	Y	Response code. Refer to Appendix A.
responseMessage	String	(150) Max	Y	Response message. Refer to Appendix A.
paymentFlagStatus	String	(2) Fixed	Y	00 = Success; 01 = Rejected; 02 = Timeout.
paymentFlagReason.english	String	(200) Max	Y	Reason in English.
paymentFlagReason.indonesia	String	(200) Max	Y	Reason in Bahasa.
inquiryRequestId	String	(30) Fixed	Y	Unique identifier from inquiry.
paymentRequestId	String	(30) Fixed	Y	Unique identifier from payment.
paidAmount.value	String	(13.2) Max	Y	Paid amount with 2 decimal places.
paidAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
totalAmount.value	String	(13.2) Max	Y	Total amount from inquiry with 2 decimal places.
totalAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
feeBaseAmount.value	String	(13.2) Max	Y	Actual fee from inquiry with 2 decimals.
feeBaseAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
feeTaxAmount.value	String	(13.2) Max	Y	Fee tax from inquiry with 2 decimals.
feeTaxAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
trxDateTime	Date	(25) Fixed	N	ISO-8601 Vendor Payment (Payment Gateway) system datetime.
transactionDate	Date	(25) Fixed	Y	ISO-8601 Payment datetime when payment occurred.
referenceNo	String	(11) Fixed	C	Payment auth code. Mandatory for single bill transaction.
billDetails	Array	Max 24	C	Mandatory for multi settlements.
billDetails[].billReferenceNo	String	(11) Fixed	Y	Bill auth code by Vendor Payment (Payment Gateway).
billDetails[].billNo	String	(18) Fixed	Y	Bill number from Partner.
billDetails[].billDescription	Object	-	Y	From Inquiry Response
billDetails[].billSubCompany	String	(5) Fixed	Y	From Inquiry Response
billDetails[].billAmount.value	String	(13.2) Max	Y	From Inquiry Response
billDetails[].billAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.

Field	Data Type	Length	Mand.	Description
billDetails[].feeBaseAmount.value	String	(13.2) Max	Y	From Payment Request. Actual fee (DPP) from Payment Gateway with 2 decimals.
billDetails[].feeBaseAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
billDetails[].feeTaxAmount.value	String	(13.2) Max	Y	From Payment Request. Actual fee (Tax) from Payment Gateway with 2 decimals.
billDetails[].feeTaxAmount.currency	String	(3) Fixed	Y	ISO-4217 Currency.
billDetails[].additionalInfo	Object	-	N	Optional additional information.
billDetails[].status	String	Max 2	Y	Payment status for specific Bill
billDetails[].reason	Object	-	N	Reason for Payment Status for specific Bill in English
freeTexts	Object	Max 9	N	Display texts for channel screen.
additionalInfo	Object	-	N	Optional additional information.

5.6 Important Notes

- *Payment status is available ONLY if the payment flag transaction has been made.*
- *Final status is NOT determined by responseCode and responseMessage alone.*
- *Data is queryable from D-day (today) until D-1 (yesterday).*

5.7 Request Sample

```
curl -X POST https://api.vendorpayment.com/openapi/v1.0/transfer-va/status
  -H 'Authorization: Bearer
iNrWtmeHe7t3h16x4i6o1kV9yj575H77iB9daG3kKXcE7MOHU2ubaS'
  -H 'Content-type: application/json'
  -H 'CHANNEL-ID: 95231'  -H 'X-PARTNER-ID: 12345'
  -H 'X-EXTERNAL-ID: 12345678901234567890123456789012345678'
  -d '{
    "partnerServiceId": " 12345", "customerNo": "12345678901234567",
    "virtualAccountNo": " 1234512345678901234567",
    "inquiryRequestId": "20220211103103123450000113696 2",
    "paymentRequestId": "20220211103103123450000113696 2",
    "additionalInfo": {}
  }'
```

5.8 Response Codes (Appendix A)

HTTP	Response Code	Response Message	Condition
200	2002600	Success	Success
400	4002600	Bad Request	General request error
400	4002601	Invalid Field Format {field}	Data format mismatch
400	4002602	Invalid Mandatory Field {field}	Mandatory field missing
401	4012600	Unauthorized. [Reason]	Invalid Signature / Unknown Client / Connection Not Allowed
401	4012601	Invalid token (B2B)	Access Token Not Exist / Expired / Invalid
404	4042601	Transaction Not Found	Transaction Not Found
409	4092600	Conflict	Cannot use same X-EXTERNAL-ID in the same day
500	5002600	Internal Server Error	Unknown internal server failure. Please retry.
504	5042600	Timeout	Timeout

5.9 Response Sample


```
{
 "responseCode": "2002600",
 "responseMessage": "Success",
 "virtualAccountData": {
   "paymentFlagStatus": "00",
   "paymentFlagReason": {
     "indonesia": "Sukses",
     "english": "Success"
   },
   "partnerServiceId": " 12345",
   "customerNo": "123456789012345678",
   "virtualAccountNo": " 1234512345678901234 5678",
   "inquiryRequestId": "20220211103103123450000 1136962",
   "paymentRequestId": "20220211103103123450000 1136962",
   "paidAmount": {
     "value": "105000.00",
     "currency": "IDR"
   },
   "totalAmount": {
     "value": "105000.00",
     "currency": "IDR"
   },
   "feeBaseAmount": {
```

```
    "value": "2000.00",
    "currency": "IDR"
  },
  "feeTaxAmount": {
    "value": "220.00",
    "currency": "IDR"
  },
  "trxDateTime": "2022-02-12T17:29:57+07:00",
  "transactionDate": "2022-02-11T10:16:04+07:00",
  "referenceNo": "REF998877",
  "billDetails": [
    {
      "billReferenceNo": "00113696201",
      "billNo": "123456789012345678",
      "billDescription": {
        "english": "Maintenance",
        "indonesia": "Pemeliharaan"
      },
      "billSubCompany": "00000",
      "billAmount": {
        "value": "50000.00",
        "currency": "IDR"
      },
      "feeBaseAmount": {
        "value": "0.00",
        "currency": "IDR"
      },
      "feeTaxAmount": {
        "value": "0.00",
        "currency": "IDR"
      },
      "additionalInfo": {},
      "status": "00",
      "reason": {
        "english": "Success",
        "indonesia": "Sukses"
      }
    },
    {
      "billReferenceNo": "00213696201",
      "billNo": "223456789012345678",
      "billDescription": {
```

```
        "english": "Electricity",
        "indonesia": "Listrik"
      },
      "billSubCompany": "00001",
      "billAmount": {
        "value": "20000.00",
        "currency": "IDR"
      },
      "feeBaseAmount": {
        "value": "0.00",
        "currency": "IDR"
      },
      "feeTaxAmount": {
        "value": "0.00",
        "currency": "IDR"
      },
      "additionalInfo": {},
      "status": "00",
      "reason": {
        "english": "Success",
        "indonesia": "Sukses"
      }
    },
    {
      "billReferenceNo": "00313696201",
      "billNo": "323456789012345678",
      "billDescription": {
        "english": "Water",
        "indonesia": "Air"
      },
      "billSubCompany": "00002",
      "billAmount": {
        "value": "30000.00",
        "currency": "IDR"
      },
      "feeBaseAmount": {
        "value": "0.00",
        "currency": "IDR"
      },
      "feeTaxAmount": {
        "value": "0.00",
        "currency": "IDR"
```

```
      },
      "additionalInfo": {},
      "status": "00",
      "reason": {
        "english": "Success",
        "indonesia": "Sukses"
      }
    },
    {
      "billReferenceNo": "00413696201",
      "billNo": "423456789012345678",
      "billDescription": {
        "english": "Platform Fee",
        "indonesia": "Biaya Platform"
      },
      "billSubCompany": "00003",
      "billAmount": {
        "value": "5000.00",
        "currency": "IDR"
      },
      "feeBaseAmount": {
        "value": "2000.00",
        "currency": "IDR"
      },
      "feeTaxAmount": {
        "value": "220.00",
        "currency": "IDR"
      },
      "additionalInfo": {
        "feeType": "Vendor Settlement Fee"
      },
      "status": "00",
      "reason": {
        "english": "Success",
        "indonesia": "Sukses"
      }
    }
  ],
  "freeTexts": []
},
"additionalInfo": {}
}
```