

PLATFORM 2 ASSEMBLY

PLATFORM CONSTRUCTION USING 2X6 NOMINAL BEAMS FOR FRAME, JOIST, AND RUNNER.

SHEATHED WITH 3/4" PLY.

SHEATHING GRAIN ORIENTED PERPENDICULAR TO JOIST DIRECTION

ALL SEAMS BACKED BY JOISTS AND STAGGERED

NOTE: PLATFORM 2B AND 2C HAVE SINCE BEEN COMBINED

11'-8" P2 A 11'-8" P2B 7'-9 ½" 1'-10 3" P2 C 3'-10 ½"

PLATFORM 2 LAYOUT

PLATFORM CONSTRUCTION USING 2X6 NOMINAL BEAMS FOR FRAME, JOIST, AND RUNNER.

SHEATHED WITH 3/4" PLY.

NOTE: PLATFORM 2B AND 2C HAVE SINCE BEEN COMBINED


P2 A P2B P2 C

PLATFORM 2 CONSTRUCTION

PLATFORM CONSTRUCTION USING 2X6 NOMINAL BEAMS FOR FRAME, JOIST, AND RUNNER.

SHEATHED WITH 3/4" PLY.

NOTE: PLATFORM 2B AND 2C HAVE SINCE BEEN COMBINED



PLATFORM P2A FRAMING

PLATFORM CONSTRUCTION USING 2X6 NOMINAL BEAMS FOR FRAME, JOIST, AND RUNNER.

SHEATHED WITH 3/4" PLY.

3'-8" 8'-0" 4'-0" \Box 11 1 4.-0"

PLATFORM P2A SHEATHING

PLATFORM CONSTRUCTION USING 2X6 NOMINAL BEAMS FOR FRAME, JOIST, AND RUNNER.

SHEATHED WITH 3/4" PLY.

3'-8" 8'-0" 4'-0" 3'-8" 1'-10 3" 3'-10 ½"

PLATFORM 2 SHEATHING OVERLAY

PLATFORM CONSTRUCTION USING 2X6 NOMINAL BEAMS FOR FRAME, JOIST, AND RUNNER.

SHEATHED WITH 3/4" PLY.

SHEATHING GRAIN ORIENTED PERPENDICULAR TO JOIST DIRECTION

ALL SEAMS BACKED BY JOISTS AND STAGGERED

SHEATHING USED TO TIE PLATFORMS TOGETHER