

Talaria Dashboard Handoff

Implementation plan, logic contract, and quality checklist for production integration

How to use this handoff

- Use this as the implementation contract. The prototype is a visual and behavior reference, not a production architecture.
- Build shared primitives and central modules before moving windows into the real project.
- Use the Excel workbook as phase-by-phase QA sign-off.

Recommended module breakdown

Module	Owns	Must not own
sourceDomain	Source types, grouping, draft/applied selection, strategy children.	Trade calculations.
filterDomain	Filter state, active filter count, filtered trade ids.	UI dropdown rendering.
tradeMath	Weighted prices, PnL, risk, R:R, MAE/MFE, duration, costs.	React component state.
tradeValidation	Impossible values, realistic input ranges, save blockers.	Visual error styling.
talariaUi	Reusable primitives and interaction states.	Business logic.
tradesLedger	Row layout, column templates, sorting, expansion.	Trade math formulas.

Multi-phase implementation plan

0. Handoff intake and architecture setup

Goal: Understand the prototype and create clean production foundations before moving UI.

Implementation: Treat TalariaV8b.jsx as a reference prototype, not production architecture.; Create modules for source state, filters, trade math, validation, add/edit trade state, and shared UI components.; Create one design token file for Talaria colors, typography, spacing, borders, motion, and z-index.; Create shared UI primitives before feature windows: ModalShell, TopBarButton, Dropdown, Checkbox, Tooltip, DateTimePicker, NumericStepper, TagSelect, ScreenshotGrid, RiskRewardBar.; Add a story, fixture page, or dev route that can render each shared component in every state.

Logic: No trade calculation should live only inside a React view.; No source or filter draft should affect dashboard/trades until the user confirms it.; All repeated UI states must use the same tokens and reusable components.

Quality gate: Build passes.; Shared components render in normal, hover, active, selected, disabled, error, and loading states.; The codebase has one source of truth for colors, spacing, motion, and trade math.

1. Source model and source button

Goal: Implement the selected source system used by dashboard, filters, add trade, and trades ledger.

Implementation: Add source domain models for BacktestSession, LiveJournal, StrategySource, StrategyChildSource, Connection, Account.; Support single-source and multiple-source modes.; Support strategy selection with child source inclusion/exclusion.; Support live journals grouped into personal accounts and prop accounts.; Support connection grouping under personal/prop accounts.; Create source button in the top bar with fixed dimensions and stable text truncation.; Source button must show source type and source name. Multiple mode shows the number of selected sources.; Do not put trades count inside the source button. Trades count belongs near the page title/evidence strip.

Logic: Draft source selection is separate from applied source selection.; Source changes affect dashboard/trades only after Go is clicked.; When switching from multiple mode to single mode, keep exactly one selected source.; When switching from single to multiple mode, preselect the currently selected source.; A strategy can be selected as one source, while its child sources can be included/excluded.; Child source selection is allowed only inside a strategy context.; Live accounts cannot show multiple markets in one account row. Use one market per account row.; Live account account type must be one of Live, Challenge, Funded, or Demo/Prop depending on account model.

Quality gate: Single-source selection updates source button after Go.; Multiple-source selection updates source button after Go.; Cancel restores previous applied source.; Strategy child source exclusions persist when reopening the source window.; Live journal personal/prop grouping counts are correct.; No row selection lag or delayed checkbox update.

2. Source window

Goal: Build the source window as the main selector for sessions, journals, strategies, and comparison targets.

Implementation: Use a two-section window: source tree on the left, content list on the right.; Left tree includes Backtest Sessions, Live Journals, Strategies.; Live Journals contain Personal Accounts and Prop Accounts groups.; Right content uses consistent row cards for backtests, journals, and strategies.; Rows must show name, strategy/setup, market, progress if applicable, PnL %, trades count, and source status icon.; Strategy rows can expand; allow only one strategy expanded at a time.; Strategy child rows are informational unless child inclusion is enabled by the strategy selection behavior.; Bottom bar contains selected summary, Cancel, and Go.

Logic: Backtest status icon summarizes rollback, real-world costs, and edited trade database status.; Journal status icon summarizes edited vs unedited journal status.; Strategy source status icon summarizes child source statuses in one info box.; Source info boxes must aggregate mixed statuses instead of showing separate duplicated icons.; Adding a trade to an unedited journal must warn that its status will become edited.; Warning should support Cancel, Proceed, and Do not show again.

Quality gate: Window does not close on outside click.; Close button closes in one click, including compare/source mode.; Hover and selection reactions are distinct and immediate.; Info boxes appear after one second, within 4 px of cursor, with project-style vertical glow.; Scrollbar appears only where content requires it.

3. Filter model and filter button

Goal: Implement filters that can be applied consistently to dashboard and trades page.

Implementation: Create filter state model: date range, timing, trade scope, tags, strategy when applicable.; Create filter button in the top bar with fixed size and stable text.; Filter button shows No Filters or the number of active filters.; Clear filters icon appears inside the filter button only when filters are active.; Move filtered trade count to the evidence strip near page title, not inside the filter button.; Opening another popover/window should close the current filter window in one click.

Logic: Filters apply to the active applied source set.; Filters affect both dashboard and trades page.; Filters must not change selected source state.; When a live journal is selected, include Strategy as a filter section.; When multiple live journals are selected, strategy filter options are the union of strategies used in included journals.; Tag filters must show source coverage so users understand how tag availability differs across selected sources.

Quality gate: No double-click required to switch from filter window to source window or add trade.; Clear filters works without opening the filter window.; Trades count near page title updates as filtered/total plus percentage.; No filter causes invisible or zero-result states without clear feedback.

4. Filter window content

Goal: Build the full filter window with source-aware options and no ambiguous filters.

Implementation: Window uses same upper bar style as source window.; Left side shows sections: Date Range, Timing, Trade Scope, Tags, Strategy if applicable.; Right side renders the selected section content.; Date Range uses two calendars and a data coverage list below calendars.; Timing supports day-of-week, multiple time ranges, and duration range with units.; Trade Scope supports market, symbol, direction, and outcome.; Tags supports pre-trade and post-trade tag groups with source coverage counts.

Logic: Date range must never allow dates outside available data.; When multiple sources have gaps, calendars show the global range but data coverage list explains source ranges below.; Gray dates outside data scope are unselectable and do not change cursor.; Timing defaults to no filters.; If a timing checkbox is enabled, at least one valid option/range is required.; For tag filters, selecting all options in one section resets that section to no filter.; Each tag category can allow only the strategy-defined values for the selected source(s).

Quality gate: Date calendars are fixed size and no right-side window scrollbar appears.; Date values can be typed only as realistic dates.; Invalid date range shows inline error and blocks applying.; Timing ranges cap at five time ranges.; Trade duration defaults to 1 to 60 when enabled.; Tag coverage displays selected trades/source coverage clearly.

5. Central trade math and validation

Goal: Create a single calculation and validation layer used by add trade, edit trade, trades page, and dashboard.

Implementation: Create tradeMath module for weighted averages, PnL, R multiple, risk, open quantity, planned vs actual, MAE/MFE, duration, cost, close type.; Create tradeValidation module for impossible, missing, or out-of-scope values.; Create instrument metadata map for pip/tick size, tick value, unit label, decimals, market, and allowed symbol list.; Use the same tradeMath output everywhere: add trade summary, detail box, edit window, trades row values.

Logic: Long trade: stop loss must be below weighted entry, target must be above weighted entry.; Short trade: stop loss must be above weighted entry, target must be below weighted entry.; Exited size cannot exceed entered size.; Trade can save as open without exit values.; When full size is exited, trade status becomes Closed automatically.; Outcome remains Pending/blank until exit is set.; Risk is automatically calculated. It is not user-entered percent risk.; R:R must identify whether it is planned or actual.; Costs for backtests are inherited from session settings and locked.; Costs for live journals are editable.; MAE and MFE values must be realistic for direction and price path.

Quality gate: Same sample trade has identical values in row, detail, edit window, add/edit summary, and dashboard.; Extreme large values do not hide labels or break graphs.; Invalid values block Save and show field-level error styling.; Open trades save successfully without exit values.; Partial exit keeps trade open and open quantity correct.

6. Add trade source selection and warning flow

Goal: Make Add Trade route the user through the correct source before editing.

Implementation: Add Trade opens a Choose Source window when multiple applied sources exist.; Choose Source lists only currently applied sources and selected strategy children.; List supports scrolling if there are many sources.; After source selection, open Add Trade modal.; If selected live journal is unedited, show warning before opening editor.; If user confirms, continue and update source edit status after save.

Logic: Backtest source uses backtest costs and restrictions.; Live journal source allows editable costs and strategy selection.; Prop backtest source label should show Backtest (Prop) in gold.; Discipline tab appears only for live journal and live prop sources.

Quality gate: No warning for already edited journal.; Warning appears for unedited live journal.; Do not show again applies only to that warning category.; Selected source type controls all add trade pages correctly.

7. Add trade modal - Trade and Risk

Goal: Implement the main add/edit trade page with price, risk, timing, and summary behavior.

Implementation: Use fixed-size modal. Popovers may overflow outside modal instead of creating modal scrollbars.; Top bar shows trade id, source name/type, computed status, computed outcome, and close button.; Tabs are a flow: Trade & Risk, Tags, Discipline when applicable, Notes & Screenshots.; Market, Symbol, Direction, Entry Time, Exit Time fit in a compact top row.; Direction uses Long and Short buttons, not dropdown.; Entry Time and Exit Time use date-time picker with calendar and clock in one window.; Exit Time has project checkbox. If unchecked, trade is open and outcome is pending.; Price grid columns: Entries, Take Profit, Stop Loss, Exit.; Entries/TP/Exit max five rows. Single row uses dot marker; multiple rows use row numbers.; Stop loss supports one price and a size equal to total entry size.; Costs sit below stop loss and match price field dimensions.; Excursion section sits above the summary bar.; Summary bar shows remaining open amount, cost, R/R graph, MAE/MFE, planned reward, actual, risk.

Logic: Numeric steppers use pip/tick increments based on symbol metadata.; Click and hold on arrows repeats changes.; Date/time typed input must restrict day, month, year, hour, minute to realistic values.; Exit time cannot be earlier than entry time.; Summary updates while typing but does not commit invalid values as valid.; Save button is disabled only for true blockers, not for open trades missing exit.; Actual indicator in R/R graph is always gold.; MAE/MFE line is gray and sits behind/above colored risk/reward/actual bars without label overlap.

Quality gate: Long invalid SL/TP errors block save.; Short invalid SL/TP errors block save.; Holding numeric arrows repeats smoothly.; Opening date-time picker does not add modal scrollbars.; Summary labels never overlap in extreme cases.; Costs are locked/unlocked according to source type.

8. Add trade modal - Tags, Discipline, Notes and Screenshots

Goal: Implement context capture without confusing auto/manual semantics.

Implementation: Tags are loaded from the strategy used by the selected source.; Live journal add trade shows Strategy selector at top of Tags page.; Each tag category is a dropdown with one selected value per tag.; Pre-trade tags use gold accent. Post-trade tags use purple accent.; No Auto labels for tags. They are manual selections provided by strategy definitions.; Discipline tab includes demon catcher inputs for live journal/live prop only.; Notes & Screenshots page uses compact note area and two screenshot grids.; Screenshot rectangles have identical dimensions, centered layout, max six each.; Do not show plus/add screenshot tile when max is reached.

Logic: Tags for live journals depend on the selected strategy.; Discipline inputs are available only for leaks or journal discipline tracking.; Post-trade screenshots are disabled until exit is enabled/closed if required by product rule.; Screenshots accept only supported image types and max count.

Quality gate: Tag dropdowns close on outside click.; One value per tag category is enforced.; Strategy dropdown includes already-used strategies at top for live journals.; Discipline tab hidden for backtest sessions.; Screenshot grids never create nested scrollbars for six items.

9. Trades ledger page

Goal: Implement the filtered, source-aware trades page and row detail behavior.

Implementation: Trades page title row matches dashboard title row.; Evidence strip on right shows n filtered/total percentage and average hold.; Dashboard pages dropdown is hidden on Trades page.; Tabs: Overview, Risk & R, Excursion, Journal.; Columns button appears only on Overview tab.; Column selector supports saveable templates with delete X on each template chip.; Limit selected columns so nothing is hidden.; Rows use a card/table hybrid with consistent column widths and centered headers.; Column headers use sessions-page sorting arrow style where sorting makes sense.; Header stays sticky while scrolling.; Double-clicking a row opens details. Trade ID arrow also toggles details.

Logic: Rows reflect the currently applied source and filters.; Live journal rows include Strategy column.; Multiple-source or strategy child-source views include Source column with child/session name.; Source origin label can be Auto, Manual, Edited, Original, etc. Do not show redundant A letter.; Columns must not overflow off the far right edge.

Quality gate: Filtered trades page count matches filter button evidence strip.; Sticky column header has no visual gap while scrolling.; Sorting works on sortable columns and is disabled where useless.; Column template delete button has separate red hover/click behavior.; No hidden columns at max allowed column count.

10. Trade detail box and edit flow

Goal: Make detail boxes and edit modal share identical calculations and labels.

Implementation: Detail box border surrounds both main row and expanded content.; Detail content uses compact sections: Prices, Risk/R, Excursion, Timing, Journal.; Top chips order: trade id, auto/manual, original/edited, close type, win/loss.; Prices show entries, TP, SL, and exit, including size multipliers when multiple entries/targets/exits exist.; Entry values blue, TP green, SL red, exit gold.; Show pre-trade and post-trade tags.; Show notes and demons if present.; Edit Trade opens the same Add Trade modal populated with exact row/detail values.

Logic: Detail summary bar must use same tradeMath snapshot as edit window.; MAE/MFE fields in edit must populate from existing trade detail data.; Excursion fields and summary bar must stay in sync.; If a user edits and saves, row, detail, dashboard, and filters update from the same saved trade object.

Quality gate: Trade 1-t1 values match in row, detail, and edit window.; MAE/MFE values match between detail summary and edit summary.; Multiple entries/TP/exits display clearly in the detail box.; Edit/save round trip does not alter unchanged values.

11. Final hardening and regression

Goal: Remove lag, layout drift, and hidden calculation mismatches before release.

Implementation: Run a focused performance pass on click and hover handlers.; Audit every dropdown for outside-click close and correct z-index.; Audit all tooltips/info boxes for 1 second delay, within 4 px of cursor, and smooth pointer-follow.; Run visual regression on source window, filter window, add trade pages, trades page, detail box, and edit modal.; Create a seed dataset that includes open trades, closed trades, multiple entries, partial exits, live journals, prop accounts, strategies, edited journals, unedited journals, and extreme values.

Logic: No hidden state should use stale source/filter data.; No calculation can differ between row, detail, and edit.; No save path can bypass validation.

Quality gate: Production build passes.; No React hook order warnings.; No console runtime errors.; No visible lag between click and selected state.; QA workbook high-priority cases all pass.

Critical logic rules

Area	Rule	Priority
Source	Draft source changes must not affect dashboard or trades until Go is clicked.	Critical
Source	Cancel must restore the previously applied source selection.	Critical
Source	Switching multiple mode off must leave exactly one selected source.	High
Source	Strategy child selections must persist after reopening the source window.	High
Filter	Filter changes must affect dashboard and trades page consistently.	Critical
Filter	Clear filters must be available without opening the filters window.	Medium
Filter	Date range cannot include dates outside available data.	High
Filter	Tag filter options must indicate coverage across selected sources.	High
Add Trade	Open trades can be saved without exit values.	Critical
Add Trade	Closed status is computed from exit timing/exit size, not chosen manually.	Critical
Add Trade	Win/loss is computed only after exit data exists.	Critical
Add Trade	Long trade requires stop below entry and target above entry.	Critical
Add Trade	Short trade requires stop above entry and target below entry.	Critical
Add Trade	Exit size cannot exceed entry size.	Critical
Add Trade	Backtest costs are inherited and locked.	High
Add Trade	Live journal costs are editable.	High
Add Trade	Discipline tab appears only for live journal and live prop sources.	Medium
Trades	Row, detail box, and edit modal must display the same calculated values.	Critical
Trades	MAE/MFE in detail and edit must match stored excursion data.	High
Trades	Column count must be capped so no columns disappear.	High
UI	Hover/click/select states must be immediate and consistent.	High
UI	Info boxes appear after one second and stay within 4 px of cursor.	Medium

UI and interaction contract

Component	Design rule	Behavior rule
Modal/window shell	Top edge uses Talaria blue glow unless direction-specific add-trade rule applies.	No outside click close for Source/Add Trade. Filters may close on outside click.
Top bar buttons	Fixed width, icon left of text, readable text, no layout shift.	Hover blue effect unless disabled. Disabled has no pointer cursor.
Dropdowns	Darker list surface, clear border, top blue edge, vertical glow on selected/hovered option.	Close on outside click. No hidden bottom behind viewport.
Checkboxes	Use project square checkbox style only.	Clicking label toggles checkbox where applicable.
Tooltips/info boxes	Project style, vertical left glow, 1 second delay, within 4 px of cursor.	Disappear on scroll, mouseleave, or source movement away.
Tabs	Horizontal glow under active tab, immediate hover/click reaction.	Flow arrows between Add Trade tabs use single bold arrow.
Numeric inputs	Same field color and border across price, costs, date/time, excursion.	Steppers repeat on hold. Invalid values show red border and message.
Date-time picker	Calendar and clock in one window, opens directly below button, no modal scrollbar.	Typing is restricted to realistic values.
Risk/reward graph	Red risk area, green planned reward, gold actual, gray MAE/MFE line.	No overlapping labels. Animated quick changes.
Trades table	Headers centered, sortable headers use sessions-page arrows.	Sticky header, equal readable spacing, no hidden columns.