

Certain disorders due to substance use or addictive behaviours

	Head	Neck	Thorax	Abdomen	Upper arm	Forearm	Wrist Hand	Hip	Lower leg	Ankle Foot
Open wound	NA01	NA21	NA81	NB51	NC11	NC31		NC71	NC91	
Fracture	NA02	NA22	NA82	NB52	NC12	NC32		NC72	NC92	
Injury of blood vessels	NA05	NA60		NB90	NC15	NC35	NC56	NC75	NC95	ND16
Injury of organs				NB91 NB92						
Crushing injury	NA08	NA62	NB33	NB93	NC17	NC37	NC58	NC77	NC97	ND18
Traumatic amputation	NA09	NA63	NC18	NC38	NC59	NC78	NC98	ND19		
Laceration of muscle, fascia or tendon	NA0A.11	NA61.1	NB34.1	NB94.3 NB94.4 NB94.5	NC16.01 NC16.11 NC16.21 NC16.31 NC16.41	NC36.01 NC36.11 NC36.21 NC36.31 NC36.41 NC36.51		NC76.01 NC76.11 NC76.21 NC76.31	NC96.01 NC96.11 NC96.21 NC96.31	
Multiple injuries	NA0A.3	NA64	NB35	NB95 NB96	NC19	NC39	NC5A	NC79	NC99	ND1A
Other or certain specified injuries	NA0A.0Y	NA6Y	NB3Y	NB97 NB98 NB99 NB9Y	NC1Y	NC3Y	NC5Y	NC7Y	NC9Y	ND1Y
Injuries, unspecified	NA0Z	NA6Z	NB3Z	NB9Z	NC1Z	NC3Z	NC5Z	NC7Z	NC9Z	ND1Z

	Multiple body injuries	Unspecified part of trunk, limb etc.	Arm	Leg	Unspecified body region
Superficial injury			ND53.Y	ND55	
Open wound	ND31	ND51.Y	ND53.Y	ND55	ND56.1
Fracture	ND32	ND50 (Spine)	ND52	ND54	ND56.2
Dislocations, sprains or sprains	ND33		ND53.Y	ND55	
Crushing injury	ND34			ND55	ND56.7
Traumatic amputation	ND35	ND51.Y	ND53.Y	ND55	ND56.8
Other specified injuries	ND36	ND51.Y	ND53.Y	ND55	ND56.5 (Blood vessel) ND56.Y
Injuries, unspecified	ND37	ND51.Z	ND53.Z	ND55	ND56.Z

Certain injuries (continued)

ND70-ND7Z	Effects of foreign body entering through natural orifice
ND90-NE2Z	Burns
NE80	Injury or harm arising following infusion, transfusion or therapeutic injection, not elsewhere classified

***Certain causes of healthcare related
harm or injury***

PK80-PK8Z	Surgical or other medical procedures associated with injury or harm in diagnostic or therapeutic use
PL11.0	Cut, puncture or tear, as mode of injury or harm
PL11.4	Failure of sterile precautions, as mode of injury or harm
PL14.4	Other problem associated with transfusion

3.14.8 List of conditions that can cause diabetes mellitus

This list to be used to support the Special instructions on accepted and rejected sequences Steps SP3-SP4 to assess the sequence for deaths where diabetes mellitus is reported on the death certificate.

5A10 Type 1 diabetes mellitus

[1D82.1](#)

[5B52](#)

[5B71](#)

[5B7Z](#)

5A11 Type 2 diabetes mellitus

[5A70](#)

[5B52](#)

[5B71](#)

[5B7Z](#)

5A12 Malnutrition-related diabetes mellitus

[5B52](#)

[5B71](#)

[5B7Z](#)

5A13 Diabetes mellitus, other specified type or [5A14](#) Diabetes mellitus, type unspecified

[1D82.1](#)

[1D80.4](#)

[2C10](#)

[2D81](#)

[2E92.8](#)

[2E92.9](#)

4A40-4A4Z

[5A02](#)

[5A03](#)

[5A60.0](#)

[5A70](#)

[5B52](#)

[5B71](#)

[5B7Z](#)

[5C58.1](#)

[5C64.1](#)

Cytomegaloviral pancreatitis

Acute malnutrition in infants, children or adolescents

Protein deficiency

Unspecified undernutrition

Cushing syndrome

Acute malnutrition in infants, children or adolescents

Protein deficiency

Unspecified undernutrition

Acute malnutrition in infants, children or adolescents

Protein deficiency

Unspecified undernutrition

Cytomegaloviral pancreatitis

Pancreatitis due to mumps virus

Malignant neoplasm of pancreas

Malignant neoplasm metastasis in pancreas

Benign neoplasm of pancreas

Benign neoplasm of endocrine pancreas

Nonorgan specific systemic autoimmune disorders

Thyrotoxicosis

Thyroiditis

Acromegaly or pituitary gigantism

Cushing syndrome

Acute malnutrition in infants, children or adolescents (*for [5A14](#) only*)

Protein deficiency (*for [5A14](#) only*)

Unspecified undernutrition (*for [5A14](#) only*)

Porphyrias

Disorders of iron metabolism

5A10 Type 1 diabetes mellitus

5D41	Postprocedural hypoinsulinaemia
6C40.1	Harmful pattern of use of alcohol
6C40.2	Alcohol dependence
8A01.10	Huntington disease
8A03	Ataxic disorders
8A0Z	Movement disorders, unspecified
8C71	Myotonic disorders
CA25	Cystic fibrosis
DC31	Acute pancreatitis
DC32	Chronic pancreatitis
DC3Z	Diseases of pancreas, unspecified
JA63.2	Diabetes mellitus arising in pregnancy
KA62.8	Congenital rubella syndrome
LD20-LD2Z	Multiple developmental anomalies or syndromes
LD40.0	Complete trisomy 21
LD50.0	Turner syndrome
LD50.3	Klinefelter syndrome
LD52.1	Male with double or multiple Y
LD53	Structural anomalies of chromosome Y
LD54	Male with sex chromosome mosaicism
LD5Y	Other specified sex chromosome anomalies
LD7Y	Other specified chromosomal anomalies, excluding gene mutations
NB91.4	Injury of pancreas
NE60	Harmful effects of drugs, medicaments or biological substances, not elsewhere classified
PL00	Drugs, medicaments or biological substances associated with injury or harm in therapeutic use

3.14.9 List of conditions to be considered obvious consequences of surgery and other invasive medical procedures

The list in this section contains conditions that might develop as complications to surgery or other invasive medical procedures. This does not mean that the conditions on the list should always be considered as complications, and the following restrictions apply:

- Do not consider a condition on the list as a complication of a surgery or an invasive medical procedure if the surgery or procedure was carried out more than four weeks before death.

- Do not consider a condition on the list as a complication of a surgery or an invasive procedure if there is evidence that the condition was present before the surgery or invasive procedure was carried out.
- Do not consider a condition flagged with '**OCPR**' (**Other Cause of Procedure Required**) as a complication of surgery or an invasive procedure unless the certificate reports another condition of the same site that was treated by surgery or some other invasive procedure.
- Do not consider a condition flagged with '**DSAP**' (**Duration Stated, developed After Procedure**) as a complication unless there is clear evidence that the condition developed after the surgery or invasive procedure.
- Note that adhesions should be considered as complications of surgery or an invasive procedure in the same site or region, even after more than four weeks since the date of the surgery or invasive procedure. If the procedure was performed more than one year before death, use the codes for sequelae of medical care.

3.14.9.1 List of conditions to be considered direct consequences of surgery

Infections	Flag
Abscess	OCPR
Bacteraemia	
Fistula	OCPR, and for a procedure of the same site or region only
Gas gangrene	
Infection, haemolytic	
Infection NOS	DSAP
Infection in surgical wound	
Sepsis	
Septic	
Haemorrhage, haemolysis	Flag
Coagulopathy, consumption	
Disseminated intravascular coagulation (DIC)	
Haemorrhage NOS	
Haemorrhage, gastrointestinal	OCPR
Haemorrhage, intra-abdominal	OCPR
Haemorrhage, rectal	OCPR
Haemorrhage, surgical wound	
haemorrhage, specified site	For a procedure of the same site or region only
Haematemesis	OCPR
Haematoma	OCPR
Haemothorax	OCPR
Haemolysis	
Melaena	OCPR
Cardiac complications	Flag
Arrest, cardiac	
Arrhythmia NOS	DSAP
Asystole	
Block, cardiac	DSAP
Failure/insufficiency, cardiac	
Fibrillation, atrial	DSAP
Fibrillation, ventricular	
Infarction (myocardial)	
Ischaemia, myocardial (acute)	
Rupture, myocardial	

Infections	Flag
Cerebrovascular and other cerebral complications	Flag
Apoplexy	DSAP
Damage, brain (anoxic)	DSAP
Embolism, cerebral	DSAP
Haemorrhage, cerebral/intracranial	DSAP
Infarction, cerebral	DSAP
Ischaemia, cerebral/cerebrovascular	DSAP
Lesion, cerebral/cerebrovascular	DSAP
Meningitis	DSAP
Oedema, cerebral	DSAP
Stroke	DSAP
Thrombosis, cerebral	DSAP
Other vascular complications	Flag
Arrest, circulatory	
Embolism (arterial)	
Embolism, fat/air	
Embolism, air	
Embolism, pulmonary	
Embolism, venous	
Failure/insufficiency, circulatory	
Hypotension	
Infarction, pulmonary	
Infarction (any site)	
Occlusion (any site)	
Phlebitis (any site)	
Phlebothrombosis (any site)	
Thrombophlebitis (any site)	
Thrombosis, arterial	
Thrombosis, venous	
Thrombosis NOS (any site)	
Respiratory complications	Flag
Adult respiratory distress syndrome (ARDS)	
Alkalosis and acidosis, respiratory	
Arrest, respiratory	
Aspiration	
Atelectasis	

Infections	Flag
Bronchitis	DSAP
Effusion, pleura	
Empyema	OCPR
Fistula, bronchopleural or oesophageal	OCPR
Failure/insufficiency, pulmonary	
Failure/insufficiency, respiratory	
Mediastinitis	
Obstruction, upper airway	OCPR
Oedema, laryngeal	OCPR
Oedema/hypostasis, pulmonary	
Pneumonia	
Pneumothorax	OCPR
Gastrointestinal complications	Flag
Abscess, intra-abdominal	OCPR
Constipation	OCPR
Dilatation, gastric	OCPR
Disorder, circulatory, gastrointestinal	OCPR
Embolism, mesenterial	OCPR
Failure, hepatic	DSAP
Fistula, biliary/ bowel/rectovaginal	OCPR
Ileus	OCPR
Ischaemia, intestinal	OCPR
Necrosis, gastrointestinal	OCPR
Obstruction, bowel (mechanical)	OCPR
Peritonitis	OCPR
Ulcer, gastrointestinal (stress)	OCPR
Volvulus	OCPR
Renal and urinary complications	Flag
Anuria	
Failure/insufficiency, renal	
Fistula, urinary	OCPR
Infection, urinary	
Pyelonephritis	DSAP
Retention, urine	
Stricture, urethra	OCPR
Uraemia	
Urosepsis	

Infections	Flag
Other complications	Flag
Adhesions	For a procedure of the same site or region only
Compartment syndrome	OCPR
Complication(s) NOS	
Crisis, thyrotoxic	DSAP
Displacement, prosthesis	
Failure, (multi)organ	
Gangrene	
Insufficiency, anastomosis	OCPR
Necrosis, fat/wound	OCPR
Seizures (epileptic)	DSAP
Shock NOS	
Shock, anaphylactic	
Ulcer, decubitus	

3.14.9.2 List of conditions to be considered direct consequences of other invasive medical procedures

Obvious consequences of cardiac catheterization [PK80.11](#)

Cardiac procedure for repair of congenital anomaly associated with injury or harm, percutaneous approach, [PK80.15](#) Other cardiac procedure associated with injury or harm, percutaneous approach

Sepsis, septic shock

Bacteraemia

MRSA

Fungal sepsis

Fungaemia

Vascular catheter or port infection

Septic thrombophlebitis

Infectious endocarditis

Myocardial infarction

Only if indicated as following the catheterization

Coronary thrombosis

Only if indicated as following the catheterization

Coronary embolism

Only if indicated as following the catheterization

Coronary rupture

Only if indicated as following the catheterization

Cardiac arrest

Cardiac embolism

Cholesterol embolic syndrome

Pulmonary embolism

Haemorrhage

Blood loss

Haemoperitoneum

Cardiogenic shock

Only if indicated as following the catheterization

Hypotensive shock

Only if indicated as following the catheterization

Obvious consequences of aspiration of fluid [PK81.2](#) Aspiration or drainage of body cavity or fluid collection associated with injury or harm in therapeutic use

Haemothorax

If aspiration or puncture of the same site

Haemorrhage

If aspiration or puncture of the same site

Obvious consequences of biopsy [PK81.4](#) Bone marrow aspiration or biopsy associated with injury or harm in therapeutic use, [PK81.5](#) Biopsy procedure, not elsewhere classified, associated with injury or harm in therapeutic use

Haemorrhage

If of the same site

Pneumothorax

If of the same site

Adhesions

If of the same site

Obvious consequences of kidney dialysis [PK81.6](#) Dialysis associated with injury or harm in therapeutic use

Sepsis, septic shock

Bacteraemia

MRSA

Infectious endocarditis

Fungal sepsis

Fungaemia

Vascular catheter or port infection

Septic thrombophlebitis

Peritonitis

Pneumonia

Hypotension (during dialysis)

Hypovolemic shock

Haemorrhage

Obvious consequences of feeding tube, PEG [PK81.8](#) Insertion of tube associated with injury or harm in therapeutic use

Aspiration pneumonia

Abdominal wound infection

Abdominal wall infection

Obvious consequences of resuscitation [PK81.E](#) Cardiopulmonary resuscitation associated with injury or harm in therapeutic use
Rib fracture(s)

Other surgical or medical procedures [PK8Y](#) Other specified surgical or other medical procedures associated with injury or harm in diagnostic or therapeutic use

Obvious consequences of Intravenous line/artery catheter

Sepsis, septic shock

Bacteraemia

MRSA

Fungal sepsis

Fungaemia

Vascular catheter or port infection

Septic thrombophlebitis

If infection of catheter/port site

Infectious endocarditis

If infection of catheter/port site

Cellulitis

If infection of catheter/port site

Abscess

If infection of catheter/port site

Haematoma

If infection of catheter/port site

Haemorrhage

If infection of catheter/port site

Haemothorax

If infection of catheter/port site

Obvious consequences of bone marrow transplant

Sepsis, septic shock

Bacteraemia

MRSA

Fungal sepsis

Fungaemia

Necrotizing fasciitis

Thrombocytopenia

Graft vs host disease

Obvious consequences of radiological procedures and therapy

Pericarditis	If radiation of the same site
Restrictive lung disease	If radiation of the same site
Small bowel obstruction	If radiation of the same site
Cervical myelitis	If radiation of the same site
(Interstitial) fibrosis	If radiation of the same site
Osteonecrosis	If radiation of the same site
Mucositis	If radiation of the same site
Fistula	If radiation of the same site
Stricture or scarring	If radiation of the same site

Obvious consequences of urinary catheterization [PK93.10](#)

Gastroenterology or urology devices associated with injury or harm, urinary catheter

Urinary tract infection

Urosepsis

3.14.10 List of conditions unlikely to cause death

Use this table in Step SP8 Conditions in this table are unlikely to cause death.

[Unlikely to cause death](#)

3.14.11 List of categories limited to, or more likely to occur in, female persons

Code	Title
1C14	Obstetrical tetanus
1F23.10	Vulvovaginal candidosis
2B58.1	Leiomyosarcoma of uterus
2B5C	Endometrial stromal sarcoma, primary site
2B5D.0	Malignant mixed epithelial mesenchymal tumour of ovary
2B5D.1	Malignant mixed epithelial and mesenchymal tumour of corpus uteri
2B5F.0	Sarcoma, not elsewhere classified of uterus
2B5G	Myosarcoma of uterus, part not specified
2C65	Hereditary breast and ovarian cancer syndrome
2C70-2C7Z	Malignant neoplasms of female genital organs
2E05	Malignant neoplasm metastasis in female reproductive system
2E66	Carcinoma in situ of cervix uteri
2E67.0	Carcinoma in situ of endometrium
2E67.1	Carcinoma in situ of vulva
2E67.2	Carcinoma in situ of vagina
2E67.3	Carcinoma in situ of other or unspecified female genital organs
2E86.0	Leiomyoma of uterus
2E88	Benign endometrial stromal tumour
2F31	Non-mesenchymal benign neoplasms of uterus
2F32	Benign neoplasm of ovary
2F33	Benign neoplasm of other or unspecified female genital organs
2F76	Neoplasms of uncertain behaviour of female genital organs
2F96	Neoplasms of unknown behaviour of female genital organs
4A45.2	Antiphospholipid syndrome in pregnancy
5A71.0	46,XX disorders of sex development induced by androgens of foetal origin
5A71.1	46,XX disorders of sex development induced by androgens of maternal origin
5A80	Ovarian dysfunction
5D44	Postprocedural ovarian failure
6E20	Mental or behavioural disorders associated with pregnancy, childbirth and the puerperium, without psychotic symptoms
6E21	Mental or behavioural disorders associated with pregnancy, childbirth or the puerperium, with psychotic symptoms
6E2Z	Mental or behavioural disorders associated with pregnancy, childbirth and the puerperium, unspecified
BD75.2	Vulval varices
EA83.00	Lichen simplex of vulva
EA87.1	Dermatitis or eczema of female genitalia

Code	Title
EB60.0	Lichen sclerosus of vulva
ED61.11	Vulval melanotic macule
ED70.1	Female pattern hair loss
ED70.31	Postpartum telogen effluvium
EE40.10	Stretch marks of pregnancy
EK02.13]	Irritant contact dermatitis of vulva
FB83.10	Premenopausal idiopathic osteoporosis
FB83.11	Postmenopausal osteoporosis
FC01.9	Postoophorectomy osteoporosis
GA00- GA6Z	Diseases of the female genital system
GB23.4	Galactorrhoea not associated with childbirth
GC04.1	Fistulae involving female genital tract
GC04.2	Ureteral fistula
GC40- GC4Z	Female pelvic floor dysfunction
GC50.10	Absent or diminished bladder sensation associated with pelvic organ prolapse
GC51	Female Genital Mutilation
GC70	Postoperative adhesions of vagina
GC71	Prolapse of vaginal vault after hysterectomy
GC77	Postprocedural nonmenstrual uterine bleeding
GC78	Postprocedural acute female pelvic inflammatory disease
HA01.0	Female sexual arousal dysfunction
HA20	Sexual pain-penetration disorder
JA00-JB6Z	Pregnancy, childbirth or the puerperium
KA83.9	Neonatal vaginal or uterine haemorrhage
LA90.32	Uterine arteriovenous malformations
LB40-LB4Z	Structural developmental anomalies of the female genital system
LD2A.1	46,XY gonadal dysgenesis
LD2A.4	46,XY disorder of sex development due to androgen resistance
LD50.0	Turner syndrome
LD50.1	Karyotype 47,XXX
LD50.2	Mosaicism, lines with various numbers of X chromosomes
LD50.Y	Other specified number anomalies of chromosome X
LD50.Z	Number anomalies of chromosome X, unspecified
LD90.4	Rett syndrome

Code	Title
MF30- MF3Y	Symptoms, signs or clinical findings involving the female genital system
MF60- MF6Z	Clinical findings in specimens from female genital organs
MG24.01	Fear of breast cancer female
MG24.D	Fear of complications of pregnancy
MG24.E	Fear of sexually transmitted disease female
MG24.F	Fear of female genital or breast disease
NB92.4	Injury of ovary
NB92.5	Injury of fallopian tube
NB92.6	Injury of uterus
NB93.02	Crushing injury of vulva
NB93.24	Traumatic amputation of entire vulva
NB93.25	Traumatic amputation of part of vulva
NB98	Injury to female genital organ without further specification
ND56.9	Injury complicating pregnancy
ND74.2	Foreign body in vulva or vagina
ND74.3	Foreign body in uterus, any part
PK80.5	Gynaecological or breast procedure associated with injury or harm in therapeutic use
PK80.7	Obstetric procedure associated with injury or harm in therapeutic use
PK96	Obstetric or gynaecological devices, implants or grafts associated with injury or harm
QA00.9	Gynaecological examination
QA09.4	Special screening examination for neoplasm of cervix
QA21.0	Contact with health services for postcoital contraception
QA21.2	Contact with health services for insertion of contraceptive device
QA21.4	Contact with health services for menstrual extraction
QA21.6	Surveillance of contraceptive device
QA30.00	Contact with health services for gamete intrafallopian transfer
QA30.01	Contact with health services for procreative management by artificial insemination
QA30.02	Contact with health services for medically assisted sperm insemination
QA30.0Y	Contact with health services for other specified assisted insemination
QA30.0Z	Contact with health services for unspecified assisted insemination
QA30.1	Contact with health services for assisted reproductive technology
QA30.2	Contact with health services for other assisted fertilisation methods

Code	Title
<u>QA30.Y</u>	Other specified contact with health services for medically assisted reproduction
<u>QA40</u>	Pregnancy examination or test
<u>QA41</u>	Pregnant state
<u>QA42</u>	Supervision of normal pregnancy
<u>QA43</u>	Supervision of high-risk pregnancy
<u>QA45</u>	Antenatal screening
<u>QA46</u>	Outcome of delivery
<u>QA48</u>	Postpartum care or examination
<u>QA49</u>	Problems related to unwanted pregnancy
<u>QA4A</u>	Problems related to multiparity
<u>QA4B</u>	Contact with health services for menopausal counselling
<u>QB51.C</u>	Presence of contraceptive device
<u>QB62.5</u>	Attention to artificial vagina
<u>QD31</u>	Contact with health services for concerns about body image related to pregnancy
<u>QF01.10</u>	Acquired absence of female genital organs

3.14.12 List of categories limited to, or more likely to occur in, male persons

Code	Title
1A70.00	Gonorrhoea of penis
1D80.1	Orchitis due to mumps virus
1F23.11	Candida balanoposthitis
2B55.2	Rhabdomyosarcoma of male genital organs
2B59.2	Liposarcoma of male genital organs
2C80-2C8Z	Malignant neoplasms of male genital organs
2E06	Malignant neoplasm metastasis in male genital organs
2E67.4	Carcinoma in situ of penis
2E67.5	Carcinoma in situ of prostate
2E67.6	Carcinoma in situ of other or unspecified male genital organs
2F34	Benign neoplasm of male genital organs
2F77	Neoplasms of uncertain behaviour of male genital organs
2F97	Neoplasms of unknown behaviour of male genital organs
5A81	Testicular dysfunction or testosterone-related disorders
5D45	Postprocedural testicular hypofunction
BD75.1	Scrotal varices
EA83.01	Lichen simplex of male genitalia
EA87.0	Dermatitis or eczema of male genitalia
EB60.1	Lichen sclerosus of penis
EC92.0	Penoscrotodynia
ED61.10	Penile melanotic macule
GA80-GB0Z	Diseases of the male genital system
HA01.1	Male erectile dysfunction
HA03	Ejaculatory dysfunctions
LB50-LB5Z	Structural developmental anomalies of the male genital system
LD2A.0	Ovotesticular disorder of sex development
LD2A.2	Testicular agenesis
LD2A.3	46,XY disorder of sex development due to a defect in testosterone metabolism
LD50.3	Klinefelter syndrome
LD52	Number anomalies of chromosome Y
LD53	Structural anomalies of chromosome Y
LD54	Male with sex chromosome mosaicism
MA14.1B	Prostate specific antigen positive
MF40- MF4Y	Symptoms, signs or clinical findings involving the male genital system

Code	Title
MF70- MF7Z	Clinical findings in specimens from male genital organs
MG24.02	Fear of genital cancer male
MG24.G	Fear of sexually transmitted disease male
MG24.H	Fear of genital disease male
NB93.00	Crushing injury of penis
NB93.01	Crushing injury of testes or scrotum
NB93.20	Traumatic amputation of entire penis
NB93.21	Traumatic amputation of part of penis
NB93.22	Traumatic amputation of entire testes or scrotum
NB93.23	Traumatic amputation of part of testes or scrotum
NB97.1	Fractured penis
NB99	Injury to male genital organ without further specification
QA09.5	Special screening examination for neoplasm of prostate
QB82	Contact with health services for routine or ritual circumcision
QF01.11	Acquired absence of male genital organs

3.14.13 Collection of instructions with coding examples related maternal mortality

Overview (See Section [2.21.8.2](#))

The International form of medical certificate of cause of death (See Mortality Annex [3.14](#) is structured to allow reporting on obstetric causes, the time elapsed between the obstetric event and the person's death, and whether the pregnancy contributed to death. Use all information available on the death certificate. When information provided is ambiguous it is recommended to verify where possible, while means of verification may vary among countries according to different legal systems or profiles in maternal mortality. Additional information may be obtained through clinical summaries of medical institutions, verbal autopsy reports, or by certain verification processes which may require not only queries to the certifier but also establishing an inquiry system to analyse specific cases.

Following concepts related to statistical tabulation of maternal mortality is provided in Section [2.25.5](#) Standards and reporting requirements related for maternal mortality.

- [2.25.5.1](#) Maternal death
- [2.25.5.2](#) Late Maternal death
- [2.25.5.3](#) Comprehensive maternal death
- [2.25.5.4](#) Direct and indirect obstetric deaths
- [2.25.5.5](#) Death occurring during pregnancy, childbirth and puerperium
- [2.25.5.6](#) Recording requirements of maternal mortality
- [2.25.5.7](#) International reporting of maternal mortality
- [2.25.5.8](#) Numerator, denominator, and ratios of published maternal mortality

Briefly the underlying cause of death categories for Maternal Mortality is summarized in the table below:

	JB00 - JB60 , JB63 .-, JB64 .-, JB6Y , 1C14 Maternal death	JB61 .- Late Maternal death	JB62 .- Sequelae of obstetric conditions
Deceased was pregnant:	at the time of death, and within 42 days before the death	more than 42 days but less than one year before the death	one year or more before the death

On a death certificate usually the timespan is recorded in day unit where 42 days are included in maternal death and 43 days are included in late maternal death. In a mathematical explanation, this means exactly 42 days are included in maternal death, while for example 42 days and one hour is included in late maternal death. Also note that [JB61](#).- and [JB62](#).- includes deaths due to any obstetric cause. The obstetric cause reported including cause unknown ([JB60](#)) is postcoordinated to [JB61](#).- or [JB62](#).- to retain information on the cause. Coding instructions are provided to select the UCOD and capture further details in a cluster.

Coding instructions for maternal mortality

For coding of maternal mortality, follow the general coding instructions.

To assign the correct multiple cause code for a certificate with mention of pregnancy, first use the coding tool to assign a specific code for each condition reported. Categories out of Chapter 18 may also be assigned. When a condition suggests it is an obstetric condition, by using certain modifiers such as 'obstetric' or 'maternal', search if there is a direct match of the diagnosis reported. The coding tool also supports coding by providing the icon 'J' () for certain condition that have a compatible category for maternal conditions.

Example 1

- 1
 - (a) Pulmonary oedema [CB01](#)
 - (b) Mitral valve insufficiency, pregnancy [JB64.4/BB61.Z](#)
 - (c)
 - (d)

2

Mitral valve insufficiency nos is coded to [BB61.Z](#), however assign [JB64.4/BB61.Z](#) because it is described as 'pregnancy'.

Example 2

- 1
 - (a) Pulmonary oedema [CB01](#)
 - (b) Mitral valve insufficiency [BB61.Z](#)
 - (c)
 - (d)

2 XX completed weeks of gestation

Code mitral valve insufficiency to [BB61.Z](#). Pregnancy is mentioned in Part 2 and it is considered that pregnancy contributed to death. Apply Step M4 and code the underlying cause of death to [JB64.4](#) Diseases of the circulatory system complicating pregnancy, childbirth or the puerperium. For greater specificity, also add the code for [BB61.Z](#) Mitral valve insufficiency, unspecified to the cluster ([JB64.4/BB61.Z](#)).

Structure of Chapter 18 and other related categories

The following categories are used for deaths due to an obstetric event occurring within 42 days after termination of pregnancy:

- [JA00](#) - [JB4Z](#), [1C14](#): Direct obstetric causes
- [JB63.-](#), [JB64.-](#): Maternal diseases classifiable elsewhere but complicating pregnancy
- [JB60](#) is used when a woman dies during pregnancy, labor, delivery or the puerperium and the only information provided is 'maternal' or 'obstetric' death. If obstetric cause of death is specified, do not use [JB60](#) but code to the appropriate category.
- [JB6Y](#) is used for other specified obstetric conditions not elsewhere classified

Category [JB61.-](#) is used for death of a woman due to an obstetric cause but more than 42 days but less than one year after termination of pregnancy.

Category [JB62.-](#) is used for death of a woman due to an obstetric cause of one year or more after termination of pregnancy.

[JB6Z](#) is used when both obstetric condition is unspecified, and the time elapsed between the obstetric event and death is unknown. Note that this code is not to be used for underlying cause of death (See section [2.19.4](#) Special instructions on surgery and other medical procedures (Step M4)) .

Determining whether pregnancy contributed to death

Consider pregnancy contribute to death when pregnancy, puerperium or childbirth is reported in Part 1 or Part 2; or is reported elsewhere and the answer to the question “Did the pregnancy contribute to death?” is yes, unknown, or is unstated.

Determining the time elapsed

The time elapsed between the obstetric event and the death is determined by the duration reported for the obstetric cause. If duration is unknown or unspecified, use the information in Frame B of the death certificate. When duration is unknown or unstated, but pregnancy contributed to death, it is assumed that the death occurred within 42 days after the obstetric event.

Selecting the underlying cause of death for maternal mortality (See Section [2.19.7](#))

For coding of maternal mortality, follow general coding instructions.

After assigning a code for each condition reported (See Coding instructions for maternal mortality in Section [2.21.8.2](#)) apply the selection and modification instructions in the normal way starting from SP1 as same as other causes of death.

Then, apply Steps SP1 to SP8 and M1 to M3 and M4 for Surgery, Injury, External causes, and Poisoning, then Step M4 for maternal mortality (See also section [2.19.7](#)).

Typical cases of maternal mortality

Normally the sequence reported is accepted in general (See Section [2.16.2](#)), however, several relations may be rejected, and may have other specific instructions as summarized below.

Example 3		Duration
1	(a) Hypovolemic shock	1 hour
	(b) Postcesarean hemorrhage	2 hours
	(c) Uterine vessel injury during cesarean section	2 hours
	(d)	
2		

The deceased was pregnant: Yes, within 42 days of death; Pregnancy contributed to death: Yes

Both hypovolemic shock and postcaesarean hemorrhage can be caused by Uterine vessel injury during cesarean section coded to [JBOD.3](#) Other complications of obstetric surgery or procedures and is the tentative starting point (Step SP3). As no other special instruction apply, and the death was within 42 days after the obstetric cause, [JBOD.3](#) is the underlying cause of death.

Example 4

- 1
 - (a) Pulmonary oedema [CB01](#)
 - (b) Mitral valve insufficiency, pregnancy [JB64.4/BB61.Z](#)
 - (c)
 - (d)

2

Pulmonary oedema can be caused by mitral regurgitation in pregnancy which is the tentative starting point (Step SP3). As no other special instruction apply, and the death was within 42 days of after the obstetric cause, [JB64.4](#) is the underlying cause of death. For greater specificity, also add the code for [BB61.Z](#) Mitral valve insufficiency, unspecified to the cluster ([JB64.4/BB61.Z](#)).

Example 5

- 1
 - (a) Haemorrhage [MG27](#)
 - (b) Cervical cancer [2C77.Z](#)
 - (c)
 - (d)

2 Treatment delayed because of pregnancy

The deceased was pregnant: Yes, at the time of death; Pregnancy contributed to death: unstated

Cervical cancer is the tentative starting point (Step SP3). Pregnancy is mentioned in Part 2 and it is considered that pregnancy contributed to death. Apply Step M4 and code the underlying cause of death to [JB64.Y](#) Other specified maternal diseases classifiable elsewhere but complicating pregnancy, childbirth or the puerperium. For greater specificity, also add the code [2C77.Z](#) Malignant neoplasms of cervix uteri, unspecified to the cluster. ([JB64.Y/2C77.Z](#))

Example

6

- 1
 - (a) Hepatic failure [DB99.7](#) *Hepatic failure without mention whether acute or chronic*
 - (b) Dengue fever [1D2Z](#) *Dengue, unspecified*
 - (c)
 - (d)
- 2 Additional information: 40 days postpartum

The deceased was pregnant: Yes, within 42 days of death; Pregnancy contributed to death: unstated

Dengue with warning signs is the tentative starting point (Step SP3). Pregnancy is mentioned in Part 2 and it is considered that pregnancy contributed to death. Apply Step M4 and code