

ICD-10 block heading

H00-H06 Disorders of eyelid, lacrimal system and orbit

H10-H13 Disorders of conjunctiva

H15-H22 Disorders of sclera, cornea, iris and ciliary body

H25-H28 Disorders of lens

H30-H36 Disorders of choroid and retina

H40-H42 Glaucoma

H43-H45 Disorders of vitreous body and globe

H46-H48 Disorders of optic nerve and visual pathway

H49-H52 Disorders of ocular muscles, binocular movement, accommodation and refraction

H53-H54 Visual disturbances and blindness

H55-H59 Other disorders of eye and adnexa

ICD-11 equivalent structure

Disorders of the ocular adnexa or orbit

Disorders of conjunctiva

Redistributed between the groupings Disorders of the eyeball – anterior segment and Disorders of the eyeball – posterior segment

Disorders of lens

Separate categories under Disorders of the eyeball – posterior segment

Glaucoma or glaucoma suspect

Redistributed between the groupings Disorders of the eyeball –posterior segment and Disorders of the eyeball affecting both anterior and posterior segments

Disorders of the visual pathways or centres

Redistributed between the groupings Strabismus or ocular motility and Disorders of refraction or accommodation

Visual impairment

Redistributed between the groupings Nystagmus and Postprocedural disorders of eye or ocular adnexa

3.15.10 Differences between ICD-10 and ICD-11 in Chapter 10

This chapter has retained a similar structure as in ICD-10, with only minor changes.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 block heading	ICD-11 equivalent structure
H60-H62 Diseases of external ear	Diseases of external ear
H65-H75 Diseases of middle ear and mastoid	Diseases of middle ear or mastoid
H80-H83 Diseases of inner ear	Diseases of inner ear
H90-H95 Other disorders of ear	Redistributed into the groupings Disorders with hearing impairment, Disorders of ear, not elsewhere classified and Postprocedural disorders of ear or mastoid process

3.15.11 Differences between ICD-10 and ICD-11 in Chapter 11

There has been some restructuring and regrouping throughout this chapter, with new concepts based on medical advancements over the last 20 years added. Medical terminology has been updated. The sections on Hypertension and Heart valve diseases have been expanded. Heart valve diseases have moved from a classification based on aetiology (rheumatic/non-rheumatic) followed by valve type and disease physiology; to a hierarchy led by valve type, then disease physiology, followed by aetiology, in keeping with current clinical practice. Non-rheumatic valve disease has therefore been moved from 'Other forms of heart disease' to the heart valve disease section. Acute rheumatic fever has been moved to Chapter 1.

Cerebrovascular diseases have been moved to the Neurology Chapter (08) as their primary parent with the Circulatory Chapter being a secondary parent.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure in Chapter 11

ICD-10 block heading	ICD-11 equivalent structure
I00-I02 Acute rheumatic fever	Moved to Chapter 01 Infectious diseases
I05-I09 Chronic rheumatic heart diseases	Heart valve diseases - Change in hierarchy for the classification of heart valve disorders to heart valve type and then by aetiology
I10-I15 Hypertensive diseases	Hypertensive diseases - Remains relatively the same with expansion of some categories, essential hypertension now includes subcategories for diastolic/systolic hypertension
I20-I25 Ischaemic heart diseases	Ischaemic heart diseases - Change in terminology for AMI to reflect STEMI/NSTEMI only. Inclusion of timeframe for old AMI. Expansion of complications following and AMI. New section for 'Diseases of coronary artery' to include coronary atherosclerosis, coronary artery aneurysm, dissection, fistula
I26-I28 Pulmonary heart disease and diseases of pulmonary circulation	Pulmonary heart disease or diseases of pulmonary circulation - Expansion of some categories (e.g. pulmonary hypertension) to include new concepts, particularly pulmonary hypertension.
I30-I52 Other forms of heart disease	This block category title no longer exists in ICD-11 and the concepts within have been made distinct entities and expanded to include new terminology and disease processes
I60-I69 Cerebrovascular diseases	Reclassified to Chapter 08 Diseases of the nervous system
I70-I79 Diseases of arteries, arterioles and capillaries	Diseases of capillaries has been moved into Diseases of skin
I80-I89 Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified	This section has been separated into two main blocks: Diseases of veins and Disorders of lymphatic vessels and lymph nodes. Oesophageal varices and Haemorrhoids have been reclassified to Chapter 13 Diseases of the digestive system - Vascular disorders of the oesophagus and Vascular disease of anus and anal canal, respectively
I95-I99 Other and unspecified disorders of the circulatory system	Marked expansion of the postprocedural disorders section with new codes for postprocedural disorders following repair of congenital anomalies.

3.15.12 Differences between ICD-10 and ICD-11 in Chapter 12

There has been some restructuring and regrouping of this chapter, with new concepts added and the inclusion of updated and current terminology.

- A new section, Inhalational, occupational and environmental lung disease has been added to improve the classification of respiratory disorders according to their aetiology.
- Sleep disorders of breathing and respiratory control have been moved into the new chapter of Sleep disorders (Chapter 7) and secondarily parented to the Respiratory Chapter.
- Cystic fibrosis has been moved to the Respiratory Chapter and multi-parented to Chapter 05 'Endocrine, nutritional or metabolic diseases'.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure in Chapter 12

ICD-10 block heading	ICD-11 equivalent structure
J00-J06 Acute upper respiratory infections	Upper respiratory tract disorders section, Infectious diseases by infectious agent
J09-J18 Influenza and pneumonia	Lung infections
J20-J22 Other acute lower respiratory infections	Combined into the grouping - Lung infections
J30-J39 Other diseases of upper respiratory tract	Combined into the grouping - Upper respiratory tract disorders
J40-J47 Chronic lower respiratory diseases	Certain lower respiratory tract diseases
J60-J70 Lung diseases due to external agents	Lung diseases due to external agents
J80-J84 Other respiratory diseases principally affecting the interstitium	Respiratory diseases principally affecting the lung interstitium
J85-J86 Suppurative and necrotic conditions of lower respiratory tract	Combined into the grouping - Lung infections
J90-J94 Other diseases of pleura	Pleural, diaphragm and mediastinal disorders
J95-J99 Other diseases of the respiratory system	Certain diseases of the respiratory system Postprocedural respiratory disorders have been moved to a grouping of their own. Mediastinal and diaphragm disorders were moved to the section for Pleural, diaphragm and mediastinal disorders

3.15.13 Differences between ICD-10 and ICD-11 in Chapter 13

There has been a major restructuring and change of the previous ICD-10 concepts in this chapter. Detailed anatomical groups were added to the hierarchy, such as 'Diseases of duodenum', 'Diseases of the anal canal' or 'Diseases of the pancreas'. Independent categories for functional gastrointestinal disorders and inflammatory bowel diseases have

also been included to cover broad anatomical sites. Additional dimensions are available from the clinical findings section in Chapter 21 and Chapter X 'Extension Codes' for use in postcoordination. For example, with and without haemorrhage, with and without obstruction, with and without ascites, laterality and greater site specificity, etc.

Although ICD-10 included diseases of the oral cavity, salivary glands and jaws, the corresponding section of Chapter 13 in ICD-11 has been improved in structure and content to include diseases and disorders of the orofacial complex.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 block heading	ICD-11 equivalent structure
K00-K14 Diseases of oral cavity, salivary glands and jaws	Diseases or disorders of orofacial complex
K20-K31 Diseases of oesophagus, stomach and duodenum	Now in two groups – Diseases of oesophagus and Diseases of the stomach or the duodenum
K35-K38 Diseases of appendix	Diseases of appendix
K40-K46 Hernia	Hernia
K50-K52 Noninfective enteritis and colitis	Now in two groups – Gastritis, under Diseases of stomach and Certain noninfectious colitis or proctitis
K55-K64 Other diseases of intestines	Redistributed to various new groups based on anatomical sites
K65-K67 Diseases of peritoneum	Diseases of peritoneum
K70-K77 Diseases of liver	Diseases of liver
K80-K87 Disorders of gallbladder, biliary tract and pancreas	Now in two groups – Diseases of gallbladder or biliary tract and Diseases of pancreas
K90-K93 Other diseases of the digestive system	Redistributed to various groups including Postprocedural disorders of digestive system and Clinical findings in the digestive system

3.15.14 Differences between ICD-10 and ICD-11 in Chapter 14

Chapter 14 has undergone major restructuring, with the addition of more detailed entities. The terminology has been updated to be more current. Detail has come from the fusion of the American, British and German dermatological terminologies.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 block heading

L00-L08 Infections of the skin and subcutaneous tissue

L10-L14 Bullous disorders

L20-L30 Dermatitis and eczema

L40-L45 Papulosquamous disorders

L50-L54 Urticaria and erythema

L55-L69 Radiation-related disorders of the skin and subcutaneous tissue

L60-L75 Disorders of skin appendages

L80-L99 Other disorders of the skin and subcutaneous tissue

ICD-11 equivalent structure

Certain skin disorders attributable to infection or infestation

Renamed Immunobullous diseases of the skin and included under inflammatory dermatoses

Dermatitis and eczema

Papulosquamous dermatoses (included under inflammatory dermatoses)

Part of groupings – Urticaria, angioedema and other urticarial disorders and Inflammatory erythemas and other reactive inflammatory dermatoses

Dermatoses provoked by light or UV radiation

Disorders of the epidermis and epidermal appendages

Redistributed to various groups throughout the restructured Skin chapter

3.15.15 Differences between ICD-10 and ICD-11 in Chapter 15

The blocks in this chapter have been reordered, and a new block - Auto-inflammatory syndromes has been added to the Immune Chapter and secondarily parented to here. The area of spinal conditions has been restructured and renamed to Conditions associated with the spine.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 block heading	ICD-11 equivalent structure
M00-M25 Arthropathies	Arthropathies
M30-M36 Systemic connective tissue disorders	Moved to Chapter 04 'Diseases of the immune system'
M40-M54 Dorsopathies	Conditions associated with the spine
M60-M79 Soft tissue disorders	Soft tissue disorders
M80-M94 Osteopathies and chondropathies	Osteopathies or chondropathies
M95-M99 Other disorders of the musculoskeletal and connective tissue	Redistributed to various groupings including Certain specified acquired deformities of musculoskeletal system or connective tissue, not elsewhere classified and Postprocedural musculoskeletal disorders, not elsewhere classified

3.15.16 Differences between ICD-10 and ICD-11 in Chapter 16

Chapter 16 has been reordered to distinguish diseases of the female genital system, the male genital system, and the urinary system. There is more specificity within the areas of Amenorrhea, Ovarian dysfunction, Female pelvic pain, Endometriosis, Adenomyosis, Female infertility, Male infertility, Early pregnancy loss, and Pregnancy outcomes reflecting current scientific understanding. The hierarchy is now divided into non-inflammatory disorders and inflammatory disorders, which are further divided by anatomical groupings. These groupings are in an order followed by gynaecological and obstetric examinations i.e. from external to internal genitalia. Neoplasms of the urinary system are primarily located in Chapter 02 'Neoplasms', Structural developmental anomalies of the urinary system are primarily located in Chapter 20 and Symptoms, signs or clinical findings involving the urinary system are primarily located in Chapter 21.

All diseases relating to the kidney are now classified under the main category for 'Diseases of the urinary system'. Acute kidney failure and chronic kidney disease now incorporates the currently used staging classification as proposed by [Kidney Disease | Improving Global Outcomes \(KDIGO\)](#).

The classification of Glomerular diseases has been restructured and is now divided into clinical features/syndromes. A new block has been added for Cystic and dysplastic kidney disease, originally, classified in ICD-10 to Chapter 17 'Congenital malformations, deformations and chromosomal abnormalities', with relevant entities grouped together and based on the 2015 KDIGO guidelines.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 block heading	ICD-11 equivalent structure
N00-N08 Glomerular diseases	Glomerular diseases - Classified to Diseases of the urinary system. This section is now classified according to clinical features or syndromes. Still includes: Nephritic syndrome Nephrotic syndrome Isolated proteinuria and albuminuria. The subdivisions describing morphology typically determined by biopsy have been moved to Chapter 21 under Clinical findings of the urinary system. Electron microscopy and immunofluorescence findings subdivisions have been removed from proteinuria with morphological lesion. This is now classified to Isolated proteinuria and albuminuria.
N10-N16 Renal-tubulo-interstitial diseases	Renal-tubulo-interstitial diseases - Classified to Diseases of the urinary system. Section remains relatively the same. Tubular and cortical necrosis has been unbundled from acute renal failure to be a distinct codable entity classified to this section.
N17-N19 Renal failure	Kidney failure - Classified to Diseases of the urinary system. Acute renal failure is no longer a bundled concept which previously identified the acute kidney damage i.e. acute tubular necrosis.
N20-N23 Urolithiasis	Urolithiasis - Classified to Diseases of the urinary system. Subdivided into upper urinary tract (includes kidney and ureter) and lower urinary tract (includes bladder and urethra). Renal colic has been reclassified to Chapter 21 Symptoms, signs and clinical findings involving the urinary system
N25-N29 Other disorders of kidney and ureter	Certain specified disorders of kidney or ureter - Classified to Diseases of the urinary system. Reclassification of disorders relating to the size of the kidney to Chapter 21 Symptoms, signs or clinical findings involving the urinary system - Macroscopic changes of size of the kidney
N30-N39 Other diseases of urinary system	Certain specified diseases of urinary system – remains similar to ICD-10
N40-N51 Diseases of male genital organs	Diseases of male genital organs– remains similar to ICD-10
N60-N64 Disorders of breast	Disorders of breast– remains similar to ICD-10
N70-N77 Inflammatory diseases of female pelvic organs	Inflammatory disorders of the female genital tract - Classified to Diseases of the female genital system.
N80-N98 Noninflammatory disorders of female genital tract	Noninflammatory disorders of female genital tract – Classified to Diseases of the female genital system

ICD-10 block heading	ICD-11 equivalent structure
N99 Other disorders of the genitourinary system	Other disorders of the genitourinary system – Postprocedural disorders of the genitourinary system has been moved out of this section to be a grouping of its own

3.15.17 Chapter 17 is a new addition to ICD-11 and was not found in past editions

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 previous location	ICD-11 equivalent structure
Codes from Mental Health category F52 Sexual dysfunction, not caused by organic disorder or disease	Sexual dysfunctions
Codes from Mental Health category F52 Sexual dysfunction, not caused by organic disorder or disease and Genitourinary category N94 Pain and other conditions associated with female genital organs and menstrual cycle	Sexual pain disorders
Codes from Mental Health category F64 Gender identity disorders	Gender incongruence

3.15.18 Differences between ICD-10 and ICD-11 in Chapter 18

The chapter has been reordered but content remains similar to that in ICD-10. There have been some changes and additions made to the sections Maternal care related to the fetus and amniotic cavity and possible delivery problems and Complications of labour and delivery. Additional specifications have been included for “Early pregnancy loss”. A new section Obstetric haemorrhage has been added to enable all types of haemorrhage to be grouped together.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 block heading

O00-O08 Pregnancy with abortive outcome

O10-O16 Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium

O20-O29 Other maternal disorders predominantly related to pregnancy

O30-O48 Maternal care related to the fetus and amniotic cavity and possible delivery problems

O60-O75 Complications of labour and delivery

O80-O84 Delivery

O85-O92 Complications predominantly related to the puerperium

O94-O99 Other obstetric conditions, not elsewhere classified

ICD-11 equivalent structure

Abortive outcome of pregnancy

Oedema, proteinuria, or hypertensive disorders in pregnancy, childbirth, or the puerperium

Certain specified maternal disorders predominantly related to pregnancy

Maternal care related to the fetus, amniotic cavity or possible delivery problems

Complications of labour or delivery

Delivery

Complications predominantly related to the puerperium

Certain obstetric conditions, not elsewhere classified

3.15.19 Differences between ICD-10 and ICD-11 in Chapter 19

There has been some reordering of this chapter but it remains similar to that in ICD-10. There is new grouping for Neurological disorders specific to the perinatal or neonatal period and an expansion of codes for gestational age of the newborn.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 block heading	ICD-11 equivalent structure
P00-P04 Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery	fetus or newborn affected by maternal factors or by complications of pregnancy, labour or delivery
P05-P08 Disorders related to length of gestation and fetal growth	Disorders of newborn related to length of gestation or fetal growth
P10-P15 Birth trauma	Birth injury
P20-P29 Respiratory and cardiovascular disorders specific to the perinatal period	Split into two groups: Respiratory disorders specific to the perinatal or neonatal period; Cardiovascular disorders present in the perinatal or neonatal period
P35-P39 Infections specific to the perinatal period	Infections of the fetus or newborn
P50-P61 Haemorrhagic and haematological disorders of fetus and newborn	Haemorrhagic or haematological disorders of fetus or newborn
P70-P74 Transitory endocrine and metabolic disorders specific to fetus and newborn	Transitory endocrine or metabolic disorders specific to fetus or newborn
P75-P78 Digestive system disorders of fetus and newborn	Digestive system disorders of fetus or newborn
P80-P83 Conditions involving the integument and temperature regulation of fetus and newborn	Split into two groups: Disorders involving the integument of fetus or newborn; Disturbances of temperature regulation of newborn
P90-P96 other disorders originating in the perinatal period	Certain disorders originating in the perinatal period – Block 91 other disturbances of cerebral status of newborn has been moved into a new grouping Neurological disorders specific to the perinatal or neonatal period

3.15.20 Differences between ICD–10 and ICD–11 in Chapter 20

This chapter has undergone major restructuring including a title change from Congenital malformations, deformations and chromosomal abnormalities to Developmental anomalies. All genetic syndromes without structural developmental anomalies have been reallocated to appropriate chapters of the ICD, according to the affected body system(s).

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 previous location

Q00-Q07 Congenital malformations of the nervous system

Q10-Q18 Congenital malformations of eye, ear, face and neck

Q20-Q28 Congenital malformations of the circulatory system

Q30-Q34 Congenital malformations of the respiratory system

Q35-Q37 Cleft lip and cleft palate

Q38-Q45 Other congenital malformations of the digestive system

Q50-Q56 Congenital malformations of genital organs

Q60-Q64 Congenital malformations of the urinary system

Q65-Q79 Congenital malformations and deformations of the musculoskeletal system

Q80-Q89 Other congenital malformations

Q90-Q99 Chromosomal abnormalities, not elsewhere classified

ICD-11 equivalent structure

Structural developmental anomalies of the nervous system - A grouping under Structural developmental anomalies primarily affecting one body system

Split into four separate groups under Structural developmental anomalies primarily affecting one body system:

Structural developmental anomalies of the eye, eyelid or lacrimal apparatus

Structural developmental anomalies of the ear

Structural developmental anomalies of the face, mouth or teeth

Structural developmental anomalies of the neck

Structural developmental anomalies of the circulatory system - A grouping under Structural developmental anomalies primarily affecting one body system

Structural developmental anomalies of the respiratory system - A grouping under Structural developmental anomalies primarily affecting one body system

Clefts of lip, alveolus or palate is a subsection in the grouping Structural developmental anomalies of the face, mouth or teeth

Structural developmental anomalies of the digestive tract - A grouping under Structural developmental anomalies primarily affecting one body system

Split into two separate groups under Structural developmental anomalies primarily affecting one body system: Structural developmental anomalies of the female genital system; Structural developmental anomalies of the male genital system

Structural developmental anomalies of the urinary system - A grouping under Structural developmental anomalies primarily affecting one body system

Structural developmental anomalies of the skeleton

Redistributed to various groupings within the new structure of the chapter

Chromosomal anomalies, excluding gene mutations

3.15.21 Differences between ICD-10 and ICD-11 in Chapter 21

This chapter has undergone major restructuring with the high level hierarchy now in line with the ICD chapters. Certain clinical forms previously located in other chapters as asterisk codes are now located here. A new category has been added for Findings of microorganism resistant to antimicrobial drugs.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 block heading

R00-R09 Symptoms and signs involving the circulatory and respiratory systems

R10-R19 Symptoms and signs involving the digestive system and abdomen

R20-R23 Symptoms and signs involving the skin and subcutaneous tissue

R25-R29 Symptoms and signs involving the nervous and musculoskeletal systems

R30-R39 Symptoms and signs involving the urinary system

R40-R46 Symptoms and signs involving cognition, perception, emotional state and behaviour

R47-R49 Symptoms and signs involving speech and voice

R50-R69 General symptoms and signs

R70-R79 Abnormal findings on examination of blood, without diagnosis

R80-R82 Abnormal findings on examination of urine, without diagnosis

R83-R89 Abnormal findings on examination of other body fluids, substances and tissues, without diagnosis

R90-R94 Abnormal findings on diagnostic imaging and in function studies, without diagnosis

R95-R99 Ill-defined and unknown causes of mortality

ICD-11 equivalent structure

Split into two groupings: Symptoms, signs or clinical findings of the circulatory system; Symptoms, signs or clinical findings of the respiratory system

Symptoms, signs or clinical findings of the digestive system or abdomen

Symptoms, signs or clinical findings involving the skin

Split into two groupings: Symptoms, signs or clinical findings of the nervous system; Symptoms, signs or clinical findings of the musculoskeletal system

Symptoms, signs or clinical findings of the genitourinary system - part of the grouping Symptoms, signs or clinical findings of the genitourinary system

Reorganised into various subsections under Mental or behavioural symptoms, signs or clinical findings

Symptoms, signs or clinical findings of speech or voice

General symptoms, signs or clinical findings

Included in the grouping Symptoms, signs or clinical findings of blood, blood-forming organs or the immune system

Clinical findings on examination of urine, without diagnosis under the grouping Symptoms, signs or clinical findings involving the urinary system

Clinical findings in specimens from other specified organs, systems and tissues under the grouping General symptoms, signs or clinical findings

Split into two subsections: Abnormal diagnostic imaging results not elsewhere classified; Abnormal results of function studies of other organs and systems in the grouping Abnormal results not elsewhere classified

Ill-defined and unknown causes of mortality

3.15.22 Differences between ICD-10 and ICD-11 in Chapter 22

The high level categories have only a few changes. Changes are mainly at the lower character level and include additions of more specific categories of injury types and body location of the injury. There are no longer separate codes for burns and for corrosions. They are all together under Burns. Additional dimensions are available from Chapter X Extension codes, for postcoordination to add further detail such as laterality, or depth of burn. Major changes have been made to the section for complications of medical and surgical care. The Quality and Safety TAG has revised the coding of health care related injuries and events. The concept of a mechanical complication of a device is now classified as an external cause of harm.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 block heading	ICD-11 equivalent structure
S00-S09 Injuries to the head	Injuries to the head
S10-S19 Injuries to the neck	Injuries to the neck
S20-S29 Injuries to the thorax	Injuries to the thorax
S30-S39 Injuries to the abdomen, lower back, lumbar spine and pelvis	Injuries to the abdomen, lower back, lumbar spine or pelvis
S40-S49 Injuries to the shoulder and upper arm	Injuries to the shoulder or upper arm
S50-S59 Injuries to the elbow and forearm	Injuries to the elbow or forearm
S60-S69 Injuries to the wrist and hand	Injuries to the wrist or hand
S70-S79 Injuries to the hip and thigh	Injuries to the hip or thigh
S80-S89 Injuries to the knee and lower leg	Injuries to the knee or lower leg
S90-S99 Injuries to the ankle and foot	Injuries to the ankle or foot
T00-T07 Injuries involving multiple body regions	Injuries involving multiple body regions
T08-T14 Injuries to unspecified part of trunk, limb or body region	Injuries to unspecified part of trunk, limb or body region
T15-T19 Effects of foreign body entering through natural orifice	Effects of foreign body entering through natural orifice
T20-T32 Burns and corrosions	Burns
T33-T35 Frostbite	Frostbite
T36-T50 Poisoning by drugs, medicaments and biological substances	Now included under the main grouping Harmful effects of substances
T51-T65 Toxic effects of substances chiefly nonmedicinal as to source	Now included under the main grouping Harmful effects of substances

ICD-10 block heading	ICD-11 equivalent structure
T66-T78 Other and unspecified effects of external causes	Other or unspecified effects of external causes
T79 Certain early complications of trauma	Other or unspecified effects of external causes Now included under the main grouping
T80-T88 Complications of surgical and medical care, not elsewhere classified	Injury or harm arising from surgical or medical care, not elsewhere classified
T90-T98 Sequelae of injuries, of poisoning and of other consequences of external causes	Redistributed to the specific body grouping as index terms. Sequelae will now be indicated by an cluster identifying the condition that is the sequelae, a code from Chapter 24 QC50 <i>Late effect of prior health problem, not elsewhere classified</i> and the original injury. For mortality specific instructions see section 2.21.6.6 .

3.15.23 Differences between ICD-10 and ICD-11 in Chapter 23

The primary axis for all external causes except exposure to extreme forces of nature, maltreatment, legal intervention, armed conflict and health care related harm or injury is now based on 'intent'. The codes are a combination of intent, followed by mechanism and object or substance involved in occurrence of injury. There has been an expansion in the areas of vehicle types, places of occurrence, types of activities, legal/war codes, and substances. The areas of Complications of medical and surgical care and Maltreatment syndromes have been revised and improved. Additional dimensions are available from Chapter X Extension codes, for use in postcoordination. Further, the categories for sequelae of external causes have been removed and such cases are primarily coded to the appropriate categories describing the event, resulting in increases in the frequencies of the specific categories.

An extension code can be used in postcoordination where such sequelae need to be identified separately.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 block heading	ICD-11 equivalent structure
V01-X59 Accidents	Redistributed to the main groupings of Unintentional cause, Intentional self-harm, Assault and Unknown intent
X60-X84 Intentional self-harm	Intentional self-harm
X85-Y09 Assault	Assault
Y10-Y34 Event of undetermined intent	Undetermined intent
Y35-Y36 Legal intervention and operations of war	Split into two groups: Legal intervention; Armed conflict
Y40-Y84 Complications of medical and surgical care	Causes of health care related harm or injury
Y85-Y89 Sequelae of external causes of morbidity and mortality	Redistributed to the specific external cause grouping as index terms. Sequelae will now be indicated by a cluster identifying the condition that is the sequelae, a code from Chapter 24 QC50 <i>Late effect of prior health problem, not elsewhere classified</i> and the original external cause code. For mortality specific instructions see section 2.21.6.6 .
Y90-Y98 Supplementary factors related to causes of morbidity and mortality classified elsewhere	Entities from this block are now found in either Chapter 21 Symptoms, signs and clinical findings (e.g. blood alcohol level findings) or have been added to Section X 'Extension codes' (e.g. nosocomial condition)

3.15.24 Differences between ICD-10 and ICD-11 in Chapter 24

This chapter has undergone reorganisation and is divided into two main sections: Reasons for contact with the health system and Factors influencing health status. There has been an expansion of the section related to reproduction with the addition of a new section Contact with health services for reproductive management. There is also a new section for health care related adverse events that occur but do not result in any harm to the patient.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 block heading

Z00-Z13 Persons encountering health services for examination and investigation

Z20-Z29 Persons with potential health hazards related to communicable diseases

Z30-Z39 Persons encountering health services in circumstances related to reproduction

Z40-Z54 Persons encountering health services for specific procedures and health care

Z55-Z65 Persons with potential health hazards related to socioeconomic and psychosocial circumstances

Z70-Z76 Persons encountering health services in other circumstances

Z80-Z99 Persons with potential health hazards related to family and personal history and certain conditions influencing health status

ICD-11 equivalent structure

Contact with health systems for purposes of examination or investigation – a section under the grouping Reasons for contact with the health system

Contact with or exposure to communicable diseases – a section under the grouping Reasons for contact with the health system

Contact with health services for reasons associated with reproduction diseases – a section under the grouping Reasons for contact with the health system

Split into two new sections, under Reasons for contact with the health system: Contact with health services for specific surgical interventions; Contact with health services for nonsurgical interventions not involving devices

Reorganised and now appear under main grouping of Factors influencing health status

Reorganised and now appear under main grouping of Factors influencing health status

Reorganised and now appear under main grouping of Factors influencing health status

3.15.25 Differences between ICD-10 and ICD-11 in Chapter 25

Diseases formerly coded here have been moved to their primary places within ICD-11. New codes for use as international provisional codes have been included.

Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure

ICD-10 block heading

U00-U49 Provisional assignment of new diseases of uncertain aetiology or emergency use

U82-U85 Resistance to antimicrobial and antineoplastic drugs

ICD-11 equivalent structure

Split into two new sections: International provisional assignment of new diseases of uncertain aetiology; National provisional assignment of new diseases of uncertain aetiology

Moved to Chapter 21 with the new title Finding of microorganism resistant to antimicrobial drugs

3.16 Annex E: Referred Value Sets

- Section [2.19.1.8 Hypertension due to other conditions](#) refers to 3 Value Sets:
 - [Endocrine neoplasms](#)
 - [Renal neoplasms](#)
 - [Carcinoid tumours](#)
- Section [2.19.2.3 Sepsis](#) refers to 6 Value Sets:
 - [Conditions that impair the immune system](#)
 - [Wasting Diseases](#)
 - [Diseases causing paralysis - sepsis](#)
 - [Serious respiratory conditions](#)
 - [Serious injuries](#)
 - [Diseases of infectious origin](#)
- Section [2.19.2.6 Dementia](#) refers to 1 Value Set:
 - [Irreversible brain damage](#)
- Section [2.19.2.8 Heart failure and unspecified heart disease](#) refers to 1 Value Set:
 - [Other heart conditions](#)
- Section [2.19.2.9 Embolism](#) refers to 6 Value Sets:
 - [Venous thrombosis](#)
 - [Phlebitis or thrombophlebitis](#)
 - [Valvular heart disease](#)
 - [Childbirth](#)
 - [Operation](#)
 - [Embolic](#)
- Section [2.19.2.11 Pneumonia](#) refers to 6 Value Sets:
 - [Conditions that impair the immune system](#)
 - [Wasting Diseases](#)
 - [Diseases causing paralysis](#)
 - [Serious respiratory conditions](#)
 - [Conditions that affect the process of swallowing](#)

Serious injuries

- Section [2.19.2.21 Common secondary conditions](#) refers to 3 Value Sets:
[Wasting Diseases](#)
[Diseases causing paralysis](#)
[Serious injuries](#)
- Section [2.19.2.22 Secondary peritonitis](#) refers to 1 Value Set:
[Secondary peritonitis and unspecified peritonitis](#)
- Section [2.19.2.23 Neutropenia](#) refers to 1 Value Set:
[Value set for selected neoplasms categories](#)
- Section [Undetermined intent](#) refers to 1 Value Set:
[External causes of injury by intent and mechanism](#)
- Section [Default external cause code for an injury, when there is no additional information](#) refers to 29 Value Sets:
[Open bites](#)
[Whiplash](#)
[Blast injuries](#)
[Nonvenomous bites](#)
[Splinter](#)
[Foreign body](#)
[Burns, except acute skin injury due to contact with corrosive substance](#)
[Acute skin injury due to skin contact with corrosive substance](#)
[Frostbite](#)
[Drug toxicity](#)
[Other substance toxicity](#)
[Injury or harm from infusion, transfusion or injection](#)
[Selected injury or harm from medical and surgical procedures](#)
[Injury or harm from pacemaker or cardiac device](#)
[Drug toxicity related to medical or surgical care](#)
[Effects of radiation](#)
[Effects of heat](#)
[Hypothermia and cold](#)
[Asphyxiation](#)
[Strenuous exercise](#)
[Hunger](#)
[Thirst](#)
[Exhaustion](#)
[Other specified deprivation](#)
[Lightning](#)
[Drowning](#)
[Vibration](#)
[Motion sickness](#)

[Electric current](#)

- Section [2.21.8.14 Pathological fracture](#) refers to 1 Value Set:
[Fracture codes](#)
- Section [3.14.10 List of conditions unlikely to cause death](#) refers to 1 Value Set:
[Unlikely to cause death](#)
- Section [3.14.14 Target list of causes of death for verbal autopsy](#) refers to 65 Value Sets:
[Sepsis](#)
[Acute respiratory infection, including pneumonia](#)
[HIV/AIDS related death](#)
[Diarrheal diseases](#)
[Malaria](#)
[Measles](#)
[Meningitis and encephalitis](#)
[Tetanus](#)
[Pulmonary tuberculosis](#)
[Pertussis](#)
[Haemorrhagic fever](#)
[Dengue fever](#)
[Coronavirus disease \(COVID-19\)](#)
[Unspecified infectious disease](#)
[Other and unspecified non-communicable disease](#)
[Oral neoplasms](#)
[Digestive neoplasms](#)
[Respiratory neoplasms](#)
[Breast neoplasms](#)
[Female reproductive neoplasms](#)
[Male reproductive neoplasms](#)
[Other and unspecified neoplasms](#)
[Severe anaemia](#)
[Severe malnutrition](#)
[Diabetes mellitus](#)
[Acute cardiac disease](#)
[Stroke](#)
[Sickle cell with crisis](#)
[Other and unspecified cardiac disease](#)
[Chronic obstructive pulmonary disease \(COPD\)](#)
[Asthma](#)
[Acute abdomen](#)
[Liver cirrhosis](#)
[Renal failure](#)
[Epilepsy](#)
[Ectopic pregnancy](#)
[Abortion-related death](#)

[Pregnancy-induced hypertension](#)
[Obstetric haemorrhage](#)
[Obstructed labour](#)
[Pregnancy-related sepsis](#)
[Anaemia of pregnancy](#)
[Ruptured uterus](#)
[Other and unspecified maternal cause](#)
[Prematurity or low birth weight](#)
[Birth asphyxia](#)
[Neonatal pneumonia](#)
[Neonatal sepsis](#)
[Neonatal tetanus](#)
[Congenital malformation](#)
[Other and unspecified perinatal cause of death](#)
[Fresh stillbirth](#)
[Macerated stillbirth](#)
[Road traffic accident](#)
[Other transport accident](#)
[Accidental fall](#)
[Accidental drowning and submersion](#)
[Accidental exposure to smoke, fire and flames](#)
[Contact with venomous animals and plants](#)
[Accidental poisoning and exposure to noxious substance](#)
[Intentional self-harm](#)
[Assault](#)
[Exposure to force of nature](#)
[Other and unspecified external cause of death](#)
[Unknown and ill-defined cause of death](#)