









from rest\_framework import serializers
from escola import models

```
class ClienteSerializer(serializers.ModelSerializer):
validando campos: id = serializers.CharField(read_only=True) <- somente GET</pre>
id, name, age
                  name = serializers.CharField(max_length=70)
                  age = serializers.IntegerField(min value=18, max value=100)<- min=18 e</pre>
                                                                               max=100
                  class Meta:
                      model = models.Client
                      fields = ['id', 'name', 'age', 'created_at']<- só vai retornar esses
                                                                    campos...
                                                                    'all '= retorna todos
```



#### Serializers



from rest\_framework import serializers
from escola.models import Sale


```
class SaleSerializer(serializers.ModelSerializer):GET, em vez de mostrar somente o id_produto, ele mostra
    product = ProductSerializer(read_only=True) <- todos os Fields do Serializer Produt, obj em JSON/XML</pre>
   product_id = serializers.PrimaryKeyRelatedField(queryset=Product.objects.all(), source='product', write only=True) <-</pre>
                                                   POST, não precisa passar todo o obj produto, somente dê
   client = ClientSerializer(read only=True)
   o id que ele vai procurar e atrelar o pk client_id = serializers.PrimaryKeyRelatedField(queryset=Client.objects.all(), source='client', write_only=True)
    employee = EmployeeSerializer(read_only=True)
    employee id = serializers.PrimaryKeyRelatedField(queryset=Employee.objects.all(), source='employee', write only=True)
    class Meta:
       model = Sale
       fields = ['id', 'product_id', 'product', 'client_id', 'client', 'employee_id', 'employee', 'nrf']
```

### Ciclo de Requests

**GET** https://dummyjson.com/users/1 from rest\_framework import serializers from .models import MockUser class MockUserSerializer(serializers.ModelSerializer): class Meta: model = MockUser fields = ['id', 'username', 'email']













viewsets



Serializers

JSON=Django











request

urls

from django.urls import path, include from rest\_framework.routers import DefaultRouter from .views import MockUserViewSet router = DefaultRouter() router.register(r'mock-users', MockUserViewSet)

urlpatterns = [ path('', include(router.urls)),









return self.username

from django.db import models






#### Viewsets



Viewsets = criar classes responsáveis pelos nossos endpoints.

1) Vá para o arquivo views.py na sua aplicação.



2) Lá criaremos os endpoints que possuem 2 aspectos importantes:

queryset <- você definirá como será feito a busca serializer\_class <-você vai apontar pro serializer já criado</pre>











from rest\_framework import viewsets
from escola.models import Client <- importamos os modelos necessários
from escola.serializers import ClientSerializer<- importamos os serialializers

class ClientViewSet(viewsets.ModelViewSet):
 queryset = Client.objects.all() <- queryset vai buscar todos os registros 'all'
 serializer\_class = ClientSerializer <- apontar pro serializer</pre>

Fazer isso pros outros




## Ciclo de Requests

**GET** https://dummyjson.com/users/1 from rest\_framework import serializers from .models import MockUser class MockUserSerializer(serializers.ModelSerializer): class Meta: model = MockUser fields = ['id', 'username', 'email']













urls





models

from django.db import models

```
class MockUser(models.Model):
    username = models.CharField(max_length=100)
    email = models.EmailField(unique=True)
```

def str (self): return self.username










@fpftech.educacional



request









Serializers

JSON=Django

queryset = MockUser.objects.all() serializer class = MockUserSerializer

class MockUserViewSet(viewsets.ModelViewSet):



# Obrigadol













of fin (afpftech.educacional