
KODEKLOUD

Notes regarding this deck:

- This deck is a study guide to accompany the Linux Basics course at KodeKloud - https://kodekloud.com/p/linux-basics-course
- Do not copy and paste commands from this directly as it might copy hidden characters too
- Lookup the options for the commands using man or help pages from the Linux terminal.
- All lab and hands-on activities are done best in the course at KodeKloud.

The Linux Basics Course



KODEKLOUD

KODEKLOUD

Vijin Palazhi

Mumshad Mannambeth

KODEKLOUD

Why Linux?





https://insights.stackoverflow.com/survey/2019

KODEKLOUD

Why Linux?

As per the latest report from Top 500, Linux now runs on all of the fastest 500 supercomputers in the world. The previous number was 498 as remaining two supercomputers ran Unix.

Top500 is an independent project that was launched in 1993 to benchmark supercomputers. It publishes the details about the top 500 fastest supercomputers known to them, twice a year. You can go the website and filter out the list based on various criteria such as country, OS type, vendors etc.

https://itsfoss.com/linux-runs-top-supercomputers/

Looking deeper, Linux's importance to the Web is even more extreme. By W3Cook's analysis of Alexa's data, 96.3 percent of the top 1 million web servers are running Linux. The remainder is split between Windows, 1.9 percent, and FreeBSD, 1.8 percent.

https://www.zdnet.com/article/can-the-internet-exist-without-linux/

No, I didn't use a misleading blog title. Smartphones powered by Linux are in fact dominating the smartphone market. A few of you may be scratching your heads at this point (stop that, you'll go bald) while others are filled with that *Sound of Music – "The Hills are Alive!"* kind of Linux pride! Read on and I'll provide some pudding, filled with proof that ~~81%~~ 86% of all Smartphones are powered by Linux.

https://haydenjames.io/81-percent-smartphones-powered-by-linux/

https://hostingtribunal.com/blog/linux-statistics

KODEKLOUD

Linux & DevOps



2013 - Docker was born
2016– Docker for Windows was born

Can Ansible run on Windows?

No, Ansible can only manage Windows hosts. Ansible cannot run on a Windows host natively, though it can run under the Windows Subsystem for Linux (WSL).

https://docs.ansible.com/ansible/latest/user_guide/windows_faq.html

> **Note:** The Kubernetes control plane, including the master components, continues to run on Linux. There are no plans to have a Windows-only Kubernetes cluster.

Kubernetes Documentation


devops
Worldwide
Jobs
Sort by
Date Posted
LinkedIn Features
Devops in Worldwide
122,547 results
Job Alert Off
Junior DevOps Engineer
Promoted
Comcast
Mount Laurel, NJ, US
3 alumni work here
58 minutes ago
DevOps Specialist
Promoted
UST Global
Midlands Ocidental, Inglaterra, Reino Unido
23 connections work here
1 hour ago · Easy Apply
DevOps Engineer
Promoted
Rakuten Viki
Singapore, Singapore
1 day ago · 19 applicants
Devops
Citi
Pune, IN


cloud
Worldwide
Jobs
Sort by
Date Posted
LinkedIn Features
Cloud in Worldwide
381,406 results
Job Alert Off
Cloud Platform Engineer
Promoted
Capgemini
Cracow, Lesser Poland District, Poland
121 connections work here
1 week ago · 24 applicants · Easy Apply
Cloud Engineer
Promoted
Fannie Mae
Reston, VA, US
7 connections work here
5 days ago · 12 applicants
Cloud Solution Architect
Promoted
Swiss Re
Kansas City, MO, US
6 alumni work here
6 days ago · 6 applicants

3 alumni work here

58 minutes ago

DevOps Specialist Promoted

UST Global

Midlands Ocidental, Inglaterra, Reino Unido

23 connections work here

1 hour ago · Easy Apply

DevOps Engineer Promoted

Rakuten Viki

Singapore, Singapore

1 day ago · 19 applicants

Devops

Citi

Pune, IN

60 connections work here

1 day ago · 18 applicants

Devops

KWAN

Porto, PT

6 days ago · 1 applicant

DevOps Specialist

Amdocs

Toronto, Ontario, Canada

33 connections work here

121 connections work here

1 week ago · 24 applicants · Easy Apply

Cloud Engineer Promoted

Fannie Mae

Reston, VA, US

7 connections work here

5 days ago · 12 applicants

Cloud Solution Architect Promoted

Swiss Re

Kansas City, MO, US

6 alumni work here

6 days ago · 6 applicants

Cloud Architect

Anonymous

Dublin, IE

15 hours ago

Cloud Engineer

National Australia Bank

Melbourne, Victoria, Australia

6 connections work here

6 hours ago

KODEKLOUD

Common Challenges...

- Trouble with navigating Linux CLI
- Navigating directory structures and files
- No experience working with text editors- VI editor
- Different flavors of Linux
- Errors during installation of applications and /dependencies
  - rpm, dpkg, apt and yum
- Issues with networking between VMs
- Trouble with permissions and security in Linux
- Lack of hands-on practice

KODEKLOUD

Inspiration...





KODEKLOUD

About

this ~~comic~~ course...

KODEKLOUD

Objectives



Working with Shell -I

Linux Core Concepts

Package Management

Shell & BASH

Security and File Permissions

Linux Networking

Storage in Linux

SYSTEMD and Services

KODEKLOUD

WORKING WITH
THE SHELL



KODEKLOUD

Working with the Shell - I

- Linux Basic Commands
- Lab: Linux Commands
- Bash Shell
- Lab: Bash Shell

KODEKLOUD

Shell



Ubuntu Desktop /
Graphical View

Linux Shell

```
$ echo  Hello
Hello
$
```

KODEKLOUD

The Home Directory



KODEKLOUD

Command and Arguments

```
[~]$ echo
[~]$
```

```
[~]$ uptime
19:18:51 up 19:48,  2 users,  load average:
1.18, 0.49, 0.36
```

```
[~]$ echo  Hello
Hello
[~]$
```

```
[~]$ echo -n Hello
Hello[~]$
```

```
command <options> <arguments>
echo = command
option = -n
Hello = argument
```

KODEKLOUD

Command Types

Internal or Built-in Commands
echo, cd, pwd, set e.t.c

```
[~]$ type echo
echo is a shell built-in
[~]$
```

External Commands
mv, date, uptime, cp, uptime e.t.c

```
[~]$ type mv
mv is hashed (/bin/mv)
[~]$
```

KODEKLOUD

Basic Linux Commands



KODEKLOUD

Basic Linux Commands

pwd (present working directory)

```
[~]$ pwd
/home/michael
```

Ls (List contents)

```
[~]$ ls
```

mkdir (make a new directory)

```
[~]$ mkdir Asia
```

mkdir (multiple directories)

```
[~]$ mkdir Europe Africa America
```



Ls (List contents)

```
[~]$ ls
Asia Europe Africa America
```

KODEKLOUD

Basic Linux Commands

cd (change directory)

```
[~]$ cd Asia
[~/Asia]$
```

```
[~/Asia]$ pwd
/home/Michael/Asia
```

```
[~/Asia]$ mkdir China India
```

```
[~/Asia]$ mkdir India/Mumbai
```

```
[~/Asia]$ mkdir -p India/Mumbai
```



KODEKLOUD

Basic Linux Commands

```
[ ~/Asia]$ cd ..
[ ~]$
```

OR

```
[ ~/Asia]$ cd
[ ~]$
```

OR

```
[ ~/Asia]$ cd /home/michael
[ ~]$
```



KODEKLOUD

Absolute and Relative Path




```
[~] pwd
/home/michael
```

Absolute Path

```
[~]$ cd /home/michael/Asia
```

Relative Path

```
[~] cd Asia
```

`cd = change directory`

`pwd = print present working directory`

KODEKLOUD

Pro Tip – pushd/popd




```
[~] pushd /etc
/etc ~
```

```
[/etc] cd /var
```

```
[/var] cd /tmp
```

```
[/tmp] popd
[~]
```

KODEKLOUD

Basic Linux Commands





KODEKLOUD

Basic Linux Commands



mv (Move file or directory)

```
[~]$ mv /home/michael/Europe/Morocco /home/michael/Africa/
```

KODEKLOUD

Basic Linux Commands



mv (Move file or directory)

```
[~]$ mv /home/michael/Europe/Morocco /home/michael/Africa/
```

OR

```
[~]$ mv Europe/Morocco Africa/
[~]$
```

```
[~]$ mv Asia/India/Munbai Asia/India/Mumbai
```

KODEKLOUD

Basic Linux Commands



cp (Copy file)

```
[~]$ cp Asia/India/Mumbai/City.txt Africa/Egypt/Cairo
```

KODEKLOUD

Basic Linux Commands



cp (Copy file)

```
[~]$ cp Asia/India/Mumbai/City.txt Africa/Egypt/Cairo
```

rm (Remove file or directory)

```
[~]$ rm Europe/UK/London/Tottenham.txt
```

cp -r (Copy directory)

```
[~]$ cp -r Europe/UK Europe/UnitedKingdom
```

KODEKLOUD

Working with Files and Directories




```
[~]$ cat Asia/India/Mumbai/City.txt
Mumbai

[~]$
```

cat (redirect)

```
[~]$ cat > Africa/Egypt/Cairo/City.txt
Cairo
```

ctrl d

touch (create a new file)

```
[~]$ touch /home/michael/Asia/China/Country.txt
```

KODEKLOUD

Pagers


```
[~]$ more new_file.txt
```

[Space] - scrolls the display, one screenful of data at a time
[Enter] - scrolls the display one line
[b] - scrolls the display backwards one screenful of data
[/] – search text

```
[~]$ less new_file.txt
```

[Up Arrow] - scrolls up the display one line
[Down Arrow] – scrolls down the display one line
[/] – search text

KODEKLOUD

LS (Long List)

ls –l (long list)

```
[~]$ ls -l
total 0
-rw-rw-r-- 1 bob bob 0 Mar 13 11:30 File.txt
-rw-rw-r-- 1 bob bob 0 Mar 13 11:30 index.html
-rw-rw-r-- 1 bob bob 0 Mar 13 11:30 caleston
```

ls –lt (long list files in order created)

```
[~]$ ls -lt
total 0
-rw-rw-r-- 1 bob bob 0 Mar 13 11:30 File.txt
-rw-rw-r-- 1 bob bob 0 Mar 13 11:28 index.html
-rw-rw-r-- 1 bob bob 0 Mar 13 11:27 caleston
```

ls –a (list all files including hidden)

```
[~]$ ls -a
.  ..  File.txt  index.html  caleston  .test
```

ls –ltr (long list files in the reverse order created)

```
 [~]$ ls -ltr
total 0
-rw-rw-r-- 1 bob bob 0 Mar 13 11:27 caleston
-rw-rw-r-- 1 bob bob 0 Mar 13 11:28 index.html
-rw-rw-r-- 1 bob bob 0 Mar 13 11:30 File.txt
```

KODEKLOUD

GETTING HELP IN COMMAND LINE

KODEKLOUD

Using Command Line to Get Help

```
[~]$ whatis date
date (1)              - print or set the system date and time2
```

```
[~]$ man date
DATE(1)                          User Commands
DATE(1)

NAME
       date - print or set the system date and time

SYNOPSIS
       date [OPTION]... [+FORMAT]
       date [-u|--utc|--universal] [MMDDhhmm[[CC]YY][.ss]]

DESCRIPTION
       Display the current time in the given FORMAT, or set the system date.
```

KODEKLOUD

Using Command Line to Get Help

```
[~]$ date --help

Usage: date [OPTION]... [+FORMAT]
  or:  date [-u|--utc|--universal] [MMDDhhmm[[CC]YY][.ss]]
Display the current time in the given FORMAT, or set the system date.
```

```
[~]$ apropos modpr

modprobe (8)          - Add and remove modules from the Linux Kernel
modprobe.d (5)        - Configuration directory for modprobe.
```

KODEKLOUD

SHELL TYPES

KODEKLOUD

Shell Types

- Bourne Shell (sh)
- C Shell (csh or tcsh)
- Korn Shell (ksh)
- Z Shell (zsh)
- Bourne again Shell (bash)

```
[~]$ echo $SHELL
/bin/bash
```

```
[~]$ chsh
Password:
Changing the login shell for michael
Enter the new value, or press ENTER for the default
        Login Shell [/bin/bash]: /bin/sh
```

KODEKLOUD

Bash Shell Features

Bash Auto-Completion

```
[~]$ ls Documents                    tab
File1.txt file2.txt some_directory
```

Alias

```
[~]$ alias dt=date
```

```
[~]$ dt
Tue Mar  3 12:00:00 EST 2020
```

Command History

```
[~]$ history
1 ls Documents
2 alias dt=date
3 dt
```

KODEKLOUD

```
[~]$ echo $SHELL
/bin/bash
```

```
[~]$ env
LANG=en_CA.UTF-8
GDM_LANG=en_CA
DISPLAY=:0
GTK_OVERLAY_SCROLLING=1
COLORTERM=truecolor
XDG_VTNR=7
USER=bob
PWD=/home/bob
HOME=/home/bob
SSH_AGENT_PID=2023
QT_ACCESSIBILITY=1
XDG_SESSION_TYPE=x11
GJS_DEBUG_OUTPUT=stderr
GTK_MODULES=gail:atk-bridge
TERM=xterm-256color
SHELL=/bin/bash
VTE_VERSION=5202
XDG_SEAT_PATH=/org/freedesktop/DisplayManager/Seat0
LANGUAGE=en_CA:en
LOGNAME=bob
PATH=/home/bob/bin:/home/bob/.local/bin:/home/bob/bin:/
usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:
/bin:/usr/games:/usr/local/games:/snap/bin
```

Bash Environment Variables

```
[~]$ echo $LOGNAME
bob
```

```
[~]$ export OFFICE=caleston
```

```
[~]$ OFFICE=caleston
```

~/.profile or ~/.pam_environment

KODEKLOUD

Path Variable

```
[~]$ echo $PATH
/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
```

```
[~]$ which obs-studio
```

```
[~]$ obs-studio
obs-studio: command not found
```

```
[~]$ export PATH=$PATH:/opt/obs/bin
```

```
[~]$ which obs-studio
/opt/obs/bin/obs-studio
```

KODEKLOUD

Bash Prompt

```
[~]$
```

~ = Present Working Directory

$ = User Prompt Symbol

```
[michael@prod-server]$
```

```
[~]$ echo $PS1
[\W]$
```

\W = Present Working Directory =~

$ = Prompt Symbol

KODEKLOUD

Bash Prompt

```
[~]$ PS1=“ubuntu-server:”
ubuntu-server:
```

```
ubuntu-server: echo $PS1
ubuntu-server:
```

```
ubuntu-server: PS1="[\d \t \u@\h:\w ] $ "
[Thu Mar 12 22:12:54 bob@caleston:~ ] $
```

\d : the date in “Weekday Month Date” format (e.g., “Tue May 26”)
\e : an ASCII escape character (033)
\h : the hostname HQDN
\H : the complete hostname
\n : newline
\r : carriage return
\s : the name of the shell
\t : the current time in 24-hour HH:MM:SS format
\T : the current time in 12-hour HH:MM:SS format
\@ : the current time in 12-hour am/pm format
\A : the current time in 24-hour HH:MM format
\u : the username of the current user
\w : the current working directory, with $HOME abbreviated with a tilde
\W : the basename of the current working directory, with $HOME abbreviated with a tilde
\$: if the effective UID is 0, a #, otherwise a $

KODEKLOUD

HANDS-ON LABS

KODEKLOUD

Core Concepts

The Linux Basics Course

KODEKLOUD

Linux Core Concepts

- Introduction to the Linux Kernel
- Linux Boot Sequence
- Kernel Space and User Space
- SYSTEMD TARGETS (RUNLEVELS)
- Working with Hardware
- Filesystems and Hierarchy
- Labs: Linux Core Concepts

KODEKLOUD

Linux Kernel



KODEKLOUD

Linux Kernel



KODEKLOUD

Linux Kernel

01 Memory Management

02 Process Management

03 Device Drivers

04 System Calls and Security

Monolithic

Modular

KODEKLOUD

Kernel Versions

```
[~]$ uname
Linux
```

```
[~]$ uname -r
4.15.0-72-generic
```

4 = Kernel Version

15 = Major version

0 = Minor Version

72 = patch release

Generic = Distro Specific Info

https://kernel.org

KODEKLOUD

Kernel And User Space



- Kernel Code
- Kernel Extensions
- Device Drivers

- C
- Java
- Python
- Ruby
- Docker Containers

KODEKLOUD

Kernel And User Space



- Open a File
- Write to a file
- List Processes
- Defining a variable

KODEKLOUD

Kernel And User Space



- open()
- close()
- readdir()
- strlen()
- closedir()

KODEKLOUD

Working with Hardware



KODEKLOUD

Working with Hardware



```
[~]$ dmesg
```

```
[~]$ dmesg | grep -i usb
[    0.082019] ACPI: Power Resource [USBC] (on)
[    0.132167] ACPI: bus type USB registered
[    0.132167] usbcore: registered new interface driver usbfs
[    0.132167] usbcore: registered new interface driver hub
[    0.132167] usbcore: registered new device driver usb
[    0.840295] ehci_hcd: USB 2.0 'Enhanced' Host Controller (EHCI) Driver
[    0.840306] ohci_hcd: USB 1.1 'Open' Host Controller (OHCI) Driver
[    0.840315] uhci_hcd: USB Universal Host Controller Interface driver
[    0.840446] xhci_hcd 0000:00:14.0: new USB bus registered, assigned bus number 1
[    0.841764] usb usb1: New USB device found, idVendor=1d6b, idProduct=0002
[    0.841765] usb usb1: New USB device strings: Mfr=3, Product=2, SerialNumber=1
[    0.841765] usb usb1: Product: xHCI Host Controller
[    0.841766] usb usb1: Manufacturer: Linux 4.15.0-72-generic xhci-hcd
[    0.841767] usb usb1: SerialNumber: 0000:00:14.0
[    0.841905] hub 1-0:1.0: USB hub found
```

KODEKLOUD

Working with Hardware



```
[~]$ udevadm info --query=path --name=/dev/sda5
/devices/pci0000:00/0000:00:17.0/ata3/host2/target2:0:0/2:0:0:0/block/sda/sda5
```

```
[~]$ udevadm monitor
monitor will print the received events for:
UDEV - the event which udev sends out after rule processing
KERNEL - the kernel uevent

KERNEL[6532.487876] remove   /devices/pci0000:00/0000:00:14.0/usb1/1-4/1-4:1.0/0003:03F0:094A.0001/input/input6/mouse0 (input)
UDEV  [6532.492641] remove   /devices/pci0000:00/0000:00:14.0/usb1/1-4/1-4:1.0/0003:03F0:094A.0001/input/input6/mouse0 (input)
KERNEL[6532.500425] remove   /devices/pci0000:00/0000:00:14.0/usb1/1-4/1-4:1.0/0003:03F0:094A.0001/input/input6/event6 (input)
UDEV  [6532.502180] remove   /devices/pci0000:00/0000:00:14.0/usb1/1-4/1-4:1.0/0003:03F0:094A.0001/input/input6/event6 (input)
KERNEL[6532.532441] remove   /devices/pci0000:00/0000:00:14.0/usb1/1-4/1-4:1.0/0003:03F0:094A.0001/input/input6 (input)
```

KODEKLOUD

Working with Hardware



```
[~]$ lspci
00:00.0 Host bridge: Intel Corporation Device 3e34 (rev 0c)
00:02.0 VGA compatible controller: Intel Corporation Device 3ea0 (rev 02)
00:08.0 System peripheral: Intel Corporation Xeon E3-1200 v5/v6 / E3-1500 v5 / 6th/7th Gen Core Processor Gaussian Mixture
Model
00:12.0 Signal processing controller: Intel Corporation Device 9df9 (rev 30)
00:14.0 USB controller: Intel Corporation Device 9ded (rev 30)
00:14.2 RAM memory: Intel Corporation Device 9def (rev 30)
00:14.3 Network controller: Intel Corporation Device 9df0 (rev 30)
00:15.0 Serial bus controller [0c80]: Intel Corporation Device 9de8 (rev 30)
00:15.1 Serial bus controller [0c80]: Intel Corporation Device 9de9 (rev 30)
00:16.0 Communication controller: Intel Corporation Device 9de0 (rev 30)
00:17.0 RAID bus controller: Intel Corporation 82801 Mobile SATA Controller [RAID mode] (rev 30)
00:1d.0 PCI bridge: Intel Corporation Device 9db0 (rev f0)
00:1f.0 ISA bridge: Intel Corporation Device 9d84 (rev 30)
00:1f.3 Audio device: Intel Corporation Device 9dc8 (rev 30)
00:1f.4 SMBus: Intel Corporation Device 9da3 (rev 30)
00:1f.5 Serial bus controller [0c80]: Intel Corporation Device 9da4 (rev 30)
01:00.0 Unassigned class [ff00]: Realtek Semiconductor Co., Ltd. RTL8411B PCI Express Card Reader (rev 01)
01:00.1 Ethernet controller: Realtek Semiconductor Co., Ltd. RTL8111/8168/8411 PCI Express Gigabit Ethernet Controller (rev 12)
(linux-mint) ~ #
```

KODEKLOUD

Working with Hardware

```
[~]$ lsblk
NAME                      MAJ:MIN RM   SIZE RO TYPE MOUNTPOINT
sda                         8:0    0 119.2G  0 disk
├─sda1                      8:1    0   100M  0 part /boot/efi
├─sda2                      8:2    0    16M  0 part
├─sda3                      8:3    0  71.5G  0 part
├─sda4                      8:4    0     1G  0 part
└─sda5                      8:5    0  46.6G  0 part /
```

Major Number	Device Type
1	RAM
3	HARD DISK or CD ROM
6	PARALLEL PRINTERS
8	SCSI DISK



KODEKLOUD

Working with Hardware

```
[~]$ lscpu
Architecture:          x86_64
CPU op-mode(s):        32-bit, 64-bit
Byte Order:            Little Endian
CPU(s):                8
On-line CPU(s) list:   0-7
Thread(s) per core:    2
Core(s) per socket:    4
Socket(s):             1
NUMA node(s):          1
Vendor ID:             GenuineIntel
CPU family:            6
Model:                 142
Model name:            Intel(R) Core(TM) i5-8265U CPU @ 1.60GHz
Stepping:              12
CPU MHz:               700.060
CPU max MHz:           3900.0000
CPU min MHz:           400.0000
BogoMIPS:              3600.00
Virtualization:        VT-x
L1d cache:             32K
L1i cache:             32K
L2 cache:              256K
L3 cache:              6144K
NUMA node0 CPU(s):     0-7
```

2^{64}
18 EB

2^{32}
4 GB





KODEKLOUD

Working with Hardware

```
[~]$ lscpu
Architecture:        x86_64
CPU op-mode(s):      32-bit, 64-bit
Byte Order:          Little Endian
CPU(s):              8
On-line CPU(s) list: 0-7
Thread(s) per core:  2
Core(s) per socket:  4
Socket(s):           1
NUMA node(s):        1
Vendor ID:           GenuineIntel
CPU family:          6
Model:               142
Model name:          Intel(R) Core(TM) i5-8265U CPU @ 1.60GHz
Stepping:            12
CPU MHz:             700.060
CPU max MHz:         3900.0000
CPU min MHz:         400.0000
BogoMIPS:            3600.00
Virtualization:      VT-x
L1d cache:           32K
L1i cache:           32K
L2 cache:            256K
L3 cache:            6144K
NUMA node0 CPU(s):   0-7
```

Sockets x Cores x Threads = CPUs



KODEKLOUD

Working with Hardware

```
[~]$ lsmem  --summary
Memory block size:       128M
Total online memory:       8G
Total offline memory:      0B
```

```
[~]$ free -m
               total        used        free      shared  buff/cache   available
Mem:            7824        2518         541         525        4764        4481
Swap:           2047           0        2047
```



KODEKLOUD

Working with Hardware

```
[~]$ lshw
 description: Notebook
    product: Aspire A515-52 (0000000000000000)
    vendor: Acer
    version: V1.12
    serial: NXH89AA0026262680A13400
    width: 64 bits
capabilities: smbios-3.0 dmi-3.0 smp vsyscall32
    configuration: chassis=notebook family=Aspire 5 sku=0000000000000000 uuid=D74676912-9EFF-ABCDE-8192-085643E554D
  *-core
       description: Motherboard
       product: Raticate_WL
       vendor: WL
       physical id: 0
       version: V1.12
       serial: LAC12110069561AB521500
       slot: Type2 - Board Chassis Location
     *-firmware
          description: BIOS
          vendor: Insyde Corp.
          physical id: 0
          version: V1.12
          date: 04/26/2019
          size: 128KiB
          capacity: 15MiB
```

KODEKLOUD

SUDO

```
[~]$ lshw
WARNING: output may be incomplete or
inaccurate, you should run this
program as super-user.
```

```
[~]$ sudo lshw
[sudo] password for bob:
 description: Notebook
    product: Aspire A515-52 (0000000000000000)
    vendor: Acer
    version: V1.12
    serial: NXH89AA0026262680A13400
    width: 64 bits
capabilities: smbios-3.0 dmi-3.0 smp vsyscall32
    configuration: chassis=notebook family=Aspire 5
sku=0000000000000000 uuid=D74676912-9EFF-ABCDE-8192-085643E554D
  *-core
       description: Motherboard
       product: Raticate_WL
       vendor: WL
       physical id: 0
       version: V1.12
       serial: LAC12110069561AB521500
       slot: Type2 - Board Chassis Location
     *-firmware
          description: BIOS
          vendor: Insyde Corp.
          physical id: 0
          version: V1.12
          date: 04/26/2019
          size: 128KiB
          capacity: 15MiB
```

KODEKLOUD

HANDS-ON LABS

KODEKLOUD

Linux Boot
Sequence Overview



KODEKLOUD

Linux Boot
Sequence Overview





KODEKLOUD

Linux Boot
Sequence Overview





KODEKLOUD

Linux Boot
Sequence Overview





KODEKLOUD

Linux Boot
Sequence Overview

```
[~]$ ls -l /sbin/init
 lrwxrwxrwx /sbin/init -> /lib/systemd/systemd
```




```
[    5.574670] EXT4-fs (sda1): mounted filesystem with ordered data mod
(null)
[    5.720090] ip_tables: (C) 2000-2006 Netfilter Core Team
[    5.730446] systemd[1]: systemd 237 running in system mode. (+PAM +A
INUX +IMA +APPARMOR +SMACK +SYSVINIT +UTMP +LIBCRYPTSETUP +GCRYPT +GNUT
XZ +LZ4 +SECCOMP +BLKID +ELFUTILS +KMOD -IDN2 +IDN -PCRE2 default-hiera
id)
[    5.732961] systemd[1]: Detected virtualization oracle.
[    5.733587] systemd[1]: Detected architecture x86-64.
[    5.748912] systemd[1]: Set hostname to <kubemaster>.
er and Group Name Lookups.
stem Time Synchronized.
r and Session Slice.
Arbitrary Executable File F

ap.
assword Requests to Wall Di

 v2.0-870.
tcp)
iser)
pts: (null)
ed request to flush runtime
```

KODEKLOUD

Systemd Targets

Bob's Laptop

```
Ubuntu 18.04.4 LTS caleston-lp03 tty1

caleston-lp03 login:
```

Dave's Laptop

```
[~]$ runlevel
N   5
```

```
[~]$ runlevel
N   3
```

KODEKLOUD

Systemd Target (Runlevels)

Runlevel	Function
5	Boots into a Graphical Interface
3	Boots into a Command Line Interface



KODEKLOUD

Systemd Target (Runlevels)

Runlevel	Systemd Targets	Function
5	graphical.target	Boots into a Graphical Interface
3	multiuser.target	Boots into a Command Line Interface

RHEL 6 / Ubuntu 14.04

Runlevels

RHEL 7 / Ubuntu 18.04

Systemd Targets

KODEKLOUD

Viewing and Changing Systemd Target

```
[~]$ systemctl get-default
 graphical.target
```

```
[~]$ ls -ltr /etc/systemd/system/default.target
/etc/systemd/system/default.target -> /lib/systemd/system/graphical.target
```

```
[~]$ systemctl set-default multi-user.target
 Created symlink /etc/systemd/system/default.target → /lib/systemd/system/multi-user.target
```

KODEKLOUD

Questions?

KODEKLOUD

File Types
in Linux



KODEKLOUD

File Types in Linux



KODEKLOUD

File Types in Linux

```
[~]$ file /home/michael/
/home/michael/: directory
```

```
[~]$ file bash-script.sh
bash-script.sh: Bourne-Again shell script, UTF-8 Unicode text executable
```

```
[~]$ file insync1000.sock
insync1000.sock: socket
```

```
[~]$ file /home/michael/bash-script
/home/michael/bash-script: symbolic link to /home/sara/bash-script.sh
```

KODEKLOUD

File Types in Linux

```
[~]$ ls -ld /home/michael/
drwxr-xr-x 3 root root 4096 Mar 18 17:20 /home/michael/
```

File Type	Identifier
DIRECTORY	d
REGULAR FILE	-
CHARACTER DEVICE	c
LINK	l
SOCKET FILE	s
PIPE	p
BLOCK DEVICE	b

KODEKLOUD

Filesystem Hierarchy




```
[~]$ df -hP
Filesystem      Size    Used    Avail    Use%    Mounted on
udev            3.8G       0     3.8G      0%    /dev
tmpfs           783M    1.6M     781M      1%    /run
/dev/sda3        10G     36G      7.3G     84%    /
tmpfs           3.9G    128K     3.9G      1%    /dev/shm
tmpfs           5.0M    4.0K     5.0M      1%    /run/lock
/dev/sda5        20G      1G       19G      5%    /home
/dev/sda4        10G      5G        5G     50%    /var
/dev/sdb1         5G      1G        4G     20%    /media/usb
```

KODEKLOUD

HANDS-ON LABS

KODEKLOUD

Linux Package Management

The Linux Basics Course

KODEKLOUD

Linux Package Management

- Introduction to Package Management
- RPM and YUM
- APT and DPKG
- Labs: Package Management

KODEKLOUD

Introduction to Package Managers

DPKG / APT

debian

RPM

Red Hat

CentOS

KODEKLOUD

Introduction to Package Managers



KODEKLOUD

Introduction to Package Managers

Enterprise Offering
Paid version
Technical Support

Community Version
Free version
Community Support

KODEKLOUD

Introduction to Package Managers

Software Package

Ubuntu 18.04 System

gimp.deb package

- Software Binaries
- METADATA
- Configuration Files

KODEKLOUD

Introduction to Package Managers




```
[~]$ dpkg -i gimp.deb
(Reading database ... 419857 files and directories
currently installed.)
Preparing to unpack gimp.deb ...
Unpacking gimp (2.10.8-2) over (2.10.8-2) ...
dpkg: dependency problems prevent configuration of
gimp:
 gimp depends on libgimp2.0 (>= 2.10.8); however:
  Version of libgimp2.0 on system is 2.8.22-1.
dpkg: error processing package gimp (--install):
 dependency problems - leaving unconfigured
Processing triggers for gnome-menus (3.13.3-
11ubuntu1.1) ...
Processing triggers for desktop-file-utils
(0.23+linuxmint6) ...
Processing triggers for mime-support (3.60ubuntu1)
...
Processing triggers for man-db (2.8.3-2ubuntu0.1)
...
Errors were encountered while processing:
 gimp
```

KODEKLOUD

Introduction to Package Managers

KODEKLOUD

Functions of Package Managers



KODEKLOUD

Types of Package Managers



KODEKLOUD

RPM



KODEKLOUD

Working with RPM

Installation

```
[~]$ rpm -ivh telnet.rpm
```

Uninstalling

```
[~]$ rpm -e telnet.rpm
```

Upgrade

```
[~]$ rpm -Uvh telnet.rpm
```

Query

```
[~]$ rpm -q telnet.rpm
```

Verifying

```
[~]$ rpm -Vf <path to file>
```

KODEKLOUD

YUM Package Manager



KODEKLOUD

YUM Package Manager



KODEKLOUD

YUM Package Manager

```
[~]$ yum install httpd
Loading mirror speeds from cached hostfile
 * base: centos.mirror.net-d-sign.de
 * epel: mirror.nl.leaseweb.net
 * extras: mirror.softaculous.com
 * remi-php72: mir01.syntis.net
 * remi-safe: mir01.syntis.net
 * updates: linux.darMMenguin.net
Resolving Dependencies
--> Running transaction check
---> Package httpd.x86_64 0:2.4.6-90.el7.centos will be installed

--> Finished Dependency Resolution

Dependencies Resolved

================================================================================================================
 Package                    Arch                        Version                                 Repository                 Size
================================================================================================================
Installing:
 httpd                      x86_64                      2.4.6-90.el7.centos                     base                      2.7 M

Transaction Summary
================================================================================================================
Install  1 Package
```

KODEKLOUD

YUM Package Manager

```
Transaction Summary
================================================================================================================================
Install  1 Package

Total download size: 2.7 M
Installed size: 9.4 M
Is this ok [y/d/N]: y
Downloading packages:
httpd-2.4.6-90.el7.centos.x86_64.rpm                                                    | 2.7 MB  00:00:00
Running transaction check
Running transaction test
Transaction test succeeded
Running transaction
  Installing : httpd-2.4.6-90.el7.centos.x86_64                                                   1/1
  Verifying  : httpd-2.4.6-90.el7.centos.x86_64                                                   1/1

Installed:
  httpd.x86_64 0:2.4.6-90.el7.centos

Complete!
```

KODEKLOUD

YUM Package Manager

```
[~]$ yum repolist
```

```
Repo id                                repo name                                                                status
base/7/x86_64                          CentOS-7 - Base                                                          10,097
epel/x86_64                            Extra Packages for Enterprise Linux 7 - x86_64                           13,229
extras/7/x86_64                        CentOS-7 - Extras                                                           341
```

```
[~]$ yum provides scp
```

```
openssh-clients-7.4p1-21.el7.x86_64 : An open source SSH client applications
Repo        : base
Matched from:
Filename    : /usr/bin/scp
```

KODEKLOUD

YUM Package Manager

```
[~]$ yum remove httpd
```

```
[~]$ yum update telnet
Loaded plugins: fastestmirror, ovl
Loading mirror speeds from cached hostfile
 * base: centos.mirror.net-d-sign.de
 * epel: mirror.nl.leaseweb.net
 * extras: mirror.softaculous.com
No packages marked for update
```

```
[~]$ yum update
Transaction Summary
================================================================================================================================
Install              ( 4 Dependent packages)
Upgrade  78 Packages

Total download size: 64 M
Is this ok [y/d/N]:
```

KODEKLOUD

DPKG UTILITY



KODEKLOUD

Working with DPKG

Installation / Upgrade

```
[~]$ dpkg -i telnet.deb
```

Uninstalling

```
[~]$ dpkg -r telnet.deb
```

List

```
[~]$ dpkg –l telnet
```

Status

```
[~]$ dpkg –s telnet
```

Verifying

```
[~]$ dpkg –p <path to file>
```

KODEKLOUD

APT / APT-GET

```
[~]$ dpkg -i gimp.deb
(Reading database ... 419857 files and directories
currently installed.)
Preparing to unpack gimp.deb ...
Unpacking gimp (2.10.8-2) over (2.10.8-2) ...
dpkg: dependency problems prevent configuration of
gimp:
 gimp depends on libgimp2.0 (>= 2.10.8); however:
  Version of libgimp2.0 on system is 2.8.22-1.
dpkg: error processing package gimp (--install):
 dependency problems - leaving unconfigured
Processing triggers for gnome-menus (3.13.3-
11ubuntu1.1) ...
Processing triggers for desktop-file-utils
(0.23+linuxmint6) ...
Processing triggers for mime-support (3.60ubuntu1)
...
Processing triggers for man-db (2.8.3-2ubuntu0.1)
...
Errors were encountered while processing:
 gimp
```

```
apt install gimp
```

```
apt-get install gimp
```

KODEKLOUD

APT



KODEKLOUD

APT

```
[~]$ apt update
```

```
[~]$ apt upgrade
```

```
[~]$ apt edit-sources
```

KODEKLOUD

APT

```
[~]$ apt install telnet
```

```
[~]$ apt remove telnet
```

```
[~]$ apt search telnet
```

```
[~]$ apt list | grep telnet
```

KODEKLOUD

APT VS APT-GET

```
[~]$ apt install firefox
Recommended packages:
  xul-ext-ubufox
The following NEW packages will be installed:
  firefox
0 upgraded, 1 newly installed, 0 to remove and 36 not
upgraded.
Need to get 0 B/52.0 MB of archives.
After this operation, 202 MB of additional disk space will
be used.
Selecting previously unselected package firefox.
(Reading database ... 416280 files and directories currently
installed.)
Preparing to unpack
.../firefox_74.0+linuxmint2+tricia_amd64.deb ...
Unpacking firefox (74.0+linuxmint2+tricia) ...

Progress: [ 17%]
[##########.....................................................
......]
```

```
[~]$ apt-get install firefox
The following NEW packages will be installed:
  firefox
0 upgraded, 1 newly installed, 0 to remove and 36 not
upgraded.
Need to get 0 B/52.0 MB of archives.
After this operation, 202 MB of additional disk space will
be used.
Selecting previously unselected package firefox.
(Reading database ... 416280 files and directories currently
installed.)
Preparing to unpack
.../firefox_74.0+linuxmint2+tricia_amd64.deb ...
Unpacking firefox (74.0+linuxmint2+tricia) ...
Setting up firefox (74.0+linuxmint2+tricia) ...
Please restart all running instances of firefox, or you will
experience problems.
Processing triggers for gnome-menus (3.13.3-11ubuntu1.1) ...
Processing triggers for hicolor-icon-theme (0.17-2) ...
Processing triggers for mime-support (3.60ubuntu1) ...
Processing triggers for desktop-file-utils (0.23+linuxmint8)
...
Processing triggers for mintsystem (8.4.6) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
```

KODEKLOUD

APT VS APT-GET

```
[~]$ apt search telnet
p   dcap-tunnel-telnet                  - telnet tunnel for dCache
p   dcap-tunnel-telnet:i386             - telnet tunnel for dCache
p   inetutils-telnet                    - telnet client
p   inetutils-telnet:i386               - telnet client
p   inetutils-telnetd                   - telnet server
p   inetutils-telnetd:i386              - telnet server
i   telnet                              - basic telnet client
p   telnet:i386                         - basic telnet client
```

```
[~]$ apt-cache search telnet
curl - command line tool for transferring data with URL syntax
libcurl3-gnutls - easy-to-use client-side URL transfer library (GnuTLS flavour)
libcurl3-nss - easy-to-use client-side URL transfer library (NSS flavour)
libcurl4-doc - documentation for libcurl
libcurl4-gnutls-dev - development files and documentation for libcurl (GnuTLS flavour)
libcurl4-nss-dev - development files and documentation for libcurl (NSS flavour)
libcurl4-openssl-dev - development files and documentation for libcurl (OpenSSL flavour)
redir - Redirect TCP connections
ser2net - Serial port to network proxy
socks4-clients - Socks4 enabled clients as rtelnet and rftp
sredird - RFC 2217 compliant Telnet serial port redirector
swaks - SMTP command-line test tool
telnet-ssl - telnet client with SSL encryption support
telnetd - basic telnet server
telnetd-ssl - telnet server with SSL encryption support
```

KODEKLOUD

Viewing File Sizes

```
[~]$ du -sk test.img
 100000
```

```
[~]$ du -sh test.img
 98M     test.img
```

```
[~]$ ls -lh test.img
 -rw-rw-r-- 1 99M Mar 13 15:48 test.img
```

KODEKLOUD

Archiving Files

tar -cf

```
[~]$ tar -cf  test.tar file1 file2 file3
```

```
[~]$ ls -ltr test.tar
 -rw-rw-r-- 1281054720 Mar 13 19:48 test.tar
```



tar -tf

```
[~]$ tar -tf test.tar
./file1
./file2
./file3
```

tar -xf

```
[~]$ tar -xf test.tar
```

tar -zcf

```
[~]$ tar -zcf  test.tar file1 file2 file3
```

KODEKLOUD

Compressing

bzip2

```
[~]$ bzip2 test.img
```

```
[~]$ du -sh test.img.bz2
 4.0K    test.img.bz2
```

gzip

```
[~]$ gzip test1.img
```

```
[~]$ du -sh test1.img.gz
 100K    test1.img.gz
```

xz

```
[~]$ xz test2.img
```

```
[~]$ du -sh test2.img.xz
 16K     test2.img.xz
```

Uncompressing

bunzip2

```
[~]$ bunzip2 test.img.bz2
```

```
[~]$ du -sh test.img
 99M     test.img
```

gunzip

```
[~]$ gunzip test1.img
```

```
[~]$ du -sh test2.img.gz
 99M     test1.img
```

unxz

```
[~]$ unxz test2.img
```

```
[~]$ du -sh test2.img.xz
 99M     test2.img
```

KODEKLOUD

Compressing Files

zcat / bzcat /xzcat

```
[~]$ zcat hostfile.txt.bz2
127.0.0.1       localhost
127.0.1.1       Minty-Bionic

# The following lines are desirable for IPv6
capable hosts
::1     ip6-localhost ip6-loopback
fe00::0 ip6-localnet
ff00::0 ip6-mcastprefix
ff02::1 ip6-allnodes
ff02::2 ip6-allrouters
```

KODEKLOUD

Searching for Files and Directories

locate

```
[~]$ locate City.txt
/home/michael/Africa/Egypt/Cairo/City.txt
/home/michael/Asia/India/Mumbai/City.txt
```

updatedb

```
[~]$ updatedb
```

find

```
[~]$ find /home/michael -name City.txt
/home/michael/Africa/Egypt/Cairo/City.txt
/home/michael/Asia/India/Mumbai/City.txt
```



KODEKLOUD

GREP

grep

```
[~]$ grep second sample.txt
Followed by the second line.
```

```
[~]$ grep capital sample.txt
```

grep -i

```
[~]$ grep -i capital sample.txt
The fourth line has CAPITAL LETTERS
```

grep –r

```
[~]$ grep -r ”third line" /home/michael
./sample.txt:And then the third line.
```

```
[~]$ cat sample.txt
This is the first line.
Followed by the second line.
And then the third line.
The fourth line has CAPITAL LETTERS
The fifth line does not want to be printed
```

grep –v

```
[~]$ grep -v “printed" sample.txt
This is the first line.
Followed by the second line.
And then the third line.
The fourth line has CAPITAL LETTERS
```

KODEKLOUD

GREP

```
[~]$ cat examples.txt
grep examples
linux exam on 19th
```

```
[~]$ grep exam examples.txt
grep examples
linux exam on 19th
```

grep -w

```
[~]$ grep -w  exam examples.txt
linux exam on 19th
```

grep –w & -v

```
[~]$ grep -vw exam examples.txt
grep examples
```

```
[~]$ cat premier-league-table.txt
1 Arsenal
2 Liverpool
3 Chelsea
4 Manchester City
```

grep –A

```
[~]$ grep -A1 Arsenal premier-league-table.txt
1  Arsenal
2  Liverpool
```

grep –B

```
[~]$ grep -B1 4 premier-league-table.txt
3  Chelsea
4  Manchester City
```

KODEKLOUD

GREP

```
[~]$ cat premier-league-table.txt
1 Arsenal
2 Liverpool
3 Chelsea
4 Manchester City
```

grep –A and grep -B

```
[~]$ grep -A1 –B1 Chelsea premier-league-table.txt
2 Liverpool
3 Chelsea
4 Manchester City
```

KODEKLOUD

IO REDIRECTION



KODEKLOUD

```
[~]$ echo $SHELL > shell.txt
```

```
[~]$ cat shell.txt
 /bin/bash
```

```
[~]$ echo “This is the Bash shell” >> shell.txt
```

```
[~]$ cat shell.txt
 /bin/bash
  This is the Bash shell
```

REDIRECT STDOUT

KODEKLOUD

REDIRECT STDERR

```
[~]$ cat missing_file 2> error.txt
```

```
[~]$ cat error.txt
cat: missing_file: No such file or directory
```

```
[~]$ cat missing_file 2>> shell.txt
```

```
[~]$ cat shell.txt
 /bin/bash
 This is the Bash shell
 cat: missing_file: No such file or directory
```

```
[~]$ cat missing_file 2> /dev/null
```

KODEKLOUD

COMMAND LINE PIPES

```
[~]$ cat sample.txt
 hello there!
  Nice to see you here!
```

```
[~]$  grep Hello sample.txt > file.txt
```

```
[~]$ less file.txt
```

command 1 | command 2

```
[~]$ grep Hello sample.txt  | less
 Hello There!
  (END)
```

```
[~]$  less sample.txt
 hello there!
  Nice to see you here!
  sample.txt (END)
```

KODEKLOUD

COMMAND LINE PIPES

```
[~]$ echo $SHELL | tee shell.txt
 /bin/bash
```

```
[~]$ cat shell.txt
 /bin/bash
```

```
[~]$ echo “This is the bash shell”| tee -a
shell.txt
 This is the bash shell
```

```
[~]$ cat shell.txt
 /bin/bash
This is the Bash shell
```

KODEKLOUD

HANDS-ON LABS

KODEKLOUD

TEXT EDITORS

VI EDITOR

KODEKLOUD

VI EDITOR

```
[~]$ vi/home/michael/sample.txt
```

COMMAND MODE

INSERT MODE

LAST LINE

```
This is the first line.
Followed by the second line.
Third line is very long compared to the previous two lines.
Hello there!
hello there!
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
"sample.txt" 5L, 139C                                    1,1           All
```

KODEKLOUD

VI EDITOR MODES



- Edit File
- Add Text
- Remove text

- Save file
- Discard changes
- Exit vi editor

KODEKLOUD

COMMAND MODE

Move Around



Copy a Line

Paste

Delete a letter


```
This is the first line.
Followed by the second line.
Third line is very long compared to the previous two lines.
Hello there!
hello there!
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
"sample.txt" 5L, 139C                         1,1           All
```

KODEKLOUD

COMMAND MODE

Delete a line — d d

Delete 3 lines — d 3 d

Undo — u

Redo — r

```
This is the first line.
Followed by the second line.
Third line is very long compared to the previous two lines.
Hello there!
hello there!
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
"sample.txt" 5L, 139C                         1,1           All
```

KODEKLOUD

COMMAND MODE

Find	/line	?line
Find Next	n	
Find Previous	N	



KODEKLOUD

INSERT MODE

Insert Mode



Command Mode


```
This is the first line.
Followed by the second line.
Third line is very long compared to the previous two lines.
Hello there!
hello there!
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
-- INSERT --                                  1,1           All
```

KODEKLOUD

LASTLINE MODE

Save	:w
Quit	:q
Save & Quit	:wq
Quit Without Confirmation	:q!



KODEKLOUD

VIM

VIM = VI IMPROVED

COMPLETION	PLUGINS
SPELL CHECK	SYNTAX
COMPARISON	HIGHLIGHTING
MERGING	...and many more
GUI	

```
[~]$ which vi
/usr/bin/vi

[~]$ ls -ltr /usr/bin/vi
lrwxrwxrwx 1 root root 20 Apr 10 08:31 /usr/bin/vi -> /etc/alternatives/vi

[~]$ ls -ltr /etc/alternatives/vi
lrwxrwxrwx 1 root root 18 Apr 24 02:06 /etc/alternatives/vi -> /usr/bin/vim.basic
```

```
Differences between Vim and Vi                          vi-differences

1. Simulated command                    simulated-command
2. Missing options                      missing-options
3. Limits                               limits
4. The most interesting additions       vim-additions
5. Other vim features                   other-features
6. Supported Vi features                vi-features
7. Command-line arguments               cmdline-arguments
8. POSIX compliance                     posix-compliance

==============================================================================
1. Simulated command                                    simulated-command
vi_diff.txt [Help][RO]
7,35-57         0%
This is the first line.
sample.txt                                                            1,1
Top
"vi_diff.txt" [readonly] 1370L, 57621C
```

KODEKLOUD

HANDS-ON LABS

KODEKLOUD

Security and File Permissions

The Linux Basics Course

KODEKLOUD

Security and File Permissions

- Basic Security and Identifying File Types
- Creating Users and Groups
- Labs: Users and Groups
- Managing file permission and ownership
- Labs: File Permissions
- Special Directories and Files
- Labs: Special Directories and Files

KODEKLOUD

Linux Accounts



KODEKLOUD

Linux Accounts




```
[~]$ cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
www-data:x:33:33:www-
data:/var/www:/usr/sbin/nologin
bob:1000:1000:Bob Kingsley,,,:/home/bob:/bin/bash
```

```
[~]$ cat /etc/group
ssh:x:118:
lpadmin:x:119:
scanner:x:120:saned
avahi:x:121:
saned:x:122:
colord:x:123:
geoclue:x:124:
pulse:x:125:
pulse-access:x:126:
gdm:x:127:
systemd-coredump:x:999:
bob:x:1000:
developers:x:1003:bob,michael
```

KODEKLOUD

Linux Accounts




```
[~]$ id michael
uid=1001(michael) gid=1001(michael)groups=1001(michael),1003(developers)
```

```
[~]$ grep -i michael /etc/passwd
michael:x:1001:1001::/home/michael:/bin/sh
```

KODEKLOUD

Account Types

- Bob
- michael
- dave

01 User Account

02 Superuser Account

UID = 0

- root

- ssh
- mail

03 System Accounts

UID < 100 OR between 500 - 100

04 Service Accounts

- nginx
- mercury

KODEKLOUD

COMMAND

```
[~]$ id
uid=1000(michael) gid=1000(michael) groups=1000(michael)
```

```
[~]$ who
bob      pts/2        Apr 28 06:48 (172.16.238.187)
```

```
[~]$ last
michael   :1    :1                   Tue May 12 20:00  still logged in
sarah     :1    :1                   Tue May 12 12:00  still running
reboot   system boot 5.3.0-758-gen   Mon May 11 13:00  - 19:00 (06:00)
```

KODEKLOUD

Switching Users

```
[~]$ su -
  Password:
root ~#
```

```
[michael@ubuntu-server ~]$ su -c "whoami"
  Password:
root
```

```
[michael@ubuntu-server ~]$ sudo apt-get install nginx
  [sudo] password for michael:
```

KODEKLOUD



SUDO

```
[michael@ubuntu-server ~]$ sudo apt-get install nginx
[sudo] password for michael:
```

```
[~]$ cat /etc/sudoers
User privilege specification
root    ALL=(ALL:ALL) ALL
# Members of the admin group may gain root privileges
%admin ALL=(ALL) ALL
# Allow members of group sudo to execute any command
%sudo    ALL=(ALL:ALL) ALL
# Allow Bob to run any command
bob ALL=(ALL:ALL) ALL
# Allow Sarah to reboot the system
sarah localhost=/usr/bin/shutdown -r now
# See sudoers(5) for more information on "#include"
directives:
#includedir /etc/sudoers.d
```

```
[~]$ grep -i  ^root /etc/passwd
/root:x:0:0:root:/root:/usr/sbin/nologin
```

KODEKLOUD

SUDO

```
[~]$ cat /etc/sudoers
User privilege specification
root    ALL=(ALL:ALL) ALL
# Members of the admin group may gain root
privileges
%admin ALL=(ALL) ALL
# Allow members of group sudo to execute any
command
%sudo    ALL=(ALL:ALL) ALL
# Allow Bob to run any command
bob ALL=(ALL:ALL) ALL
# Allow Sarah to reboot the system
sarah localhost=/usr/bin/shutdown -r now
# See sudoers(5) for more information on "#include"
directives:
#includedir /etc/sudoers.d
```

Field	Description	Example
1	User or Group	bob, %sudo (group)
2	Hosts	localhost, ALL(default)
3	User	ALL(default)
4	Command	/bin/ls, ALL(unrestricted)

KODEKLOUD

Access Control Files

/etc/passwd

```
[~]$ grep -i  ^bob /etc/passwd
/bob:x:1001:1001::/home/bob:/bin/bash
```

/etc/shadow

```
[~]$ grep -i  ^bob /etc/shadow
/bob:$6$0h0utOtO$5JcuRxR7y72LLQk4Kdog7u09LsNFS0yZPkIC8pV9tgD0wXCHut
YcWF/7.eJ3TfGfG0lj4JF63PyuPwKC18tJS.:18188:0:99999:7:::
```

/etc/group

```
[~]$ grep -i  ^bob /etc/group
developer:x:1001:bob,michael
```

KODEKLOUD

Access Control Files

/etc/passwd

```
[~]$ grep -i  ^bob /etc/passwd
bob:x:1001:1001::/home/bob:/bin/bash
```

```
USERNAME:PASSWORD:UID:GID:GECOS:HOMEDIR:SHELL
```

KODEKLOUD

Access Control Files

/etc/shadow

```
[~]$ grep -i  ^bob /etc/shadow
bob:$6$0h0utOtO$5JcuRxR7y72LLQk4Kdog7u09LsNFS0yZPkIC8pV9tgD0wXCHutY
cWF/7.eJ3TfGfG0lj4JF63PyuPwKC18tJS.:18188:0:99999:7:::
```

```
USERNAME:PASSWORD:LASTCHANGE:MINAGE:MAXAGE:WARN:INACTIVE:EXPDATE
```

KODEKLOUD

Access Control Files

/etc/group

```
[~]$ grep -i  ^bob /etc/group
developer:x:1001:bob,sara
```

```
NAME:PASSWORD:GID:MEMBERS
```

KODEKLOUD

Managing Users

```
[~]$ useradd bob
```

```
[~]$ grep -i  bob /etc/passwd
bob:x:1002:1002::/home/bob:/bin/sh
```

```
[~]$ grep -i  bob /etc/shadow
bob:!:18341:0:99999:7:::
```

```
[~]$ passwd bob
Changing password for user bob.
New UNIX password:
Retype new UNIX password:
passwd: all authentication tokens updated
successfully.
```

```
[~]$ whoami
bob
```

```
[~]$ passwd
Changing password for bob.
(current) UNIX password:
Enter new UNIX password:
Retype new UNIX password:
passwd: password updated successfully
```

KODEKLOUD

Managing Users

```
[~]$ useradd -u 1009 -g 1009 -d /home/robert -s /bin/bash -c ”Mercury Project member" bob
```

```
[~]$ id bob
uid=1009(bob) gid=1009(avenger) groups=1009(avenger)
```

```
[~]$ grep -i bob /etc/passwd
bob:x:1009:1009:Robert Downey Jr,Avenger:/home/bob:/bin/bash
```

- -c Custom Comments
- -d custom home directory
- -e Expiry date
- -g specific GID

- -G create user with multiple secondary groups
- -s specify login shells
- -u specific UID

KODEKLOUD

Managing Users

```
[~]$ userdel bob
```

```
[~]$ groupadd -g 1011 developer
```

```
[~]$ groupdel developer
```

KODEKLOUD

HANDS-ON LABS

KODEKLOUD

Linux File Permissions

```
[~]$ ls -l bash-script.sh
-rwxrwxr-x 1 bob bob 89 Mar 17 01:35 bash-script.sh
```

File Type	Identifier
DIRECTORY	d
REGULAR FILE	-
CHARACTER DEVICE	c
LINK	l
SOCKET FILE	s
PIPE	p
BLOCK DEVICE	b

KODEKLOUD

Linux File Permissions

Bit	Purpose	Octal Value
r	Read	4
w	Write	2
x	Execute	1

KODEKLOUD

Directory Permissions

Bit	Purpose	Octal Value
r	Read	4
w	Write	2
x	Execute	1
-	No permission	0

```
[~]$ ls -ld /home/bob/random_dir
 d--xrwxrwx 1 bob bob 89 Mar 17 01:35 .
```

```
[~]$ whoami
bob
```

```
[~]$ ls /home/bob/random_dir
ls: cannot open directory 'random_dir/': Permission denied
```

```
[~]$ cd /home/bob/random_dir
[bob@ubuntu-server random_dir]$
```

KODEKLOUD

Linux File Permissions



Bit	Purpose	Octal Value
r	Read	4
w	Write	2
x	Execute	1
-	No permission	0

KODEKLOUD

Modifying File Permissions

```
chmod <permissions> file
```

```
[~]$ chmod u+rwx test-file
```

Provide full access to Owners

```
[~]$ chmod ugo+r-x test-file
```

Provide Read access to Owners, groups and others, Remove execute access

```
[~]$ chmod o-rwx test-file
```

Remove all access for others

```
[~]$ chmod u+rwx,g+r-x,o-rwx test-file
```

Full access for Owner, add read , remove execute for group and no access for others

KODEKLOUD

Modifying File Permissions

```
chmod <permissions> file
```

```
[~]$ chmod 777 test-file
```

Provide full access to Owners, group and others

```
[~]$ chmod 555 test-file
```

Provide Read and execute access to Owners, groups and others

```
[~]$ chmod 660 test-file
```

Read and Write access for Owner and Group, No access for others

```
[~]$ chmod 750 test-file
```

Full access for Owner, read and execute for group and no access for others

KODEKLOUD

Modifying File Permissions

```
chown owner:group file
```

```
[~]$ chown bob:developer test-file
```

Changes owner to bob and group to developer

```
[~]$ chown bob andoid.apk
```

Changes just the owner of the file to bob. Group unchanged.

```
[~]$ chgrp android test-file
```

Change the group for the test-file to the group called android.

KODEKLOUD

HANDS-ON LABS

KODEKLOUD

SSH

```
ssh <hostname OR IP Address>
```

```
ssh <user>@<hostname OR IP Address>
```

```
ssh -l <user> <hostname OR IP Address>
```

```
[bob@caleston-lp10 ~]$ ssh devapp01
bob@devapp01's password:
Last login: Tue Apr  7 20:08:58 2020
from 192.168.1.109
[bob@devapp01 ~]$
```

KODEKLOUD

PASSWORD-LESS SSH

```
Key Pair = Private Key +Public Key
```

KODEKLOUD

PASSWORD-LESS SSH

Client

```
[bob@caleston-lp10 ~]$ ssh-keygen -t rsa
Generating public/private rsa key pair.
Enter file in which to save the key (/home/bob/.ssh/id_rsa):
/home/bob/.ssh/id_rsa already exists.
Overwrite (y/n)? y
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/bob/.ssh/id_rsa.
Your public key has been saved in /home/bob/.ssh/id_rsa.pub.
The key fingerprint is:
SHA256:PCRTdbxxzffzmi8uunjn5V/1LZCG0BvhVJYXBr9gYsE bob@caleston-lp10
The key's randomart image is:
+---[RSA 2048]----+
|        .o=o=oo+ |
|       . +E=+oo +|
|      o o * o=. o|
|       = o *.o o.|
|        S o + . +|
|         . . .  =|
|              oo+|
|         .. oo+..|
|        ..o=.oo+o|
+----[SHA256]-----+
```

Public Key: /home/bob/.ssh/id_rsa.pub

Private Key: /home/bob/.ssh/id_rsa

KODEKLOUD

PASSWORD-LESS SSH

Client

```
[bob@caleston-lp10 ~]$ ssh-copy-id bob@devapp01
/usr/bin/ssh-copy-id: INFO: Source of key(s) to be installed: "/home/bob/.ssh/id_rsa.pub"
/usr/bin/ssh-copy-id: INFO: attempting to log in with the new key(s), to filter out any that are
already installed
/usr/bin/ssh-copy-id: INFO: 1 key(s) remain to be installed -- if you are prompted now it is to
install the new keys
bob@devapp01's password:

Number of key(s) added: 1

Now try logging into the machine, with:   "ssh 'bob@devapp01'"
and check to make sure that only the key(s) you wanted were added.
```

```
[bob@caleston-lp10 ~]$ ssh devapp01
Last login: Tue Apr  7 20:10:58 2020 from 192.168.1.109
[bob@devapp01 ~]$
```

KODEKLOUD

PASSWORD-LESS SSH

Remote Server

```
[bob@caleston-lp10 ~]$ cat /home/bob/.ssh/authorized_keys
ssh-rsa
AAAAB3NzaC1yc2EAAAADAQABAAABAQCgVV5wgH37kNwjnEIxgeX4j6LASNckjKi4bRpjPGecyxEiEeJhIU4x31XPEFzUFp/1xX2rj
eiM2Ko3oPmTGCCTEQMpQogerR7NS+bA9eXs34jWIg+xoSQjeQu1+lXgrRippJn2YhWYVAY3sKWIiiklowuMXmxjmBBr48L52di1J+
8EASwnM4ILX/YL72Czq3uFFhVW1fNUKBPUbW58h4QSAd2r9abzZfrHH48ThPJW4/5i8LOHEo3W0BXl3foEV0c6pk3TgxcjTuZQOim
d48mM2pxWJh9WxA0xcXwbD3+JrcnZeMJq4TbrKjaXQ0pBGenglxurxnRT2og9DeTIqGN3 bob@caleston-lp10
```

KODEKLOUD

SCP


```
[bob@caleston-lp10 ~]$ scp  /home/bob/caleston-code.tar.gz devapp01:/home/bob
bob@devapp01's password:
caleston-code.tar.gz                                          100% 2498KB   51MB/s 00.00
```

```
[bob@caleston-lp10 ~]$ scp  /home/bob/caleston-code.tar.gz devapp01:/root
bob@devapp01's password:
Scp /root/caleston-code.tar.gz: Permission denied
```

```
[bob@caleston-lp10 ~]$ scp -pr  /home/bob/media/ devapp01:/home/bob
bob@devapp01's password:
Caleston.jpg                                          100% 3124KB   51.1MB/s   00.00
Random.png                                            100% 2122KB   29.2MB/s   00.00
```

KODEKLOUD

HANDS-ON LABS

KODEKLOUD

LINUX
NETWORKING BASICS

KODEKLOUD

Networking Basics

DNS

Labs: DNS

Networking Basics

Labs: Networking Basics

Troubleshooting




```
[~]$ ping 192.168.1.11
Reply from 192.168.1.11: bytes=32 time=4ms TTL=117
Reply from 192.168.1.11: bytes=32 time=4ms TTL=117
```

```
[~]$ ping db
ping: unknown host db
```




```
[~]$ ping db
ping: unknown host db
```

```
[~]$ cat >> /etc/hosts
192.168.1.11        db
```

```
[~]$ ping db
PING db (192.168.1.11) 56(84) bytes of data.
64 bytes from db (192.168.1.11): icmp_seq=1 ttl=64 time=0.052 ms
64 bytes from db (192.168.1.11): icmp_seq=2 ttl=64 time=0.079 ms
```

```
[~]$ hostname
host-2
```




```
[~]$ cat >> /etc/hosts
192.168.1.11        db
192.168.1.11        www.google.com
```

```
[~]$ hostname
host-2
```

```
[~]$ ping db
PING db (192.168.1.11) 56(84) bytes of data.
64 bytes from db (192.168.1.11): icmp_seq=1 ttl=64 time=0.052 ms
64 bytes from db (192.168.1.11): icmp_seq=2 ttl=64 time=0.079 ms
```

```
[~]$ ping www.google.com
PING www.google.com (192.168.1.11) 56(84) bytes of data.
64 bytes from www.google.com (192.168.1.11): icmp_seq=1 ttl=64 time=0.052 ms
64 bytes from www.google.com (192.168.1.11): icmp_seq=2 ttl=64 time=0.079 ms
```

KODEKLOUD

Name Resolution




```
[~]$ cat >> /etc/hosts
192.168.1.11        db
192.168.1.11        www.google.com
```

```
[~]$ ping db
```

```
[~]$ ssh db
```

```
[~]$ curl http://www.google.com
```

```
[~]$ hostname
host-2
```

KODEKLOUD

Name Resolution




```
[~]$ cat >> /etc/hosts
192.168.1.10        web
192.168.1.11        db
192.168.1.12        nfs
```

```
[~]$ cat >> /etc/hosts
192.168.1.10        web
192.168.1.11        db
192.168.1.12        nfs
```

```
[~]$ cat >> /etc/hosts
192.168.1.10        web
192.168.1.11        db
192.168.1.12        nfs
```

KODEKLOUD

Name Resolution

```
[~]$ cat >> /etc/hosts

192.168.1.10        web
192.168.1.11        db
192.168.1.12        nfs
192.168.1.20        web
192.168.1.21        db-1
192.168.1.22        nfs-1
192.168.1.30        web-1
192.168.1.31        db-2
192.168.1.32        nfs-2
192.168.1.40        web-2
192.168.1.41        sql
192.168.1.42        web-5
192.168.1.50        web-test
192.168.1.61        db-prod
192.168.1.52        nfs-4
192.168.1.60        web-3
192.168.1.61        db-test
192.168.1.62        nfs-prod
```



KODEKLOUD

DNS



KODEKLOUD

DNS




```
[~]$ cat /etc/resolv.conf
nameserver        192.168.1.100
```

```
[~]$ ping db
PING db (192.168.1.11) 56(84) bytes of data.
64 bytes from db (192.168.1.11): icmp_seq=1 ttl=64 time=0.052 ms
64 bytes from db (192.168.1.11): icmp_seq=2 ttl=64 time=0.079 ms
```

KODEKLOUD

DNS




```
[~]$ cat /etc/resolv.conf
nameserver        192.168.1.100
```

```
[~]$ ping db
PING db (192.168.1.11) 56(84) bytes of data.
64 bytes from db (192.168.1.11): icmp_seq=1 ttl=64 time=0.052 ms
64 bytes from db (192.168.1.11): icmp_seq=2 ttl=64 time=0.079 ms
```

```
[~]$ cat >> /etc/hosts
192.168.1.115        test
```

```
[~]$  ping test
PING test (192.168.1.115) 56(84) bytes of data.
64 bytes from test (192.168.1.115): icmp_seq=1 ttl=64 time=0.052 ms
64 bytes from test (192.168.1.115): icmp_seq=2 ttl=64 time=0.079 ms
```

KODEKLOUD

DNS




```
[~]$ cat >> /etc/hosts
192.168.1.115        test
```

```
[~]$ cat /etc/nsswitch.conf
…
hosts:          files dns
…
```

KODEKLOUD

DNS




```
[~]$ cat >> /etc/hosts
192.168.1.115        test
```

```
[~]$ ping www.facebook.com
ping: www.facebook.com: Temporary failure in name resolution
```

```
[~]$ cat >> /etc/resolv.conf
nameserver        192.168.1.100
nameserver        8.8.8.8
```

```
[~]$ ping www.facebook.com
PING star-mini.c10r.facebook.com (157.240.13.35) 56(84) bytes of data.
64 bytes from edge-star-mini-shv-02-sin6.facebook.com (157.240.13.35): icmp_seq=1 ttl=50 time=5.70 ms
```

KODEKLOUD

Domain Names

www.kubernetes.io

www.codepen.io

www.un.org

www.facebook.com

www.mit.edu

www.behance.net

www.google.com

www.speedtest.net

www.stanford.edu

www.care.org

KODEKLOUD

Domain Names

.com	.net	.edu	.org	.io
www.google	www.behance	www.stanford	www.care	www.kubernetes
www.facebook	www.speedtest	www.mit	www.un	www.codepen

KODEKLOUD

Domain Names

Root

Top Level Domain Name

Subdomain



KODEKLOUD

Domain Names



KODEKLOUD

Domain Names



KODEKLOUD

Search Domain

Org
DNS

mycompany.com

```
192.168.1.10        web.mycompany.com
192.168.1.11        db.mycompany.com
192.168.1.12        nfs.mycompany.com
192.168.1.13        web-1.mycompany.com
192.168.1.14        sql.mycompany.com
```

nfs | web | mail | drive | www | pay | hr | sql

```
[~]$ cat >> /etc/resolv.conf
nameserver        192.168.1.100
search            mycompany.com    prod.mycompany.com
```

```
[~]$ ping web
PING web.mycompany.com (192.168.1.10) 56(84) bytes of data.
64 bytes from web.mycompany.com (192.168.1.10): … time=0.052 ms
64 bytes from web.mycompany.com (192.168.1.10): … time=0.079 ms
```

```
[~]$ ping web.mycompany.com
PING web.mycompany.com (192.168.1.10) 56(84) bytes of data.
64 bytes from web.mycompany.com (192.168.1.10): ttl=64 time=0.052 ms
```

```
[~]$ ping web
PING web (192.168.1.10) 56(84) bytes of data.
64 bytes from web (192.168.1.10): icmp_seq=1 ttl=64 time=0.052 ms
64 bytes from web (192.168.1.10): icmp_seq=2 ttl=64 time=0.079 ms
```

```
[~]$ ping web
ping: web: Temporary failure in name resolution
```

```
[~]$ ping web.mycompany.com
PING web.mycompany.com (192.168.1.10) 56(84) bytes of data.
64 bytes from web.mycompany.com (192.168.1.10): ttl=64 time=0.052 ms
```

KODEKLOUD

Record Types

A	web-server	192.168.1.1
AAAA	web-server	2001:0db8:85a3:0000:0000:8a2e:0370:7334
CNAME	food.web-server	eat.web-server, hungry.web-server

KODEKLOUD

nslookup

```
[~]$ nslookup www.google.com
Server:         8.8.8.8
Address:        8.8.8.8#53

Non-authoritative answer:
Name:   www.google.com
Address: 172.217.0.132
```

DIG

```
[~]$ dig www.google.com

; <<>> DiG 9.10.3-P4-Ubuntu <<>> www.google.com
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 28065
;; flags: qr rd ra; QUERY: 1, ANSWER: 6, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 512
;; QUESTION SECTION:
;www.google.com.                        IN      A

;; ANSWER SECTION:
www.google.com.         245     IN      A       64.233.177.103
www.google.com.         245     IN      A       64.233.177.105
www.google.com.         245     IN      A       64.233.177.147
www.google.com.         245     IN      A       64.233.177.106
www.google.com.         245     IN      A       64.233.177.104
www.google.com.         245     IN      A       64.233.177.99

;; Query time: 5 msec
;; SERVER: 8.8.8.8#53(8.8.8.8)
;; WHEN: Sun Mar 24 04:34:33 UTC 2019
;; MSG SIZE  rcvd: 139
```

KODEKLOUD

Lab

KODEKLOUD

Switching & Routing

The Linux Basics Course

KODEKLOUD

Switching




```
[~]$ ip link
eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP mode
DEFAULT group default qlen 1000
```

```
[~]$ ip addr add 192.168.1.10/24 dev eth0
```

```
[~]$ ip link
eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP mode
DEFAULT group default qlen 1000
```

```
[~]$ ip addr add 192.168.1.11/24 dev eth0
```

```
[~]$ ping 192.168.1.11
Reply from 192.168.1.11: bytes=32 time=4ms TTL=117
Reply from 192.168.1.11: bytes=32 time=4ms TTL=117
```

KODEKLOUD

Routing



KODEKLOUD

Gateway




```
[~]$ route

Kernel IP routing table
Destination     Gateway         Genmask         Flags Metric Ref    Use Iface
```

```
[~]$ ip route add 192.168.2.0/24 via 192.168.1.1
```

```
[~]$ route

Kernel IP routing table
Destination     Gateway         Genmask         Flags Metric Ref    Use Iface
192.168.2.0     192.168.1.1     255.255.255.0   UG    0      0        0 eth0
```

KODEKLOUD

Gateway




```
[~]$ ip route add 192.168.1.0/24 via 192.168.2.1
```

```
[~]$ route
Kernel IP routing table
Destination     Gateway         Genmask         Flags Metric Ref    Use Iface
192.168.1.0     192.168.2.1     255.255.255.0   UG    0      0        0 eth0
```

KODEKLOUD

Default Gateway




```
[~]$ ip route add default via 192.168.2.1
```

```
[~]$ ip route add 192.168.1.0/24 via 192.168.2.1
```

```
[~]$ route
Kernel IP routing table
Destination     Gateway         Genmask         Flags Metric Ref    Use Iface
192.168.1.0     192.168.2.1     255.255.255.0   UG    0      0        0 eth0
192.168.2.0     0.0.0.0         255.255.255.0   UG    0      0        0 eth0
```

KODEKLOUD

Default Gateway




```
[~]$ ip route add 192.168.1.0/24 via 192.168.2.2
```

```
[~]$ route
Kernel IP routing table
Destination     Gateway         Genmask         Flags Metric Ref    Use Iface
default         192.168.2.1     255.255.255.0   UG    0      0        0 eth0
192.168.1.0     192.168.2.2     255.255.255.0   UG    0      0        0 eth0
```

KODEKLOUD

Take Aways

```
[~]$ ip link
```

```
[~]$ ip addr
```

```
[~]$ ip addr add 192.168.1.10/24 dev eth0
```

```
[~]$ route
```

```
[~]$ ip route add 192.168.1.0/24 via 192.168.2.1
```

```
[~]$ ip route
```

KODEKLOUD

Troubleshooting Network

The Linux Basics Course

http://caleston-repo-01

Repository Server



KODEKLOUD


```
[~]$ ip link
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc
    noqueue state UNKNOWN mode DEFAULT group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
2: enp1s0f1: <BROADCAST,BROADCAST,MULTICAST,UP> mtu 1500 qdisc
    fq_codel state UP mode DEFAULT group default qlen 1000
    link/ether 08:97:98:6e:55:4d brd ff:ff:ff:ff:ff:ff
```

Check Interfaces

KODEKLOUD




```
[~]$ nslookup caleston-repo-01
Server:         192.168.1.100
Address:        192.168.1.100 #53

Non-authoritative answer:
Name:   caleston-repo-01
Address: 192.168.2.5
```

Check DNS Resolution




```
[~]$ ping caleston-repo-01
PING caleston-repo-01 (192.168.2.5) 56(84) bytes of data.
^C
--- localhost ping statistics ---
3 packets transmitted, 0 received, 100% packet loss, time 2034ms
```

Check Connectivity...




```
[~]$ traceroute 192.168.2.5
Tracing route to example.com [192.168.2.5]
over a maximum of 30 hops:
1    <1 ms    <1 ms    <1 ms  192.168.1.1
2    <2 ms    <1 ms    <1 ms  192.168.2.1
3      *        *        *    Request timed out.
```

Check Route

KODEKLOUD




```
[caleston-repo-01: ~]$ netstat -an | grep 80  | grep -i  LISTEN
tcp6       0      0 :::80                   :::*                    LISTEN
```

Check Services

KODEKLOUD




```
[caleston-repo-01: ~]$ ip link
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc
    noqueue state UNKNOWN mode DEFAULT group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
2: enp1s0f1: <BROADCAST,BROADCAST,MULTICAST,UP> mtu 1500 qdisc
    fq_codel state DOWN mode DEFAULT group default qlen 1000
    link/ether 08:97:98:34:52:12 brd ff:ff:ff:ff:ff:ff
```

```
[caleston-repo-01: ~]$ ip link set dev enp1s0f1 up
```

Check Interfaces



Index of /packages

Name	Last modified	Size	Description
Parent Directory		-	
Debian/	2020-03-30 20:41	-	
RedHat/	2020-03-30 20:41	-	

KODEKLOUD

Storage Basics

The Linux Basics Course

KODEKLOUD

Storage Basics

- Disk Partitions
- External Storage Devices (DAS/NAS/SAN)
- Linux Filesystems (EXT2-EXT4)
- Logical Volume Manager
- Labs: Partitions and Filesystems
- Labs: LVM
- NFS

KODEKLOUD

INTRODUCTION TO STORAGE BASICS



Major Number	Device Type
1	RAM
3	HARD DISK or CD ROM
6	PARALLEL PRINTERS
8	SCSI DISK

```
[~]$ lsblk
NAME                      MAJ:MIN RM   SIZE RO TYPE MOUNTPOINT
sda                         8:0    0 119.2G  0 disk
├─sda1                      8:1    0   100M  0 part /boot/efi
├─sda2                      8:2    0  72.5G  0 part /media/MM/Data
└─sda3                      8:3    0  46.6G  0 part /
```

```
[~]$ ls -l /dev/ | grep "^b"
brw-rw----  1 root disk       8,     0 Mar 19 17:43 sda
brw-rw----  1 root disk       8,     1 Mar 19 17:43 sda1
brw-rw----  1 root disk       8,     2 Mar 19 17:43 sda2
brw-rw----  1 root disk       8,     3 Mar 19 17:43 sda3
```

KODEKLOUD

DISK PARTITIONS



FDISK

```
[~]$ lsblk
NAME                      MAJ:MIN RM   SIZE RO TYPE MOUNTPOINT
sda                         8:0    0 119.2G  0 disk
├─sda1                      8:1    0   100M  0 part /boot/efi
├─sda2                      8:2    0  72.5G  0 part /media/MM/Data
└─sda3                      8:3    0  46.6G  0 part /
```

```
[~]$ sudo fdisk -l /dev/sda
Disk /dev/sda: 119.2 GiB, 128035676160 bytes, 250069680 sectors
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
Disklabel type: gpt
Disk identifier: 7CABF26E-9723-4406-ZEA1-C2B9B6270A23

Device         Start       End   Sectors  Size Type
/dev/sda1       2048    206847    204800  100M EFI System
/dev/sda2     239616 150194175 149954560 71.5G Linux filesystem
/dev/sda3  150194176 247955455  97761280 46.6G Linux filesystem
```

KODEKLOUD

PARTITION TYPES –
PRIMARY, EXTENDED AND LOGICAL



KODEKLOUD

PARTITION SCHEME – MBR



KODEKLOUD

PARTITION SCHEME – GPT



(GUID Partition Table)

No max Size per partition

Unlimited partitions

2 TB

Physical Disk



Local Partitions

(Master Boot Record)

KODEKLOUD

CREATING PARTITIONS




```
[~]$ lsblk
fd0      2:0    1    4K  0 disk
sr0     11:0    1 1024M  0 rom
sda      8:0    0 97.7G  0 disk
|-sda1   8:1    0 93.7G  0 part /
|-sda2   8:2    0    1K  0 part
|-sda5   8:5    0  3.9G  0 part
sdb      8:15   0   20G  0 disk
```

```
[~]$ gdisk /dev/sdb
GPT fdisk (gdisk) version 1.0.1

Partition table scan:
  MBR: protective
  BSD: not present
  APM: not present
  GPT: present

Found valid GPT with protective MBR; using GPT.

Command (? for help):
```

KODEKLOUD

CREATING PARTITIONS




```
[~]$ gdisk /dev/sdb
GPT fdisk (gdisk) version 1.0.1

Partition table scan:
  MBR: protective
  BSD: not present
  APM: not present
  GPT: present

Found valid GPT with protective MBR; using GPT.

Command (? for help): ?
b       back up GPT data to a file
c       change a partition's name
d       delete a partition
i       show detailed information on a partition
l       list known partition types
n       add a new partition
o       create a new empty GUID partition table (GPT)
p       print the partition table
q       quit without saving changes
r       recovery and transformation options (experts only)
s       sort partitions
t       change a partition's type code
v       verify disk
w       write table to disk and exit
x       extra functionality (experts only)
Command (? for help):
```

KODEKLOUD

CREATING PARTITIONS




```
Command (? for help): ?

b       back up GPT data to a file
c       change a partition's name
d       delete a partition
i       show detailed information on a partition
l       list known partition types
n       add a new partition
o       create a new empty GUID partition table (GPT)
p       print the partition table
q       quit without saving changes
r       recovery and transformation options (experts only)
s       sort partitions
t       change a partition's type code
v       verify disk
w       write table to disk and exit
x       extra functionality (experts only)
?       print this menu

Command (? for help):  n

Partition number (1-128, default 1): 1
First sector (34-41943006, default = 2048) or {+-}size{KMGTP}: 2048
Information: Moved requested sector from 34 to 2048 in
order to align on 2048-sector boundaries.
Use 'l' on the experts' menu to adjust alignment
Last sector (2048-41943006, default = 41943006) or {+-}size{KMGTP}: 41943006
Current type is 'Linux filesystem'
Hex code or GUID (L to show codes, Enter = 8300):
Changed type of partition to 'Linux filesystem'

Command (? for help):  w

Final checks complete. About to write GPT data. THIS WILL OVERWRITE EXISTING
PARTITIONS!!

Do you want to proceed? (Y/N): Y
OK; writing new GUID partition table (GPT) to /dev/vdb.
The operation has completed successfully.
```

KODEKLOUD

CREATING PARTITIONS




```
Command (? for help): n

Partition number (1-128, default 1): 1
First sector (34-41943006, default = 2048) or {+-}size{KMGTP}: 2048
Information: Moved requested sector from 34 to 2048 in
order to align on 2048-sector boundaries.
Use 'l' on the experts' menu to adjust alignment
Last sector (2048-41943006, default = 41943006) or {+-}size{KMGTP}: 41943006
Current type is 'Linux filesystem'
Hex code or GUID (L to show codes, Enter = 8300):
Changed type of partition to 'Linux filesystem'

Command (? for help):  w

Final checks complete. About to write GPT data. THIS WILL OVERWRITE EXISTING
PARTITIONS!!

Do you want to proceed? (Y/N): Y
OK; writing new GUID partition table (GPT) to /dev/vdb.
The operation has completed successfully.
```

```
[~]$ sudo fdisk -l /dev/sdb

Disk /dev/sdb: 20 GiB, 128035676160 bytes, 250069680 sectors
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
Disklabel type: gpt
Disk identifier: 7CABF26E-9723-4406-ZEA1-C2B9B6270A23

Device         Start       End   Sectors  Size Type
/dev/sdb1       2048  41943006 204800  20GB Linux filesystem
```

KODEKLOUD

HANDS-ON LABS

KODEKLOUD

Linux Filesystems

The Linux Basics Course

KODEKLOUD

/my-disk







Mount Filesystem

Create Filesystem

Partition Disk

KODEKLOUD

Linux Filesystem

EXT2

2 TB File size
4 TB volume size
Supports Compression
Supports Linux Permissions
Long Crash Recovery

EXT3

2 TB File size
4 TB volume size
Uses Journal
Backwards Compatible

EXT4

16 TB File size
1 Exabyte
Uses Journal
Uses chksum for journal
Backwards Compatible

KODEKLOUD

Working with EXT4

```
[~]$ mkfs.ext4 /dev/sdb1
Allocating group tables: done
Writing inode tables: done
Creating journal (32768 blocks): done
Writing superblocks and filesystem accounting information: done
```

```
[~]$ mkdir /mnt/ext4;
```

```
[~]$ mount /dev/sdb1 /mnt/ext4
```

```
[~]$ mount | grep /dev/sdb1
/dev/sdb1 on /mnt/ext4 type ext4 (rw,relatime,data=ordered)
```

```
[~]$ df -hP | grep /dev/sdb1
/dev/sdb1       20G       52K     20G       0%       /mnt/ext4
```

KODEKLOUD

FSTAB

/etc/fstab

```
# /etc/fstab: static file system information.
#
# Use 'blkid' to print the universally unique identifier for a
# device; this may be used with UUID= as a more robust way to name devices
# that works even if disks are added and removed. See fstab(5).
#
# <file system> <mount point>   <type>          <options>                       <dump>  <pass>
/dev/sda1       /               ext4    defaults,relatime,errors=panic      0       1 ~
```

```
echo "/dev/sdb1  /mnt/ext4  ext4  rw 0 0" >> /etc/fstab
```

FIELD	Purpose
Filesystem	Such as /dev/vdb1 to be mounted
Mountpoint	Directory to be mounted on
Type	Example ext2, ext3, ext4
Options	Such as RW = Read-write, RO = Read Only
Dump	0 = Ignore, 1 = take backup
Pass	0 = ignore, 1 or 2 = FSCK filesystem check enforced.

KODEKLOUD

HANDS-ON LABS

KODEKLOUD

Network Filesystem

The Linux Basics Course

KODEKLOUD

NFS



KODEKLOUD

NFS

```
[~]$ /etc/exports
/software/repos 10.61.35.201 10.61.35.202 10.61.35.203
```



KODEKLOUD

NFS

```
[~]$ mount 10.61.112.101:/software/repos /mnt/software/repos
```




```
[~]$ exportfs -a
[~]$ exportfs -o 10.61.35.201:/software/repos
```

KODEKLOUD

HANDS-ON LABS

KODEKLOUD

DAS, NAS & SAN

The Linux Basics Course

KODEKLOUD

DAS, NAS and SAN

DAS = Direct Attached Storage

NAS = Network Attached Storage

SAN = Storage Area Network

KODEKLOUD

DAS

DAS = Direct Attached Storage

DAS
Block Storage
Fast and Reliable
Affordable
Dedicated to single host
Ideal for small businesses



KODEKLOUD

NAS

NAS = Network Attached Storage



NAS
NFS / CIFS
Reasonably Fast and Reliable
File Based Storage
Shared Storage
Not suitable for OS install

KODEKLOUD

SAN

SAN = Storage Area Network



SAN
FC or iSCSI
Block Storage
Fast, Secure and Reliable
High Availability
Expensive

KODEKLOUD

Logical Volume Manager

The Linux Basics Course

KODEKLOUD

LVM



KODEKLOUD

LVM



KODEKLOUD

LVM

```
[~]$ apt-get install lvm2
```

```
[~]$ pvcreate /dev/sdb
Physical volume "/dev/sdb" successfully created
```

```
[~]$ vgcreate  caleston_vg /dev/sdb
Volume group "caleston_vg" successfully created
```

```
[~]$ pvdisplay
--- Physical volume ---
  PV Name               /dev/sdb
  VG Name               caleston_vg
  PV Size               20.00 GiB / not usable 3.00 MiB
  Allocatable           yes
  PE Size               4.00 MiB
  Total PE              5119
  Free PE               5119
  Allocated PE          0
  PV UUID               iDCXIN-En2h-5ilJ-Yjqv-GcsR-gDfV-zaf66E
```



KODEKLOUD

```
[~]$  vgdisplay
--- Volume group ---
  VG Name               caleston_vg
  System ID
  Format                lvm2
  Metadata Areas        1
  Metadata Sequence No  1
  VG Access             read/write
  VG Status             resizable
  MAX LV                0
  Cur LV                0
  Open LV               0
  Max PV                0
  Cur PV                1
  Act PV                1
  VG Size               20.00 GiB
  PE Size               4.00 MiB
  Total PE              5119
  Alloc PE / Size       0 / 0
  Free  PE / Size       5119 / 20.00 GiB
  VG UUID               VzmIAn-9cEl5bA-lVtm-wHKX-KQaObR
```



KODEKLOUD

LVM

```
[~]$ lvcreate -L 1G -n vol1 caleston_vg
Logical volume "vol1" created.
```

```
[~]$ lvdisplay
--- Logical volume ---
  LV Path                /dev/caleston_vg/vol1
  LV Name                vol1
  VG Name                caleston_vg
  LV UUID                LueYC3-VWpE31-UaYk-wjIR-FjAOyL
  LV Write Access        read/write
  LV Creation host, time master, 2020-03-31 06:26:14
  LV Status              available
  # open                 0
  LV Size                1.00 GiB
  Current LE             256
  Segments               1
  Allocation             inherit
  Read ahead sectors     auto
  - currently set to     256
  Block device           252:0
```



KODEKLOUD

```
[~]$ lvs
 LV   VG          Attr       LSize Pool
 vol1 caleston_vg -wi-a----- 1.00g
```

```
[~]$ mkfs.ext4 /dev/caleston_vg/vol1
 mke2fs 1.42.13 (17-May-2015)
Creating filesystem with 262144 4k blocks and 65536 inodes
Filesystem UUID: 3ba95aaa-5f1a-417e-8baf-91b1233999b5
Superblock backups stored on blocks:
        32768, 98304, 163840, 229376

Allocating group tables: done
Writing inode tables: done
Creating journal (8192 blocks): done
Writing superblocks and filesystem accounting information:
done
```

```
[~]$ mount -t ext4 /dev/caleston_vg/vol1 /mnt/vol1
```



KODEKLOUD

LVM

```
[~]$ vgs
VG          #PV #LV #SN Attr   VSize  VFree
caleston_vg   1   1   0 wz--n- 20.00g 19.00g
```

```
[~]$ lvresize -L +1G -n /dev/caleston_vg/vol1
Logical volume vol1 successfully resized.
```

```
[~]$ df -hP /mnt/vol1
Filesystem                  Size  Used Avail Use% Mounted on
/dev/mapper/caleston_vg-vol1  976M  1.3M  908M   1% /mnt/vol1
```



KODEKLOUD

```
[~]$ resize2fs /dev/caleston_vg/vol1
resize2fs 1.42.13 (17-May-2015)
Filesystem at /dev/mapper/caleston_vg-vol1 is mounted on
/mnt/vol1; on-line resizing required
old_desc_blocks = 1, new_desc_blocks = 1
The filesystem on /dev/mapper/caleston_vg-vol1 is now 524288
(4k) blocks long.
```



KODEKLOUD

```
[~]$ resize2fs /dev/caleston_vg/vol1
resize2fs 1.42.13 (17-May-2015)
Filesystem at /dev/mapper/caleston_vg-vol1 is mounted on
/mnt/vol1; on-line resizing required
old_desc_blocks = 1, new_desc_blocks = 1
The filesystem on /dev/mapper/caleston_vg-vol1 is now 524288
(4k) blocks long.
```

```
[~]$ df -hP /mnt/vol1
Filesystem                    Size  Used Avail Use% Mounted on
/dev/mapper/caleston_vg-vol1  2.0G  1.6M  1.9G   1% /mnt/vol1
```

Logical Volume	Filesystem Path
vol1	/dev/caleston_vg/vol1
vol1	/dev/mapper/caleston_vg-vol1



KODEKLOUD

HANDS-ON LABS

KODEKLOUD

SYSTEMD and Service Management

The Linux Basics Course

KODEKLOUD

SYSTEMD
and Services



KODEKLOUD

Introduction to SYSTEMD

Program - /usr/bin/project-mercury.sh

Start Python Application after Postgres DB

Use Service Account project_mercury

Auto Restart on Failure

Restart Interval 10 seconds

Log Service Events

Load when booting into Graphical Mode

KODEKLOUD

Introduction to SYSTEMD

```
[~]$ /usr/bin/project-mercury.sh
```

- Program - /usr/bin/project-mercury.sh
- Start Python Application after Postgres DB
- Use Service Account project_mercury
- Auto Restart on Failure
- Restart Interval 10 seconds
- Log Service Events
- Load when booting into Graphical Mode

/etc/systemd/system/project-mercury.service

```
[Service]
ExecStart=
```

```
[~]$ systemctl start project-mercury.service
```

```
[~]$ systemctl status project-mercury.service
● project-mercury.service
   Loaded: loaded (/etc/systemd/system/ report-manager; static;
vendor preset: enabled)
   Active: active (running) Fri 2020-04-10 00:52:16 EDT; 6min ago
 Main PID: 25041 (project-mercury.sh)
    Tasks: 2 (limit: 4915)
   CGroup: /system.slice/ project-mercury.service
           ├─ 6494 sleep 60
           └─25041 /bin/bash /usr/bin/project-mercury.sh
```

```
[~]$ systemctl stop project-mercury.service
```

KODEKLOUD

Introduction to SYSTEMD

- Program - /usr/bin/project-mercury.sh
- Start Python Application after Postgres DB
- Use Service Account project_mercury
- Auto Restart on Failure
- Restart Interval 10 seconds
- Log Service Events
- Load when booting into Graphical Mode

/etc/systemd/system/project-mercury.service

```
[Service]
ExecStart=/usr/bin/project-mercury.sh

[Install]
WantedBy=graphical.target
```

KODEKLOUD

Introduction to SYSTEMD

- Program - /usr/bin/project-mercury.sh
- Start Python Application after Postgres DB
- Use Service Account project_mercury
- Auto Restart on Failure
- Restart Interval 10 seconds
- Log Service Events
- Load when booting into Graphical Mode

/etc/systemd/system/project-mercury.service

```
[Service]
ExecStart=/usr/bin/project-mercury.sh
User=project_mercury
Restart=on-failure
RestartSec=10

[Install]
WantedBy=graphical.target
```

KODEKLOUD

Introduction to SYSTEMD

- Program - /usr/bin/project-mercury.sh
- Start Python Application after Postgres DB
- Use Service Account project_mercury
- Auto Restart on Failure
- Restart Interval 10 seconds
- Log Service Events
- Load when booting into Graphical Mode

/etc/systemd/system/project-mercury.service

```
[Unit]
Description=Python Django for Project Mercury
Documentation=http://wiki.caleston-dev.ca/mercury
After=postgresql.service

[Service]
ExecStart=/usr/bin/project-mercury.sh
User=project_mercury
Restart=on-failure
RestartSec=10

[Install]
WantedBy=graphical.target
```

```
[~]$ systemctl daemon-reload
```

```
[~]$ systemctl start project-mercury.service
```

KODEKLOUD

Introduction to SYSTEMD

- Program - /usr/bin/project-mercury.sh
- Start Python Application after Postgres DB
- Use Service Account project_mercury
- Auto Restart on Failure
- Restart Interval 10 seconds
- Log Service Events
- Load when booting into Graphical Mode

/etc/systemd/system/project-mercury.service

```
[Unit]
Description=Python Django for Project Mercury
Documentation=http://wiki.caleston-dev.ca/reported

After=postgresql.service
[Service]
ExecStart=/usr/bin/project-mercury.sh
User=project_mercury

Restart=on-failure

RestartSec=10

[Install]
WantedBy=graphical.target
```

KODEKLOUD

SYSTEMD Tools

The Linux Basics Course

KODEKLOUD

SYSTEMD TOOLS

SYSTEMCTL

- MANAGE SYSTEM STATE
- START/STOP/RESTART/RELOAD
- ENABLE/DISABLE
- LIST AND MANAGE UNITS
- LIST AND UPDATE TARGETS

JOURNALCTL

- QUERY SYSTEMD JOURNAL

KODEKLOUD

Service Management with SYSTEMD

```
[~]$ systemctl start docker
```

```
[~]$ systemctl stop docker
```

```
[~]$ systemctl restart docker
```

```
[~]$ systemctl reload docker
```

```
[~]$ systemctl enable docker
```

```
[~]$ systemctl disable docker
```

```
[~]$ systemctl status docker
● docker.service - Docker Application Container Engine
   Loaded: loaded (/lib/systemd/system/docker.service; enabled; vendor preset: enabled)
   Active: active (running) since Sat 2020-03-21 00:45:22 EDT; 43s ago
     Docs: https://docs.docker.com
 Main PID: 23340 (dockerd)
    Tasks: 18
   CGroup: /system.slice/docker.service
           └─23340 /usr/bin/dockerd -H fd:// --containerd=/run/containerd/containerd.sock

Mar 21 00:45:21 bob-Bionic dockerd[23340]: time="2020-03-21T00:45:21.628503806-04:00" level=warning msg="Your kernel does not
Mar 21 00:45:21 bob-Bionic dockerd[23340]: time="2020-03-21T00:45:21.628577159-04:00" level=warning msg="Your kernel does not
Mar 21 00:45:21 bob-Bionic dockerd[23340]: time="2020-03-21T00:45:21.628602304-04:00" level=warning msg="Your kernel does not
Mar 21 00:45:21 bob-Bionic dockerd[23340]: time="2020-03-21T00:45:21.629107909-04:00" level=info msg="Loading containers: sta
Mar 21 00:45:21 bob-Bionic dockerd[23340]: time="2020-03-21T00:45:21.827189816-04:00" level=info msg="Default bridge (docker0
Mar 21 00:45:22 bob-Bionic dockerd[23340]: time="2020-03-21T00:45:22.032716885-04:00" level=info msg="Loading containers: don
Mar 21 00:45:22 bob-Bionic dockerd[23340]: time="2020-03-21T00:45:22.134167743-04:00" level=info msg="Docker daemon" commit=6
Mar 21 00:45:22 bob-Bionic dockerd[23340]: time="2020-03-21T00:45:22.140093558-04:00" level=info msg="Daemon has completed in
Mar 21 00:45:22 bob-Bionic dockerd[23340]: time="2020-03-21T00:45:22.188345103-04:00" level=info msg="API listen on /var/run/
Mar 21 00:45:22 bob-Bionic systemd[1]: Started Docker Application Container Engine.
```

STATE	Meaning
Active	Service Running
Inactive	Service Stopped
Failed	Crashed/Error/Timeout e.t.c

KODEKLOUD

SERVICE MANAGEMENT WITH SYSTEMD

```
[~]$ systemctl daemon-reload
```

```
[~]$ systemctl edit project-mercury.service --full
```

KODEKLOUD

SYSTEMCTL TO MANAGE STATE

```
[~]$ systemctl get-default
```

```
[~]$ systemctl set-default multi-user.target
```

```
[~]$ systemctl list-units --all
```

```
 UNIT                                                LOAD      ACTIVE   SUB       JOB   DESCRIPTION

  network.target                                     loaded    active   active          Network
  nss-lookup.target                                  loaded    active   active          Host and Network Name Look
  nss-user-lookup.target                             loaded    active   active          User and Group Name Lookup
  paths.target                                       loaded    active   active          Paths
  remote-fs-pre.target                               loaded    inactive dead            Remote File Systems (Pre)
  remote-fs.target                                   loaded    active   active          Remote File Systems
  rescue.target                                      loaded    inactive dead            Rescue Mode
  shutdown.target                                    loaded    inactive dead            Shutdown
```

```
[~]$ systemctl list-units
```

KODEKLOUD

JOURNALCTL

```
[~]$ journalctl
```

```
[~]$ journalctl -b
```

```
[~]$ journalctl -u UNIT
```

```
[~]$ journalctl -u docker.service
-- Logs begin at Fri 2020-03-13 19:47:52 EDT, end at Sat 2020-03-21 02:29:48 EDT. --
Mar 19 17:43:21  systemd[1]: Starting Docker Application Container Engine...
Mar 19 17:43:22  dockerd[2590]: level=info msg="Starting up"
Mar 19 17:43:22  dockerd[2590]: level=info msg="ClientConn switching bal
Mar 19 17:43:22  dockerd[2590]: level=warning msg="[graphdriver] WARNING
Mar 19 17:43:22  dockerd[2590]: level=warning msg="Usage of loopback dev
Mar 19 17:43:22  dockerd[2590]: level=warning msg="Base device already e
Mar 19 17:43:23  dockerd[2590]: level=info msg="Default bridge (docker0)
Mar 19 17:43:23  dockerd[2590]: level=info msg="Loading containers: done
Mar 19 17:43:23  dockerd[2590]: level=info msg="Docker daemon" commit=63
Mar 19 17:43:23  dockerd[2590]: level=info msg="Daemon has completed ini
Mar 19 17:43:23  dockerd[2590]: level=info msg="API listen on /var/run/d
Mar 19 17:43:23  systemd[1]: Started Docker Application Container Engine.
```

KODEKLOUD

HANDS-ON LABS