


Web Tech Midterm
Name : Ayshum Kashif
Rollno : FA24-BCS-161
N = 61, BP = 661px, H = 67, K = 4

Task 1 - Mega-menu

Screenshots







Code: index.html (navbar)

```
<nav class="navbar navbar-dark category-bar">
  <div class="container">
    <span class="navbar-brand menu-label">Menu</span>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#categoryMenu">
      <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="categoryMenu">
      <ul class="navbar-nav">
        <li class="nav-item"><a class="nav-link active"
href="#monthly-drop">Monthly Drop</a></li>
        <li class="nav-item"><a class="nav-link" href="#crumble-cold">Crumble
Cold</a></li>
        <li class="nav-item"><a class="nav-link" href="#cookies">Cookies</a></li>
```

```
        <li class="nav-item"><a class="nav-link" href="#shakes">Ice Cream
Shakes</a></li>

        <!-- BP and wider: mega-menu (K = 4) -->
        <li class="nav-item mega-item mega-desktop">
          <button type="button" class="nav-link">Shop by Category</button>
          <div class="mega-panel">
            <div class="container py-4">
              <div class="mega-cols">

                <div>
                  <h3 class="h6 text-uppercase">Cookies</h3>
                  <ul class="list-unstyled mb-0">
                    <li><a href="#cookies">Snickers Crunch</a></li>
                    <li><a href="#cookies">Chocolate Filled Hazelnut</a></li>
                    <li><a href="#cookies">Red Velvet</a></li>
                    <li><a href="#cookies">Lotus Lava</a></li>
                  </ul>
                </div>

                <div>
                  <h3 class="h6 text-uppercase">Crumble Cold</h3>
                  <ul class="list-unstyled mb-0">
                    <li><a href="#crumble-cold">Happy Camper</a></li>
                    <li><a href="#crumble-cold">Sunshine Sipper</a></li>
                    <li><a href="#crumble-cold">EZ Breezy</a></li>
                    <li><a href="#crumble-cold">Lime &amp;amp; Dandy</a></li>
                  </ul>
                </div>

                <div>
                  <h3 class="h6 text-uppercase">Shakes</h3>
                  <ul class="list-unstyled mb-0">
                    <li><a href="#shakes">Cookies N Cream Shake</a></li>
                    <li><a href="#shakes">Strawberry Shake</a></li>
                    <li><a href="#shakes">All Ice Cream Shakes</a></li>
                    <li><a href="#monthly-drop">Monthly Drop</a></li>
                  </ul>
                </div>

                <div>
                  <h3 class="h6 text-uppercase">Browse Menu</h3>
                  <ul class="list-unstyled mb-0">
                    <li><a href="#monthly-drop">Monthly Drop</a></li>
                    <li><a href="#crumble-cold">Crumble Cold</a></li>
                    <li><a href="#cookies">Cookies</a></li>
                    <li><a href="#shakes">Ice Cream Shakes</a></li>
```

```
                </ul>
              </div>

            </div>
          </div>
        </div>
      </li>

      <!-- Below BP: accordion inside the hamburger menu -->
      <li class="nav-item mega-mobile">
        <span class="nav-link pb-0">Shop by Category</span>

        <details>
          <summary>Cookies</summary>
          <ul class="list-unstyled ps-3">
            <li><a class="nav-link" href="#cookies">Snickers Crunch</a></li>
            <li><a class="nav-link" href="#cookies">Chocolate Filled
Hazelnut</a></li>
            <li><a class="nav-link" href="#cookies">Red Velvet</a></li>
            <li><a class="nav-link" href="#cookies">Lotus Lava</a></li>
          </ul>
        </details>

        <details>
          <summary>Crumble Cold</summary>
          <ul class="list-unstyled ps-3">
            <li><a class="nav-link" href="#crumble-cold">Happy Camper</a></li>
            <li><a class="nav-link" href="#crumble-cold">Sunshine Sipper</a></li>
            <li><a class="nav-link" href="#crumble-cold">EZ Breezy</a></li>
            <li><a class="nav-link" href="#crumble-cold">Lime &amp;
Dandy</a></li>
          </ul>
        </details>

        <details>
          <summary>Shakes</summary>
          <ul class="list-unstyled ps-3">
            <li><a class="nav-link" href="#shakes">Cookies N Cream Shake</a></li>
            <li><a class="nav-link" href="#shakes">Strawberry Shake</a></li>
            <li><a class="nav-link" href="#shakes">All Ice Cream Shakes</a></li>
            <li><a class="nav-link" href="#monthly-drop">Monthly Drop</a></li>
          </ul>
        </details>

        <details>
          <summary>Browse Menu</summary>
          <ul class="list-unstyled ps-3">
```

```
              <li><a class="nav-link" href="#monthly-drop">Monthly Drop</a></li>
              <li><a class="nav-link" href="#crumble-cold">Crumble Cold</a></li>
              <li><a class="nav-link" href="#cookies">Cookies</a></li>
              <li><a class="nav-link" href="#shakes">Ice Cream Shakes</a></li>
            </ul>
          </details>
        </li>

      </ul>   <!-- the ul now closes AFTER both new li's -->
    </div>
  </div>
</nav>
```

Code: css/style.css (Task 1)

```
/* ---------- Task 1: BP = 661px ---------- */
.category-bar { position: relative; z-index: 1040; }

@media (min-width: 661px) {
  .category-bar .navbar-toggler { display: none; }
  .category-bar .navbar-collapse { display: flex !important; flex-basis: auto; }
  .category-bar .navbar-nav { flex-direction: row; }
  .category-bar .navbar-nav .nav-link {
    padding-left: var(--bs-navbar-nav-link-padding-x);
    padding-right: var(--bs-navbar-nav-link-padding-x);
  }
  .menu-label { display: none; }
}

.mega-desktop { display: none; }
@media (min-width: 661px) {
  .mega-desktop { display: block; }
  .mega-mobile  { display: none; }
}

.mega-panel {
  display: none;
  position: absolute;
  top: 100%;
  left: 0;
  right: 0;
  background: #fff;
  border-top: 3px solid hsl(67, 70%, 45%);
  box-shadow: 0 .75rem 1.5rem rgba(0, 0, 0, .2);
}
```

```
.mega-panel::before {
  content: "";
  position: absolute;
  left: 0; right: 0; top: -1rem;
  height: 1rem;
}

.mega-cols {
  display: grid;
  grid-template-columns: repeat(4, 1fr);
  gap: 1.5rem;
}

.mega-panel h3 { color: hsl(67, 70%, 45%); }
.mega-panel a {
  color: #212529;
  text-decoration: none;
  display: inline-block;
  padding: .2rem 0;
}
.mega-panel a:hover,
.mega-panel a:focus { text-decoration: underline; }

@media (min-width: 661px) {
  .mega-item:hover .mega-panel,
  .mega-item:focus-within .mega-panel { display: block; }
}

.mega-mobile summary {
  color: rgba(255, 255, 255, .75);
  cursor: pointer;
  padding: .5rem 1rem;
}
.mega-mobile summary:hover { color: #fff; }
```

Task 2 - Checkout form

Code: checkout.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Checkout - Crumble</title>
```

```
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
  <link rel="stylesheet" href="css/style.css">
</head>
<body>

  <header class="bg-white border-bottom">
    <div class="container py-2">
      <a href="index.html"><img src="images/logo.png" alt="Crumble logo"
width="60"></a>
    </div>
  </header>

  <main class="container my-4">
    <h1 class="h3 mb-3">Checkout</h1>

    <form action="#" method="post">
      <div class="checkout-grid">

        <fieldset>
          <legend>Contact</legend>

          <div class="field">
            <label for="fullname">Full name</label>
            <input type="text" id="fullname" name="fullname" class="form-control"
                   required minlength="3" placeholder="Your name">
            <span class="error">Please enter your full name (3+ characters).</span>
          </div>

          <div class="field">
            <label for="email">Email</label>
            <input type="email" id="email" name="email" class="form-control"
                   required placeholder="you@example.com">
            <span class="error">Enter a valid email address.</span>
          </div>

          <div class="field">
            <label for="phone">Phone</label>
            <input type="tel" id="phone" name="phone" class="form-control"
                   required pattern="03[0-9]{2}-[0-9]{7}"
                   title="Format: 03XX-XXXXXXX" placeholder="0300-1234567">
            <span class="error">Use the format 03XX-XXXXXXX.</span>
          </div>
        </fieldset>

        <fieldset>
```

```
          <legend>Delivery</legend>

          <div class="field">
            <label for="address">Address</label>
            <input type="text" id="address" name="address" class="form-control"
                   required placeholder="House, street, area">
            <span class="error">Address is required.</span>
          </div>

          <div class="field">
            <label for="city">City</label>
            <select id="city" name="city" class="form-select" required>
              <option value="">Select a city</option>
              <option>Lahore</option>
              <option>Islamabad</option>
              <option>Karachi</option>
              <option>Rawalpindi</option>
              <option>Faisalabad</option>
            </select>
            <span class="error">Please choose a city.</span>
          </div>

          <div class="field">
            <label for="date">Delivery date</label>
            <input type="date" id="date" name="date" class="form-control"
                   required min="2026-10-29" max="2026-12-29">
            <span class="error">Pick a date between 29 Oct 2026 and 29 Dec
2026.</span>
          </div>
        </fieldset>

      </div>

      <button type="submit" class="btn btn-info w-100 mt-3">Place Order</button>
    </form>
  </main>

  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js">
</script>
</body>
</html>
```

Code: css/style.css (Task 2)

```
/* ---------- Task 2: checkout form (BP = 661px, H = 67) ---------- */
.checkout-grid {
```

```
  display: grid;
  grid-template-columns: 1fr;
  gap: 1.5rem;
}

fieldset {
  border: 2px solid hsl(67, 70%, 45%);
  border-radius: .5rem;
  padding: 1rem;
  min-width: 0;
}
legend {
  float: none;
  width: auto;
  padding: 0 .5rem;
  font-size: 1.1rem;
  color: hsl(67, 70%, 35%);
}

.field {
  display: grid;
  grid-template-columns: 1fr;
  gap: .25rem;
  margin-bottom: 1rem;
}

.error {
  display: none;
  color: #dc3545;
  font-size: .85rem;
}


input:user-invalid,
select:user-invalid {
  border: 2px solid #dc3545;
}
input:user-invalid + .error,
select:user-invalid + .error {
  display: block;
}


@media (min-width: 661px) {
  .checkout-grid { grid-template-columns: 1fr 1fr; }
  .field {
    grid-template-columns: 8rem 1fr;
    align-items: center;
    column-gap: 1rem;
  }
```


```
  .field .error { grid-column: 2; }
}
```

Task 3 - Cart badge and mini cart

Screenshots




Responsive
661
480
DPR: 1.1111111111111112
No Throttling
UA: Custom User Agent
Cart 0
Delivery to
Upper Mall, Lahore - eta 35 minutes.
Your cart is empty.
Total: Rs. 0.00
Checkout


Responsive
1280
480
DPR: 1.1111111111111112
No Throttling
UA: Custom User Agent
Cart 0
Delivery to
Upper Mall, Lahore - eta 35 minutes.
Your cart is empty.
Total: Rs. 0.00
Checkout
Debugger
Network
Style Editor
Performance
Memory
Storage
Accessibility
Application
Filter Styles
Layout
Flexbox
Filter Output
Errors
Warnings
Info
Logs
Debug
CSS

Code: index.html (cart markup and script link)

```
<div class="cart-wrap position-relative d-inline-block me-2">
  <button type="button" id="cartBtn" class="btn btn-info">
    🛒 Cart <span id="cartBadge" class="badge bg-danger">0</span>
  </button>

  <div id="miniCart" class="mini-cart">
    <ul id="cartList" class="list-unstyled mb-2"></ul>
    <div class="d-flex justify-content-between fw-bold">
      <span>Total:</span> <span id="cartTotal">Rs. 0.00</span>
    </div>
    <a href="checkout.html" class="btn btn-sm btn-dark w-100 mt-2">Checkout</a>
  </div>
</div>

<!-- at the bottom of <body>, after the Bootstrap script -->
<script src="script.js"></script>
```

Code: script.js

```
const MAX_PER_PRODUCT = 3;          // (61 mod 4) + 2
const cart = [];                    // [{ name, price }, ...]

const cartBtn   = document.getElementById('cartBtn');
const miniCart  = document.getElementById('miniCart');
const cartBadge = document.getElementById('cartBadge');
const cartList  = document.getElementById('cartList');
const cartTotal = document.getElementById('cartTotal');
const addButtons = document.querySelectorAll('.card .btn');

function getName(card) {
  return card.querySelector('.card-title').textContent.trim();
}

function getPrice(card) {
  // "Rs. 430.00" -> 430
  return parseFloat(card.querySelector('.badge').textContent.replace(/[^0-9.]/g,
''));
}

function countOf(name) {
  return cart.filter(item => item.name === name).length;
}

function render() {
  // badge
  cartBadge.textContent = cart.length;
```

```
  // list
  if (cart.length === 0) {
    cartList.innerHTML = '<li class="text-muted">Your cart is empty.</li>';
  } else {
    cartList.innerHTML = cart.map((item, i) => `
      <li class="d-flex justify-content-between align-items-center mb-2">
        <span>${item.name}<br><small class="text-muted">Rs.
${item.price.toFixed(2)}</small></span>
        <button type="button" class="btn btn-sm btn-outline-danger"
data-index="${i}">Remove</button>
      </li>`).join('');
  }

  // total with reduce()
  const total = cart.reduce((sum, item) => sum + item.price, 0);
  cartTotal.textContent = 'Rs. ' + total.toFixed(2);

  // buttons: disable at the limit, restore when below it
  addButtons.forEach(btn => {
    const name = getName(btn.closest('.card'));
    const full = countOf(name) >= MAX_PER_PRODUCT;
    btn.textContent = full ? 'Limit reached' : 'Add To Cart';
    btn.disabled = full;
  });
}

// Add to cart
addButtons.forEach(btn => {
  btn.addEventListener('click', () => {
    const card = btn.closest('.card');
    const name = getName(card);
    if (countOf(name) >= MAX_PER_PRODUCT) return;
    cart.push({ name: name, price: getPrice(card) });
    render();
  });
});

// Remove (one listener for all Remove buttons)
cartList.addEventListener('click', e => {
  if (e.target.matches('[data-index]')) {
    cart.splice(Number(e.target.dataset.index), 1);
    render();
  }
});

// Open / close the panel
cartBtn.addEventListener('click', () => {
```

```
  miniCart.classList.toggle('open');
});

render();
```

Code: css/style.css (Task 3)

```
/* ---------- Task 3: mini cart ---------- */
.mini-cart {
  display: none;
  position: absolute;
  top: 100%;
  right: 0;
  width: 18rem;
  max-width: calc(100vw - 2rem);
  background: #fff;
  border: 1px solid #dee2e6;
  border-top: 3px solid hsl(67, 70%, 45%);
  border-radius: .5rem;
  padding: 1rem;
  box-shadow: 0 .75rem 1.5rem rgba(0, 0, 0, .2);
  z-index: 1050;
}
.mini-cart.open { display: block; }
```