AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Format No.: AGSS/QS/F-024

TEST REPORT

Issued to :	
AYSHVA	
Malipura, Sevali, Jalna, Maharashtra - 431213	
.	

ULR No.	: TC148442600045624F
Report No.	: AGSS/FA/26080100030
Sample Issue Date	: 15/07/2026
Report Issue Date	: 08/08/2026

Name of The Product	: Turmeric Powder	Sample Received Date	: 01/08/2026
		Analysis Starting Date	: 01/08/2026
Product Description	: Yellow colour powder	Analysis Completion Date	: 08/08/2026
		Date of Sampling	: -
Batch No./Lot No.	: AY001	Quantity Received	: 500gm
Date of Manufacturing	: JUL/2026	Environment Condition	: Ok
Date of Expiry	: NS	Sampling Method	: NA
Packing Condition	: Poly Pack	Sampling By	: NA
Location	: NA		
Sample Received / Collected By	: Courier		
Testing Required	: Chemical & Microbiological Test		
Others specification	: NA		

TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
.Chemical Parameters:-					
1	Mould	-	Absent	Absent	FSSAI Lab Manual for Spices and Condiments
2	Living and dead insects	-	Absent	Absent	AGSS/CHEM-FOOD/SOP-006
3	Insect Fragments	-	Absent	Absent	AGSS/CHEM-FOOD/SOP-006
4	Rodent contamination	-	Absent	Absent	AGSS/CHEM-FOOD/SOP-006
5	Added colouring matter	-	Absent	Absent	FSSAI Lab Manual For Food Additives
6	Test for lead chromate	-	Negative	Negative	IS:3576:2022
7	Moisture	%	6.92	NMT 10.0	IS:1797:2017
8	Acid Insoluble Ash in dilute HCl (ODB)	%	0.21	NMT 1.5	IS:1797:2017
9	Total Ash (ODB)	%	7.36	NMT 9.0	IS:1797:2017
10	Colouring power expressed as curcuminoid content on dry basis	%	3.67	NLT 2.0	IS:10925:1984
11	Total Starch	%	57.48	NMT 60.0	IS:4706(P-2):1978
12	Sulfites (as SO2)	mg/kg	BLQ(10.0)	150 Max	AOAC: 990.28, 22nd Edition 2023
Heavy Metals:-					
13	Lead (as Pb)	mg/kg	BLQ (0.05)	10.0 Max	AGSS/CHEM/SOP-ICPMS/05

For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory

Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or inpart and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Issued to :	ULR No.	: TC148442600045624F
AYSHVA	Report No.	: AGSS/FA/26080100030
Malipura, Sevali, Jalna, Maharashtra - 431213	Sample Issue Date	: 15/07/2026
	Report Issue Date	: 08/08/2026

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
14	Copper (as Cu)	mg/kg	BLQ (0.05)	5.0 Max	AGSS/CHEM/SOP-ICPMS/05
15	Arsenic (as As)	mg/kg	BLQ (0.05)	0.1 Max	AGSS/CHEM/SOP-ICPMS/05
16	Cadmium (as Cd)	mg/kg	BLQ (0.05)	0.1 Max	AGSS/CHEM/SOP-ICPMS/05
17	Mercury (as Hg)	mg/kg	BLQ (0.05)	1.0 Max	AGSS/CHEM/SOP-ICPMS/05
18	Methyl Mercury (Calculated as element)	mg/kg	BLQ (0.05)	0.25 Max	AGSS/CHEM/SOP-ICPMS/05
Crop Contaminants:-					
19	Total Aflatoxin (B1+B2+G1+G2)	µg/kg	BLQ (1.0)	30.0 Max	AGSS/CHEM/SOP/AFL/12
20	Aflatoxin B1	µg/kg	BLQ (1.0)	15.0 Max	AGSS/CHEM/SOP/AFL/12
Other Contaminants:-					
21	Melamine	mg/kg	BLQ (0.01)	2.5 Max	AGSS/CHEM/SOP/LCMS/11
Pesticide Residues:-					
22	Acephate (expressed as mixture of methamidophos and acephate)	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
23	Acetamiprid	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
24	Alachlor	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
25	Alpha cypermethrin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
26	Ametroctradin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
27	Anilophos	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
28	Atrazine	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
29	Azimsulfuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
30	Azoxystrobin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
31	Benfuracarb	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
32	Sum of benomyl and carbendazim expressed as carbendazim	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
33	Bensulfuron Methyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
34	Beta Cyfluthrin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
35	Bifenthrin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
36	Bispyribac Sodium	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09

For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory

Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or inpart and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Issued to :		
AYSHVA	**ULR No.**	: TC148442600045624F
Malipura, Sevali, Jalna, Maharashtra - 431213	**Report No.**	: AGSS/FA/26080100030
	Sample Issue Date	: 15/07/2026
	Report Issue Date	: 08/08/2026

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
37	Bitertanol	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
38	Buprofezin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
39	Butachlor	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
40	Captan	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
41	Carbaryl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
42	Carbendazim	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
43	Carbofuran	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
44	Carbosulfan	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
45	Carfentrazone Ethyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
46	Carpropamid	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
47	Cartap Hydrochloride	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
48	Chlorantraniliprole	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
49	Chlorfenapyr	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
50	Chlorfluazuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
51	Chlorimuron ethyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
52	Chlorothalonil	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
53	Chlorpropham	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
54	Chlorpyriphos	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
55	Chlothianidin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
56	Chromafenozide	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
57	Cinmethylene	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
58	Clodinafop-propargyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
59	Clomazone	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
60	Cyantranilipole	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
61	Cyazofamid	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
62	Cyhalofop-butyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
63	Cymoxanil	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
64	Cypermethrin (sum of isomers fat soluble	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09

For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sodraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory

Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or inpart and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Format No.: AGSS/QS/F-024

Issued to :	
AYSHVA	ULR No. : TC148442600045624F
Malipura, Sevali, Jalna, Maharashtra - 431213	Report No. : AGSS/FA/26080100030
	Sample Issue Date : 15/07/2026
	Report Issue Date : 08/08/2026

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
64	residue)				
65	Deltamethrin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
66	Diafenthiuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
67	Dichlorvos	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
68	Diclofop	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
69	Diclosulam	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
70	Dicofol	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
71	Difenoconazole	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
72	Diflubenzuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
73	Dimethoate	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
74	Dimethomorph	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
75	Dinocap	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
76	Dinotefuran	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
77	Dithianon	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
78	Diuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
79	Dodine	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
80	Edifenphos	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
81	Emamectin Benzoate	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
82	Epoxyconazole	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
83	Ethion	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
84	Ethofenprox (Etofenprox)	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
85	Ethoxysulfuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
86	Etoxazole	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
87	Famoxadone	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
88	Fenamidone	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
89	Fenarimol	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
90	Fenazaquin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
91	Fenobucarb (BPMC)	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09

For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory

Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or inpart and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

Certificate No. TC-14844

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Issued to :	
AYSHVA	**ULR No.** : TC148442600045624F
Malipura, Sevali, Jalna, Maharashtra - 431213	**Report No.** : AGSS/FA/26080100030
.	**Sample Issue Date** : 15/07/2026
	Report Issue Date : 08/08/2026

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
92	Fenoxaprop-p-ethyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
93	Fenpropathrin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
94	Fenpyroximate	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
95	Fenvalerate (Fat soluble residue)	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
96	Fipronil	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
97	Flonicamid	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
98	Fluazifop-p-butyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
99	Flubendiamide	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
100	Fluchloralin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
101	Flufenacet	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
102	Flusilazole	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
103	Fluvalinate	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
104	Forchlorfenuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
105	Halosulfuron methyl sodium	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
106	Hexaconazole	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
107	Hexazinone	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
108	Hexythiazox	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
109	Iodosulfuron Methyl Sodium	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
110	Imazethapyr	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
111	Imidacloprid	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
112	Indoxacarb	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
113	Iprobenfos (Kitazin)	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
114	Iprodione	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
115	Isoprothiolane	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
116	Isoproturon	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
117	Kasugamycin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
118	Kresoxim Methyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
119	Lambda cyhalothrin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09

For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory

Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or inpart and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Format No.: AGSS/QS/F-024

Issued to : **AYSHVA** Malipura, Sevali, Jalna, Maharashtra - 431213	**ULR No.** : TC148442600045624F **Report No.** : AGSS/FA/26080100030 **Sample Issue Date** : 15/07/2026 **Report Issue Date** : 08/08/2026

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
120	Linuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
121	Lufenuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
122	Malathion (Malathion to be determined and expressed as combined residues of malathion and malaoxon)	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
123	Mandipropamid	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
124	Mesosulfuron Methyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
125	Metaflumizone	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
126	Metalaxyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
127	Metalaxyl-M	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
128	Methabenzthiazuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
129	Methomyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
130	Methyl Parathion	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
131	Metolachlor	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
132	Metribuzin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
133	Metsulfuron Methyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
134	Milbemectin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
135	Monocrotophos	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
136	Myclobutanil	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
137	Novaluron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
138	Orthosulfamuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
139	Oxadiargyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
140	Oxadiazon	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
141	Oxydemeton-Methyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
142	Oxyfluorfen	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
143	Paclobutrazol	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
144	Penconazole	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
145	Pencycuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09

For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sopraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory

Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or inpart and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Format No.: AGSS/QS/F-024

Issued to :	
AYSHVA	**ULR No.** : TC148442600045624F
Malipura, Sevali, Jalna, Maharashtra - 431213	**Report No.** : AGSS/FA/26080100030
	Sample Issue Date : 15/07/2026
	Report Issue Date : 08/08/2026

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
146	Pendimethalin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
147	Penoxuslum	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
148	Permethrin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
149	Phenthoate	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
150	Phorate (Sum of phorate, its oxygen analogue and their sulphoxiedes and sulphones, expressed as phorate)	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
151	Phosalone	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
152	Pinoxaden	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
153	Pretilachlor	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
154	Pirimiphos-methyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
155	Profenofos	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
156	Prohexadione calcium	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
157	Propaquizafop	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
158	Propargite	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
159	Propiconazole	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
160	Pyraclostrobin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
161	Pyrazosulfuron ethyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
162	Pyridalyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
163	Pyriproxyfen	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
164	Pyrithiolac Sodium	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
165	Pymetrozine	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
166	Quinalphos	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
167	Quizalofop ethyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
168	Quizalofop-P-tefuryl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
169	Sodium Aceflourofen	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
170	Spinosad	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
171	Spiromesifen	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09

For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory

Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or inpart and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Issued to :	ULR No.	: TC148442600045624F
AYSHVA	Report No.	: AGSS/FA/26080100030
Malipura, Sevali, Jalna, Maharashtra - 431213	Sample Issue Date	: 15/07/2026
.	Report Issue Date	: 08/08/2026

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
172	Sulfosulfuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
173	Tebuconazole	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
174	Thiacloprid	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
175	Thifluzamide	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
176	Thiodicarb	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
177	Thiamethoxam	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
178	Thiometon	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
179	Thiophanate-Methyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
180	Tolfenpyrad	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
181	Trichlorfon	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
182	Triadimefon	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
183	Trifloxystrobin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
184	Triallate	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
185	Triasulfuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
186	Triazophos	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
187	Tricyclazole	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
188	Tridemorph	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
189	Trifluralin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
190	Validamycin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
191	Fluopicolide	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
192	Tembotrione	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
193	Propanil	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
194	Fluopyram	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
195	Topramezone	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
196	Thiocyclam Hydrogen Oxalate	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
197	2,4-D Amine Salt	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
198	Ametyrn	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
199	Fomesafen	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09

For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory

Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or inpart and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Issued to :	ULR No.	: TC148442600045624F
AYSHVA	Report No.	: AGSS/FA/26080100030
Malipura, Sevali, Jalna, Maharashtra - 431213	Sample Issue Date	: 15/07/2026
	Report Issue Date	: 08/08/2026

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
200	Imazamox	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
201	Spinetoram and its metabolites (Spinosyn-J and Spinosyn-L)	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
202	Sodium Para Nitro Phenolate	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
203	Bentazone	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
204	Cyflumetofen	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
205	Boscalid	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
206	Flucetosulfuron	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
207	Haloxyfop-R Methyl	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
208	Sulfentrazone	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
209	Spirotetramat	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
210	Metrafenone	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
211	Fluxapyroxad	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
212	Tetraconazole	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
213	Abamectin	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
214	Flupyradifurone	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
215	Sulfoxaflor	mg/kg	BLQ (0.005)	0.1 Max	AGSS/CHEM/SOP/PEST/09
216	Copper Hydroxide (Copper determined as elemental copper)	mg/kg	BLQ (0.05)	30.0 Max	AGSS/CHEM/SOP/ICPMS/05
217	Copper Oxychloride(Copper determined as elemental copper)	mg/kg	BLQ (0.05)	30.0 Max	AGSS/CHEM/SOP/ICPMS/05
218	Copper Sulphate (Copper determined as elemental copper	mg/kg	BLQ (0.05)	30.0 Max	AGSS/CHEM/SOP/ICPMS/05
219	Cuprous Oxide (Copper determined as elemental copper)	mg/kg	BLQ (0.05)	30.0 Max	AGSS/CHEM/SOP/ICPMS/05
220	2,4-Dichlorophenoxyacetic acid	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/LCMS/014
221	Alpha naphthyl acetic acid	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/LCMS/014
222	Chlormequat Chloride (CCC)	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/LCMS/014
223	Dithiocarbamates as CS2	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/09

For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory

Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or inpart and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Format No.: AGSS/QS/F-024

Issued to :	
AYSHVA Malipura, Sevali, Jalna, Maharashtra - 431213	**ULR No.** : TC148442600045624F **Report No.** : AGSS/FA/26080100030 **Sample Issue Date** : 15/07/2026 **Report Issue Date** : 08/08/2026

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
224	Ethephon	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/LCMS/014
225	Fosetyl-Al	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/LCMS/014
226	Glufosinate Ammonium	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/LCMS/015
227	Glyphosate	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/LCMS/015
228	Mepiquat Chloride	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/LCMS/014
229	Methyl Chlorophenoxy Acetic Acid (MCPA)	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/LCMS/014
230	Paraquat dichloride	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/LCMS/014
231	Propineb as CS2	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/09
232	Ethylene bis- dithiocarbamates as CS2	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/09
233	Mancozeb as CS2	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/09
234	Metiram as CS2	mg/kg	BLQ (0.01)	0.1 Max	AGSS/CHEM/SOP/PEST/09
235	Zineb as CS2	mg/kg	BLQ (0.01)	2.0 Max	AGSS/CHEM/SOP/PEST/09
Microbiological Parameters:-					
236	Aerobic colony count	cfu/gm	63000	m = 1000000 Max M = 10000000 Max	IS:5402(P-1):2021
237	Yeast & mould count	cfu/gm	280	m = 10000 Max M = 100000 Max	IS:5403:1999
238	Enterobacteriaceae	cfu/gm	<10	m = 100 Max M = 1000 Max	IS:17112(P-2):2019
239	Staphylococcus aureus	cfu/gm	<10	m = 100 Max M = 1000 Max	IS:5887(P-8) sec-1:2023
240	Salmonella	/25gm	Absent	Absent	IS:5887(P-3) Sec-1:2020
241	Bacillus cereus	cfu/gm	<10	m = 1000 Max M = 10000 Max	IS:5887(P-6):2012
242	Sulphite Reducing clostridia	cfu/gm	<10	m = 100 Max M = 1000 Max	ISO 15213(P-1):2023

Remarks : The tested sample conforms as per FSSR 2011, with respect to above test only.

1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification

End of Report

For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory

Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or inpart and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35
Ph.: 011-45022985, 9311654060
E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

CIN : U73200DL2016PTC300483

Format No.: AGSS/QS/F-024

TEST REPORT

Issued to :	
AYSHVA Malipura, Sevali, Jalna, Maharashtra - 431213	**Report No.** : AGSS/FA/26080100030/N **Sample Issue Date** : 15/07/2026 **Report Issue Date** : 08/08/2026

Name of The Product	: Turmeric Powder	Sample Received Date	: 01/08/2026
		Analysis Starting Date	: 01/08/2026
Product Description	: Yellow colour powder	Analysis Completion Date	: 08/08/2026
		Date of Sampling	: -
Batch No./Lot No.	: AY001	Quantity Received	: 500gm
Date of Manufacturing	: JUL/2026	Environment Condition	: Ok
Date of Expiry	: NS	Sampling Method	: NA
Packing Condition	: Poly Pack	Sampling By	: NA
Location	: NA		
Sample Received / Collected By	: Courier		
Testing Required	: Chemical & Microbiological Test		
Others specification	: NA		

TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
Heavy Metals:-					
1	Tin (as Sn)	mg/kg	BLQ (0.01)	0.01 Max	AGSS/CHEM/SOP-ICPMS/05

Remarks : The tested sample conforms as per FSSR 2011, with respect to above test only.
1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification

End of Report

For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or inpart and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

ISO 9001:2015 ISO 14001:2015 ISO 45001:2018