




B-CUBE FREEDOM AND B-CUBE CLASSIC


**TECHNICAL INFORMATION
BOOKLET V1/301019**

Single module system measurements




The maximum between two Carrier post is 3850mm

Double module system measurements



In 3 rafters modules, maximum 3850 mm between each rafter and the front is maximum 8000 mm.


Note: Since our systems are modular, if desired they can be manufactured to the desired size by adding them next to each other. The number of front posts is calculated in a way that our company deems appropriate for the project.




In 4 rafters modules, maximum 3850 mm between each rafter and the front is maximum 11950 mm.

Note: Since our systems are modular, if desired they can be manufactured to the desired size by adding them next to each other. The number of front posts is calculated in a way that our company deems appropriate for the project.


Profile section details




1 Back gutter profile




2 Carrier post and Rafter profile




3 Rafter profile




4 Front profile




5 Front and Side gutter profile




6 Motor box




7 Louvres




Modules top view



Triple module system measurements




Double module system measurements



Single module system measurements

Note: Since our systems are modular, if desired they can be manufactured to the desired size by adding them next to each other. The number of front posts is calculated in a way that our company deems appropriate for the project.


Side section Louvres collection distances and numbers



PANE NUMBER	COLLECTING MEASUREMENT	PROJECTION TOTAL
8	741 mm	2308 mm
9	799 mm	2524 mm
10	857 mm	2740 mm
11	915 mm	2956 mm
12	973 mm	3172 mm
13	1031 mm	3388 mm
14	1089 mm	3604 mm
15	1147 mm	3820 mm
16	1205 mm	4036 mm
17	1263 mm	4252 mm
18	1321 mm	4468 mm
19	1379 mm	4684 mm
20	1437 mm	4900 mm
21	1495 mm	5116 mm
22	1553 mm	5332 mm
23	1611 mm	5548 mm
24	1669 mm	5764 mm
25	1727 mm	5980 mm
26	1785 mm	6196 mm
27	1843 mm	6412 mm
28	1901 mm	6628 mm
29	1959 mm	6844 mm
30	2017 mm	7060 mm


Product expansions are determined according to the number of Louvres.

Louvres Opening




The Louvres opening angle moves from zero to 80 degrees.


Water flow and Sealing details




Drainage of water from louvres with the help of gutter to the post



Evacuation of water in the posts




The wicks that provide sealing when louvres are closed




Wicks when louvres are open


Connection details




Rafters are fixed to the posts by M10x50 Hexagon head screw DIN 933.



Floor mounting apparatus are fixed to the ground with steel dowels and the post are connected apparatus and first drilled with $\varnothing 5$ drill and then m6 thread is removed and fixed with M6x20 countersunk head imbus screw DIN 7991.




The louvres are connected to each other as shown in the drawing.




The louvres are connected to each other as in the drawing.


Timing belt and locking mechanisms




Entry and exit of Timing belt




Back locking mechanisms




Front lock mechanism and timing belt connecting apparatus set.




Timing belt tensioning set



Motorbox side caps is fixed with 4.8x32 Countersunk head self drilling screw DIN 7504P





BACK DETAILS





FRONT DETAILS

Louvres rolled back



Integrated led light
system surrounding
the product




Integrated sound system.



C detail

A: Standard Rafter profile
B: Sound system Rafter profile
C: The audio systems are mounted inside the rafter profile with a maximum space of 2 meters.

Integrated sound system.



The audio systems are mounted inside the rafter profile with a maximum space of 2 meters.



Osmangazi Mh. 2626 Sk. No:9/2
Esenyurt 34522 İstanbul / Türkiye

risingoutdoor.com |    risingoutdoor | 90 212 444 1 886