1 ICDFA GRC105

1.1 Incident Response Planning and Ransomware Response Simulation

Northbridge Skills Institute — Evidence-Based Assessment Report

Student information	Details
Student	Ayuba Amadi
Registration number	2025/GCR/12684
Official email	gcr2512684@students.icdfa.edu.ng
Programme	GRC Engineering (CGRCE)
School	School of Cyber Risk, Governance and Compliance
Cohort	Batch B2025
Academic session	2026
Level / year	Level 1 / Year 1
Course	GRC105 — Incident Management and Business Continuity
Assignment	Incident Response Planning and Ransomware Response Simulation
Assessment weight	20%
Final report word count	918 words; narrative text excludes cover, contents, tables and references.

Document status: Final draft for academic review; no live incident response, forensic acquisition, restoration or deployment is claimed.

2 Contents

1. Task 1 — Incident Classification and Initial Assessment 3
2. Task 2 — Incident Response Plan and Team Responsibilities 21
3. Task 3 — Response Playbook and Evidence Preservation 39
4. Task 4 — Communication and Escalation 49
5. Task 5 — Tabletop Exercise and Improvement Plan 53
6. Task 6 — Case Study Analysis and Critical Reflection 59
7. References 59
8. AI-assistance acknowledgement 60

Page references are generated from the rendered PDF and verified by the build script.

3 Task 1 — Incident Classification and Initial Assessment

Organisation: Northbridge Skills Institute (fictional) **Assessment point:** 08:45 WAT on Day 0 **Current initial severity: High — provisional Scope:** Task 1 only. No Task 2–6 content is included.

3.1 Incident classification and initial assessment

The evidence is consistent with a suspected ransomware or destructive file-impact event involving possible identity misuse, possible unauthorized transfer, and possible backup compromise. The classification is not based solely on the ransom note. It is based on the combination of observed file and learner-service impact, unusual privileged activity, uncertain data transfer, time-critical examination impact, and uncertain recovery capability.

3.1.1 Initial classification: High — provisional

High is justified by:

- E06: mass file changes on FIN-PC07 and .locked files plus a ransom note in FS01 shared folders;
- E07: learners cannot open materials or submit assessments, creating confirmed learner-facing availability impact;
- E08: the FS01 incident contact list is inaccessible and corporate email trust is unverified;
- E03: svc_backup made unusual remote administrator logons to FS01 and BAK01;
- E04: FIN-PC07 uploaded 1.2 GB over HTTPS to an unfamiliar cloud-storage destination;
- the 11:00 examination for 100 learners, the institute's sensitive information holdings, limited staffing, and uncertain backup recoverability.

The assessment is not Critical at 08:45 because the evidence does not confirm institution-wide loss, broad data disclosure, compromise of every recovery path, or persistent attacker control. The portal login still loads, staff phones are available, and the event scope and causal chain remain unverified. These limitations do not remove the urgency; they explain the provisional High decision.

3.1.2 Observed, suspected, and unconfirmed impact

Category	Current assessment
Observed impact	E06 file-change indicators on FIN-PC07/FS01; E07 learner-facing portal functions unavailable; E08 contact-list access problem; E03 unusual privileged logons; E04 upload event.
Suspected impact	Ransomware or destructive file activity; privileged misuse or lateral movement; dependency-driven LMS01 disruption; possible identity misuse; possible backup-risk activity.
Unconfirmed consequences	Malicious execution from E01; account compromise from E02; personal-data transfer in E04; BAK01 tampering; malware family; institution-wide spread; attacker identity.
Additional evidence needed	Endpoint process/file telemetry; Microsoft 365/MFA/device data; Windows and backup logs; proxy/cloud metadata; application and dependency checks; isolated backup validation; broader scope hunt.

Full four-tier criteria are in analysis/severity-classification.md and data/severity-criteria.csv.

3.2 Evidence-linked timeline and uncertainty

The complete E01–E08 chronology, Day minus 1/Day 0 distinction, 08:45 WAT control point, possible relationships, and unverified-link statements remain in:

- analysis/incident-chronology.md
- data/evidence-analysis-register.csv
- diagrams/incident-timeline.mmd

The observations/hypotheses/questions separation and alternative explanations remain in analysis/observations-hypotheses-questions.md. No Stage 2 conclusion changes the Stage 1 evidence record.

3.3 Assets and scope

The asset-impact register distinguishes assets with observed impact from assets that require investigation. At 08:45:

- **Affected or service-impacted for assessment:** FIN-PC07, FS01, and LMS01.
- **Requires urgent investigation but not confirmed affected:** BAK01, Microsoft 365 identity/email, svc_backup, the finance officer account, and supporting telemetry/coordination services.
- **Potentially affected data:** learner contact, admission, assessment, finance, credential, mailbox, shared-file, backup, and response-contact information. No data category is confirmed exfiltrated.

See data/asset-impact-register.csv for business functions, evidence, confirmed impact, potential impact, priority, and verification requirements.

3.4 CIA assessment

3.4.1 Confidentiality

Potential material impact — not established. E02, E03, and E04 create possible access or transfer paths, but none proves account compromise, unauthorized reads, or the content of the 1.2 GB upload. The institution’s information holdings make the questions important, not resolved.

3.4.2 Integrity

Observed material anomaly; scope and cause unconfirmed. E06 shows mass file changes and .locked files/ransom note indicators. E03 creates a privileged-access integrity concern. E05 does not establish backup integrity, application consistency, or cleanliness.

3.4.3 Availability

High observed impact to important services, with examination risk. E06 and E08 show FS01 access/file problems. E07 shows learners cannot access materials or submit assessments. The stated LMS01 dependency on FS01 and the 11:00 examination make this time-critical. Availability impact is not evidence of data disclosure.

See analysis/cia-impact-assessment.md and data/cia-impact-matrix.csv for the separate property assessments.

3.5 Response priorities

The response priority order is:

1. Check life-safety or safeguarding consequences; none are stated in the supplied scenario.
2. Establish safe coordination using staff phones or another approved channel while email trust is checked.
3. Contain suspected active compromise while preserving high-value evidence.
4. Preserve endpoint, identity, network, server, backup, application, EDR, and helpdesk records with provenance.
5. Protect the finance officer account, Microsoft 365 identity, and svc_backup through an approved decision.
6. Hunt for broader scope and protect potentially sensitive institutional information.
7. Protect and validate backup options in isolation.
8. Make an evidence-informed examination-continuity decision; do not reopen the portal solely because of the deadline.
9. Prepare validated restoration and monitoring criteria for later recovery work.

The detailed matrix is in analysis/response-prioritisation.md and data/response-priority-matrix.csv. Detailed ordered actions, custody fields, restoration acceptance criteria, and communications remain in later Task 3/4 work and are not completed here.

3.6 Severity and scope reassessment

Severity should increase to Critical if evidence confirms severe examination or institution-wide disruption, broad compromise, material data disclosure, persistent privileged control, or loss of all viable recovery options. High should be maintained while material service impact, unresolved privileged activity, uncertain data impact, or unvalidated recovery persists.

Severity may reduce only after evidence supports bounded scope, authorized identity/privileged activity, a legitimate unrelated transfer, no active destructive activity, safe service continuity, and validated recovery. An asset may be excluded from confirmed affected scope only when records show no related unauthorized access, change, persistence, or service impact and the asset is not needed to explain another observation.

The complete trigger and validation register is in analysis/severity-reassessment-triggers.md.

3.7 Evidence gaps and limitations

The assessment does not have the original attachment, complete identity/mailbox logs, endpoint process/file telemetry, source hosts and commands for svc_backup, full server/application/backup logs, cloud-destination ownership/object data, forensic images, hashes, custody records, or restoration results. Server EDR coverage is incomplete. No forensic acquisition, hash verification, restoration test, account reset, containment action, notification, or service restoration is claimed.

The High classification is therefore a defensible initial decision under uncertainty, not a final finding about attacker identity, data theft, malware family, or total scope.

3.8 References

- ICDFA GRC105 Incident Response Assignment, Northbridge Skills Institute scenario, initial evidence pack E01–E08, Task 1 instructions, and marking rubric.
- ICDFA, Incident-Response-Planning.pptx, Week 20 slides 4, 6, 9, 10, and 11.
- Nelson, A., Rekhi, S., Souppaya, M., and Scarfone, K. (2025). NIST SP 800-61r3, Incident Response Recommendations and Considerations for Cybersecurity Risk Management: A CSF 2.0 Community Profile. Official NIST publication.




Figure 1 — Initial severity decision logic.

Evidence analysis register — evidence core

Evidence ID	Timestamp (WAT)	Original source	Confirmed observation
E01	Day minus 1 16:40 WAT	Assignment brief, Initial evidence pack: user report and mail record	A finance officer opened an unexpected payroll attachment on FIN-PC07. The supplied record does not verify execution of malicious code.
E02	Day 0 01:15 WAT	Assignment brief, Initial evidence pack: Microsoft 365 audit	The finance officer account signed in from an unfamiliar IP address and a new device. MFA status and the user's involvement are unknown.
E03	Day 0 01:35 WAT	Assignment brief, Initial evidence pack: Windows logs	The svc_backup account made remote administrator logons to FS01 and BAK01 outside its usual schedule. The reason is unknown.
E04	Day 0 01:50 WAT	Assignment brief, Initial evidence pack: proxy record	FIN-PC07 uploaded 1.2 GB over HTTPS to an unfamiliar cloud-storage destination. The record does not reveal the transferred content.
E05	Day 0 02:00 WAT	Assignment brief, Initial evidence pack: backup console	The backup console reported successful jobs for FS01 and LMS01. Recoverability and freedom from compromise have not been established.
E06	Day 0 08:30 WAT	Assignment brief, Initial evidence pack: EDR and helpdesk	EDR and helpdesk records show mass file changes on FIN-PC07. FS01 shared folders contain files with a .locked extension and a ransom note. The malware family is unconfirmed.

Evidence ID	Timestamp (WAT)	Original source	Confirmed observation
E07	Day 0 08:40 WAT	Assignment brief, Initial evidence pack: helpdesk report	The LMS01 portal login page loads, but learners cannot open materials or submit assessments. The scope of damage to LMS01 remains unknown.
E08	Day 0 08:45 WAT	Assignment brief, Initial evidence pack: operations report	The incident contact list on FS01 is inaccessible. Staff phones are available, and the trustworthiness of corporate email is unverified.

Evidence analysis register — analytical uncertainty

Evidence ID	Reasonable working hypothesis	Alternative explanation	Unresolved questions
E01	The attachment may have been the initial access vector or may have exposed the user to a malicious document; both remain unverified.	The attachment may have been benign, a legitimate document sent unexpectedly, or opened only in a preview without code execution.	What was the message ID and attachment hash? Was the file opened, previewed, or executed? Did FIN-PC07 create child processes, persistence, or outbound connections at this time?
E02	The sign-in may reflect use of stolen credentials, a stolen session, or unauthorized access associated with the earlier attachment.	The sign-in may be legitimate activity from a new device, VPN, proxy, mobile network, or shared egress address; user involvement is not established.	Was MFA satisfied, bypassed, or challenged? Who controlled the device and IP? Were there token, mailbox, forwarding-rule, password, or consent changes? What resources were accessed?
E03	The account may have been misused for unauthorized administrative access or lateral movement toward file and backup systems.	The activity may be scheduled maintenance, an automated job with schedule drift, an administrator action, or a time-synchronization/logging anomaly.	Which source hosts initiated the logons? Were logons interactive or service-based? What commands and changes followed? Was the account owner or job operator authorized?

Evidence ID	Reasonable working hypothesis	Alternative explanation	Unresolved questions
E04	The transfer may represent staging or exfiltration from FIN-PC07, potentially involving finance or learner information.	The transfer may be a legitimate backup, synchronization, software update, or large business file transfer; HTTPS prevents content identification from the proxy record alone.	What destination, account, and object identifiers were involved? Which process and files generated the transfer? Was the destination approved? Did the transfer complete or recur?
E05	The jobs may have completed as recorded, but their restore points may be incomplete, corrupted, inaccessible, or contain the same compromise.	The console may report job completion despite unverified application consistency, inaccessible snapshots, or a control-plane-only success state.	Which backup set and timestamp are implicated? Can an isolated restore be completed? Are backup credentials, policies, and snapshots intact? Were FS01/LMS01 data or encryption indicators present before backup?
E06	The combined indicators are consistent with a ransomware event affecting FIN-PC07 and FS01, but the execution path, scope, and malware identity remain unverified.	A legitimate bulk file operation, software fault, or test activity could explain some file changes; the ransom note and .locked files could be planted, generated by another process, or unrelated to the mass changes.	Which process performed the changes? When did FS01 changes begin? Are files encrypted, renamed, deleted, or merely inaccessible? Are other hosts or shares affected?
E07	The portal's dependence on FS01 may be causing service degradation because shared materials or related files are unavailable or altered.	The issue may be an LMS01 application, database, authentication, network, or capacity fault independent of the FS01 file changes.	Can staff access the same materials? Are LMS01 application, database, authentication, and network health checks normal? Which files or functions are unavailable?
E08	FS01 availability or access-control impact may be obstructing normal response coordination, requiring phone-based coordination while email trust is checked.	The contact list may be unavailable because of a permissions, share, network, or document-specific problem rather than the same event affecting other FS01 content.	Can other FS01 shares be opened? Is corporate email safe for incident details? Is there an offline or printed contact list? Which staff and providers can be reached by phone?

Evidence analysis register — impact assessment

Evidence ID	Potentially affected assets	Confidentiality integrity availability implications
E01	FIN-PC07; finance officer identity; Microsoft 365 mail	C: possible exposure of credentials or finance data if malicious; I: possible workstation or document alteration; A: no direct outage shown by this item.
E02	Microsoft 365 identity and mailbox; finance officer account; potentially FIN-PC07	C: possible exposure of mailbox or identity data; I: possible account or mail-rule changes; A: no direct service outage shown.
E03	svc_backup account; FS01; BAK01; source host(s); backup-management functions	C: privileged access could expose stored data; I: administrative activity could alter files, shares, or backup configurations; A: backup availability or trust could be affected.
E04	FIN-PC07; unfamiliar cloud-storage destination; potentially finance or learner data	C: possible disclosure of data; I: possible unauthorized copying or alteration of data; A: no direct outage shown by this item.
E05	FS01; LMS01; BAK01; backup console and credentials	C: backups may contain copied sensitive data; I: backup integrity and trustworthiness are unverified; A: recovery capability may be unavailable despite the success report.
E06	FIN-PC07; FS01; shared folders; potentially LMS01 through its FS01 dependency	C: possible access to files and subsequent disclosure; I: file contents or metadata may be altered; A: shared-file access is disrupted and dependent services may be impaired.
E07	LMS01; FS01; learner assessment workflow; 11:00 Day 0 online examination	C: learner records may be exposed only if access was unauthorized; I: course or assessment content may be altered; A: portal functions are unavailable to learners and examination readiness is at risk.
E08	FS01; incident contact list; corporate email; staff phones; response team	C: incident details could be disclosed if email is compromised; I: contact data or response records could be altered; A: coordination is impaired by loss of the normal contact list.

Evidence analysis register — verification and traceability

Evidence ID	Recommended verification activity	Evidence limitations	Traceability
E01	Preserve the email and attachment with headers; review Microsoft 365 message trace and audit data; examine FIN-PC07 process, browser, EDR, and file-system telemetry for the relevant interval.	User report and mail record do not establish code execution, maliciousness, or attacker identity; no forensic collection has yet occurred.	Assignment brief Table 2; Task 1 evidence analysis requirement
E02	Correlate sign-in, MFA, device, conditional-access, token, mailbox-rule, consent, and password-reset records with the user's interview and known travel/device history.	An unfamiliar IP/device is an anomaly, not proof of compromise; audit context, MFA result, and user attribution are incomplete.	Assignment brief Table 2; Task 1 evidence analysis requirement
E03	Collect correlated Windows security, Sysmon/EDR where available, PowerShell, task-scheduler, backup-console, firewall, VPN, and identity records; interview the account owner/operator.	The record shows logon events but not source, commands, authorization, persistence, or successful changes; server EDR coverage is incomplete.	Assignment brief Table 2; scenario fact that svc_backup administers FS01 and BAK01
E04	Retain proxy/DNS/firewall records; inspect FIN-PC07 process and browser/cloud-sync telemetry; identify destination ownership and account; compare file access and archive activity before the transfer.	Volume and destination are recorded, but content, ownership, completion state, and personal-data involvement are unknown; no exfiltration conclusion is permitted.	Assignment brief Table 2; Task 1 evidence analysis requirement
E05	Export job details and logs; identify restore points; perform a controlled, isolated restoration and integrity/indicator check before any production use.	A successful job report is not a restoration test, clean-backup finding, or proof of application consistency; the scenario states no restoration test in the last 90 days.	Assignment brief Table 2; scenario facts on non-immutable backups and untested restore routes

Evidence ID	Recommended verification activity	Evidence limitations	Traceability
E06	Preserve EDR alerts and file-event telemetry; isolate or image according to approved forensic procedure; compare affected file samples and ransom note metadata; hunt across servers, endpoints, identities, and backups.	Indicators support a ransomware working hypothesis but do not prove malicious code execution from E01, malware family, attacker identity, encryption scope, or root cause; no acquisition has occurred.	Assignment brief Table 2; scenario fact that LMS01 depends on FS01
E07	Capture LMS01 application/web/data base logs and health metrics; test with a controlled account; map file dependencies and permissions; preserve examination records and helpdesk reports.	The report demonstrates user-facing impact but does not prove LMS01 encryption, data loss, or the cause of the failed functions.	Assignment brief Table 2; scenario fact that LMS01 depends on FS01
E08	Verify access from a controlled account; use staff phones and an approved alternate channel; check email identity/audit controls; recover an offline contact list without altering the affected share.	The report does not establish the cause of inaccessibility, email compromise, or loss of the contact data; the 08:45 response takeover is a scenario decision, not a forensic finding.	Assignment brief Table 2; scenario statement that control was assumed at 08:45 WAT

Asset impact register — asset and observed status

Asset ID	Asset or service	Business function	Relevant evidence IDs	Observed status
FIN-PC07	Finance workstation	Finance processing and user endpoint	E01; E04; E06	Unexpected payroll attachment opened; 1.2 GB HTTPS upload; mass file changes reported.
FS01	Shared file server	Shared institutional files and dependencies for LMS01	E03; E05; E06; E07; E08	Unusual svc_backup logons; FS01 backup job reported successful; .locked files/ransom note; contact list inaccessible; LMS01 dependency stated.

Asset ID	Asset or service	Business function	Relevant evidence IDs	Observed status
LMS01	Learning portal	Learning materials and assessment submission	E05; E07	Login page loads; learners cannot open materials or submit assessments; backup job reported successful.
BAK01	Network backup repository	Backup storage and recovery capability	E03; E05	Unusual svc_backup remote administrator logon; backup recoverability not established; network backups are not immutable.
M365-ID	Microsoft 365 identity and email	Identity, authentication, and corporate email	E02; E08	Finance officer account signed in from unfamiliar IP/new device; corporate email trust is unverified; staff phones available.
SVC-BACKUP	svc_backup privileged account	Administrative access to FS01 and BAK01	E03	Remote administrator logons occurred outside usual schedule.
FIN-USER	Finance officer user account	Finance user identity and mailbox access	E01; E02	User opened unexpected attachment; account later signed in from unfamiliar IP/new device; user involvement/MFA unknown.
SUP-01	Supporting telemetry and coordination services	Proxy/DNS/ firewall, EDR, backup console, helpdesk, and incident coordination	E04; E05; E06; E07; E08	Relevant telemetry and reports exist; normal contact list is inaccessible; corporate email trust is unverified.

Asset impact register — confirmed and potential impact

Asset ID	Confirmed impact	Potential security implications
FIN-PC07	Endpoint activity and file-change anomaly are confirmed; no confirmed malware execution or data disclosure.	Possible endpoint compromise, credential exposure, file alteration, or transfer of sensitive finance data.
FS01	Shared-file and contact-list access disruption is observed; file-change indicators are observed; cause and full scope are unconfirmed.	Possible server compromise, file integrity loss, lateral movement, exposure of institutional information, and LMS01 dependency impact.
LMS01	Learner-facing functions are unavailable; LMS01 encryption or data loss is not confirmed.	Possible dependency failure, altered materials, application compromise, or examination disruption.
BAK01	No BAK01 outage, deletion, tampering, or compromise is confirmed.	Recovery points or configuration may be exposed, altered, deleted, or unsafe; last disconnected backup is from Day minus 3 17:00.
M365-ID	Anomalous sign-in and communications-trust concern are confirmed; account compromise is not.	Possible mailbox, token, MFA, forwarding-rule, consent, or credential compromise; unsafe coordination channel.
SVC-BACKUP	The unusual logons are confirmed; unauthorized use or account compromise is not.	Possible privileged lateral movement, file changes, backup tampering, or exposure of recovery data.
FIN-USER	User action and sign-in anomaly are observed; compromise is not confirmed.	Possible credential theft, mailbox access, endpoint compromise, or finance-data exposure.
SUP-01	Coordination constraint is observed; telemetry or record tampering is not confirmed.	Loss or alteration of evidence, unsafe incident communications, or incomplete scope assessment.

Asset impact register — status and verification

Asset ID	Affected-asset status	Investigation priority	Verification requirements
FIN-PC07	Affected for investigation; compromise not confirmed	Immediate	Preserve EDR/process/file/network telemetry; identify modifying process and uploaded content; confirm current usability.

Asset ID	Affected-asset status	Investigation priority	Verification requirements
FS01	Affected asset based on observed service/file impact; root cause not confirmed	Immediate	Correlate administrator, share, file, PowerShell, EDR, and application records; inventory affected shares and dependencies.
LMS01	Affected service based on observed availability impact; underlying cause not confirmed	Immediate	Run controlled functional tests; review application/database/authentication/network logs; map FS01 dependencies; validate continuity option.
BAK01	Requires investigation; not confirmed affected	Immediate	Review repository access and configuration audit; preserve snapshots; identify restore points; perform isolated validation before production use.
M365-ID	Requires investigation; not confirmed affected	High	Review sign-in/MFA/device/token/mailbox/conditional-access audit; validate email trust; establish alternate channel.
SVC-BACKUP	Requires investigation; not confirmed compromised	Immediate	Identify source hosts, session type, commands, authorization, subsequent changes, and account owner; protect account under approved response decision.
FIN-USER	Requires investigation; not confirmed affected	High	Interview user; correlate message, attachment, endpoint, Microsoft 365, MFA, device, and account-change records.
SUP-01	Supporting services require protection and validation; not confirmed compromised	High	Restrict access to records; preserve logs and provenance; use staff phones; validate approved alternate communication and record availability.

Investigation priorities — questions

Investigation ID	Related evidence IDs	Priority	Question
IP-01	E01; E02	High	Did the unexpected payroll attachment lead to activity involving the finance officer's Microsoft 365 identity or FIN-PC07?
IP-02	E02; E03	High	Were the unfamiliar Microsoft 365 sign-in and svc_backup remote logons authorized, automated, or unauthorized?
IP-03	E04	High	What process, destination account, and files generated the 1.2 GB HTTPS upload from FIN-PC07?
IP-04	E03; E05; E06	High	Did svc_backup or another actor alter, delete, encrypt, or otherwise compromise FS01 or BAK01 before or during the backup activity?
IP-05	E05; E06; E07	High	Can a selected FS01/LMS01 backup be restored in an isolated environment and verified as complete, usable, and free of relevant indicators?
IP-06	E06; E07	High	What is the confirmed extent and cause of the .locked files, ransom note, and learner-facing portal disruption?
IP-07	E04; E06; E07; E08	Medium	Could learner, finance, admission, assessment, credential, or contact-list data have been accessed or transferred?

Investigation priorities — evidence and ownership

Investigation ID	Responsible role	Required logs records artifacts interviews or validation procedures
IP-01	Security analyst with forensic support	Preserve the original message and attachment; review message trace, Microsoft 365 audit, MFA and conditional-access records, device sign-in data, EDR process tree, browser history, file metadata, and a finance officer interview.
IP-02	Incident Response Lead with security analyst	Correlate Microsoft 365 sign-in/MFA/device records with Windows Security, PowerShell, task-scheduler, backup-console, VPN/firewall records, source IPs, time synchronization, administrator schedules, and interviews with the account owner and IT staff.
IP-03	Forensic specialist with security analyst	Retain proxy, DNS, firewall, and cloud-provider records; inspect endpoint process/network telemetry, browser or sync-client logs, file-access history, archive creation, destination ownership, object metadata, and approved-transfer records.
IP-04	Forensic specialist with IT operations support	Review Windows and backup-console audit logs, share/file events, task history, administrator commands, backup configuration and retention changes, snapshot metadata, EDR/server telemetry where available, and account activity around the event window.
IP-05	IT operations lead with business owner and forensic support	Export job logs and restore-point metadata; perform a controlled restore without production connectivity; validate file integrity, application dependencies, access controls, malware indicators, and sample examination workflows; document results as a planned validation.

Investigation ID	Responsible role	Required logs records artifacts interviews or validation procedures
IP-06	Security analyst with IT operations support	Preserve EDR and helpdesk records; collect file-event and filesystem metadata; review FS01 and LMS01 application/web/database logs, permissions, dependency mapping, affected-share inventory, and controlled portal tests; hunt other endpoints and servers.
IP-07	Privacy/legal adviser with data owners and forensic specialist	Review data classification and locations; correlate file access, archive, proxy, cloud, Microsoft 365, FS01, and LMS01 logs; interview data owners; identify the destination account; do not infer personal-data transfer from volume alone.

Investigation priorities — decision value and status

Investigation ID	Expected decision value	How findings could change severity or scope assessment	Current status
IP-01	Separates a possible initial-access sequence from unrelated user and identity anomalies and identifies what evidence must be preserved next.	Confirmed execution, credential use, persistence, or broader identity access would expand the affected scope; a verified legitimate sign-in and no related endpoint activity would reduce confidence in that link.	Not Investigated
IP-02	Determines whether privileged identity activity indicates one access path or separate operational events.	Evidence of unauthorized privileged access or configuration changes affecting FS01/BAK01 would increase scope and urgency; documented authorized activity would narrow the suspected access path.	Not Investigated

Investigation ID	Expected decision value	How findings could change severity or scope assessment	Current status
IP-03	Determines whether the transfer was a business operation, backup/synchronization, or possible data disclosure and identifies affected data classes if recoverable.	Evidence of learner, finance, credential, or other confidential data transfer would increase confidentiality impact and scope; a validated approved transfer with unrelated content would reduce that concern.	Not Investigated
IP-04	Tests whether the backup repository and recovery points can be trusted and whether lateral movement reached privileged infrastructure.	Confirmed backup deletion, tampering, encryption, or credential misuse would broaden affected assets and make recovery risk more severe; clean, authorized administration would narrow the hypothesis.	Not Investigated
IP-05	Provides evidence for safe recovery planning while preserving separation between reported backup success and verified recoverability.	A successful clean restore could support a bounded recovery option; restore failure, corruption, or compromise would extend availability impact and increase scope to backup/recovery systems.	Not Investigated
IP-06	Separates confirmed service impact from assumed encryption and identifies whether the examination workflow can be safely supported.	Broader encryption or persistence across servers, LMS01, or endpoints would expand scope; a localized access/configuration issue would narrow the event while still requiring service recovery.	Not Investigated

Investigation ID	Expected decision value	How findings could change severity or scope assessment	Current status
IP-07	Supports a fact-based confidentiality and notification assessment without turning an unverified claim into a finding.	Evidence of access or transfer of personal data would increase confidentiality scope and require escalation for legal/privacy assessment; absence of evidence would not prove no access but may bound the current assessment.	Not Investigated

4 Task 2 — Incident Response Plan and Team Responsibilities

Status: Stage 1 draft — awaiting independent review and organisational approval **Scope:** Incident response policy, governance, activation, escalation, isolation authority, recordkeeping, and business continuity integration **Incident planning point:** 08:45 WAT on Day 0 **Approved Task 1 position:** High — provisional

This consolidated draft is intended for later report incorporation. Supporting procedures and editable diagrams remain authoritative for detail. No response action, forensic acquisition, restoration test, or notification is claimed.

4.1 Policy purpose, objectives and scope

Northbridge's proposed incident response mission is to protect educational services and learner/staff information, limit security and operational damage, preserve evidence, make accountable decisions, coordinate continuity, and enable safe recovery. The policy covers employees, contractors, relevant service providers, managed endpoints and servers, Microsoft 365 identities, privileged accounts, shared storage, backups, learning services, and institutional information.

The policy is a draft awaiting approval. Its objectives are to establish consistent reporting and validation, clear authority, evidence-preserving decisions, proportionate response, continuity coordination, safe return to service, and post-incident improvement.

See incident-response-policy.md for document control, governance principles, exceptions, review, and source references.

4.2 Governance and decision authority

The proposed authority model separates governance ownership from technical execution:

Decision	Proposed owner	Required control
Declare and direct the incident	Incident Response Lead	Record evidence basis, severity, uncertainty, and next review.
Authorise normal containment	Incident Response Lead	Consult IT Operations, Security Analysis, and the Business Service Owner where material effects exist; specify scope and review point.
Execute approved technical action	IT Operations Lead and assigned authorised operator	Stay within approved scope and record execution status.
Analyse evidence and validate security	Security Analyst	Make evidence-linked recommendations; do not assume authority from analysis alone.
Approve material exceptions or Critical action	Senior management / Executive Sponsor	Record risk acceptance, resources, continuity, and communications decisions.
Accept business service return	Business Service Owner with management as required	Confirm business readiness after technical and security validation.

Decision	Proposed owner	Required control
Coordinate business continuity	Business Continuity Coordinator within written delegation; Senior Management retains material activation authority	Assign a deputy/alternate and record scope; do not bypass security controls.

Emergency containment applies only when the Incident Response Lead cannot be reached promptly and delay may materially worsen harm. The IT Operations Lead or formally delegated senior IT/security authority may approve the minimum necessary action, with notification and retrospective review. This Stage 1 draft records the historical boundary; the detailed CSIRT membership and RACI matrix are now maintained in the Stage 2 CSIRT/RACI draft and its supporting artifacts.

4.3 Incident declaration and activation

Reports may arrive through the service desk, Incident Response Lead, Security Analyst, IT Operations Lead, line manager, service provider, or approved phone channel. If the FS01 contact list or corporate email is unavailable or untrusted, staff phones are used for verified calls to known contacts. A controlled independent contact list and a pre-authorised secondary channel remain proposed readiness controls unless separately approved and verified.

The Incident Response Lead or delegated triage role records the report, WAT timestamp, source, immediate impact, evidence references, affected or potentially affected assets, continuing-threat concern, and protective options. The status model in the incident-response-governance-plan.md distinguishes security event, suspected incident, validated incident, declaration, activation, escalation, recovery, and closure. A credible security or policy event is declared as an incident; activation then brings the appropriate resources and governance into the response. Validation, declaration, and urgent protective action may overlap.

At 08:45 WAT on Day 0, the approved Task 1 position is **High — provisional**. If applied, this would justify urgent coordinated activation because E03, E04, E06, E07, and E08 indicate privileged-access, transfer, file-integrity, learner-service, and coordination concerns, while E05 leaves recovery trust uncertain. This is a proposed planning treatment, not a completed action.

The flow is shown in incident-declaration-activation.mmd.

4.4 Severity-based escalation

Level	Governance treatment
Low	Standard documented workflow, bounded owner, validation, and monitoring or closure.
Medium	Prompt Incident Response Lead, IT, and service-owner coordination with proportionate management notification.
High	Rapid management notification, coordinated security/IT/continuity involvement, protection of identities and recovery assets, and reassessment before major service return. Northbridge is High — provisional.
Critical	Senior management or Executive Sponsor leads risk decisions, full available mobilisation is used, continuity is activated, and external support may be authorised.

Escalation is driven by observed and potential operational impact, scope, data sensitivity, urgency, recoverability, and resources. It is not based solely on a ransom note. The decision flow is in severity-escalation-workflow.mmd.

4.5 Emergency isolation authority

Immediate containment may be considered where activity may continue, propagation or further damage is possible, privileged or recovery assets may remain exposed, or delay is likely to worsen harm. Before action, the Incident Response Lead records the security benefit, operational effect, examination dependency, evidence-preservation tradeoff, action boundary, authority, technical executor, and review time.

Normal containment authority is the Incident Response Lead, with IT Operations, Security Analysis, and the Business Service Owner consulted where relevant. If the Incident Response Lead cannot be reached promptly and delay may materially worsen harm, the IT Operations Lead or formally delegated senior IT/security role may authorise the minimum necessary emergency action, notify the Incident Response Lead or deputy and management as soon as practicable, and arrange retrospective review. Emergency authority does not permit unrelated isolation, unsafe restoration, or bypassing business acceptance.

FIN-PC07, FS01, LMS01, BAK01, Microsoft 365, and svc_backup are governance decision contexts from Task 1, not proof of compromise. Restoration from an unverified backup is not authorised by this procedure. See isolation-authority-and-emergency-decisions.md and its diagram.

4.6 Documentation and recordkeeping

Every material incident decision must record its ID, WAT time, reporter/source, description, evidence IDs, classification, assets, decision, owner, approval, action owner, execution status, supporting evidence, business impact, communications, next review time, and closure authorisation.

Records are access-restricted, version-controlled, confidential, and linked to evidence references. Corrections are additive or controlled revisions; original observations are not silently overwritten. If central systems are unavailable or untrusted, an approved alternate record is used and reconciled later. Retention follows the approved records schedule; no statutory period is invented.

See incident-documentation-procedure.md and the headers-only incident-decision-log-template.csv.

4.7 Business continuity integration

Incident response investigates, contains, preserves evidence, and validates security. The Business Continuity Coordinator coordinates authorised continuity arrangements; business continuity maintains acceptable educational services, coordinates learner and examination contingencies, and allocates operational resources. Senior Management retains authority for material continuity activation and institutional risk acceptance. Disaster recovery plans and validates controlled restoration.

The 11:00 examination requires joint security, technical, academic, continuity, and management decision-making. The relevant Academic or Business Service Owner approves the examination delivery arrangement within approved parameters; material deviations require management approval. E07 confirms learner-facing impact; E05 does not confirm a

safe restore point. No postponement, restoration, or reopening decision is assumed. A continuity option must document its security assumptions, business owner, approval, learner communications, and review condition.

Return to service requires separate confirmation of technical availability, security validation, data integrity, and business acceptance. See business-continuity-integration.md and ir-business-continuity-coordination.mmd.

4.8 Operational limitations and residual risks

- Northbridge has three IT personnel and one security analyst; role allocation, external support, and sequencing require management attention.
- The incident contact list is inaccessible and corporate email trust is unverified. Staff phones are available for verified calls; a controlled independent contact list and secondary channel remain proposed readiness controls requiring approval.
- The FS01 dependency may affect LMS01, but it does not prove the cause of E07.
- svc_backup activity and the E04 transfer are observations requiring validation, not confirmed attacker actions or data theft.
- E05 reports successful jobs but does not establish backup integrity, recoverability, or cleanliness.
- Server EDR coverage is incomplete, so absence of an alert cannot establish absence of activity.
- No legal deadline, contractual right, external support engagement, or response SLA is assumed.

4.9 Sources and assumptions

- [A1] ICDFA, *GRC105 Incident Response Planning Assignment*, pp. 1–6, Task 2 and marking criteria.
- [S1] ICDFA, *Incident Response Planning*, Week 20 slides 6–10 and 14–18. The four course stages are used for organisation only.
- [N1] NIST, *SP 800-61 Revision 3*, 2025: https://csrc.nist.gov/pubs/sp/800/61/r3/final
- [N2] NIST, *SP 800-86*, 2006: https://csrc.nist.gov/pubs/sp/800/86/final
- [C1] CISA and partners, *#StopRansomware Guide*: https://www.cisa.gov/stopransomware/ransomware-guide

Scenario facts and E01–E08 observations are drawn from the approved Task 1 materials. Proposed roles, authorities, channels, identifiers, and review controls are assumptions requiring organisational approval.

4.10 Outstanding Task 2 requirements

The following are intentionally deferred and must not be read as complete Task 2 requirements:

1. Define the complete CSIRT with at least six roles and detailed responsibilities.
2. Produce the final RACI for at least eight activities, with exactly one accountable role and at least one responsible role per activity.
3. Produce at least four preparation/readiness improvements with owner, resources, target completion, and measurable evidence.
4. Complete independent review, organisational approval, and the Task 2 review gate.

These items are tracked in governance-requirements-matrix.csv. Task 3 technical containment, evidence custody execution, eradication, and recovery criteria are outside this stage.

Status: Task 2 Stage 2 draft — ready for independent review after validation
Scope: CSIRT structure, staffing capacity, RACI accountability, authority crosswalk, and duty-conflict controls
Approved governance baseline: Stage 1 authority model; High — provisional at 08:45 WAT on Day 0

No response action, forensic acquisition, external engagement, appointment, restoration, or investigation result is claimed.

4.11 Purpose and governance context

This Stage 2 package converts the accepted Stage 1 policy and 14-activity authority matrix into an operationally credible CSIRT and RACI. It preserves the Incident Response Lead's command and normal-containment authority, constrained emergency authority, Senior Management risk acceptance, BCC coordination role, and separate recovery gates.

The structure is functional rather than enterprise-scale. Northbridge has three IT personnel and one security analyst. Legal/privacy, communications, continuity, service-owner, and external specialist functions are proposed assignments or contingent support arrangements, not confirmed dedicated staff.

4.12 CSIRT organisational structure

The core CSIRT functions are:

1. Incident Response Lead / Incident Commander (IRL-01).
2. Security Analyst / Investigation Coordinator (SEC-01).
3. Digital Forensics and Evidence Custodian (FOR-01).
4. IT Operations and Recovery Lead (OPS-01).
5. Legal / Privacy Adviser (LP-01).
6. Stakeholder Communications Coordinator (COM-01).

Supporting governance and continuity interfaces are Senior Management / Executive Sponsor (MGT-01), Business Continuity Coordinator (BCC-01), Academic/Business Service Owner (BSO-01), and contingent Microsoft 365 and backup-provider interfaces.

See csirt-organisation-and-command.md and csirt-organisational-structure.mmd.

4.13 Roles and responsibilities

The Incident Response Lead directs, declares, activates, escalates, authorises normal containment, and coordinates closure. The Security Analyst analyses evidence and performs security validation. The Digital Forensics function preserves evidence and provenance. IT Operations executes approved technical work. Legal/Privacy advises on data and reporting obligations. Communications prepares fact-bounded messages but does not approve its own external release.

Senior Management retains material risk acceptance, formal appointment, material exception, Critical, and continuity activation authority. The BCC coordinates authorised continuity arrangements. The Academic/Business Service Owner approves examination arrangements within parameters and accepts business service return after the technical and security gates are satisfied.

4.14 Internal capacity and staffing allocation

The proposed initial allocation is:

Resource	Primary assignment	Main restriction
IT Staff 1	IRL-01	Does not perform simultaneous hands-on containment during command-critical decisions.
IT Staff 2	OPS-01	Does not expand scope or approve its own business return.
IT Staff 3	Technical operator and proposed FOR-01 dual-hat	Evidence preservation and disruptive work must be sequenced or separately supervised.
Security Analyst 1	SEC-01	Analysis does not independently authorise disruptive action.

The 11:00 examination, E08 communication constraint, E03 privileged activity, E04 transfer uncertainty, E05 backup uncertainty, and E06/E07 availability and integrity effects require deliberate sequencing. If capacity is exhausted, active-threat containment, evidence preservation, privileged-access protection, examination decision-making, and recovery safety take precedence over low-value review or improvement work.

See staffing-capacity-and-support-model.md.

4.15 External support and escalation

The Incident Response Lead recommends external support when internal capacity, specialist skill, independence, or recovery confidence is insufficient. Senior Management authorises engagement, information sharing, extraordinary resources, and confidentiality arrangements. Potential support includes specialist forensics, malware analysis, Microsoft 365 identity assistance, backup recovery engineering, legal/privacy advice, and communications support.

No supplier, retainer, response time, or completed engagement is assumed. Evidence of engagement would be an approved work order, provider ticket, engagement letter, or equivalent controlled record.

4.16 RACI methodology

The RACI separates execution from decision ownership:

- R performs or coordinates the activity.
- A owns the outcome or decision; exactly one A is assigned per row.
- C provides required input.
- I receives status or outcome information.

Normal containment is R06 with IRL-01 accountable. Emergency containment is separate in R07 with OPS-01 accountable only under the constrained emergency authority. Technical restoration, security validation, data integrity, business acceptance, and management risk acceptance are separate rows.

The complete matrix is in raci.csv. Explanatory rules are in raci-methodology-and-accountability.md.

4.17 RACI matrix summary

The matrix contains 22 activities, including all eight instructor-mandated activities:

- Detection and analysis.
- Containment and emergency containment.
- Evidence handling.
- Stakeholder communication.
- Assessment of reporting obligations.
- Restoration approval and its separate security, integrity, and business gates.
- Closure and review.

Additional rows cover declaration, activation, escalation, backup integrity, continuity activation, examination continuity, exceptions, delegation, and appointment of leadership or continuity deputies.

4.18 Authority consistency

The authority-raci-crosswalk.csv maps all 14 Stage 1 authority activities to the RACI. The technical restoration authority is intentionally mapped to separate R14, R15, and R16 gates, with R17 for business acceptance and R20 for material institutional risk acceptance. No Stage 1 authority assignment is changed.

The crosswalk identifies the emergency containment substitution, delegation boundary, BCC limitation, and Senior Management appointment authority. The authority-consistency matrix remains the controlling source for governance authority.

4.19 Separation-of-duties risks

The duty-conflict register records conflicts involving command versus technical execution, evidence versus destructive containment, backup administration versus integrity validation, identity administration versus investigation, communications drafting versus approval, and recovery implementation versus business acceptance.

Mitigations rely on sequencing, explicit approval scope, independent consultation where available, deputies, controlled records, and external support requests. These are planning controls, not evidence that any conflict has occurred.

4.20 Visual exhibits

- csirt-organisational-structure.mmd — command, consultation, and contingent support relationships.
- csirt-staffing-and-escalation.mmd — capacity, sequencing, and external escalation.
- raci-accountability-workflow.mmd — RACI decision path and emergency distinction.
- recovery-approval-gates.mmd — technical, security, integrity, business, and management gates.

Rendered SVG and PNG exports are in visuals/ after validation.

4.21 Sources and assumptions

- ICDFA GRC105 Incident Response Planning Assignment, Task 2 and 20-mark rubric.
- Week 20 teaching slides 8–11 and 14–15.
- Approved Task 1 integrated assessment and High — provisional severity classification.

- Approved Stage 1 policy, governance plan, isolation procedure, documentation procedure, business-continuity plan, and 14-activity authority matrix.
- NIST SP 800-61 Revision 3 as CSF 2.0-aligned guidance; course four-stage teaching model remains a course-facing organisation aid.

All staffing, deputy, external support, and role assignments are proposed unless identified as scenario-established. No personal names, investigation outcomes, or completed engagements are invented.

4.22 Preparation improvements

The readiness register is in preparation-improvements.md. It covers four distinct improvements:

- Backup isolation, tested recoverability and integrity evidence.
- Independently accessible incident contacts and secure communication fallback.
- Server and endpoint monitoring coverage with alert ownership.
- Role-based training and tabletop exercise readiness.

Each improvement identifies the weakness, proposed control, accountable owner, required resources, priority and measurable readiness check. These are proposed improvements; implementation evidence is not claimed.

4.23 Remaining task boundaries

Task 3's technical response playbook, evidence register, eradication procedures and recovery acceptance workflow remain outside this Stage 2 governance package. No live action, forensic acquisition, restoration test or external engagement is claimed.




Figure 2 — Proposed CSIRT organisational structure.

RACI accountability matrix — activity and accountability

Activity ID	Activity	Responsible role IDs	Accountable role ID
R01	Detection	SEC-01	SEC-01
R02	Analysis	SEC-01	SEC-01
R03	Incident declaration	IRL-01	IRL-01
R04	Response activation	IRL-01	IRL-01
R05	Severity escalation	IRL-01	IRL-01
R06	Normal containment	OPS-01	IRL-01
R07	Emergency containment authorisation	OPS-01	OPS-01
R08	Evidence handling	FOR-01	FOR-01
R09	Stakeholder communication preparation and coordination	COM-01;BCC-01;BSO-01	COM-01
R10	Assessment of reporting obligations	LP-01	LP-01
R11	Backup integrity validation	OPS-01;FOR-01	SEC-01
R12	Business continuity activation	BCC-01	MGT-01
R13	Examination continuity approval	BCC-01;BSO-01	BSO-01
R14	Technical restoration authorisation	OPS-01	OPS-01
R15	Security validation for recovery	SEC-01	SEC-01
R16	Data integrity verification	OPS-01;FOR-01	OPS-01
R17	Business return-to-service acceptance	BSO-01	BSO-01
R18	Closure and post-incident review	IRL-01	IRL-01
R19	Routine operational deviation	IRL-01	IRL-01
R20	Material or policy-level exception	IRL-01	MGT-01
R21	Incident response decision delegation	IRL-01	IRL-01
R22	Appointment of incident leadership or continuity deputy	MGT-01	MGT-01

RACI accountability matrix — consultation and notification

Activity ID	Consulted role IDs	Informed role IDs
R01	OPS-01	IRL-01;MGT-01
R02	FOR-01;OPS-01;M365-01	IRL-01;BSO-01
R03	SEC-01;OPS-01	MGT-01
R04	SEC-01;OPS-01;BCC-01;BSO-01	MGT-01;LP-01;COM-01

Activity ID	Consulted role IDs	Informed role IDs
R05	SEC-01;OPS-01;BSO-01;BCC-01	MGT-01
R06	SEC-01;FOR-01;BSO-01;BCC-01	MGT-01;COM-01
R07	IRL-01;SEC-01;BSO-01	MGT-01;BCC-01
R08	SEC-01;OPS-01;IRL-01	LP-01;MGT-01
R09	IRL-01;LP-01	MGT-01;SEC-01;OPS-01
R10	SEC-01;IRL-01;MGT-01	BSO-01;COM-01
R11	BKP-01;IRL-01;BSO-01	MGT-01;BCC-01
R12	IRL-01;BSO-01;OPS-01;COM-01	SEC-01;LP-01
R13	IRL-01;SEC-01;OPS-01;MGT-01	COM-01
R14	SEC-01;BSO-01;IRL-01	MGT-01;BCC-01
R15	FOR-01;OPS-01;IRL-01	BSO-01;MGT-01
R16	SEC-01;BSO-01	IRL-01;MGT-01
R17	IRL-01;SEC-01;OPS-01;BCC-01;MGT-01	COM-01
R18	SEC-01;FOR-01;OPS-01;LP-01;COM-01;BCC-01;BSO-01	MGT-01
R19	SEC-01;OPS-01;BSO-01;LP-01	MGT-01
R20	SEC-01;OPS-01;BSO-01;LP-01;BCC-01	COM-01
R21	OPS-01;SEC-01;BSO-01;MGT-01	MGT-01
R22	IRL-01;OPS-01;BCC-01;BSO-01	SEC-01;COM-01

RACI accountability matrix — authority record

Activity ID	Normal authority basis	Emergency or exception note	Required record
R01	Security Analyst coordinates detection and initial triage	Escalate immediately if active harm or material impact is suspected	Source time initial facts evidence references and triage status
R02	Security Analyst owns analysis and uncertainty reporting	Request external analysis if internal capability or independence is insufficient	Hypotheses evidence references scope assessment and unresolved questions
R03	Incident Response Lead declares under Stage 1 authority	Delegated senior IT/security decision-maker may declare if IRL is unavailable and delegation is recorded	Incident ID evidence basis initial severity owner delegation and next review
R04	Incident Response Lead activates required response functions	Deputy or management-appointed incident director acts only within recorded authority	Activation scope resources communication route and review point

Activity ID	Normal authority basis	Emergency or exception note	Required record
R05	Incident Response Lead escalates with management notification	Senior Management may direct a higher tier; reassess on material evidence or impact change	Evidence impact urgency uncertainty authority notification and reassessment basis
R06	Incident Response Lead authorises normal containment and IT Operations executes	Emergency path is separate in R07; technical operator cannot expand scope	Approved target scope expected effect evidence plan business impact and review time
R07	IT Operations Lead is accountable only for the constrained emergency authority when IRL cannot be reached promptly and delay may materially worsen harm	Formal delegated senior IT/security authority may substitute and must be recorded; retrospective management review required	Why delay was unsafe minimum action authority delegation notification evidence effect business impact and review deadline
R08	Digital Forensics and Evidence Custodian coordinates evidence preservation within approved scope	If disruptive containment is urgent record unavoidable evidence loss and seek specialist support	Provenance collection status custody references secure storage and limitations
R09	Communications Coordinator owns preparation and coordination; Senior Management retains release approval	Use verified phone fallback when email trust is unverified; do not release unapproved external messages	Draft message audience channel approval reference facts and notification time WAT
R10	Privacy or Legal Adviser owns the advisory assessment	No jurisdiction or deadline is assumed; formal notification approval remains with authorised management	Advice basis jurisdiction or contract question factual uncertainty approval recommendation and deadline source if verified
R11	Security Analyst owns the security validation while IT and forensics perform checks	No restoration from an unvalidated backup; obtain specialist support where required	Validation method evidence references integrity and recoverability limitations and decision recommendation
R12	Senior Management retains material activation and institutional risk acceptance; BCC coordinates authorised arrangements	Predefined low-risk preparations may proceed within written delegation; material deviation requires management approval	Trigger authority delegation continuity option security restrictions approval and review condition

Activity ID	Normal authority basis	Emergency or exception note	Required record
R13	Business Service Owner approves examination delivery within approved parameters	Senior Management approves material deviation or institutional risk acceptance; BCC cannot override security restrictions	Learner impact technical prerequisites security assumptions approval communications and review condition
R14	IT Operations Lead authorises technical restoration work subject to security and business gates	High/Critical management approval is represented through R20 where material risk or exception exists; no unsafe emergency restoration	Restoration scope prerequisites approvals execution status and technical test result
R15	Security Analyst owns security validation and does not certify cleanliness without evidence	Further investigation or external specialist support is required if validation is incomplete	Security validation evidence persistence or access findings restrictions and decision
R16	IT Operations owns technical data-integrity verification with evidence and forensic support	Unvalidated backup or inconsistent application state blocks safe return	Files application state permissions recovery data checks evidence and limitations
R17	Business Service Owner accepts service return after technical security and integrity gates	Senior Management accepts material continuity risk or deviation; technical execution alone is insufficient	Business readiness learner impact conditions approval and review point
R18	Incident Response Lead owns closure recommendation and review coordination	Management or appointed closure authority must approve where required; unresolved risks remain open	Closure authority records communications follow-up owners unresolved risks and review outcome
R19	Incident Response Lead approves limited deviation within delegated authority	Material impact or weakened controls escalate to R20; document rationale and review condition	Deviation scope rationale compensating control authority duration and review
R20	Senior Management or Executive Sponsor owns institutional risk acceptance	Emergency protective action may proceed only to reduce immediate harm and must receive retrospective management review	Exception scope consultation risk acceptance compensating controls approval and review deadline
R21	Incident Response Lead delegates defined response decisions within policy authority	No onward delegation unless expressly permitted; emergency authority remains constrained	Recipient scope start time WAT expiry or review restrictions approval reference and revocation

Activity ID	Normal authority basis	Emergency or exception note	Required record
R22	Senior Management or Executive Sponsor appoints replacement incident leadership or BCC deputy	Incident Response Lead or BCC cannot self-appoint the management-designated deputy	Appointment authority role scope effective time WAT expiry or review and communication to affected teams

CSIRT role register — purpose and responsibility

Role ID	Functional role	CSIRT classification	Key responsibility
IRL-01	Incident Response Lead / Incident Commander	Core CSIRT	Direct incident response; declare, activate, escalate, authorise normal containment, coordinate decisions, and close or recommend closure
SEC-01	Security Analyst / Investigation Coordinator	Core CSIRT	Triage, correlate, analyse, assess severity and scope, and provide security validation
FOR-01	Digital Forensics and Evidence Custodian	Core CSIRT	Preserve evidence references, coordinate collection planning, and maintain provenance and custody records
OPS-01	IT Operations and Recovery Lead	Core CSIRT	Assess dependencies and execute approved endpoint, server, identity, backup, and restoration work
LP-01	Legal / Privacy Adviser	Core CSIRT advisory function	Assess information classification, privacy, contractual, legal, safeguarding, and reporting-obligation questions
COM-01	Stakeholder Communications Coordinator	Core CSIRT communications function	Prepare and coordinate fact-bounded internal, learner, staff, and external communications
BCC-01	Business Continuity Coordinator	Supporting governance and continuity stakeholder	Coordinate authorised continuity arrangements and predefined low-risk preparations within delegation

Role ID	Functional role	CSIRT classification	Key responsibility
BSO-01	Academic / Business Service Owner	Supporting business stakeholder	Define service impact and approve examination or business service arrangements within approved parameters
MGT-01	Senior Management / Executive Sponsor	Supporting governance authority	Approve material risk, Critical decisions, material exceptions, extraordinary resources, continuity activation, and formal appointments
M365-01	Microsoft 365 / Identity Provider Liaison	External or service-provider interface	Obtain provider-side identity, mailbox, MFA, token, device, and audit-log assistance when authorised
BKP-01	Backup / Recovery Specialist or Provider Liaison	External or service-provider interface	Support isolated backup validation and recovery engineering when internal capacity is insufficient

CSIRT role register — authority and status

Role ID	Normal decision authority	Status
IRL-01	Incident Response Lead under Stage 1 authority	Proposed internal assignment
SEC-01	Analysis and security recommendations; no independent disruptive authority	Scenario-established resource; role assignment proposed
FOR-01	Evidence-handling coordination within approved scope; no containment or restoration authority	Proposed functional assignment
OPS-01	Technical execution within approved scope; constrained emergency containment authority under Stage 1 conditions	Proposed internal assignment
LP-01	Advisory authority only; formal risk acceptance and external release remain with authorised management	Proposed support function
COM-01	Communication preparation and coordination; Senior Management approves external release	Proposed support function
BCC-01	Coordination only; Senior Management retains material activation and risk acceptance	Proposed functional assignment

Role ID	Normal decision authority	Status
BSO-01	Business acceptance and examination arrangement approval within delegated parameters	Proposed functional assignment
MGT-01	Institutional risk acceptance, material exception, continuity activation, and appointment authority	Proposed governance role
M365-01	No independent Northbridge decision authority	Contingent support interface
BKP-01	No independent Northbridge decision authority	Contingent support interface

CSIRT role register — staffing and competence

Role ID	Primary staffing assignment	Alternate staffing assignment	Required competence
IRL-01	IT Staff 1 — proposed assignment	Management-appointed deputy from IT Staff 2 or IT Staff 3; external incident director if authorised	Incident coordination, risk-based decisions, evidence-aware leadership, service impact assessment
SEC-01	Security Analyst 1 — scenario-established	Authorised external specialist or trained IT support subject to approval	Security monitoring, identity and cloud investigation, log analysis, uncertainty reporting
FOR-01	IT Staff 3 — proposed dual-hat assignment or authorised external specialist	External forensic provider or trained IT Staff 2 subject to approval	Evidence preservation, secure storage, time-zone-aware records, custody principles
OPS-01	IT Staff 2 — proposed assignment	IT Staff 3; authorised provider support	Windows/server, endpoint, identity, backup, network, and service dependencies
LP-01	Proposed internal adviser if available or authorised external counsel	External legal/privacy adviser	Privacy, legal, records, contractual, and regulatory analysis
COM-01	Management-assigned non-IT staff member — proposed	BCC, Academic/Business Service Owner, or authorised external communications support	Clear writing, privacy-aware handling, audience coordination, alternate-channel use
BCC-01	Management-assigned functional role — proposed	Management-appointed deputy or alternate BCC	Continuity coordination, service prioritisation, resource coordination, examination planning

Role ID	Primary staffing assignment	Alternate staffing assignment	Required competence
BSO-01	Academic Operations or affected Business Service Owner — proposed role assignment	Management-designated alternate service owner	Service dependency, learner impact, business acceptance, and continuity decisions
MGT-01	Senior Management / Executive Sponsor — scenario governance role, not a named person	Delegated senior management authority	Risk acceptance, resource authorisation, governance oversight, and decision review
M365-01	Authorised IT Operations or provider support — contingent	Microsoft 365 provider support or approved specialist	Identity administration, provider processes, audit-log interpretation
BKP-01	Authorised external specialist or provider — contingent	IT Operations and approved recovery support	Backup architecture, isolated validation, application consistency, recovery engineering

CSIRT role register — dependencies and provenance

Role ID	Support dependency	Potential conflict	Source or governance reference
IRL-01	Senior Management, BCC, service owners, and external support when capacity is insufficient	Command competes with hands-on technical work and recordkeeping	Stage 1 policy Section 5; governance plan Section 6
SEC-01	External forensics, malware analysis, cloud provider, and IT Operations	Analysis may conflict with urgent containment or recovery validation	Task 1 integrated assessment; Stage 1 policy Sections 5–6
FOR-01	Specialist forensics and secure storage support may be required	Evidence preservation may conflict with disruptive containment	Task 2 requirement; Stage 1 documentation procedure
OPS-01	Backup, cloud identity, and recovery specialists may be required	Technical execution may conflict with backup validation or business acceptance	Stage 1 policy Sections 5 and 7; isolation procedure
LP-01	External advice may require management authorisation and confidentiality arrangements	Advice and communications approval must remain distinct	Task 2 requirement; Stage 1 policy Section 7
COM-01	Management approval, Privacy/Legal advice, and approved channels	Drafting may conflict with message approval or unverified email use	Task 2 requirement; Stage 1 policy Section 5

Role ID	Support dependency	Potential conflict	Source or governance reference
BCC-01	Academic/Business Service Owner, Incident Response Lead, and management	Continuity pressure may conflict with security restrictions and recovery gates	Stage 1 policy Section 5; business-continuity plan
BSO-01	Incident Response Lead, IT Operations, Security Analyst, and management	Business acceptance may conflict with security validation or technical recovery status	Stage 1 policy Sections 5 and 7
MGT-01	Incident Response Lead, advisers, service owners, and external providers	Management decisions may be delayed by incomplete evidence or competing continuity pressure	Stage 1 policy Sections 1 and 5
M365-01	Provider availability and contractual access are unverified	Identity administration may conflict with compromise investigation and evidence preservation	Stage 1 governance plan Section 8
BKP-01	Management approval, availability, confidentiality, and validated scope	Backup administration may conflict with independent backup-integrity validation	Stage 1 governance plan Section 8; business-continuity plan

The four proposed preparation improvements are documented in the Task 2 readiness register and integrated draft.

5 Task 3 — Response Playbook and Evidence Preservation

Status: Fictional operational plan — all actions are planned, not executed.
Incident position: High — provisional at 08:45 WAT on Day 0.
Scenario basis: E01–E08 and approved Task 1/Task 2 governance artifacts.

5.1 Operating rules

This playbook is a proposed response sequence for the suspected ransomware incident. It does not report live containment, acquisition, eradication, restoration, or monitoring results. Action owners are functional roles from the approved Task 2 CSIRT design. The Incident Response Lead (IRL) authorises normal containment; IT Operations executes within scope. Emergency containment is limited to the approved condition where normal approval is unavailable and delay may materially worsen harm.

All times are WAT. E01–E08 are source observations. Hypotheses, proposed actions, and unverified consequences remain labelled as such. Planned evidence is recorded in data/evidence-register.csv.

5.2 Ordered response actions

The structured action register is data/response-actions.csv. It contains the first 60 minutes, the remainder of the first 24 hours, and later recovery/closure stages.

5.2.1 First 60 minutes — 08:45 to 09:45 WAT

1. Establish the incident record at 08:45, preserve the approved High — provisional classification, and record E01–E08, uncertainty and the 11:00 examination dependency.
2. Use verified telephone calls because the FS01 contact list is inaccessible and corporate email trust is unverified (E08).
3. Preserve accessible EDR, Windows, proxy, Microsoft 365 and backup-console records before disruptive changes where delay is safe.
4. Contain FIN-PC07 under IRL authorisation, recording scope and expected operational impact (E01, E04, E06).
5. Protect the finance officer account and svc_backup through a documented identity-control decision, preserving sign-in and administrator-logon records first where practicable (E02–E03).
6. Assess FS01 and LMS01 dependency and contain FS01 if active propagation or continued encryption is suspected; document the availability tradeoff (E06–E07).
7. Preserve the E04 proxy record and request provider-side metadata; do not infer the uploaded content or personal-data disclosure.
8. Remove BAK01 from potentially exposed administrative paths or backup jobs only within approved scope; do not restore from an unvalidated backup (E03, E05).
9. Convene the IRL, Security Analyst, IT Operations, BCC and Academic/Business Service Owner to decide whether the 11:00 examination can safely proceed, requires an alternative arrangement, or must remain pending.
10. Record the next decision point and issue a fact-bounded internal update through an approved channel.

5.2.2 Remainder of first 24 hours — 09:45 Day 0 to 08:45 Day 1

11. Correlate FIN-PC07, FS01, LMS01, BAK01, Microsoft 365, svc_backup, proxy and EDR records to test the entry-point and lateral-movement hypotheses.
12. Determine whether the finance attachment was executed; preserve mail headers, attachment metadata and endpoint execution artifacts. Do not assume execution from E01.
13. Investigate the unfamiliar Microsoft 365 sign-in, new device, MFA state, session/token activity and finance-user involvement (E02).

14. Investigate svc_backup logon source, schedule deviation, command or service activity and BAK01 access (E03); do not equate unusual activity with attacker control.
15. Assess whether the E04 transfer is connected to the incident and what content, if any, can be established from proxy, endpoint and cloud-provider records.
16. Search for persistence and broader compromise across endpoints, servers, identity, scheduled tasks, services, remote administration, privileged groups, email rules, tokens and network indicators.
17. Define the eradication plan: preserve required evidence, remove persistence, rebuild or reimage affected systems from known-good sources, close the entry point, rotate credentials, revoke sessions and apply compensating controls.
18. Validate BAK01 and any candidate backup in an isolated environment. Check malware indicators, permissions, timestamps, application consistency, expected files and recovery logs before considering restoration.
19. Restore only approved services in dependency order after technical, security, integrity and business gates pass: controlled identity/communications dependencies, FS01 or an approved alternative, then LMS01 and other priority services. FIN-PC07 returns only after endpoint rebuild and credential controls.
20. Monitor restored systems and privileged activity for recurrence, record exceptions and unresolved scope questions, and obtain Business Service Owner acceptance before return to normal service.
21. Close only when evidence, decisions, impact, communications, residual risk, follow-up owners and management/business approvals are recorded; otherwise keep the incident open or under recovery.

5.3 Difficult decisions

5.3.1 Containment versus evidence preservation

E06 shows active mass file changes and locked files, while E01–E04 provide possible entry, identity, privileged-access and transfer leads. The default is to preserve volatile and high-value records before disruptive changes where safe. If active encryption, propagation or privileged exposure makes delay materially dangerous, the IRL may authorise immediate, least-disruptive containment; IT Operations records the scope, expected evidence loss, business impact and retrospective review. No responder should wait for perfect attribution before stopping ongoing harm.

5.3.2 Examination availability versus unverified backup safety

The 11:00 examination creates material availability pressure (E07–E08), but E05 only reports successful jobs; it does not establish a clean or restorable backup. Northbridge must not reopen LMS01 from an unvalidated backup solely to meet the deadline. The BCC and Academic/Business Service Owner should prepare an alternative examination arrangement while the IRL and Security Analyst define restrictions and IT Operations validates an isolated recovery candidate. Any material continuity risk acceptance belongs to Senior Management. The decision and its effect on learners must be recorded even if the examination status remains pending.

5.4 Persistence, entry point and credential protection

The likely entry point remains a hypothesis. Investigators should test the payroll attachment path, mail records, endpoint execution evidence, identity activity, remote administration, exposed services, scheduled tasks, services, registry run keys, email rules, tokens and other persistence locations. E01 does not prove malicious execution.

Credential protection should include, as authorised and evidence-aware actions: disable or reset the finance account if compromise risk warrants it; rotate svc_backup and other exposed privileged credentials; revoke active sessions and tokens; review privileged-group membership; enforce MFA and conditional access where available; and use separate recovery

credentials. The action log must state whether each control is planned, authorised, executed or awaiting evidence.

5.5 Recovery targets and acceptance criteria

The following are proposed planning targets requiring Senior Management and service-owner approval; they are not observed service levels:

- **Examination decision target:** reach a documented safe-service or alternative-arrangement decision by 10:30 WAT on Day 0.
- **LMS01 service target:** seek a four-hour recovery objective after security clearance, but do not trade security validation for the target.
- **Data-loss planning assumption:** the last disconnected backup is Day minus 3 at 17:00 WAT, so a potential gap of up to approximately 72 hours must be explicitly assessed and accepted by the Business Service Owner and Senior Management if relevant. No data-loss acceptance has occurred.

Before return to service, require:

1. Technical restoration completion and execution record.
2. Security validation showing no unresolved known persistence or unauthorised access condition within the assessed scope.
3. Data-integrity verification for files, permissions, application state and required assessment materials.
4. Monitoring enabled for recurrence and privileged-account activity.
5. Business Service Owner confirmation that learner and staff impact is acceptable.
6. Senior Management approval where High/Critical material risk or an exception remains.
7. A documented rollback, hold or further-investigation decision if any gate fails.

5.6 Sources and boundaries

- ICDFA, *GRC105 Incident Response Planning Assignment*, Task 3 and rubric.
- ICDFA, *Incident Response Planning*, Week 20 slides 9–13 and 16–18.
- Approved Task 1 evidence analysis and Task 2 governance/authority model.
- NIST, *SP 800-61 Rev. 3*: https://csrc.nist.gov/pubs/sp/800/61/r3/final
- NIST, *SP 800-86 Guide to Integrating Forensic Techniques into Incident Response*: https://csrc.nist.gov/pubs/sp/800/86/final
- CISA and partners, *#StopRansomware Guide*: https://www.cisa.gov/stopransomware/ransomware-guide

No hash, acquisition, restoration test, malware result, clean-backup determination, or business acceptance is claimed.

Canonical response actions — stage and ownership

Action ID	Time/stage WAT	Owner	Status
T3-01	Day 0 08:45	Incident Response Lead	Planned
T3-02	Day 0 08:48	Communications Coordinator / Incident Response Lead	Planned
T3-03	Day 0 08:50	Security Analyst / Evidence Custodian	Planned
T3-04	Day 0 08:55	IT Operations Lead	Planned
T3-05	Day 0 09:00	IT Operations Lead / Security Analyst	Planned
T3-06	Day 0 09:05	IT Operations Lead	Planned
T3-07	Day 0 09:15	Security Analyst / Evidence Custodian	Planned
T3-08	Day 0 09:25	IT Operations Lead	Planned

Action ID	Time/stage WAT	Owner	Status
T3-09	Day 0 09:35	BCC / Academic Business Service Owner	Planned
T3-10	Day 0 09:45	Communications Coordinator	Planned
T3-11	Day 0 10:00	Security Analyst	Planned
T3-12	Day 0 10:15	Security Analyst / Evidence Custodian	Planned
T3-13	Day 0 10:30	IT Operations Lead / Security Analyst	Planned
T3-14	Day 0 11:00	Academic Business Service Owner / BCC	Planned
T3-15	Day 0 12:00	Security Analyst / Evidence Custodian	Planned
T3-16	Day 0 14:00	Incident Response Lead / IT Operations Lead	Planned
T3-17	Day 0 18:00	IT Operations Lead / Security Analyst	Planned
T3-18	Day 1 08:45	IT Operations Lead	Planned
T3-19	Day 1 onward	Security Analyst / IT Operations Lead	Planned
T3-20	Closure stage	Incident Response Lead	Planned

Canonical response actions — planned action

Action ID	Action	Status
T3-01	Open incident record; preserve High provisional classification; capture E01-E08 and uncertainty	Planned
T3-02	Use verified telephone contacts and approved out-of-band identity checks	Planned
T3-03	Preserve accessible EDR Windows proxy Microsoft 365 and backup-console records before changes where safe	Planned
T3-04	Contain FIN-PC07 within approved scope because of mass file activity and possible transfer	Planned
T3-05	Protect finance identity and svc_backup while preserving sign-in and admin-logon records	Planned
T3-06	Assess and if necessary contain FS01 while documenting LMS01 dependency	Planned

Action ID	Action	Status
T3-07	Preserve E04 proxy and request cloud-storage metadata without inferring content	Planned
T3-08	Protect BAK01 from further exposure and suspend unsafe restoration activity	Planned
T3-09	Assess 11:00 examination options and safe-service prerequisites	Planned
T3-10	Issue fact-bounded internal update through approved channel	Planned
T3-11	Correlate endpoint server identity backup proxy and application records for scope and entry hypotheses	Planned
T3-12	Investigate finance attachment execution and Microsoft 365 unfamiliar sign-in	Planned
T3-13	Investigate svc_backup logons and BAK01 access; preserve server and backup records	Planned
T3-14	Operate approved examination arrangement or hold service pending safety decision	Planned
T3-15	Search for persistence and broader compromise across endpoints servers identity and network	Planned
T3-16	Define eradication and credential-protection plan	Planned
T3-17	Validate candidate backup or recovery source in isolated environment	Planned
T3-18	Execute approved rebuild and phased restoration with security monitoring	Planned
T3-19	Monitor recurrence and review privileged access and restored services	Planned
T3-20	Close or retain incident under recovery with lessons and follow-up owners	Planned

Canonical response actions — approval and evidence

Action ID	Required approval	Evidence to retain
T3-01	Incident Response Lead	Incident ID situation record initial classification next review

Action ID	Required approval	Evidence to retain
T3-02	Incident Response Lead	Notification log channel identity verification and recipients
T3-03	Incident Response Lead	Export or preservation request references source timestamps and access restrictions
T3-04	Incident Response Lead	Containment scope endpoint state E01 E04 E06 and business impact
T3-05	Incident Response Lead; emergency authority only if condition applies	Identity audit references session/token status credential decision E02 E03
T3-06	Incident Response Lead	FS01 status shared-folder evidence E06 LMS01 dependency E07
T3-07	Incident Response Lead and privacy consultation	Proxy record request metadata source and uncertainty
T3-08	Incident Response Lead	BAK01 access/job records E03 E05 and scope
T3-09	Senior Management for material continuity risk	Joint situation report learner impact options E07 E08
T3-10	Senior Management for material external communication	Approved draft channel time recipients and uncertainty
T3-11	Incident Response Lead	Analysis notes evidence references hypotheses and questions
T3-12	Incident Response Lead; privacy/legal consultation as needed	Mail metadata endpoint artifacts audit logs MFA/device/session records E01 E02
T3-13	Incident Response Lead	Windows logs admin activity backup-console records E03
T3-14	Senior Management for material deviation	Service-status record learner communication and approval
T3-15	Incident Response Lead	Search scope indicators results and limitations
T3-16	Incident Response Lead; management for material exception	Plan approvals credential scope persistence findings and evidence impact
T3-17	Incident Response Lead; Senior Management for material recovery risk	Backup provenance scan results integrity checks application test and limitations
T3-18	Security validation and Business Service Owner gates; management where required	Build records monitoring alerts integrity and recovery tests
T3-19	Incident Response Lead	Monitoring records alerts review decisions and exceptions

Action ID	Required approval	Evidence to retain
T3-20	Required management and business acceptance	Closure record communications evidence limitations and improvement actions

Canonical response actions — completion

Action ID	Completion check	Status
T3-01	Record exists with source references and no invented findings	Planned
T3-02	Required responders reached or failed attempts recorded	Planned
T3-03	Preservation scope and limitations recorded	Planned
T3-04	Endpoint isolated or reason for delay recorded	Planned
T3-05	Approved control state and evidence-preservation tradeoff recorded	Planned
T3-06	Scope and availability impact recorded	Planned
T3-07	Request logged and content limitation retained	Planned
T3-08	Backup protection decision recorded without restoration claim	Planned
T3-09	Decision or pending status recorded by 10:30 target	Planned
T3-10	Message approval and delivery status recorded	Planned
T3-11	Scope assessment updated with confidence and gaps	Planned
T3-12	Execution and account involvement remain evidence-based	Planned
T3-13	Reason and scope assessed without attacker attribution	Planned
T3-14	Actual status and rationale recorded; no assumed resumption	Planned
T3-15	Search coverage and unresolved areas recorded	Planned
T3-16	Plan approved with dependencies and rollback	Planned
T3-17	Validation decision recorded; no clean claim without evidence	Planned
T3-18	Each gate passed or hold/rollback recorded	Planned
T3-19	Defined review period and unresolved risks recorded	Planned
T3-20	Closure approval exists or open status is retained	Planned

Canonical evidence register — source and method

Item ID	Source	Relevant evidence or purpose	Proposed collection method
T3-EV-01	FIN-PC07 E01 E04 E06	Endpoint state file-change artifacts attachment and transfer indicators	Approved forensic preservation or EDR export followed by controlled acquisition if authorised
T3-EV-02	FS01 E03 E06 E07 E08	Windows logs locked files ransom note shared-folder state and contact-list availability	Preserve logs and relevant file metadata; forensic collection only after scope and impact decision
T3-EV-03	Microsoft 365 E02	Finance-account sign-in device MFA session token and audit context	Export or provider-preservation request through approved identity administration process
T3-EV-04	Proxy/cloud record E04	HTTPS destination volume timing and available metadata about 1.2 GB transfer	Preserve proxy record and submit controlled provider metadata request if authorised
T3-EV-05	Windows and backup console E03 E05	svc_backup activity BAK01 access job reports and backup provenance	Preserve administrator logs job history and configuration metadata; isolate validation copy for testing
T3-EV-06	LMS01 E05 E07	Portal availability submissions materials and application state	Preserve application and access logs and record service-status observations

Canonical evidence register — collector and status

Item ID	Collector role	Collection status
T3-EV-01	Digital Forensics and Evidence Custodian with Security Analyst	Planned / Not collected
T3-EV-02	Digital Forensics and Evidence Custodian with IT Operations	Planned / Not collected
T3-EV-03	Security Analyst with Microsoft 365 liaison	Planned / Not collected
T3-EV-04	Security Analyst / Evidence Custodian	Planned / Not collected
T3-EV-05	IT Operations with Evidence Custodian	Planned / Not collected
T3-EV-06	IT Operations / Security Analyst	Planned / Not collected

Canonical evidence register — timing and integrity

Item ID	Planned date/time WAT	Integrity check (planned)	Restricted secure storage
T3-EV-01	Day 0 08:50 onward	Record source timestamps tool/version and acquisition metadata; hash only if collection occurs	Access-controlled evidence repository separate from FIN-PC07; least privilege
T3-EV-02	Day 0 08:50 onward	Record source path timestamps permissions and method; no hash claimed before collection	Restricted repository with original records read-only where possible
T3-EV-03	Day 0 09:00 onward	Record provider export reference time range and format; verify completeness when received	Restricted cloud evidence area with privacy-limited access
T3-EV-04	Day 0 09:15 onward	Record proxy source query range and response status; content not inferred	Restricted repository and privacy/legal review before sharing
T3-EV-05	Day 0 09:25 onward	Compare source timestamps and job identifiers; test restoration results recorded only if performed	Separate backup-validation workspace with access restricted from routine administration
T3-EV-06	Day 0 09:35 onward	Record collection window and application state; validate completeness after access	Restricted service-evidence repository with business-owner consultation

Canonical evidence register — restrictions and custody

Item ID	Custody transfer (planned)	Collection status
T3-EV-01	Transfer from collector to evidence custodian recorded in custody log with date/time WAT	Planned / Not collected
T3-EV-02	Collector to evidence custodian then authorised analyst; each transfer documented	Planned / Not collected
T3-EV-03	Provider or administrator to evidence custodian transfer recorded; no provider response assumed	Planned / Not collected
T3-EV-04	Network or provider source to custodian; request and response references retained	Planned / Not collected
T3-EV-05	IT Operations to custodian and Security Analyst; no restoration transfer assumed	Planned / Not collected

Item ID	Custody transfer (planned)	Collection status
T3-EV-06	IT Operations to custodian and authorised service owner	Planned / Not collected

6 Task 4 — Communication and Escalation

Status: Draft complete — fictional planning artifact awaiting independent review.
Incident position: High — provisional at 08:45 WAT on Day 0.
Communication constraint: Staff phones are available; the FS01 contact list is inaccessible and corporate email trustworthiness is unverified (E08).

6.1 Communication principles

Communications must be fact-bounded, approved, traceable and proportionate to confirmed impact. E01–E08 support the current availability and integrity concerns but do not establish attacker identity, malicious attachment execution, account compromise, backup safety or personal-data theft. Sensitive forensic material must not be sent through an unverified channel.

The principal stakeholder matrix is stakeholder-matrix.csv. It defines eight groups, triggers, owners, channels, approvers, update frequency and alternatives. Verified telephone calls and an independently maintained contact record are the immediate fallback; no secure alternate collaboration platform is assumed to exist.

6.2 Executive briefing

At 08:45 WAT on Day 0, Northbridge assumed control of a High—provisional suspected ransomware incident. Confirmed observations include mass file changes on FIN-PC07, .locked files and a ransom note on FS01, inability for learners to open materials or submit assessments through LMS01, and an inaccessible incident contact list (E06–E08). The 11:00 examination for 100 learners is therefore subject to a time-critical continuity decision.

The evidence does not yet prove malicious execution of the payroll attachment, compromise of the finance officer or svc_backup, attacker control, the content of the 1.2 GB HTTPS transfer, theft of learner information, or a clean and restorable backup (E01–E05). Corporate email trust is unverified, so verified telephone calls and controlled records are being proposed for coordination.

Approval is required for any material continuity risk acceptance, external specialist engagement, emergency exception, examination alternative, and return to service. The Incident Response Lead will coordinate containment and evidence preservation; technical restoration, security validation, data integrity and business acceptance remain separate gates. The next management update is targeted for 10:30 WAT, before the examination decision point. This is a proposed briefing, not a record that any action has occurred.

6.3 Learner notice

Northbridge is investigating a serious technology incident affecting access to some learning materials and assessment submission services. We are assessing the impact on the 11:00 WAT examination for the affected learner group. The examination has not been confirmed as cancelled or resumed at the time of this notice.

Please keep your phone available, monitor the next verified Northbridge update, and do not send examination answers or personal information through an unverified email or social-media account. If an alternative assessment arrangement is approved, the Academic/Business Service Owner will provide the instructions and any revised submission method through a

verified channel. Learners who cannot access materials should record the time and contact the designated support channel when it is published. The next status update is targeted before the examination decision point. This notice reports service uncertainty; it does not confirm that learner information was accessed or stolen.

6.4 Operational notifications versus formal breach notifications

Operational notifications explain service status, safety instructions, continuity arrangements and next decision points. They should contain only the minimum information needed by the audience and should not state that personal data was exposed unless supported by evidence.

Any formal personal-data breach assessment is a separate Legal/Privacy workstream. The adviser should assess the facts, affected data categories, jurisdiction, contractual duties, evidence confidence, recipients and any applicable deadlines before management authorises a notification. No jurisdiction-specific deadline is asserted here. The communication log must distinguish a fact-bounded operational message from a formal notification decision and retain approval references.

6.5 Escalation rules

- The Incident Response Lead escalates to Senior Management when impact, uncertainty, examination disruption, privileged-access concern, backup risk or external support need becomes material.
- Legal/Privacy advice is requested when learner or staff information may be involved, when E04 cannot be characterised, or when disclosure obligations are uncertain.
- The Academic/Business Service Owner and BCC escalate examination alternatives or material learner impact to Senior Management.
- The Communications Coordinator escalates public or media queries; no unapproved external statement is released.
- If corporate email cannot be trusted, verified telephone calls and controlled offline records remain the communication baseline until an approved alternative is confirmed.

6.6 Sources and boundaries

- ICDFA, *GRC105 Incident Response Planning Assignment*, Task 4 and rubric.
- ICDFA, *Incident Response Planning*, Week 20 slides 8, 10, 13–15 and 18.
- Approved Task 1 evidence analysis and Task 2 governance documents.
- NIST, *SP 800-61 Rev. 3*: https://csrc.nist.gov/pubs/sp/800/61/r3/final

No legal deadline, provider response, communication delivery or personal-data finding is claimed.

Stakeholder communication matrix — trigger and channel

Stakeholder	Trigger	Message owner	Channel
Senior Management / Executive Sponsor	Initial High provisional assessment; material risk; continuity or exception decision	Incident Response Lead	Verified phone call followed by controlled written record
IT Operations and Security Staff	Containment decision; new evidence; credential or backup control; restoration gate	Incident Response Lead	Verified phone or approved out-of-band channel

Stakeholder	Trigger	Message owner	Channel
Learners and examination cohort	Confirmed access disruption or approved examination arrangement	Academic/Business Service Owner with Communications Coordinator	Approved learner notice through verified institutional channel
Teaching staff and academic operations	Assessment availability or submission changes; learner support requirement	Business Continuity Coordinator / Academic Service Owner	Verified phone briefing and approved staff notice
Microsoft 365 / backup / relevant service provider	Need for provider records, identity support, backup validation or recovery assistance	IT Operations Lead with Security Analyst	Approved provider portal or verified support contact
Legal / Privacy Adviser	Potential personal-data implication or reporting-obligation question	Incident Response Lead	Verified phone and restricted fact pack
Staff and finance officer	Account or endpoint protection; operational instructions; fact-bounded safety notice	Communications Coordinator with Incident Response Lead	Verified telephone call and approved staff notice
Media / public-facing stakeholders	External query or public rumour requiring approved response	Communications Coordinator	Approved statement through authorised public channel

Stakeholder communication matrix — approval and cadence

Stakeholder	Alternative channel	Approver	Update frequency
Senior Management / Executive Sponsor	In-person briefing or independently verified phone tree	Senior Management / Executive Sponsor	At declaration and each material decision; next update by 10:30 WAT Day 0
IT Operations and Security Staff	Direct voice call and controlled offline decision log	Incident Response Lead	At each decision point and when scope changes
Learners and examination cohort	Verified telephone or approved physical/alternative learning channel	Academic/Business Service Owner; management for material change	Initial status and before the 11:00 examination decision; update when status changes
Teaching staff and academic operations	Direct phone calls or controlled staff briefing	Academic/Business Service Owner	At initial decision, before examination start and at material change
Microsoft 365 / backup / relevant service provider	Verified telephone contact and controlled case record	Senior Management for engagement and information sharing	At request, provider response and material finding
Legal / Privacy Adviser	Direct verified call; no sensitive forensic detail over unverified email	Senior Management for formal advice or notification decision	At initial uncertainty and whenever facts change materially

Stakeholder	Alternative channel	Approver	Update frequency
Staff and finance officer	Direct phone call or controlled briefing	Incident Response Lead; Privacy Adviser if personal information is included	Initial instruction and when user action changes
Media / public-facing stakeholders	Verified telephone response or holding statement	Senior Management with Legal/Privacy advice	Only when approved; reassess when public information changes

7 Task 5 — Tabletop Exercise and Improvement Plan

Status: Fictional individual tabletop design and simulated outcome record — awaiting independent review.
Duration: 60 minutes.
Scenario point: High — provisional suspected ransomware incident, Day 0, with the 11:00 examination dependency.

7.1 Exercise purpose and boundaries

This tabletop tests the approved Task 1 assessment, Task 2 governance, Task 3 response playbook and Task 4 communication controls. It is an individual simulation in which the analyst takes the role of each functional participant. Every decision and result is simulated; it is not a record of live response, system restoration, evidence collection or notification.

7.2 Objectives

- Test whether the team preserves evidence while controlling active encryption and privileged-account risk.
- Test whether the Incident Response Lead, IT Operations, Security Analyst, BCC and Academic/Business Service Owner make distinct decisions under the 11:00 deadline.
- Test backup uncertainty and the prohibition on unsafe restoration.
- Test fact-bounded communications when a data-theft claim and media query are unverified.
- Produce measurable preparation improvements for backup, communications, monitoring, training and closure discipline.

7.3 Participants and roles

Participant role	Exercise responsibility
Incident Response Lead	Directs the simulated incident, authorises normal containment, records decisions and escalates material risk.
Security Analyst	Analyses evidence, maintains uncertainty and validates security conditions.
IT Operations and Recovery Lead	Performs simulated technical assessment, backup validation and recovery decisions within authority.
Digital Forensics/Evidence Custodian	Preserves planned evidence and identifies custody or evidence-loss concerns.
Business Continuity Coordinator	Coordinates authorised continuity options and learner-service planning.
Academic/Business Service Owner	Decides whether an examination arrangement is acceptable within approved parameters.
Senior Management / Executive Sponsor	Accepts material institutional risk, approves material exceptions and communications.
Legal/Privacy Adviser	Advises on data claims, evidence confidence and possible reporting obligations.
Communications Coordinator	Drafts fact-bounded internal and external messages and records approval.

The role set is functional; it does not imply that Northbridge has nine dedicated employees.

7.4 Agenda and injects

Minute	Activity
0–5	Briefing, assumptions, role assignment and success criteria.
5–10	Review E01–E08 and establish the simulated situation record.
10	Required inject 1: management requests reopening before the 11:00 examination despite unverified backup safety.
20	Required inject 2: an attacker claims possession of all 1,800 learner records; screenshot authenticity is uncertain.
35	Required inject 3: the latest network backup fails a simulated test restoration with an unreadable snapshot error.
45	Required inject 4: social media claims cancellation and a journalist asks about learner-information exposure.
50	Additional inject: Microsoft 365 audit export is delayed and the finance officer cannot immediately confirm the unfamiliar sign-in.
55–60	Closure discipline, corrective actions, debrief and simulated handover to post-incident review.

The editable timeline is tabletop-timeline.mmd.

7.5 Measurable success criteria

1. By minute 10, the simulated record identifies E01–E08, the High provisional classification, the examination dependency, the unverified backup position and at least three unresolved questions.
2. By minute 20, the participants preserve the attacker claim as unverified, assign a Legal/Privacy assessment and avoid stating that learner records were stolen.
3. By minute 35, the participants reject restoration from the failed or unvalidated source and record an alternative continuity path.
4. By minute 45, the participants produce an approved fact-bounded holding message without confirming cancellation or data exposure.
5. By minute 60, every simulated decision has an owner, rationale, communication, effect and follow-up record, and at least five corrective actions are assigned.

7.6 Individual simulated decision walkthrough

The detailed decision log is data/exercise-decision-log.csv. The six outcomes are labelled Individual simulated tabletop outcome and are not evidence from the fictional incident.

7.6.1 Inject 1 — minute 10

The simulated decision is not to reopen LMS01 from an unvalidated backup. The IRL, Senior Management and Academic/Business Service Owner retain separate security, risk and service decisions while the BCC prepares an alternative. This preserves recovery safety and leaves the examination status unresolved until an authorised decision.

7.6.2 Inject 2 — minute 20

The claim and screenshot are preserved for validation. The simulated team does not confirm theft, attacker identity or authenticity. Legal/Privacy receives the potential personal-data issue, while Communications prepares only a fact-bounded holding line.

7.6.3 Inject 3 — minute 35

The simulated unreadable snapshot result blocks use of that candidate recovery source. It does not prove that all backups fail. IT Operations requests specialist support and records recovery uncertainty; BCC and academic operations continue contingency planning.

7.6.4 Inject 4 — minute 45

The simulated team treats the social-media post as a rumour, not an examination decision. Communications prepares an approved holding statement; Legal/Privacy and Senior Management review any external message. No exposure claim is confirmed.

7.6.5 Additional inject — minute 50

The delayed Microsoft 365 export and unavailable finance officer leave E02 unresolved. The simulated response preserves the provider request and uses other planned sources rather than inventing an account-compromise conclusion.

7.6.6 Closure decision — minute 55

The exercise remains under simulated recovery rather than closing. Open evidence, recovery, learner-impact and approval items receive owners and next reviews. The decision tests whether closure is treated as a governance gate rather than an administrative convenience.

7.7 Corrective actions and post-incident review

Six proposed corrective actions are recorded in data/corrective-actions.csv. They cover backup testing, alternative communication, server monitoring, dual-hat training, privacy/communications decision support and closure gates. Target completion times are relative to simulated exercise closure and are not claims of implementation.

For this exercise, the simulated post-incident review deadline is **within two weeks of simulated incident closure**, consistent with the Week 20 lessons-learned teaching point. The Incident Response Lead coordinates the review; Senior Management closes corrective actions after evidence of completion is accepted by the named owner and relevant technical/business reviewer. No actual review or closure has occurred.

7.8 Sources and boundaries

- ICDFA, *GRC105 Incident Response Planning Assignment*, Task 5 and rubric.
- ICDFA, *Incident Response Planning*, Week 20 slides 12–13 and 16–18.
- Approved Task 1–Task 4 planning artifacts.
- NIST, *SP 800-61 Rev. 3*: https://csrc.nist.gov/pubs/sp/800/61/r3/final

All outcomes in this document are explicitly simulated. No live response, evidence acquisition, backup restoration or communication is represented.

Canonical simulated decision log — inject and decision

Exercise minute	Inject	Decision	Decision owner
10	Management requests reopening before 11:00 despite unverified backup safety	Do not reopen from an unvalidated backup; prepare alternative examination arrangements	Incident Response Lead / Senior Management / Academic Service Owner

Exercise minute	Inject	Decision	Decision owner
20	Attacker claims all 1800 learner records and provides uncertain screenshot	Preserve claim evidence and investigate; do not confirm theft or authenticity	Incident Response Lead / Legal Privacy Adviser
35	Latest network backup test fails with unreadable snapshot error	Hold that recovery source and request specialist validation; reassess alternatives	IT Operations Lead / Incident Response Lead
45	Social media cancellation rumour and journalist query about exposure	Issue approved holding statement; do not confirm cancellation or exposure	Communications Coordinator / Senior Management
50	Microsoft 365 export delayed and finance officer unavailable for immediate confirmation	Preserve provider request and keep identity question unresolved; request alternate support	Security Analyst / Incident Response Lead
55	Facilitator asks whether the exercise can close with recovery questions open	Keep incident under recovery and assign owners and next review	Incident Response Lead

Canonical simulated decision log — rationale and communication

Exercise minute	Rationale	Communication
10	E05 does not establish backup safety and security gates cannot be waived	Verified phone briefing; learner update pending approved status
20	Evidence and authenticity are unresolved	Restricted management update and holding line
35	The source cannot currently support safe recovery; other sources remain untested	Management and BCC notified; academic owner receives uncertainty
45	The rumour is not authoritative and disclosure is unproven	Verified phone coordination and approved public statement
50	Delayed evidence cannot justify attribution or closure	Controlled provider case record and management update
55	Closure requires evidence, approvals, business acceptance and residual-risk treatment	Participant debrief and protected exercise record

Canonical simulated decision log — effect and status

Exercise minute	Effect on response or recovery	Simulation status
10	Recovery remains controlled while continuity planning begins	Individual simulated tabletop outcome

Exercise minute	Effect on response or recovery	Simulation status
20	Privacy workstream added without changing confirmed scope	Individual simulated tabletop outcome
35	Recovery uncertainty increases and unsafe restoration is prevented	Individual simulated tabletop outcome
45	Reduces misinformation while preserving privacy and approval controls	Individual simulated tabletop outcome
50	Maintains investigation integrity and avoids premature account-compromise finding	Individual simulated tabletop outcome
55	Tests closure discipline and creates corrective actions	Individual simulated tabletop outcome

Canonical corrective-action register — finding and action

Action ID	Priority	Finding	Corrective action
CA-01	Critical	Backup recoverability was uncertain and the simulated test failed	Complete isolated FS01/LMS01 restoration tests with integrity and application checks
CA-02	High	Contact list was unavailable and email trust was uncertain	Maintain independent contacts and rehearse verified phone and alternate-channel identity checks
CA-03	High	Server and provider visibility may be incomplete	Assess and close FS01 LMS01 BAK01 monitoring gaps
CA-04	High	Dual-hatting creates command, evidence and execution conflicts	Run role-based training and repeat tabletop with deputies and decision-log coverage
CA-05	High	Claims and transfer evidence could trigger premature disclosure	Create fact-bounded privacy and communications decision checklist
CA-06	Medium	Closure could occur while recovery and learner-impact questions remain open	Add closure gate for evidence, residual risk, business acceptance and follow-up

Canonical corrective-action register — ownership

Action ID	Owner	Target completion
CA-01	IT Operations and Recovery Lead with Senior Management approval	Within 30 days of exercise closure
CA-02	BCC / Communications Coordinator	Within 14 days of exercise closure

Action ID	Owner	Target completion
CA-03	Security Analyst / IT Operations Lead	Within 45 days of exercise closure
CA-04	Incident Response Lead	Within 60 days of exercise closure
CA-05	Legal/Privacy Adviser / Communications Coordinator	Within 30 days of exercise closure
CA-06	Incident Response Lead	Within 30 days of exercise closure

Canonical corrective-action register — evidence and status

Action ID	Measurable evidence	Status
CA-01	Dated test record with provenance results limitations and decision	Proposed from simulation
CA-02	Exercise retrieves contacts without FS01 and records verified notification	Proposed from simulation
CA-03	Coverage register lists telemetry owners retention and test alert or exception	Proposed from simulation
CA-04	Attendance record, role assignments and success-criteria results reviewed	Proposed from simulation
CA-05	Approved checklist used in a scenario and linked to decision record	Proposed from simulation
CA-06	Updated closure template reviewed in exercise or governance review	Proposed from simulation

8 Task 6 — Case Study Analysis and Critical Reflection

The illustrative healthcare case on Week 20 slide 16 shows several response strengths. First, EDR alerts triggered detection and the incident-response team activated immediately, reducing the time between discovery and coordinated action. Second, network segmentation and quarantine limited the ransomware spread while affected systems were isolated. Third, offline backups were verified intact, enabling recovery without paying a ransom. The case also describes forensic analysis, phased rebuilding, strengthened controls, sector information sharing and a later lessons-learned review. These are mutually reinforcing preparation and response practices rather than isolated technical fixes.

Two limitations remain. The case reports that no patient-data exfiltration was confirmed, but it does not explain the complete scope of email, endpoint, identity, network and cloud-log review that supports that conclusion. “Not confirmed” is therefore not proof that no access occurred. It also reports critical-system restoration within 72 hours but full downtime of seven days; the distinction is useful, yet the case does not identify the recovery dependencies or business services that remained unavailable during the additional four days.

Two improvements transfer directly to Northbridge. Northbridge should protect and test offline or isolated backups because its network backups are not immutable, the last disconnected copy is from Day minus 3, and restoration has not been tested in 90 days. It should also strengthen segmentation and server monitoring around FS01, LMS01 and BAK01 because server EDR coverage is incomplete and LMS01 depends on FS01. These changes address the case lessons while responding to Northbridge-specific uncertainty rather than assuming the same outcome.

Restoring critical systems within 72 hours is a service-priority milestone, not full recovery. Critical clinical functions may be restored first while identity, peripheral services, records reconciliation, monitoring, user support and less-critical systems continue recovery over seven days. Before claiming that no patient data was stolen, investigators would need preserved identity, endpoint, email, network, proxy, cloud and application logs; evidence of access and transfer review; validated retention and time coverage; scope analysis; and documented privacy/legal assessment. Absence of an alert alone is insufficient.

Following the tabletop, I would revise Northbridge’s examination decision: the 11:00 examination should not be treated as a reason to reopen LMS01 from an unvalidated backup. The plan should require an early documented alternative-arrangement decision while isolated recovery and security validation continue. This preserves availability planning without converting schedule pressure into unsafe restoration.

Source: ICDFA, *Incident Response Planning*, Week 20 teaching presentation, slide 16. The Northbridge transfer is analytical interpretation, not a finding from the healthcare case.

9 References

1. ICDFA. *GRC105 Incident Response Planning Assignment*. Supplied course document, pp. 1–6.
2. ICDFA. *Incident Response Planning*. GRC105 Week 20 teaching presentation, slides 1–18. Supplied course presentation.
3. Nelson, A., Rekhi, S., Souppaya, M., and Scarfone, K. (2025). *NIST SP 800-61 Revision 3: Incident Response Recommendations and Considerations for Cybersecurity Risk Management: A CSF 2.0 Community Profile*. https://csrc.nist.gov/pubs/sp/800/61/r3/final

4. Cichonski, P., Millar, T., Grance, T., and Scarfone, K. (2012). *NIST SP 800-86: Guide to Integrating Forensic Techniques into Incident Response*. https://csrc.nist.gov/pubs/sp/800/86/final
5. CISA and partners. *#StopRansomware Guide*. https://www.cisa.gov/stopransomware/ransomware-guide

The report uses the supplied assignment and Week 20 slides as the scenario and marking sources. NIST SP 800-61 Revision 3 is used for CSF 2.0-aligned incident-response governance; the Week 20 four-stage teaching model is retained as a course-facing organisation aid and is not attributed to Revision 3 as its lifecycle.

10 AI-assistance acknowledgement

AI assistance was used transparently for document preparation, technical structuring, evidence-register presentation, visual conversion support, cross-artifact consistency checks and quality assurance. The student remains responsible for reviewing, validating and explaining the report, its evidence interpretations, citations and final submission.