

9.1.2 Plindrome or Not

Algorithm

Step 1: Start

Step 2: Input a string `st`

Step 3: Find length of string $\rightarrow l = \text{len}(st)$

Step 4: Initialize flag `f = True`

Step 5: Set loop from `i = 0` to `l-1`

Step 6: Compare `st[i]` with `st[l - 1 - i]`

Step 7: If not equal $\rightarrow$ set `f = False` and break loop


Step 8: Repeat steps until loop ends

Step 9: If `f == True` $\rightarrow$ print "Palindrome"

Step 10: Else $\rightarrow$ print "Not a Palindrome"

Step 11: Stop

Flowchart



CODETANTRA

Home

Programming and Problem Solving

Lab - TE7287 - II Sem - 2026

Search course

ctrl + k

1. Experiment - 1

2. Experiment - 2

3. Experiment - 3

4. Experiment - 4

5. Experiment - 5

6. Experiment - 6

7. Experiment - 7

8. Experiment - 8

9. Experiment - 9

9.1. Programs

9.1.1. Count Vowels in a String - 1

9.1.2. Palindrome or Not

10. Experiment - 10

11. Experiment - 11

12. Experiment - 12

13. Experiment - 13

14. Experiment - 14

15. Experiment - 15

9.1.2. Palindrome or Not

00:21

Write a Python program to take a string as input and check whether the given string is a palindrome or not. A palindrome is a string that reads the same forwards and backward.

Input Format:

A single line of input contains a string

Output Format:

If the input string is a palindrome, print "Palindrome", otherwise print "Not a Palindrome"

Sample Test Cases

palindro...

1 st=input()
2 imp=len(st)
3 flag=True
4
5 for i in range(imp//2):
6 if st[i]!=st[imp-1-i]:
7 flag=False
8
9 if flag:
10 print("Palindrome\n")
11 else:
12 print("Not a Palindrome\n")
13
14 # Type your code here....

Average time
0.013 s
13.20 ms

Maximum time
0.031 s
31.00 ms

2 out of 2 shown test case(s) passed
3 out of 3 hidden test case(s) passed

Test case 1 31 ms

Expected output
racecar
Palindrome

Actual output
racecar
Palindrome

Test case 2 41 ms

Terminal

Test cases

Debugger

Submit

Logout

ayush.dehankar.batch2025@sitnagpur.siu.edu.in

Support