

Ally — MVP 1.0 Definition

- **Status** — Finalized scope, pending build of the launch-critical fixes in §6
- **Date** — 5 September 2026
- **Product** — Ally, the Founder DNA Platform. An AI co-founder coach that diagnoses the *founder* first, then the business, then the root cause sitting at their intersection.
- **Stack** — FastAPI + SQLAlchemy + Alembic on Supabase Postgres · Vite + React 19 + Tailwind + react-router · Backend on AWS App Runner/ECS Fargate, frontend on Vercel · Razorpay (INR) · Supabase Auth

0. Decisions locked for 1.0

#	Decision	Choice
1	Billing model	Auto-renewing mandate. Razorpay Subscriptions with a real mandate, a working cancel path, and a downgrade sweep on expiry. This is what the UI already promises the founder, so it is the model we make true rather than the promise we retract.
2	Coupons	Simple launch codes in 1.0. Admin-created codes, percent or flat off, one redemption per founder, an expiry date. Not a full promotions engine.
3	Feature scope	Keep everything currently built. Nothing shipped is pulled or flag-hidden. The work is to fix what is broken and finish what is mocked.
4	Access	Waitlist-gated launch. Signup stays approval-only; the gate is not lifted in 1.0.

Consequence of #3: MVP 1.0 is a *quality and correctness* release, not a feature-cut release. The surface is already wide, so the launch bar is that **every screen a founder can reach tells the truth**, and every rupee charged is charged correctly.

1. Final feature list

Legend: **Live** = built and working · **Fix** = built but has a launch-critical defect (see §6) · **Finish** = partially built, must be completed for 1.0

1.1 Identity & access

Feature	Status	Notes
Email + emailed OTP + password sign-in (Supabase)	Live	<code>frontend/src/services/auth.js</code>
Backend-issued session tokens (access + rotating refresh)	Live	<code>POST /auth/session</code> , <code>/resume</code> , <code>/refresh</code> , <code>/logout</code> , <code>GET /auth/me</code> , <code>/auth/status</code>
Waitlist gate — unapproved emails bounced to the waitlist	Live	Client-side courtesy; the real gate is waitlist approval in Supabase
Founder auto-provisioning on first login	Live	Behind <code>ENABLE_FOUNDER_PROVISIONING</code>

Feature	Status	Notes
Session survives reload; refresh-token rotation	Live	A refresh token works exactly once

1.2 Onboarding (the guided flow)

Feature	Status
Expectation → Welcome → Ally intro (3 tabs: Founder-First, Root-Cause Chain, Clarity Method)	Live
Consent capture (terms + diagnosis consent), append-only ledger	Live
Profile build — 4-section, path-branching questionnaire	Live
Stage tour, summary, validate, problem statement	Live
Resume a partially completed onboarding	Live
Hand-off to the real backend diagnosis (no scripted fake sequence)	Live

1.3 The diagnosis engine — the core product

Feature	Status	Notes
Phase 1 — Founder DNA journey	Live	<code>/app/founder-dna-journey</code> ; <code>/diagnosis/start</code> 409s until complete
Phase 2 — Current Problem	Live	<code>/app/current-problem</code>
Phase 3 — Adaptive business diagnosis	Live	<code>/app/diagnosis</code> ; server-side session, resumable
Adaptive question selection over the seeded bank	Live	330 questions, 807 root causes, 3,920 root-cause weights, 97 interventions, 124 problems
Stage-scoped pillars — never ask a pre-launch solo founder about revenue concentration	Live	<code>diagnosis/stage_scope.py</code>
Per-stage question budget	Live	<code>founder_stages.question_budget</code>
Confidence scoring + routing bands (Continue <60 · Validate 60–80 · Report ≥80)	Live	<code>reasoning/engines/confidence.py</code>
Voice input inside the diagnosis	Live	All tiers
Reasoning engines: archetype, business health, root cause, stage detection, psychological state, distress language, symptom detection, consistency, recommendation, action plan	Live	19 engines under <code>reasoning/engines/</code>
Lifetime diagnosis cap enforced per plan	Live	Only <i>completed</i> diagnoses count

1.4 Outputs

Feature	Status
Clarity Report (scored diagnosis + single Clarity Score)	Live

Feature	Status
Founder DNA card — archetype and dimension profile	Live
Business DNA card — 6 readiness pillars (Founder Readiness 25 · Market Clarity 20 · Revenue Maturity 20 · Product & Execution 15 · Team & Leadership 10 · Strategic Clarity 10)	Live
Next Steps — server-generated recommendations	Live
Report document generation	Live
Honest empty states before any diagnosis exists	Live

1.5 The ongoing workspace

Feature	Status	Plan gate
Dashboard — greeting, health cards, plan badge, next call	Live	All
Ally Chat — grounded in the founder's own diagnosis, streaming, attachments + vision, suggestions, links, memory	Live	Plus+
Voice in chat	Live	Plus+
Plan Your Day — goals and tasks	Live	Plus+
Goals	Live	Plus+
Next Steps	Live	Plus+
Vision	Live	Pro
Recommendations	Live	Pro
Knowledge-graph chat	Live	Pro
Email notifications	Live	Pro
Know My Energy	Finish	Pro — declared in the catalog, founder-facing implementation incomplete
Frameworks library + detail	Live	All
Achievements	Live	All
Journey timeline	Live	All
Notifications feed	Live	All
Help & Support assistant on every page	Live	All
Founder profile, settings, preferences	Live	All
Feedback capture	Live	All

1.6 Discovery calls

Feature	Status	Notes
Slot listing against live Google Calendar	Live	Pro sees slots from tomorrow (1-day lead); everyone else 3 days

Feature	Status	Notes
Booking as a request the team confirms	Live	Deliberate: payment is collected offline, seam is <code>payment_reference + pending → confirmed</code>
Email confirmation + 24h / 1h reminders	Finish	Code works; no scheduler runs it in production
₹300 per call once the free allowance is used	Fix	Every tier currently has <code>free_calls_per_month = 0</code>

1.7 Money

Feature	Status
Plan catalog — one source of truth for price, credits, ceilings, features	Live
Server-side entitlement checks (UI only mirrors them)	Live
Credit ledger, append-only, with lazy settlement (expiry + renewal without a cron)	Live
Daily token ceilings, metered separately per feature	Live
Unbilled-usage reconciliation queue	Live
Razorpay checkout for a paid plan	Fix — one-time order, not a mandate
Webhook-granted plans, idempotent, signature-verified	Live
Recurring renewal / cancel / downgrade on expiry	Build — \$5
Coupons	Build — \$5
₹300 / 120-credit top-up	Build — advertised by the API, no checkout path exists

1.8 Admin


Full detail in §4. Live today: RBAC (3 roles), user search and detail, credit adjustment and bulk grants, subscription patch, diagnosis/conversation resets, account suspension and deletion, privacy-request queue, feature flags, broadcasts, usage and cost metrics, founder feedback, report regeneration, conversation inspection, and an immutable audit log.


1.9 Trust, privacy, platform

Feature	Status
Data export (JSON)	Live
Restrict processing (reversible)	Live
Withdraw consent	Live
Account deletion with 30-day scheduled erasure	Live — sweep endpoint exists, needs a scheduler
Terms of Service and Privacy Policy pages	Live
Error boundaries per route group	Fix — does not reset on navigation

Feature	Status
Sentry error reporting	Live
Stale-chunk recovery after a deploy	Live
Mobile 375px verified across the main routes	Live

2. User journey & process flow





The monetisation logic. Ally is deliberately not a free-forever product. The Free tier is a **one-month funded trial** — credits are granted once, never renewed, because a renewing free tier is an unbounded recurring cost per signup. The trial is sized to let a founder complete one full diagnosis, read the report it writes, and work in the product for a month. The upgrade moment is engineered: it arrives when the founder has already seen the diagnosis be right about them.

The pricing ladder reads as three sentences:

- **₹199 Starter** — "Buy the answer." One adaptive diagnosis and the Clarity Report it writes. Nothing else.
- **₹450 Plus** — "Buy somewhere to act on it." Adds Ally Chat, Next Steps, Goals, Plan Your Day.
- **₹999 Pro** — "Ally starts initiating." Adds Vision, Recommendations, knowledge-base reasoning, email outreach, and first pick of every call slot.

3. Step-by-step flow

3.1 First-run — signup to report

#	Step	Route	Key API	What must be true
1	Land, redirected if no session	/	POST /auth/resume	No session → waitlist site. Never a white screen.
2	Enter email	/guided/login	Supabase signInWithOtp	Unapproved email → the waitlist message, not a generic failure
3	Enter emailed code, choose a password	/guided/login	Supabase verifyOtp + updateUser	A password Supabase rejects stops the step — never "saved" falsely
4	Exchange for a backend session	—	POST /auth/session	Returns {access_token, refresh_token, founder, provisioned:true}
5	See what Ally does	/guided/expectation → /ally-intro	—	—
6	Accept terms + diagnosis consent	/guided/welcome	POST /consents	Append-only; a double-submit does not duplicate the row

#	Step	Route	Key API	What must be true
7	Build the profile	<code>/guided/profile</code>	<code>PATCH /profile</code>	4 sections, branching by path
8	Stage tour, summary, validate	<code>/guided/tour</code> , <code>/summary</code> , <code>/validate</code>	<code>GET /profile</code> , <code>/progress</code>	Real stage label, never a fallback
9	State the problem	<code>/guided/problem</code>	—	Hands off to the real engine
10	Phase 1 — Founder DNA	<code>/app/founder-dna-journey</code>	<code>POST /diagnosis/*</code>	<code>/diagnosis/start</code> 409s until this completes
11	Phase 2 — Current Problem	<code>/app/current-problem</code>	—	Reached from Phase 1, not linked directly
12	Phase 3 — Diagnosis	<code>/app/diagnosis</code>	<code>POST /diagnosis/start</code> , <code>/answer</code> , <code>GET /current</code>	Resumable across reloads; server holds the session
13	Generation	<code>/app/thinking</code>	<code>POST /internal/jobs/reconcile-reports</code> as backstop	A killed container must not strand a COMPLETED session
14	Read the report	<code>/app/report</code>	<code>GET /intelligence/reports/latest</code>	404 before any diagnosis is a legitimate empty state
15	Founder DNA / Business DNA / Next Steps	<code>/app/founder-dna</code> , <code>/business-dna</code> , <code>/next-steps</code>	<code>GET /reports/{id}/*</code>	Never a hardcoded archetype; never <code>[object Object]</code>

3.2 Steady state — a returning founder

1. `/` → `POST /auth/resume` → `/app` dashboard.
2. Dashboard renders the real plan badge, real Clarity Score, real next call — never a placeholder.
3. Ally Chat answers grounded in that founder's own diagnosis; a message is metered against the daily chat ceiling and the credit balance.
4. Plan Your Day auto-creates today's plan on first visit; tasks persist server-side.
5. Hitting a ceiling produces an honest, actionable wall: **429** daily limit, **402** credits spent *or trial lapsed* (the two are distinguished by date and worded differently), **403** the feature is on a higher tier.
6. Every wall routes to `/app/billing` .

3.3 Upgrade — the paid path (target state, \$5)

#	Step	API
1	Open pricing, see live catalog + strike-through MRP	<code>GET /plans</code>
2	Enter a coupon code, see the discounted total	<code>POST /coupons/validate</code>
3	Start checkout	<code>POST /payments/checkout</code> → Razorpay subscription
4	Authorise the mandate in the Razorpay modal	Razorpay

#	Step	API
5	Backend grants the plan from the signed webhook only	POST /webhooks/razorpay
6	Credits granted, entitlements widen immediately	—
7	Month 2 onward: auto-charge, credits renew, ledger row appended	subscription.charged
8	Cancel → access continues to period end, then downgrades to Free	POST /payments/subscription/cancel + expiry sweep

3.4 Discovery call

- GET /discovery/slots?days=7 — Pro sees from tomorrow, others from day 3.
- POST /discovery/book creates a **pending request**.
- Team confirms; the row moves pending → confirmed ; Google Calendar event created; confirmation email sent.
- Reminders fire at 24h and 1h (**requires the scheduler in §6**).
- Payment beyond the free allowance is collected offline against payment_reference .

4. Admin requirements

4.1 Roles

Three roles, server-enforced, capability-counted: **super_admin (13)** · **admin (6)** · **support (3)**. Everything below is checked server-side; the panel only mirrors it.

4.2 Capabilities — live today

Area	Capability	super_admin	admin	support
Users	Search / list (name, email, phone, business, ID), paginate, sort	✓	✓	✓
Users	Founder detail — profile, credits, timeline	✓	✓	✓
Users	Edit founder record	✓	✓	✗
Users	Suspend / restore account status	✓	✓	✗
Users	Reset diagnosis · reset conversations	✓	✓	✗
Users	Delete account · cancel a scheduled deletion	✓	✗	✗
Money	View credit ledger	✓	✓	✓
Money	Adjust credits	✓	✗	✗
Money	Bulk credit grant	✓	✗	✗
Money	Patch a subscription	✓	✗	✗
Support	Inspect a founder's conversations	✓	✓	✗
Support	Regenerate a report	✓	✓	✗

Area	Capability	super_admin	admin	support
Support	Founder feedback + stats	✓	✓	✓
Privacy	Privacy-request queue, mark handled	✓	✓	✗
System	Feature flags — global and per-founder	✓	✗	✗
System	Broadcasts — create, list, delete	✓	✗	✗
System	Usage + estimated cost, system-wide and per-founder	✓	✓	✗
System	Reconcile unbilled usage	✓	✗	✗
System	Health report	✓	✓	✓
Audit	Immutable audit log, newest first	✓	✓	✓

Every write above appends an audit row. The audit log is append-only and cannot be edited from the panel.

4.3 Admin requirements added for MVP 1.0

Requirement	Why
Coupon CRUD — create, list, disable; type (percent / flat), value, expiry, max redemptions, per-founder limit	Launch promos and partner codes are run by the team, not by a deploy
Coupon redemption report — who redeemed what, discount given, revenue impact	A code with no reporting is a discount you cannot measure
Subscription view — mandate state, next charge date, last charge, failures	Support cannot answer "why was I charged" without it
Cancel / refund a subscription from the panel	Today the only cancel path is Razorpay's own dashboard
Failed-payment queue — subscriptions in <code>halted</code> or retrying	A silent dunning failure is churn nobody saw
Waitlist approval view (read-only is acceptable for 1.0)	Approval currently happens outside the product

4.4 Operational requirements

Requirement	Status
Scheduler (EventBridge / pg_cron) calling the internal job endpoints	Missing — blocking
Migration runbook — migrations do not run on deploy; the ECS task definition's <code>command</code> replaces the image <code>CMD</code>	Documented in <code>DEPLOY.md</code> , must be in the release checklist
Monthly partition creation	Endpoint exists, unscheduled
Sentry alerting on <code>ally.usage.reconciliation</code>	Logger namespace exists for exactly this

5. Subscription & coupon flow

5.1 Where we are

A founder pays through `POST /payments/checkout`, which creates a **one-time Razorpay order**. On `payment.captured`, the signed webhook grants the plan, writes a `subscriptions` row with `expires_at = now + 30 days`, and grants the month's credits. The grant is idempotent and never trusts the browser redirect — that part is right and stays.

What is wrong: nothing ever reads `expires_at` back. There is no mandate, no second charge, and no downgrade. A founder who pays ₹999 once holds Pro permanently. Meanwhile the Billing page tells them their subscription renews on a hardcoded date and offers a Cancel button that closes a modal and does nothing.

5.2 Target subscription flow

```
Founder picks a tier
|
▼
POST /payments/checkout → Razorpay Subscriptions API
|                          create subscription (plan_id, customer, notes)
▼
Razorpay modal – founder authorises the MANDATE
|
▼
POST /webhooks/razorpay (signed, idempotent, the ONLY granting path)
|
├ subscription.activated → grant plan · grant credits · set current_period_end
├ subscription.charged   → extend period · renew credits · append ledger row
├ payment.failed         → mark retrying · notify founder · admin queue
├ subscription.halted    → dunning exhausted → downgrade to Free
└ subscription.cancelled → mark cancel_at_period_end
|
▼
Nightly sweep POST /internal/jobs/expire-subscriptions
|
└ every subscription past current_period_end and not renewed
  → founders.plan_type = 'free' · entitlements narrow · founder emailed
```

Rules that must hold:

1. A plan is granted **only** from a signature-verified webhook. Never from a redirect, never from a client call.
2. Every webhook handler is idempotent — Razorpay retries anything that is not a 2xx, and a double grant is a double month.
3. Cancellation is **at period end**, never immediate. The founder paid for the month.
4. Downgrade narrows entitlements but **never deletes data**. A founder who returns finds their reports, goals and history intact.
5. Credits expire before they renew at a period boundary — an unused allowance must not roll over.
6. A credit-grant failure must not roll back a plan grant already committed; it is logged loudly and reconciled.

5.3 Coupon flow — launch codes

Model. A coupon is: a code, a type (`percent` or `flat`), a value, an optional tier restriction, an expiry date, a maximum total redemption count, and a one-redemption-per-founder rule. Redemptions are recorded in their own append-only table.

```
Founder enters a code on the pricing page
|
▼
POST /coupons/validate { code, tier }
|
├ unknown code          → 404 "That code isn't valid."
├ expired               → 410 "That code has expired."
├ redemption cap reached → 409 "That code has been fully claimed."
├ already used by this founder → 409 "You've already used this code."
├ wrong tier             → 422 "That code doesn't apply to this plan."
└ valid → { discount_inr, final_inr, label }
|
▼
POST /payments/checkout { tier, coupon_code }
|
▼
Server RE-VALIDATES the coupon and recomputes the price.
The browser's number is never trusted.
|
▼
Razorpay subscription created with the discounted amount
|
▼
On subscription.activated: redemption row written, atomically with the grant
```

Rules that must hold:

1. The discount is computed **server-side at checkout**, re-validated at the moment the order is created. A client-supplied price is ignored entirely.
2. The redemption is written in the same transaction as the grant, so a code cannot be spent twice by two concurrent checkouts.
3. A coupon applies to the **first charge only** in 1.0. Recurring discounts are post-launch — they need Razorpay plan-level offers and a different model.
4. A code that would make the total ₹0 is rejected at creation. Free access is granted by admin, not by checkout.
5. Codes are case-insensitive on input, stored uppercase.

5.4 Top-up

`GET /plans` already advertises a **₹300 / 120-credit** top-up. There is no way to buy it — `/payments/checkout` accepts only a `PlanTier`. For 1.0 either build the top-up checkout path or stop advertising it.

Recommendation: build it. It is the Free tier's natural exit and the smallest possible first payment.

6. Launch-critical fixes

P0 — blocks a paid launch

#	Issue	Evidence	Fix
P0-1	No recurring billing. One-time order; <code>subscriptions.expires_at</code> written and never read. Paid tiers never lapse.	<code>app/payments/service.py:139-145</code>	Razorpay Subscriptions + the four webhook events + nightly expiry sweep (\$5.2)
P0-2	Billing page states a false renewal date and a fake cancel. Hardcoded "August 1, 2026"; Cancel confirm handler is <code>setCancelModal(false)</code> . Status view reads <code>MOCK_PLANS</code> .	<code>frontend/src/pages/Billing.jsx:566, 599, 617, 581</code>	Wire to the real subscription API; real cancel; delete the mock fallback from the status view
P0-3	No coupon system exists. Zero occurrences repo-wide.	—	Build \$5.3
P0-4	Top-up advertised, unpurchasable.	<code>app/api/v1/plans/router.py:48</code> vs <code>payments/router.py</code>	Add the top-up checkout path
P0-5	Free tier is sized for internal testing, not launch. 8,000 tokens/day — <i>above</i> Plus (3,500) and level with Pro. Free also carries Vision, Recommendations and Knowledge chat, all ₹999 features.	<code>app/plans/catalog.py:222-260</code> , flagged in the file's own comments	Resize Free to the launch ladder and narrow its feature set, in one change, before the gate opens
P0-6	No scheduler in production. Discovery reminders, the account-deletion sweep, report reconciliation and partition creation are all endpoints nothing calls.	<code>webhooks/internal_jobs.py</code>	EventBridge (or pg_cron) hitting the internal endpoints with <code>INTERNAL_JOBS_SECRET</code>
P0-7	RAZORPAY_* keys absent from .env.example. A deploy that forgets them silently disables payments — <code>payments_configured</code> returns false and checkout 500s.	<code>backend/.env.example</code>	Document all three keys; assert at startup in production

P1 — must be right at launch

#	Issue	Evidence	Fix
P1-1	Every tier has <code>free_calls_per_month = 0</code> , so no plan includes a call, yet Pro is positioned on coaching access and the QA sheet expects Pro to have two.	<code>catalog.py:241, 275, 291, 303</code>	Decide the allowance per tier and set it — or remove the free-call language from Pro's positioning

#	Issue	Evidence	Fix
P1-2	Paid calls have no payment path. Booking is a request; ₹300 is collected offline.	<code>discovery/routes.py:108-132</code>	Acceptable for 1.0 if the ops process is written down and the UI says "the team will confirm and share payment details" — not "pay ₹300"
P1-3	Error boundary does not reset on navigation. One crash keeps sibling routes broken until a manual reload.	<code>MANUAL_QA_CHECKLIST.md §12</code>	Key the boundary on the route
P1-4	Know My Energy is sold but not finished. Declared in Pro's feature set.	<code>catalog.py:300</code>	Finish it, or remove it from the advertised set until it ships
P1-5	Docs contradict the product. <code>backend/README.md</code> says "social login only — Google and LinkedIn, no passwords"; the product ships email + OTP + password. <code>backend/PROGRESS.md</code> says the diagnosis engine is unbuilt; it is built.	<code>backend/README.md</code> , <code>backend/PROGRESS.md</code>	Rewrite both. A new engineer onboarding off these docs starts wrong.
P1-6	Build artefacts and scratch files are committed. <code>frontend.zip</code> (1.6 MB), <code>backend/_tmp_diag.py</code> , <code>_tmp_run_diagnosis.py</code> , <code>cur.json</code> , <code>sum.json</code> .	<code>git ls-files</code>	Delete and gitignore

P2 — do it in the launch window if it fits

#	Issue
P2-1	GST handling — the success screen says "+ GST" but no tax line is computed or stored anywhere
P2-2	Invoice / receipt generation — Razorpay's email is the only record a founder gets
P2-3	Dunning emails on a failed charge (currently only an admin-side signal)
P2-4	Full 375px pass over the newer routes (frameworks, achievements, journey, help)

Exit criteria — 1.0 ships when all of these are true

- [] A real card is charged, renews on the second cycle, and can be cancelled from inside the product
 - [] A cancelled subscription downgrades to Free at period end, automatically, with data intact
 - [] A launch code applies a server-computed discount and cannot be redeemed twice
 - [] Free's ladder is resized and no free founder holds a Pro-only surface
 - [] The scheduler is live and every internal job has run successfully at least once in production
 - [] `MANUAL_QA_CHECKLIST.md` passes end to end on production, on desktop and at 375px
 - [] Zero console errors and zero 5xx across a full founder journey
 - [] Every screen a founder can reach shows real data or an honest empty state — no mock, no hardcoded date, no fabricated name
-

7. What is included in MVP 1.0

Everything currently built, made correct — per Decision #3. Concretely:

1. **Access** — waitlist-gated email + OTP + password auth, backend session tokens, rotation, logout.
 2. **Onboarding** — the full guided flow through consent, profile, stage and problem statement.
 3. **The three-phase diagnosis** — Founder DNA, Current Problem, and the adaptive stage-scoped business diagnosis with confidence-based routing.
 4. **The outputs** — Clarity Report with a Clarity Score, Founder DNA, Business DNA across six readiness pillars, root-cause chain, Next Steps.
 5. **The workspace** — Dashboard, Ally Chat (grounded, streaming, attachments, voice), Plan Your Day, Goals, Next Steps, Vision, Recommendations, Knowledge chat, Frameworks, Achievements, Journey, Notifications, Help assistant, Profile, Settings, Feedback.
 6. **Discovery calls** — live Google Calendar slots, request-and-confirm booking, priority lead time for Pro, confirmation and reminder emails.
 7. **Money** — the four-tier ladder (Free trial · ₹199 Starter · ₹450 Plus · ₹999 Pro), credits with lazy settlement, daily token ceilings, server-side entitlements, **auto-renewing Razorpay subscriptions, launch coupon codes**, and the ₹300 top-up.
 8. **Admin** — the full panel with three-role RBAC, plus the coupon, subscription and failed-payment additions in §4.3, all audited.
 9. **Trust** — export, restrict, withdraw, 30-day scheduled deletion, Terms, Privacy, Sentry.
 10. **Operations** — a live scheduler, a written migration runbook, and reconciliation alerting.
-

8. Post-launch roadmap

8.1 Release 1.1 — the first month after launch

Item	Why it waits
Annual plans and annual pricing	Needs the monthly mandate proven first
Recurring / multi-cycle coupon discounts	Needs Razorpay plan-level offers, a different model from launch codes
Referral programme	Depends on the coupon primitives landing in 1.0
GST invoicing and downloadable receipts	Compliance follow-through on P2-1 / P2-2
Self-serve plan change (upgrade/downgrade mid-cycle with proration)	1.0 supports upgrade at renewal only
Paid discovery calls checked out in-product	Removes the manual ops step in P1-2
Dunning email sequence	Reduces involuntary churn once there is churn to measure

8.2 Release 1.2 — deepening the product

Item
Repeat / periodic diagnosis — re-run the assessment and diff the Clarity Score over time

Item
Founder intelligence: cross-founder pattern detection and benchmarking
Founder memory smart-update — memory that revises itself as the founder changes
Team seats and multi-founder accounts
Native mobile or PWA
Coach-side console for the human coaching layer
Visual question bank (<code>visual_question_bank</code> is seeded empty)

8.3 Release 1.3+ — platform

Item
Public API / integrations
Slack and WhatsApp surfaces for Ally
Cohort and accelerator accounts (B2B2C)
Evaluation framework running continuously against live diagnoses
Migration from Supabase to AWS Cognito (already a one-provider swap by design)
Model routing and cost optimisation across providers

8.4 Explicitly not on the roadmap

- Lifting the waitlist to open public signup — a separate go-to-market decision, not an engineering one.
- A permanently free tier. Free is a funded one-month trial and stays one.
- Qdrant. The implementation uses pgvector and that divergence from the original PRD is treated as intentional and settled.

9. Open decisions the product side still owes

#	Decision	Owner	Blocks
1	Free-tier launch sizing — exact daily ceiling, credit grant and feature set	Product	P0-5
2	Free discovery calls per tier — or drop the claim from Pro's positioning	Product	P1-1
3	Launch coupon slate — which codes, what discount, what expiry	Product / GTM	P0-3
4	Sign-off on the confidence-formula weights	Viraj	Engine calibration
5	"Core questions expected per stage" and the minimum-question floor	Product	Confidence coverage denominator

#	Decision	Owner	Blocks
6	Whether <code>business_dimensions</code> (empty, superseded by <code>readiness_pillars</code>) is dropped	Team	Schema hygiene