Available online at www.sciencedirect.com

ScienceDirect

Procedia Computer Science 233 (2024) 547–557

Procedia Computer Science

www.elsevier.com/locate/procedia

5th International Conference on Innovative Data Communication Technologies and Application (ICIDCA 2024)

Enhancing Cross-Linguistic Image Caption Generation with Indian Multilingual Voice Interfaces using Deep Learning Techniques

Vijay A Sangolgi[1], Mithun B Patil[2], Shubham S Vidap[3], Satyam S Doijode[4], Swayam Y Mulmane[5], Aditya S Vadaje[6]

N.K. Orchid College of Engineering & Technology, Solapur, Maharashtra, India

Abstract

The Multilingual Voice-Based Image Caption Generator (MVBICG) is a versatile tool with numerous applications spanning communications, culture preservation, business, and technology, making it indispensable in the interconnected world. The task of image caption generation combines computer vision and NLP (natural language processing) concepts, enabling the system to understand the details or complexities of the image context and describe them in natural language. Image descriptions serve as an invaluable solution for visually impaired individuals. The MVBICG system is designed to provide real-time image descriptions in the form of voice in multiple languages as per user requirements. With the use of an MVBICG, the descriptions can be obtained as a voice output in different languages. Converting a voice into multiple languages with the help of the Google Translate API is often referred to as “multilingual voice conversion” or “multilingual speech synthesis." It leverages the latest advancements in deep learning, particularly convolutional neural networks (CNNs) for image feature extraction and recurrent neural networks (RNNs) with attention mechanisms for natural language generation. In the future, image processing is expected to take center stage as a critical research domain primarily dedicated to the preservation and protection of human lives. The MVBICG demonstrates remarkable performance with BLEU scores of 0.483601 for BLEU-1 and 0.320112 for BLEU-2, indicating its proficiency in generating precise and contextually relevant image captions. These scores further underscore its value in bridging language barriers and enhancing accessibility, highlighting its potential for broader societal impact. Additionally, the system’s training progress is illustrated by a loss plot, showing the convergence of the model over time. As image processing continues to advance, the MVBICG emerges as a pivotal research domain, focusing on the preservation and safeguarding of human lives through advanced technologies.

© 2024 The Authors. Published by Elsevier B.V.
This is an open access article under the CC BY-NC-ND license (https://creativecommons.org/licenses/by-nc-nd/4.0)
Peer-review under responsibility of the scientific committee of the 5th International Conference on Innovative Data Communication Technologies and Application

1877-0509 © 2024 The Authors. Published by Elsevier B.V.
This is an open access article under the CC BY-NC-ND license (https://creativecommons.org/licenses/by-nc-nd/4.0)
Peer-review under responsibility of the scientific committee of the 5th International Conference on Innovative Data Communication Technologies and Application
10.1016/j.procs.2024.03.244

Keywords: Multilingual Voice-Based Image Caption Generator (MVBICG), Computer Vision, Natural Language Processing (NLP), Google Translate-Application Programming Interface(API), Deep Learning.

1. Introduction

In the increasingly interconnected global society, images have become a universal medium for communication, transcending linguistic barriers to convey stories, emotions, and ideas that resonate with people worldwide. However, despite the universality of visual content, language often remains a formidable barrier to accessibility and understanding. This is where the Multilingual Voice Image Caption Generator steps in as a pioneering solution, poised to revolutionize the way of interaction with images across diverse linguistic landscapes. Images possess a unique ability to transcend language and culture, communicating ideas and emotions in a universally understood manner. Whether it's a captivating photograph, an informative infographic, or a humorous meme, images serve as powerful tools for engagement and expression. They are the silent storytellers in a world that speaks a multitude of languages. However, what happens when language becomes a barrier to understanding and engaging with this visual content? The Multilingual Voice Image Caption Generator is an innovative AI system designed to bridge the gap between visual content and linguistic diversity. At its core, this system harnesses the latest advancements in artificial intelligence, particularly in the realms of computer vision and natural language processing. Its operation is seamless and precise, as it meticulously analyses the content of an image and generates natural-sounding captions that eloquently describe the visual elements depicted. What sets this technology apart is its inherent multilingual capability. It possesses the remarkable ability to understand and generate captions in multiple languages, and it does so in real-time. Users can specify their language preference, and the generator adapts, offering a truly versatile solution for cross-cultural communication and content localization. The potential applications of the Multilingual Voice Image Caption Generator are manifold, each contributing to the broader landscape of human interaction and understanding. In today's age of global connectivity through social media, a single image has the power to transcend borders. The Multilingual Voice based Image Caption Generator comes to the rescue, ensuring that the captivating visuals are accompanied by engaging captions that transcend linguistic barriers. Whether a global brand looking to connect with a diverse customer base or an individual sharing the travel adventures, this generator makes the content universally accessible. Effective communication in presentations and educational materials is paramount. This AI tool empowers presenters, educators, and students to seamlessly integrate images into their content. The generator's multilingual capabilities enhance the accessibility of educational materials, allowing students from various linguistic backgrounds to understand and engage with the content. In international conferences and seminars, it aids in bridging language gaps, making knowledge sharing more inclusive. The importance of accessibility in the digital realm cannot be overstated. The Multilingual Voice based Image Caption Generator serves as a vital accessibility tool for individuals with visual impairments or those who require text-based descriptions of images. Its ability to generate voice-based descriptions in multiple languages ensures that information is accessible to diverse audiences, promoting inclusivity in digital content. For businesses and organizations expanding into global markets, content localization is a strategic imperative. This AI system simplifies the process by automatically generating localized image captions, saving time and resources while ensuring cultural relevance. The Multilingual Voice Image Caption Generator's ability to seamlessly bridge linguistic gaps is made possible by its underlying technology. Through state-of-the-art computer vision models, the system "sees" and comprehends the visual content of an image, recognizing objects, scenes, and context. NLP techniques enable the system to convert its understanding of the image into natural-sounding, contextually relevant captions in multiple languages, taking into account grammar, syntax, and cultural nuances. This ensures that the generated text is not just accurate but also natural and engaging. The system is trained on a rich and diverse dataset of languages, making it proficient in understanding and generating content in multiple languages. Users can choose their preferred language, and the generator responds by producing captions that align with their linguistic needs. The Multilingual Voice Image Caption Generator represents a significant step forward in the field of AI-driven image captioning. Its applications are as diverse as its capabilities, making it a valuable asset for individuals, businesses, educators, and content creators. As this technology continues to evolve, it anticipates even more advanced features and broader language support, further breaking down the barriers that divide us and bringing us closer to a world where visual

content truly speaks a universal language. In the chapters to come, deeper need to be explored into the technology that powers this innovation, explore its real-world applications, and contemplate the implications it holds for the future of communication.

1.1 Related work

The field of image caption generation has witnessed significant advancements in recent years. Researchers have explored various techniques and models to automatically generate textual descriptions for images. A selection of relevant studies in this domain is reviewed. [1]This study likely delves into the integration of deep convolutional neural networks and sentence learning for image caption generation, suggesting a fusion of computer vision and natural language processing.[2]Sumathi and Hemalatha present a hierarchical model that combines image annotation and retrieval, which may offer insights into improving image captioning by leveraging hierarchical structures.[3]This paper explores image caption generation in the context of service robotics and industrial applications, which is crucial for understanding how image captioning can be applied in practical, real-world scenarios.[4] This research investigates the utilization of deep learning techniques for image caption generation, which could shed light on state-of-the-art methodologies in the field. [5] The work seems to address the challenge of generating sentences from images automatically, potentially offering innovative approaches for image captioning. [6] This paper may discuss the integration of segmentation methods and image captioning, which could provide insights into improving the accuracy of generated captions. [7] Federico and Furini seems to emphasize the importance of automatic captioning in enhancing learning accessibility, suggesting the potential societal impact of image captioning technology. [8] This study might discuss a method based on weighted features for image caption generation, potentially providing a unique perspective on feature selection. [9] This research could delve into the usage of word-level features in generating automatic image descriptions, which can contribute to the improvement of caption quality. [10] This paper introduces AutoCaption, an automatic caption generation system designed for personal photos. The research may provide valuable insights into personalized image captioning. [11] This appears to be another study discussing a combined hierarchical model for image annotation and retrieval, suggesting a persistent interest in this approach. [12] This research may offer insights into the usage of hybrid engines for image annotation, which could have implications for improved image captioning methods. [13] Mathews, Xie seems to focus on the selection of basic-level concept names using visual and language context, which could be crucial in improving the quality of image captions. [14] A. Mathews may explore the diversity of captioning styles in image caption generation, which can lead to more versatile and creative image descriptions. [15] This study introduces the Flickr 8k Entities dataset, which could have valuable implications for building richer image-to-sentence models through region-to-phrase correspondences. These papers collectively contribute to the evolving landscape of image caption generation, highlighting diverse approaches, applications, and potential enhancements in this field. The field of image caption generation is vibrant and dynamic, driven by innovative research that continually pushes the boundaries of what's possible. Yet, the related work section has examined, there are several significant research gaps that warrant further exploration. Closing these gaps not only promises advancements in image captioning technology but also holds the potential to make this technology more inclusive, adaptable, and reflective of diverse cultural contexts.

2. DEEP LEARNING MODEL FOR MULTILINGUAL VOICE-BASED IMAGE CAPTION GENERATOR (MVBICG)

2.1 Research Approach and Methodological Framework

The Multilingual Voice-Based Image Caption Generator represents a cutting-edge advancement at the intersection of computer vision, natural language processing (NLP), and voice synthesis technologies. In an increasingly interconnected world, the MVBICG serves as a versatile and invaluable tool with diverse applications across various domains. Its primary objective is to provide real-time image descriptions through a synthesized voice output tailored to the user's language preferences. This system leverages the latest developments in NLP, convolutional neural networks (CNNs), recurrent neural networks (RNNs), and long short-term memory (LSTM) networks to seamlessly bridge language barriers and provide universal access to image content. Flickr8k Sample Image is shown in figure 1.



Fig. 1. Flickr8k Sample Image

The foundation of the MVBICG is rooted in its ability to extract rich contextual information from images, a feat made possible through the implementation of CNNs. These deep learning models have revolutionized the field of computer vision by enabling the extraction of high-level features and patterns from images. By analysing the visual content of an image, the MVBICG deciphers the details and complexities of the scene, from recognizing objects and their relationships to interpreting spatial arrangements and fine-grained attributes. However, the true magic of the MVBICG lies in its capacity to convert this extracted visual information into natural language descriptions. This intricate process combines the power of NLP, RNNs, and LSTM technologies. Once the image is analysed, the system generates descriptive text that encapsulates the image's content in a meaningful and coherent manner. These generated captions are the bridge that connects the visual world with the world of language, making image content accessible to individuals who may have visual impairments or those who simply prefer a verbal description. The MVBICG is inherently multilingual, offering users the ability to obtain image captions in multiple languages, all at their discretion. This multilingual capability is the result of NLP technology, which enables the translation of the generated text into different languages. The system is well-equipped with translation modules that utilize powerful algorithms and pre-trained models to seamlessly adapt the captions to the user's language of choice. Whether it's English, Spanish, Hindi, or any other language in the system's repertoire, the multilingual voice based image caption generator ensures that language is no longer a barrier to understanding and appreciating the visual world. The process of multilingual voice conversion, often referred to as "multilingual speech synthesis," takes the generated text and transforms it into a human-like voice output. This voice synthesis component completes the multilingual voice based image caption generator, delivering real-time audio descriptions in a voice that is both natural and clear. The synthesized voice brings the image captions to life, making them accessible and engaging for a wide and diverse audience. To look toward the future, it's evident that image processing, underpinned by technologies like the multilingual voice based image caption generator, will play a pivotal role in critical research domains. Notably, this includes the preservation and protection of human lives. It’s potential extends far beyond its current applications, with opportunities in fields such as healthcare, emergency response, and education. By providing real-time, multilingual image descriptions, it enhances communication and understanding, making the world more accessible to all, regardless of language or visual capability. The Multilingual Voice-Based Image Caption Generator represents a remarkable fusion of technology and accessibility. Its combination of NLP, CNNs, RNNs, and LSTM networks empowers it to understand and describe the visual world in multiple languages. This tool not only transcends language barriers but also empowers visually impaired individuals to experience and engage with the ever-expanding digital visual landscape. The multilingual voice based image caption generator is a testament to the power of technology to foster inclusivity, enhance communication, and bridge gaps across the interconnected world.

2.1.1. Long Short-Term Memory (LSTM)

LSTM, a unique RNN, excels at predicting sequences by filtering out non-essential information to capture vital patterns. It surpasses traditional RNNs, especially in handling long sequences. Its ability to retain and process data over extended periods makes it valuable for tasks requiring contextual memory. LSTM anticipates both past and future data, ensuring meaningful predictions. Its benefits, including effective data filtering and prediction, make it crucial in the Multilingual Voice-Based Image Caption Generator. In this system, LSTM cooperates with Convolutional Neural Networks (CNNs) for image analysis and captioning, seamlessly merging visual and textual information.

2.1.2. Convolutional Neural Network (CNN)

A Convolutional Neural Network (CNN) represents a pivotal class of deep neural networks predominantly employed for the analysis and classification of visual imagery. Its applications extend across a wide spectrum of fields, encompassing image recognition, Natural Language Processing (NLP), and speech recognition. Structurally, a CNN comprises three fundamental layers: the convolutional layer, the pooling layer, and the fully connected layer. The text generation is employed using Natural Language Processing (NLP). It plays a crucial role by extracting language-neutral visual features from images. These features serve as a foundation for generating accurate and diverse image captions, accommodating different languages in subsequent stages of the system. The efficiency of CNNs is particularly noteworthy, surpassing that of alternative algorithms due to their exceptional capability to predict images with the highest levels of accuracy. This makes CNNs an indispensable tool in a wide array of applications, including the Multilingual Voice-Based Image Caption Generator.

2.1.3. Google Text to Speech(gTTS)

In a Multilingual Voice-Based Image Caption Generator, Google Text-to-Speech (gTTS) plays a pivotal role in enhancing the user experience by converting image captions into speech across multiple languages. The generator, equipped with a pre-trained model for image captioning, produces textual descriptions for images. Subsequently, gTTS is employed to dynamically convert these captions into spoken words, accommodating various languages. By utilizing gTTS, developers can ensure that the generated voice output aligns with the language of the textual description, creating a multilingual and accessible experience. This integration allows users to receive image information through spoken language, catering to a diverse audience and promoting inclusivity in the realm of image understanding applications. The combination of image captioning and gTTS in different languages adds a layer of versatility to the generator, making it more adaptable and user-friendly across a global context.

2.1.4. Google Translate API

The Google Translate API, a pivotal component of this research, has empowered the system to seamlessly bridge linguistic and cultural boundaries. Utilizing this cutting-edge tool, the transformation of spoken inputs into numerous languages with exceptional precision and efficiency has been seamlessly facilitated. The API's extensive language support, robust translation models, and adaptability have not only broadened the reach of the voice-based applications but have also significantly enhanced the accessibility and inclusivity of this technology. The Google Translate API has proven to be an invaluable resource in this quest to break down language barriers and provide a multilingual, user-friendly experience for the diverse audience, cementing its role as a cornerstone of this innovation. Architecture of Proposed Model is shown in figure 2.




Fig. 2. Architecture of Proposed Model

The architecture of a Multilingual Voice-Based Image Caption Generator involves an input layer for images and multilingual text data. A Convolutional Neural Network extracts features from images, facilitating language-agnostic caption generation. A translation layer translates captions into various languages, ensuring multilingual support. The final step involves using Text-to-Speech to convert captions into spoken words, providing a comprehensive and culturally sensitive voice-based output in multiple languages. Parameters and Specifications of the proposed model is shown in table 1.

Table.1. Parameters and Specifications of the proposed model

Component	Parameters/Specifications
Input	Images, Multilingual Text Data
Image Processing (CNN)	Convolutional Neural Network (CNN)
Caption Generation Model	Language-Agnostic Model
Translation layer	Translates Captions to various Languages
Text to Speech (TTS)	Text to Speech Synthesis (ex. gTTS)
Output	Multilingual Voice-Based Image Captions

The Multilingual Voice-Based Image Caption Generator is a sophisticated system with several key components. It takes input in the form of images and multilingual text data, employing a Convolutional Neural Network (CNN) for image processing. The caption generation model is designed to be language-agnostic, with an optional translation layer that can translate captions into various languages. The final touch involves Text-to-Speech (TTS) synthesis, such as using gTTS, to convert the generated captions into natural-sounding speech. The output is a seamless, multilingual experience, providing voice-based descriptions for images across different languages.

2.2. Voice Based Image Captioning

In a Multilingual Voice-Based Image Caption Generator, data cleaning involves refining both image and text data. This includes removing irrelevant characters, standardizing text encoding, and addressing language-specific anomalies in captions. For images, the process encompasses eliminating duplicates, ensuring correct labels, and handling format inconsistencies. Data preparation for a Multilingual Voice-Based Image Caption Generator involves text processing with tokenization, normalization, and language-specific adjustments. Image data is enhanced through techniques like augmentation and resizing. Ensuring precise alignment between images and multilingual captions, maintaining language balance, and addressing translation quality and language specifics contribute to a robust dataset for training. These techniques collectively foster accuracy and cultural sensitivity in the generator's multilingual capabilities. Effective data preparation in a Multilingual Voice-Based Image Caption Generator significantly impacts its performance, enhancing accuracy and cultural sensitivity across diverse languages. Proper alignment, balance, and quality assurance contribute to a robust dataset, ensuring the generator delivers precise and linguistically nuanced voice-based image descriptions. In this research, the power of the Google Multilingual Voice-Based Image Caption Generator to transcend linguistic barriers and provide users with accessible, multilingual image captions is harnessed. This research methodology commenced with the meticulous curation of a diverse dataset, a cornerstone of which was the renowned Flickr8K dataset, collected from the Flickr platform. This dataset, comprising a wide array of images and their associated descriptions, provided a solid foundation for training and evaluating the system. To ensure the dataset's suitability for this model, rigorous pre-processing steps were undertaken, encompassing data cleaning, normalization, resizing, and augmentation. These measures were essential to optimizing the dataset, allowing for effective model training. The neural network architecture, the linchpin of image caption generator, combines convolutional neural networks (CNNs) for image analysis and recurrent neural networks (RNNs) for text generation. The specifics of the network were detailed, including layer configurations and the potential incorporation of pre-trained models or embeddings, which significantly influenced the model's performance. The neural network architecture forms the backbone of this image caption generator. In the endeavor to tackle multilingual challenge, a sophisticated combination of Convolutional Neural Networks (CNNs) for image analysis and Recurrent Neural Networks (RNNs) for text generation is employed. Delving into the specifics of the network involves outlining the diverse layers, and configurations, and exploring the potential integration of pre-trained models or embeddings. This section should paint a clear picture of the computational framework behind the system. The pivotal phase of training involves elucidating the data splitting process (into training, validation, and test sets), specifying the batch sizes employed, and determining the number of training epochs. The choice of optimization algorithms, learning rate schedules, and any regularization techniques are integral to this model's success. Multilingual support is a cornerstone in the research, and the dedicated section outlines the seamless integration of this capability into the system. Voice synthesis brings an auditory dimension to the image captions. The description encompasses the tools or software employed for this purpose, elucidating the collection, processing, and seamless integration of voice samples in multiple languages into the system. The voices that give life to the captions are a critical component of this technology. To assess the effectiveness of the image caption generator, a comprehensive set of evaluation metrics, including BLEU, was employed, along with the possibility of human evaluations. The aim was to offer a holistic understanding of the system's performance. Flowchart of the Research Approach and Methodological Framework is shown in figure 3.




Fig. 3. Flowchart of the Research Approach and Methodological Framework

The process initiates by randomly selecting an image from the dataset, forming the initial point of engagement. Following this selection, the system navigates through various modules to analyse and interpret the image's content. Once this analysis is complete, the system proceeds to generate relevant descriptions corresponding to a random image input. These descriptions then serve as the basis for an audio output, allowing the system to vocalize the generated caption. Notably, the system offers the flexibility to deliver this audio output in multiple languages, aligning the experience. BLUE score is shown in table 2.

Table 2:BLUE score

Table: BLUE score

Metric	VGG16
BLUE-1	0.483601
BLUE-2	0.320112

3. Results and Discussion

3.1. Experimental Setup

In this research, the utilization of the Google Multilingual Voice-Based Image Caption Generator, grounded in the extensive Flickr8K dataset, aimed to bridge linguistic divides and offer multilingual image captions. The methodology initiated with rigorous dataset curation, involving data preprocessing to ensure optimal model training. The neural network architecture, a fusion of CNNs and RNNs, played a pivotal role in image caption generation, with detailed insights provided. Training processes, multilingual support via the Google Translate API, and voice synthesis were meticulously explained. Robust evaluation metrics assessed the system's efficacy, while the experimental setup ensured replicability. The research paved the way for a multilingual voice-based image caption generator, significantly enhancing accessibility and breaking language barriers, as demonstrated in the sample code and caption generation in Fig. 4.




Fig. 4. (a)Predicted output (b),(c),(d)Multilingual Voice outputs

3.2. Results Analysis and Interpretation

In the realm of machine learning, understanding the behaviour of a model during training is crucial. The training loss vs. epoch graph is a visual representation of this process. In the case of an 8K model trained over 4 epochs, this graph tells the story of the model's learning journey. The x-axis represents training epochs, or complete passes through the training data, while the y-axis shows the training loss, a measure of how well the model fits the data. At the start, the loss is relatively high as the model learns. As training progresses, the loss ideally decreases, signifying improved performance. Interpreting the 8K model's results hinges on the curve's specifics. A rapid decline, followed by stability, suggests effective learning. Steep, continuous reduction may signal overfitting. Large fluctuations may necessitate fine-tuning hyperparameters, as shown in Fig. 5.




Fig. 5. Training Loss vs. Epoch for 8k Model (4 Epochs)

In the domain of computer vision and image captioning, assessing the quality of captions generated by AI models is of paramount importance. The relationship between caption quality and image index, which represents the order or identity of an image in a dataset, provides critical insights into the performance of these models. It explores the results and implications of this analysis. The learning rate for the proposed Multilingual Voice-Based Image Caption Generator is a hyperparameter that must be determined through experimentation. Commonly ranging from 0.1 to 0.001, the optimal learning rate is crucial for achieving efficient convergence without risking model instability. The analysis of caption quality vs. image index is a valuable tool for understanding the performance of image captioning models. These findings can guide model development, dataset curation, and quality control processes. It also offers opportunities for addressing bias and improving the overall accuracy and relevance of AI-generated image captions.




Fig. 6. Caption Quality vs Image Index

The scatterplot shown in Fig. 6 shows that the x-axis represents the image index, essentially the order or identity of each image in a dataset, and the y-axis stands for caption quality. Each data point on this graph represents the quality of a caption generated for a specific image in English and Multilingual Caption. The software specifications

for the Multilingual Voice-Based Image Caption Generator include deep learning frameworks like TensorFlow or PyTorch for model development, along with libraries such as gTTS for text-to-speech synthesis. Additionally, programming languages like Python are commonly employed, and cloud-based platforms like Google Cloud is utilized for scalability and deployment.

4. Conclusion

The Multilingual Voice-Based Image Caption Generator represents a ground-breaking fusion of cutting-edge technologies, seamlessly weaving together computer vision, natural language processing (NLP), and voice synthesis. In a increasingly interconnected world, it emerges as a versatile and invaluable tool with multifaceted applications spanning diverse domains. Its primary mission is to provide real-time image descriptions in the user's language of choice, breaking linguistic barriers with ease. The MVBICG lies in its ability to extract rich contextual information from images, accomplished through the power of convolutional neural networks (CNNs). These deep learning models have revolutionized the field of computer vision, enabling the extraction of high-level features and patterns from images. By decoding visual content, multilingual voice based image caption generator unravels intricate details, from object recognition to spatial arrangements and fine-grained attributes. Yet, the true magic of the multilingual voice based image caption generator transcends image analysis. It excels at converting this visual information into natural language descriptions, a process that harmoniously combines the capabilities of NLP, recurrent neural networks (RNNs), and long-short-term memory (LSTM) networks. Once an image is analyzed, the system weaves these insights into descriptive, coherent text. These generated captions act as a bridge, connecting the visual world with the realm of language and making image content accessible to individuals with visual impairments and those who prefer spoken description. It excels at generating precise, contextually relevant image captions, with notable BLEU scores of BLEU-1: 0.483601 and BLEU-2: 0.320112, this accuracy is achieved. The performance can be increased by feeding the model with large dataset. The accompanying loss plot illustrates its proficiency in transcending linguistic barriers to connect visual content with language, promoting inclusivity for those with visual impairments.

REFERENCES

[1]. Dong-Jin Kim, Donggeun Yoo, Bonggeun Sim, In So Kweon, “Senetence Learning Deep convolutional neural Network for Image Caption Generation “, In : 13th International Conference on Ubiquitous Robots and Ambient Intelligence (URAl)-2016

[2]. Sumathi, T., Hemalatha, M, “A combined hierarchical model for automatic image annotation and retrieval.” In: International Conference on Advanced Computing (ICAC)- (2011).

[3]. Ren C. Luo, Yu-Ting, Hsu, Yu-Cheng, Wen, Huan-Jun, Ye, “Visual Image Caption Generation for Service Robotics and Industrial Application” IEEE-2019

[4]. Varsha Kesavan, Vaidehi Muley,Megha kolhekar, “Deep Learning based Image Caption Generation” Global Conference for Advancement in Technology (GCAT)-2019

[5]. Ushiku, Y., Harada, T., Kuniyoshi, Y.: “Automatic sentence generation from images”. In: (ACM)Multimedia (2011)

[6]. Yu, M.T., Sein, M.M.: “Automatic image captioning system using integration of N cut and colorbased segmentation method”. In: Society of Instrument and Control Engineers Annual Conference(SCCEAC)- (2011).

[7]. Federico, M., Furini, M.: “Enhancing learning accessibility through fully automatic captioning.” In: International Cross-Disciplinary Conference on Web Accessibility(ICDCWA)- (2011)

[8]. Xi, S.M., Im Cho, Y.: “Image caption automatic generation method based on weighted feature”. In: International Conference on Control, Automation and Systems(ICCAS) (2013)

[9]. Horiuchi, S., Moriguchi, H., Shengbo, X., Honiden, S.: “Automatic image description by using wordlevel features”. In: International Conference on Internet Multimedia Computing and Service(ICIMCS)- (2013)

[10]. Ramnath, K., Vanderwende, L., El-Saban, M., Sinha, S.N., Kannan, A., Hassan, N., Galley, M.: “AutoCaption: automatic caption generation for personal photos ”. In: IEEE Winter Conference on Applications of Computer Vision (2014) .

[11]. Sivakrishna Reddy, A., Monolisa, N., Nathiya, M., Anjugam, D.: “A combined hierarchical model for automatic image annotation and retrieval” . In: International Conference on Innovations in Information Embedded and Communication Systems(ICIIECS)- (2015)

[12]. [Shivdikar, K., Kak, A., Marwah, K.: “Automatic image annotation using a hybrid engine”. In: IEEE India Conference (2015)

[13]. Mathews, A., Xie, L., He, X.: “Choosing basic-level concept names using visual and language context”. In: IEEE Winter Conference on Applications of Computer Vision(2015)

[14]. Mathews, A.: “Captioning images using different styles”. In: ACM Multimedia Conference (2015)

[15]. Plummer, B.A., Wang, L., Cervantes, C.M., Caicedo, J.C., Hockenmaier, J., Lazebnik, S.: “Flickr30k entities: collecting region-to-phrase correspondences for richer image-to-sentence models”. In: International Conference on Computer Vision(ICCV)- (2015)