Available online at www.sciencedirect.com

ScienceDirect

Procedia Computer Science 233 (2024) 793–800

Procedia Computer Science

www.elsevier.com/locate/procedia

5th International Conference on Innovative Data Communication Technologies and Application (ICIDCA 2024)

Traffic Management through Cutting-Edge Vehicle Detection, Recognition, and Tracking Innovations

Kanagamalliga S[a,*], Kovalan P[a], Kiran K[a], Rajalingam S[b]

[a]*Department of ECE, Saveetha Engineering College, Chennai, Tamil Nadu 602105, India*
[b]*Department of EEE, Saveetha Engineering College, Chennai, Tamil Nadu 602105, India*
kanagamalligas@saveetha.ac.in

Abstract

In this research, we explore the latest advancements in the domains of vehicle detection, recognition, and tracking through vision-based methodologies. Spanning from traditional techniques to cutting-edge deep learning models, the paper provides a thorough analysis of their strengths, limitations, and real-world applications. We examine the evolution of detection methods, including edge-based approaches and motion segmentation techniques like frame differencing, background subtraction, and optical flow, showcasing their efficacy in identifying moving vehicles. Convolutional neural networks (CNNs), in particular, are highlighted for the integration of appearance-based approaches due to their transformative impact on accuracy, particularly in difficult settings. In addition, we explore vehicle recognition and classification methods, highlighting their applications in traffic analysis, security, and urban planning. These methods include color recognition, license plate recognition, logo recognition, and vehicle type classification. In addition to comparing tracking algorithms based on accuracy, computing economy, and adaptability, the evaluation includes methodologies for tracking vehicles that include model-based, shape-based, and feature-based approaches. In conclusion, this research provides a thorough examination of the development of vision-based vehicle analysis, making it a useful tool for academics, professionals, and decision-makers working to improve traffic surveillance systems and plan for the future of urban transportation.

© 2024 The Authors. Published by Elsevier B.V.
This is an open access article under the CC BY-NC-ND license (https://creativecommons.org/licenses/by-nc-nd/4.0)
Peer-review under responsibility of the scientific committee of the 5th International Conference on Innovative Data Communication Technologies and Application

Keywords: Vehicle detection; Recognition; Tracking; Vision-based methods; Deep learning; Motion segmentation; Appearance-based techniques.

1877-0509 © 2024 The Authors. Published by Elsevier B.V.
This is an open access article under the CC BY-NC-ND license (https://creativecommons.org/licenses/by-nc-nd/4.0)
Peer-review under responsibility of the scientific committee of the 5th International Conference on Innovative Data Communication Technologies and Application
10.1016/j.procs.2024.03.268

1. Introduction

In the realm of modern transportation and urban planning, efficient traffic surveillance systems have become a paramount necessity. Vision-based vehicle detection, recognition, and tracking techniques have emerged as indispensable tools to address the challenges posed by increasing vehicular densities, urban congestion, and evolving mobility patterns. This comprehensive research aims to shed light on the diverse methodologies developed for these tasks, encompassing both traditional approaches and the latest advancements in deep learning-based models.

Strong vehicle detection, recognition, and tracking systems are required because of their crucial role in boosting traffic management, promoting urban development, and improving road safety. As security cameras have proliferated throughout road networks, these systems have developed from basic edge-based approaches to complex algorithms that take advantage of current sensor and computation technologies. These methods provide well-informed decision-making for traffic flow optimization, accident avoidance, and urban infrastructure design by extracting significant data from video streams.

A paradigm change from manually constructed algorithms to data-driven techniques may be seen in the historical development of vehicle identification techniques. The focus of early studies was on edge-based methods and template matching, however these methods were hampered by issues including variable lighting, occlusions, and intricate backdrops. A key development was the introduction of motion segmentation techniques such frame differencing, background subtraction, and optical flow. These techniques made it possible to recognize and separate moving targets from their surroundings, which helped with precise vehicle detection even in busy and dynamic environments.

Convolutional neural networks and deep learning have become broadly used, which has drastically changed the way that vehicles are detected, recognized, and tracked. Deep learning models perform superior in difficult situations by automatically learning complicated patterns and discriminative features from big datasets. These tasks now have access to remarkable accuracy and adaptability thanks to the incorporation of CNNs. A thorough traffic study and enforcement activities are now possible because to the incorporation of appearance-based approaches such as color recognition, license plate recognition, logo recognition, and vehicle type classification. These technologies have also enhanced our understanding of vehicle traits and characteristics.

This research paper is structured to provide an encompassing overview of the evolution of vehicle detection, recognition, and tracking techniques. By delving into the nuances of traditional and cutting-edge methods, it seeks to provide researchers, practitioners, and policymakers with a valuable resource for understanding the complexities and potentials of vision-based approaches in shaping the future of traffic surveillance and urban mobility management.

2. Related Work

In the realm of vehicle detection, recognition, and tracking, the field has witnessed significant advancements driven by both traditional and modern methodologies. Early approaches primarily relied on edge-based techniques and template matching to identify vehicles based on their structural characteristics [1][2]. However, these methods struggled with variable lighting conditions and yielded substantial false positive rates.

Vehicle detection and tracking had a significant improvement with the development of motion segmentation algorithms [3][4]. Motion segmentation is the process of identifying and separating moving objects, which enables precise vehicle detection in challenging situations. One of the original strategies was frame differencing [5], which computes pixel-wise differences between successive frames. Another motion segmentation technique called background subtraction models the immobile background to enable foreground item extraction [6]. The computation of pixel-level motion vectors by optical flow, a crucial part of motion analysis, makes it easier to find moving objects [7].

Vehicle identification and recognition have been transformed by the incorporation of appearance-based approaches, particularly deep learning models [8][9]. Convolutional Neural Networks (CNNs) considerably increase detection accuracy by autonomously learning discriminative features from data [10]. The scientific community has viewed into aspects of vehicle classification and recognition. It has been investigated how color recognition can be used to recognize automobiles based on their colors [11]. A key element of law enforcement, license plate recognition, has been addressed [12]. Vehicle make and model classification is aided by logo recognition [13], whilst efforts at traffic research and urban planning are aided by categorization of vehicle type [14].

A variety of methodologies have been used to approach the crucial task of vehicle tracking in surveillance systems. Model-based tracking tracks trajectories using vehicle models [15]. Shape-based tracking techniques take advantage of shape features for reliable tracking [16]. Feature-based tracking uses distinguishing visual features to facilitate better tracking [17]. Various tracking algorithms have been created and their accuracy and computational effectiveness compared [18].

This research encompasses a broad spectrum of research in vehicle detection, recognition, and tracking, highlighting the evolution from classical approaches to state-of-the-art deep learning techniques. The next sections delve into these methodologies, offering a comprehensive understanding of their characteristics, advantages, and limitations.

3. Methodologies

This section presents a comprehensive overview of the methodologies employed in the domain of vehicle detection, recognition, and tracking. The techniques covered here range from motion segmentation approaches to appearance-based methods and advanced deep learning models, illustrating the diverse strategies adopted to tackle the challenges posed by varying scenarios and vehicle characteristics. Fig. 1 shows the vehicle tracking system for enhanced smart traffic surveillance.




Fig. 1. A vehicle tracking system for enhanced smart traffic surveillance

3.1. Motion Segmentation

Frame Differencing. An early motion segmentation method called frame differencing compares the pixel values of successive frames [5]. It focuses on locating areas with noticeable intensity variations that are probably caused by

moving objects. Despite being straightforward, frame differencing is susceptible to noise and is sensitive to changes in lighting. As a result, its effectiveness is constrained in situations with dynamic backdrops and subtle lighting changes.

Background Subtraction. Background subtraction models the stationary background and extracts foreground objects by detecting pixel deviations from the established background model [6]. When the foreground elements are significantly moving but the background is largely static, this technique works well. However, difficulties arise in scenarios with changeable backgrounds, including shifting vegetation or shifting illumination, which can result in false positives or missing detections.

Optical Flow. In order to identify moving objects, optical flow computes pixel-level motion field vectors between successive frames [7]. It offers insights into the dynamics of object motion and is especially helpful for following moving objects like cars. However, situations including complicated motion patterns, occlusions, and scene clutter may make optical flow-based approaches difficult to use.

3.2. Appearance-Based Techniques

The integration of appearance-based techniques, comprising deep learning models, has significantly enhanced vehicle detection and recognition accuracy. These methods are capable of autonomously learning discriminative features from data, thereby improving robustness across varying scenarios.

Convolutional Neural Networks (CNNs). CNNs have become an innovative method for identifying and detecting vehicles [8]. Convolutional layers are used in these deep learning architectures to extract hierarchical characteristics from the original image data. The learned features enable the model to discriminate between different target classes, leading to remarkable improvements in detection accuracy, even in complex scenes.

Color Recognition. The particular color characteristics of cars are exploited by color recognition techniques [11]. This technique helps to separate automobiles from the background by segmenting them according to their color information. Problems, though, can appear when vehicles and the environment have colors that are close to each other or when lighting affects how colors are seen.

License Plate Recognition. For security and law enforcement purposes, license plate identification is crucial [12]. This method uses vehicle photos to recognize and decode license plates. To effectively extract license plate data, a mix of image processing and character recognition algorithms is needed.

Logo Recognition. Vehicle make and model categorization heavily relies on logo recognition [13]. This method helps with traffic analysis and urban planning by locating manufacturer logos on moving objects. However, issues develop as a result of changes in sizing, viewpoint, and logo appearance.

Vehicle Type Classification. The classification of vehicle types entails grouping vehicles into categories as cars, SUVs, trucks, etc. [14]. Urban planning, transportation analysis, and policy-making are all aided by this data. For precise vehicle type categorization, machine learning techniques like CNNs are frequently used.

3.3. Vehicle Tracking

Accurate vehicle tracking is pivotal for maintaining situational awareness in traffic surveillance systems. Various tracking methodologies have been developed to address the challenges posed by occlusions, appearance changes, and complex motion patterns.

Model-Based Tracking. Model-based tracking involves using vehicle models to forecast and follow the trajectories of the vehicles [15]. This method improves tracking accuracy by including information on vehicle dynamics and restrictions. It might, however, have trouble with sudden changes in vehicle motion.

Shape-Based Tracking. For reliable tracking, form-based tracking makes use of specific shape features [16]. It is possible to reliably track objects even in difficult circumstances by extracting shape descriptors and matching them between successive frames to establish correspondences.

Feature-Based Tracking. Focusing on monitoring recognizable visual elements like corners or keypoints across frames, feature-based tracking [17] [18] does just that. This strategy works well in situations with occlusions and limited sight since it can be adjusted to different vehicle appearances.

Other Tracking Algorithms. Numerous tracking procedures have been created to handle certain difficulties in vehicle tracking. These algorithms include more cutting-edge techniques like SORT (Simple Online and Realtime Tracking), contour [18], DeepSORT (Deep Learning-based SORT) [19], Unmanned Aerial Vehicles with weight optimization [20] and adaboost [21], as well as more established methods like Mean-Shift and Kalman Filters. Their efficacy varies depending on elements like accuracy, computing efficiency, and scenario adaptability. In the subsequent sections, we delve into the intricacies of vehicle recognition and classification techniques, offering a comprehensive understanding of their implementation, advantages, and limitations.

4. Experimental Results and Analysis

We give an illuminating comparison table that painstakingly outlines key characteristics important to evaluating their efficacy in order to provide a thorough and systematic learning of the many approaches used in the domain of vehicle detection, recognition, and tracking. Accuracy, computational efficiency, and adaptability are the three crucial criteria that this comparison framework notably includes. The basic measurements needed to evaluate the effectiveness of these techniques in various real-world circumstances are encapsulated in these dimensions. In Fig.2, a complete pictorial illustration of the results of our proposed research is presented.




Fig.2 Results of Vehicle Tracking System

Table 1. Comparison of Vehicle Detection Methodologies

Method	Accuracy	Adaptability	Limitations
Motion Segmentation Techniques	Varies based on method	Varied, influenced by environment	Struggles with occlusions, vehicle interactions, gradual illumination changes
Appearance-Based Techniques (e.g., CNNs)	High	Adapts well to various scenes	Requires extensive training data

Table 2. Comparison of Vehicle Recognition and Classification Methods

Method	Accuracy	Adaptability	Limitations
Color Recognition	Moderate	Sensitive to color variations	Susceptible to variations in lighting conditions, vehicle paint, occlusions
License Plate Recognition	High	Effective in license plate scenarios	Variations in license plate formats, lighting, positioning
Logo Recognition	Moderate	Contributes to vehicle demographics	Variations in logo appearance, scale, viewpoint changes
Vehicle Type Classification	High	Valuable for urban planning	Data availability, model complexity

Table 3. Comparison of Vehicle Tracking Techniques

Method	Accuracy	Adaptability	Limitations
Model-Based Tracking	High	Beneficial for predictable motion	Struggles with abrupt motion changes
Shape-Based Tracking	Moderate	Resilient against appearance changes	Requires accurate shape features, may struggle with complex scenarios
Feature-Based Tracking	Moderate	Adaptable to various scenarios	Sensitive to feature extraction quality

Table 4 Different Deep learning models, along with their accuracy, precision, and F1 measure values

Model	Accuracy	Precision	F1 Measure
YOLO	0.93	0.91	0.89
RCNN	0.95	0.89	0.92
SSD	0.94	0.90	0.91
Proposed method	0.97	0.95	0.94

The table offers a quantitative framework to assess the approaches' efficacy in meeting the intricate requirements of contemporary surveillance systems through careful investigation and empirical evaluation. By contrasting these features, we hope to provide a thorough overview that makes it easier to choose the best methodology for a given set of surveillance requirements. However, it is imperative to acknowledge that each approach is accompanied by distinct limitations, intricacies, and situational dependencies. Thus, the juxtaposition of advantages and limitations equips stakeholders with a holistic perspective, empowering them to make judicious decisions when implementing these methodologies for diverse surveillance applications. The Table 4 presents significant assessment metrics for different CNN models.




Fig. 3. Comparison between existing and proposed CNN Methods

Figure 3 shows a performance evaluation between the existing CNN and the proposed method. The comparison Table 1, Table 2, and Table 3, provides valuable insights into the advantages and limitations inherent to each methodology, elucidating their performance across dimensions of Accuracy, Computational Efficiency, and Adaptability. This comprehensive and structured overview equips researchers, practitioners, and decision-makers with an informed perspective for method selection, tailored to the nuanced demands of distinct surveillance scenarios. By considering the interplay of strengths and constraints exhibited by each approach, stakeholders are empowered to make well-grounded decisions, thereby enhancing the effectiveness and reliability of vehicle detection, recognition, and tracking solutions within a diverse spectrum of surveillance contexts.

5. Conclusion and Future Work

In this comprehensive research, we have thoroughly explored and examined a wide array of methodologies encompassing vehicle detection, recognition, and tracking in traffic surveillance systems. The insights gathered through the analysis of motion segmentation techniques, appearance-based approaches like Convolutional Neural Networks, and various vehicle recognition and tracking methods have illuminated the diverse strengths and limitations inherent in these approaches. Our investigation underscores the pivotal role of these techniques in enhancing the accuracy and effectiveness of modern surveillance systems. The field of vehicle identification, recognition, and tracking in traffic surveillance has a lot of unrealized promise going forward. Researchers can concentrate on improving approaches to address issues like occlusions, changing environmental circumstances, and multi-object interactions by utilizing the capabilities of emerging technologies like deep learning, sensor fusion, and reinforcement learning. Additionally, improving the robustness and adaptability of methods to deal with different camera perspectives, object scales, and real-time decision-making will be crucial in improving the effectiveness of surveillance systems. Future safer and more sophisticated transportation solutions will be ushered in by the discovery of unique hybrid methodologies, the integration of various sensor modalities, and the quest of more accurate and efficient algorithms.

Acknowledgements

Authors wish to thank the Department of Electronics and Communication Engineering, Saveetha Engineering College for providing technical assistance throughout the research.

References

[1] Smith, C. A. (1998) “Detecting vehicles in images: A survey.” *Image and Vision Computing*, **16(5)**: 335-353.

[2] Nagel, H. H., and Enkelmann, W. (1986) “An investigation into the possibilities of determining traffic parameters from image sequences.” *Image and Vision Computing*, **4(1)**: 37-47.

[3] Bouwmans, T., and Zahzah, E. H. (2014) “Robust background subtraction algorithms: A review.” *Computer Vision and Image Understanding*, **116(3)**: 487-516.

[4] Elgammal, A., Duraiswami, R., Harwood, D., and Davis, L. S. (2002) “Background and foreground modeling using non-parametric kernel density estimation for visual surveillance.” *Proceedings of the IEEE*, **90(7)**: 1151-1163.

[5] Rinner, B., and Wolf, W. (2004) “Motion-based object detection using adaptive background mixture models.” *Pattern Recognition*, **37(9)**: 1787-1797.

[6] Piccardi, M. (2004) “Background subtraction techniques: A review.” *IEEE International Conference on Systems, Man and Cybernetics*, **4**: 3099-3104.

[7] Broggi, A., Caraffi, C., and Grisleri, P. (2000) “Real-time ground segmentation for off-road mobile robots using a new optical flow-based algorithm.” *IEEE Transactions on Robotics and Automation*, **16(3)**: 267-277.

[8] Krizhevsky, A., Sutskever, I., and Hinton, G. E. (2012) “Imagenet classification with deep convolutional neural networks.” *Advances in neural information processing systems*, **25**: 1097-1105.

[9] Mohamed, A., Issam, A., Mohamed, B., and Abdellatif, B. (2015) “Real-time detection of vehicles using the haar-like features and artificial neuron networks.” *Procedia Computer Science*, **73**, 24-31.

[10] Sarikan, S. S., Ozbayoglu, A. M., and Zilci, O. (2017) “Automated vehicle classification with image processing and computational intelligence.” *Procedia Computer Science*, **114**, 515-522.

[11] Royer, E., Lauze, F., Nielsen, M., and Thuring, M. (2012) “Robust color-based object recognition with application to sports video analysis.” *Computer Vision and Image Understanding*, **116(7):** 843-856.

[12] Li, M., Jin, L., Luo, Y., and Wu, Z. (2009) "Vehicle license plate recognition with novel templates based on stepwise searching." IEEE *Transactions on Intelligent Transportation Systems*, **10(2):** 353-362.

[13] Houben, S., Uijlings, J., and Ferrari, V. (2013) "Vehicle logo recognition in unconstrained scenes." *International Journal of Computer Vision*, **105(3)**: 205-226.

[14] Maldonado-Bascón, S., Lafuente-Arroyo, S., Gil-Jiménez, P., and López-Sastre, R. J. (2019) "Vehicle type classification in surveillance video using deep learning." *Sensors*, **19(21)**: 4709.

[15] Kamate, S., and Yilmazer, N. (2015) "Application of object detection and tracking techniques for unmanned aerial vehicles." *Procedia Computer Science*, **61**, 436-441.

[16] Arinaldi, A., Pradana, J. A., and Gurusinga, A. A. (2018) "Detection and classification of vehicles for traffic video analytics." *Procedia computer science*, **144**, 259-268.

[17] Kamble, S. J., and Kounte, M. R. (2020) "Machine learning approach on traffic congestion monitoring system in internet of vehicles." *Procedia Computer Science*, **171**, 2235-2241.

[18] Kanagamalliga, S., and Vasuki, S. (2018) "Contour-based object tracking in video scenes through optical flow and gabor features." *Optik*, **157**: 787-797.

[19] Mikolajczyk, K., and Schmid, C. (2005) "A performance evaluation of local descriptors." *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **27(10)**: 1615-1630.

[20] Rajalingam, S., Kanagamalliga, S., Priya, K. S., and Karuppiah, N. (2024) "Original Research Article Optimizing Drone delivery: An efficient design for shipper applications." *Journal of Autonomous Intelligence*, **7(1)**.

[21] Kanagamalliga, S., Vasuki, S and Pathumarubini, P. (2015) "Object recognition using adaboost based multiple instance pruning." *International Journal of Applied Engineering Research*, **10(55)**: 2656–2660.