Mongo db

```
mongosh mongodb+srv://<ci × + v
  upsertedCount: 0
.
Atlas atlas-251lob-shard-0 [primary] mydb> db.Students.update({_id:4},{$unset:{Location:"Network"}})
  acknowledged: true, insertedId: null,
  matchedCount: 0,
modifiedCount: 0
  upsertedCount: 0
Atlas atlas-251lob-shard-0 [primary] mydb> db.Student.find({_id:1},{StudName:1,Grade:1,_id:0});
[ { StudName: 'Michelle', Grade: 'VII' } ]
Atlas atlas-251lob-shard-0 [primary] mydb> db.Student.find({Grade:{$ne:'VII'}}).pretty();
Atlas atlas-251lob-shard-0 [primary] mydb> db.Students.update({_id:3},{$set:{Location:null}})
  acknowledged: true,
insertedId: null,
  matchedCount: 0,
modifiedCount: 0,
upsertedCount: 0
Atlas atlas-251lob-shard-0 [primary] mydb> db.Students.count()
Atlas atlas-251lob-shard-0 [primary] mydb> db.Students.count({Grade:"VII"})
Atlas atlas-251lob-shard-0 [primary] mydb> db.Students.find().sort({StudName:1}).pretty();
Atlas atlas-251lob-shard-0 [primary] mydb> db.Student.count()
Atlas atlas-251lob-shard-0 [primary] mydb> db.Student.count({Grade:"VII"})
Atlas atlas-251lob-shard-0 [primary] mydb> db.Student.find().sort({StudName:1}).pretty();
  { _id: 3, Grade: 'VII', StudName: 'AryanDavid', Hobbies: 'Skating' }, { _id: 1, StudName: 'Michelle', Grade: 'VII', Hobbies: 'Internet' }
Atlas atlas-251lob-shard-0 [primary] mydb> db.food.insert( { _id:1, fruits:['grapes','mango','apple']
Atlas atlas-251lob-shard-0 [primary] mydb> db.Student.drop()
Atlas atlas-251lob-shard-0 [primary] mydb> db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"antara.de9@gmail.com"});
  acknowledged: true,
insertedIds: { '0': ObjectId('67c6c426548c5d3ce4fa4214') }
.
Atlas atlas-251lob-shard-0 [primary] mydb> db.Student.insert({RollNo:2,Age:22,Cont:9976,email:"anushka.de9@gmail.com"});
  acknowledged: true,
```