

SHELL PROGRAMMING LAB

ASSIGNMENT -1

SUBMITTED BY:

AYUSH KUMAR JHA
SAP ID - 500086400
Enrollment no - R200220083
B.C.A -I.O.T.

SUBMITTED TO:

Dr. Dhiviya Rose

Experiment 1 Lab Manual

Title: Familiarity with Linux Environment

Objective: Revision of basic commands and familiarity with vi editor.

1. Practice the following commands:

{ who, whoami, clear, man, Is (with the options-a, c, d, m, p, r, f, x), pwd, mkdir, cd, rmdir, cat (to create a file; to see the contents of a file; and to create copies), sort (to sor the content of a file in both- ascending and descending order), cp, mv, rm, wc, (i.e. word command with the options- c, I, w), head, tail }

```
kali@kali: ~/Desktop
                                                                                                           _ O X
File Actions Edit View Help
  —(kali⊗kali)-[~/Desktop]
s man man
<mark>(kali⊗kali</mark>)-[~/Desktop]

$ ls
first.sh
  —(kali⊗kali)-[~/Desktop]
s ls -ll
total 4
-rw-r--r-- 1 kali kali 43 Aug 23 13:42 first.sh
  -(kali@kali)-[~/Desktop]
_$ ls -1
total 4
-rw-r--r-- 1 kali kali 43 Aug 23 13:42 first.sh
[___(kali⊛kali)-[~/Desktop]
```

```
File Actions Edit View Help
                                              .profile
                                                              .Xauthority
               .dmrc
                                  .zsh_history
.ICEauthority
Videos
.bash_history
                      Desktop
                                                                     Downloads Pictures
.local
                                                  .zshrc
                                                                     Templates .profile
                                                   .gnupg
.bashrc
                      Music
                                   Documents
                                                   .cache
                                                                     .viminfo
                                                                                 .bash_logout
                      .dmrc
                                   .Xauthority
                                                  .bashrc.original .config
__(kali⊕ kali)-[~]
```

```
(kali@ kali)-[~/Desktop]
$ pwd
/home/kali/Desktop

(kali@ kali)-[~/Desktop]
$ cp ayush.txt /home/kali

(kali@ kali)-[~/Desktop]
$ cd

(kali@ kali)-[~]
$ ayush.txt Desktop Documents Downloads Music Pictures Public Templates Videos

(kali@ kali)-[~]
$ ayush.txt Desktop Documents Downloads Music Pictures Public Templates Videos
```

```
(kali@ kali)-[~/Desktop]
ayush.txt first.sh

(kali@ kali)-[~/Desktop]
$ wc ayush.txt
2 1 7 ayush.txt

(kali@ kali)-[~/Desktop]
$ (kali@ kali)-[~/Desktop]
```


```
-(kali®kali)-[~/Desktop]
 -$ head first.sh
Ayush kumar jha
sapid-500086400
thank you
   -(kali⊗kali)-[~/Desktop]
tail first.sh
Ayush kumar jha
sapid-500086400
thank you
 (kali@kali)-[~/Desktop]

$ wc -l first.sh
4 first.sh
(kali® kali)-[~/Desktop]

$ wc -c first.sh
43 first.sh
   -(kali®kali)-[~/Desktop]
  -$ wc -w <u>first.sh</u>
6 first.sh
```

2. Practice the following vi/vim commands:

{ Inserting and replacing commands- (i, I, a, A, o, O), Cursor movement in vi- (I, k, j, h), Enter (or) n Enter- (n+, n-, 0), Deleting the text from vi- (x, X, nx, nX, dw, ndw, db, ndb), Saving and quiting from vi- (q, w, wq, q!, x) Inserting and replacing commands- i, I, a, A, o, O Deleting the text from vi- (x, X, nx, nX, dw, ndw, db, ndb), Undoing the mistakes-(u, :redo), Ending the editing session by using ZZ and :wq, Moving the cursor by characters and words- (f (character), F(character), w/W, b/B), Moving the cursor by sentences and paragraphs, Moving the cursor within the screen, Searching for a character and string }



i: This key is used to Insert characters to left of cursor.

I: This key is used to Insert characters at beginning of line.

a: This key is used to Insert characters to right of cursor.

A: This key is used to put the cursor after at the end of the line.

o: This key is used to put the cursor below the line.

O: This key is used to puts the cursor above the line.

h: This key is used to move left one character.

j: This key is used to move down one line.

k: This key is used to move up one line.

I: This key is used to move right one character.

x: This key is used to delete character at the cursor.

nx: This key is used to delete the number of characters specified by n.

nX: This key is used to delete n characters before the current character.

dw: This key is used to delete from the current cursor location to the next word.

Ctrl +h : This key is used to delete the character before the cursor during insert mode.

Ctrl + n : This key is used to insert next match before the cursor during insert mode.

:q: This key is used to guit the Vim.

:w: This key is used to save the file.

:wq: This key is used to write (save) and quit.

:q!: This key is used to quit and throw away unsaved changes.

x: This key is used to save file and exit.

u: This key is used to undo previous command.

redo: This key is used to redo a change.

w/W: This key is used to jump forwards to the start of the word.

b/B: This key is used to jump backwards to the start of the word.

f: This key is used to find character.

/string : This key is used to search for string

/string: This key is used to search for string