

Project Code Export

Root: C:/Users/Omen/Desktop/pro

Files included: 60

Generated: 2026-05-01 18:26:51

File: .gitignore

Path: .gitignore

```
1 | node_modules/  
2 | dist/  
3 | build/  
4 | .env  
5 | *.log  
6 | .DS_Store
```

File: app.py

Path: backend/app.py

```
1 | from flask import Flask
2 | # 1. ADD THIS IMPORT
3 | from flask_cors import CORS
4 |
5 | app = Flask(__name__)
6 |
7 | # 2. ADD THIS LINE right after defining 'app'
8 | # This tells your server to accept requests from your ngrok URL
9 | CORS(app, resources={r"/api/*": {"origins": "https://prance-captivate-bling.ngrok-free.dev
"}})
10 |
11 | @app.route('/api/auth/login', methods=['POST'])
12 | def login():
13 |     # Your existing login logic
14 |     return {"message": "Logged in!"}
15 |
16 | if __name__ == '__main__':
17 |     app.run(host='0.0.0.0', port=5000)
```

File: package-lock.json

Path: backend/package-lock.json

```
-----
1 | {
2 |   "name": "attender-backend",
3 |   "version": "1.0.0",
4 |   "lockfileVersion": 3,
5 |   "requires": true,
6 |   "packages": {
7 |     "": {
8 |       "name": "attender-backend",
9 |       "version": "1.0.0",
10 |       "dependencies": {
11 |         "bcryptjs": "^2.4.3",
12 |         "cors": "^2.8.5",
13 |         "dotenv": "^16.4.5",
14 |         "express": "^4.21.1",
15 |         "express-validator": "^7.2.0",
16 |         "jsonwebtoken": "^9.0.2",
17 |         "mongoose": "^8.8.3",
18 |         "morgan": "^1.10.0",
19 |         "multer": "^2.1.1",
20 |         "pdfkit": "^0.15.0",
21 |         "socket.io": "^4.8.3",
22 |         "twilio": "^6.0.0"
23 |       }
24 |     },
25 |     "node_modules/@mongodb-js/saslprep": {
26 |       "version": "1.4.6",
27 |       "resolved": "https://registry.npmjs.org/@mongodb-js/saslprep/-/saslprep-1.4.6.tgz",
28 |       "integrity": "sha512-y+x3H1xBZd38n10NZF/rEBLvD00MQ6LKUTHqr8R9VkJ+mmQ0YtJFxiIkkK8fZrt
OiL6VixbOBWMBZGBdal3Z1g==",
29 |       "license": "MIT",
30 |       "dependencies": {
31 |         "sparse-bitfield": "^3.0.3"
32 |       }
33 |     },
34 |     "node_modules/@socket.io/component-emitter": {
35 |       "version": "3.1.2",
36 |       "resolved": "https://registry.npmjs.org/@socket.io/component-emitter/-/component-emi
tter-3.1.2.tgz",
37 |       "integrity": "sha512-9BCxFWvbGg/RsZK9tjXd8s4UcwR0MWeFQ1XEKIQVvVAGJyINdrqKMCTryLoK8Rs
e1GjzLV9cwjWV1oLXRWEXVA==",
38 |       "license": "MIT"
39 |     },
40 |     "node_modules/@swc/helpers": {
41 |       "version": "0.3.17",
42 |       "resolved": "https://registry.npmjs.org/@swc/helpers/-/helpers-0.3.17.tgz",
43 |       "integrity": "sha512-tb7Iu+oZ+zWJZ3HJqwx8oNwSDIU440hmVMDPhpACWQWnrZHK99Bxs70gT1L2dnr
5Hg50ZRWEfKQCAAn0VVV0z1Q==",
44 |       "license": "MIT",
45 |       "dependencies": {
46 |         "tslib": "^2.4.0"
47 |       }
48 |     },
49 |     "node_modules/@types/cors": {
50 |       "version": "2.8.19",
51 |       "resolved": "https://registry.npmjs.org/@types/cors/-/cors-2.8.19.tgz",
52 |       "integrity": "sha512-mFNylyeyqN93lfe/9CSx0GREz8cpzAhH+E93xJ4xWQf62V8sQ/24reV2nyzUWM6
H6Xji+GGHpkbLe7pVoUEskg==",

```

```

53 |         "license": "MIT",
54 |         "dependencies": {
55 |             "@types/node": "*"
56 |         }
57 |     },
58 |     "node_modules/@types/node": {
59 |         "version": "25.6.0",
60 |         "resolved": "https://registry.npmjs.org/@types/node/-/node-25.6.0.tgz",
61 |         "integrity": "sha512-+qIYRKdNYJwY3vRCZMDJbPLJAtGjQBudzZddzwQYkEPQd+PJGixUL5QfvCLDaUL
oLv+RhT3LDkwEfKaAkgSmNQ==",
62 |         "license": "MIT",
63 |         "dependencies": {
64 |             "undici-types": "~7.19.0"
65 |         }
66 |     },
67 |     "node_modules/@types/webidl-conversions": {
68 |         "version": "7.0.3",
69 |         "resolved": "https://registry.npmjs.org/@types/webidl-conversions/-/webidl-conversio
ns-7.0.3.tgz",
70 |         "integrity": "sha512-CiJJvcRtIgzadHCYXw7dqEnMNRjhGZLYK05Mj90yktqV8uVT8fD2BF0B7S1uwBE
3Kj2Z+4UyPmFw/Ixgw/LALA==",
71 |         "license": "MIT"
72 |     },
73 |     "node_modules/@types/whatwg-url": {
74 |         "version": "11.0.5",
75 |         "resolved": "https://registry.npmjs.org/@types/whatwg-url/-/whatwg-url-11.0.5.tgz",
76 |         "integrity": "sha512-coYR071JRaHa+xoEvvYqvnIHavQaYrLPbsufM9BF63HkwI5Lgmy2QR8Q5K/LYDY
o5AK82w0vS0S0UsLTpTG7uQ==",
77 |         "license": "MIT",
78 |         "dependencies": {
79 |             "@types/webidl-conversions": "*"
80 |         }
81 |     },
82 |     "node_modules/@types/ws": {
83 |         "version": "8.18.1",
84 |         "resolved": "https://registry.npmjs.org/@types/ws/-/ws-8.18.1.tgz",
85 |         "integrity": "sha512-ThVF6DCVhA8kUGy+aazFQ4kXQ7E1Ty7A3ypF0e0IcJV80/M511G99AW24irKrw5
6Wt44yG9+ij8FaQoBGkuBXg==",
86 |         "license": "MIT",
87 |         "dependencies": {
88 |             "@types/node": "*"
89 |         }
90 |     },
91 |     "node_modules/accepts": {
92 |         "version": "1.3.8",
93 |         "resolved": "https://registry.npmjs.org/accepts/-/accepts-1.3.8.tgz",
94 |         "integrity": "sha512-PYathTa2m2VKxuvSD3DPC/Gy+U+s0A1LAuT8mkmRuvw+NACSaeXEQ+NHcVF7rON
l6qcaxV3Uuemwawk+7+SJLw==",
95 |         "license": "MIT",
96 |         "dependencies": {
97 |             "mime-types": "~2.1.34",
98 |             "negotiator": "0.6.3"
99 |         },
100 |         "engines": {
101 |             "node": ">= 0.6"
102 |         }
103 |     },
104 |     "node_modules/agent-base": {
105 |         "version": "6.0.2",
106 |         "resolved": "https://registry.npmjs.org/agent-base/-/agent-base-6.0.2.tgz",
107 |         "integrity": "sha512-RZNwNclF7+MS/8bDg70amg32dyeZGZxiDuQmZxKLAlQjr3jGyLx+4Kkk58U07D2

```

```

QdgFIQCovuSuZESne6RG6XQ=="
 108 |         "license": "MIT",
 109 |         "dependencies": {
 110 |             "debug": "4"
 111 |         },
 112 |         "engines": {
 113 |             "node": ">= 6.0.0"
 114 |         }
 115 |     },
 116 |     "node_modules/agent-base/node_modules/debug": {
 117 |         "version": "4.4.3",
 118 |         "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
 119 |         "integrity": "sha512-RGwwWnwQvkvfKvT22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYry
rTLLpuvGI9GiiJltAjNbcQA=="
 120 |         "license": "MIT",
 121 |         "dependencies": {
 122 |             "ms": "^2.1.3"
 123 |         },
 124 |         "engines": {
 125 |             "node": ">=6.0"
 126 |         },
 127 |         "peerDependenciesMeta": {
 128 |             "supports-color": {
 129 |                 "optional": true
 130 |             }
 131 |         }
 132 |     },
 133 |     "node_modules/agent-base/node_modules/ms": {
 134 |         "version": "2.1.3",
 135 |         "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
 136 |         "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhJzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XP6t
z7R9xAOtHnSO/tXtF3WRTLA=="
 137 |         "license": "MIT"
 138 |     },
 139 |     "node_modules/append-field": {
 140 |         "version": "1.0.0",
 141 |         "resolved": "https://registry.npmjs.org/append-field/-/append-field-1.0.0.tgz",
 142 |         "integrity": "sha512-klpgFSWLW1ZEs8svjfb7g4qWY0YS5imI82dTg+QahUvJ8YqAY0P10Uk8tTyh9ZG
uYEZEMaeJYCF5BFuX552hsw=="
 143 |         "license": "MIT"
 144 |     },
 145 |     "node_modules/array-buffer-byte-length": {
 146 |         "version": "1.0.2",
 147 |         "resolved": "https://registry.npmjs.org/array-buffer-byte-length/-/array-buffer-byte
-length-1.0.2.tgz",
 148 |         "integrity": "sha512-LHE+8BuR7RYGDKvnrmcuSq3tDcKv90FEXQt/HpbZhY7V6h0zlUXutnAD82GiFx9
rdieCMjktcsPqBwgUl1Iiw=="
 149 |         "license": "MIT",
 150 |         "dependencies": {
 151 |             "call-bound": "^1.0.3",
 152 |             "is-array-buffer": "^3.0.5"
 153 |         },
 154 |         "engines": {
 155 |             "node": ">= 0.4"
 156 |         },
 157 |         "funding": {
 158 |             "url": "https://github.com/sponsors/ljharb"
 159 |         }
 160 |     },
 161 |     "node_modules/array-flatten": {
 162 |         "version": "1.1.1",

```

```

163 |         "resolved": "https://registry.npmjs.org/array-flatten/-/array-flatten-1.1.1.tgz",
164 |         "integrity": "sha512-PCVAQswWemu6UdxdDFFX/+gVeYqKAod3D3UVM91jHwyngu0wAvYPhx8nNlM++Nq
RcK6CxxpUafjmhIdKiHibqg==",
165 |         "license": "MIT"
166 |     },
167 |     "node_modules/async": {
168 |         "version": "0.4.0",
169 |         "resolved": "https://registry.npmjs.org/async/-/async-0.4.0.tgz",
170 |         "integrity": "sha512-0ei90H4tRh0YqU3GxhX79dM/mwVgvbZJaSNaRk+bshkj0S5cfHcgYakreBjrHwa
tXKbz+IoIdYLxrKim2MjW0Q==",
171 |         "license": "MIT"
172 |     },
173 |     "node_modules/available-typed-arrays": {
174 |         "version": "1.0.7",
175 |         "resolved": "https://registry.npmjs.org/available-typed-arrays/-/available-typed-arr
ays-1.0.7.tgz",
176 |         "integrity": "sha512-wvUjBtSGN7+7SjNpq/9M2Tg350UZD3q62IFZLbRAR1bSmlCo1Zaew+BJ+D090e4
hIIZLbCTDwe4Mh4jvUDajzQ==",
177 |         "license": "MIT",
178 |         "dependencies": {
179 |             "possible-typed-array-names": "^1.0.0"
180 |         },
181 |         "engines": {
182 |             "node": ">= 0.4"
183 |         },
184 |         "funding": {
185 |             "url": "https://github.com/sponsors/ljharb"
186 |         }
187 |     },
188 |     "node_modules/axios": {
189 |         "version": "1.15.2",
190 |         "resolved": "https://registry.npmjs.org/axios/-/axios-1.15.2.tgz",
191 |         "integrity": "sha512-wLrXxPtcRPTsNlJmKjkPnNPK2Ihe0hn0wGSaTEiHRPwxjvJwT3hKmXF4dpqxmPO
9SoNb2FsYXj/xEO0gHN+D5A==",
192 |         "license": "MIT",
193 |         "dependencies": {
194 |             "follow-redirects": "^1.15.11",
195 |             "form-data": "^4.0.5",
196 |             "proxy-from-env": "^2.1.0"
197 |         }
198 |     },
199 |     "node_modules/base64-js": {
200 |         "version": "1.5.1",
201 |         "resolved": "https://registry.npmjs.org/base64-js/-/base64-js-1.5.1.tgz",
202 |         "integrity": "sha512-AKpaYlHn8t4SVb0HCy+b5+KKgvR4vrsD8vbvrbiQJps7fKDTkjkDry6ji0rUJjC
0kzbNePLwzxq8iypo41qeWA==",
203 |         "funding": [
204 |             {
205 |                 "type": "github",
206 |                 "url": "https://github.com/sponsors/feross"
207 |             },
208 |             {
209 |                 "type": "patreon",
210 |                 "url": "https://www.patreon.com/feross"
211 |             },
212 |             {
213 |                 "type": "consulting",
214 |                 "url": "https://feross.org/support"
215 |             }
216 |         ],
217 |         "license": "MIT"

```

```

218 |     },
219 |     "node_modules/base64id": {
220 |       "version": "2.0.0",
221 |       "resolved": "https://registry.npmjs.org/base64id/-/base64id-2.0.0.tgz",
222 |       "integrity": "sha512-lGe34o6EHj9y3Kts9R4ZYs/Gr+6N7MCaMlIFA3F1R2O5/m7K06AxfSe05530PEE
RE6/WyEg3lsuyw4GHLpZHog==",
223 |       "license": "MIT",
224 |       "engines": {
225 |         "node": "^4.5.0 || >= 5.9"
226 |       }
227 |     },
228 |     "node_modules/basic-auth": {
229 |       "version": "2.0.1",
230 |       "resolved": "https://registry.npmjs.org/basic-auth/-/basic-auth-2.0.1.tgz",
231 |       "integrity": "sha512-NF+epuEdnUYVlGuhaxbbq+dvJttwLnGY+YixlXlME5KpQ5W3CnXA5cVTneY3SPb
PDRkcjMbifrwMFYcClgOZeg==",
232 |       "license": "MIT",
233 |       "dependencies": {
234 |         "safe-buffer": "5.1.2"
235 |       },
236 |       "engines": {
237 |         "node": ">= 0.8"
238 |       }
239 |     },
240 |     "node_modules/basic-auth/node_modules/safe-buffer": {
241 |       "version": "5.1.2",
242 |       "resolved": "https://registry.npmjs.org/safe-buffer/-/safe-buffer-5.1.2.tgz",
243 |       "integrity": "sha512-Gd2UZBJDkXlY7GbJxfsE8/nvKkUEU1G38c1siN6QP6a9PT9MmHB8GnpScSmMJSO
F8LOIrt8ud/wPtojys4G6+g==",
244 |       "license": "MIT"
245 |     },
246 |     "node_modules/bcryptjs": {
247 |       "version": "2.4.3",
248 |       "resolved": "https://registry.npmjs.org/bcryptjs/-/bcryptjs-2.4.3.tgz",
249 |       "integrity": "sha512-V/Hy/X9Vt7f3BbPJEi8BdVFMByHi+jNXrYkw3huaybV/kQ0KJg0Y6PkEMbn+zeT
+i+SiKZ/HMqJGIIt4LZDqNQ==",
250 |       "license": "MIT"
251 |     },
252 |     "node_modules/body-parser": {
253 |       "version": "1.20.4",
254 |       "resolved": "https://registry.npmjs.org/body-parser/-/body-parser-1.20.4.tgz",
255 |       "integrity": "sha512-ZTgYYLMOXy9qKU/57FAo8F+HA2dGX7bqGc71txDRC1rS4frdFI5R7NhLuHxH6M0
YItAP0sHB4uqA0cYKX06uGA==",
256 |       "license": "MIT",
257 |       "dependencies": {
258 |         "bytes": "~3.1.2",
259 |         "content-type": "~1.0.5",
260 |         "debug": "2.6.9",
261 |         "depd": "2.0.0",
262 |         "destroy": "~1.2.0",
263 |         "http-errors": "~2.0.1",
264 |         "iconv-lite": "~0.4.24",
265 |         "on-finished": "~2.4.1",
266 |         "qs": "~6.14.0",
267 |         "raw-body": "~2.5.3",
268 |         "type-is": "~1.6.18",
269 |         "unpipe": "~1.0.0"
270 |       },
271 |       "engines": {
272 |         "node": ">= 0.8",
273 |         "npm": "1.2.8000 || >= 1.4.16"

```



```

274 |     }
275 |   },
276 |   "node_modules/brotli": {
277 |     "version": "1.3.3",
278 |     "resolved": "https://registry.npmjs.org/brotli/-/brotli-1.3.3.tgz",
279 |     "integrity": "sha512-oTKjJdShmDuGW94SyyaoQvAjf30dZaHnjJ8uAF+u2/vGJKJbJPJAT1gDi0JP5v1
Zb6f9KEyW/1HpuaWIXtGHPg==",
280 |     "license": "MIT",
281 |     "dependencies": {
282 |       "base64-js": "^1.1.2"
283 |     }
284 |   },
285 |   "node_modules/bson": {
286 |     "version": "6.10.4",
287 |     "resolved": "https://registry.npmjs.org/bson/-/bson-6.10.4.tgz",
288 |     "integrity": "sha512-WisKqkSC0ABoBJuT1LEX+2HEvNmNKKgnTAyd0fL8qzK4SH2i9NXg+t08YtdZp/V
9IZ33cxe3iV4yM0qq8lMQng==",
289 |     "license": "Apache-2.0",
290 |     "engines": {
291 |       "node": ">=16.20.1"
292 |     }
293 |   },
294 |   "node_modules/buffer-equal-constant-time": {
295 |     "version": "1.0.1",
296 |     "resolved": "https://registry.npmjs.org/buffer-equal-constant-time/-/buffer-equal-co
nstant-time-1.0.1.tgz",
297 |     "integrity": "sha512-zRpUiDwd/xk6ADqPMATG8vc9VPrkck7T070Ix0gnjmJAnHnTVXNQG3vfVwNuiZI
kwu9KrKdA1iJKfsfTVxE6NA==",
298 |     "license": "BSD-3-Clause"
299 |   },
300 |   "node_modules/buffer-from": {
301 |     "version": "1.1.2",
302 |     "resolved": "https://registry.npmjs.org/buffer-from/-/buffer-from-1.1.2.tgz",
303 |     "integrity": "sha512-E+XQCRwSbaaiChtv6k6Dwgc+bx+Bs6vuKJHHl5kox/BaKbhiXzqQ0wK4c022yEl
Gp20CmJwVhT3HmxgyPGnJfQ==",
304 |     "license": "MIT"
305 |   },
306 |   "node_modules/busboy": {
307 |     "version": "1.6.0",
308 |     "resolved": "https://registry.npmjs.org/busboy/-/busboy-1.6.0.tgz",
309 |     "integrity": "sha512-8SFQbg/0hQ9xy3UNTB0YEnsNBbwfhf7RtnzpL7TtBiTBRfrQ9Fxcnz7VJsleJpy
p6rVLvXiu0RqjLHi5q+PYuA==",
310 |     "dependencies": {
311 |       "streamsearch": "^1.1.0"
312 |     },
313 |     "engines": {
314 |       "node": ">=10.16.0"
315 |     }
316 |   },
317 |   "node_modules/bytes": {
318 |     "version": "3.1.2",
319 |     "resolved": "https://registry.npmjs.org/bytes/-/bytes-3.1.2.tgz",
320 |     "integrity": "sha512-/Nf7TyzTx6S3yRJOb0AV7956r8cr2+0j8AC5dt8wSP3BQAoeX58NoHyCU8P8zGk
NXStjTSi6fz06F0pBdcYbEg==",
321 |     "license": "MIT",
322 |     "engines": {
323 |       "node": ">= 0.8"
324 |     }
325 |   },
326 |   "node_modules/call-bind": {
327 |     "version": "1.0.9",

```

```

328 |         "resolved": "https://registry.npmjs.org/call-bind/-/call-bind-1.0.9.tgz",
329 |         "integrity": "sha512-a/hy+pNsFUTR+Iz8TCJvXudKVLAnz/DyeSUo10I5yvFDQJBFU2s9uqQpoSrJlro
HUKoKqzg+epxyP9lqFdzfBQ==",
330 |         "license": "MIT",
331 |         "dependencies": {
332 |             "call-bind-apply-helpers": "^1.0.2",
333 |             "es-define-property": "^1.0.1",
334 |             "get-intrinsic": "^1.3.0",
335 |             "set-function-length": "^1.2.2"
336 |         },
337 |         "engines": {
338 |             "node": ">= 0.4"
339 |         },
340 |         "funding": {
341 |             "url": "https://github.com/sponsors/ljharb"
342 |         }
343 |     },
344 |     "node_modules/call-bind-apply-helpers": {
345 |         "version": "1.0.2",
346 |         "resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-he
lpers-1.0.2.tgz",
347 |         "integrity": "sha512-Sp1ablJ0ivDkSzjcaJdxEunN5/XvksFJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHt
POSij8K99/wSfoEuTObmMQ==",
348 |         "license": "MIT",
349 |         "dependencies": {
350 |             "es-errors": "^1.3.0",
351 |             "function-bind": "^1.1.2"
352 |         },
353 |         "engines": {
354 |             "node": ">= 0.4"
355 |         }
356 |     },
357 |     "node_modules/call-bound": {
358 |         "version": "1.0.4",
359 |         "resolved": "https://registry.npmjs.org/call-bound/-/call-bound-1.0.4.tgz",
360 |         "integrity": "sha512-+ys997U96po4Kx/ABpBCqhA9EuxJaQWDQg7295H4hBphv3IZg0boBKuwYpt4YXp
6MZ5AmZQnU/tyMTlRpaSejg==",
361 |         "license": "MIT",
362 |         "dependencies": {
363 |             "call-bind-apply-helpers": "^1.0.2",
364 |             "get-intrinsic": "^1.3.0"
365 |         },
366 |         "engines": {
367 |             "node": ">= 0.4"
368 |         },
369 |         "funding": {
370 |             "url": "https://github.com/sponsors/ljharb"
371 |         }
372 |     },
373 |     "node_modules/clone": {
374 |         "version": "2.1.2",
375 |         "resolved": "https://registry.npmjs.org/clone/-/clone-2.1.2.tgz",
376 |         "integrity": "sha512-3Pe/CF1Nn94hyhIYpjtiLhdCoEoz0DqQ+988E9gmeEdQZlojxnOb74wctFyuwWQ
Hzqyf9X7C7MG8juUpqBJT8w==",
377 |         "license": "MIT",
378 |         "engines": {
379 |             "node": ">=0.8"
380 |         }
381 |     },
382 |     "node_modules/combined-stream": {
383 |         "version": "1.0.8",

```

```

384 |         "resolved": "https://registry.npmjs.org/combined-stream/-/combined-stream-1.0.8.tgz"
,
385 |         "integrity": "sha512-FQN4MRfuJeHf7cBbBMJFXhKSDq+2kAArBlmRBvcvFE5BB1HZKXtSFASDhdlz9zO
Ywxh8lDdnvmM0e/+5cdoEdg==",
386 |         "license": "MIT",
387 |         "dependencies": {
388 |             "delayed-stream": "~1.0.0"
389 |         },
390 |         "engines": {
391 |             "node": ">= 0.8"
392 |         }
393 |     },
394 |     "node_modules/concat-stream": {
395 |         "version": "2.0.0",
396 |         "resolved": "https://registry.npmjs.org/concat-stream/-/concat-stream-2.0.0.tgz",
397 |         "integrity": "sha512-MWuFydFw53ccGjCA+Ol7XJYpAlW6/prSMzuPOTRnJGcGzuhLn4Scr7qf6o8bR0
Z514ltazcIFJZevcfbo0x7A==",
398 |         "engines": [
399 |             "node >= 6.0"
400 |         ],
401 |         "license": "MIT",
402 |         "dependencies": {
403 |             "buffer-from": "^1.0.0",
404 |             "inherits": "^2.0.3",
405 |             "readable-stream": "^3.0.2",
406 |             "typedarray": "^0.0.6"
407 |         }
408 |     },
409 |     "node_modules/content-disposition": {
410 |         "version": "0.5.4",
411 |         "resolved": "https://registry.npmjs.org/content-disposition/-/content-disposition-0.
5.4.tgz",
412 |         "integrity": "sha512-FveZTNuGw04cx1AiWbzi6zTAL/lhehawbTtgluJh4/E95DqMwTmha3KZN1aAWA8
cFIhHzMZUvLevkw5Rqk+tSQ==",
413 |         "license": "MIT",
414 |         "dependencies": {
415 |             "safe-buffer": "5.2.1"
416 |         },
417 |         "engines": {
418 |             "node": ">= 0.6"
419 |         }
420 |     },
421 |     "node_modules/content-type": {
422 |         "version": "1.0.5",
423 |         "resolved": "https://registry.npmjs.org/content-type/-/content-type-1.0.5.tgz",
424 |         "integrity": "sha512-nTJqfcBFEipKdXCv4YDQWCfmcLZKm81ldF0pAopTvyrFGVbcR6P/VAAd5G7N+0t
Tr8QqiU0tFadD6FK4NtJw0A==",
425 |         "license": "MIT",
426 |         "engines": {
427 |             "node": ">= 0.6"
428 |         }
429 |     },
430 |     "node_modules/cookie": {
431 |         "version": "0.7.2",
432 |         "resolved": "https://registry.npmjs.org/cookie/-/cookie-0.7.2.tgz",
433 |         "integrity": "sha512-yki5XnKuf750l50uGTllt6kKILY4nQ1eNIQatoXEBYz5dWgnKqbnqmTrBE5B4N7
lrMJKQ2ytWmiT02o0v6Ew/w==",
434 |         "license": "MIT",
435 |         "engines": {
436 |             "node": ">= 0.6"
437 |         }

```

```

438 |     },
439 |     "node_modules/cookie-signature": {
440 |       "version": "1.0.7",
441 |       "resolved": "https://registry.npmjs.org/cookie-signature/-/cookie-signature-1.0.7.tgz",
442 |       "integrity": "sha512-NXdYc3dLr47pBkpUCHtKSwI0QXLVn8dZEuywboCOJY/osA0wFSLlSawr3KN8qXJEyX66FcONTH8EILVuK0yyFA==",
443 |       "license": "MIT"
444 |     },
445 |     "node_modules/cors": {
446 |       "version": "2.8.6",
447 |       "resolved": "https://registry.npmjs.org/cors/-/cors-2.8.6.tgz",
448 |       "integrity": "sha512-tJtZBBHA6vjIAaF6EnIaq6laBBP9aq/Y3ouVJjEfoHbRBcHBAHYcMh/w8LDrk2PvIMMq8gmopa5D4V8RmbrxGw==",
449 |       "license": "MIT",
450 |       "dependencies": {
451 |         "object-assign": "^4",
452 |         "vary": "^1"
453 |       },
454 |       "engines": {
455 |         "node": ">= 0.10"
456 |       },
457 |       "funding": {
458 |         "type": "opencollective",
459 |         "url": "https://opencollective.com/express"
460 |       }
461 |     },
462 |     "node_modules/crypto-js": {
463 |       "version": "4.2.0",
464 |       "resolved": "https://registry.npmjs.org/crypto-js/-/crypto-js-4.2.0.tgz",
465 |       "integrity": "sha512-KALDyEYgpY+Rlob/iriUtjV6d5Eq+Y191A5g4UqLAI8CyGP9N1+FdVbkC1SxKc2r4YAYqG8Jz02KGL+AizD70Q==",
466 |       "license": "MIT"
467 |     },
468 |     "node_modules/dayjs": {
469 |       "version": "1.11.20",
470 |       "resolved": "https://registry.npmjs.org/dayjs/-/dayjs-1.11.20.tgz",
471 |       "integrity": "sha512-YbwwqR/uYpeoP4pu043q+LTDLFLApUP6VxRihdfNTqu4ubqMlGDLd6ErXhEgsvY0K6nCs7nggYumAN+9uEuQ==",
472 |       "license": "MIT"
473 |     },
474 |     "node_modules/debug": {
475 |       "version": "2.6.9",
476 |       "resolved": "https://registry.npmjs.org/debug/-/debug-2.6.9.tgz",
477 |       "integrity": "sha512-bC7ElrdJaJnPbAP+1EotYvqZsb3ecl5wi6Bfi6BJTUcNowp6cvspg0jXznRTKDjm/E7AdgFBVeAPVMNcKGSHMA==",
478 |       "license": "MIT",
479 |       "dependencies": {
480 |         "ms": "2.0.0"
481 |       }
482 |     },
483 |     "node_modules/deep-equal": {
484 |       "version": "2.2.3",
485 |       "resolved": "https://registry.npmjs.org/deep-equal/-/deep-equal-2.2.3.tgz",
486 |       "integrity": "sha512-ZIwPne0Brh6ptBn4tgMv8dnZrNF6vEcEHl2sX87zW3KvGZuFLqG94h+o6I0H/wxgK31DY82jX4rZtlYg6A==",
487 |       "license": "MIT",
488 |       "dependencies": {
489 |         "array-buffer-byte-length": "^1.0.0",
490 |         "call-bind": "^1.0.5",
491 |         "es-get-iterator": "^1.1.3",

```

```

492 |         "get-intrinsic": "^1.2.2",
493 |         "is-arguments": "^1.1.1",
494 |         "is-array-buffer": "^3.0.2",
495 |         "is-date-object": "^1.0.5",
496 |         "is-regex": "^1.1.4",
497 |         "is-shared-array-buffer": "^1.0.2",
498 |         "isarray": "^2.0.5",
499 |         "object-is": "^1.1.5",
500 |         "object-keys": "^1.1.1",
501 |         "object.assign": "^4.1.4",
502 |         "regexp.prototype.flags": "^1.5.1",
503 |         "side-channel": "^1.0.4",
504 |         "which-boxed-primitive": "^1.0.2",
505 |         "which-collection": "^1.0.1",
506 |         "which-typed-array": "^1.1.13"
507 |     },
508 |     "engines": {
509 |         "node": ">= 0.4"
510 |     },
511 |     "funding": {
512 |         "url": "https://github.com/sponsors/ljharb"
513 |     }
514 | },
515 | "node_modules/define-data-property": {
516 |     "version": "1.1.4",
517 |     "resolved": "https://registry.npmjs.org/define-data-property/-/define-data-property-
1.1.4.tgz",
518 |     "integrity": "sha512-rBMvIzlpA8v6E+SJZoo++HAYqsLrkg7MSfIinMPFhmkorw7X+d0XVJQs+QT69zG
kzMyfDnIMN2Wid1+NbL3T+A==",
519 |     "license": "MIT",
520 |     "dependencies": {
521 |         "es-define-property": "^1.0.0",
522 |         "es-errors": "^1.3.0",
523 |         "gopd": "^1.0.1"
524 |     },
525 |     "engines": {
526 |         "node": ">= 0.4"
527 |     },
528 |     "funding": {
529 |         "url": "https://github.com/sponsors/ljharb"
530 |     }
531 | },
532 | "node_modules/define-properties": {
533 |     "version": "1.2.1",
534 |     "resolved": "https://registry.npmjs.org/define-properties/-/define-properties-1.2.1.
tgz",
535 |     "integrity": "sha512-8QmQKqEASLd5nx0U1B1okLElbUuuttJ/AnYmRXbbbGDWh6uS208EjD4Xqq/I9wK
7u0v6008XhTWnt5XtEbR6Dg==",
536 |     "license": "MIT",
537 |     "dependencies": {
538 |         "define-data-property": "^1.0.1",
539 |         "has-property-descriptors": "^1.0.0",
540 |         "object-keys": "^1.1.1"
541 |     },
542 |     "engines": {
543 |         "node": ">= 0.4"
544 |     },
545 |     "funding": {
546 |         "url": "https://github.com/sponsors/ljharb"
547 |     }
548 | },

```

```

549 |     "node_modules/delayed-stream": {
550 |       "version": "1.0.0",
551 |       "resolved": "https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz",
552 |       "integrity": "sha512-ZySD7Nf91aLB0RXL4KGrKHBXl7Eds1DAmEdcoVawXnLD7SDhpNgtuII2aAkg7a7
QS41jxPSZ17p4VdGnMHk3MQ==",
553 |       "license": "MIT",
554 |       "engines": {
555 |         "node": ">=0.4.0"
556 |       }
557 |     },
558 |     "node_modules/depd": {
559 |       "version": "2.0.0",
560 |       "resolved": "https://registry.npmjs.org/depd/-/depd-2.0.0.tgz",
561 |       "integrity": "sha512-g7nH6P6dyDioJogAAGprGpCtVImJhpPk/roCzdb3fIh61/s/nPsFR6onyMwkCAR
/0LC3yBC0LESvUoQEAssIrw==",
562 |       "license": "MIT",
563 |       "engines": {
564 |         "node": ">= 0.8"
565 |       }
566 |     },
567 |     "node_modules/destroy": {
568 |       "version": "1.2.0",
569 |       "resolved": "https://registry.npmjs.org/destroy/-/destroy-1.2.0.tgz",
570 |       "integrity": "sha512-2s44iZBNQqR9Vh95s777kM5JIIKx9380112qZyHaecL1QdLl7c7pYLnqR8Jk8Zg7c
PevC2l3KpjYCx3NypQQgaJg==",
571 |       "license": "MIT",
572 |       "engines": {
573 |         "node": ">= 0.8",
574 |         "npm": "1.2.8000 || >= 1.4.16"
575 |       }
576 |     },
577 |     "node_modules/dfa": {
578 |       "version": "1.2.0",
579 |       "resolved": "https://registry.npmjs.org/dfa/-/dfa-1.2.0.tgz",
580 |       "integrity": "sha512-ED3jp8saaweFTjeGX8HQPjeC1YYyZs98jGNZx6IiBvxw7JG5v492kamAQB3m2wo
p07CvU/RQmzcKr6bgcC5D/Q==",
581 |       "license": "MIT"
582 |     },
583 |     "node_modules/dotenv": {
584 |       "version": "16.6.1",
585 |       "resolved": "https://registry.npmjs.org/dotenv/-/dotenv-16.6.1.tgz",
586 |       "integrity": "sha512-uBq4egWHTcTt33a72vpSG0z3HnPuIl6NqYcTrKEg2azoEyl2hpw0zqlxysq2pK9
HlDIHyakeYaYnSAwd8bow==",
587 |       "license": "BSD-2-Clause",
588 |       "engines": {
589 |         "node": ">=12"
590 |       },
591 |       "funding": {
592 |         "url": "https://dotenvx.com"
593 |       }
594 |     },
595 |     "node_modules/dunder-proto": {
596 |       "version": "1.0.1",
597 |       "resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz",
598 |       "integrity": "sha512-KIN/nDJBRcXw0MLVhZE9iQHmG68qAVIBg9CqmUYjmQIhgij9U5MFvrqkUL5Fbt
yyzZu0e0t0zdeRe4UY7ct+A==",
599 |       "license": "MIT",
600 |       "dependencies": {
601 |         "call-bind-apply-helpers": "^1.0.1",
602 |         "es-errors": "^1.3.0",
603 |         "gopd": "^1.2.0"

```

```

604 |     },
605 |     "engines": {
606 |       "node": ">= 0.4"
607 |     }
608 |   },
609 |   "node_modules/ecdsa-sig-formatter": {
610 |     "version": "1.0.11",
611 |     "resolved": "https://registry.npmjs.org/ecdsa-sig-formatter/-/ecdsa-sig-formatter-1.
0.11.tgz",
612 |     "integrity": "sha512-nagL3RYrbNv6KQkeJIpt6NJZy8twLB/2vtz6yN9Z4VRKHN4/QZJIEbqohALSgWK
dnksuY3k5Addp5lg8sVoVcQ==",
613 |     "license": "Apache-2.0",
614 |     "dependencies": {
615 |       "safe-buffer": "^5.0.1"
616 |     }
617 |   },
618 |   "node_modules/ee-first": {
619 |     "version": "1.1.1",
620 |     "resolved": "https://registry.npmjs.org/ee-first/-/ee-first-1.1.1.tgz",
621 |     "integrity": "sha512-WMwm9LhRUo+WUaRN+vRuETqG89IgZphVSNkdFgeb6sS/E40rDIN7t48CAewSHXc
6C8lefD8KKfr5vY61brQlow==",
622 |     "license": "MIT"
623 |   },
624 |   "node_modules/encodeurl": {
625 |     "version": "2.0.0",
626 |     "resolved": "https://registry.npmjs.org/encodeurl/-/encodeurl-2.0.0.tgz",
627 |     "integrity": "sha512-Q0n9HRi4m6JuGIV1eFlnvJB7ZEVxu93IrMyiMsGC0lrMJMwzRgx6WGquyfQgZVb
31vhGgXnfmPNNXmxnOKRBrg==",
628 |     "license": "MIT",
629 |     "engines": {
630 |       "node": ">= 0.8"
631 |     }
632 |   },
633 |   "node_modules/engine.io": {
634 |     "version": "6.6.6",
635 |     "resolved": "https://registry.npmjs.org/engine.io/-/engine.io-6.6.6.tgz",
636 |     "integrity": "sha512-U2SN0w30pjFRVlrc17E6TMDmH58Xl9rai1MblNjAdWp07Kk+llmzX0hjDpQdrD
Gzwmv0tgM5yI+meYX6iZ2xA==",
637 |     "license": "MIT",
638 |     "dependencies": {
639 |       "@types/cors": "^2.8.12",
640 |       "@types/node": ">=10.0.0",
641 |       "@types/ws": "^8.5.12",
642 |       "accepts": "~1.3.4",
643 |       "base64id": "2.0.0",
644 |       "cookie": "~0.7.2",
645 |       "cors": "~2.8.5",
646 |       "debug": "~4.4.1",
647 |       "engine.io-parser": "~5.2.1",
648 |       "ws": "~8.18.3"
649 |     },
650 |     "engines": {
651 |       "node": ">=10.2.0"
652 |     }
653 |   },
654 |   "node_modules/engine.io-parser": {
655 |     "version": "5.2.3",
656 |     "resolved": "https://registry.npmjs.org/engine.io-parser/-/engine.io-parser-5.2.3.tg
z",
657 |     "integrity": "sha512-HqD3yTBfnBxIrbnM1DoD6Pcq8NECnh8d4As1Qgh0z5Gg3jRRIqijury0CL3ghu/
edArpUYiYqQiDUQBIs4np3Q==",

```

```

658 |         "license": "MIT",
659 |         "engines": {
660 |             "node": ">=10.0.0"
661 |         }
662 |     },
663 |     "node_modules/engine.io/node_modules/debug": {
664 |         "version": "4.4.3",
665 |         "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
666 |         "integrity": "sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYry
rTLLpuvGI9GiijltAjNbcqA==",
667 |         "license": "MIT",
668 |         "dependencies": {
669 |             "ms": "^2.1.3"
670 |         },
671 |         "engines": {
672 |             "node": ">=6.0"
673 |         },
674 |         "peerDependenciesMeta": {
675 |             "supports-color": {
676 |                 "optional": true
677 |             }
678 |         }
679 |     },
680 |     "node_modules/engine.io/node_modules/ms": {
681 |         "version": "2.1.3",
682 |         "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
683 |         "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhJzq5oxghYacu9yYXvcLsvoVaHJq/s5xXI6/XXP6t
z7R9xA0tHnSO/tXtF3WRTlA==",
684 |         "license": "MIT"
685 |     },
686 |     "node_modules/es-define-property": {
687 |         "version": "1.0.1",
688 |         "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.
1.tgz",
689 |         "integrity": "sha512-e3nRfgfUZ4rNGL232gUgX06QNYyez04KdjFrF+LTRoOXmrOgFKDg4BCdsjW8Ent
69eqdYGMRpJwiPVYNrCaw3g==",
690 |         "license": "MIT",
691 |         "engines": {
692 |             "node": ">= 0.4"
693 |         }
694 |     },
695 |     "node_modules/es-errors": {
696 |         "version": "1.3.0",
697 |         "resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
698 |         "integrity": "sha512-Zf5H2Kxt2xjTvbJvP2ZWLEICxA6j+hAmMzIlypy4xcBg1vKVnx89Wy0GbS+kf5c
wCVFFzdCFh2XSCFNULS6csw==",
699 |         "license": "MIT",
700 |         "engines": {
701 |             "node": ">= 0.4"
702 |         }
703 |     },
704 |     "node_modules/es-get-iterator": {
705 |         "version": "1.1.3",
706 |         "resolved": "https://registry.npmjs.org/es-get-iterator/-/es-get-iterator-1.1.3.tgz"
707 |         ,
707 |         "integrity": "sha512-sPZmqHBE6JIIiTfN5q2pEi//TwxmAFHwj/XEuYjTuse78i8KxaqMTTzxPoFKuzRp
DpTJ+0NAbpfenkmH2rePtuw==",
708 |         "license": "MIT",
709 |         "dependencies": {
710 |             "call-bind": "^1.0.2",
711 |             "get-intrinsic": "^1.1.3",

```



```

712 |         "has-symbols": "^1.0.3",
713 |         "is-arguments": "^1.1.1",
714 |         "is-map": "^2.0.2",
715 |         "is-set": "^2.0.2",
716 |         "is-string": "^1.0.7",
717 |         "isarray": "^2.0.5",
718 |         "stop-iteration-iterator": "^1.0.0"
719 |     },
720 |     "funding": {
721 |         "url": "https://github.com/sponsors/ljharb"
722 |     }
723 | },
724 | "node_modules/es-object-atoms": {
725 |     "version": "1.1.1",
726 |     "resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.1.tgz"
727 | ,
728 |     "integrity": "sha512-FGgH2h8zKNim9lj7dankFPcICIK9Cp5bm+c2gQSYePhpaG5+esrLODihIorn+P
e6FGJzWhXQotPv73jTaldXA==",
729 |     "license": "MIT",
730 |     "dependencies": {
731 |         "es-errors": "^1.3.0"
732 |     },
733 |     "engines": {
734 |         "node": ">= 0.4"
735 |     },
736 |     "node_modules/es-set-tostringtag": {
737 |         "version": "2.1.0",
738 |         "resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.
0.tgz",
739 |         "integrity": "sha512-j6vWzfrGVfyXxge+00x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+t0AngR08cODMN
WbVRdVlmgZQL2YS3yR8bIUA==",
740 |         "license": "MIT",
741 |         "dependencies": {
742 |             "es-errors": "^1.3.0",
743 |             "get-intrinsic": "^1.2.6",
744 |             "has-tostringtag": "^1.0.2",
745 |             "hasown": "^2.0.2"
746 |         },
747 |         "engines": {
748 |             "node": ">= 0.4"
749 |         }
750 |     },
751 |     "node_modules/escape-html": {
752 |         "version": "1.0.3",
753 |         "resolved": "https://registry.npmjs.org/escape-html/-/escape-html-1.0.3.tgz",
754 |         "integrity": "sha512-NiSupZ40euGwr68lGIeym/ksIZMJodUG0SCZ/FSnTxcrekbvqrgdUx1J0MpijaK
ZVjAJrWrGs/6Jy80Muyj9ow==",
755 |         "license": "MIT"
756 |     },
757 |     "node_modules/etag": {
758 |         "version": "1.8.1",
759 |         "resolved": "https://registry.npmjs.org/etag/-/etag-1.8.1.tgz",
760 |         "integrity": "sha512-aIL5F7mawVa300al2BnEE4iNvo1qETxLrPI/o05L7z6go7fCw1J6EQmbK4FmJ2
AS7kgVF/KEZWufBfdClMcPg==",
761 |         "license": "MIT",
762 |         "engines": {
763 |             "node": ">= 0.6"
764 |         }
765 |     },
766 |     "node_modules/express": {

```

```

767 |         "version": "4.22.1",
768 |         "resolved": "https://registry.npmjs.org/express/-/express-4.22.1.tgz",
769 |         "integrity": "sha512-F2X8g9P1X7uCPZMA3MVf9wcTqlyNp7IhH5qPCI0izha0IYXaW9L535tGA3qmjRz
pH+bZczqq7hVKxTR4Nwu+g==",
770 |         "license": "MIT",
771 |         "dependencies": {
772 |             "accepts": "~1.3.8",
773 |             "array-flatten": "1.1.1",
774 |             "body-parser": "~1.20.3",
775 |             "content-disposition": "~0.5.4",
776 |             "content-type": "~1.0.4",
777 |             "cookie": "~0.7.1",
778 |             "cookie-signature": "~1.0.6",
779 |             "debug": "2.6.9",
780 |             "depd": "2.0.0",
781 |             "encodeurl": "~2.0.0",
782 |             "escape-html": "~1.0.3",
783 |             "etag": "~1.8.1",
784 |             "finalhandler": "~1.3.1",
785 |             "fresh": "~0.5.2",
786 |             "http-errors": "~2.0.0",
787 |             "merge-descriptors": "1.0.3",
788 |             "methods": "~1.1.2",
789 |             "on-finished": "~2.4.1",
790 |             "parseurl": "~1.3.3",
791 |             "path-to-regexp": "~0.1.12",
792 |             "proxy-addr": "~2.0.7",
793 |             "qs": "~6.14.0",
794 |             "range-parser": "~1.2.1",
795 |             "safe-buffer": "5.2.1",
796 |             "send": "~0.19.0",
797 |             "serve-static": "~1.16.2",
798 |             "setprototypeof": "1.2.0",
799 |             "statuses": "~2.0.1",
800 |             "type-is": "~1.6.18",
801 |             "utils-merge": "1.0.1",
802 |             "vary": "~1.1.2"
803 |         },
804 |         "engines": {
805 |             "node": ">= 0.10.0"
806 |         },
807 |         "funding": {
808 |             "type": "opencollective",
809 |             "url": "https://opencollective.com/express"
810 |         }
811 |     },
812 |     "node_modules/express-validator": {
813 |         "version": "7.3.2",
814 |         "resolved": "https://registry.npmjs.org/express-validator/-/express-validator-7.3.2.
tgz",
815 |         "integrity": "sha512-ctLw1Vl6dXVH62dIQMddTAQkrh480mkFuG6/SGX0aVlwPNukhRAe7EgJIMJ2TSA
ni8iwHBRp530zAZE5ZPF2IA==",
816 |         "license": "MIT",
817 |         "dependencies": {
818 |             "lodash": "^4.18.1",
819 |             "validator": "~13.15.23"
820 |         },
821 |         "engines": {
822 |             "node": ">= 8.0.0"
823 |         }
824 |     },

```

```

825 |     "node_modules/finalhandler": {
826 |       "version": "1.3.2",
827 |       "resolved": "https://registry.npmjs.org/finalhandler/-/finalhandler-1.3.2.tgz",
828 |       "integrity": "sha512-aA4RyPcd3badbdABGDuTXCMTtOneUCAYH/gxoYRTZLIJdF0YPWuGqiAsIrhNnnq
dXGswYk6dGujem4w80UJFhg==",
829 |       "license": "MIT",
830 |       "dependencies": {
831 |         "debug": "2.6.9",
832 |         "encodeurl": "~2.0.0",
833 |         "escape-html": "~1.0.3",
834 |         "on-finished": "~2.4.1",
835 |         "parseurl": "~1.3.3",
836 |         "statuses": "~2.0.2",
837 |         "unpipe": "~1.0.0"
838 |       },
839 |       "engines": {
840 |         "node": ">= 0.8"
841 |       }
842 |     },
843 |     "node_modules/follow-redirects": {
844 |       "version": "1.16.0",
845 |       "resolved": "https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.16.0.t
gz",
846 |       "integrity": "sha512-y5rN/u0sadFT/JfYwhxRS5R7Qce+g3zG97+JrtFZlC9kLX/W5hD7iilZScI4nZq
US7DNudhPgW4xI8W2LuXlUw==",
847 |       "funding": [
848 |         {
849 |           "type": "individual",
850 |           "url": "https://github.com/sponsors/RubenVerborgh"
851 |         }
852 |       ],
853 |       "license": "MIT",
854 |       "engines": {
855 |         "node": ">=4.0"
856 |       },
857 |       "peerDependenciesMeta": {
858 |         "debug": {
859 |           "optional": true
860 |         }
861 |       }
862 |     },
863 |     "node_modules/fontkit": {
864 |       "version": "1.9.0",
865 |       "resolved": "https://registry.npmjs.org/fontkit/-/fontkit-1.9.0.tgz",
866 |       "integrity": "sha512-HkW/8Lrk8jl18kzQHvAw9aThe1cqsyx5sDnxcnx652+CIfhawokePkeM3BoIC+z
/Xv7a0yMr0f3pRRwhGH455g==",
867 |       "license": "MIT",
868 |       "dependencies": {
869 |         "@swc/helpers": "^0.3.13",
870 |         "brotli": "^1.3.2",
871 |         "clone": "^2.1.2",
872 |         "deep-equal": "^2.0.5",
873 |         "dfa": "^1.2.0",
874 |         "restructure": "^2.0.1",
875 |         "tiny-inflate": "^1.0.3",
876 |         "unicode-properties": "^1.3.1",
877 |         "unicode-trie": "^2.0.0"
878 |       }
879 |     },
880 |     "node_modules/for-each": {
881 |       "version": "0.3.5",

```

```

882 |         "resolved": "https://registry.npmjs.org/for-each/-/for-each-0.3.5.tgz",
883 |         "integrity": "sha512-dKx12eRCVizqCxFGplyFKJMPvLEWgmNtUrpTiJIR5u97zEhRG8ySrtboPHZX7d
aLxQVrL643cTzbab2tkQjxg==",
884 |         "license": "MIT",
885 |         "dependencies": {
886 |             "is-callable": "^1.2.7"
887 |         },
888 |         "engines": {
889 |             "node": ">= 0.4"
890 |         },
891 |         "funding": {
892 |             "url": "https://github.com/sponsors/ljharb"
893 |         }
894 |     },
895 |     "node_modules/form-data": {
896 |         "version": "4.0.5",
897 |         "resolved": "https://registry.npmjs.org/form-data/-/form-data-4.0.5.tgz",
898 |         "integrity": "sha512-8RipRLol37bNs2bhoV67fiTEvdTrbMUycFTiy3+wuuOnUog2QBHCZWXRijWQfA
kBj2Uf5UnVaiWwA5vdd82w==",
899 |         "license": "MIT",
900 |         "dependencies": {
901 |             "asynckit": "^0.4.0",
902 |             "combined-stream": "^1.0.8",
903 |             "es-set-tostringtag": "^2.1.0",
904 |             "hasown": "^2.0.2",
905 |             "mime-types": "^2.1.12"
906 |         },
907 |         "engines": {
908 |             "node": ">= 6"
909 |         }
910 |     },
911 |     "node_modules/forwarded": {
912 |         "version": "0.2.0",
913 |         "resolved": "https://registry.npmjs.org/forwarded/-/forwarded-0.2.0.tgz",
914 |         "integrity": "sha512-buRG0fpBtRHSTCOASe6hD258tEubFoRLb4ZNA6NxMVHNw2g0cwHo9wyablzMzOA
5z9xA9L1KNjk/Nt6MT9aYow==",
915 |         "license": "MIT",
916 |         "engines": {
917 |             "node": ">= 0.6"
918 |         }
919 |     },
920 |     "node_modules/fresh": {
921 |         "version": "0.5.2",
922 |         "resolved": "https://registry.npmjs.org/fresh/-/fresh-0.5.2.tgz",
923 |         "integrity": "sha512-tYLVbBxq1lF8ZKoPRzQa6yJk5WqdfCwGYkcD4TbdM2eThxMbN9OZB3XoI0f9EG7BqrH6UWH4oqM80vN8SA==",
924 |         "license": "MIT",
925 |         "engines": {
926 |             "node": ">= 0.6"
927 |         }
928 |     },
929 |     "node_modules/function-bind": {
930 |         "version": "1.1.2",
931 |         "resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
932 |         "integrity": "sha512-7X9x6XyxPsoF1LJ9YcOF7ZJ8TQYgPV7JFE8M0YwP+qKcUlX/abKs+wXhN7YiZL11GiZlKu7KRZ4TK5vSdcA=
+oV00F744iUgR82nJMfG2SA==",
933 |         "license": "MIT",
934 |         "funding": {
935 |             "url": "https://github.com/sponsors/ljharb"
936 |         }
937 |     },

```

```

938 |     "node_modules/functions-have-names": {
939 |       "version": "1.2.3",
940 |       "resolved": "https://registry.npmjs.org/functions-have-names/-/functions-have-names-
1.2.3.tgz",
941 |       "integrity": "sha512-xckBUxyTIqT97tq2x2AMb+g163b5JFysYk0x4qxNFwbFQkmNZoiRHB6sPzI9/QV
33WeuvVYBUiId4NzNIyqaRQ==",
942 |       "license": "MIT",
943 |       "funding": {
944 |         "url": "https://github.com/sponsors/ljharb"
945 |       }
946 |     },
947 |     "node_modules/get-intrinsic": {
948 |       "version": "1.3.0",
949 |       "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
950 |       "integrity": "sha512-9fSjSsZDk1S2h9katTvGZ0vmJR8YCBgBzsrh2na1BiABJP0mOjjz8GJ
DURarmCPGqaiVg5mfjb98CQ==",
951 |       "license": "MIT",
952 |       "dependencies": {
953 |         "call-bind-apply-helpers": "^1.0.2",
954 |         "es-define-property": "^1.0.1",
955 |         "es-errors": "^1.3.0",
956 |         "es-object-atoms": "^1.1.1",
957 |         "function-bind": "^1.1.2",
958 |         "get-proto": "^1.0.1",
959 |         "gopd": "^1.2.0",
960 |         "has-symbols": "^1.1.0",
961 |         "hasown": "^2.0.2",
962 |         "math-intrinsics": "^1.1.0"
963 |       },
964 |       "engines": {
965 |         "node": ">= 0.4"
966 |       },
967 |       "funding": {
968 |         "url": "https://github.com/sponsors/ljharb"
969 |       }
970 |     },
971 |     "node_modules/get-proto": {
972 |       "version": "1.0.1",
973 |       "resolved": "https://registry.npmjs.org/get-proto/-/get-proto-1.0.1.tgz",
974 |       "integrity": "sha512-sTSfBjoxBp89JvIKIefqw7U2CCebSc74kiY6awiGogKtoSGbgjYE/G/+l9sF3MW
FPNc9Ico0C40DfKHfXfmp0g==",
975 |       "license": "MIT",
976 |       "dependencies": {
977 |         "dunder-proto": "^1.0.1",
978 |         "es-object-atoms": "^1.0.0"
979 |       },
980 |       "engines": {
981 |         "node": ">= 0.4"
982 |       }
983 |     },
984 |     "node_modules/gopd": {
985 |       "version": "1.2.0",
986 |       "resolved": "https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz",
987 |       "integrity": "sha512-ZUKRh6/kUFoAiAtTYPZJ3hw9wNxx+BIB0ijnlg9PnrJsCcSjs1wyD6vJpaYtg
nzDrKYRSqf3006Rfa93xsRg==",
988 |       "license": "MIT",
989 |       "engines": {
990 |         "node": ">= 0.4"
991 |       },
992 |       "funding": {
993 |         "url": "https://github.com/sponsors/ljharb"

```

```

994 |     }
995 | },
996 |     "node_modules/has-bigints": {
997 |         "version": "1.1.0",
998 |         "resolved": "https://registry.npmjs.org/has-bigints/-/has-bigints-1.1.0.tgz",
999 |         "integrity": "sha512-R3pbpkcIqv2Pm3dUwgjclDRVmWpTJW2DcMzcIhEXEx1oh/CEM0bMm3KLmRJ0dvh
M7o4uQBnwr8pzRK2sJWIqfg==",
1000 |         "license": "MIT",
1001 |         "engines": {
1002 |             "node": ">= 0.4"
1003 |         },
1004 |         "funding": {
1005 |             "url": "https://github.com/sponsors/ljharb"
1006 |         }
1007 |     },
1008 |     "node_modules/has-property-descriptors": {
1009 |         "version": "1.0.2",
1010 |         "resolved": "https://registry.npmjs.org/has-property-descriptors/-/has-property-desc
riptors-1.0.2.tgz",
1011 |         "integrity": "sha512-55JNKuIW+vq4Ke1BjOTjM2YctQIvCT7GFzHwmfZPGo5wnrgkid0YQtnAleFSqum
Zm4az3n2BS+erby5ipJdgrg==",
1012 |         "license": "MIT",
1013 |         "dependencies": {
1014 |             "es-define-property": "^1.0.0"
1015 |         },
1016 |         "funding": {
1017 |             "url": "https://github.com/sponsors/ljharb"
1018 |         }
1019 |     },
1020 |     "node_modules/has-symbols": {
1021 |         "version": "1.1.0",
1022 |         "resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
1023 |         "integrity": "sha512-1cDNdwJ2Jaohmb3sg40mKaMBwuC48sYni5HUw2DvsC8LjGTLK9h+eb1X6Ryu0He
4hT0ULCW68iomhjUoKUqLPQ==",
1024 |         "license": "MIT",
1025 |         "engines": {
1026 |             "node": ">= 0.4"
1027 |         },
1028 |         "funding": {
1029 |             "url": "https://github.com/sponsors/ljharb"
1030 |         }
1031 |     },
1032 |     "node_modules/has-tostringtag": {
1033 |         "version": "1.0.2",
1034 |         "resolved": "https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz"
1035 |         ,
1036 |         "integrity": "sha512-NqADB8VjPFLM2V0VvHUewwwsw0ZWBaIdgo+ieHtkK3hasLz4qeCRjYcqfB6AQRBg
gRKppKF8L52/VqdVs047Dlw==",
1037 |         "license": "MIT",
1038 |         "dependencies": {
1039 |             "has-symbols": "^1.0.3"
1040 |         },
1041 |         "engines": {
1042 |             "node": ">= 0.4"
1043 |         },
1044 |         "funding": {
1045 |             "url": "https://github.com/sponsors/ljharb"
1046 |         }
1047 |     },
1048 |     "node_modules/hasown": {
1049 |         "version": "2.0.2",

```

```
1049 |         "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.2.tgz",
1050 |         "integrity": "sha512-0hJU9SCPvmMzIBdZFqNPXWa6dqh7WdH0cII9y+CyS8rG3nL48Bc lra9HmKhVVUH
yPWNH5Y7xDwAB7bfgSjkUMQ==",
1051 |         "license": "MIT",
1052 |         "dependencies": {
1053 |             "function-bind": "^1.1.2"
1054 |         },
1055 |         "engines": {
1056 |             "node": ">= 0.4"
1057 |         }
1058 |     },
1059 |     "node_modules/http-errors": {
1060 |         "version": "2.0.1",
1061 |         "resolved": "https://registry.npmjs.org/http-errors/-/http-errors-2.0.1.tgz",
1062 |         "integrity": "sha512-4FbRdAX+bSdmo4AUFuS0WNIpZ8NgFt+r8ThgNwmlrjQjt1Q7ZR9+zTlce2859x4
KSXrwIsaeTqDokQmtP8pLmQ==",
1063 |         "license": "MIT",
1064 |         "dependencies": {
1065 |             "depd": "~2.0.0",
1066 |             "inherits": "~2.0.4",
1067 |             "setprototypeof": "~1.2.0",
1068 |             "statuses": "~2.0.2",
1069 |             "toidentifier": "~1.0.1"
1070 |         },
1071 |         "engines": {
1072 |             "node": ">= 0.8"
1073 |         },
1074 |         "funding": {
1075 |             "type": "opencollective",
1076 |             "url": "https://opencollective.com/express"
1077 |         }
1078 |     },
1079 |     "node_modules/https-proxy-agent": {
1080 |         "version": "5.0.1",
1081 |         "resolved": "https://registry.npmjs.org/https-proxy-agent/-/https-proxy-agent-5.0.1.
tgz",
1082 |         "integrity": "sha512-dFcAjPTQFgoLMzC2VwU+C/CbS7uRL0lWmxDITmqm7C+7F00dmj6s9l6a1Zc6AEL
XhrnggM2CeWSXHG0dX2YtwA==",
1083 |         "license": "MIT",
1084 |         "dependencies": {
1085 |             "agent-base": "6",
1086 |             "debug": "4"
1087 |         },
1088 |         "engines": {
1089 |             "node": ">= 6"
1090 |         }
1091 |     },
1092 |     "node_modules/https-proxy-agent/node_modules/debug": {
1093 |         "version": "4.4.3",
1094 |         "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
1095 |         "integrity": "sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYry
rTLLpuvvgI9GiiJltAjNbcqA==",
1096 |         "license": "MIT",
1097 |         "dependencies": {
1098 |             "ms": "^2.1.3"
1099 |         },
1100 |         "engines": {
1101 |             "node": ">=6.0"
1102 |         },
1103 |         "peerDependenciesMeta": {
1104 |             "supports-color": {
```

```

1105 |         "optional": true
1106 |     }
1107 | }
1108 | },
1109 | "node_modules/https-proxy-agent/node_modules/ms": {
1110 |     "version": "2.1.3",
1111 |     "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
1112 |     "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhjqzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6t
z7R9xAOtHnSO/tXtF3WRTlA==",
1113 |     "license": "MIT"
1114 | },
1115 | "node_modules/iconv-lite": {
1116 |     "version": "0.4.24",
1117 |     "resolved": "https://registry.npmjs.org/iconv-lite/-/iconv-lite-0.4.24.tgz",
1118 |     "integrity": "sha512-v3MXnZAcvnywkTUEZomIActle7RXXeedOR31wwl7VlyoX04Qi9arvSenNQWne1T
cRwhCL1HwLI21bEqdpj8/rA==",
1119 |     "license": "MIT",
1120 |     "dependencies": {
1121 |         "safer-buffer": ">= 2.1.2 < 3"
1122 |     },
1123 |     "engines": {
1124 |         "node": ">=0.10.0"
1125 |     }
1126 | },
1127 | "node_modules/inherits": {
1128 |     "version": "2.0.4",
1129 |     "resolved": "https://registry.npmjs.org/inherits/-/inherits-2.0.4.tgz",
1130 |     "integrity": "sha512-k/vGaX4/Yla3WzyMCvTQOXYeIhVq0KtnqBduzTHpzpQZzAskKMhZ2K+EnBiSM9z
GSoIFeMpXKxa4dYeZIQqewQ==",
1131 |     "license": "ISC"
1132 | },
1133 | "node_modules/internal-slot": {
1134 |     "version": "1.1.0",
1135 |     "resolved": "https://registry.npmjs.org/internal-slot/-/internal-slot-1.1.0.tgz",
1136 |     "integrity": "sha512-4gd7VpWNQNB4UKKCCFFVcp1AVv+FM0gs9NKzjHKusc8jTMhd5eL1NqQqOpE0KzMd
s804/yHlglp3uxglu0qAPLw==",
1137 |     "license": "MIT",
1138 |     "dependencies": {
1139 |         "es-errors": "^1.3.0",
1140 |         "hasown": "^2.0.2",
1141 |         "side-channel": "^1.1.0"
1142 |     },
1143 |     "engines": {
1144 |         "node": ">= 0.4"
1145 |     }
1146 | },
1147 | "node_modules/ipaddr.js": {
1148 |     "version": "1.9.1",
1149 |     "resolved": "https://registry.npmjs.org/ipaddr.js/-/ipaddr.js-1.9.1.tgz",
1150 |     "integrity": "sha512-0KI/607xoxSTOH7GjN1FfSbLoU0+btTicjsQSWqlh/hZykn8KpmMf7uYwPW3R+a
kZ6R/w18ZLXSHBYXiYUP03g==",
1151 |     "license": "MIT",
1152 |     "engines": {
1153 |         "node": ">= 0.10"
1154 |     }
1155 | },
1156 | "node_modules/is-arguments": {
1157 |     "version": "1.2.0",
1158 |     "resolved": "https://registry.npmjs.org/is-arguments/-/is-arguments-1.2.0.tgz",
1159 |     "integrity": "sha512-0Q0U/qQ5kR6IeOBjF1L0J+ZDpu2cF7B3Y+6Dm0IyLmGpX/K6dW7g99D9Z0Zm5q3FbnkzZjZrVtG6F5xg==",
uWnP02cyug1gleqq+TU+YCA==",

```



```

1160 |         "license": "MIT",
1161 |         "dependencies": {
1162 |             "call-bound": "^1.0.2",
1163 |             "has-tostringtag": "^1.0.2"
1164 |         },
1165 |         "engines": {
1166 |             "node": ">= 0.4"
1167 |         },
1168 |         "funding": {
1169 |             "url": "https://github.com/sponsors/ljharb"
1170 |         }
1171 |     },
1172 |     "node_modules/is-array-buffer": {
1173 |         "version": "3.0.5",
1174 |         "resolved": "https://registry.npmjs.org/is-array-buffer/-/is-array-buffer-3.0.5.tgz"
1175 |         ,
1176 |         "integrity": "sha512-DDfANUiiG2wC1qawP66qlTugJeL5HyzMpfr8lLK+jMQirGzNod0B12cFB/9q838
Ru27sBwfw78/rdoU7RERz6A==",
1176 |         "license": "MIT",
1177 |         "dependencies": {
1178 |             "call-bind": "^1.0.8",
1179 |             "call-bound": "^1.0.3",
1180 |             "get-intrinsic": "^1.2.6"
1181 |         },
1182 |         "engines": {
1183 |             "node": ">= 0.4"
1184 |         },
1185 |         "funding": {
1186 |             "url": "https://github.com/sponsors/ljharb"
1187 |         }
1188 |     },
1189 |     "node_modules/is-bigint": {
1190 |         "version": "1.1.0",
1191 |         "resolved": "https://registry.npmjs.org/is-bigint/-/is-bigint-1.1.0.tgz",
1192 |         "integrity": "sha512-n4ZT37wG78iz03xPRKJrHTdZbe3IicyucEtdRsV5yglwc3GyUfbAfpSeD0FJ41N
bUNSt5wbhqfp1fS+BgnvDFQ==",
1193 |         "license": "MIT",
1194 |         "dependencies": {
1195 |             "has-bigints": "^1.0.2"
1196 |         },
1197 |         "engines": {
1198 |             "node": ">= 0.4"
1199 |         },
1200 |         "funding": {
1201 |             "url": "https://github.com/sponsors/ljharb"
1202 |         }
1203 |     },
1204 |     "node_modules/is-boolean-object": {
1205 |         "version": "1.2.2",
1206 |         "resolved": "https://registry.npmjs.org/is-boolean-object/-/is-boolean-object-1.2.2.
tgz",
1207 |         "integrity": "sha512-wa5602/ElJMYqjCjGkXri7it5FbebW5usLw/nPmCMs5DeZ7eziSYZhSmPRn0txq
ew4LnAmQQU7FgqLpsEFKM4A==",
1208 |         "license": "MIT",
1209 |         "dependencies": {
1210 |             "call-bound": "^1.0.3",
1211 |             "has-tostringtag": "^1.0.2"
1212 |         },
1213 |         "engines": {
1214 |             "node": ">= 0.4"
1215 |         },

```

```

1216 |         "funding": {
1217 |             "url": "https://github.com/sponsors/ljharb"
1218 |         }
1219 |     },
1220 |     "node_modules/is-callable": {
1221 |         "version": "1.2.7",
1222 |         "resolved": "https://registry.npmjs.org/is-callable/-/is-callable-1.2.7.tgz",
1223 |         "integrity": "sha512-1BC0BVFhS/p0qtW6enp8e+80D0UrK0oFLztSjNzhcKA3WDuJxxAPXzPuPtKkjEY
9UUoEWLX/8fgKeu2S8i9JTA==",
1224 |         "license": "MIT",
1225 |         "engines": {
1226 |             "node": ">= 0.4"
1227 |         },
1228 |         "funding": {
1229 |             "url": "https://github.com/sponsors/ljharb"
1230 |         }
1231 |     },
1232 |     "node_modules/is-date-object": {
1233 |         "version": "1.1.0",
1234 |         "resolved": "https://registry.npmjs.org/is-date-object/-/is-date-object-1.1.0.tgz",
1235 |         "integrity": "sha512-PwwhEakHVKTdRNV0w+/Gyh0+MzlCl4R6qKvkhuvtLPMggI1WAHt9s0wZxQLSGpu
aDnrDyDsomoRgNnCfKNSXXg==",
1236 |         "license": "MIT",
1237 |         "dependencies": {
1238 |             "call-bound": "^1.0.2",
1239 |             "has-tostringtag": "^1.0.2"
1240 |         },
1241 |         "engines": {
1242 |             "node": ">= 0.4"
1243 |         },
1244 |         "funding": {
1245 |             "url": "https://github.com/sponsors/ljharb"
1246 |         }
1247 |     },
1248 |     "node_modules/is-map": {
1249 |         "version": "2.0.3",
1250 |         "resolved": "https://registry.npmjs.org/is-map/-/is-map-2.0.3.tgz",
1251 |         "integrity": "sha512-1Qed0/Hr2m+YqxnM09CjA2d/i6YZNfF6R2oRA0j36eUdS6qIV/huPJNSEpKbupe
wFs+ZsJlxsjjPbc0/afW6Lw==",
1252 |         "license": "MIT",
1253 |         "engines": {
1254 |             "node": ">= 0.4"
1255 |         },
1256 |         "funding": {
1257 |             "url": "https://github.com/sponsors/ljharb"
1258 |         }
1259 |     },
1260 |     "node_modules/is-number-object": {
1261 |         "version": "1.1.1",
1262 |         "resolved": "https://registry.npmjs.org/is-number-object/-/is-number-object-1.1.1.tg
z",
1263 |         "integrity": "sha512-lZhclumE1G6VYD8VHe35wFaIif+CTy5SJII5+3y4psDgWu4wPDoBhF8NxU0inEc
7pHgITsT6MaBb92rKhhd+Xw==",
1264 |         "license": "MIT",
1265 |         "dependencies": {
1266 |             "call-bound": "^1.0.3",
1267 |             "has-tostringtag": "^1.0.2"
1268 |         },
1269 |         "engines": {
1270 |             "node": ">= 0.4"
1271 |         },

```

```
1272 |         "funding": {
1273 |             "url": "https://github.com/sponsors/ljharb"
1274 |         }
1275 |     },
1276 |     "node_modules/is-regex": {
1277 |         "version": "1.2.1",
1278 |         "resolved": "https://registry.npmjs.org/is-regex/-/is-regex-1.2.1.tgz",
1279 |         "integrity": "sha512-MjYsKH0507mCsmRGxWcLWheFqN9DJ/2TmngvjKXihe6efViPqc274+Fx/4fYj/r
03+ESvBdTXK0V6tA3rgez1g==",
1280 |         "license": "MIT",
1281 |         "dependencies": {
1282 |             "call-bound": "^1.0.2",
1283 |             "gopd": "^1.2.0",
1284 |             "has-tostringtag": "^1.0.2",
1285 |             "hasown": "^2.0.2"
1286 |         },
1287 |         "engines": {
1288 |             "node": ">= 0.4"
1289 |         },
1290 |         "funding": {
1291 |             "url": "https://github.com/sponsors/ljharb"
1292 |         }
1293 |     },
1294 |     "node_modules/is-set": {
1295 |         "version": "2.0.3",
1296 |         "resolved": "https://registry.npmjs.org/is-set/-/is-set-2.0.3.tgz",
1297 |         "integrity": "sha512-iPAjerrse27/ygGLxw+EBR9agv9Y6uLeYVJMu+QNCouuJ1/1ri0mGrcWpfCqFZu
zzx3WjtwxG098X+n4OuRkPg==",
1298 |         "license": "MIT",
1299 |         "engines": {
1300 |             "node": ">= 0.4"
1301 |         },
1302 |         "funding": {
1303 |             "url": "https://github.com/sponsors/ljharb"
1304 |         }
1305 |     },
1306 |     "node_modules/is-shared-array-buffer": {
1307 |         "version": "1.0.4",
1308 |         "resolved": "https://registry.npmjs.org/is-shared-array-buffer/-/is-shared-array-buf
fer-1.0.4.tgz",
1309 |         "integrity": "sha512-ISWac8drv4ZGfwKl5slpHG90wPNTy4j0WPRiHbpx0oD+hqITiwuipOQ2bNthAzw
A3B4fIj04Nln74N0S9byq8A==",
1310 |         "license": "MIT",
1311 |         "dependencies": {
1312 |             "call-bound": "^1.0.3"
1313 |         },
1314 |         "engines": {
1315 |             "node": ">= 0.4"
1316 |         },
1317 |         "funding": {
1318 |             "url": "https://github.com/sponsors/ljharb"
1319 |         }
1320 |     },
1321 |     "node_modules/is-string": {
1322 |         "version": "1.1.1",
1323 |         "resolved": "https://registry.npmjs.org/is-string/-/is-string-1.1.1.tgz",
1324 |         "integrity": "sha512-BtEeSsoaQj lSPBemMQIrY1MY0uM6vnS1g5fmufY0tnxLGUZM2178PKbhsk7Ffv5
8IX+ZtcvoGwccYsh0Pg1kAA==",
1325 |         "license": "MIT",
1326 |         "dependencies": {
1327 |             "call-bound": "^1.0.3",
```

```

1328 |         "has-tostringtag": "^1.0.2"
1329 |     },
1330 |     "engines": {
1331 |         "node": ">= 0.4"
1332 |     },
1333 |     "funding": {
1334 |         "url": "https://github.com/sponsors/ljharb"
1335 |     }
1336 | },
1337 | "node_modules/is-symbol": {
1338 |     "version": "1.1.1",
1339 |     "resolved": "https://registry.npmjs.org/is-symbol/-/is-symbol-1.1.1.tgz",
1340 |     "integrity": "sha512-9gGx6GTtCQM73BgmHQQxfDmLtfjjTUDSyoxTCbp5WtoixAhfgsDirWIcVQ/IHpvi
5Vgd5i/J5F7B9cN/WlVbC/w==",
1341 |     "license": "MIT",
1342 |     "dependencies": {
1343 |         "call-bound": "^1.0.2",
1344 |         "has-symbols": "^1.1.0",
1345 |         "safe-regex-test": "^1.1.0"
1346 |     },
1347 |     "engines": {
1348 |         "node": ">= 0.4"
1349 |     },
1350 |     "funding": {
1351 |         "url": "https://github.com/sponsors/ljharb"
1352 |     }
1353 | },
1354 | "node_modules/is-weakmap": {
1355 |     "version": "2.0.2",
1356 |     "resolved": "https://registry.npmjs.org/is-weakmap/-/is-weakmap-2.0.2.tgz",
1357 |     "integrity": "sha512-K5pXY0m9wqY1RgjpL3YTkf39tni1XajUIkawTLUo9EZEUVFga5gSQJF8nNS7ZwJ
Q02y+1YCNycMh+Hif1ZqE+w==",
1358 |     "license": "MIT",
1359 |     "engines": {
1360 |         "node": ">= 0.4"
1361 |     },
1362 |     "funding": {
1363 |         "url": "https://github.com/sponsors/ljharb"
1364 |     }
1365 | },
1366 | "node_modules/is-weakset": {
1367 |     "version": "2.0.4",
1368 |     "resolved": "https://registry.npmjs.org/is-weakset/-/is-weakset-2.0.4.tgz",
1369 |     "integrity": "sha512-mfcwb6IzQyOKTs84CQMrOww4gQcaTOAWJ0zzJCl2WSPDrWk/OzDaImwFH3djXhb
24g4eudZFfLRozAvPGw4d9hQ==",
1370 |     "license": "MIT",
1371 |     "dependencies": {
1372 |         "call-bound": "^1.0.3",
1373 |         "get-intrinsic": "^1.2.6"
1374 |     },
1375 |     "engines": {
1376 |         "node": ">= 0.4"
1377 |     },
1378 |     "funding": {
1379 |         "url": "https://github.com/sponsors/ljharb"
1380 |     }
1381 | },
1382 | "node_modules/isarray": {
1383 |     "version": "2.0.5",
1384 |     "resolved": "https://registry.npmjs.org/isarray/-/isarray-2.0.5.tgz",
1385 |     "integrity": "sha512-xHjhDr3cNBK0BzdUJSPXZntQUx/mwMS5Rw4A7lPJ90XGA06ISP/ePDNuo0vhqOZ

```

```

U+UD5JoodwCAAoZQd3FeAKw=="
1386 |         "license": "MIT"
1387 |     },
1388 |     "node_modules/jpeg-exif": {
1389 |         "version": "1.1.4",
1390 |         "resolved": "https://registry.npmjs.org/jpeg-exif/-/jpeg-exif-1.1.4.tgz",
1391 |         "integrity": "sha512-a+bKEcCjtuW5WTdgeXFzswSrdqi0jk4XlEtZlx5A94wCoBpFjFTbo/Tra5SpNC
l/YFZPvcV1dJc+TAYeg6R0Q=="
1392 |         "deprecated": "Package no longer supported. Contact Support at https://www.npmjs.com
/support for more info.",
1393 |         "license": "MIT"
1394 |     },
1395 |     "node_modules/jsonwebtoken": {
1396 |         "version": "9.0.3",
1397 |         "resolved": "https://registry.npmjs.org/jsonwebtoken/-/jsonwebtoken-9.0.3.tgz",
1398 |         "integrity": "sha512-MT/7wGd1BKHkeWMA4qV1asP20K4HCb99Wo/7j7Z4ZJ2pXq7WUz42gJd9yOZJ5R6WkzH9LiDkx8WVl8qQ==",
mJp244xt6Drw/GVEGCUj40g=="
1399 |         "license": "MIT",
1400 |         "dependencies": {
1401 |             "jws": "^4.0.1",
1402 |             "lodash.includes": "^4.3.0",
1403 |             "lodash.isboolean": "^3.0.3",
1404 |             "lodash.isinteger": "^4.0.4",
1405 |             "lodash.isnumber": "^3.0.3",
1406 |             "lodash.isplainobject": "^4.0.6",
1407 |             "lodash.isstring": "^4.0.1",
1408 |             "lodash.once": "^4.0.0",
1409 |             "ms": "^2.1.1",
1410 |             "semver": "^7.5.4"
1411 |         },
1412 |         "engines": {
1413 |             "node": ">=12",
1414 |             "npm": ">=6"
1415 |         }
1416 |     },
1417 |     "node_modules/jsonwebtoken/node_modules/ms": {
1418 |         "version": "2.1.3",
1419 |         "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
1420 |         "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhJzqz50xgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6t
z7R9xAOtHnSO/tXtF3WRTlA=="
1421 |         "license": "MIT"
1422 |     },
1423 |     "node_modules/jwa": {
1424 |         "version": "2.0.1",
1425 |         "resolved": "https://registry.npmjs.org/jwa/-/jwa-2.0.1.tgz",
1426 |         "integrity": "sha512-hRF04fQJIP8Abbkq5NKGn0Bbr3JxlQ+qhZufXVr0DvujKy93ZCbXZMHD4E0tod
SbCWx0qR8MS1tXA5hwqCXDg=="
1427 |         "license": "MIT",
1428 |         "dependencies": {
1429 |             "buffer-equal-constant-time": "^1.0.1",
1430 |             "ecdsa-sig-formatter": "1.0.11",
1431 |             "safe-buffer": "^5.0.1"
1432 |         }
1433 |     },
1434 |     "node_modules/jws": {
1435 |         "version": "4.0.1",
1436 |         "resolved": "https://registry.npmjs.org/jws/-/jws-4.0.1.tgz",
1437 |         "integrity": "sha512-jQK33IIQJ718fq6Iu233H5D83EY5w+HnwB+B4Yd/U2e336u91YdMYKsAjz5qCPpPdGO4Oy3zJ5vBd4JhA==",
ofQem0fs7Uvf4+YmAdyRduA=="
1438 |         "license": "MIT",
1439 |         "dependencies": {

```

```

1440 |         "jwa": "^2.0.1",
1441 |         "safe-buffer": "^5.0.1"
1442 |     }
1443 | },
1444 |     "node_modules/kareem": {
1445 |         "version": "2.6.3",
1446 |         "resolved": "https://registry.npmjs.org/kareem/-/kareem-2.6.3.tgz",
1447 |         "integrity": "sha512-C3iHfuGUXK2u8/ipq9LfjFfXfXAZMQJJq7vLS45r3D9Y2xQ/m4S8zaR4zMLFW9
AsNPXmcFfUDhTE08UIC/V6Q==",
1448 |         "license": "Apache-2.0",
1449 |         "engines": {
1450 |             "node": ">=12.0.0"
1451 |         }
1452 |     },
1453 |     "node_modules/linebreak": {
1454 |         "version": "1.1.0",
1455 |         "resolved": "https://registry.npmjs.org/linebreak/-/linebreak-1.1.0.tgz",
1456 |         "integrity": "sha512-MHp03UImeVhB7XZtjd0E4n6+3xr5Dq/9xI/5FptGk5FrbdR3zagPa2DS6U8ks/3
HjbKWG9Q1M2uf0zxV2qLYSQ==",
1457 |         "license": "MIT",
1458 |         "dependencies": {
1459 |             "base64-js": "0.0.8",
1460 |             "unicode-trie": "^2.0.0"
1461 |         }
1462 |     },
1463 |     "node_modules/linebreak/node_modules/base64-js": {
1464 |         "version": "0.0.8",
1465 |         "resolved": "https://registry.npmjs.org/base64-js/-/base64-js-0.0.8.tgz",
1466 |         "integrity": "sha512-3XSA2cR/h/73EzLXXdU6YNymYI7+kicTxks4eJg2g39biHR84slg2+des+p7iH
YhbRg/udIS4TD53Wabc0Ukw==",
1467 |         "license": "MIT",
1468 |         "engines": {
1469 |             "node": ">= 0.4"
1470 |         }
1471 |     },
1472 |     "node_modules/lodash": {
1473 |         "version": "4.18.1",
1474 |         "resolved": "https://registry.npmjs.org/lodash/-/lodash-4.18.1.tgz",
1475 |         "integrity": "sha512-dMInicTPVE8d1e5otfwmmlxkZoUpiVLwyeTdUsi/Caj/gfzzblBcCE5sRHV/As
juCmxWrte2TNGSYuCeCq+0Q==",
1476 |         "license": "MIT"
1477 |     },
1478 |     "node_modules/lodash.includes": {
1479 |         "version": "4.3.0",
1480 |         "resolved": "https://registry.npmjs.org/lodash.includes/-/lodash.includes-4.3.0.tgz"
1481 |         ,
1482 |         "integrity": "sha512-W3Bx6mdkRTGtLJIS0vVD/lbqjTlPPUDTMnLXZFnVwi9NKJ6tiAk6LVdlhZMm17V
ZisqhKcgzp05Wz91Pct5b0w==",
1483 |         "license": "MIT"
1484 |     },
1485 |     "node_modules/lodash.isboolean": {
1486 |         "version": "3.0.3",
1487 |         "resolved": "https://registry.npmjs.org/lodash.isboolean/-/lodash.isboolean-3.0.3.tg
z",
1488 |         "integrity": "sha512-Bz5mupy2SVbPHURB98VAcw+aHh4vRV5IPNhILUCs0zRmsTmSQ17jIuqopAentWo
ehktxGd9e/hbIXq980/1QJg==",
1489 |         "license": "MIT"
1490 |     },
1491 |     "node_modules/lodash.isinteger": {
1492 |         "version": "4.0.4",
1493 |         "resolved": "https://registry.npmjs.org/lodash.isinteger/-/lodash.isinteger-4.0.4.tg

```

```

z",
1493 |         "integrity": "sha512-DBwtEWN2caHQ9/imiNeEA5ys1JoRtRfY3d7V9wkqtbycnAmTvRRmbHKDV4a0EYc
678/dia0jrte4tjYwVBaZUA==",
1494 |         "license": "MIT"
1495 |     },
1496 |     "node_modules/lodash.isnumber": {
1497 |         "version": "3.0.3",
1498 |         "resolved": "https://registry.npmjs.org/lodash.isnumber/-/lodash.isnumber-3.0.3.tgz"
1499 |     },
1500 |     "integrity": "sha512-QYqzpfw03/Cwf3XP+Z+tkQsfaLL/EnUlXWvIk5FUPc4sBdTehEqZONuyRt2P67
PXAK+NXmTBcc97zw9t1FQrw==",
1501 |     "license": "MIT"
1502 |     },
1503 |     "node_modules/lodash.isplainobject": {
1504 |         "version": "4.0.6",
1505 |         "resolved": "https://registry.npmjs.org/lodash.isplainobject/-/lodash.isplainobject-
4.0.6.tgz",
1506 |         "integrity": "sha512-oSXzaWypCMHkPC3NvBEaPHf0KsA5mvPrOPgQWdsbg8n7orZ290M0BmC/jgRZ4vc
J6DTAhjrsSYgdsW/F+MF0BA==",
1507 |         "license": "MIT"
1508 |     },
1509 |     "node_modules/lodash.isstring": {
1510 |         "version": "4.0.1",
1511 |         "resolved": "https://registry.npmjs.org/lodash.isstring/-/lodash.isstring-4.0.1.tgz"
1512 |     },
1513 |     "integrity": "sha512-0wJxfxH1wg03GrbuP+dTTk7op+6L41QCXbGINEmD+ny/G/eCqGzxyCsh7159S+m
gDDcoarnBw6PC1PS5+wUGgw==",
1514 |     "license": "MIT"
1515 |     },
1516 |     "node_modules/lodash.once": {
1517 |         "version": "4.1.1",
1518 |         "resolved": "https://registry.npmjs.org/lodash.once/-/lodash.once-4.1.1.tgz",
1519 |         "integrity": "sha512-Sb487aTOCr9drQVL8pIx0zVhaf0jZN9UU54hiN8PU3uAiSV7lx1yYNpbNmex2PK
6dSJoNTSJUUswT651yww3Mg==",
1520 |         "license": "MIT"
1521 |     },
1522 |     "node_modules/math-intrinsics": {
1523 |         "version": "1.1.0",
1524 |         "resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz"
1525 |     },
1526 |     "integrity": "sha512-/IXtbwEk5HTPyEwyKX6hGkYXxM9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBj4
tkhBApbbQUlf6F6Xl9LHu1g==",
1527 |     "license": "MIT",
1528 |     "engines": {
1529 |         "node": ">= 0.4"
1530 |     }
1531 | },
1532 | "node_modules/media-typer": {
1533 |     "version": "0.3.0",
1534 |     "resolved": "https://registry.npmjs.org/media-typer/-/media-typer-0.3.0.tgz",
1535 |     "integrity": "sha512-dq+qelQ9akHpcOl/gUVRTxVI0kAJ1wR3QAvb4RsVjS8oVoFjDGTc679wJYmUmkn
UF5HwML0gb50+a3KxfWapPQ==",
1536 |     "license": "MIT",
1537 |     "engines": {
1538 |         "node": ">= 0.6"
1539 |     }
1540 | },
1541 | "node_modules/memory-pager": {
1542 |     "version": "1.5.0",
1543 |     "resolved": "https://registry.npmjs.org/memory-pager/-/memory-pager-1.5.0.tgz",
1544 |     "integrity": "sha512-ZS4Bp4r/Zoeq6+NLJpP+0Zzm0pR8whtGPf1XExKLJBACzGMnSi3It140iNCStjQ

```

```

jM6NU1okjQGSxgEZN8eBYKg=="
1542 |     "license": "MIT"
1543 |   },
1544 |   "node_modules/merge-descriptors": {
1545 |     "version": "1.0.3",
1546 |     "resolved": "https://registry.npmjs.org/merge-descriptors/-/merge-descriptors-1.0.3.
tgz",
1547 |     "integrity": "sha512-gaNvAS7TZ897/rVaZ0nMtAyxNyi/pdbjbAwUpFQpN70GqnVf0iXpeUUMKRBmzXa
SQ8DdTX4/0ms62r2K+hE6mQ=="
1548 |     "license": "MIT",
1549 |     "funding": {
1550 |       "url": "https://github.com/sponsors/sindresorhus"
1551 |     }
1552 |   },
1553 |   "node_modules/methods": {
1554 |     "version": "1.1.2",
1555 |     "resolved": "https://registry.npmjs.org/methods/-/methods-1.1.2.tgz",
1556 |     "integrity": "sha512-icLAHeNqNm68zFtnZ0e+1L2yUIdivzNoauKU4WBA3VvH/vPFieF7qfRlwUzU+DA9
P9bPXIS90ulxoUoCH23sV2w=="
1557 |     "license": "MIT",
1558 |     "engines": {
1559 |       "node": ">= 0.6"
1560 |     }
1561 |   },
1562 |   "node_modules/mime": {
1563 |     "version": "1.6.0",
1564 |     "resolved": "https://registry.npmjs.org/mime/-/mime-1.6.0.tgz",
1565 |     "integrity": "sha512-x0Vn8spI+wuJ106S7gnbaQg8Pxxh4NNHb7KSINmEWKiPE4RKOpIvijn+NkmYmmRg
P68mc70j2EbeTFRsrswAQeg=="
1566 |     "license": "MIT",
1567 |     "bin": {
1568 |       "mime": "cli.js"
1569 |     },
1570 |     "engines": {
1571 |       "node": ">=4"
1572 |     }
1573 |   },
1574 |   "node_modules/mime-db": {
1575 |     "version": "1.52.0",
1576 |     "resolved": "https://registry.npmjs.org/mime-db/-/mime-db-1.52.0.tgz",
1577 |     "integrity": "sha512-sPU4uV7dYlvtWJxwwxHD0PuihVNiE7TyAbQ5SWxDCB9mUYv0groQ0wYQQ0KPJ8C
IbE+1ETVl0oK1UC2nU3gYvg=="
1578 |     "license": "MIT",
1579 |     "engines": {
1580 |       "node": ">= 0.6"
1581 |     }
1582 |   },
1583 |   "node_modules/mime-types": {
1584 |     "version": "2.1.35",
1585 |     "resolved": "https://registry.npmjs.org/mime-types/-/mime-types-2.1.35.tgz",
1586 |     "integrity": "sha512-ZDY+bPm5zTTF+YpCrAU9nK0UgICYPT0QtT1NZWFv4s++TNkcgVaT0g6+4R2uI4M
jQjzysHB1zxuWL50hzaeXiw=="
1587 |     "license": "MIT",
1588 |     "dependencies": {
1589 |       "mime-db": "1.52.0"
1590 |     },
1591 |     "engines": {
1592 |       "node": ">= 0.6"
1593 |     }
1594 |   },
1595 |   "node_modules/mongodb": {

```



```

1596 |         "version": "6.20.0",
1597 |         "resolved": "https://registry.npmjs.org/mongodb/-/mongodb-6.20.0.tgz",
1598 |         "integrity": "sha512-Tl6MEIU3K4Rq3TSHd+sZQqRBoGlFs0gNrH5ltAcFBV62Re3Fd+FcaVf8uSEQFOJ
51SDowDVttBTOMfOYWrWlQ==",
1599 |         "license": "Apache-2.0",
1600 |         "dependencies": {
1601 |             "@mongodb-js/saslprep": "^1.3.0",
1602 |             "bson": "^6.10.4",
1603 |             "mongodb-connection-string-url": "^3.0.2"
1604 |         },
1605 |         "engines": {
1606 |             "node": ">=16.20.1"
1607 |         },
1608 |         "peerDependencies": {
1609 |             "@aws-sdk/credential-providers": "^3.188.0",
1610 |             "@mongodb-js/zstd": "^1.1.0 || ^2.0.0",
1611 |             "gcp-metadata": "^5.2.0",
1612 |             "kerberos": "^2.0.1",
1613 |             "mongodb-client-encryption": ">=6.0.0 <7",
1614 |             "snappy": "^7.3.2",
1615 |             "socks": "^2.7.1"
1616 |         },
1617 |         "peerDependenciesMeta": {
1618 |             "@aws-sdk/credential-providers": {
1619 |                 "optional": true
1620 |             },
1621 |             "@mongodb-js/zstd": {
1622 |                 "optional": true
1623 |             },
1624 |             "gcp-metadata": {
1625 |                 "optional": true
1626 |             },
1627 |             "kerberos": {
1628 |                 "optional": true
1629 |             },
1630 |             "mongodb-client-encryption": {
1631 |                 "optional": true
1632 |             },
1633 |             "snappy": {
1634 |                 "optional": true
1635 |             },
1636 |             "socks": {
1637 |                 "optional": true
1638 |             }
1639 |         }
1640 |     },
1641 |     "node_modules/mongodb-connection-string-url": {
1642 |         "version": "3.0.2",
1643 |         "resolved": "https://registry.npmjs.org/mongodb-connection-string-url/-/mongodb-conn
ection-string-url-3.0.2.tgz",
1644 |         "integrity": "sha512-rM07CGO/9BFwyZABcKAWL8UJwH/Kc2x0g72uhDWzG48URRax5TCIcJ7Rc3RZqff
Zz0/Gwff/jyKwCU9TN8gehA==",
1645 |         "license": "Apache-2.0",
1646 |         "dependencies": {
1647 |             "@types/whatwg-url": "^11.0.2",
1648 |             "whatwg-url": "^14.1.0 || ^13.0.0"
1649 |         }
1650 |     },
1651 |     "node_modules/mongoose": {
1652 |         "version": "8.23.0",
1653 |         "resolved": "https://registry.npmjs.org/mongoose/-/mongoose-8.23.0.tgz",

```

```

1654 |         "integrity": "sha512-Bul4Ha6J8IqzFrb0B1xpVzkC3S0sk43dmLSnhF0n8eJlZiLwL5W06cRymmjaADd
CMjUcCpj2ce8hZI604ZFSug==",
1655 |         "license": "MIT",
1656 |         "dependencies": {
1657 |             "bson": "^6.10.4",
1658 |             "kareem": "2.6.3",
1659 |             "mongodb": "~6.20.0",
1660 |             "mpath": "0.9.0",
1661 |             "mquery": "5.0.0",
1662 |             "ms": "2.1.3",
1663 |             "sift": "17.1.3"
1664 |         },
1665 |         "engines": {
1666 |             "node": ">=16.20.1"
1667 |         },
1668 |         "funding": {
1669 |             "type": "opencollective",
1670 |             "url": "https://opencollective.com/mongoose"
1671 |         }
1672 |     },
1673 |     "node_modules/mongoose/node_modules/ms": {
1674 |         "version": "2.1.3",
1675 |         "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
1676 |         "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhJzq50xgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XP6t
z7R9xAOtHnSO/tXtF3WRTLA==",
1677 |         "license": "MIT"
1678 |     },
1679 |     "node_modules/morgan": {
1680 |         "version": "1.10.1",
1681 |         "resolved": "https://registry.npmjs.org/morgan/-/morgan-1.10.1.tgz",
1682 |         "integrity": "sha512-223dMRJtI/l25dJKWpgij2cMtywuG/WiUKXdvwfbhGKBhy1puASqXwFzmWZ7+K7
3vUPoR7SS2Qz2cI/g9MKw0A==",
1683 |         "license": "MIT",
1684 |         "dependencies": {
1685 |             "basic-auth": "~2.0.1",
1686 |             "debug": "2.6.9",
1687 |             "depd": "~2.0.0",
1688 |             "on-finished": "~2.3.0",
1689 |             "on-headers": "~1.1.0"
1690 |         },
1691 |         "engines": {
1692 |             "node": ">= 0.8.0"
1693 |         }
1694 |     },
1695 |     "node_modules/morgan/node_modules/on-finished": {
1696 |         "version": "2.3.0",
1697 |         "resolved": "https://registry.npmjs.org/on-finished/-/on-finished-2.3.0.tgz",
1698 |         "integrity": "sha512-ikqdkGAAyf/X/gPhXGvfgAytDZtDbr+bkNUJ0N9h5MI/dmdgCs3l6hoHrcUv41s
RKew3jIwrrp4qQDXiK99Utw==",
1699 |         "license": "MIT",
1700 |         "dependencies": {
1701 |             "ee-first": "1.1.1"
1702 |         },
1703 |         "engines": {
1704 |             "node": ">= 0.8"
1705 |         }
1706 |     },
1707 |     "node_modules/mpath": {
1708 |         "version": "0.9.0",
1709 |         "resolved": "https://registry.npmjs.org/mpath/-/mpath-0.9.0.tgz",
1710 |         "integrity": "sha512-ikJRQTK8hw5DEoFVxHG1Gn9T/xcjttnOKIU1JTMGjZZlg9LST2mBLmcX3/ICibg

```

```

JydT2G0c15RnNy5mHmzfSew=="
1711 |     "license": "MIT",
1712 |     "engines": {
1713 |       "node": ">=4.0.0"
1714 |     }
1715 |   },
1716 |   "node_modules/mquery": {
1717 |     "version": "5.0.0",
1718 |     "resolved": "https://registry.npmjs.org/mquery/-/mquery-5.0.0.tgz",
1719 |     "integrity": "sha512-iQMncpMEK8R8ncT8HJGsGc9Dsp8xcgYMVsb5jgnm1lFHTZqMJTUWTDx1LB08+m
K3tPNZWFLBghQEIOULSTHZg=="
1720 |     "license": "MIT",
1721 |     "dependencies": {
1722 |       "debug": "4.x"
1723 |     },
1724 |     "engines": {
1725 |       "node": ">=14.0.0"
1726 |     }
1727 |   },
1728 |   "node_modules/mquery/node_modules/debug": {
1729 |     "version": "4.4.3",
1730 |     "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
1731 |     "integrity": "sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYry
rTlLpuvvgI9GiiJltAjNbcqA=="
1732 |     "license": "MIT",
1733 |     "dependencies": {
1734 |       "ms": "^2.1.3"
1735 |     },
1736 |     "engines": {
1737 |       "node": ">=6.0"
1738 |     },
1739 |     "peerDependenciesMeta": {
1740 |       "supports-color": {
1741 |         "optional": true
1742 |       }
1743 |     }
1744 |   },
1745 |   "node_modules/mquery/node_modules/ms": {
1746 |     "version": "2.1.3",
1747 |     "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
1748 |     "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhJzq50xgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6t
z7R9xA0tHnSO/tXtF3WRTlA=="
1749 |     "license": "MIT"
1750 |   },
1751 |   "node_modules/ms": {
1752 |     "version": "2.0.0",
1753 |     "resolved": "https://registry.npmjs.org/ms/-/ms-2.0.0.tgz",
1754 |     "integrity": "sha512-Tpp60P6IUJDTuOq/5Z8cdskzJujfwqfOTkrwIwj7IRISpnkJnT6SyJ4PCPnGMof
jC9ddhal5KVIYtAt97ix05A=="
1755 |     "license": "MIT"
1756 |   },
1757 |   "node_modules/multer": {
1758 |     "version": "2.1.1",
1759 |     "resolved": "https://registry.npmjs.org/multer/-/multer-2.1.1.tgz",
1760 |     "integrity": "sha512-mo+QTzKlx8R7E5ylSXxWzGoXoZb0sRMPyitcht8By2KHvMbf3tjwosZ/Mu/XYU6
UuJ3VZn0DIrak5ZrPiPyB6A=="
1761 |     "license": "MIT",
1762 |     "dependencies": {
1763 |       "append-field": "^1.0.0",
1764 |       "busboy": "^1.6.0",
1765 |       "concat-stream": "^2.0.0",

```

```

1766 |         "type-is": "^1.6.18"
1767 |     },
1768 |     "engines": {
1769 |         "node": ">= 10.16.0"
1770 |     },
1771 |     "funding": {
1772 |         "type": "opencollective",
1773 |         "url": "https://opencollective.com/express"
1774 |     }
1775 | },
1776 |     "node_modules/negotiator": {
1777 |         "version": "0.6.3",
1778 |         "resolved": "https://registry.npmjs.org/negotiator/-/negotiator-0.6.3.tgz",
1779 |         "integrity": "sha512-+EUsqGPLsM+j/zdChZjsnX51g4XrHF0IXwfnCVPGLQk/k5giakcKsuxC0bBRu6D
Sm9opw/O6slWbJdghQM4bBg==",
1780 |         "license": "MIT",
1781 |         "engines": {
1782 |             "node": ">= 0.6"
1783 |         }
1784 |     },
1785 |     "node_modules/object-assign": {
1786 |         "version": "4.1.1",
1787 |         "resolved": "https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz",
1788 |         "integrity": "sha512-rJgTQnkUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JNDoXfklElb
LJSnc3FUQHVe4cU5hj+BcUg==",
1789 |         "license": "MIT",
1790 |         "engines": {
1791 |             "node": ">=0.10.0"
1792 |         }
1793 |     },
1794 |     "node_modules/object-inspect": {
1795 |         "version": "1.13.4",
1796 |         "resolved": "https://registry.npmjs.org/object-inspect/-/object-inspect-1.13.4.tgz",
1797 |         "integrity": "sha512-W67ilL4J2EXEGTbfeHCffrjDfitvLANG0ULX3wFUUSTx92KXRFegMHUVgSqE+ww
hAbi4WqjGg9czystV2Epbew==",
1798 |         "license": "MIT",
1799 |         "engines": {
1800 |             "node": ">= 0.4"
1801 |         },
1802 |         "funding": {
1803 |             "url": "https://github.com/sponsors/ljharb"
1804 |         }
1805 |     },
1806 |     "node_modules/object-is": {
1807 |         "version": "1.1.6",
1808 |         "resolved": "https://registry.npmjs.org/object-is/-/object-is-1.1.6.tgz",
1809 |         "integrity": "sha512-F8cZ+KfGlgSGi09lJT7/Nd6KJZ9ygtvYC0/UYYLI9nmQKLmnydpB9yvbv9K1uSkE
u7FU9vYPmVwLg328tX+ot3Q==",
1810 |         "license": "MIT",
1811 |         "dependencies": {
1812 |             "call-bind": "^1.0.7",
1813 |             "define-properties": "^1.2.1"
1814 |         },
1815 |         "engines": {
1816 |             "node": ">= 0.4"
1817 |         },
1818 |         "funding": {
1819 |             "url": "https://github.com/sponsors/ljharb"
1820 |         }
1821 |     },
1822 |     "node_modules/object-keys": {

```

```
1823 |         "version": "1.1.1",
1824 |         "resolved": "https://registry.npmjs.org/object-keys/-/object-keys-1.1.1.tgz",
1825 |         "integrity": "sha512-NuAESUOUMrlIXOfHKzD6bpPu3tYt3xvJNdRIQ+FeT0lNb4K8WR70CaDxhuNguS2
XG+GjkyMwOzsN5ZktImfhLA==",
1826 |         "license": "MIT",
1827 |         "engines": {
1828 |             "node": ">= 0.4"
1829 |         }
1830 |     },
1831 |     "node_modules/object.assign": {
1832 |         "version": "4.1.7",
1833 |         "resolved": "https://registry.npmjs.org/object.assign/-/object.assign-4.1.7.tgz",
1834 |         "integrity": "sha512-nK28W0o+QIjBkDduTINE4JkF/UJJKyf2EJxvJKfblDpyg0Q+pkOHNTL0Qwy6NP6
FhE/EnzV73BxxqcJaXY9anw==",
1835 |         "license": "MIT",
1836 |         "dependencies": {
1837 |             "call-bind": "^1.0.8",
1838 |             "call-bound": "^1.0.3",
1839 |             "define-properties": "^1.2.1",
1840 |             "es-object-atoms": "^1.0.0",
1841 |             "has-symbols": "^1.1.0",
1842 |             "object-keys": "^1.1.1"
1843 |         },
1844 |         "engines": {
1845 |             "node": ">= 0.4"
1846 |         },
1847 |         "funding": {
1848 |             "url": "https://github.com/sponsors/ljharb"
1849 |         }
1850 |     },
1851 |     "node_modules/on-finished": {
1852 |         "version": "2.4.1",
1853 |         "resolved": "https://registry.npmjs.org/on-finished/-/on-finished-2.4.1.tgz",
1854 |         "integrity": "sha512-OVSCJVOHuamPnJU03QF2iFVOR11MHbShn7QZjVtOxPwEGs1X0UgJGVF0URnKwSdh8xwV70AI1BwS0JA5pVg==",
uJjePWiYF/ClmuDr8Ch5+kg==",
1855 |         "license": "MIT",
1856 |         "dependencies": {
1857 |             "ee-first": "1.1.1"
1858 |         },
1859 |         "engines": {
1860 |             "node": ">= 0.8"
1861 |         }
1862 |     },
1863 |     "node_modules/on-headers": {
1864 |         "version": "1.1.0",
1865 |         "resolved": "https://registry.npmjs.org/on-headers/-/on-headers-1.1.0.tgz",
1866 |         "integrity": "sha512-7373835Zjtj16h4XtQo3enNpFtX4qNdUgYG8StbB8002qYk0URq+P+RNOe+BhEs/18U3sWkYp78To1iUdA==",
FdQ0e9YU8MkmJwGhoMybl8A==",
1867 |         "license": "MIT",
1868 |         "engines": {
1869 |             "node": ">= 0.8"
1870 |         }
1871 |     },
1872 |     "node_modules/pako": {
1873 |         "version": "0.2.9",
1874 |         "resolved": "https://registry.npmjs.org/pako/-/pako-0.2.9.tgz",
1875 |         "integrity": "sha512-NUCwaKxUxWrLpDG+z/xZaCgQITkA/Dv4V/T6bw7VON6l1Xz/VnrBqrYjZQ12Ta
mKHziTTfOEIYUj48y2KXImA==",
1876 |         "license": "MIT"
1877 |     },
1878 |     "node_modules/parseurl": {
```

```
1879 |         "version": "1.3.3",
1880 |         "resolved": "https://registry.npmjs.org/parseurl/-/parseurl-1.3.3.tgz",
1881 |         "integrity": "sha512-Ciye0xFT/JZyN5m0z9PFXw4SCBJ6Sygz1Dpl0wqjlhDEGGBP1GnsUVEL0p63hoG
1fcj3fHynXi9NY04nWOL+qQ==",
1882 |         "license": "MIT",
1883 |         "engines": {
1884 |             "node": ">= 0.8"
1885 |         }
1886 |     },
1887 |     "node_modules/path-to-regexp": {
1888 |         "version": "0.1.13",
1889 |         "resolved": "https://registry.npmjs.org/path-to-regexp/-/path-to-regexp-0.1.13.tgz",
1890 |         "integrity": "sha512-A/AGNMFN3c8b0lvV9RreMdrv7jsmF9XIfDeCd87+I8RNg6s78BhJxMu69NEMHBS
JfXKIdViTEdruRwEk/WIKqA==",
1891 |         "license": "MIT"
1892 |     },
1893 |     "node_modules/pdfkit": {
1894 |         "version": "0.15.2",
1895 |         "resolved": "https://registry.npmjs.org/pdfkit/-/pdfkit-0.15.2.tgz",
1896 |         "integrity": "sha512-s3GjpdBFSCaeDSX/v73MI5UsPqH1kjKut2AXCgxQ50H10lPV0u5q5vLAG00Cpz/
EYqKsTSw1WHpENqMvp43RKg==",
1897 |         "license": "MIT",
1898 |         "dependencies": {
1899 |             "crypto-js": "^4.2.0",
1900 |             "fontkit": "^1.8.1",
1901 |             "jpeg-exif": "^1.1.4",
1902 |             "linebreak": "^1.0.2",
1903 |             "png-js": "^1.0.0"
1904 |         }
1905 |     },
1906 |     "node_modules/png-js": {
1907 |         "version": "1.0.0",
1908 |         "resolved": "https://registry.npmjs.org/png-js/-/png-js-1.0.0.tgz",
1909 |         "integrity": "sha512-k+YsbhpA9e+EFfKjTCH3VW6aoKlyNYI6NYdTfDL4CIvFnvsu084ttonmZE7rc+v
23SLTH8XX+5w/Ak9v0xGY4g==",
1910 |     },
1911 |     "node_modules/possible-typed-array-names": {
1912 |         "version": "1.1.0",
1913 |         "resolved": "https://registry.npmjs.org/possible-typed-array-names/-/possible-typed-
array-names-1.1.0.tgz",
1914 |         "integrity": "sha512-/+5VFTchJDoVj3bhoqi6UeymcD00DAwb1nJwamzPVHESzJ4FpF6SNNbUbOS8yI5
6qHzdV8eK0qEf0SiodkTdxg==",
1915 |         "license": "MIT",
1916 |         "engines": {
1917 |             "node": ">= 0.4"
1918 |         }
1919 |     },
1920 |     "node_modules/proxy-addr": {
1921 |         "version": "2.0.7",
1922 |         "resolved": "https://registry.npmjs.org/proxy-addr/-/proxy-addr-2.0.7.tgz",
1923 |         "integrity": "sha512-llQsMLSUDUPT44jdrU/037qlnifitDP+ZwrmmZcoSKyLkvtZxpyV0n2/bD/N4tB
AAZ/gJEdZU7KMraoK1+XYAg==",
1924 |         "license": "MIT",
1925 |         "dependencies": {
1926 |             "forwarded": "0.2.0",
1927 |             "ipaddr.js": "1.9.1"
1928 |         },
1929 |         "engines": {
1930 |             "node": ">= 0.10"
1931 |         }
1932 |     },
```

```

1933 |     "node_modules/proxy-from-env": {
1934 |         "version": "2.1.0",
1935 |         "resolved": "https://registry.npmjs.org/proxy-from-env/-/proxy-from-env-2.1.0.tgz",
1936 |         "integrity": "sha512-cJ+oHTW1VAEa8cJsIgmUZrc+sjRKgAKl3ZySe6+PV38hZe/V6Z14TbCuXcan9F9
ghlz4QrFr2c92TNF82UKYHA==",
1937 |         "license": "MIT",
1938 |         "engines": {
1939 |             "node": ">=10"
1940 |         }
1941 |     },
1942 |     "node_modules/punycode": {
1943 |         "version": "2.3.1",
1944 |         "resolved": "https://registry.npmjs.org/punycode/-/punycode-2.3.1.tgz",
1945 |         "integrity": "sha512-vYt7UD1U9Wg613shLTL0vdAu+8DsC/ilFtEVHCh+wydcSpNE20Afs0duf6MkRF
ahL5FY7X1oU7nKVZFtfq8Fg==",
1946 |         "license": "MIT",
1947 |         "engines": {
1948 |             "node": ">=6"
1949 |         }
1950 |     },
1951 |     "node_modules/qs": {
1952 |         "version": "6.14.2",
1953 |         "resolved": "https://registry.npmjs.org/qs/-/qs-6.14.2.tgz",
1954 |         "integrity": "sha512-V/yCWTTf7VJ9hIh18Ugr2zhJMP01MY7c5kh4J870L7imm6/DIzBsNLTXzMwUA3y
Z5b/KBqLx8Kp3uRvd7xSe3Q==",
1955 |         "license": "BSD-3-Clause",
1956 |         "dependencies": {
1957 |             "side-channel": "^1.1.0"
1958 |         },
1959 |         "engines": {
1960 |             "node": ">=0.6"
1961 |         },
1962 |         "funding": {
1963 |             "url": "https://github.com/sponsors/ljharb"
1964 |         }
1965 |     },
1966 |     "node_modules/range-parser": {
1967 |         "version": "1.2.1",
1968 |         "resolved": "https://registry.npmjs.org/range-parser/-/range-parser-1.2.1.tgz",
1969 |         "integrity": "sha512-Hrgsx+orqoygnmhFbKaHE6c296J+HTAQXoxEF6gNupR0mmGJRoyzfG3ccAveqCB
rwr/2yxQ5BVd/GTl5ag0wSg==",
1970 |         "license": "MIT",
1971 |         "engines": {
1972 |             "node": ">= 0.6"
1973 |         }
1974 |     },
1975 |     "node_modules/raw-body": {
1976 |         "version": "2.5.3",
1977 |         "resolved": "https://registry.npmjs.org/raw-body/-/raw-body-2.5.3.tgz",
1978 |         "integrity": "sha512-7szX1ydrwylI0p2uG1ojUpA==",
1979 |         "license": "MIT",
1980 |         "dependencies": {
1981 |             "bytes": "~3.1.2",
1982 |             "http-errors": "~2.0.1",
1983 |             "iconv-lite": "~0.4.24",
1984 |             "unpipe": "~1.0.0"
1985 |         },
1986 |         "engines": {
1987 |             "node": ">= 0.8"
1988 |         }

```

```

1989 |     },
1990 |     "node_modules/readable-stream": {
1991 |       "version": "3.6.2",
1992 |       "resolved": "https://registry.npmjs.org/readable-stream/-/readable-stream-3.6.2.tgz"
1993 |     },
1994 |     "integrity": "sha512-9u/sniCrY3D5WdsERHzHE4G2YCXqoG5FTHUiCC4SIbr6XcLZBY05ya9EKjYek90
5x0AwjGq+1JdGBAS7Q9ScoA==",
1995 |     "license": "MIT",
1996 |     "dependencies": {
1997 |       "inherits": "^2.0.3",
1998 |       "string_decoder": "^1.1.1",
1999 |       "util-deprecate": "^1.0.1"
2000 |     },
2001 |     "engines": {
2002 |       "node": ">= 6"
2003 |     },
2004 |     "node_modules/regexp.prototype.flags": {
2005 |       "version": "1.5.4",
2006 |       "resolved": "https://registry.npmjs.org/regexp.prototype.flags/-/regexp.prototype.fl
ags-1.5.4.tgz",
2007 |       "integrity": "sha512-dYqgNSZbDwkaJ2ceRd9ojCGjBq+mOm9LmtXnAnEGyHhN/5R7iDW2TRw3h+o/jCF
xus3P2LfwIiIwAjANm7IA==",
2008 |       "license": "MIT",
2009 |       "dependencies": {
2010 |         "call-bind": "^1.0.8",
2011 |         "define-properties": "^1.2.1",
2012 |         "es-errors": "^1.3.0",
2013 |         "get-proto": "^1.0.1",
2014 |         "gopd": "^1.2.0",
2015 |         "set-function-name": "^2.0.2"
2016 |       },
2017 |       "engines": {
2018 |         "node": ">= 0.4"
2019 |       },
2020 |       "funding": {
2021 |         "url": "https://github.com/sponsors/ljharb"
2022 |       }
2023 |     },
2024 |     "node_modules/restructure": {
2025 |       "version": "2.0.1",
2026 |       "resolved": "https://registry.npmjs.org/restructure/-/restructure-2.0.1.tgz",
2027 |       "integrity": "sha512-e0d0pjm5DseomnXx2M5lpdZ5zoHqF1+bqdMJUohoYVVQa7cBdnk7fdmeI6byNWP
/kiME72EeTiSypTCVnpLiDg==",
2028 |       "license": "MIT"
2029 |     },
2030 |     "node_modules/safe-buffer": {
2031 |       "version": "5.2.1",
2032 |       "resolved": "https://registry.npmjs.org/safe-buffer/-/safe-buffer-5.2.1.tgz",
2033 |       "integrity": "sha512-rp3So07KcdmmKbGvgaNxQJsr7bGVSVk5S9Eq1F+ppbRo70+YeaDxkw5Dd8NPN+G
D6bjnYm2VuPuCXmpuYvmCXQ==",
2034 |       "funding": [
2035 |         {
2036 |           "type": "github",
2037 |           "url": "https://github.com/sponsors/feross"
2038 |         },
2039 |         {
2040 |           "type": "patreon",
2041 |           "url": "https://www.patreon.com/feross"
2042 |         }
2043 |       ]

```



```

2044 |         "type": "consulting",
2045 |         "url": "https://feross.org/support"
2046 |     }
2047 | ],
2048 |     "license": "MIT"
2049 | },
2050 |     "node_modules/safe-regex-test": {
2051 |         "version": "1.1.0",
2052 |         "resolved": "https://registry.npmjs.org/safe-regex-test/-/safe-regex-test-1.1.0.tgz"
2053 |         ,
2054 |         "integrity": "sha512-x/+Cz4YrimQxQccJf5mKEbIa1NzeCRNI5Ecl/ekmLYaampdNLPaIVyIcCZNNH3M
vmqBugV5TMYZXv0ljslUlaw==",
2055 |         "license": "MIT",
2056 |         "dependencies": {
2057 |             "call-bound": "^1.0.2",
2058 |             "es-errors": "^1.3.0",
2059 |             "is-regex": "^1.2.1"
2060 |         },
2061 |         "engines": {
2062 |             "node": ">= 0.4"
2063 |         },
2064 |         "funding": {
2065 |             "url": "https://github.com/sponsors/ljharb"
2066 |         },
2067 |         "node_modules/safer-buffer": {
2068 |             "version": "2.1.2",
2069 |             "resolved": "https://registry.npmjs.org/safer-buffer/-/safer-buffer-2.1.2.tgz",
2070 |             "integrity": "sha512-YZo3K82SD7Riyi0E1EQPojLz7kpepnSQI9IyPbHHg1XXXevb5dJI7tpyN2ADxGc
QbHG7vcyRHk0cbwqcQriUtg==",
2071 |             "license": "MIT"
2072 |         },
2073 |         "node_modules/scmp": {
2074 |             "version": "2.1.0",
2075 |             "resolved": "https://registry.npmjs.org/scmp/-/scmp-2.1.0.tgz",
2076 |             "integrity": "sha512-o/mRQgk9Rcer/jEEw/yw4mwo3EU/NvYvp577/Btqrym9Qy5/MdWGBqipbALgd2l
rdWTJ5/gqDusxfnQBx0XT2Q==",
2077 |             "deprecated": "Just use Node.js's crypto.timingSafeEqual()",
2078 |             "license": "BSD-3-Clause"
2079 |         },
2080 |         "node_modules/semver": {
2081 |             "version": "7.7.4",
2082 |             "resolved": "https://registry.npmjs.org/semver/-/semver-7.7.4.tgz",
2083 |             "integrity": "sha512-vFKC2IEtQnVhpT78h1Yp8wzrf8CM+MzKMHGJZfBtzhZNyCRFnXShK6E5TxIkM
sgNS7mdX3AGB7x2QM2di4lA==",
2084 |             "license": "ISC",
2085 |             "bin": {
2086 |                 "semver": "bin/semver.js"
2087 |             },
2088 |             "engines": {
2089 |                 "node": ">=10"
2090 |             }
2091 |         },
2092 |         "node_modules/send": {
2093 |             "version": "0.19.2",
2094 |             "resolved": "https://registry.npmjs.org/send/-/send-0.19.2.tgz",
2095 |             "integrity": "sha512-VMbMxDeehAxp0tWJXlcUS5E8iXh6QmN+BkRX1GARS3wRaXEEgzCcB10gTQazO4
2tpNIya8xIyNx8fll10FPrg==",
2096 |             "license": "MIT",
2097 |             "dependencies": {
2098 |                 "debug": "2.6.9",

```

```
2099 |         "depd": "2.0.0",
2100 |         "destroy": "1.2.0",
2101 |         "encodeurl": "~2.0.0",
2102 |         "escape-html": "~1.0.3",
2103 |         "etag": "~1.8.1",
2104 |         "fresh": "~0.5.2",
2105 |         "http-errors": "~2.0.1",
2106 |         "mime": "1.6.0",
2107 |         "ms": "2.1.3",
2108 |         "on-finished": "~2.4.1",
2109 |         "range-parser": "~1.2.1",
2110 |         "statuses": "~2.0.2"
2111 |     },
2112 |     "engines": {
2113 |       "node": ">= 0.8.0"
2114 |     }
2115 |   },
2116 |   "node_modules/send/node_modules/ms": {
2117 |     "version": "2.1.3",
2118 |     "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
2119 |     "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhJzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6t
z7R9xA0tHnS0/txtF3WRTlA==",
2120 |     "license": "MIT"
2121 |   },
2122 |   "node_modules/serve-static": {
2123 |     "version": "1.16.3",
2124 |     "resolved": "https://registry.npmjs.org/serve-static/-/serve-static-1.16.3.tgz",
2125 |     "integrity": "sha512-x0RTqQel6g5SY7Lg6ZreMmsOznCHF7nRwKkgWuMTu5NN0DR5oruckMqRvacA
N9d5w6ARnRBXl9xhDCgfMeA==",
2126 |     "license": "MIT",
2127 |     "dependencies": {
2128 |       "encodeurl": "~2.0.0",
2129 |       "escape-html": "~1.0.3",
2130 |       "parseurl": "~1.3.3",
2131 |       "send": "~0.19.1"
2132 |     },
2133 |     "engines": {
2134 |       "node": ">= 0.8.0"
2135 |     }
2136 |   },
2137 |   "node_modules/set-function-length": {
2138 |     "version": "1.2.2",
2139 |     "resolved": "https://registry.npmjs.org/set-function-length/-/set-function-length-1.
2.2.tgz",
2140 |     "integrity": "sha512-pgRc4hJ4/sNjWCSS9AmnS40x3bNMDTkNhgL5UaMBTMyJnU90EgWh1Rz+MC9eFu4
BuN/UwZjKQuY/1v3rM7HMfg==",
2141 |     "license": "MIT",
2142 |     "dependencies": {
2143 |       "define-data-property": "^1.1.4",
2144 |       "es-errors": "^1.3.0",
2145 |       "function-bind": "^1.1.2",
2146 |       "get-intrinsic": "^1.2.4",
2147 |       "gopd": "^1.0.1",
2148 |       "has-property-descriptors": "^1.0.2"
2149 |     },
2150 |     "engines": {
2151 |       "node": ">= 0.4"
2152 |     }
2153 |   },
2154 |   "node_modules/set-function-name": {
2155 |     "version": "2.0.2",
```

```

2156 |         "resolved": "https://registry.npmjs.org/set-function-name/-/set-function-name-2.0.2.
tgz",
2157 |         "integrity": "sha512-7PGFlmtwsEADb0WYyvCMA1t+yke6daIG4Wirafur5kcf+MhUnPms1UeR0CKQdTZ
D81yESwMHbtn+TR+dMviakQ==",
2158 |         "license": "MIT",
2159 |         "dependencies": {
2160 |             "define-data-property": "^1.1.4",
2161 |             "es-errors": "^1.3.0",
2162 |             "functions-have-names": "^1.2.3",
2163 |             "has-property-descriptors": "^1.0.2"
2164 |         },
2165 |         "engines": {
2166 |             "node": ">= 0.4"
2167 |         }
2168 |     },
2169 |     "node_modules/setprototypeof": {
2170 |         "version": "1.2.0",
2171 |         "resolved": "https://registry.npmjs.org/setprototypeof/-/setprototypeof-1.2.0.tgz",
2172 |         "integrity": "sha512-E5LDX7Wrp85Kil5bhZv46j8j0eboKq5JMmYM3gVGdGH8xFpPWXUMsNr lODCrkox
MEeNi/XZIwRvY4XNwYMPw==",
2173 |         "license": "ISC"
2174 |     },
2175 |     "node_modules/side-channel": {
2176 |         "version": "1.1.0",
2177 |         "resolved": "https://registry.npmjs.org/side-channel/-/side-channel-1.1.0.tgz",
2178 |         "integrity": "sha512-ZX99e6tRweoUXqR+VBrslhda51Nh5MTQwou5tnUDgbtyM0dBgmhEDtWGP/xbKn6
hqfPRHujUNwz5fy/wbbhnpw==",
2179 |         "license": "MIT",
2180 |         "dependencies": {
2181 |             "es-errors": "^1.3.0",
2182 |             "object-inspect": "^1.13.3",
2183 |             "side-channel-list": "^1.0.0",
2184 |             "side-channel-map": "^1.0.1",
2185 |             "side-channel-weakmap": "^1.0.2"
2186 |         },
2187 |         "engines": {
2188 |             "node": ">= 0.4"
2189 |         },
2190 |         "funding": {
2191 |             "url": "https://github.com/sponsors/ljharb"
2192 |         }
2193 |     },
2194 |     "node_modules/side-channel-list": {
2195 |         "version": "1.0.1",
2196 |         "resolved": "https://registry.npmjs.org/side-channel-list/-/side-channel-list-1.0.1.
tgz",
2197 |         "integrity": "sha512-mjn/0bi/oUURjc5Xl7IaWi/OJJJumuoJFQJfDDy046+hBWsfaVM65TBHq2eoZBH
zl9Echx0ijpkbRC8SVBQU0w==",
2198 |         "license": "MIT",
2199 |         "dependencies": {
2200 |             "es-errors": "^1.3.0",
2201 |             "object-inspect": "^1.13.4"
2202 |         },
2203 |         "engines": {
2204 |             "node": ">= 0.4"
2205 |         },
2206 |         "funding": {
2207 |             "url": "https://github.com/sponsors/ljharb"
2208 |         }
2209 |     },
2210 |     "node_modules/side-channel-map": {

```

```

2211 |         "version": "1.0.1",
2212 |         "resolved": "https://registry.npmjs.org/side-channel-map/-/side-channel-map-1.0.1.tgz",
2213 |         "integrity": "sha512-VCjCNfgMsby3tTdo02nbjTM/ewra6jPHmpThenkTYh8pG9ucZ/1P8So4u4FGBek
/Bjp0VsDCMoLA/iuBKIFXRA==",
2214 |         "license": "MIT",
2215 |         "dependencies": {
2216 |             "call-bound": "^1.0.2",
2217 |             "es-errors": "^1.3.0",
2218 |             "get-intrinsic": "^1.2.5",
2219 |             "object-inspect": "^1.13.3"
2220 |         },
2221 |         "engines": {
2222 |             "node": ">= 0.4"
2223 |         },
2224 |         "funding": {
2225 |             "url": "https://github.com/sponsors/ljharb"
2226 |         }
2227 |     },
2228 |     "node_modules/side-channel-weakmap": {
2229 |         "version": "1.0.2",
2230 |         "resolved": "https://registry.npmjs.org/side-channel-weakmap/-/side-channel-weakmap-
1.0.2.tgz",
2231 |         "integrity": "sha512-WPS/HvHQTYnHisLo9McqBHOJk2FkHO/tlpvldyrnem4aeQp4hai3gythswg6p01
oSoTl58rcpiFAjF2br2Ak2A==",
2232 |         "license": "MIT",
2233 |         "dependencies": {
2234 |             "call-bound": "^1.0.2",
2235 |             "es-errors": "^1.3.0",
2236 |             "get-intrinsic": "^1.2.5",
2237 |             "object-inspect": "^1.13.3",
2238 |             "side-channel-map": "^1.0.1"
2239 |         },
2240 |         "engines": {
2241 |             "node": ">= 0.4"
2242 |         },
2243 |         "funding": {
2244 |             "url": "https://github.com/sponsors/ljharb"
2245 |         }
2246 |     },
2247 |     "node_modules/sift": {
2248 |         "version": "17.1.3",
2249 |         "resolved": "https://registry.npmjs.org/sift/-/sift-17.1.3.tgz",
2250 |         "integrity": "sha512-RtLj66/b0ICEfZYTUNvX/EF1lgRbbnGSvEyT79McoZa/DeGhMyC5pWK0EsZKnPk
qtSeovd5FL/bjHWC3CIIVCQ==",
2251 |         "license": "MIT"
2252 |     },
2253 |     "node_modules/socket.io": {
2254 |         "version": "4.8.3",
2255 |         "resolved": "https://registry.npmjs.org/socket.io/-/socket.io-4.8.3.tgz",
2256 |         "integrity": "sha512-2Dd78bqzzjE6KPKD5fHZmDAKRNe3J15q+YHDrIsy9WEkqttc7GY+kT90BLSMaPb
QaEd0x1BjcmtMtXkfpc+T5A==",
2257 |         "license": "MIT",
2258 |         "dependencies": {
2259 |             "accepts": "~1.3.4",
2260 |             "base64id": "~2.0.0",
2261 |             "cors": "~2.8.5",
2262 |             "debug": "~4.4.1",
2263 |             "engine.io": "~6.6.0",
2264 |             "socket.io-adapter": "~2.5.2",
2265 |             "socket.io-parser": "~4.2.4"

```

```

2266 |     },
2267 |     "engines": {
2268 |       "node": ">=10.2.0"
2269 |     }
2270 |   },
2271 |   "node_modules/socket.io-adapter": {
2272 |     "version": "2.5.6",
2273 |     "resolved": "https://registry.npmjs.org/socket.io-adapter/-/socket.io-adapter-2.5.6.
tgz",
2274 |     "integrity": "sha512-Dkk0/dz7MGln0dHn5bmN3pPy+JmywNICWrJqVWivOyvXjWQFiv9c2h24JrQLLFJ
2aQVQf/Cvl1vblnd4r2apLQ==",
2275 |     "license": "MIT",
2276 |     "dependencies": {
2277 |       "debug": "~4.4.1",
2278 |       "ws": "~8.18.3"
2279 |     }
2280 |   },
2281 |   "node_modules/socket.io-adapter/node_modules/debug": {
2282 |     "version": "4.4.3",
2283 |     "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
2284 |     "integrity": "sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYry
rTtLpuvGI9GiiJltAjNbcqA==",
2285 |     "license": "MIT",
2286 |     "dependencies": {
2287 |       "ms": "^2.1.3"
2288 |     },
2289 |     "engines": {
2290 |       "node": ">=6.0"
2291 |     },
2292 |     "peerDependenciesMeta": {
2293 |       "supports-color": {
2294 |         "optional": true
2295 |       }
2296 |     }
2297 |   },
2298 |   "node_modules/socket.io-adapter/node_modules/ms": {
2299 |     "version": "2.1.3",
2300 |     "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
2301 |     "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEh3jzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6t
z7R9xAOtHnSO/tXtF3WRTlA==",
2302 |     "license": "MIT"
2303 |   },
2304 |   "node_modules/socket.io-parser": {
2305 |     "version": "4.2.6",
2306 |     "resolved": "https://registry.npmjs.org/socket.io-parser/-/socket.io-parser-4.2.6.tg
z",
2307 |     "integrity": "sha512-asJqbVBDsBCJx0pTqw3WfesSY0iRX+2xzWEWzrpcH7L6fLzrhyF8WPI8UaeM4YC
uDfpwA/cgsdugMsmzt8EJeg==",
2308 |     "license": "MIT",
2309 |     "dependencies": {
2310 |       "@socket.io/component-emitter": "~3.1.0",
2311 |       "debug": "~4.4.1"
2312 |     },
2313 |     "engines": {
2314 |       "node": ">=10.0.0"
2315 |     }
2316 |   },
2317 |   "node_modules/socket.io-parser/node_modules/debug": {
2318 |     "version": "4.4.3",
2319 |     "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
2320 |     "integrity": "sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYry

```

```

rTlLpuvGI9GiiJltAjNbcqA=="
2321 |     "license": "MIT",
2322 |     "dependencies": {
2323 |       "ms": "^2.1.3"
2324 |     },
2325 |     "engines": {
2326 |       "node": ">=6.0"
2327 |     },
2328 |     "peerDependenciesMeta": {
2329 |       "supports-color": {
2330 |         "optional": true
2331 |       }
2332 |     }
2333 |   },
2334 |   "node_modules/socket.io-parser/node_modules/ms": {
2335 |     "version": "2.1.3",
2336 |     "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
2337 |     "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhJzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XP6t
z7R9xAOtHnSO/tXtF3WRTlA=="
2338 |     "license": "MIT"
2339 |   },
2340 |   "node_modules/socket.io/node_modules/debug": {
2341 |     "version": "4.4.3",
2342 |     "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
2343 |     "integrity": "sha512-RGWWWnwQvkVfavKvT22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYry
rTlLpuvGI9GiiJltAjNbcqA=="
2344 |     "license": "MIT",
2345 |     "dependencies": {
2346 |       "ms": "^2.1.3"
2347 |     },
2348 |     "engines": {
2349 |       "node": ">=6.0"
2350 |     },
2351 |     "peerDependenciesMeta": {
2352 |       "supports-color": {
2353 |         "optional": true
2354 |       }
2355 |     }
2356 |   },
2357 |   "node_modules/socket.io/node_modules/ms": {
2358 |     "version": "2.1.3",
2359 |     "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
2360 |     "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhJzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XP6t
z7R9xAOtHnSO/tXtF3WRTlA=="
2361 |     "license": "MIT"
2362 |   },
2363 |   "node_modules/sparse-bitfield": {
2364 |     "version": "3.0.3",
2365 |     "resolved": "https://registry.npmjs.org/sparse-bitfield/-/sparse-bitfield-3.0.3.tgz"
2366 |   },
2367 |   "integrity": "sha512-kvzhi7vqKTfkh0PZU+2D2Pillw2ymqJKuJUcyPMD9Y75Nv4nPbGJZXNhxsqdQab
2BmlDct1YnfQCguEvHr7VsQ=="
2367 |     "license": "MIT",
2368 |     "dependencies": {
2369 |       "memory-pager": "^1.0.2"
2370 |     }
2371 |   },
2372 |   "node_modules/statuses": {
2373 |     "version": "2.0.2",
2374 |     "resolved": "https://registry.npmjs.org/statuses/-/statuses-2.0.2.tgz",
2375 |     "integrity": "sha512-DvEY55V3DB7uknRo+4iOGT5fP1slR8wQohVdknigZPMpMstaKJQWhwiYBACJE3U

```

```
l2pTnATihhBYnRhZQHGBiRw==",
2376 |         "license": "MIT",
2377 |         "engines": {
2378 |             "node": ">= 0.8"
2379 |         }
2380 |     },
2381 |     "node_modules/stop-iteration-iterator": {
2382 |         "version": "1.1.0",
2383 |         "resolved": "https://registry.npmjs.org/stop-iteration-iterator/-/stop-iteration-ite
rator-1.1.0.tgz",
2384 |         "integrity": "sha512-eLoXW/DHyl62zxY4SCaIgnRhuMr6ri4juEYARS8E6sCEqzKp0iE521Ucofdx+Kn
DZl5xmvGYaaKCK5FE0xJCoQ==",
2385 |         "license": "MIT",
2386 |         "dependencies": {
2387 |             "es-errors": "^1.3.0",
2388 |             "internal-slot": "^1.1.0"
2389 |         },
2390 |         "engines": {
2391 |             "node": ">= 0.4"
2392 |         }
2393 |     },
2394 |     "node_modules/streamsearch": {
2395 |         "version": "1.1.0",
2396 |         "resolved": "https://registry.npmjs.org/streamsearch/-/streamsearch-1.1.0.tgz",
2397 |         "integrity": "sha512-Mcc5wHehp9aXz1ax6bZUYy5afg9u2rv5cqQI3mRrYkGC8rW2hM02jWuwjtL++LS
5qinSyhj2QfLyNsuc+VsExg==",
2398 |         "engines": {
2399 |             "node": ">=10.0.0"
2400 |         }
2401 |     },
2402 |     "node_modules/string_decoder": {
2403 |         "version": "1.3.0",
2404 |         "resolved": "https://registry.npmjs.org/string_decoder/-/string_decoder-1.3.0.tgz",
2405 |         "integrity": "sha512-hkRX8U1WjJFd8LsDJ2yQ/wWxaopEsABU1Xfkm8A+j0+85JAGppt16cr1Whg6KI
bb4okU6Mql6B0j+uup/wKeA==",
2406 |         "license": "MIT",
2407 |         "dependencies": {
2408 |             "safe-buffer": "~5.2.0"
2409 |         }
2410 |     },
2411 |     "node_modules/tiny-inflate": {
2412 |         "version": "1.0.3",
2413 |         "resolved": "https://registry.npmjs.org/tiny-inflate/-/tiny-inflate-1.0.3.tgz",
2414 |         "integrity": "sha512-pkY1fj1cKHb2seWdy0B16HeWyczlJA9/WW3u3c4z/NiWds03DOU5D7nhTLE9CF0
yXv/QZFY7sEJmj24dK+Rr qw==",
2415 |         "license": "MIT"
2416 |     },
2417 |     "node_modules/toidentifier": {
2418 |         "version": "1.0.1",
2419 |         "resolved": "https://registry.npmjs.org/toidentifier/-/toidentifier-1.0.1.tgz",
2420 |         "integrity": "sha512-o5sSPKEkg/DIQNmH43V0/uerLrpzVedkUh8tGNvaeXpfpuwjKenlSox/20/BTLZ
UtEe+JG7s5YhEz608PLAHRA==",
2421 |         "license": "MIT",
2422 |         "engines": {
2423 |             "node": ">=0.6"
2424 |         }
2425 |     },
2426 |     "node_modules/tr46": {
2427 |         "version": "5.1.1",
2428 |         "resolved": "https://registry.npmjs.org/tr46/-/tr46-5.1.1.tgz",
2429 |         "integrity": "sha512-hdF5ZgjTqgAntKkklYw0R03MG2x/bSzTtkxmIRw/sTNV8YXsCJ1tfLAX23lhxhH
```

```

JlEf3CRCOCGGWw3vI3GaSPw=="
2430 |     "license": "MIT",
2431 |     "dependencies": {
2432 |       "punycode": "^2.3.1"
2433 |     },
2434 |     "engines": {
2435 |       "node": ">=18"
2436 |     }
2437 |   },
2438 |   "node_modules/tslib": {
2439 |     "version": "2.8.1",
2440 |     "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
2441 |     "integrity": "sha512-oJFu94HQB+KVduSUQL7wnpmqnfmlSOA/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83M
kOuHPRHtSXKKU99IBazS/2w=="
2442 |     "license": "0BSD"
2443 |   },
2444 |   "node_modules/twilio": {
2445 |     "version": "6.0.0",
2446 |     "resolved": "https://registry.npmjs.org/twilio/-/twilio-6.0.0.tgz",
2447 |     "integrity": "sha512-MAie5DJ3KLpckLDaYtNzsKMQXcCi+YHWKvZjuSpm27vJA0/l8PanJA0LkkJ03sb
h+Kwe5NeL0Q2+y6IjNUYeUA=="
2448 |     "license": "MIT",
2449 |     "dependencies": {
2450 |       "axios": "^1.13.5",
2451 |       "dayjs": "^1.11.9",
2452 |       "https-proxy-agent": "^5.0.0",
2453 |       "jsonwebtoken": "^9.0.3",
2454 |       "qs": "^6.14.1",
2455 |       "scmp": "^2.1.0",
2456 |       "xmlbuilder": "^13.0.2"
2457 |     },
2458 |     "engines": {
2459 |       "node": ">=20.0.0"
2460 |     }
2461 |   },
2462 |   "node_modules/type-is": {
2463 |     "version": "1.6.18",
2464 |     "resolved": "https://registry.npmjs.org/type-is/-/type-is-1.6.18.tgz",
2465 |     "integrity": "sha512-TkRkr9sUTxeh8MdfuCSP7VizJyzRNMjj2J2do2Jr3Kym598JVDeksuzPQCnlFPW
4ky9Q+iA+ma9BGm06XQBy8g=="
2466 |     "license": "MIT",
2467 |     "dependencies": {
2468 |       "media-typer": "0.3.0",
2469 |       "mime-types": "~2.1.24"
2470 |     },
2471 |     "engines": {
2472 |       "node": ">= 0.6"
2473 |     }
2474 |   },
2475 |   "node_modules/typedarray": {
2476 |     "version": "0.0.6",
2477 |     "resolved": "https://registry.npmjs.org/typedarray/-/typedarray-0.0.6.tgz",
2478 |     "integrity": "sha512-/aCDEGatGvZ2BIk+HmLf4iFCJFwvKFNb9/JeZPMulfGFracn9QFcAf5G08B/mwe
UjSoblS5In0cWhqpfS/5PQA=="
2479 |     "license": "MIT"
2480 |   },
2481 |   "node_modules/undici-types": {
2482 |     "version": "7.19.2",
2483 |     "resolved": "https://registry.npmjs.org/undici-types/-/undici-types-7.19.2.tgz",
2484 |     "integrity": "sha512-qYVnV50Em2AW8cJMCpdV20CDyaN3g0Ajd1OGf10W4iaDEx8MwdtChUp4zu4H0VP
3nDRF/8RKWH+IPp9uW0YGZg=="

```



```

2485 |         "license": "MIT"
2486 |     },
2487 |     "node_modules/unicode-properties": {
2488 |         "version": "1.4.1",
2489 |         "resolved": "https://registry.npmjs.org/unicode-properties/-/unicode-properties-1.4.
1.tgz",
2490 |         "integrity": "sha512-CLjCCLQ6UuMxWnbIyIkisbRj31qxHPAurvena/0iwsVbQ2G1VY5/HjV0IRab0Eb
DhlzZlRdCrD4NhB0JtU40Pg==",
2491 |         "license": "MIT",
2492 |         "dependencies": {
2493 |             "base64-js": "^1.3.0",
2494 |             "unicode-trie": "^2.0.0"
2495 |         }
2496 |     },
2497 |     "node_modules/unicode-trie": {
2498 |         "version": "2.0.0",
2499 |         "resolved": "https://registry.npmjs.org/unicode-trie/-/unicode-trie-2.0.0.tgz",
2500 |         "integrity": "sha512-x7bc76x0bm4prf1VLg79uhAzKw8DVboC1SN5VxJuQ+LKDOVEW9CdH+VY7SP+vX7
xCYQqzzgQpFqz15zeLvAtZQ==",
2501 |         "license": "MIT",
2502 |         "dependencies": {
2503 |             "pako": "^0.2.5",
2504 |             "tiny-inflate": "^1.0.0"
2505 |         }
2506 |     },
2507 |     "node_modules/unpipe": {
2508 |         "version": "1.0.0",
2509 |         "resolved": "https://registry.npmjs.org/unpipe/-/unpipe-1.0.0.tgz",
2510 |         "integrity": "sha512-xj1Sxbg1388d0x2PcrnKt1D1E1uP2U0H0UWJ3Qs345XzWZQW852XaTku9H0T6kxk3Ew
BF7V8NuzeyPNqRksA3hztKQ==",
2511 |         "license": "MIT",
2512 |         "engines": {
2513 |             "node": ">= 0.8"
2514 |         }
2515 |     },
2516 |     "node_modules/util-deprecate": {
2517 |         "version": "1.0.2",
2518 |         "resolved": "https://registry.npmjs.org/util-deprecate/-/util-deprecate-1.0.2.tgz",
2519 |         "integrity": "sha512-EPD5q1uXyFxJpCrLnCc1nHnq3g0a6DZBocAIiI2TaSCA7VCJ1UJDMagCzIkXNsU
YfD1daK//LTEQ8xiIbrHtcw==",
2520 |         "license": "MIT"
2521 |     },
2522 |     "node_modules/utls-merge": {
2523 |         "version": "1.0.1",
2524 |         "resolved": "https://registry.npmjs.org/utls-merge/-/utls-merge-1.0.1.tgz",
2525 |         "integrity": "sha512-pMZTvIkT1d+TFGVd0Qod0clx0QWkkgi6Tdoa8gC8ffGAAqz9pzPTZWYbbsHHoE
D/zTmtkv/VoYTYyShUn81hA==",
2526 |         "license": "MIT",
2527 |         "engines": {
2528 |             "node": ">= 0.4.0"
2529 |         }
2530 |     },
2531 |     "node_modules/validator": {
2532 |         "version": "13.15.35",
2533 |         "resolved": "https://registry.npmjs.org/validator/-/validator-13.15.35.tgz",
2534 |         "integrity": "sha512-TQ5pAGhd5whStmqwVYF40jQR0lmv9SMFVt37qoCBdqRffuuklWYQLcNnEs2ZaIB
D1kZRNnikiZOS1eqgkar0iw==",
2535 |         "license": "MIT",
2536 |         "engines": {
2537 |             "node": ">= 0.10"
2538 |         }

```

```

2539 |     },
2540 |     "node_modules/vary": {
2541 |       "version": "1.1.2",
2542 |       "resolved": "https://registry.npmjs.org/vary/-/vary-1.1.2.tgz",
2543 |       "integrity": "sha512-BNGbWLfd0eUPabhkXUvM0j8uuvREyTh5ovRa/dyow/BqAbZJyC+5fU+IzQ0zmAK
zYqYRAISoRhdQr3eIZ/PXqg==",
2544 |       "license": "MIT",
2545 |       "engines": {
2546 |         "node": ">= 0.8"
2547 |       }
2548 |     },
2549 |     "node_modules/webidl-conversions": {
2550 |       "version": "7.0.0",
2551 |       "resolved": "https://registry.npmjs.org/webidl-conversions/-/webidl-conversions-7.0.
0.tgz",
2552 |       "integrity": "sha512-VwddBukDzu71offAQR975unBIGqfKZpM+8ZX6ySk8nYhVoo5CYaZyzt3YBvYtRt
O+aoGlqxPg/B87NGVZ/fu6g==",
2553 |       "license": "BSD-2-Clause",
2554 |       "engines": {
2555 |         "node": ">=12"
2556 |       }
2557 |     },
2558 |     "node_modules/whatwg-url": {
2559 |       "version": "14.2.0",
2560 |       "resolved": "https://registry.npmjs.org/whatwg-url/-/whatwg-url-14.2.0.tgz",
2561 |       "integrity": "sha512-De72GdQZzNTUBBChsXueQUnPKDkg/5A5zp7pFDuQAJ5UFoENpiACU0wLCvzpAGn
Tkj++ihpKwKyYewn/XNUbKw==",
2562 |       "license": "MIT",
2563 |       "dependencies": {
2564 |         "tr46": "^5.1.0",
2565 |         "webidl-conversions": "^7.0.0"
2566 |       },
2567 |       "engines": {
2568 |         "node": ">=18"
2569 |       }
2570 |     },
2571 |     "node_modules/which-boxed-primitive": {
2572 |       "version": "1.1.1",
2573 |       "resolved": "https://registry.npmjs.org/which-boxed-primitive/-/which-boxed-primitiv
e-1.1.1.tgz",
2574 |       "integrity": "sha512-TbX3mj8n0odCBFVLY8AxkqCHASw3L60jIuF8jFP78az3C2YhmGvqbHBpAjTRH2/
xqYunrJ9g1jSyjCjpoWzIAA==",
2575 |       "license": "MIT",
2576 |       "dependencies": {
2577 |         "is-bigint": "^1.1.0",
2578 |         "is-boolean-object": "^1.2.1",
2579 |         "is-number-object": "^1.1.1",
2580 |         "is-string": "^1.1.1",
2581 |         "is-symbol": "^1.1.1"
2582 |       },
2583 |       "engines": {
2584 |         "node": ">= 0.4"
2585 |       },
2586 |       "funding": {
2587 |         "url": "https://github.com/sponsors/ljharb"
2588 |       }
2589 |     },
2590 |     "node_modules/which-collection": {
2591 |       "version": "1.0.2",
2592 |       "resolved": "https://registry.npmjs.org/which-collection/-/which-collection-1.0.2.tg
z",

```

```

2593 |         "integrity": "sha512-K4jVyjnBdgvc86Y6BkaLZEN933SwY0uBFkdmBu9ZfkcAbdVbpITnDmjvZ/aQjRX
Qrv5EPkTnD1s39GiiqbngCw==",
2594 |         "license": "MIT",
2595 |         "dependencies": {
2596 |             "is-map": "^2.0.3",
2597 |             "is-set": "^2.0.3",
2598 |             "is-weakmap": "^2.0.2",
2599 |             "is-weakset": "^2.0.3"
2600 |         },
2601 |         "engines": {
2602 |             "node": ">= 0.4"
2603 |         },
2604 |         "funding": {
2605 |             "url": "https://github.com/sponsors/ljharb"
2606 |         }
2607 |     },
2608 |     "node_modules/which-typed-array": {
2609 |         "version": "1.1.20",
2610 |         "resolved": "https://registry.npmjs.org/which-typed-array/-/which-typed-array-1.1.20
.tgz",
2611 |         "integrity": "sha512-LYfpUkMqwl0h9A2HL09Mms427Q1RZWu0HsukfVcKRq9q95iQxdw0ix1JJrqbcDR
9PH1QDwf5Qo80Zb5lksZ8Xg==",
2612 |         "license": "MIT",
2613 |         "dependencies": {
2614 |             "available-typed-arrays": "^1.0.7",
2615 |             "call-bind": "^1.0.8",
2616 |             "call-bound": "^1.0.4",
2617 |             "for-each": "^0.3.5",
2618 |             "get-proto": "^1.0.1",
2619 |             "gopd": "^1.2.0",
2620 |             "has-tostringtag": "^1.0.2"
2621 |         },
2622 |         "engines": {
2623 |             "node": ">= 0.4"
2624 |         },
2625 |         "funding": {
2626 |             "url": "https://github.com/sponsors/ljharb"
2627 |         }
2628 |     },
2629 |     "node_modules/ws": {
2630 |         "version": "8.18.3",
2631 |         "resolved": "https://registry.npmjs.org/ws/-/ws-8.18.3.tgz",
2632 |         "integrity": "sha512-PEIGCY5tSlUt50cqyMXfCzX+oOPqN0vuGqWzbcJ2xvnkzktq46o0pz7dQaTDBdfI
Cb4N14+GARUDw2XV2N4tvzg==",
2633 |         "license": "MIT",
2634 |         "engines": {
2635 |             "node": ">=10.0.0"
2636 |         },
2637 |         "peerDependencies": {
2638 |             "bufferutil": "^4.0.1",
2639 |             "utf-8-validate": ">=5.0.2"
2640 |         },
2641 |         "peerDependenciesMeta": {
2642 |             "bufferutil": {
2643 |                 "optional": true
2644 |             },
2645 |             "utf-8-validate": {
2646 |                 "optional": true
2647 |             }
2648 |         }
2649 |     },

```

```
2650 |     "node_modules/xmlbuilder": {
2651 |       "version": "13.0.2",
2652 |       "resolved": "https://registry.npmjs.org/xmlbuilder/-/xmlbuilder-13.0.2.tgz",
2653 |       "integrity": "sha512-Eux0i2QdDYKbdbA6AM6xE4m6ZTZr4G4xF9kahI2ukSEMCzwce2eX9WlTI5J3s+N
U7hpasFsr8hWI0Nae7LluAQ==",
2654 |       "license": "MIT",
2655 |       "engines": {
2656 |         "node": ">=6.0"
2657 |       }
2658 |     }
2659 |   }
2660 | }
```

File: package.json

Path: backend/package.json

```
1 | {
2 |   "name": "attender-backend",
3 |   "version": "1.0.0",
4 |   "private": true,
5 |   "type": "module",
6 |   "scripts": {
7 |     "dev": "node --watch src/server.js",
8 |     "start": "node src/server.js",
9 |     "seed": "node scripts/seed.js"
10 | },
11 |   "dependencies": {
12 |     "bcryptjs": "^2.4.3",
13 |     "cors": "^2.8.5",
14 |     "dotenv": "^16.4.5",
15 |     "express": "^4.21.1",
16 |     "express-validator": "^7.2.0",
17 |     "jsonwebtoken": "^9.0.2",
18 |     "mongoose": "^8.8.3",
19 |     "morgan": "^1.10.0",
20 |     "multer": "^2.1.1",
21 |     "pdfkit": "^0.15.0",
22 |     "socket.io": "^4.8.3",
23 |     "twilio": "^6.0.0"
24 |   }
25 | }
```

File: seed.js

Path: backend/scripts/seed.js

```
1 | import 'dotenv/config';
2 | import bcrypt from 'bcryptjs';
3 | import mongoose from 'mongoose';
4 | import { User } from '../src/models/User.js';
5 | import { ClassModel } from '../src/models/Class.js';
6 | import { Attendance } from '../src/models/Attendance.js';
7 |
8 | const uri = process.env.MONGODB_URI || 'mongodb://127.0.0.1:27017/attender';
9 |
10 | async function run() {
11 |   await mongoose.connect(uri);
12 |   await Promise.all([User.deleteMany({}), ClassModel.deleteMany({}), Attendance.deleteMany
({})]);
13 |   // Simple demo password (no special characters) so copy/paste from README is reliable
14 |   const hash = await bcrypt.hash('Password123', 12);
15 |
16 |   const [admin, teacher, s1, s2] = await User.insertMany([
17 |     {
18 |       username: 'admin',
19 |       email: 'admin@attender.local',
20 |       firstName: 'System',
21 |       lastName: 'Admin',
22 |       passwordHash: hash,
23 |       role: 'admin',
24 |     },
25 |     {
26 |       username: 'teacher1',
27 |       email: 'teacher@attender.local',
28 |       firstName: 'Robert',
29 |       lastName: 'Smith',
30 |       passwordHash: hash,
31 |       role: 'teacher',
32 |     },
33 |     {
34 |       username: 'student1',
35 |       email: 'alex@attender.local',
36 |       firstName: 'Alex',
37 |       lastName: 'Rivers',
38 |       passwordHash: hash,
39 |       role: 'student',
40 |     },
41 |     {
42 |       username: 'student2',
43 |       email: 'mia@attender.local',
44 |       firstName: 'Mia',
45 |       lastName: 'Thorne',
46 |       passwordHash: hash,
47 |       role: 'student',
48 |     },
49 |   ]);
50 |
51 |   const cls = await ClassModel.create({
52 |     name: 'Grade 10 - Mathematics',
53 |     code: 'MATH10A',
54 |     subject: 'Mathematics',
55 |     teacherId: teacher._id,
56 |     studentIds: [s1._id, s2._id],
```

```
57 | });
58 |
59 | const day = new Date();
60 | day.setUTCHours(0, 0, 0, 0);
61 | await Attendance.insertMany([
62 |   {
63 |     userId: s1._id,
64 |     classId: cls._id,
65 |     date: day,
66 |     status: 'present',
67 |     markedBy: teacher._id,
68 |   },
69 |   {
70 |     userId: s2._id,
71 |     classId: cls._id,
72 |     date: day,
73 |     status: 'late',
74 |     markedBy: teacher._id,
75 |   },
76 | ]);
77 |
78 | // eslint-disable-next-line no-console
79 | console.log('Seed complete.');
```

```
80 | // eslint-disable-next-line no-console
81 | console.log('Login samples (password for all): Password123');
```

```
82 | // eslint-disable-next-line no-console
83 | console.log(' admin / teacher1 / student1 / student2');
```

```
84 | await mongoose.disconnect();
85 | }
86 |
87 | run().catch((e) => {
88 |   // eslint-disable-next-line no-console
89 |   console.error(e);
90 |   process.exit(1);
91 | });
```

File: db.js

Path: backend/src/config/db.js

```
1 | import mongoose from 'mongoose';
2 |
3 | /**
4 |  * Connects to MongoDB once per process.
5 |  * Uses strictQuery for predictable filter behavior.
6 |  */
7 | export async function connectDb() {
8 |   mongoose.set('strictQuery', true);
9 |   const uri = process.env.MONGODB_URI;
10 |   if (!uri) {
11 |     throw new Error('MONGODB_URI is not set in environment');
12 |   }
13 |   await mongoose.connect(uri);
14 |   return mongoose.connection;
15 | }
```


File: attendanceController.js

Path: backend/src/controllers/attendanceController.js

```
1 | import { body } from 'express-validator';
2 | import mongoose from 'mongoose';
3 |
4 | import { Attendance } from '../models/Attendance.js';
5 | import { ClassModel } from '../models/Class.js';
6 | import { handleValidation } from '../middleware/validate.js';
7 |
8 | /** Normalize date to 00:00:00 UTC */
9 | function startOfDay(date) {
10 |   const d = new Date(date);
11 |   d.setUTCHours(0, 0, 0, 0);
12 |   return d;
13 | }
14 |
15 | //
16 | // ----- VALIDATORS -----
17 | //
18 |
19 | export const markValidators = [
20 |   body('classId').isMongoId(),
21 |   body('userId').isMongoId(),
22 |   body('date').optional().isISO8601(),
23 |   body('status').isIn(['present', 'absent', 'late']),
24 |   body('notes').optional().isString(),
25 |   handleValidation,
26 | ];
27 |
28 | export const bulkValidators = [
29 |   body('classId').isMongoId(),
30 |   body('date').optional().isISO8601(),
31 |   body('entries').isArray({ min: 1 }),
32 |   body('entries.*.userId').isMongoId(),
33 |   body('entries.*.status').isIn(['present', 'absent', 'late']),
34 |   handleValidation,
35 | ];
36 |
37 | export const selfMarkValidators = [
38 |   body('classId').isMongoId(),
39 |   body('sessionToken').notEmpty().trim(),
40 |   body('studentLat').isFloat({ min: -90, max: 90 }),
41 |   body('studentLng').isFloat({ min: -180, max: 180 }),
42 |   body('studentAccuracyMeters').optional().isFloat({ min: 0 }),
43 |   handleValidation,
44 | ];
45 |
46 | function haversineDistanceMeters(lat1, lon1, lat2, lon2) {
47 |   const toRad = (value) => (value * Math.PI) / 180;
48 |   const earthRadius = 6371000;
49 |   const dLat = toRad(lat2 - lat1);
50 |   const dLon = toRad(lon2 - lon1);
51 |   const a =
52 |     Math.sin(dLat / 2) * Math.sin(dLat / 2) +
53 |     Math.cos(toRad(lat1)) *
54 |     Math.cos(toRad(lat2)) *
55 |     Math.sin(dLon / 2) *
56 |     Math.sin(dLon / 2);
57 |   const c = 2 * Math.atan2(Math.sqrt(a), Math.sqrt(1 - a));
```

```

58 |   return earthRadius * c;
59 | }
60 |
61 | //
62 | // ----- PERMISSION HELPER -----
63 | //
64 |
65 | async function assertCanMarkClass(req, classId) {
66 |   const cls = await ClassModel.findById(classId);
67 |
68 |   if (!cls) {
69 |     return { error: { status: 404, message: 'Class not found' } };
70 |   }
71 |
72 |   if (req.user.role === 'admin') return { cls };
73 |
74 |   if (
75 |     req.user.role === 'teacher' &&
76 |     cls.teacherId.equals(req.user._id)
77 |   ) {
78 |     return { cls };
79 |   }
80 |
81 |   return { error: { status: 403, message: 'Forbidden: Access denied' } };
82 | }
83 |
84 | //
85 | // ----- CONTROLLERS -----
86 | //
87 |
88 | /** Update attendance */
89 | export async function updateAttendance(req, res, next) {
90 |   try {
91 |     const doc = await Attendance.findById(req.params.id).populate('classId');
92 |
93 |     if (!doc) {
94 |       return res.status(404).json({ message: 'Attendance record not found' });
95 |     }
96 |
97 |     const cls = doc.classId;
98 |
99 |     if (
100 |       req.user.role !== 'admin' &&
101 |       !cls.teacherId.equals(req.user._id)
102 |     ) {
103 |       return res
104 |         .status(403)
105 |         .json({ message: 'Forbidden: You cannot edit this record' });
106 |     }
107 |
108 |     const { status, notes } = req.body;
109 |
110 |     if (status) doc.status = status;
111 |     if (notes !== undefined) doc.notes = notes;
112 |
113 |     await doc.save();
114 |
115 |     return res.json({ attendance: doc });
116 |   } catch (error) {
117 |     next(error);
118 |   }

```

```

119 | }
120 |
121 | /** Bulk attendance (Teacher) */
122 | export async function markBulk(req, res, next) {
123 |   try {
124 |     const { classId, date, entries } = req.body;
125 |
126 |     const check = await assertCanMarkClass(req, classId);
127 |     if (check.error) {
128 |       return res.status(check.error.status).json({ message: check.error.message });
129 |     }
130 |
131 |     const { cls } = check;
132 |     const day = startOfDay(date || new Date());
133 |
134 |     const allowed = new Set(cls.studentIds.map(id => id.toString()));
135 |
136 |     const ops = entries.map(entry => {
137 |       if (!allowed.has(entry.userId)) {
138 |         throw new Error(`User ${entry.userId} is not in this class`);
139 |       }
140 |
141 |       return {
142 |         updateOne: {
143 |           filter: {
144 |             classId: new mongoose.Types.ObjectId(classId),
145 |             userId: entry.userId,
146 |             date: day,
147 |           },
148 |           update: {
149 |             $set: {
150 |               classId,
151 |               userId: entry.userId,
152 |               date: day,
153 |               status: entry.status,
154 |               markedBy: req.user._id,
155 |               notes: entry.notes || '',
156 |             },
157 |           },
158 |           upsert: true,
159 |         },
160 |       };
161 |     });
162 |
163 |     if (ops.length) {
164 |       await Attendance.bulkWrite(ops);
165 |     }
166 |
167 |     const list = await Attendance.find({ classId, date: day });
168 |
169 |     return res.json({
170 |       count: list.length,
171 |       data: list,
172 |     });
173 |   } catch (error) {
174 |     next(error);
175 |   }
176 | }
177 |
178 | /** Self attendance (QR) */
179 | export async function markSelf(req, res, next) {

```

```

180 |     try {
181 |         const GEOFENCE_METERS = 3;
182 |         const {
183 |             classId,
184 |             sessionToken,
185 |             studentLat,
186 |             studentLng,
187 |             studentAccuracyMeters,
188 |         } = req.body;
189 |         const userId = req.user._id;
190 |
191 |         const cls = await ClassModel.findById(classId);
192 |
193 |         if (!cls) {
194 |             return res.status(404).json({ message: 'Class not found' });
195 |         }
196 |
197 |         if (!cls.sessionToken) {
198 |             return res.status(400).json({
199 |                 message: 'No active session. Ask teacher to start one.',
200 |             });
201 |         }
202 |
203 |         if (cls.sessionToken !== sessionToken) {
204 |             return res.status(400).json({
205 |                 message: 'Invalid QR: Code expired or incorrect.',
206 |             });
207 |         }
208 |
209 |         if (cls.sessionExpiresAt && new Date() > cls.sessionExpiresAt) {
210 |             return res.status(400).json({ message: 'QR expired.' });
211 |         }
212 |
213 |         if (!cls.studentIds.map((id) => id.toString()).includes(userId.toString())) {
214 |             return res.status(403).json({ message: 'You are not enrolled in this class.' });
215 |         }
216 |
217 |         const teacherLat = Number(cls.sessionLocation?.lat);
218 |         const teacherLng = Number(cls.sessionLocation?.lng);
219 |         if (!Number.isFinite(teacherLat) || !Number.isFinite(teacherLng)) {
220 |             return res.status(400).json({ message: 'Session location is unavailable.' });
221 |         }
222 |
223 |         const distanceMeters = haversineDistanceMeters(
224 |             teacherLat,
225 |             teacherLng,
226 |             Number(studentLat),
227 |             Number(studentLng),
228 |         );
229 |
230 |         const teacherAccuracy = Number(cls.sessionLocation?.accuracyMeters || 0);
231 |         const studentAccuracy = Number(studentAccuracyMeters || 0);
232 |         const effectiveDistanceMeters = Math.max(
233 |             0,
234 |             distanceMeters - (teacherAccuracy + studentAccuracy),
235 |         );
236 |
237 |         // Use effective distance so GPS inaccuracy does not wrongly mark students absent.
238 |         const statusToMark = effectiveDistanceMeters <= GEOFENCE_METERS ? 'present' : 'absent'
239 |     };

```

```

240 |     const day = startOfDay(new Date());
241 |
242 |     const exists = await Attendance.findOne({
243 |         classId,
244 |         userId,
245 |         sessionToken,
246 |     });
247 |
248 |     if (exists) {
249 |         return res.status(400).json({
250 |             message: 'Already marked.',
251 |             status: exists.status,
252 |         });
253 |     }
254 |
255 |     await Attendance.create({
256 |         classId,
257 |         userId,
258 |         sessionToken,
259 |         date: day,
260 |         status: statusToMark,
261 |         markedBy: userId,
262 |         studentGeo: {
263 |             lat: Number(studentLat),
264 |             lng: Number(studentLng),
265 |             distanceMeters,
266 |             accuracyMeters: studentAccuracy,
267 |             effectiveDistanceMeters,
268 |         },
269 |     });
270 |
271 |     return res.json({
272 |         success: true,
273 |         studentName: `${req.user.firstName} ${req.user.lastName}`,
274 |         status: statusToMark,
275 |         geofenceMeters: GEOFENCE_METERS,
276 |         distanceMeters,
277 |         effectiveDistanceMeters,
278 |         teacherAccuracy,
279 |         studentAccuracy,
280 |     });
281 | } catch (error) {
282 |     next(error);
283 | }
284 | }
285 |
286 | /** Finalize session */
287 | export async function finalizeAttendance(req, res, next) {
288 |     try {
289 |         const { classId } = req.body;
290 |
291 |         const check = await assertCanMarkClass(req, classId);
292 |         if (check.error) {
293 |             return res.status(check.error.status).json({ message: check.error.message });
294 |         }
295 |
296 |         const { cls } = check;
297 |
298 |         if (!cls.sessionToken) {
299 |             return res.status(400).json({ message: 'No active session.' });
300 |         }

```

```

301 |
302 |     const token = cls.sessionToken;
303 |     const day = startOfDay(new Date());
304 |
305 |     const present = await Attendance.find({
306 |         classId,
307 |         sessionToken: token,
308 |         status: 'present',
309 |     });
310 |
311 |     const presentIds = present.map(r => r.userId.toString());
312 |
313 |     const absentIds = cls.studentIds.filter(
314 |         id => !presentIds.includes(id.toString())
315 |     );
316 |
317 |     if (absentIds.length) {
318 |         await Attendance.insertMany(
319 |             absentIds.map(id => ({
320 |                 userId: id,
321 |                 classId,
322 |                 sessionToken: token,
323 |                 date: day,
324 |                 status: 'absent',
325 |                 markedBy: req.user._id,
326 |             })))
327 |     );
328 | }
329 |
330 | cls.sessionToken = '';
331 | cls.sessionExpiresAt = null;
332 | cls.sessionLocation = { lat: null, lng: null };
333 | await cls.save();
334 |
335 | res.json({
336 |     success: true,
337 |     message: `Session ended. ${absentIds.length} marked absent.` ,
338 | });
339 | } catch (error) {
340 |     next(error);
341 | }
342 | }
343 |
344 | export async function markOne(req, res, next) {
345 |     try {
346 |         const { classId, userId, status, notes, date } = req.body;
347 |
348 |         const check = await assertCanMarkClass(req, classId);
349 |         if (check.error) {
350 |             return res.status(check.error.status).json({
351 |                 message: check.error.message,
352 |             });
353 |         }
354 |
355 |         const day = startOfDay(date || new Date());
356 |
357 |         const doc = await Attendance.findOneAndUpdate(
358 |             { classId, userId, date: day },
359 |             {
360 |                 classId,
361 |                 userId,

```

```

362 |         date: day,
363 |         status,
364 |         markedBy: req.user._id,
365 |         notes: notes || '',
366 |     },
367 |     {
368 |         new: true,
369 |         upsert: true,
370 |         runValidators: true,
371 |     }
372 | );
373 |
374 |     return res.json({ attendance: doc });
375 | } catch (error) {
376 |     next(error);
377 | }
378 | }
379 |
380 | export async function listAttendance(req, res, next) {
381 |     try {
382 |         const {
383 |             classId,
384 |             userId,
385 |             from,
386 |             to,
387 |             sessionToken,
388 |             status,
389 |             page = '1',
390 |             limit = '20',
391 |         } = req.query;
392 |
393 |         const filter = {};
394 |
395 |         if (classId) filter.classId = classId;
396 |         if (userId) filter.userId = userId;
397 |         if (sessionToken) filter.sessionToken = sessionToken;
398 |         if (status) filter.status = status;
399 |
400 |         if (from || to) {
401 |             filter.date = {};
402 |             if (from) filter.date.$gte = startOfDay(from);
403 |             if (to) filter.date.$lte = startOfDay(to);
404 |         }
405 |
406 |         const p = Math.max(1, parseInt(page, 10) || 1);
407 |         const l = Math.min(100, Math.max(1, parseInt(limit, 10) || 20));
408 |
409 |         const [data, total] = await Promise.all([
410 |             Attendance.find(filter)
411 |                 .sort({ createdAt: -1 })
412 |                 .skip((p - 1) * l)
413 |                 .limit(l)
414 |                 .populate('userId', 'firstName lastName email username')
415 |                 .populate('markedBy', 'firstName lastName username')
416 |                 .populate('classId', 'name code subject'),
417 |
418 |             Attendance.countDocuments(filter),
419 |         ]);
420 |
421 |         return res.json({
422 |             data,

```

```
423 |         page: p,  
424 |         limit: l,  
425 |         total,  
426 |         pages: Math.ceil(total / l),  
427 |     });  
428 | } catch (error) {  
429 |     next(error);  
430 | }  
431 | }
```


File: authController.js

Path: backend/src/controllers/authController.js

```
-----
1 | import bcrypt from 'bcryptjs';
2 | import { body } from 'express-validator';
3 | import { User, USER_ROLES } from '../models/User.js';
4 | import { signToken } from '../utils/jwt.js';
5 | import { handleValidation } from '../middleware/validate.js';
6 |
7 | const SALT_ROUNDS = 12;
8 |
9 | export const registerValidators = [
10 |   body('username').isLength({ min: 3 }).withMessage('Username min 3 chars'),
11 |   body('email').isEmail().withMessage('Valid email required'),
12 |   body('firstName').notEmpty().withMessage('First name required'),
13 |   body('lastName').notEmpty().withMessage('Last name required'),
14 |   body('password').isLength({ min: 6 }).withMessage('Password min 6 chars'),
15 |   body('role').optional().isIn(USER_ROLES).withMessage('Invalid role'),
16 |   handleValidation,
17 | ];
18 |
19 | export const loginValidators = [
20 |   body('username').notEmpty().withMessage('Username required'),
21 |   body('password').notEmpty().withMessage('Password required'),
22 |   body('role').optional().isIn(USER_ROLES).withMessage('Invalid role'),
23 |   handleValidation,
24 | ];
25 |
26 | export const register = async (req, res, next) => {
27 |   try {
28 |     const { username, email, firstName, lastName, password, role, rollNumber } = req.body;
29 |
30 |     // 1. Check for existing Username or Email
31 |     const existingUser = await User.findOne({ $or: [{ email }, { username }] });
32 |     if (existingUser) {
33 |       return res.status(400).json({ message: "Username or Email already exists." });
34 |     }
35 |
36 |     // 2. Check for existing Enrollment No (Only if it's a student)
37 |     if (role === 'student' && rollNumber) {
38 |       const existingEnrollment = await User.findOne({ rollNumber });
39 |       if (existingEnrollment) {
40 |         return res.status(400).json({ message: "Enrollment Number is already registered."
41 | });
42 |       }
43 |
44 |       // 3. Create User
45 |       const newUser = new User({
46 |         username,
47 |         email,
48 |         firstName,
49 |         lastName,
50 |         passwordHash: await bcrypt.hash(password, 10), // Ensure you have bcrypt imported
51 |         role,
52 |         rollNumber: role === 'student' ? rollNumber : undefined,
53 |       });
54 |
55 |       await newUser.save();
56 |     }

```

```

57 |     // Use the toJSON method you created in the model
58 |     return res.status(201).json({
59 |       message: "User created successfully",
60 |       user: newUser.toJSON()
61 |     });
62 |
63 |   } catch (error) {
64 |     // If MongoDB throws a code 11000 (Duplicate Key Error), handle it here
65 |     if (error.code === 11000) {
66 |       return res.status(400).json({ message: "Duplicate data error: Enrollment or Username
already exists." });
67 |     }
68 |     next(error);
69 |   }
70 | };
71 | /**
72 |  * Login compares bcrypt hash; username lookup is case-insensitive.
73 |  */
74 | export async function login(req, res, next) {
75 |   try {
76 |     const username = String(req.body.username || '').toLowerCase().trim();
77 |     const password = String(req.body.password || '');
78 |     const user = await User.findOne({ username }).select('+passwordHash');
79 |     if (!user) {
80 |       return res.status(401).json({ message: 'Invalid username or password' });
81 |     }
82 |     const match = await bcrypt.compare(password, user.passwordHash);
83 |     if (!match) {
84 |       return res.status(401).json({ message: 'Invalid username or password' });
85 |     }
86 |     if (req.body.role && req.body.role !== user.role) {
87 |       return res.status(403).json({ message: 'Selected role does not match this account' }
);
88 |     }
89 |     const token = signToken({ sub: user._id.toString(), role: user.role });
90 |     const safe = await User.findById(user._id);
91 |     return res.json({ token, user: safe.toJSON() });
92 |   } catch (e) {
93 |     return next(e);
94 |   }
95 | }
96 |
97 | export async function me(req, res) {
98 |   const user = await User.findById(req.user._id);
99 |   return res.json({ user: user.toJSON() });
100 | }

```

File: classController.js

Path: backend/src/controllers/classController.js

```
-----
1 | import crypto from 'crypto';
2 | import { body, param } from 'express-validator';
3 | import { ClassModel } from '../models/Class.js';
4 | import { User } from '../models/User.js';
5 |
6 | import { handleValidation } from '../middleware/validate.js';
7 |
8 | function randomCode(len = 6) {
9 |   const chars = 'ABCDEFGHJKLMNPQRSTUVWXYZ23456789';
10 |   let out = '';
11 |   for (let i = 0; i < len; i += 1) out += chars[crypto.randomInt(chars.length)];
12 |   return out;
13 | }
14 |
15 | export const createClassValidators = [
16 |   body('name').notEmpty().withMessage('Class name is required').trim(),
17 |   body('standard').notEmpty().withMessage('Standard is required').trim(),
18 |   body('subject').notEmpty().withMessage('Subject is required').trim(),
19 |   handleValidation,
20 | ];
21 |
22 | export const joinValidators = [
23 |   body('code').notEmpty().trim().isLength({ min: 6, max: 6 }).withMessage('Code must be 6
characters'),
24 |   handleValidation,
25 | ];
26 |
27 | export const idParam = [param('id').isMongoId(), handleValidation];
28 | export const startSessionValidators = [
29 |   param('id').isMongoId(),
30 |   body('lat').isFloat({ min: -90, max: 90 }),
31 |   body('lng').isFloat({ min: -180, max: 180 }),
32 |   body('accuracyMeters').optional().isFloat({ min: 0 }),
33 |   handleValidation,
34 | ];
35 |
36 | export async function createClass(req, res, next) {
37 |   try {
38 |     const { name, subject, standard } = req.body;
39 |     let finalCode = randomCode(6);
40 |
41 |     let exists = await ClassModel.exists({ code: finalCode });
42 |     while (exists) {
43 |       finalCode = randomCode(6);
44 |       exists = await ClassModel.exists({ code: finalCode });
45 |     }
46 |
47 |     const cls = await ClassModel.create({
48 |       name: name.trim(),
49 |       standard: standard.trim(),
50 |       code: finalCode,
51 |       subject: subject.trim(),
52 |       teacherId: req.user._id,
53 |       studentIds: [],
54 |     });
55 |     return res.status(201).json({ class: cls });
56 |   } catch (e) {
```

```

57 |     return next(e);
58 |   }
59 | }
60 |
61 | export async function listMyClasses(req, res, next) {
62 |   try {
63 |     const userId = req.user._id;
64 |     const role = req.user.role;
65 |     let query = {};
66 |     if (role === 'teacher') {
67 |       query = { teacherId: userId, isArchived: false };
68 |     } else if (role === 'student') {
69 |       query = { studentIds: userId, isArchived: false };
70 |     } else if (role === 'admin') {
71 |       query = {};
72 |     }
73 |     const classes = await ClassModel.find(query)
74 |       .populate('teacherId', 'firstName lastName email username')
75 |       .populate('studentIds', 'firstName lastName rollNumber email username')
76 |       .sort({ updatedAt: -1 });
77 |     return res.json({ data: classes });
78 |   } catch (e) {
79 |     return next(e);
80 |   }
81 | }
82 |
83 | export async function getClass(req, res, next) {
84 |   try {
85 |     const cls = await ClassModel.findById(req.params.id)
86 |       .populate('teacherId', 'firstName lastName email username')
87 |       .populate('studentIds', 'firstName lastName email username');
88 |     if (!cls) return res.status(404).json({ message: 'Class not found' });
89 |     return res.json({ class: cls });
90 |   } catch (e) {
91 |     return next(e);
92 |   }
93 | }
94 |
95 | export async function joinClass(req, res, next) {
96 |   try {
97 |     if (req.user.role !== 'student') {
98 |       return res.status(403).json({ message: 'Only students can join via code' });
99 |     }
100 |     const code = String(req.body.code).toUpperCase().trim();
101 |     const cls = await ClassModel.findOne({ code, isArchived: false });
102 |     if (!cls) return res.status(404).json({ message: 'Invalid class code' });
103 |
104 |     if (!cls.studentIds.map((id) => id.toString()).includes(req.user._id.toString())) {
105 |       cls.studentIds.push(req.user._id);
106 |       await cls.save();
107 |     }
108 |     return res.json({ class: cls });
109 |   } catch (e) {
110 |     return next(e);
111 |   }
112 | }
113 |
114 |
115 | export const startSession = async (req, res) => {
116 |   try {
117 |     const { id } = req.params;

```

```

118 |     const { lat, lng, accuracyMeters } = req.body;
119 |
120 |     // Generate a fresh 6-character random token
121 |     const newToken = crypto.randomBytes(3).toString('hex').toUpperCase();
122 |     const expiry = new Date(Date.now() + 1 * 60 * 1000);
123 |
124 |     const cls = await ClassModel.findByIdAndUpdate(
125 |         id,
126 |         {
127 |             sessionToken: newToken,
128 |             sessionExpiresAt: expiry,
129 |             sessionLocation: {
130 |                 lat: Number(lat),
131 |                 lng: Number(lng),
132 |                 accuracyMeters:
133 |                     accuracyMeters !== undefined && accuracyMeters !== null
134 |                     ? Number(accuracyMeters)
135 |                     : null,
136 |             },
137 |         },
138 |         { new: true } // Return the updated document
139 |     );
140 |
141 |     res.json({
142 |         sessionToken: cls.sessionToken,
143 |         sessionExpiresAt: cls.sessionExpiresAt,
144 |         sessionLocation: cls.sessionLocation,
145 |     });
146 | } catch (error) {
147 |     res.status(500).json({ message: error.message });
148 | }
149 | };
150 |
151 | export async function archiveClass(req, res, next) {
152 |     try {
153 |         const cls = await ClassModel.findById(req.params.id);
154 |         if (!cls) return res.status(404).json({ message: 'Class not found' });
155 |         cls.isArchived = true;
156 |         await cls.save();
157 |         return res.json({ class: cls });
158 |     } catch (e) {
159 |         return next(e);
160 |     }
161 | }
162 |
163 |
164 |
165 | // Corrected deleteClass function using ClassModel
166 | export async function deleteClass(req, res, next) {
167 |     try {
168 |         const { id } = req.params;
169 |
170 |         // Change 'Class' to 'ClassModel' to match your other functions
171 |         const targetClass = await ClassModel.findById(id);
172 |
173 |         if (!targetClass) {
174 |             return res.status(404).json({ message: "Class not found" });
175 |         }
176 |
177 |         // Check if the logged-in user is the owner or an admin
178 |         const isOwner = targetClass.teacherId.toString() === req.user._id.toString();

```

```

179 |     const isAdmin = req.user.role === 'admin';
180 |
181 |     if (!isAdmin) {
182 |         return res.status(403).json({ message: "Forbidden: You can only delete your own classes" });
183 |     }
184 |
185 |     await ClassModel.findByIdAndDelete(id);
186 |     res.json({ message: "Class deleted successfully" });
187 | } catch (e) {
188 |     next(e);
189 | }
190 | }
191 |
192 | // backend/src/controllers/classController.js
193 |
194 | export const getClasses = async (req, res, next) => {
195 |     try {
196 |         const { search } = req.query;
197 |
198 |         // If there is no search text, return an empty array immediately
199 |         if (!search || search.trim() === "") {
200 |             return res.json({ data: [] });
201 |         }
202 |
203 |         // This regex matches only if the class name STARTS with the search string
204 |         // Example: "m" matches "Math" but NOT "Grammar"
205 |         const startWithRegex = new RegExp(`^${search}`, 'i');
206 |
207 |         const query = {
208 |             $or: [
209 |                 { name: startWithRegex },
210 |                 { subject: startWithRegex },
211 |                 { code: startWithRegex }
212 |             ]
213 |         };
214 |
215 |         const classes = await ClassModel.find(query).limit(5);
216 |
217 |         res.json({ data: classes });
218 |     } catch (e) {
219 |         next(e);
220 |     }
221 | };

```

File: messageController.js

Path: backend/src/controllers/messageController.js

```
1 | import { Message } from '../models/Message.js';
2 |
3 | export async function getClassMessages(req, res, next) {
4 |   try {
5 |     const { classId } = req.params;
6 |     // Find messages and ensure we populate the sender
7 |     const messages = await Message.find({ classId })
8 |       .populate('senderId', 'firstName lastName role')
9 |       .sort({ createdAt: 1 });
10 |
11 |     // Always return an array, even if empty
12 |     res.json(messages || []);
13 |   } catch (e) {
14 |     res.status(500).json([]);
15 |   }
16 | }
17 |
18 | export async function getDirectMessages(req, res, next) {
19 |   try {
20 |     const { userId } = req.params;
21 |     const now = new Date();
22 |
23 |     await Message.updateMany(
24 |       {
25 |         senderId: userId,
26 |         receiverId: req.user._id,
27 |         deliveredAt: null,
28 |       },
29 |       {
30 |         $set: { deliveredAt: now },
31 |       }
32 |     );
33 |
34 |     await Message.updateMany(
35 |       {
36 |         senderId: userId,
37 |         receiverId: req.user._id,
38 |         seenAt: null,
39 |       },
40 |       {
41 |         $set: { deliveredAt: now, seenAt: now },
42 |       }
43 |     );
44 |
45 |     const messages = await Message.find({
46 |       $or: [
47 |         { senderId: req.user._id, receiverId: userId },
48 |         { senderId: userId, receiverId: req.user._id }
49 |       ]
50 |     })
51 |       .populate('senderId', 'firstName lastName role')
52 |       .sort({ createdAt: 1 });
53 |
54 |     res.json(messages || []);
55 |   } catch (e) {
56 |     res.status(500).json([]);
57 |   }
}
```

```

58 | }
59 |
60 | export async function sendMessage(req, res, next) {
61 |   try {
62 |     const { classId, receiverId, text } = req.body;
63 |
64 |     const newMessage = await Message.create({
65 |       senderId: req.user._id,
66 |       classId: classId || undefined,
67 |       receiverId: receiverId || undefined,
68 |       text: text || '',
69 |       fileUrl: req.file ? req.file.path.replace(/\\/g, '/') : undefined,
70 |       fileName: req.file ? req.file.originalname : undefined,
71 |       fileType: req.file ? (req.file.mimetype.startsWith('image/') ? 'image' : 'document')
: 'none',
72 |       deliveredAt: classId ? new Date() : null,
73 |     });
74 |
75 |     const populated = await Message.findById(newMessage._id)
76 |       .populate('senderId', 'firstName lastName role');
77 |
78 |     res.status(201).json(populated);
79 |   } catch (e) {
80 |     next(e);
81 |   }
82 | }
83 |
84 | // Add these to the bottom of messageController.js
85 |
86 | export async function editMessage(req, res, next) {
87 |   try {
88 |     const { id } = req.params;
89 |     const { text } = req.body;
90 |
91 |     const message = await Message.findById(id);
92 |     if (!message) return res.status(404).json({ message: 'Message not found' });
93 |
94 |     // Security check: Only sender can edit
95 |     if (message.senderId.toString() !== req.user._id.toString()) {
96 |       return res.status(403).json({ message: 'Unauthorized' });
97 |     }
98 |
99 |     message.text = text;
100 |     message.isEdited = true; // Optional: add this field to your Message schema
101 |     await message.save();
102 |
103 |     res.json(message);
104 |   } catch (e) { next(e); }
105 | }
106 |
107 | export async function deleteMessage(req, res, next) {
108 |   try {
109 |     const { id } = req.params;
110 |     const message = await Message.findById(id);
111 |
112 |     if (!message) return res.status(404).json({ message: 'Message not found' });
113 |
114 |     if (message.senderId.toString() !== req.user._id.toString()) {
115 |       return res.status(403).json({ message: 'Unauthorized' });
116 |     }
117 |

```



```
118 |         await Message.findByIdAndDelete(id);
119 |         res.json({ message: 'Deleted successfully' });
120 |     } catch (e) { next(e); }
121 | }
```

File: reportController.js

Path: backend/src/controllers/reportController.js

```
-----
1 | import PDFDocument from 'pdfkit';
2 | import { Attendance } from '../models/Attendance.js';
3 | import { ClassModel } from '../models/Class.js';
4 | import { User } from '../models/User.js';
5 |
6 | // --- HELPER FUNCTIONS ---
7 | function startOfDay(d) {
8 |   const x = new Date(d);
9 |   x.setUTCHours(0, 0, 0, 0);
10 |   return x;
11 | }
12 |
13 | function endOfDay(d) {
14 |   const x = new Date(d);
15 |   x.setUTCHours(23, 59, 59, 999);
16 |   return x;
17 | }
18 |
19 | // --- MAIN CONTROLLERS ---
20 |
21 | export async function summary(req, res, next) {
22 |   try {
23 |     const role = req.user.role;
24 |     if (role === 'admin') {
25 |       const [userCount, classCount, attendanceAgg] = await Promise.all([
26 |         User.countDocuments(),
27 |         ClassModel.countDocuments({ isArchived: false }),
28 |         Attendance.aggregate([
29 |           { $group: { _id: '$status', count: { $sum: 1 } } },
30 |         ]),
31 |       ]);
32 |       const byStatus = Object.fromEntries(attendanceAgg.map((a) => [a._id, a.count]));
33 |       return res.json({ users: userCount, classes: classCount, attendanceByStatus: byStatus });
34 |     }
35 |
36 |     if (role === 'teacher') {
37 |       const classes = await ClassModel.find({ teacherId: req.user._id, isArchived: false })
38 |         .select('_id');
39 |       const ids = classes.map((c) => c._id);
40 |       const [present, absent, late, students] = await Promise.all([
41 |         Attendance.countDocuments({ classId: { $in: ids }, status: 'present' }),
42 |         Attendance.countDocuments({ classId: { $in: ids }, status: 'absent' }),
43 |         Attendance.countDocuments({ classId: { $in: ids }, status: 'late' }),
44 |         User.countDocuments({ role: 'student' }),
45 |       ]);
46 |       return res.json({ myClasses: ids.length, attendance: { present, absent, late }, totalStudentsInDb: students });
47 |     }
48 |
49 |     // Student View
50 |     const uid = req.user._id;
51 |     const [present, absent, late, total] = await Promise.all([
52 |       Attendance.countDocuments({ userId: uid, status: 'present' }),
53 |       Attendance.countDocuments({ userId: uid, status: 'absent' }),
54 |       Attendance.countDocuments({ userId: uid, status: 'late' }),
55 |       Attendance.countDocuments({ userId: uid })
```

```

55 |     });
56 |     const rate = total ? Math.round((100 * (present + late * 0.5)) / total) : 0;
57 |     return res.json({ present, absent, late, totalRecords: total, approximateRate: rate });
;
58 |   } catch (e) { return next(e); }
59 | }
60 |
61 | export async function reportRange(req, res, next) {
62 |   try {
63 |     const { classId, from, to, format = 'json' } = req.query;
64 |     if (!from || !to) return res.status(400).json({ message: 'from and to are required' });
;
65 |
66 |     const f = startOfDay(from);
67 |     const t = endOfDay(to);
68 |     const filter = { date: { $gte: f, $lte: t } };
69 |
70 |     if (classId) {
71 |       filter.classId = classId;
72 |     } else if (req.user.role === 'student') {
73 |       filter.userId = req.user._id;
74 |     }
75 |
76 |     const rows = await Attendance.find(filter)
77 |       .sort({ date: 1 })
78 |       .populate('userId', 'firstName lastName rollNumber username email')
79 |       .populate('classId', 'name code subject');
80 |
81 |     if (format === 'csv') {
82 |       const header = 'date,class,user,status\n';
83 |       const body = rows.map((r) => `"${r.date.toISOString().slice(0, 10)}","${r.classId?.name}", "${r.userId?.firstName}", "${r.status}"`).join('\n');
84 |       res.setHeader('Content-Type', 'text/csv');
85 |       return res.send(header + body);
86 |     }
87 |     return res.json({ count: rows.length, data: rows });
88 |   } catch (e) { return next(e); }
89 | }
90 |
91 | // --- NEW TRENDS & REAL-TIME STATS ---
92 |
93 | export async function getStudentTrends(req, res, next) {
94 |   try {
95 |     const userId = req.user._id;
96 |     const { days = 30 } = req.query;
97 |     const fromDate = new Date();
98 |     fromDate.setDate(fromDate.getDate() - parseInt(days));
99 |
100 |    const records = await Attendance.find({
101 |      userId,
102 |      date: { $gte: startOfDay(fromDate) }
103 |    }).sort({ date: 1 });
104 |
105 |    const map = {};
106 |    records.forEach(r => {
107 |      const dateKey = r.date.toISOString().slice(0, 10);
108 |      if (!map[dateKey]) map[dateKey] = { date: dateKey, present: 0, absent: 0 };
109 |      if (r.status === 'present') map[dateKey].present++;
110 |      else map[dateKey].absent++;
111 |    });
112 |

```

```

113 |     const chartData = Object.values(map).map(item => ({
114 |         ...item,
115 |         label: new Date(item.date).toLocaleDateString(undefined, { month: 'short', day: 'num
eric' })
116 |     }));
117 |     res.json({ data: chartData });
118 | } catch (e) { next(e); }
119 | }
120 |
121 | export async function getStudentSubjectWise(req, res, next) {
122 |     try {
123 |         const userId = req.user._id;
124 |         const records = await Attendance.find({ userId }).populate('classId', 'name subject');
125 |         const subjectMap = {};
126 |
127 |         records.forEach(r => {
128 |             if(!r.classId) return;
129 |             const subName = r.classId.subject;
130 |             if (!subjectMap[subName]) {
131 |                 subjectMap[subName] = { subject: subName, className: r.classId.name, present: 0, t
otal: 0 };
132 |             }
133 |             subjectMap[subName].total++;
134 |             if (r.status === 'present') subjectMap[subName].present++;
135 |         });
136 |
137 |         const data = Object.values(subjectMap).map(s => ({
138 |             ...s,
139 |             percentage: Math.round((s.present / s.total) * 100)
140 |         }));
141 |         res.json({ data });
142 |     } catch (e) { next(e); }
143 | }
144 |
145 | export async function getTodayStats(req, res, next) {
146 |     try {
147 |         const { classId } = req.query;
148 |         if (!classId) return res.status(400).json({ message: 'classId is required' });
149 |
150 |         const start = startOfDay(new Date());
151 |         const end = endOfDay(new Date());
152 |
153 |         const attendance = await Attendance.find({
154 |             classId,
155 |             date: { $gte: start, $lte: end }
156 |         });
157 |
158 |         const presentCount = attendance.filter(a => a.status === 'present').length;
159 |         const absentCount = attendance.filter(a => a.status === 'absent').length;
160 |
161 |         res.json({
162 |             data: [
163 |                 { name: 'Present', value: presentCount },
164 |                 { name: 'Absent', value: absentCount }
165 |             ]
166 |         });
167 |     } catch (e) { next(e); }
168 | }

```

File: userController.js

Path: backend/src/controllers/userController.js

```
-----
1 | import bcrypt from 'bcryptjs';
2 | import { body } from 'express-validator';
3 | import { User } from '../models/User.js';
4 | import { handleValidation } from '../middleware/validate.js';
5 |
6 | const SALT_ROUNDS = 12;
7 |
8 | // --- VALIDATORS ---
9 |
10 | export const updateProfileValidators = [
11 |   body('firstName').optional().notEmpty(),
12 |   body('lastName').optional().notEmpty(),
13 |   body('email').optional().isEmail(),
14 |   handleValidation,
15 | ];
16 |
17 | export const updatePasswordValidators = [
18 |   body('currentPassword').notEmpty(),
19 |   body('newPassword').isLength({ min: 6 }),
20 |   handleValidation,
21 | ];
22 |
23 | export const prefsValidators = [
24 |   body('smsAlertsParents').optional().isBoolean(),
25 |   body('pushNotificationsStudents').optional().isBoolean(),
26 |   body('theme').optional().isIn(['light', 'dark']),
27 |   handleValidation,
28 | ];
29 |
30 | // --- CONTROLLER FUNCTIONS ---
31 |
32 | /**
33 |  * Global Search for Users (Students/Teachers)
34 |  * Used by TopBar for instant suggestions as you type.
35 |  */
36 | export async function getUsers(req, res, next) {
37 |   try {
38 |     // We use "search" to match the TopBar request
39 |     const { search, role } = req.query;
40 |     const filter = {};
41 |
42 |     if (role) filter.role = role;
43 |
44 |     if (search) {
45 |       filter.$or = [
46 |         { firstName: { $regex: search, $options: 'i' } },
47 |         { lastName: { $regex: search, $options: 'i' } },
48 |         { username: { $regex: search, $options: 'i' } }
49 |       ];
50 |     }
51 |
52 |     const users = await User.find(filter).limit(10).select('firstName lastName username role');
53 |     res.json({ data: users }); // Ensure data is wrapped in a "data" object
54 |   } catch (e) {
55 |     next(e);
56 |   }
}
```

```

57 | }
58 |
59 | /**
60 |  * Paginated list of users (Admin/Dashboard view)
61 |  */
62 | export async function listUsers(req, res, next) {
63 |   try {
64 |     const page = Math.max(1, parseInt(req.query.page, 10) || 1);
65 |     const limit = Math.min(50, Math.max(1, parseInt(req.query.limit, 10) || 20));
66 |     const search = (req.query.search || '').toString().trim();
67 |     const filter = {};
68 |
69 |     if (search) {
70 |       filter.$or = [
71 |         { username: new RegExp(search, 'i') },
72 |         { email: new RegExp(search, 'i') },
73 |         { firstName: new RegExp(search, 'i') },
74 |         { lastName: new RegExp(search, 'i') },
75 |       ];
76 |     }
77 |
78 |     if (req.query.role) filter.role = req.query.role;
79 |
80 |     const [items, total] = await Promise.all([
81 |       User.find(filter)
82 |         .sort({ createdAt: -1 })
83 |         .skip((page - 1) * limit)
84 |         .limit(limit),
85 |       User.countDocuments(filter),
86 |     ]);
87 |
88 |     return res.json({
89 |       data: items.map((u) => u.toSafeJSON()),
90 |       page,
91 |       limit,
92 |       total,
93 |       pages: Math.ceil(total / limit),
94 |     });
95 |   } catch (e) {
96 |     return next(e);
97 |   }
98 | }
99 |
100 | export async function updateProfile(req, res, next) {
101 |   try {
102 |     const { firstName, lastName, email } = req.body;
103 |     const updates = {};
104 |     if (firstName !== undefined) updates.firstName = firstName.trim();
105 |     if (lastName !== undefined) updates.lastName = lastName.trim();
106 |     if (email !== undefined) updates.email = String(email).toLowerCase().trim();
107 |
108 |     const user = await User.findByIdAndUpdate(req.user._id, updates, {
109 |       new: true,
110 |       runValidators: true
111 |     });
112 |
113 |     return res.json({ user: user.toSafeJSON() });
114 |   } catch (e) {
115 |     return next(e);
116 |   }
117 | }

```

```

118 |
119 | export async function updatePassword(req, res, next) {
120 |   try {
121 |     const user = await User.findById(req.user._id).select('+passwordHash');
122 |     const ok = await bcrypt.compare(req.body.currentPassword, user.passwordHash);
123 |
124 |     if (!ok) {
125 |       return res.status(400).json({ message: 'Current password is incorrect' });
126 |     }
127 |
128 |     user.passwordHash = await bcrypt.hash(req.body.newPassword, SALT_ROUNDS);
129 |     await user.save();
130 |
131 |     return res.json({ message: 'Password updated' });
132 |   } catch (e) {
133 |     return next(e);
134 |   }
135 | }
136 |
137 | export async function updatePreferences(req, res, next) {
138 |   try {
139 |     const { smsAlertsParents, pushNotificationsStudents, theme } = req.body;
140 |     const updates = {};
141 |
142 |     if (smsAlertsParents !== undefined) updates.smsAlertsParents = smsAlertsParents;
143 |     if (pushNotificationsStudents !== undefined) updates.pushNotificationsStudents = pushN
otificationsStudents;
144 |     if (theme !== undefined) updates.theme = theme;
145 |
146 |     const user = await User.findByIdAndUpdate(req.user._id, updates, { new: true });
147 |
148 |     return res.json({ user: user.toJSON() });
149 |   } catch (e) {
150 |     return next(e);
151 |   }
152 | }

```

File: auth.js

Path: backend/src/middleware/auth.js

```
1 | import { verifyToken } from '../utils/jwt.js';
2 | import { User } from '../models/User.js';
3 |
4 | /**
5 |  * Attaches req.user from JWT. Use after this for protected routes.
6 |  */
7 | export async function authenticate(req, res, next) {
8 |   try {
9 |     const header = req.headers.authorization || '';
10 |    const token = header.startsWith('Bearer ') ? header.slice(7) : null;
11 |    if (!token) {
12 |      return res.status(401).json({ message: 'Authentication required' });
13 |    }
14 |    const decoded = verifyToken(token);
15 |    const user = await User.findById(decoded.sub);
16 |    if (!user) {
17 |      return res.status(401).json({ message: 'User not found' });
18 |    }
19 |    req.user = user.toObject();
20 |    req.auth = { sub: decoded.sub, role: user.role };
21 |    return next();
22 |   } catch (err) {
23 |     return res.status(401).json({ message: 'Invalid or expired token' });
24 |   }
25 | }
26 |
27 | export function authorize(...allowedRoles) {
28 |   return (req, res, next) => {
29 |     if (!req.user) {
30 |       return res.status(401).json({ message: 'Authentication required' });
31 |     }
32 |     if (!allowedRoles.includes(req.user.role)) {
33 |       return res.status(403).json({ message: 'Forbidden for this role' });
34 |     }
35 |     return next();
36 |   };
37 | }
```


File: errorHandler.js

Path: backend/src/middleware/errorHandler.js

```
1 | import mongoose from 'mongoose';
2 |
3 | export function notFoundHandler(req, res) {
4 |   res.status(404).json({ message: `Route not found: ${req.method} ${req.originalUrl}` });
5 | }
6 |
7 | export function errorHandler(err, req, res, next) {
8 |   // eslint-disable-next-line no-console
9 |   console.error(err);
10 |   if (err instanceof mongoose.Error.ValidationError) {
11 |     return res.status(400).json({ message: 'Validation error', details: err.errors });
12 |   }
13 |   if (err.code === 11000) {
14 |     const field = Object.keys(err.keyPattern || {})[0] || 'field';
15 |     return res.status(409).json({ message: `Duplicate value for ${field}` });
16 |   }
17 |   const status = err.status || 500;
18 |   const message = err.message || 'Internal server error';
19 |   return res.status(status).json({ message });
20 | }
```

File: upload.js

Path: backend/src/middleware/upload.js

```
1 | import multer from 'multer';
2 | import path from 'path';
3 | import fs from 'fs';
4 |
5 | // Ensure uploads folder exists
6 | const uploadDir = 'uploads/';
7 | if (!fs.existsSync(uploadDir)) {
8 |   fs.mkdirSync(uploadDir);
9 | }
10 |
11 | const storage = multer.diskStorage({
12 |   destination: (req, file, cb) => {
13 |     cb(null, uploadDir);
14 |   },
15 |   filename: (req, file, cb) => {
16 |     // Save with unique name: date-originalname
17 |     const uniqueName = `${Date.now()}-${file.originalname.replace(/\s+/g, '_')}`;
18 |     cb(null, uniqueName);
19 |   }
20 | });
21 |
22 | export const upload = multer({
23 |   storage,
24 |   limits: { fileSize: 5 * 1024 * 1024 } // 5MB limit
25 | });
```

File: validate.js

Path: backend/src/middleware/validate.js

```
1 | import { validationResult } from 'express-validator';
2 |
3 | export function handleValidation(req, res, next) {
4 |   const errors = validationResult(req);
5 |   if (!errors.isEmpty()) {
6 |     return res.status(400).json({ message: 'Validation failed', errors: errors.array() });
7 |   }
8 |   return next();
9 | }
```

File: Attendance.js

Path: backend/src/models/Attendance.js

```
1 | import mongoose from 'mongoose';
2 |
3 | const STATUS = ['present', 'absent', 'late'];
4 |
5 | const attendanceSchema = new mongoose.Schema(
6 |   {
7 |     userId: { type: mongoose.Schema.Types.ObjectId, ref: 'User', required: true },
8 |     classId: { type: mongoose.Schema.Types.ObjectId, ref: 'Class', required: true },
9 |     // Normalized to start of day (00:00:00)
10 |    date: { type: Date, required: true },
11 |    status: { type: String, enum: STATUS, required: true },
12 |    markedBy: { type: mongoose.Schema.Types.ObjectId, ref: 'User', required: true },
13 |    notes: { type: String, default: '', trim: true },
14 |    // Links this record to a specific QR generation session
15 |    sessionToken: { type: String, required: true },
16 |    studentGeo: {
17 |      lat: { type: Number, min: -90, max: 90, default: null },
18 |      lng: { type: Number, min: -180, max: 180, default: null },
19 |      distanceMeters: { type: Number, min: 0, default: null },
20 |      accuracyMeters: { type: Number, min: 0, default: null },
21 |      effectiveDistanceMeters: { type: Number, min: 0, default: null },
22 |    },
23 |    photoCapturedAt: { type: Date, default: null },
24 |  },
25 |  { timestamps: true }
26 | );
27 |
28 | /** * CRITICAL CHANGE:
29 |  * We include sessionToken in the unique index.
30 |  * This allows a student to have multiple attendance records on the same day,
31 |  * as long as the sessionToken (the specific lecture) is different.
32 |  */
33 | attendanceSchema.index({ classId: 1, userId: 1, sessionToken: 1 }, { unique: true });
34 |
35 | export const Attendance = mongoose.model('Attendance', attendanceSchema);
36 | export const ATTENDANCE_STATUS = STATUS;
```

File: Class.js

Path: backend/src/models/Class.js

```
-----
1 | import mongoose from "mongoose";
2 |
3 | const classSchema = new mongoose.Schema(
4 |   {
5 |     name: { type: String, required: true, trim: true },
6 |
7 |     standard: { type: String, required: true, trim: true },
8 |
9 |     code: {
10 |       type: String,
11 |       required: true,
12 |       unique: true,
13 |       uppercase: true,
14 |       trim: true,
15 |     },
16 |
17 |     subject: { type: String, required: true, trim: true },
18 |
19 |     teacherId: {
20 |       type: mongoose.Schema.Types.ObjectId,
21 |       ref: "User",
22 |       required: true,
23 |     },
24 |
25 |     studentIds: [{ type: mongoose.Schema.Types.ObjectId, ref: "User" }], // Used for auto-
absent logic
26 |
27 |     isArchived: { type: Boolean, default: false },
28 |
29 |     sessionToken: { type: String, default: "" },
30 |
31 |     sessionExpiresAt: { type: Date, default: null },
32 |
33 |     sessionLocation: {
34 |       lat: { type: Number, min: -90, max: 90, default: null },
35 |       lng: { type: Number, min: -180, max: 180, default: null },
36 |       accuracyMeters: { type: Number, min: 0, default: null },
37 |     },
38 |   },
39 |
40 |   { timestamps: true },
41 | );
42 |
43 | classSchema.index({ teacherId: 1, name: 1 });
44 |
45 | export const ClassModel = mongoose.model("Class", classSchema);
```

File: Message.js

Path: backend/src/models/Message.js

```
1 | import mongoose from 'mongoose';
2 |
3 | const messageSchema = new mongoose.Schema(
4 |   {
5 |     senderId: { type: mongoose.Schema.Types.ObjectId, ref: 'User', required: true },
6 |     // If classId is present, it's a group chat. If receiverId is present, it's a DM.
7 |     classId: { type: mongoose.Schema.Types.ObjectId, ref: 'Class' },
8 |     receiverId: { type: mongoose.Schema.Types.ObjectId, ref: 'User' },
9 |     text: { type: String, trim: true },
10 |     fileUrl: { type: String }, // For photos/documents
11 |     fileName: { type: String },
12 |     fileType: { type: String, enum: ['image', 'document', 'none'], default: 'none' },
13 |     isEdited: { type: Boolean, default: false },
14 |     deliveredAt: { type: Date, default: null },
15 |     seenAt: { type: Date, default: null },
16 |   },
17 |   { timestamps: true }
18 | );
19 |
20 | // Indexing for fast retrieval
21 | messageSchema.index({ classId: 1, createdAt: 1 });
22 | messageSchema.index({ senderId: 1, receiverId: 1, createdAt: 1 });
23 |
24 | export const Message = mongoose.model('Message', messageSchema);
```

File: User.js

Path: backend/src/models/User.js

```
-----
1 | import mongoose from 'mongoose';
2 |
3 | const ROLES = ['admin', 'teacher', 'student'];
4 |
5 | const userSchema = new mongoose.Schema(
6 |   {
7 |     username: { type: String, required: true, unique: true, trim: true, lowercase: true },
8 |     email: { type: String, required: true, unique: true, trim: true, lowercase: true },
9 |     firstName: { type: String, required: true, trim: true },
10 |    lastName: { type: String, required: true, trim: true },
11 |    passwordHash: { type: String, required: true, select: false },
12 |    role: { type: String, enum: ROLES, required: true, default: 'student' },
13 |    rollNumber: {
14 |      type: String,
15 |      required: function() { return this.role === "student"; }, // Only required if user is
a student
16 |      unique: true,
17 |      sparse: true // Allows multiple 'teachers' to have null/no roll number without conflic
t
18 |    },
19 |    // Optional profile / preferences (used by Settings UI)
20 |    smsAlertsParents: { type: Boolean, default: false },
21 |    pushNotificationsStudents: { type: Boolean, default: true },
22 |    theme: { type: String, enum: ['light', 'dark'], default: 'light' },
23 |  },
24 |  { timestamps: true }
25 | );
26 |
27 | userSchema.virtual('fullName').get(function fullName() {
28 |   return `${this.firstName} ${this.lastName}`.trim();
29 | });
30 |
31 | userSchema.methods.toSafeJSON = function toSafeJSON() {
32 |   return {
33 |     id: this._id.toString(),
34 |     username: this.username,
35 |     email: this.email,
36 |     firstName: this.firstName,
37 |     lastName: this.lastName,
38 |     fullName: this.fullName,
39 |     role: this.role,
40 |     smsAlertsParents: this.smsAlertsParents,
41 |     pushNotificationsStudents: this.pushNotificationsStudents,
42 |     theme: this.theme,
43 |     createdAt: this.createdAt,
44 |     updatedAt: this.updatedAt,
45 |   };
46 | };
47 |
48 | export const User = mongoose.model('User', userSchema);
49 | export const USER_ROLES = ROLES;
```

File: attendanceRoutes.js

Path: backend/src/routes/attendanceRoutes.js

```
1 | import { Router } from 'express';
2 | import { body, param } from 'express-validator';
3 | import { authenticate, authorize } from '../middleware/auth.js';
4 | import { handleValidation } from '../middleware/validate.js';
5 | import {
6 |   bulkValidators,
7 |   finalizeAttendance,
8 |   listAttendance,
9 |   markBulk,
10 |   markOne,
11 |   markSelf,
12 |   markValidators,
13 |   selfMarkValidators,
14 |   updateAttendance,
15 | } from '../controllers/attendanceController.js';
16 |
17 | const router = Router();
18 |
19 | router.use(authenticate);
20 |
21 | router.get('/', listAttendance);
22 | router.post('/mark', authorize('teacher', 'admin'), markValidators, markOne);
23 | router.post('/bulk', authorize('teacher', 'admin'), bulkValidators, markBulk);
24 | router.post('/self', authorize('student'), selfMarkValidators, markSelf);
25 | router.post('/finalize', authorize('teacher', 'admin'), finalizeAttendance);
26 | router.patch(
27 |  ('/:id',
28 |   authorize('teacher', 'admin'),
29 |   [param('id').isMongoId(), body('status').optional().isIn(['present', 'absent', 'late'])],
handleValidation],
30 |   updateAttendance,
31 | );
32 |
33 | export default router;
```


File: authRoutes.js

Path: backend/src/routes/authRoutes.js

```
1 | import { Router } from 'express';
2 | import { authenticate } from '../middleware/auth.js';
3 | import {
4 |   login,
5 |   loginValidators,
6 |   me,
7 |   register,
8 |   registerValidators,
9 | } from '../controllers/authController.js';
10 |
11 | const router = Router();
12 |
13 | router.post('/register', registerValidators, register);
14 | router.post('/login', loginValidators, login);
15 | router.get('/me', authenticate, me);
16 |
17 | export default router;
```

File: classRoutes.js

Path: backend/src/routes/classRoutes.js

```
1 | import { Router } from 'express';
2 | import { authenticate, authorize } from '../middleware/auth.js';
3 | import {
4 |   archiveClass,
5 |   createClass,
6 |   createClassValidators,
7 |   getClass,
8 |   idParam,
9 |   joinClass,
10 | joinValidators,
11 | listMyClasses,
12 | startSession,
13 | startSessionValidators,
14 | deleteClass
15 | } from '../controllers/classController.js';
16 |
17 | const router = Router();
18 |
19 | router.use(authenticate);
20 |
21 | router.get('/', listMyClasses);
22 | router.get('/:id', idParam, getClass);
23 | router.post('/', authorize('teacher', 'admin'), createClassValidators, createClass);
24 | router.post('/join', joinValidators, joinClass);
25 | router.post('/:id/session', authorize('teacher', 'admin'), startSessionValidators, startSe
ssion);
26 | router.post('/:id/archive', authorize('teacher', 'admin'), idParam, archiveClass);
27 | router.delete('/:id', authorize('teacher', 'admin'), deleteClass);
28 |
29 | export default router;
```

File: messageRoutes.js

Path: backend/src/routes/messageRoutes.js

```
1 | import { Router } from 'express';
2 | import { authenticate } from '../middleware/auth.js';
3 | // Add editMessage and deleteMessage to this list ?
4 | import {
5 |   getClassMessages,
6 |   getDirectMessages,
7 |   sendMessage,
8 |   editMessage,
9 |   deleteMessage
10 | } from '../controllers/messageController.js';
11 | import { upload } from '../middleware/upload.js';
12 |
13 | const router = Router();
14 | router.use(authenticate);
15 |
16 | router.get('/class/:classId', getClassMessages);
17 | router.get('/direct/:userId', getDirectMessages);
18 |
19 | // Handles both text and file uploads
20 | router.post('/', upload.single('file'), sendMessage);
21 |
22 | // New WhatsApp-style routes
23 | router.patch('/:id', editMessage);
24 | router.delete('/:id', deleteMessage);
25 |
26 | export default router;
```

File: reportRoutes.js

Path: backend/src/routes/reportRoutes.js

```
1 | import { Router } from 'express';
2 | import { authenticate } from '../middleware/auth.js';
3 | import {
4 |     summary,
5 |     reportRange,
6 |     getStudentTrends,
7 |     getStudentSubjectWise,
8 |     getTodayStats
9 | } from '../controllers/reportController.js';
10 |
11 | const router = Router();
12 |
13 | // Middleware to protect all report routes
14 | router.use(authenticate);
15 |
16 | router.get('/summary', summary);
17 | router.get('/range', reportRange);
18 | router.get('/student-trends', getStudentTrends);
19 | router.get('/student-subject-wise', getStudentSubjectWise);
20 | router.get('/today-stats', getTodayStats);
21 |
22 | export default router;
```

File: userRoutes.js

Path: backend/src/routes/userRoutes.js

```
1 | import { Router } from 'express';
2 | import { authenticate, authorize } from '../middleware/auth.js';
3 | import {
4 |   listUsers,
5 |   getUsers,
6 |   prefsValidators,
7 |   updatePassword,
8 |   updatePasswordValidators,
9 |   updatePreferences,
10 |  updateProfile,
11 |  updateProfileValidators,
12 | } from '../controllers/userController.js';
13 |
14 | const router = Router();
15 |
16 | router.use(authenticate);
17 |
18 | router.patch('/me', updateProfileValidators, updateProfile);
19 | router.patch('/me/password', updatePasswordValidators, updatePassword);
20 | router.patch('/me/preferences', prefsValidators, updatePreferences);
21 | // router.get('/', authorize('admin'), listUsers);
22 | router.get('/', authorize('admin', 'teacher', 'student'), listUsers);
23 | router.get('/search', getUsers); // This is the endpoint for the TopBar
24 |
25 |
26 |
27 | export default router;
```

File: server.js

Path: backend/src/server.js

```
1 | import 'dotenv/config';
2 | import { Server } from 'socket.io';
3 | import http from 'http';
4 | import express from 'express';
5 | import cors from 'cors';
6 | import morgan from 'morgan';
7 | import { connectDb } from './config/db.js';
8 | import { errorHandler, notFoundHandler } from './middleware/errorHandler.js';
9 |
10 | import authRoutes from './routes/authRoutes.js';
11 | import userRoutes from './routes/userRoutes.js';
12 | import classRoutes from './routes/classRoutes.js';
13 | import attendanceRoutes from './routes/attendanceRoutes.js';
14 | import reportRoutes from './routes/reportRoutes.js';
15 | import messageRoutes from './routes/messageRoutes.js';
16 |
17 | const app = express();
18 | const port = parseInt(process.env.PORT || '5000', 10);
19 | const server = http.createServer(app);
20 |
21 | function parseCorsOrigins() {
22 |   const raw = process.env.CORS_ORIGINS?.trim();
23 |   if (!raw) {
24 |     return [
25 |       'http://localhost:5173',
26 |       'http://127.0.0.1:5173',
27 |     ];
28 |   }
29 |   return raw.split(',').map((s) => s.trim()).filter(Boolean);
30 | }
31 |
32 | function isNgrokOrigin(origin) {
33 |   // Common ngrok domains as of recent ngrok releases
34 |   // Examples: https://abcd-1234.ngrok-free.app, https://abcd-1234.ngrok-free.dev, https://
/myname.ngrok.app
35 |   try {
36 |     const { hostname, protocol } = new URL(origin);
37 |     if (protocol !== 'http:' && protocol !== 'https:') return false;
38 |     return (
39 |       hostname.endsWith('.ngrok-free.dev') ||
40 |       hostname.endsWith('.ngrok-free.app') ||
41 |       hostname.endsWith('.ngrok.dev') ||
42 |       hostname.endsWith('.ngrok.app') ||
43 |       hostname.endsWith('.ngrok.io')
44 |     );
45 |   } catch {
46 |     return false;
47 |   }
48 | }
49 |
50 | const corsOrigins = parseCorsOrigins();
51 | const allowAllOrigins = process.env.CORS_ALLOW_ALL === 'true';
52 |
53 | function corsOriginFn(origin, callback) {
54 |   // Allow server-to-server / curl / same-origin (no Origin header)
55 |   if (!origin) return callback(null, true);
56 |   if (allowAllOrigins) return callback(null, true);
```

```

57 |   if (corsOrigins.includes(origin)) return callback(null, true);
58 |   if (isNgrokOrigin(origin)) return callback(null, true);
59 |   return callback(new Error(`CORS blocked origin: ${origin}`), false);
60 | }
61 |
62 | // Setup Socket.io
63 | const io = new Server(server, {
64 |   cors: {
65 |     origin: corsOriginFn,
66 |     methods: ["GET", "POST", "PATCH", "DELETE"],
67 |     credentials: true
68 |   }
69 | });
70 |
71 | // Real-time Logic
72 | io.on('connection', (socket) => {
73 |   console.log('User connected:', socket.id);
74 |   socket.on('join_room', (roomId) => socket.join(roomId));
75 |   socket.on('send_message', (data) => io.to(data.roomId).emit('receive_message', data.message));
76 |   socket.on('disconnect', () => console.log('User disconnected'));
77 | });
78 |
79 | // Middleware
80 | app.use(cors({
81 |   origin: corsOriginFn,
82 |   credentials: true,
83 |   methods: ['GET', 'POST', 'PUT', 'PATCH', 'DELETE', 'OPTIONS'],
84 |   allowedHeaders: ['Content-Type', 'Authorization'],
85 | }));
86 |
87 | app.use(express.json({ limit: '1mb' }));
88 | app.use(morgan('dev'));
89 | app.use('/uploads', express.static('uploads'));
90 |
91 | // Routes
92 | app.use('/api/auth', authRoutes);
93 | app.use('/api/users', userRoutes);
94 | app.use('/api/classes', classRoutes);
95 | app.use('/api/attendance', attendanceRoutes);
96 | app.use('/api/reports', reportRoutes);
97 | app.use('/api/messages', messageRoutes);
98 |
99 | app.use(notFoundHandler);
100 | app.use(errorHandler);
101 |
102 | connectDb().then(() => {
103 |   // Use '0.0.0.0' to listen on all network interfaces
104 |   server.listen(port, '0.0.0.0', () => {
105 |     console.log(`\n? Server running locally: http://localhost:${port}`);
106 |     console.log(`? Public via ngrok: run "ngrok http ${port}"`);
107 |   });
108 | });

```

File: jwt.js

Path: backend/src/utils/jwt.js

```
1 | import jwt from 'jsonwebtoken';
2 |
3 | export function signToken(payload) {
4 |   const secret = process.env.JWT_SECRET;
5 |   if (!secret) throw new Error('JWT_SECRET is not configured');
6 |   const expiresIn = process.env.JWT_EXPIRES_IN || '7d';
7 |   return jwt.sign(payload, secret, { expiresIn });
8 | }
9 |
10 | export function verifyToken(token) {
11 |   const secret = process.env.JWT_SECRET;
12 |   if (!secret) throw new Error('JWT_SECRET is not configured');
13 |   return jwt.verify(token, secret);
14 | }
```


File: create_code_pdf.py

Path: create_code_pdf.py

```
1 | from __future__ import annotations
2 |
3 | from datetime import datetime
4 | from pathlib import Path
5 |
6 | from fpdf import FPDF
7 |
8 |
9 | ROOT = Path(__file__).resolve().parent
10 | OUTPUT_FILE = ROOT / "all_code_with_paths.pdf"
11 |
12 | # Directories to skip while collecting source files
13 | EXCLUDED_DIRS = {
14 |     ".git",
15 |     "node_modules",
16 |     "dist",
17 |     "build",
18 |     "coverage",
19 |     ".cursor",
20 |     ".vscode",
21 |     "uploads",
22 |     "__pycache__",
23 | }
24 |
25 | # File extensions treated as code/config text
26 | ALLOWED_EXTENSIONS = {
27 |     ".js",
28 |     ".jsx",
29 |     ".ts",
30 |     ".tsx",
31 |     ".json",
32 |     ".css",
33 |     ".scss",
34 |     ".html",
35 |     ".md",
36 |     ".py",
37 |     ".java",
38 |     ".c",
39 |     ".cpp",
40 |     ".h",
41 |     ".hpp",
42 |     ".go",
43 |     ".rs",
44 |     ".sh",
45 |     ".yaml",
46 |     ".yml",
47 |     ".toml",
48 |     ".env",
49 |     ".sql",
50 |     ".txt",
51 | }
52 |
53 | ALLOWED_FILENAMES = {
54 |     "Dockerfile",
55 |     ".gitignore",
56 |     ".dockerignore",
57 | }
```

```

58 |
59 |
60 | def should_include(path: Path) -> bool:
61 |     if any(part in EXCLUDED_DIRS for part in path.parts):
62 |         return False
63 |     if path.suffix.lower() in ALLOWED_EXTENSIONS:
64 |         return True
65 |     return path.name in ALLOWED_FILENAMES
66 |
67 |
68 | def collect_files(root: Path) -> list[Path]:
69 |     files: list[Path] = []
70 |     for path in root.rglob("*"):
71 |         if not path.is_file():
72 |             continue
73 |         rel = path.relative_to(root)
74 |         if should_include(rel):
75 |             files.append(path)
76 |     files.sort(key=lambda p: str(p.relative_to(root)).lower())
77 |     return files
78 |
79 |
80 | def safe_text(text: str) -> str:
81 |     # Core PDF fonts are latin-1; replace unsupported chars.
82 |     return text.encode("latin-1", errors="replace").decode("latin-1")
83 |
84 |
85 | def add_header(pdf: FPDF, file_path: Path) -> None:
86 |     rel_path = file_path.relative_to(ROOT)
87 |     usable_width = pdf.w - pdf.l_margin - pdf.r_margin
88 |     pdf.add_page()
89 |     pdf.set_font("Courier", "B", 11)
90 |     pdf.set_x(pdf.l_margin)
91 |     pdf.multi_cell(usable_width, 6, safe_text(f"File: {file_path.name}"), wrapmode="CHAR")
92 |     pdf.set_x(pdf.l_margin)
93 |     pdf.multi_cell(usable_width, 6, safe_text(f"Path: {rel_path.as_posix()}"), wrapmode="C
HAR")
94 |     pdf.ln(1)
95 |     pdf.set_font("Courier", "", 9)
96 |     pdf.cell(0, 5, safe_text("-" * 100), new_x="LMARGIN", new_y="NEXT")
97 |
98 |
99 | def add_file_content(pdf: FPDF, file_path: Path) -> None:
100 |     usable_width = pdf.w - pdf.l_margin - pdf.r_margin
101 |     try:
102 |         text = file_path.read_text(encoding="utf-8")
103 |     except UnicodeDecodeError:
104 |         text = file_path.read_text(encoding="latin-1", errors="replace")
105 |     except Exception as exc:
106 |         text = f"[Error reading file: {exc}]"
107 |
108 |     lines = text.splitlines() or [""]
109 |     for i, line in enumerate(lines, start=1):
110 |         numbered_line = f"{i:5d} | {line}"
111 |         pdf.set_x(pdf.l_margin)
112 |         pdf.multi_cell(usable_width, 4.5, safe_text(numbered_line), wrapmode="CHAR")
113 |
114 |
115 | def build_pdf() -> None:
116 |     files = collect_files(ROOT)
117 |     pdf = FPDF(format="A4")

```

```

118 | pdf.set_auto_page_break(auto=True, margin=12)
119 | pdf.set_margins(10, 10, 10)
120 | usable_width = pdf.w - pdf.l_margin - pdf.r_margin
121 | pdf.set_title("Project Code Export")
122 | pdf.set_author("Cursor Agent")
123 | pdf.set_subject(f"Generated {datetime.now().isoformat(timespec='seconds')}")
124 |
125 | # Title page
126 | pdf.add_page()
127 | pdf.set_font("Helvetica", "B", 16)
128 | pdf.cell(0, 10, "Project Code Export", new_x="LMARGIN", new_y="NEXT")
129 | pdf.set_font("Helvetica", "", 11)
130 | pdf.set_x(pdf.l_margin)
131 | pdf.multi_cell(usable_width, 7, safe_text(f"Root: {ROOT.as_posix()}"), wrapmode="CHAR"
)
132 | pdf.set_x(pdf.l_margin)
133 | pdf.multi_cell(usable_width, 7, safe_text(f"Files included: {len(files)}"), wrapmode="
CHAR")
134 | pdf.set_x(pdf.l_margin)
135 | pdf.multi_cell(
136 |     usable_width,
137 |     7,
138 |     safe_text(f"Generated: {datetime.now().strftime('%Y-%m-%d %H:%M:%S')}"),
139 |     wrapmode="CHAR",
140 | )
141 |
142 | for file_path in files:
143 |     add_header(pdf, file_path)
144 |     add_file_content(pdf, file_path)
145 |
146 | pdf.output(str(OUTPUT_FILE))
147 | print(f"PDF generated: {OUTPUT_FILE}")
148 | print(f"Files included: {len(files)}")
149 |
150 |
151 | if __name__ == "__main__":
152 |     build_pdf()

```

File: API.md

Path: docs/API.md

```
-----
1 | # Attender API
2 |
3 | Base URL: `http://localhost:5000/api`
4 |
5 | All protected routes require header:
6 |
7 | ```
8 | Authorization: Bearer <jwt>
9 | ```
10 |
11 | ## Auth
12 |
13 | | Method | Path | Body | Notes |
14 | |-----|-----|-----|-----|
15 | | POST | `/auth/register` | `{ username, email, firstName, lastName, password, role }` | `
role`: `teacher` or `student` only |
16 | | POST | `/auth/login` | `{ username, password }` | Returns `{ token, user }` |
17 | | GET | `/auth/me` | ? | Current user profile |
18 |
19 | ## Users
20 |
21 | | Method | Path | Auth | Body |
22 | |-----|-----|-----|-----|
23 | | PATCH | `/users/me` | any | `{ firstName?, lastName?, email? }` |
24 | | PATCH | `/users/me/password` | any | `{ currentPassword, newPassword }` |
25 | | PATCH | `/users/me/preferences` | any | `{ smsAlertsParents?, pushNotificationsStudents?
, theme? }` |
26 | | GET | `/users?page&limit&search&role` | admin | Paginated user list |
27 |
28 | ## Classes
29 |
30 | | Method | Path | Auth | Notes |
31 | |-----|-----|-----|-----|
32 | | GET | `/classes` | any | Teacher: own classes. Student: enrolled. Admin: all. |
33 | | GET | `/classes/:id` | any | Member / teacher / admin |
34 | | POST | `/classes` | teacher, admin | `{ name, subject?, code? }` ? auto code if omitted
|
35 | | POST | `/classes/join` | student | `{ code }` |
36 | | POST | `/classes/:id/session` | teacher, admin | Starts 15?min QR simulation token |
37 | | POST | `/classes/:id/archive` | teacher, admin | Soft archive |
38 |
39 | ## Attendance
40 |
41 | | Method | Path | Auth | Body / Query |
42 | |-----|-----|-----|-----|
43 | | GET | `/attendance` | any | `?classId&userId&from&to&page&limit` ? scoped by role |
44 | | POST | `/attendance/mark` | teacher, admin | `{ classId, userId, status, date?, notes? }
` |
45 | | POST | `/attendance/bulk` | teacher, admin | `{ classId, date?, entries: [{ userId, stat
us, notes? }] }` |
46 | | POST | `/attendance/self` | student | `{ classId, sessionToken, status? }` |
47 | | PATCH | `/attendance/:id` | teacher, admin | `{ status?, notes? }` |
48 |
49 | ## Reports
50 |
51 | | Method | Path | Auth | Query |
52 | |-----|-----|-----|-----|
```

```
53 | | GET | `/reports/summary` | any | Role-based dashboard stats |
54 | | GET | `/reports/range` | any | `from`, `to` (ISO), optional `classId`, `format=json|csv|
pdf` |
55 |
56 | ## Health
57 |
58 | `GET /api/health` ? no auth.
```

File: index.html

Path: frontend/index.html

```
1 | <!doctype html>
2 | <html lang="en">
3 |   <head>
4 |     <meta charset="UTF-8" />
5 |     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6 |     <title>Attender</title>
7 |     <link rel="preconnect" href="https://fonts.googleapis.com" />
8 |     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
9 |     <link
10 |       href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700&display=sw
ap"
11 |       rel="stylesheet"
12 |     />
13 |   </head>
14 |   <body class="bg-slate-50 text-slate-900 antialiased">
15 |     <div id="root"></div>
16 |     <script type="module" src="/src/main.jsx"></script>
17 |   </body>
18 | </html>
```

File: package-lock.json

Path: frontend/package-lock.json

```
1 | {
2 |   "name": "attender-frontend",
3 |   "version": "1.0.0",
4 |   "lockfileVersion": 3,
5 |   "requires": true,
6 |   "packages": {
7 |     "": {
8 |       "name": "attender-frontend",
9 |       "version": "1.0.0",
10 |       "dependencies": {
11 |         "axios": "^1.7.9",
12 |         "html5-qrcode": "^2.3.8",
13 |         "qrcode.react": "^4.2.0",
14 |         "react": "^18.3.1",
15 |         "react-dom": "^18.3.1",
16 |         "react-router-dom": "^6.28.0",
17 |         "recharts": "^2.15.0",
18 |         "socket.io-client": "^4.8.3"
19 |       },
20 |       "devDependencies": {
21 |         "@vitejs/plugin-basic-ssl": "^2.3.0",
22 |         "@vitejs/plugin-react": "^4.3.4",
23 |         "autoprefixer": "^10.4.20",
24 |         "postcss": "^8.4.49",
25 |         "tailwindcss": "^3.4.16",
26 |         "vite": "^6.0.3"
27 |       }
28 |     },
29 |     "node_modules/@alloc/quick-lru": {
30 |       "version": "5.2.0",
31 |       "resolved": "https://registry.npmjs.org/@alloc/quick-lru/-/quick-lru-5.2.0.tgz",
32 |       "integrity": "sha512-UrcABB+4bUrFABwbluTIBERXwvbsU/V7TZWfmbgJfbkwiBuziS9gxd0DUyuiecf
dGQ85jgLMW6juS3+z5TSKLw==",
33 |       "dev": true,
34 |       "license": "MIT",
35 |       "engines": {
36 |         "node": ">=10"
37 |       },
38 |       "funding": {
39 |         "url": "https://github.com/sponsors/sindresorhus"
40 |       }
41 |     },
42 |     "node_modules/@babel/code-frame": {
43 |       "version": "7.29.0",
44 |       "resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.29.0.tgz",
45 |       "integrity": "sha512-9NHCeYjq9+3uxgdtP20LSiXJvN0FeCtNGpJxuMFZ1Kv3cWUNb6D0hJwUvcVCzK
GR66cw4njwM6hrJLqg0wbcw==",
46 |       "dev": true,
47 |       "license": "MIT",
48 |       "dependencies": {
49 |         "@babel/helper-validator-identifier": "^7.28.5",
50 |         "js-tokens": "^4.0.0",
51 |         "picocolors": "^1.1.1"
52 |       },
53 |       "engines": {
54 |         "node": ">=6.9.0"
55 |     }
56 |   }
57 | }
```

```

56 |     },
57 |     "node_modules/@babel/compat-data": {
58 |       "version": "7.29.0",
59 |       "resolved": "https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.29.0.tgz"
60 |     },
61 |     "integrity": "sha512-T1NCJqT/j9+cn8fvkt7jtwbLBfLC/1y1c7NtCeXFRgzGTsafI68MRv8yzkYSapB
nFA6L3U2VSc02ciDzoAJhJg==",
62 |     "dev": true,
63 |     "license": "MIT",
64 |     "engines": {
65 |       "node": ">=6.9.0"
66 |     },
67 |     "node_modules/@babel/core": {
68 |       "version": "7.29.0",
69 |       "resolved": "https://registry.npmjs.org/@babel/core/-/core-7.29.0.tgz",
70 |       "integrity": "sha512-CG0f0JqWjg2qW/Mb6zNsDm+u5vFQ8DxXfbM09z69p5Z6+mE1ikP2jUXw+j42Pf1
XTYED2Rni5f95npYeuwMDQA==",
71 |       "dev": true,
72 |       "license": "MIT",
73 |       "peer": true,
74 |       "dependencies": {
75 |         "@babel/code-frame": "^7.29.0",
76 |         "@babel/generator": "^7.29.0",
77 |         "@babel/helper-compilation-targets": "^7.28.6",
78 |         "@babel/helper-module-transforms": "^7.28.6",
79 |         "@babel/helpers": "^7.28.6",
80 |         "@babel/parser": "^7.29.0",
81 |         "@babel/template": "^7.28.6",
82 |         "@babel/traverse": "^7.29.0",
83 |         "@babel/types": "^7.29.0",
84 |         "@jridgewell/remapping": "^2.3.5",
85 |         "convert-source-map": "^2.0.0",
86 |         "debug": "^4.1.0",
87 |         "gensync": "^1.0.0-beta.2",
88 |         "json5": "^2.2.3",
89 |         "semver": "^6.3.1"
90 |       },
91 |       "engines": {
92 |         "node": ">=6.9.0"
93 |       },
94 |       "funding": {
95 |         "type": "opencollective",
96 |         "url": "https://opencollective.com/babel"
97 |       }
98 |     },
99 |     "node_modules/@babel/generator": {
100 |       "version": "7.29.1",
101 |       "resolved": "https://registry.npmjs.org/@babel/generator/-/generator-7.29.1.tgz",
102 |       "integrity": "sha512-qsafF9Qcm2Qv8SRIMMscAvG403lJ0F1GuMo5HR/Bp02LopNgnZBC/EkbevHFeGs
4ls/oPz9v+Bsmzbbke+0dUw==",
103 |       "dev": true,
104 |       "license": "MIT",
105 |       "dependencies": {
106 |         "@babel/parser": "^7.29.0",
107 |         "@babel/types": "^7.29.0",
108 |         "@jridgewell/gen-mapping": "^0.3.12",
109 |         "@jridgewell/trace-mapping": "^0.3.28",
110 |         "jsesc": "^3.0.2"
111 |     },
112 |     "engines": {

```



```

113 |         "node": ">=6.9.0"
114 |     }
115 | },
116 |     "node_modules/@babel/helper-compilation-targets": {
117 |         "version": "7.28.6",
118 |         "resolved": "https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-c
ompilation-targets-7.28.6.tgz",
119 |         "integrity": "sha512-JYtls3hqi15fcx5GaSNL7SCTJ2MnmjrKHXg4FSp0A/grxK8KwyZ5bubHsCq8FXC
kua6xhuaaBit+3b7+VZRfcA==",
120 |         "dev": true,
121 |         "license": "MIT",
122 |         "dependencies": {
123 |             "@babel/compat-data": "^7.28.6",
124 |             "@babel/helper-validator-option": "^7.27.1",
125 |             "browserslist": "^4.24.0",
126 |             "lru-cache": "^5.1.1",
127 |             "semver": "^6.3.1"
128 |         },
129 |         "engines": {
130 |             "node": ">=6.9.0"
131 |         }
132 |     },
133 |     "node_modules/@babel/helper-globals": {
134 |         "version": "7.28.0",
135 |         "resolved": "https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.28.
0.tgz",
136 |         "integrity": "sha512-+W6cISkXFa1jXsDEdYA8HeevQT/FULhxzR99pxphltZcVaugps53THCeIWa8Sgu
xypSp3gKPiuYfSWopkLQ4hw==",
137 |         "dev": true,
138 |         "license": "MIT",
139 |         "engines": {
140 |             "node": ">=6.9.0"
141 |         }
142 |     },
143 |     "node_modules/@babel/helper-module-imports": {
144 |         "version": "7.28.6",
145 |         "resolved": "https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module
-imports-7.28.6.tgz",
146 |         "integrity": "sha512-l5XkZK7r7wa9LucGw9LwZyyCUscb4x37JWTPz7swwFE/0FMQAGpiWUzn8u9DzkS
BWEck25jmvubfpw2dnAMdbw==",
147 |         "dev": true,
148 |         "license": "MIT",
149 |         "dependencies": {
150 |             "@babel/traverse": "^7.28.6",
151 |             "@babel/types": "^7.28.6"
152 |         },
153 |         "engines": {
154 |             "node": ">=6.9.0"
155 |         }
156 |     },
157 |     "node_modules/@babel/helper-module-transforms": {
158 |         "version": "7.28.6",
159 |         "resolved": "https://registry.npmjs.org/@babel/helper-module-transforms/-/helper-mod
ule-transforms-7.28.6.tgz",
160 |         "integrity": "sha512-67oXFAYr2cDLVDGLXTEABjdBZ6drELUSI7Wkp70NrpyISso3plG9SAGEF6y7zb
ha/w0zUByWWTJvEDVNIUGcA==",
161 |         "dev": true,
162 |         "license": "MIT",
163 |         "dependencies": {
164 |             "@babel/helper-module-imports": "^7.28.6",
165 |             "@babel/helper-validator-identifier": "^7.28.5",

```

```

166 |         "@babel/traverse": "^7.28.6"
167 |     },
168 |     "engines": {
169 |         "node": ">=6.9.0"
170 |     },
171 |     "peerDependencies": {
172 |         "@babel/core": "^7.0.0"
173 |     }
174 | },
175 |     "node_modules/@babel/helper-plugin-utils": {
176 |         "version": "7.28.6",
177 |         "resolved": "https://registry.npmjs.org/@babel/helper-plugin-utils/-/helper-plugin-u
tils-7.28.6.tgz",
178 |         "integrity": "sha512-S9gzZ/bz83GRysI7gAD4wPT/AI3uCnY+9xn+Mx/KPs2JwHJIz1W8PZkg2cqyt3R
NOBM8ejcXhv6y80g7ly/Dug==",
179 |         "dev": true,
180 |         "license": "MIT",
181 |         "engines": {
182 |             "node": ">=6.9.0"
183 |         }
184 |     },
185 |     "node_modules/@babel/helper-string-parser": {
186 |         "version": "7.27.1",
187 |         "resolved": "https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-
parser-7.27.1.tgz",
188 |         "integrity": "sha512-qmLSxKbpRlAridDExk92nSobyDdpPijUq2DW6oDnUqd0iOGxmQjyqhMIihI9+zv
4LPyZdRje2cavWPbCbWm3eA==",
189 |         "dev": true,
190 |         "license": "MIT",
191 |         "engines": {
192 |             "node": ">=6.9.0"
193 |         }
194 |     },
195 |     "node_modules/@babel/helper-validator-identifier": {
196 |         "version": "7.28.5",
197 |         "resolved": "https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-
validator-identifier-7.28.5.tgz",
198 |         "integrity": "sha512-qSs4ifwzKJSV39ucNjsvc6WVHs6b7S03s0h20cHF9UHfVPqWWALUsNUVzhSBiIt
jRZoLHx7nIarVjqKVusUZ1Q==",
199 |         "dev": true,
200 |         "license": "MIT",
201 |         "engines": {
202 |             "node": ">=6.9.0"
203 |         }
204 |     },
205 |     "node_modules/@babel/helper-validator-option": {
206 |         "version": "7.27.1",
207 |         "resolved": "https://registry.npmjs.org/@babel/helper-validator-option/-/helper-vali
dator-option-7.27.1.tgz",
208 |         "integrity": "sha512-YvjJow9FxbhFFKDSuFnVCE2WxXk1zWc22fFePVNEawJEu8IrZVlda6N0uHwzZrU
M1il7NC9Mlp4MaJYbYd9JSg==",
209 |         "dev": true,
210 |         "license": "MIT",
211 |         "engines": {
212 |             "node": ">=6.9.0"
213 |         }
214 |     },
215 |     "node_modules/@babel/helpers": {
216 |         "version": "7.29.2",
217 |         "resolved": "https://registry.npmjs.org/@babel/helpers/-/helpers-7.29.2.tgz",
218 |         "integrity": "sha512-HoGuUs4sCZNezVEKdVcwqmZN8GoHirLUcLaYVNBK2J0DadGtdcqgr3BCbvH8+XU

```

```

o4NGjNl3V0tSjEKNzqfFgKw=="
219 |         "dev": true,
220 |         "license": "MIT",
221 |         "dependencies": {
222 |             "@babel/template": "^7.28.6",
223 |             "@babel/types": "^7.29.0"
224 |         },
225 |         "engines": {
226 |             "node": ">=6.9.0"
227 |         }
228 |     },
229 |     "node_modules/@babel/parser": {
230 |         "version": "7.29.2",
231 |         "resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.29.2.tgz",
232 |         "integrity": "sha512-4GgRzy/+fsBa72/RZVJmGKPMZu9Byn8o4MoLpmNe1m8ZfYnz5emHLQz3U4gLud6
Zwl0RZiCgiLD7Uq7ySFuDLA=="
233 |         "dev": true,
234 |         "license": "MIT",
235 |         "dependencies": {
236 |             "@babel/types": "^7.29.0"
237 |         },
238 |         "bin": {
239 |             "parser": "bin/babel-parser.js"
240 |         },
241 |         "engines": {
242 |             "node": ">=6.0.0"
243 |         }
244 |     },
245 |     "node_modules/@babel/plugin-transform-react-jsx-self": {
246 |         "version": "7.27.1",
247 |         "resolved": "https://registry.npmjs.org/@babel/plugin-transform-react-jsx-self/-/plu
gin-transform-react-jsx-self-7.27.1.tgz",
248 |         "integrity": "sha512-6UzkCs+ejGdZ5mFFC/OCUrv028ab2fp1znZmCZjA0BK2jBK2jXD10+BPSfX8X2qj
J75fZBMSnQn3Rq2mrBJK2mw=="
249 |         "dev": true,
250 |         "license": "MIT",
251 |         "dependencies": {
252 |             "@babel/helper-plugin-utils": "^7.27.1"
253 |         },
254 |         "engines": {
255 |             "node": ">=6.9.0"
256 |         },
257 |         "peerDependencies": {
258 |             "@babel/core": "^7.0.0-0"
259 |         }
260 |     },
261 |     "node_modules/@babel/plugin-transform-react-jsx-source": {
262 |         "version": "7.27.1",
263 |         "resolved": "https://registry.npmjs.org/@babel/plugin-transform-react-jsx-source/-/p
lugin-transform-react-jsx-source-7.27.1.tgz",
264 |         "integrity": "sha512-zbwoTsBruTeKB9hSq73ha66iFeJHuaFkUbvwqElnygoNbj/jHRsSeokowZFN3CZ
64IvEqcmmkVe890PXc7ldAw=="
265 |         "dev": true,
266 |         "license": "MIT",
267 |         "dependencies": {
268 |             "@babel/helper-plugin-utils": "^7.27.1"
269 |         },
270 |         "engines": {
271 |             "node": ">=6.9.0"
272 |         },
273 |         "peerDependencies": {

```

```

274 |         "@babel/core": "^7.0.0-0"
275 |     }
276 | },
277 |     "node_modules/@babel/runtime": {
278 |         "version": "7.29.2",
279 |         "resolved": "https://registry.npmjs.org/@babel/runtime/-/runtime-7.29.2.tgz",
280 |         "integrity": "sha512-JiDShH45zKHwYGe4ZNVRRcJbZ8Nh9TMmZG1kh4QTK8hCBTWBi8Da+i7s1fJw7/L
YpM4ccepSNfqzZ/QvABBi5g==",
281 |         "license": "MIT",
282 |         "engines": {
283 |             "node": ">=6.9.0"
284 |         }
285 |     },
286 |     "node_modules/@babel/template": {
287 |         "version": "7.28.6",
288 |         "resolved": "https://registry.npmjs.org/@babel/template/-/template-7.28.6.tgz",
289 |         "integrity": "sha512-YA6Ma2KsCdGb+Wc6UpBVFJGXL58MDA6oyONbjyF/+5sBgxY/dwkhLogbMT2GXXy
U84/IhRw/2D10s1B/giz+BQ==",
290 |         "dev": true,
291 |         "license": "MIT",
292 |         "dependencies": {
293 |             "@babel/code-frame": "^7.28.6",
294 |             "@babel/parser": "^7.28.6",
295 |             "@babel/types": "^7.28.6"
296 |         },
297 |         "engines": {
298 |             "node": ">=6.9.0"
299 |         }
300 |     },
301 |     "node_modules/@babel/traverse": {
302 |         "version": "7.29.0",
303 |         "resolved": "https://registry.npmjs.org/@babel/traverse/-/traverse-7.29.0.tgz",
304 |         "integrity": "sha512-4HPiQr0X7+waHfyXPZpWpFWL/J7dcN1mx9gL6WdQVMbPnF3+ZhSMs8tCxN7oHdd
JE9fhNE7+lxdnlyemKfJRuA==",
305 |         "dev": true,
306 |         "license": "MIT",
307 |         "dependencies": {
308 |             "@babel/code-frame": "^7.29.0",
309 |             "@babel/generator": "^7.29.0",
310 |             "@babel/helper-globals": "^7.28.0",
311 |             "@babel/parser": "^7.29.0",
312 |             "@babel/template": "^7.28.6",
313 |             "@babel/types": "^7.29.0",
314 |             "debug": "^4.3.1"
315 |         },
316 |         "engines": {
317 |             "node": ">=6.9.0"
318 |         }
319 |     },
320 |     "node_modules/@babel/types": {
321 |         "version": "7.29.0",
322 |         "resolved": "https://registry.npmjs.org/@babel/types/-/types-7.29.0.tgz",
323 |         "integrity": "sha512-LwdZHpScM4Qz8Xw2iKSzS+cfglZzJGvofQICy7W7v4caru4EaAmyUu06BGrbyQ2
mYV11W0U8j5mBhd14dd3B0A==",
324 |         "dev": true,
325 |         "license": "MIT",
326 |         "dependencies": {
327 |             "@babel/helper-string-parser": "^7.27.1",
328 |             "@babel/helper-validator-identifier": "^7.28.5"
329 |         },
330 |         "engines": {

```

```

331 |         "node": ">=6.9.0"
332 |     }
333 | },
334 |     "node_modules/@esbuild/aix-ppc64": {
335 |         "version": "0.25.12",
336 |         "resolved": "https://registry.npmjs.org/@esbuild/aix-ppc64/-/aix-ppc64-0.25.12.tgz",
337 |         "integrity": "sha512-Hhmwd6CInZ3dwpuGTF8fJG6yoWmsToE+vYgD4nytZVxcu1uLHpUQRAB1UJ8+N1A
m3Mz4+x0ByoQoSZf4D+CpkA==",
338 |         "cpu": [
339 |             "ppc64"
340 |         ],
341 |         "dev": true,
342 |         "license": "MIT",
343 |         "optional": true,
344 |         "os": [
345 |             "aix"
346 |         ],
347 |         "engines": {
348 |             "node": ">=18"
349 |         }
350 |     },
351 |     "node_modules/@esbuild/android-arm": {
352 |         "version": "0.25.12",
353 |         "resolved": "https://registry.npmjs.org/@esbuild/android-arm/-/android-arm-0.25.12.t
gz",
354 |         "integrity": "sha512-VJ+skvNA/GE7Ccacc9Cha7bpS8nyzVv0jdVgwNDaR4gDMC/2TTRc33Ip8qrNYUc
pk0HUT50Z0bUCNNVZQ9RLlg==",
355 |         "cpu": [
356 |             "arm"
357 |         ],
358 |         "dev": true,
359 |         "license": "MIT",
360 |         "optional": true,
361 |         "os": [
362 |             "android"
363 |         ],
364 |         "engines": {
365 |             "node": ">=18"
366 |         }
367 |     },
368 |     "node_modules/@esbuild/android-arm64": {
369 |         "version": "0.25.12",
370 |         "resolved": "https://registry.npmjs.org/@esbuild/android-arm64/-/android-arm64-0.25.
12.tgz",
371 |         "integrity": "sha512-6AAmLG7zwd1Z159jCKPvAxZd4y/VT00VkprYy+3N2FtJ8+BQWFXU+OxARIwA46c
5tdD9SsKGZ/1ocqBS/gAKHg==",
372 |         "cpu": [
373 |             "arm64"
374 |         ],
375 |         "dev": true,
376 |         "license": "MIT",
377 |         "optional": true,
378 |         "os": [
379 |             "android"
380 |         ],
381 |         "engines": {
382 |             "node": ">=18"
383 |         }
384 |     },
385 |     "node_modules/@esbuild/android-x64": {
386 |         "version": "0.25.12",

```

```

387 |         "resolved": "https://registry.npmjs.org/@esbuild/android-x64/-/android-x64-0.25.12.t
gz",
388 |         "integrity": "sha512-5jbb+2hhDHx5phYR2By8GTWEzn6I9UqR11Kwf22iKbNpYrsmRB18aX/9ivc5cab
cUiAT/wM+YIZ6SG9Q06a8kg==",
389 |         "cpu": [
390 |             "x64"
391 |         ],
392 |         "dev": true,
393 |         "license": "MIT",
394 |         "optional": true,
395 |         "os": [
396 |             "android"
397 |         ],
398 |         "engines": {
399 |             "node": ">=18"
400 |         }
401 |     },
402 |     "node_modules/@esbuild/darwin-arm64": {
403 |         "version": "0.25.12",
404 |         "resolved": "https://registry.npmjs.org/@esbuild/darwin-arm64/-/darwin-arm64-0.25.12
.tgz",
405 |         "integrity": "sha512-N3zl+lxHCifgIlcMUP5016ESkeQjLj/959RxxNYIthIg+CQHInujFuXewbWMgnT
o4cp5XVHqFPmpyu9J65C1Yg==",
406 |         "cpu": [
407 |             "arm64"
408 |         ],
409 |         "dev": true,
410 |         "license": "MIT",
411 |         "optional": true,
412 |         "os": [
413 |             "darwin"
414 |         ],
415 |         "engines": {
416 |             "node": ">=18"
417 |         }
418 |     },
419 |     "node_modules/@esbuild/darwin-x64": {
420 |         "version": "0.25.12",
421 |         "resolved": "https://registry.npmjs.org/@esbuild/darwin-x64/-/darwin-x64-0.25.12.tgz
",
422 |         "integrity": "sha512-HQ9ka4Kx21qHXwtLTUVbKJOAnmG1ipXhdWTmNXiPzPfwKpXqASVcWdnf2bnL73w
gjNrFXAa3yYvBSd9pzfEIpa==",
423 |         "cpu": [
424 |             "x64"
425 |         ],
426 |         "dev": true,
427 |         "license": "MIT",
428 |         "optional": true,
429 |         "os": [
430 |             "darwin"
431 |         ],
432 |         "engines": {
433 |             "node": ">=18"
434 |         }
435 |     },
436 |     "node_modules/@esbuild/freebsd-arm64": {
437 |         "version": "0.25.12",
438 |         "resolved": "https://registry.npmjs.org/@esbuild/freebsd-arm64/-/freebsd-arm64-0.25.
12.tgz",
439 |         "integrity": "sha512-gA0Bx759+7Jve03K1S0vkOu5Lg/85dou3Ese0GUes8f1V0GxbhDDh/iZaoek11Y
8mtYKPGF3vP8XhnkDEAmzeg==",

```

```

440 |     "cpu": [
441 |         "arm64"
442 |     ],
443 |     "dev": true,
444 |     "license": "MIT",
445 |     "optional": true,
446 |     "os": [
447 |         "freebsd"
448 |     ],
449 |     "engines": {
450 |         "node": ">=18"
451 |     }
452 | },
453 | "node_modules/@esbuild/freebsd-x64": {
454 |     "version": "0.25.12",
455 |     "resolved": "https://registry.npmjs.org/@esbuild/freebsd-x64/-/freebsd-x64-0.25.12.t
gz",
456 |     "integrity": "sha512-TGb026Yw2xsSHzxtbVFGEXBFH0FRAP7gtcPE7P5yP7wGy7cXK2o07Ry0hL5NLIqT
lBh47XhmIUXuGciXEqYFfBQ==",
457 |     "cpu": [
458 |         "x64"
459 |     ],
460 |     "dev": true,
461 |     "license": "MIT",
462 |     "optional": true,
463 |     "os": [
464 |         "freebsd"
465 |     ],
466 |     "engines": {
467 |         "node": ">=18"
468 |     }
469 | },
470 | "node_modules/@esbuild/linux-arm": {
471 |     "version": "0.25.12",
472 |     "resolved": "https://registry.npmjs.org/@esbuild/linux-arm/-/linux-arm-0.25.12.tgz",
473 |     "integrity": "sha512-lPDGyC1JPDou8kGcywY0YILzWlhnnRjdof3UlcoqYmS9El818LLfJJc3PXXgZHR
HCAKs/Z2SeZtDJr5Mrkxt0w==",
474 |     "cpu": [
475 |         "arm"
476 |     ],
477 |     "dev": true,
478 |     "license": "MIT",
479 |     "optional": true,
480 |     "os": [
481 |         "linux"
482 |     ],
483 |     "engines": {
484 |         "node": ">=18"
485 |     }
486 | },
487 | "node_modules/@esbuild/linux-arm64": {
488 |     "version": "0.25.12",
489 |     "resolved": "https://registry.npmjs.org/@esbuild/linux-arm64/-/linux-arm64-0.25.12.t
gz",
490 |     "integrity": "sha512-8bwX7a8FghIgrupcxb4aUmYDLp8pX06rGh5HqDT7bB+8Rdells6mHvrFHHW2JAO
PZUbnjUpKTLg6ECyzvas2AQ==",
491 |     "cpu": [
492 |         "arm64"
493 |     ],
494 |     "dev": true,
495 |     "license": "MIT",

```

```

496 |         "optional": true,
497 |         "os": [
498 |             "linux"
499 |         ],
500 |         "engines": {
501 |             "node": ">=18"
502 |         }
503 |     },
504 |     "node_modules/@esbuild/linux-ia32": {
505 |         "version": "0.25.12",
506 |         "resolved": "https://registry.npmjs.org/@esbuild/linux-ia32/-/linux-ia32-0.25.12.tgz",
507 |         "integrity": "sha512-0y9KrdVnbMM2/vG8KfU0byhUN+EFCny9+8g202gYqSSVMonbsCfLjU0+rCci7pM
0WBETz+oK/PIwHkzxkyharA==",
508 |         "cpu": [
509 |             "ia32"
510 |         ],
511 |         "dev": true,
512 |         "license": "MIT",
513 |         "optional": true,
514 |         "os": [
515 |             "linux"
516 |         ],
517 |         "engines": {
518 |             "node": ">=18"
519 |         }
520 |     },
521 |     "node_modules/@esbuild/linux-loong64": {
522 |         "version": "0.25.12",
523 |         "resolved": "https://registry.npmjs.org/@esbuild/linux-loong64/-/linux-loong64-0.25.
12.tgz",
524 |         "integrity": "sha512-h///Lr5a9rib/v1GGqXVGzjL4TMvVTv+s1DPoxQdz7L/AYv6LDSxdIwzxkrPW43
8oUXiDtwM10o9PmwS/6Z0Ng==",
525 |         "cpu": [
526 |             "loong64"
527 |         ],
528 |         "dev": true,
529 |         "license": "MIT",
530 |         "optional": true,
531 |         "os": [
532 |             "linux"
533 |         ],
534 |         "engines": {
535 |             "node": ">=18"
536 |         }
537 |     },
538 |     "node_modules/@esbuild/linux-mips64el": {
539 |         "version": "0.25.12",
540 |         "resolved": "https://registry.npmjs.org/@esbuild/linux-mips64el/-/linux-mips64el-0.2
5.12.tgz",
541 |         "integrity": "sha512-iyRrM1Pzy9GFMDLsXn1iHUm18nhKnNMWscjmp4+hpafcZjrr2WbT//d20xaGljX
DBYHqRcl8HnxbX6uaA/eGVw==",
542 |         "cpu": [
543 |             "mips64el"
544 |         ],
545 |         "dev": true,
546 |         "license": "MIT",
547 |         "optional": true,
548 |         "os": [
549 |             "linux"
550 |         ],

```



```

551 |         "engines": {
552 |             "node": ">=18"
553 |         }
554 |     },
555 |     "node_modules/@esbuild/linux-ppc64": {
556 |         "version": "0.25.12",
557 |         "resolved": "https://registry.npmjs.org/@esbuild/linux-ppc64/-/linux-ppc64-0.25.12.t
gz",
558 |         "integrity": "sha512-9meM/lRXxMi5PSUqEXRCtVjEZBGwB7P/D4yT8UG/mwIdze2aV4Vo6U5gD3+RsoH
XKkHCfSxZKzmDssVlRj1QQA==",
559 |         "cpu": [
560 |             "ppc64"
561 |         ],
562 |         "dev": true,
563 |         "license": "MIT",
564 |         "optional": true,
565 |         "os": [
566 |             "linux"
567 |         ],
568 |         "engines": {
569 |             "node": ">=18"
570 |         }
571 |     },
572 |     "node_modules/@esbuild/linux-riscv64": {
573 |         "version": "0.25.12",
574 |         "resolved": "https://registry.npmjs.org/@esbuild/linux-riscv64/-/linux-riscv64-0.25.
12.tgz",
575 |         "integrity": "sha512-Zr7KR4hgKUPwAwB1f3o5ygT04MzqVrGEGXGLnj15YQDJErYu/BGg+wmFlID0dJp
0PmB0lLvxFIOXZgFRrdjR0w==",
576 |         "cpu": [
577 |             "riscv64"
578 |         ],
579 |         "dev": true,
580 |         "license": "MIT",
581 |         "optional": true,
582 |         "os": [
583 |             "linux"
584 |         ],
585 |         "engines": {
586 |             "node": ">=18"
587 |         }
588 |     },
589 |     "node_modules/@esbuild/linux-s390x": {
590 |         "version": "0.25.12",
591 |         "resolved": "https://registry.npmjs.org/@esbuild/linux-s390x/-/linux-s390x-0.25.12.t
gz",
592 |         "integrity": "sha512-MsKnc0cgTNvdtiISc/jZs/Zf8d0cl/t3gYWX8J9ubBnV0wlk65UIEEvgB0RTilj
loIWnBzLs4qhzPkJcitIzIg==",
593 |         "cpu": [
594 |             "s390x"
595 |         ],
596 |         "dev": true,
597 |         "license": "MIT",
598 |         "optional": true,
599 |         "os": [
600 |             "linux"
601 |         ],
602 |         "engines": {
603 |             "node": ">=18"
604 |         }
605 |     },

```

```

606 |     "node_modules/@esbuild/linux-x64": {
607 |       "version": "0.25.12",
608 |       "resolved": "https://registry.npmjs.org/@esbuild/linux-x64/-/linux-x64-0.25.12.tgz",
609 |       "integrity": "sha512-uqZMTLr/zR/ed4jIGnwSLkaHmPjOjJvnm6TVVItAa08SLS9Z0VM8wIRx7gWbJB5
/J54YuIMInDquWyYvQLZkgw==",
610 |       "cpu": [
611 |         "x64"
612 |       ],
613 |       "dev": true,
614 |       "license": "MIT",
615 |       "optional": true,
616 |       "os": [
617 |         "linux"
618 |       ],
619 |       "engines": {
620 |         "node": ">=18"
621 |       }
622 |     },
623 |     "node_modules/@esbuild/netbsd-arm64": {
624 |       "version": "0.25.12",
625 |       "resolved": "https://registry.npmjs.org/@esbuild/netbsd-arm64/-/netbsd-arm64-0.25.12
.tgz",
626 |       "integrity": "sha512-xXwcTq4GhRM7J9A8Gv5boanHhRa/Q9KLVmcyXHCTaM4wKfIpwkdXiMog/KsnxzJ
0A1+nD+zoecuzqPmCRYBGjg==",
627 |       "cpu": [
628 |         "arm64"
629 |       ],
630 |       "dev": true,
631 |       "license": "MIT",
632 |       "optional": true,
633 |       "os": [
634 |         "netbsd"
635 |       ],
636 |       "engines": {
637 |         "node": ">=18"
638 |       }
639 |     },
640 |     "node_modules/@esbuild/netbsd-x64": {
641 |       "version": "0.25.12",
642 |       "resolved": "https://registry.npmjs.org/@esbuild/netbsd-x64/-/netbsd-x64-0.25.12.tgz
",
643 |       "integrity": "sha512-Ld5pTlzPy3YwGec40uHh1aCVCRvOXdh8DgRjfDy/oumVovmuSzWfnSJg+VtakB9
Cm0gxN09BzWkj6mt01FMXkQ==",
644 |       "cpu": [
645 |         "x64"
646 |       ],
647 |       "dev": true,
648 |       "license": "MIT",
649 |       "optional": true,
650 |       "os": [
651 |         "netbsd"
652 |       ],
653 |       "engines": {
654 |         "node": ">=18"
655 |       }
656 |     },
657 |     "node_modules/@esbuild/openbsd-arm64": {
658 |       "version": "0.25.12",
659 |       "resolved": "https://registry.npmjs.org/@esbuild/openbsd-arm64/-/openbsd-arm64-0.25.
12.tgz",
660 |       "integrity": "sha512-fF96T6KsBo/pkQI950FARU9apGNTSLZGsv1jZBAIcLL1MLjLNIWPBkj5NlSz8aA

```

```

zYKg+eNqknrUJ24QBybeR5A=="
661 |         "cpu": [
662 |             "arm64"
663 |         ],
664 |         "dev": true,
665 |         "license": "MIT",
666 |         "optional": true,
667 |         "os": [
668 |             "openbsd"
669 |         ],
670 |         "engines": {
671 |             "node": ">=18"
672 |         }
673 |     },
674 |     "node_modules/@esbuild/openbsd-x64": {
675 |         "version": "0.25.12",
676 |         "resolved": "https://registry.npmjs.org/@esbuild/openbsd-x64/-/openbsd-x64-0.25.12.t
gz",
677 |         "integrity": "sha512-MZyXUkZHjQxUvzK7rN8DJ3SRmrVrke8ZyRushlP+kuwqTcfwLyqM0E3sScPPyeI
XN/mDJIfGXvcMqCgYKekoQw=="
678 |         "cpu": [
679 |             "x64"
680 |         ],
681 |         "dev": true,
682 |         "license": "MIT",
683 |         "optional": true,
684 |         "os": [
685 |             "openbsd"
686 |         ],
687 |         "engines": {
688 |             "node": ">=18"
689 |         }
690 |     },
691 |     "node_modules/@esbuild/openharmony-arm64": {
692 |         "version": "0.25.12",
693 |         "resolved": "https://registry.npmjs.org/@esbuild/openharmony-arm64/-/openharmony-arm
64-0.25.12.tgz",
694 |         "integrity": "sha512-rm0YWsQUSRrjncSXGA7Zv78Nbnw4XL6/dzr20cyRqf7ZmRcsovpCRBdhD43Nuk3
y7XIOW20xMVvwuRvk9XdASg=="
695 |         "cpu": [
696 |             "arm64"
697 |         ],
698 |         "dev": true,
699 |         "license": "MIT",
700 |         "optional": true,
701 |         "os": [
702 |             "openharmony"
703 |         ],
704 |         "engines": {
705 |             "node": ">=18"
706 |         }
707 |     },
708 |     "node_modules/@esbuild/sunos-x64": {
709 |         "version": "0.25.12",
710 |         "resolved": "https://registry.npmjs.org/@esbuild/sunos-x64/-/sunos-x64-0.25.12.tgz",
711 |         "integrity": "sha512-3wGSCDyuTHQuzt0nV7bocDy72r2lI33QL3gkDNGkod22EsYl04sMf0qLb8luNKT
OmgF/eDEDP5BFNwoBKH441w=="
712 |         "cpu": [
713 |             "x64"
714 |         ],
715 |         "dev": true,

```

```

716 |         "license": "MIT",
717 |         "optional": true,
718 |         "os": [
719 |             "sunos"
720 |         ],
721 |         "engines": {
722 |             "node": ">=18"
723 |         }
724 |     },
725 |     "node_modules/@esbuild/win32-arm64": {
726 |         "version": "0.25.12",
727 |         "resolved": "https://registry.npmjs.org/@esbuild/win32-arm64/-/win32-arm64-0.25.12.t
gz",
728 |         "integrity": "sha512-rMmLrur64A7+DKlnSuwqUdRKyd3UE7oPJZmnljqEptesKM8wx9J8gx5u0+9Pq0f
QQW8vqeKebwNXdf0yP+8Bsg==",
729 |         "cpu": [
730 |             "arm64"
731 |         ],
732 |         "dev": true,
733 |         "license": "MIT",
734 |         "optional": true,
735 |         "os": [
736 |             "win32"
737 |         ],
738 |         "engines": {
739 |             "node": ">=18"
740 |         }
741 |     },
742 |     "node_modules/@esbuild/win32-ia32": {
743 |         "version": "0.25.12",
744 |         "resolved": "https://registry.npmjs.org/@esbuild/win32-ia32/-/win32-ia32-0.25.12.tgz
",
745 |         "integrity": "sha512-HkqnmmBoCbCwxUKKNPBixiWDGCpQGVsrQfJovGYLPT41XWF8lHuE5N6WhVia2n4
o5QK5M4tYr21827fNhi4byQ==",
746 |         "cpu": [
747 |             "ia32"
748 |         ],
749 |         "dev": true,
750 |         "license": "MIT",
751 |         "optional": true,
752 |         "os": [
753 |             "win32"
754 |         ],
755 |         "engines": {
756 |             "node": ">=18"
757 |         }
758 |     },
759 |     "node_modules/@esbuild/win32-x64": {
760 |         "version": "0.25.12",
761 |         "resolved": "https://registry.npmjs.org/@esbuild/win32-x64/-/win32-x64-0.25.12.tgz",
762 |         "integrity": "sha512-alJC0uCZpTFRSL0CCDjcgleBXPnCrEAhTBILpeAp7M/OFgoqtAetfBzX0xM00MU
sVVPpVj1PuMbREqnZCXaTnA==",
763 |         "cpu": [
764 |             "x64"
765 |         ],
766 |         "dev": true,
767 |         "license": "MIT",
768 |         "optional": true,
769 |         "os": [
770 |             "win32"
771 |         ],

```

```

772 |         "engines": {
773 |             "node": ">=18"
774 |         }
775 |     },
776 |     "node_modules/@jridgewell/gen-mapping": {
777 |         "version": "0.3.13",
778 |         "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13
.tgz",
779 |         "integrity": "sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQOzaokjBBjSj63/aLVjYE
3qhRt5dvM+uUyfCg6UKCBbA==",
780 |         "dev": true,
781 |         "license": "MIT",
782 |         "dependencies": {
783 |             "@jridgewell/sourcemap-codec": "^1.5.0",
784 |             "@jridgewell/trace-mapping": "^0.3.24"
785 |         }
786 |     },
787 |     "node_modules/@jridgewell/remapping": {
788 |         "version": "2.3.5",
789 |         "resolved": "https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz"
',
790 |         "integrity": "sha512-LI9u/+laYG4Ds1TDKSJW2YPrIlcVY0wi2fUC6xB43lueCjgxV4lff0CZCtYFiH6
TN0X+tQKXx97T4IKHbhyHEQ==",
791 |         "dev": true,
792 |         "license": "MIT",
793 |         "dependencies": {
794 |             "@jridgewell/gen-mapping": "^0.3.5",
795 |             "@jridgewell/trace-mapping": "^0.3.24"
796 |         }
797 |     },
798 |     "node_modules/@jridgewell/resolve-uri": {
799 |         "version": "3.1.2",
800 |         "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.
tgz",
801 |         "integrity": "sha512-bRISgCIjP20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFX
o1CBTNZ/5hpC9QvmKWdopKw==",
802 |         "dev": true,
803 |         "license": "MIT",
804 |         "engines": {
805 |             "node": ">=6.0.0"
806 |         }
807 |     },
808 |     "node_modules/@jridgewell/sourcemap-codec": {
809 |         "version": "1.5.5",
810 |         "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-code
c-1.5.5.tgz",
811 |         "integrity": "sha512-cYQ9310grqxueWbl+WuIUaiUaDcj7W0q5fVhEljNVgRf0UhY9fy2zTvfoqWsne
bh8Sl70VScFbICvJnLKB00g==",
812 |         "dev": true,
813 |         "license": "MIT"
814 |     },
815 |     "node_modules/@jridgewell/trace-mapping": {
816 |         "version": "0.3.31",
817 |         "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.
3.31.tgz",
818 |         "integrity": "sha512-zzNR+SdQSDJzc8joaep8QQoCQR8NuYx2dIIytl1QeBEZHJ9uw6hebsrYgbz8hJw
UQao3TWCmtmfV8Nu1twOLAW==",
819 |         "dev": true,
820 |         "license": "MIT",
821 |         "dependencies": {
822 |             "@jridgewell/resolve-uri": "^3.1.0",

```

```

823 |         "@jridgewell/sourcemap-codec": "^1.4.14"
824 |     }
825 | },
826 |     "node_modules/@nodelib/fs.scandir": {
827 |         "version": "2.1.5",
828 |         "resolved": "https://registry.npmjs.org/@nodelib/fs.scandir/-/fs.scandir-2.1.5.tgz",
829 |         "integrity": "sha512-vq24Bq3ym5HEQm2NKKCr3yXDwjc7vTSEThRdnkp2DK9p1uqLR+DHurm/NOTo0KG7
HYHU7eppKZj3MyqYuMBf62g==",
830 |         "dev": true,
831 |         "license": "MIT",
832 |         "dependencies": {
833 |             "@nodelib/fs.stat": "2.0.5",
834 |             "run-parallel": "^1.1.9"
835 |         },
836 |         "engines": {
837 |             "node": ">= 8"
838 |         }
839 |     },
840 |     "node_modules/@nodelib/fs.stat": {
841 |         "version": "2.0.5",
842 |         "resolved": "https://registry.npmjs.org/@nodelib/fs.stat/-/fs.stat-2.0.5.tgz",
843 |         "integrity": "sha512-RkhPPp2zrQDAQA/2jNhnztcPALv64XdhIp7a7454A5ovI7Bukxgt7MX7udwAu3z
g1DcpPU0rz3VV1SeaqvY4+A==",
844 |         "dev": true,
845 |         "license": "MIT",
846 |         "engines": {
847 |             "node": ">= 8"
848 |         }
849 |     },
850 |     "node_modules/@nodelib/fs.walk": {
851 |         "version": "1.2.8",
852 |         "resolved": "https://registry.npmjs.org/@nodelib/fs.walk/-/fs.walk-1.2.8.tgz",
853 |         "integrity": "sha512-oGB+UxlgWcgQkgwo8GcEGwemoTft3FI09ababBmaGwXI0BKZ+GTy0pP185beGg7
Llih/NSHSV2XAs1lnznocSg==",
854 |         "dev": true,
855 |         "license": "MIT",
856 |         "dependencies": {
857 |             "@nodelib/fs.scandir": "2.1.5",
858 |             "fastq": "^1.6.0"
859 |         },
860 |         "engines": {
861 |             "node": ">= 8"
862 |         }
863 |     },
864 |     "node_modules/@remix-run/router": {
865 |         "version": "1.23.2",
866 |         "resolved": "https://registry.npmjs.org/@remix-run/router/-/router-1.23.2.tgz",
867 |         "integrity": "sha512-Ic6m2U/rMjTkhERia/0ZtXJP17QUi2CbWE7cq4J58M8aA3QTFw+2U1Q4psvTX9
I01RfNVhK3pcpdjej7L+t2w==",
868 |         "license": "MIT",
869 |         "engines": {
870 |             "node": ">=14.0.0"
871 |         }
872 |     },
873 |     "node_modules/@rolldown/pluginutils": {
874 |         "version": "1.0.0-beta.27",
875 |         "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.0-be
ta.27.tgz",
876 |         "integrity": "sha512-+d0F4MKMCbeVUJwG96uQ4SgAznZNSq93I3V+9NHA40pvqG8mRCpGdKmK8l/dl02
h2CCDHww2FqilnTyDcAnqjA==",
877 |         "dev": true,

```

```

878 |         "license": "MIT"
879 |     },
880 |     "node_modules/@rollup/rollup-android-arm-eabi": {
881 |         "version": "4.60.1",
882 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-android-arm-eabi/-/rollup-and
roid-arm-eabi-4.60.1.tgz",
883 |         "integrity": "sha512-d6FinEBLdIiK+1uACUttJKfgZREXrF0Qc2SmLII7W2AD8FfiZ9Wjd+rD/iRuf5s
5dWrr1GgwXCvPq0uDqu0owA==",
884 |         "cpu": [
885 |             "arm"
886 |         ],
887 |         "dev": true,
888 |         "license": "MIT",
889 |         "optional": true,
890 |         "os": [
891 |             "android"
892 |         ]
893 |     },
894 |     "node_modules/@rollup/rollup-android-arm64": {
895 |         "version": "4.60.1",
896 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-android-arm64/-/rollup-androi
d-arm64-4.60.1.tgz",
897 |         "integrity": "sha512-YjG/EwIDvvYI1YvYbHvDz/BYHtkY4ygUIXhNtdLhG+hKIqFBiosfWiACWortsKP
KU/+dUwQQCKQM3qrDe8c9BA==",
898 |         "cpu": [
899 |             "arm64"
900 |         ],
901 |         "dev": true,
902 |         "license": "MIT",
903 |         "optional": true,
904 |         "os": [
905 |             "android"
906 |         ]
907 |     },
908 |     "node_modules/@rollup/rollup-darwin-arm64": {
909 |         "version": "4.60.1",
910 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-darwin-arm64/-/rollup-darwin-
arm64-4.60.1.tgz",
911 |         "integrity": "sha512-mjCpF7GmkRtSJwon+Rq1N8+pI+8l7w5g9Z3vWj4T7abguC4Czwi3Yu/pFaLvA3T
TeMVjnu3ctigusqWUfjZzvw==",
912 |         "cpu": [
913 |             "arm64"
914 |         ],
915 |         "dev": true,
916 |         "license": "MIT",
917 |         "optional": true,
918 |         "os": [
919 |             "darwin"
920 |         ]
921 |     },
922 |     "node_modules/@rollup/rollup-darwin-x64": {
923 |         "version": "4.60.1",
924 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-darwin-x64/-/rollup-darwin-x6
4-4.60.1.tgz",
925 |         "integrity": "sha512-haZ7hJ1JT4e9hqkoT9R/19XW2QKqjfJVv+i5AGg57S+nLk9lQnJ1F/eZloR03o9
Scy9CM3wQ9l+dkXtcBgN5Ew==",
926 |         "cpu": [
927 |             "x64"
928 |         ],
929 |         "dev": true,
930 |         "license": "MIT",

```

```

931 |         "optional": true,
932 |         "os": [
933 |             "darwin"
934 |         ]
935 |     },
936 |     "node_modules/@rollup/rollup-freebsd-arm64": {
937 |         "version": "4.60.1",
938 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-arm64/-/rollup-freebs
d-arm64-4.60.1.tgz",
939 |         "integrity": "sha512-czw90wpQq3ZsAVBlinZjAYTKdu0jTywLG7fEewKUA7oCmpA8xdTkxZZlwNJKWqI
Llq0wehoZcJYfBv0yhPTQ6w==",
940 |         "cpu": [
941 |             "arm64"
942 |         ],
943 |         "dev": true,
944 |         "license": "MIT",
945 |         "optional": true,
946 |         "os": [
947 |             "freebsd"
948 |         ]
949 |     },
950 |     "node_modules/@rollup/rollup-freebsd-x64": {
951 |         "version": "4.60.1",
952 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-x64/-/rollup-freebsd-
x64-4.60.1.tgz",
953 |         "integrity": "sha512-KVB2rqsxTHuBtf0eySEyZE0B7ltLB/ux38iu2rBQzkjbwRVlkhAGIEDiiYn02kF
OkJp+Z7pUXKyrRRFuFUKt+g==",
954 |         "cpu": [
955 |             "x64"
956 |         ],
957 |         "dev": true,
958 |         "license": "MIT",
959 |         "optional": true,
960 |         "os": [
961 |             "freebsd"
962 |         ]
963 |     },
964 |     "node_modules/@rollup/rollup-linux-arm-gnueabihf": {
965 |         "version": "4.60.1",
966 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm-gnueabihf/-/rollup-
linux-arm-gnueabihf-4.60.1.tgz",
967 |         "integrity": "sha512-L+34Qqil+v5uC0ZEubW7uByo78W0CIrBvci69E7sFASRl0X7b/MB6Cqd1lky/Ct
cSVTydWa2WZwFuWexjS5o6g==",
968 |         "cpu": [
969 |             "arm"
970 |         ],
971 |         "dev": true,
972 |         "license": "MIT",
973 |         "optional": true,
974 |         "os": [
975 |             "linux"
976 |         ]
977 |     },
978 |     "node_modules/@rollup/rollup-linux-arm-musleabihf": {
979 |         "version": "4.60.1",
980 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm-musleabihf/-/rollup
-linux-arm-musleabihf-4.60.1.tgz",
981 |         "integrity": "sha512-n8308rt4v34hgFzlkbi1ycniJh7IR5RCIqt6mz1VRJD6pmhRi0CXdmfnLu9dIUS6
buzh60IvACM842Ffb3xd6Gg==",
982 |         "cpu": [
983 |             "arm"

```



```

984 |     ],
985 |     "dev": true,
986 |     "license": "MIT",
987 |     "optional": true,
988 |     "os": [
989 |         "linux"
990 |     ]
991 | },
992 | "node_modules/@rollup/rollup-linux-arm64-gnu": {
993 |     "version": "4.60.1",
994 |     "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm64-gnu/-/rollup-linu
x-arm64-gnu-4.60.1.tgz",
995 |     "integrity": "sha512-Nq17sTeAzhTAja3QXeAI48+/+GjBJ+QMAH13snn0AJSNL50JsDqotyudHyMb02R
bJkskbMbFJfIJKWA6R1LCJQ==",
996 |     "cpu": [
997 |         "arm64"
998 |     ],
999 |     "dev": true,
1000 |     "license": "MIT",
1001 |     "optional": true,
1002 |     "os": [
1003 |         "linux"
1004 |     ]
1005 | },
1006 | "node_modules/@rollup/rollup-linux-arm64-musl": {
1007 |     "version": "4.60.1",
1008 |     "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm64-musl/-/rollup-lin
ux-arm64-musl-4.60.1.tgz",
1009 |     "integrity": "sha512-+pUymDhd0ys9GcKZPPWlFiZ67sTWV5UU6z0Jat02M1+PiuSGDzIyRuI/pPue3ho
Uwm2uGfxdL+trT6Z9rxnlMA==",
1010 |     "cpu": [
1011 |         "arm64"
1012 |     ],
1013 |     "dev": true,
1014 |     "license": "MIT",
1015 |     "optional": true,
1016 |     "os": [
1017 |         "linux"
1018 |     ]
1019 | },
1020 | "node_modules/@rollup/rollup-linux-loong64-gnu": {
1021 |     "version": "4.60.1",
1022 |     "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-loong64-gnu/-/rollup-li
nux-loong64-gnu-4.60.1.tgz",
1023 |     "integrity": "sha512-VSvqvQeIcsEvY4bKDHEdWcpW4Yw7Bt lKG1GUT4FzBULEKQK0rWHYBQt6Fm2taX
S+1bXvJT6kICu5ZwqKCnvlQ==",
1024 |     "cpu": [
1025 |         "loong64"
1026 |     ],
1027 |     "dev": true,
1028 |     "license": "MIT",
1029 |     "optional": true,
1030 |     "os": [
1031 |         "linux"
1032 |     ]
1033 | },
1034 | "node_modules/@rollup/rollup-linux-loong64-musl": {
1035 |     "version": "4.60.1",
1036 |     "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-loong64-musl/-/rollup-l
inux-loong64-musl-4.60.1.tgz",
1037 |     "integrity": "sha512-4LqhUomJqwe641gsPp6xLfhqWMbQV04KtPp7/dIp0nzPxAKNY1AbwL5W0MQpca1

```

```

LYk07vaw9Kp1PBhdpZYycEw=="
1038 |         "cpu": [
1039 |             "loong64"
1040 |         ],
1041 |         "dev": true,
1042 |         "license": "MIT",
1043 |         "optional": true,
1044 |         "os": [
1045 |             "linux"
1046 |         ]
1047 |     },
1048 |     "node_modules/@rollup/rollup-linux-ppc64-gnu": {
1049 |         "version": "4.60.1",
1050 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-ppc64-gnu/-/rollup-linu
x-ppc64-gnu-4.60.1.tgz",
1051 |         "integrity": "sha512-tLQQ9aPvkBx0c/EUT6j3pyeMD6Hb8QF2BTBnCQWP/uu1hc9AIrIjKnLYMEroIz
/JvtGYgI9dF3AxHZNaEH0rw=="
1052 |         "cpu": [
1053 |             "ppc64"
1054 |         ],
1055 |         "dev": true,
1056 |         "license": "MIT",
1057 |         "optional": true,
1058 |         "os": [
1059 |             "linux"
1060 |         ]
1061 |     },
1062 |     "node_modules/@rollup/rollup-linux-ppc64-musl": {
1063 |         "version": "4.60.1",
1064 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-ppc64-musl/-/rollup-lin
ux-ppc64-musl-4.60.1.tgz",
1065 |         "integrity": "sha512-RMxFhJwc9fSXP6PqmAz4cbv3kAyyvD1etJFjTx40NqFP9DkTkXsAMU4v3Vyc5Bgz
C+anz7nS/9tp4obsKfqqDHg=="
1066 |         "cpu": [
1067 |             "ppc64"
1068 |         ],
1069 |         "dev": true,
1070 |         "license": "MIT",
1071 |         "optional": true,
1072 |         "os": [
1073 |             "linux"
1074 |         ]
1075 |     },
1076 |     "node_modules/@rollup/rollup-linux-riscv64-gnu": {
1077 |         "version": "4.60.1",
1078 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-riscv64-gnu/-/rollup-li
nux-riscv64-gnu-4.60.1.tgz",
1079 |         "integrity": "sha512-QKgFl+Yc1eEk6Mm0BfRHYf6lTxiiiV3/z/BRrbSiw2I7AFTXoBFvdMEyglhPj/
/2mZS4hD0qeB0H1ACh3sBbg=="
1080 |         "cpu": [
1081 |             "riscv64"
1082 |         ],
1083 |         "dev": true,
1084 |         "license": "MIT",
1085 |         "optional": true,
1086 |         "os": [
1087 |             "linux"
1088 |         ]
1089 |     },
1090 |     "node_modules/@rollup/rollup-linux-riscv64-musl": {
1091 |         "version": "4.60.1",

```

```
1092 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-riscv64-musl/-/rollup-l
inix-riscv64-musl-4.60.1.tgz",
1093 |         "integrity": "sha512-RAjXjP/8c6ZtZatZcA1RaQr601TRhZC+adn8YZDnChliZHviqIjmvFwHcxi4JKP
SDAt6Uhf/7vqcBzQJy0PDJg==",
1094 |         "cpu": [
1095 |             "riscv64"
1096 |         ],
1097 |         "dev": true,
1098 |         "license": "MIT",
1099 |         "optional": true,
1100 |         "os": [
1101 |             "linux"
1102 |         ]
1103 |     },
1104 |     "node_modules/@rollup/rollup-linux-s390x-gnu": {
1105 |         "version": "4.60.1",
1106 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-s390x-gnu/-/rollup-linu
x-s390x-gnu-4.60.1.tgz",
1107 |         "integrity": "sha512-wcuocpa0laL1C0BYiA8906yfjlp3RwKDeTIA0hm70pmhR1Bjo9j31G1uQVpDlTv
wxGn2nQs65fBFL5UFd76FcQ==",
1108 |         "cpu": [
1109 |             "s390x"
1110 |         ],
1111 |         "dev": true,
1112 |         "license": "MIT",
1113 |         "optional": true,
1114 |         "os": [
1115 |             "linux"
1116 |         ]
1117 |     },
1118 |     "node_modules/@rollup/rollup-linux-x64-gnu": {
1119 |         "version": "4.60.1",
1120 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-gnu/-/rollup-linux-
x64-gnu-4.60.1.tgz",
1121 |         "integrity": "sha512-77PpsFQUC0iZR9+LQEFg9GCLyfkNXj1MP6wRnzYs0EewbPcHs02AXu4xuUbM1zh
wn3wqaizle3AEYg5aeoohhg==",
1122 |         "cpu": [
1123 |             "x64"
1124 |         ],
1125 |         "dev": true,
1126 |         "license": "MIT",
1127 |         "optional": true,
1128 |         "os": [
1129 |             "linux"
1130 |         ]
1131 |     },
1132 |     "node_modules/@rollup/rollup-linux-x64-musl": {
1133 |         "version": "4.60.1",
1134 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-musl/-/rollup-linux
-x64-musl-4.60.1.tgz",
1135 |         "integrity": "sha512-5cIATbk5vynAjqqmyBjlcIMJl1+R/CwX9oLk/EyiFXDwd95KpHdr0JT//rnUl4c
Ucskrd0jCCw3wpZnhIHdD9w==",
1136 |         "cpu": [
1137 |             "x64"
1138 |         ],
1139 |         "dev": true,
1140 |         "license": "MIT",
1141 |         "optional": true,
1142 |         "os": [
1143 |             "linux"
1144 |         ]
```

```
1145 |     },
1146 |     "node_modules/@rollup/rollup-openbsd-x64": {
1147 |       "version": "4.60.1",
1148 |       "resolved": "https://registry.npmjs.org/@rollup/rollup-openbsd-x64/-/rollup-openbsd-
x64-4.60.1.tgz",
1149 |       "integrity": "sha512-cl0w09WsCi17mcmWqqglez9Gk8isgewvoUZ3WiJFYSR3zjBQc2J5/ihSjpl+VLj
PqjQ/1hJRcQBfLjssREQILw==",
1150 |       "cpu": [
1151 |         "x64"
1152 |       ],
1153 |       "dev": true,
1154 |       "license": "MIT",
1155 |       "optional": true,
1156 |       "os": [
1157 |         "openbsd"
1158 |       ]
1159 |     },
1160 |     "node_modules/@rollup/rollup-openharmony-arm64": {
1161 |       "version": "4.60.1",
1162 |       "resolved": "https://registry.npmjs.org/@rollup/rollup-openharmony-arm64/-/rollup-op
enharmony-arm64-4.60.1.tgz",
1163 |       "integrity": "sha512-4Cv23ZrONRbNtbZa37mLSueXUCtN7MXccChtKpUnQNgF010rjrjFhX3QxkS2PI7
LqGT5xXyYs1a7LbzAwT0iCA==",
1164 |       "cpu": [
1165 |         "arm64"
1166 |       ],
1167 |       "dev": true,
1168 |       "license": "MIT",
1169 |       "optional": true,
1170 |       "os": [
1171 |         "openharmony"
1172 |       ]
1173 |     },
1174 |     "node_modules/@rollup/rollup-win32-arm64-msvc": {
1175 |       "version": "4.60.1",
1176 |       "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-arm64-msvc/-/rollup-win
32-arm64-msvc-4.60.1.tgz",
1177 |       "integrity": "sha512-i1okWYkA4FJICtr7KpYzFpRTHgy5jdDbZiWfvny21iIKky5YExiDXP+zbXzm3dU
cFpkEeYNHgQ5fuG236JPq0g==",
1178 |       "cpu": [
1179 |         "arm64"
1180 |       ],
1181 |       "dev": true,
1182 |       "license": "MIT",
1183 |       "optional": true,
1184 |       "os": [
1185 |         "win32"
1186 |       ]
1187 |     },
1188 |     "node_modules/@rollup/rollup-win32-ia32-msvc": {
1189 |       "version": "4.60.1",
1190 |       "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-ia32-msvc/-/rollup-win3
2-ia32-msvc-4.60.1.tgz",
1191 |       "integrity": "sha512-u09m3CuWlzShA0EYKMNIgfcjjzwqtUMLmuCJLeZWjj0YA3IT2Di09KaxGBTP9xV
ztWyIWjVdsB2E9goMjZvTQg==",
1192 |       "cpu": [
1193 |         "ia32"
1194 |       ],
1195 |       "dev": true,
1196 |       "license": "MIT",
1197 |       "optional": true,
```

```

1198 |         "os": [
1199 |             "win32"
1200 |         ],
1201 |     },
1202 |     "node_modules/@rollup/rollup-win32-x64-gnu": {
1203 |         "version": "4.60.1",
1204 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-x64-gnu/-/rollup-win32-
x64-gnu-4.60.1.tgz",
1205 |         "integrity": "sha512-k+600V9Zl1CM7eZxJgMyTUzmrmbB/0XZnF4pRypKAlAgxmedUA+1v9R+X0Fv56W
4SlHEzfeMtzuJLJD22Uz5zg==",
1206 |         "cpu": [
1207 |             "x64"
1208 |         ],
1209 |         "dev": true,
1210 |         "license": "MIT",
1211 |         "optional": true,
1212 |         "os": [
1213 |             "win32"
1214 |         ],
1215 |     },
1216 |     "node_modules/@rollup/rollup-win32-x64-msvc": {
1217 |         "version": "4.60.1",
1218 |         "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-x64-msvc/-/rollup-win32
-x64-msvc-4.60.1.tgz",
1219 |         "integrity": "sha512-lWMnixq/QzxyhTV6NjQJ4SFo1J6PvOX8vUx5Wb4bBPSEb+8xZ89Bz6k0XpfXj9a
k9AHTQVQzlgzBEC1SyM27xQ==",
1220 |         "cpu": [
1221 |             "x64"
1222 |         ],
1223 |         "dev": true,
1224 |         "license": "MIT",
1225 |         "optional": true,
1226 |         "os": [
1227 |             "win32"
1228 |         ],
1229 |     },
1230 |     "node_modules/@socket.io/component-emitter": {
1231 |         "version": "3.1.2",
1232 |         "resolved": "https://registry.npmjs.org/@socket.io/component-emitter/-/component-emi
tter-3.1.2.tgz",
1233 |         "integrity": "sha512-9BCxFwvbGg/RsZK9tjXd8s4UcwR0MWeFQ1XEKIQVVVAGJyINdrqKMCTryLoK8Rs
e1GjzLV9cwjWV1olXRWEXVA==",
1234 |         "license": "MIT"
1235 |     },
1236 |     "node_modules/@types/babel__core": {
1237 |         "version": "7.20.5",
1238 |         "resolved": "https://registry.npmjs.org/@types/babel__core/-/babel__core-7.20.5.tgz"
1239 |         ,
1240 |         "integrity": "sha512-qoQprZvz5wQFJwMDqeseRXWv3rqMvhgpbXFFvYWhbx9X47P0IA6i/+dXefEmZKo
Ag0aTdaIgNSMqMIU61yRyZA==",
1241 |         "dev": true,
1242 |         "license": "MIT",
1243 |         "dependencies": {
1244 |             "@babel/parser": "^7.20.7",
1245 |             "@babel/types": "^7.20.7",
1246 |             "@types/babel__generator": "*",
1247 |             "@types/babel__template": "*",
1248 |             "@types/babel__traverse": "*"
1249 |         },
1250 |     "node_modules/@types/babel__generator": {

```

```
1251 |         "version": "7.27.0",
1252 |         "resolved": "https://registry.npmjs.org/@types/babel__generator/-/babel__generator-7
.27.0.tgz",
1253 |         "integrity": "sha512-ufFd2Xi920AVPysy+P4n7/U7e68fex0+Ee8gSG9KX7eo084CWiQ4sdxktvdl0b0
PupXtVJJPY19zk6EwWqUQ8lg==",
1254 |         "dev": true,
1255 |         "license": "MIT",
1256 |         "dependencies": {
1257 |             "@babel/types": "^7.0.0"
1258 |         }
1259 |     },
1260 |     "node_modules/@types/babel__template": {
1261 |         "version": "7.4.4",
1262 |         "resolved": "https://registry.npmjs.org/@types/babel__template/-/babel__template-7.4
.4.tgz",
1263 |         "integrity": "sha512-h/NUaSyG5EyxBIP8YRxo4RMe2/qQgvyowRwVMzhYhBCONbw8PUsg4lkFMrhgZhu
e5z3L3MiLDuvyJ/CaPa2A8A==",
1264 |         "dev": true,
1265 |         "license": "MIT",
1266 |         "dependencies": {
1267 |             "@babel/parser": "^7.1.0",
1268 |             "@babel/types": "^7.0.0"
1269 |         }
1270 |     },
1271 |     "node_modules/@types/babel__traverse": {
1272 |         "version": "7.28.0",
1273 |         "resolved": "https://registry.npmjs.org/@types/babel__traverse/-/babel__traverse-7.2
8.0.tgz",
1274 |         "integrity": "sha512-8PvcXf70gTDZBgt9ptxJ8elBeBjcLOAc0to0/mPJjtji1+CdGbHgm77om1GrsPx
siE+uXIpsNSK64UYaIwQXd4Q==",
1275 |         "dev": true,
1276 |         "license": "MIT",
1277 |         "dependencies": {
1278 |             "@babel/types": "^7.28.2"
1279 |         }
1280 |     },
1281 |     "node_modules/@types/d3-array": {
1282 |         "version": "3.2.2",
1283 |         "resolved": "https://registry.npmjs.org/@types/d3-array/-/d3-array-3.2.2.tgz",
1284 |         "integrity": "sha512-h0LWbm7uRza0BYXpIIW5pxfrKe0W+D5lrFiAEYR+pb6w3N2SwSmaJbXdUfSEv+
dT4MfHBLtn5js0LAWa06otw==",
1285 |         "license": "MIT"
1286 |     },
1287 |     "node_modules/@types/d3-color": {
1288 |         "version": "3.1.3",
1289 |         "resolved": "https://registry.npmjs.org/@types/d3-color/-/d3-color-3.1.3.tgz",
1290 |         "integrity": "sha512-i090scct9WAbmgv7ogoq5709YpKmFBbmoEoCHDB2xMBY0+/KVRqAaCDyCE16dUs
pe0vIXFFRI+0sEtqDqy2b4A==",
1291 |         "license": "MIT"
1292 |     },
1293 |     "node_modules/@types/d3-ease": {
1294 |         "version": "3.0.2",
1295 |         "resolved": "https://registry.npmjs.org/@types/d3-ease/-/d3-ease-3.0.2.tgz",
1296 |         "integrity": "sha512-NcV1Jj05oDzoK26oMzbILE6HW7uVXOHLQvHshBUW4UMdZGfiY6v5BeQwh9a9tCz
v+CeefZQHJt5SRgK154RtiA==",
1297 |         "license": "MIT"
1298 |     },
1299 |     "node_modules/@types/d3-interpolate": {
1300 |         "version": "3.0.4",
1301 |         "resolved": "https://registry.npmjs.org/@types/d3-interpolate/-/d3-interpolate-3.0.4
.tgz",
```

```
1302 |         "integrity": "sha512-mgLPETlrpVV1YRJIGlr4Ez47g7Yxjl1lj7YKsiMCb27VJH9W8NVM6Bb9d8kkpG/
uAQS5AmbA48q2IAolKKo1MA==",
1303 |         "license": "MIT",
1304 |         "dependencies": {
1305 |             "@types/d3-color": "*"
1306 |         }
1307 |     },
1308 |     "node_modules/@types/d3-path": {
1309 |         "version": "3.1.1",
1310 |         "resolved": "https://registry.npmjs.org/@types/d3-path/-/d3-path-3.1.1.tgz",
1311 |         "integrity": "sha512-VMZBYyQvbGmWywVea0EHs/BwLgxc+MKi1zLDCONksozI4YJMcTt8ZEuIR4Sb1MM
TE8MMW49v0IwI5+b7RmfWlg==",
1312 |         "license": "MIT"
1313 |     },
1314 |     "node_modules/@types/d3-scale": {
1315 |         "version": "4.0.9",
1316 |         "resolved": "https://registry.npmjs.org/@types/d3-scale/-/d3-scale-4.0.9.tgz",
1317 |         "integrity": "sha512-dLmtwB8zkAe0/juAMfnV+sItKjlsW2lKdZVVy6LRr0cBmegxSABiLEpGVmSJJ80
08i4+sGR6qQt6WtuWJdvVw==",
1318 |         "license": "MIT",
1319 |         "dependencies": {
1320 |             "@types/d3-time": "*"
1321 |         }
1322 |     },
1323 |     "node_modules/@types/d3-shape": {
1324 |         "version": "3.1.8",
1325 |         "resolved": "https://registry.npmjs.org/@types/d3-shape/-/d3-shape-3.1.8.tgz",
1326 |         "integrity": "sha512-lae0iWfcDeR7qt7rA88BNiqdvPS5pFVPpo50fjElwNaT2yyekbM0C9vK+yqBqEm
Hr6lDkRnYN0tBYlAgJa7a4w==",
1327 |         "license": "MIT",
1328 |         "dependencies": {
1329 |             "@types/d3-path": "*"
1330 |         }
1331 |     },
1332 |     "node_modules/@types/d3-time": {
1333 |         "version": "3.0.4",
1334 |         "resolved": "https://registry.npmjs.org/@types/d3-time/-/d3-time-3.0.4.tgz",
1335 |         "integrity": "sha512-yuzZug1nkAAaBLBBikKZTgzCeA+k1uy4ZFwWANO0fKw5z5LRhV0gNA7gNkKm7HoK
+HRN0wX3EkxGk0fpbWhmB7g==",
1336 |         "license": "MIT"
1337 |     },
1338 |     "node_modules/@types/d3-timer": {
1339 |         "version": "3.0.2",
1340 |         "resolved": "https://registry.npmjs.org/@types/d3-timer/-/d3-timer-3.0.2.tgz",
1341 |         "integrity": "sha512-Ps3T8E8dZDam6fUyNiMkekK3XUsaUEik+id09/YjPtFj2qruF8tFBXS7XhtE4iI
XBLxhmLjP3SxpLhVf21I9Lw==",
1342 |         "license": "MIT"
1343 |     },
1344 |     "node_modules/@types/estree": {
1345 |         "version": "1.0.8",
1346 |         "resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.8.tgz",
1347 |         "integrity": "sha512-dWHzHa2WqEXI/01E90jrocMTKJl2mSrEo1h1Iomrv6U+JuNwaHXsXx9bLu5gG7B
UWFIN0skIQJQ/L1rIex4X6w==",
1348 |         "dev": true,
1349 |         "license": "MIT"
1350 |     },
1351 |     "node_modules/@vitejs/plugin-basic-ssl": {
1352 |         "version": "2.3.0",
1353 |         "resolved": "https://registry.npmjs.org/@vitejs/plugin-basic-ssl/-/plugin-basic-ssl-
2.3.0.tgz",
1354 |         "integrity": "sha512-bdYo8rB3NnQbikdMpHaML9Z10ZPBu6fF0Bo+0txsBlvMJtysWskmBcnbIDhUqqC
```

```

8tcxNv/a+BcV5U+2nQMm10Q==",
1355 |         "dev": true,
1356 |         "license": "MIT",
1357 |         "engines": {
1358 |             "node": "^18.0.0 || ^20.0.0 || >=22.0.0"
1359 |         },
1360 |         "peerDependencies": {
1361 |             "vite": "^6.0.0 || ^7.0.0 || ^8.0.0"
1362 |         }
1363 |     },
1364 |     "node_modules/@vitejs/plugin-react": {
1365 |         "version": "4.7.0",
1366 |         "resolved": "https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-4.7.0.tg
z",
1367 |         "integrity": "sha512-gUu9hwfWvvEDBBmgtAowQCojwZmJ5mcLn3aufeCsitijs3+f2NsrPtLAWIR60Pi
qljl96GVCUbLe0HyqIpVaoA==",
1368 |         "dev": true,
1369 |         "license": "MIT",
1370 |         "dependencies": {
1371 |             "@babel/core": "^7.28.0",
1372 |             "@babel/plugin-transform-react-jsx-self": "^7.27.1",
1373 |             "@babel/plugin-transform-react-jsx-source": "^7.27.1",
1374 |             "@rollup/pluginutils": "1.0.0-beta.27",
1375 |             "@types/babel__core": "^7.20.5",
1376 |             "react-refresh": "^0.17.0"
1377 |         },
1378 |         "engines": {
1379 |             "node": "^14.18.0 || >=16.0.0"
1380 |         },
1381 |         "peerDependencies": {
1382 |             "vite": "^4.2.0 || ^5.0.0 || ^6.0.0 || ^7.0.0"
1383 |         }
1384 |     },
1385 |     "node_modules/any-promise": {
1386 |         "version": "1.3.0",
1387 |         "resolved": "https://registry.npmjs.org/any-promise/-/any-promise-1.3.0.tgz",
1388 |         "integrity": "sha512-7UvmKalWRt1wgjlL1RrGxoSJW/0QZFIEgpeGvZG9kjp8vrRu55XTHbwnqq2GpXm9
uLbcuhxm3IqX90B4MZr1b2A==",
1389 |         "dev": true,
1390 |         "license": "MIT"
1391 |     },
1392 |     "node_modules/anymatch": {
1393 |         "version": "3.1.3",
1394 |         "resolved": "https://registry.npmjs.org/anymatch/-/anymatch-3.1.3.tgz",
1395 |         "integrity": "sha512-KMReFUr0B4t+D+0BkjrR3KYqvocp2XaSz055UcB6mgQMd3KbcE+mWTyVV7D/zsd
EbNnV6acZUutkiHQXvTr1Rw==",
1396 |         "dev": true,
1397 |         "license": "ISC",
1398 |         "dependencies": {
1399 |             "normalize-path": "^3.0.0",
1400 |             "picomatch": "^2.0.4"
1401 |         },
1402 |         "engines": {
1403 |             "node": ">= 8"
1404 |         }
1405 |     },
1406 |     "node_modules/arg": {
1407 |         "version": "5.0.2",
1408 |         "resolved": "https://registry.npmjs.org/arg/-/arg-5.0.2.tgz",
1409 |         "integrity": "sha512-PYjyFOLKQ9y57JvQ6QLo8dAgNqswH8M1RMJYdQduT6xbwSgK36P/Z/v+p888pM6
9jMMfs8Xd8F6I1kQ/I9HUGg==",

```



```

1410 |         "dev": true,
1411 |         "license": "MIT"
1412 |     },
1413 |     "node_modules/asynckit": {
1414 |         "version": "0.4.0",
1415 |         "resolved": "https://registry.npmjs.org/asynckit/-/asynckit-0.4.0.tgz",
1416 |         "integrity": "sha512-0ei90H4tRh0YqU3GxhX79dM/mwVgvbZJaSNaRk+bshkj0S5cfHcgYakreBjrHwa
tXKbz+IoIdYLxrKim2MjW0Q==",
1417 |         "license": "MIT"
1418 |     },
1419 |     "node_modules/autoprefixer": {
1420 |         "version": "10.4.27",
1421 |         "resolved": "https://registry.npmjs.org/autoprefixer/-/autoprefixer-10.4.27.tgz",
1422 |         "integrity": "sha512-NP9APE+t0+LuJGn7/9+cohklunJsXWiaWEfV3si4Gi/XHDwVNgkwr1J3RQYFIVP
y76GmJ9/bw8vyoU1LcxwKHA==",
1423 |         "dev": true,
1424 |         "funding": [
1425 |             {
1426 |                 "type": "opencollective",
1427 |                 "url": "https://opencollective.com/postcss/"
1428 |             },
1429 |             {
1430 |                 "type": "tidelift",
1431 |                 "url": "https://tidelift.com/funding/github/npm/autoprefixer"
1432 |             },
1433 |             {
1434 |                 "type": "github",
1435 |                 "url": "https://github.com/sponsors/ai"
1436 |             }
1437 |         ],
1438 |         "license": "MIT",
1439 |         "dependencies": {
1440 |             "browserslist": "^4.28.1",
1441 |             "caniuse-lite": "^1.0.30001774",
1442 |             "fraction.js": "^5.3.4",
1443 |             "picocolors": "^1.1.1",
1444 |             "postcss-value-parser": "^4.2.0"
1445 |         },
1446 |         "bin": {
1447 |             "autoprefixer": "bin/autoprefixer"
1448 |         },
1449 |         "engines": {
1450 |             "node": "^10 || ^12 || >=14"
1451 |         },
1452 |         "peerDependencies": {
1453 |             "postcss": "^8.1.0"
1454 |         }
1455 |     },
1456 |     "node_modules/axios": {
1457 |         "version": "1.15.0",
1458 |         "resolved": "https://registry.npmjs.org/axios/-/axios-1.15.0.tgz",
1459 |         "integrity": "sha512-wWyJDlAatxk30ZJer+GeCWS209sA42X+N5jU2jy6oHTp7ufw8uzUTVFBX9+wTfA
lhiJXGS0Bq7X6efruWjuK9Q==",
1460 |         "license": "MIT",
1461 |         "dependencies": {
1462 |             "follow-redirects": "^1.15.11",
1463 |             "form-data": "^4.0.5",
1464 |             "proxy-from-env": "^2.1.0"
1465 |         }
1466 |     },
1467 |     "node_modules/baseline-browser-mapping": {

```

```
1468 |         "version": "2.10.17",
1469 |         "resolved": "https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-
mapping-2.10.17.tgz",
1470 |         "integrity": "sha512-HdrkN8eVG2CXxeifv/VdJ4A4RSra1DTW8dc/hdxzhGHN8QePs6gKawM9HPcPCo
xYZJu0Z8drHmbdpLHjCYjLA==",
1471 |         "dev": true,
1472 |         "license": "Apache-2.0",
1473 |         "bin": {
1474 |           "baseline-browser-mapping": "dist/cli.cjs"
1475 |         },
1476 |         "engines": {
1477 |           "node": ">=6.0.0"
1478 |         }
1479 |       },
1480 |       "node_modules/binary-extensions": {
1481 |         "version": "2.3.0",
1482 |         "resolved": "https://registry.npmjs.org/binary-extensions/-/binary-extensions-2.3.0.
tgz",
1483 |         "integrity": "sha512-Ceh+7ox5qe7LJuLHoY0feh3pHuUDHAcRUEyL2VYghZwfpkNIy/+80cg0a3UuSoY
zavmylwuLWQ0f3hl0jjMMIw==",
1484 |         "dev": true,
1485 |         "license": "MIT",
1486 |         "engines": {
1487 |           "node": ">=8"
1488 |         },
1489 |         "funding": {
1490 |           "url": "https://github.com/sponsors/sindresorhus"
1491 |         }
1492 |       },
1493 |       "node_modules/braces": {
1494 |         "version": "3.0.3",
1495 |         "resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
1496 |         "integrity": "sha512-yQbXg0/OSZVD2IsiLLro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLc0QdIzGupr
5Fj+EDe8g0/lxc1BzfMpxvA==",
1497 |         "dev": true,
1498 |         "license": "MIT",
1499 |         "dependencies": {
1500 |           "fill-range": "^7.1.1"
1501 |         },
1502 |         "engines": {
1503 |           "node": ">=8"
1504 |         }
1505 |       },
1506 |       "node_modules/browserslist": {
1507 |         "version": "4.28.2",
1508 |         "resolved": "https://registry.npmjs.org/browserslist/-/browserslist-4.28.2.tgz",
1509 |         "integrity": "sha512-48xSriZYYg+8qXna9kwqjIVzuQxi+KYWp2+5nCYnYKPTR0LvD89Jqk20r5ogxz0
NUMfIjhh2LIUX/LyX9B4oIg==",
1510 |         "dev": true,
1511 |         "funding": [
1512 |           {
1513 |             "type": "opencollective",
1514 |             "url": "https://opencollective.com/browserslist"
1515 |           },
1516 |           {
1517 |             "type": "tidelift",
1518 |             "url": "https://tidelift.com/funding/github/npm/browserslist"
1519 |           },
1520 |           {
1521 |             "type": "github",
1522 |             "url": "https://github.com/sponsors/ai"

```

```

1523 |     }
1524 |   ],
1525 |   "license": "MIT",
1526 |   "peer": true,
1527 |   "dependencies": {
1528 |     "baseline-browser-mapping": "^2.10.12",
1529 |     "caniuse-lite": "^1.0.30001782",
1530 |     "electron-to-chromium": "^1.5.328",
1531 |     "node-releases": "^2.0.36",
1532 |     "update-browserslist-db": "^1.2.3"
1533 |   },
1534 |   "bin": {
1535 |     "browserslist": "cli.js"
1536 |   },
1537 |   "engines": {
1538 |     "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
1539 |   }
1540 | },
1541 | "node_modules/call-bind-apply-helpers": {
1542 |   "version": "1.0.2",
1543 |   "resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-he
lpers-1.0.2.tgz",
1544 |   "integrity": "sha512-Sp1ablJ0ivDkSzjcaJdxEunN5/XvksFJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHt
P0Sij8K99/wSfoEuTObmMQ==",
1545 |   "license": "MIT",
1546 |   "dependencies": {
1547 |     "es-errors": "^1.3.0",
1548 |     "function-bind": "^1.1.2"
1549 |   },
1550 |   "engines": {
1551 |     "node": ">= 0.4"
1552 |   }
1553 | },
1554 | "node_modules/camelcase-css": {
1555 |   "version": "2.0.1",
1556 |   "resolved": "https://registry.npmjs.org/camelcase-css/-/camelcase-css-2.0.1.tgz",
1557 |   "integrity": "sha512-QOSvevhslijgYwRx6Rv7zKdMF8lbRmx+uQGx2+vDc+KI/eBnsy9kit5aj23AgGu
3pa4t9AgwbnXWqS+iOY+2aA==",
1558 |   "dev": true,
1559 |   "license": "MIT",
1560 |   "engines": {
1561 |     "node": ">= 6"
1562 |   }
1563 | },
1564 | "node_modules/caniuse-lite": {
1565 |   "version": "1.0.30001787",
1566 |   "resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001787.tgz
",
1567 |   "integrity": "sha512-mNcrMN9KeI68u7muanUpEejSLgh0KlVhRqS/Za2IeyGllJ9I9otGpR9g3nsw7n4
W378TE/LyIteA0+/FOZm4Kg==",
1568 |   "dev": true,
1569 |   "funding": [
1570 |     {
1571 |       "type": "opencollective",
1572 |       "url": "https://opencollective.com/browserslist"
1573 |     },
1574 |     {
1575 |       "type": "tidelift",
1576 |       "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
1577 |     },
1578 |   ]

```

```

1579 |         "type": "github",
1580 |         "url": "https://github.com/sponsors/ai"
1581 |     }
1582 | ],
1583 |     "license": "CC-BY-4.0"
1584 | },
1585 |     "node_modules/chokidar": {
1586 |         "version": "3.6.0",
1587 |         "resolved": "https://registry.npmjs.org/chokidar/-/chokidar-3.6.0.tgz",
1588 |         "integrity": "sha512-7VT13fmjotKpGipCW9JEQAusEPE+Ei8nl6/g4FBAmIm0G00LMua9NDDo/DWp0ZA
xCr3cPq5ZpBqmPAQgDda2Pw==",
1589 |         "dev": true,
1590 |         "license": "MIT",
1591 |         "dependencies": {
1592 |             "anymatch": "~3.1.2",
1593 |             "braces": "~3.0.2",
1594 |             "glob-parent": "~5.1.2",
1595 |             "is-binary-path": "~2.1.0",
1596 |             "is-glob": "~4.0.1",
1597 |             "normalize-path": "~3.0.0",
1598 |             "readdirp": "~3.6.0"
1599 |         },
1600 |         "engines": {
1601 |             "node": ">= 8.10.0"
1602 |         },
1603 |         "funding": {
1604 |             "url": "https://paulmillr.com/funding/"
1605 |         },
1606 |         "optionalDependencies": {
1607 |             "fsevents": "~2.3.2"
1608 |         }
1609 |     },
1610 |     "node_modules/chokidar/node_modules/glob-parent": {
1611 |         "version": "5.1.2",
1612 |         "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
1613 |         "integrity": "sha512-AOIgSQCepiJYwP3ARnGx+5VnTu2HBYdzBGP45eLw1vr3zB3vZLeyed1sC9hnbc0
c9/SrMyM5RPQrkGz4aS9Zow==",
1614 |         "dev": true,
1615 |         "license": "ISC",
1616 |         "dependencies": {
1617 |             "is-glob": "^4.0.1"
1618 |         },
1619 |         "engines": {
1620 |             "node": ">= 6"
1621 |         }
1622 |     },
1623 |     "node_modules/clsx": {
1624 |         "version": "2.1.1",
1625 |         "resolved": "https://registry.npmjs.org/clsx/-/clsx-2.1.1.tgz",
1626 |         "integrity": "sha512-eYm0QWBtUrBWZwG0d3860GAw16Z995Pi0Vo2B7bjWSbHedG15e0ZWaq65k0GgUS
NesEIDkB9ISbTg/JK9dhCZA==",
1627 |         "license": "MIT",
1628 |         "engines": {
1629 |             "node": ">=6"
1630 |         }
1631 |     },
1632 |     "node_modules/combined-stream": {
1633 |         "version": "1.0.8",
1634 |         "resolved": "https://registry.npmjs.org/combined-stream/-/combined-stream-1.0.8.tgz"
1635 |         "integrity": "sha512-FQ4MRfuJeHf7cBbBMJFXhKSDq+2kAARblmRBvcvFE5BB1HZKXtSFASDhdlz9z0

```

```

Ywxh8lDdnvmM0e/+5cdoEdg==",
1636 |         "license": "MIT",
1637 |         "dependencies": {
1638 |             "delayed-stream": "~1.0.0"
1639 |         },
1640 |         "engines": {
1641 |             "node": ">= 0.8"
1642 |         }
1643 |     },
1644 |     "node_modules/commander": {
1645 |         "version": "4.1.1",
1646 |         "resolved": "https://registry.npmjs.org/commander/-/commander-4.1.1.tgz",
1647 |         "integrity": "sha512-NOKm8xhkzAjzFx8B2v50AHT+u5pRQc2UCa2Vq9jYl/31o2wi9mxBA7LIFs3sV5V
SC49z6pEhfbMULvShKj26WA==",
1648 |         "dev": true,
1649 |         "license": "MIT",
1650 |         "engines": {
1651 |             "node": ">= 6"
1652 |         }
1653 |     },
1654 |     "node_modules/convert-source-map": {
1655 |         "version": "2.0.0",
1656 |         "resolved": "https://registry.npmjs.org/convert-source-map/-/convert-source-map-2.0.
0.tgz",
1657 |         "integrity": "sha512-Kvp459HrV2FEJ1CAsi1Ku+MY3kash19TFykTz2xWmMeq6bk2NU3XXvfJ+Q61m0x
ktWwt+1HSYf3JZsTms3aRjg==",
1658 |         "dev": true,
1659 |         "license": "MIT"
1660 |     },
1661 |     "node_modules/cssesc": {
1662 |         "version": "3.0.0",
1663 |         "resolved": "https://registry.npmjs.org/cssesc/-/cssesc-3.0.0.tgz",
1664 |         "integrity": "sha512-/Tb/JcjK11nNScGob5MNTsntNM1aCNUdipB/TkwZFhyDrrE47S0x/18wF2bbjg
c3ZzCSKW1T5nt5EbFoAz/Vg==",
1665 |         "dev": true,
1666 |         "license": "MIT",
1667 |         "bin": {
1668 |             "cssesc": "bin/cssesc"
1669 |         },
1670 |         "engines": {
1671 |             "node": ">=4"
1672 |         }
1673 |     },
1674 |     "node_modules/csstype": {
1675 |         "version": "3.2.3",
1676 |         "resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",
1677 |         "integrity": "sha512-z1HGKcYy2xA8AGQfwrn0PAY+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzW
VLFC8KusUX8T/0kCi0YpAIQ==",
1678 |         "license": "MIT"
1679 |     },
1680 |     "node_modules/d3-array": {
1681 |         "version": "3.2.4",
1682 |         "resolved": "https://registry.npmjs.org/d3-array/-/d3-array-3.2.4.tgz",
1683 |         "integrity": "sha512-tdQAmY18i4J7wprpYq8ClcxZy3SC31QMeByyCFyRt7BVHdREQZ5lpzoe5mFEYZ
UWe+oq8HBvk9JjpibyEV4Jg==",
1684 |         "license": "ISC",
1685 |         "dependencies": {
1686 |             "internmap": "1 - 2"
1687 |         },
1688 |         "engines": {
1689 |             "node": ">=12"

```

```
1690 |     }
1691 |   },
1692 |   "node_modules/d3-color": {
1693 |     "version": "3.1.0",
1694 |     "resolved": "https://registry.npmjs.org/d3-color/-/d3-color-3.1.0.tgz",
1695 |     "integrity": "sha512-zg/chbXyeBtMQ1LbD/WSow2DpC3I0mpmPdW+ynRTj/x2DAWYrIY7qeZIHidozwW
24m4iavr15lNwIwLxRm0xhA==",
1696 |     "license": "ISC",
1697 |     "engines": {
1698 |       "node": ">=12"
1699 |     }
1700 |   },
1701 |   "node_modules/d3-ease": {
1702 |     "version": "3.0.1",
1703 |     "resolved": "https://registry.npmjs.org/d3-ease/-/d3-ease-3.0.1.tgz",
1704 |     "integrity": "sha512-wR/XK3D3XcLIzwpbvQw5fK+8Ykds1ip7A2Txe0yxncXSdq1L9skcG7blcedk0X
+ZcgxGAmLX1FrRgBAdwzi0w==",
1705 |     "license": "BSD-3-Clause",
1706 |     "engines": {
1707 |       "node": ">=12"
1708 |     }
1709 |   },
1710 |   "node_modules/d3-format": {
1711 |     "version": "3.1.2",
1712 |     "resolved": "https://registry.npmjs.org/d3-format/-/d3-format-3.1.2.tgz",
1713 |     "integrity": "sha512-AJDdY0dnyRDV5b6ArlzCPPwc1ejkHcoyFarqlPqT7zRYjhavcT3uSrqcMvsgh2
CgoPbK3RCwyHaVyxYcP2Arg==",
1714 |     "license": "ISC",
1715 |     "engines": {
1716 |       "node": ">=12"
1717 |     }
1718 |   },
1719 |   "node_modules/d3-interpolate": {
1720 |     "version": "3.0.1",
1721 |     "resolved": "https://registry.npmjs.org/d3-interpolate/-/d3-interpolate-3.0.1.tgz",
1722 |     "integrity": "sha512-3bYs1rOD33uo8aqJfKP3JWPAibgw8Zm2+L9vBKEHJ2Rg+viTR7o5Mmv5mZcieN+
FRYaA0WX5SJATX6k1PWz72g==",
1723 |     "license": "ISC",
1724 |     "dependencies": {
1725 |       "d3-color": "1 - 3"
1726 |     },
1727 |     "engines": {
1728 |       "node": ">=12"
1729 |     }
1730 |   },
1731 |   "node_modules/d3-path": {
1732 |     "version": "3.1.0",
1733 |     "resolved": "https://registry.npmjs.org/d3-path/-/d3-path-3.1.0.tgz",
1734 |     "integrity": "sha512-p3KP5HCf/bvjBSSKuXid6Zqijx7wIfNW+J/maPs+iwR35at5JCblUT0LzF1cnjb
CHWhqzQTIN2Jpe8pRebIEFQ==",
1735 |     "license": "ISC",
1736 |     "engines": {
1737 |       "node": ">=12"
1738 |     }
1739 |   },
1740 |   "node_modules/d3-scale": {
1741 |     "version": "4.0.2",
1742 |     "resolved": "https://registry.npmjs.org/d3-scale/-/d3-scale-4.0.2.tgz",
1743 |     "integrity": "sha512-GZW464g1SH7ag3Y7hXjf8RoUuAFIqkl0Aq3MRl40aWabTFJY9PN/E1YklhXlh+O
Q3fM9yS2n0kCoS+WLZ6kvxQ==",
1744 |     "license": "ISC",
```

```

1745 |         "dependencies": {
1746 |             "d3-array": "2.10.0 - 3",
1747 |             "d3-format": "1 - 3",
1748 |             "d3-interpolate": "1.2.0 - 3",
1749 |             "d3-time": "2.1.1 - 3",
1750 |             "d3-time-format": "2 - 4"
1751 |         },
1752 |         "engines": {
1753 |             "node": ">=12"
1754 |         }
1755 |     },
1756 |     "node_modules/d3-shape": {
1757 |         "version": "3.2.0",
1758 |         "resolved": "https://registry.npmjs.org/d3-shape/-/d3-shape-3.2.0.tgz",
1759 |         "integrity": "sha512-SaLBuwGm3MOVIRq2ABk3eLoxwZELpH6zh13FbAoJ7Vm1gofKx6El1Ib5z23NUEh
F9AsGl7y+dzLe5Cw2AARGTA==",
1760 |         "license": "ISC",
1761 |         "dependencies": {
1762 |             "d3-path": "^3.1.0"
1763 |         },
1764 |         "engines": {
1765 |             "node": ">=12"
1766 |         }
1767 |     },
1768 |     "node_modules/d3-time": {
1769 |         "version": "3.1.0",
1770 |         "resolved": "https://registry.npmjs.org/d3-time/-/d3-time-3.1.0.tgz",
1771 |         "integrity": "sha512-VqKjzBLEjbSMT4IgbmVgDjpkYrNWUYJnbCGo874u7MMKIWsILRX+OpX/gTk8Mqj
pT1A/c6HY2dCA77ZN0lkQ2Q==",
1772 |         "license": "ISC",
1773 |         "dependencies": {
1774 |             "d3-array": "2 - 3"
1775 |         },
1776 |         "engines": {
1777 |             "node": ">=12"
1778 |         }
1779 |     },
1780 |     "node_modules/d3-time-format": {
1781 |         "version": "4.1.0",
1782 |         "resolved": "https://registry.npmjs.org/d3-time-format/-/d3-time-format-4.1.0.tgz",
1783 |         "integrity": "sha512-dJxPBlzC7NugB2PDLwo9Q8JiTR3M3e4/XANkreKSUXF8vvXKqm1Yfq4Q5dl8bud
lunRVlUUaDUgFt7eA8D6NLg==",
1784 |         "license": "ISC",
1785 |         "dependencies": {
1786 |             "d3-time": "1 - 3"
1787 |         },
1788 |         "engines": {
1789 |             "node": ">=12"
1790 |         }
1791 |     },
1792 |     "node_modules/d3-timer": {
1793 |         "version": "3.0.1",
1794 |         "resolved": "https://registry.npmjs.org/d3-timer/-/d3-timer-3.0.1.tgz",
1795 |         "integrity": "sha512-ndfJ/JxxMd3nw31uyKoY2naivF+r29V+Lc0svZxe1JvvIRmi8hUsrMvd0wgS1o6
uBHMiz91geQ0ylPP0aj1VUA==",
1796 |         "license": "ISC",
1797 |         "engines": {
1798 |             "node": ">=12"
1799 |         }
1800 |     },
1801 |     "node_modules/debug": {

```

```
1802 |         "version": "4.4.3",
1803 |         "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
1804 |         "integrity": "sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYry
rTLLpuvGI9GiiJltAjNbcqA==",
1805 |         "license": "MIT",
1806 |         "dependencies": {
1807 |             "ms": "^2.1.3"
1808 |         },
1809 |         "engines": {
1810 |             "node": ">=6.0"
1811 |         },
1812 |         "peerDependenciesMeta": {
1813 |             "supports-color": {
1814 |                 "optional": true
1815 |             }
1816 |         }
1817 |     },
1818 |     "node_modules/decimal.js-light": {
1819 |         "version": "2.5.1",
1820 |         "resolved": "https://registry.npmjs.org/decimal.js-light/-/decimal.js-light-2.5.1.tg
z",
1821 |         "integrity": "sha512-qIMFpTMZmny+MMiitAB6D7iVPEorVw6YQRWkvarTkT4tBeSLLiHzcwj6q0MmYSF
CiVpiqPJTJEYIrpcPzVEIvg==",
1822 |         "license": "MIT"
1823 |     },
1824 |     "node_modules/delayed-stream": {
1825 |         "version": "1.0.0",
1826 |         "resolved": "https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz",
1827 |         "integrity": "sha512-ZySD7Nf91aLB0RXL4KGrKHBXl7Eds1DAmEdcoVawXnLD7SDhpNgtuII2aAkg7a7
QS41jxPSZ17p4VdGnMHk3MQ==",
1828 |         "license": "MIT",
1829 |         "engines": {
1830 |             "node": ">=0.4.0"
1831 |         }
1832 |     },
1833 |     "node_modules/didyoumean": {
1834 |         "version": "1.2.2",
1835 |         "resolved": "https://registry.npmjs.org/didyoumean/-/didyoumean-1.2.2.tgz",
1836 |         "integrity": "sha512-gxytyfQMG7GKyhQmb056K7M3xszy/myH8w+B4RT+QXBQsvA0dc3XymqDDPHx1BgP
gsdAA5SIifona89YtRATDzw==",
1837 |         "dev": true,
1838 |         "license": "Apache-2.0"
1839 |     },
1840 |     "node_modules/dlv": {
1841 |         "version": "1.1.3",
1842 |         "resolved": "https://registry.npmjs.org/dlv/-/dlv-1.1.3.tgz",
1843 |         "integrity": "sha512-+HlytyjlPKnIG8XuRG8WvmBP8xs8P71y+SKKS6ZXWoEgLuePxtDoUEiH7WkdePW
rQ5JBpE6aoVqfZfJUQkjXwA==",
1844 |         "dev": true,
1845 |         "license": "MIT"
1846 |     },
1847 |     "node_modules/dom-helpers": {
1848 |         "version": "5.2.1",
1849 |         "resolved": "https://registry.npmjs.org/dom-helpers/-/dom-helpers-5.2.1.tgz",
1850 |         "integrity": "sha512-nRCA7CK3VTmM2NmGkIy4cbK7IZlgBE/PYmN55rrXefr5xXDP0LdtfPnblFDoVdc
AfsLJ7or6iqAUnx0CCGIWQA==",
1851 |         "license": "MIT",
1852 |         "dependencies": {
1853 |             "@babel/runtime": "^7.8.7",
1854 |             "csstype": "^3.0.2"
1855 |         }

```



```

1856 |     },
1857 |     "node_modules/dunder-proto": {
1858 |       "version": "1.0.1",
1859 |       "resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz",
1860 |       "integrity": "sha512-KIN/nDJBQRcXw0MLVhZE9iQHmG68qAVIBg9CqmUYjmQIhgij9U5MFvrqKUL5Fbt
yyzZu0e0t0zdeRe4UY7ct+A==",
1861 |       "license": "MIT",
1862 |       "dependencies": {
1863 |         "call-bind-apply-helpers": "^1.0.1",
1864 |         "es-errors": "^1.3.0",
1865 |         "gopd": "^1.2.0"
1866 |       },
1867 |       "engines": {
1868 |         "node": ">= 0.4"
1869 |       }
1870 |     },
1871 |     "node_modules/electron-to-chromium": {
1872 |       "version": "1.5.335",
1873 |       "resolved": "https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-
1.5.335.tgz",
1874 |       "integrity": "sha512-q9n5T4BR4Xwa2cwbrwcsDJtHD/enpQ5S1xF1IAtdqf5AAgqDFmR/aakqH3ChFdq
d/QXJhS3rnnXFtexU7rax6Q==",
1875 |       "dev": true,
1876 |       "license": "ISC"
1877 |     },
1878 |     "node_modules/engine.io-client": {
1879 |       "version": "6.6.4",
1880 |       "resolved": "https://registry.npmjs.org/engine.io-client/-/engine.io-client-6.6.4.tg
z",
1881 |       "integrity": "sha512-+kjUJnZGwzewFDw951CDWcwj35vMNF2fcj7xQW0ctq1F2i1jkDdVvdFG9kM/BEC
hymCH36KgjnW0NsL58JYRxw==",
1882 |       "license": "MIT",
1883 |       "dependencies": {
1884 |         "@socket.io/component-emitter": "~3.1.0",
1885 |         "debug": "~4.4.1",
1886 |         "engine.io-parser": "~5.2.1",
1887 |         "ws": "~8.18.3",
1888 |         "xmlhttprequest-ssl": "~2.1.1"
1889 |       }
1890 |     },
1891 |     "node_modules/engine.io-parser": {
1892 |       "version": "5.2.3",
1893 |       "resolved": "https://registry.npmjs.org/engine.io-parser/-/engine.io-parser-5.2.3.tg
z",
1894 |       "integrity": "sha512-HqD3yTBfnBxIrbnM1DoD6Pcq8NECnh8d4As1Qgh0z5Gg3jRRIqijury0CL3ghu/
edArpUYiYqQiDUQBIs4np3Q==",
1895 |       "license": "MIT",
1896 |       "engines": {
1897 |         "node": ">=10.0.0"
1898 |       }
1899 |     },
1900 |     "node_modules/es-define-property": {
1901 |       "version": "1.0.1",
1902 |       "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.
1.tgz",
1903 |       "integrity": "sha512-e3nRfgfUZ4rNGL232gUgX06QNYyez04KdjFrF+LTRoOXmr0gFKDg4BCdsjW8EnT
69eqdYGmRpJwiPVYNrCaw3g==",
1904 |       "license": "MIT",
1905 |       "engines": {
1906 |         "node": ">= 0.4"
1907 |       }

```

```

1908 |     },
1909 |     "node_modules/es-errors": {
1910 |       "version": "1.3.0",
1911 |       "resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
1912 |       "integrity": "sha512-Zf5H2Kxt2xjTvbJvP2ZWLEICxA6j+hAmMzIlypy4xcBg1vKVnx89Wy0GbS+kf5c
wCVFFzdCFh2XSCFNULS6csw==",
1913 |       "license": "MIT",
1914 |       "engines": {
1915 |         "node": ">= 0.4"
1916 |       }
1917 |     },
1918 |     "node_modules/es-object-atoms": {
1919 |       "version": "1.1.1",
1920 |       "resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.1.tgz"
1921 |     },
1922 |     "integrity": "sha512-FGgH2h8zKNim9lj7dankFPcICIK9Cp5bm+c2gQSYePhpaG5+esrLODihIorn+P
e6FGJzWhXQotPv73jTaldXA==",
1923 |     "license": "MIT",
1924 |     "dependencies": {
1925 |       "es-errors": "^1.3.0"
1926 |     },
1927 |     "engines": {
1928 |       "node": ">= 0.4"
1929 |     },
1930 |     "node_modules/es-set-tostringtag": {
1931 |       "version": "2.1.0",
1932 |       "resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.
0.tgz",
1933 |       "integrity": "sha512-j6vWzfrGVfyXxge+00x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+t0AngR08cODMN
WbVRdVlmgZQL2YS3yR8bIUA==",
1934 |       "license": "MIT",
1935 |       "dependencies": {
1936 |         "es-errors": "^1.3.0",
1937 |         "get-intrinsic": "^1.2.6",
1938 |         "has-tostringtag": "^1.0.2",
1939 |         "hasown": "^2.0.2"
1940 |       },
1941 |       "engines": {
1942 |         "node": ">= 0.4"
1943 |       }
1944 |     },
1945 |     "node_modules/esbuild": {
1946 |       "version": "0.25.12",
1947 |       "resolved": "https://registry.npmjs.org/esbuild/-/esbuild-0.25.12.tgz",
1948 |       "integrity": "sha512-bbPBYrtZbkt60s6FiTLCTFxxvq4tt3JKall1vRwshA3fdVztsLAatFaZobhkBC8
/BrPetoea0oksYoKXoG4ryJg==",
1949 |       "dev": true,
1950 |       "hasInstallScript": true,
1951 |       "license": "MIT",
1952 |       "bin": {
1953 |         "esbuild": "bin/esbuild"
1954 |       },
1955 |       "engines": {
1956 |         "node": ">=18"
1957 |     },
1958 |     "optionalDependencies": {
1959 |       "@esbuild/aix-ppc64": "0.25.12",
1960 |       "@esbuild/android-arm": "0.25.12",
1961 |       "@esbuild/android-arm64": "0.25.12",
1962 |       "@esbuild/android-x64": "0.25.12",

```

```

1963 |         "@esbuild/darwin-arm64": "0.25.12",
1964 |         "@esbuild/darwin-x64": "0.25.12",
1965 |         "@esbuild/freebsd-arm64": "0.25.12",
1966 |         "@esbuild/freebsd-x64": "0.25.12",
1967 |         "@esbuild/linux-arm": "0.25.12",
1968 |         "@esbuild/linux-arm64": "0.25.12",
1969 |         "@esbuild/linux-ia32": "0.25.12",
1970 |         "@esbuild/linux-loong64": "0.25.12",
1971 |         "@esbuild/linux-mips64el": "0.25.12",
1972 |         "@esbuild/linux-ppc64": "0.25.12",
1973 |         "@esbuild/linux-riscv64": "0.25.12",
1974 |         "@esbuild/linux-s390x": "0.25.12",
1975 |         "@esbuild/linux-x64": "0.25.12",
1976 |         "@esbuild/netbsd-arm64": "0.25.12",
1977 |         "@esbuild/netbsd-x64": "0.25.12",
1978 |         "@esbuild/openbsd-arm64": "0.25.12",
1979 |         "@esbuild/openbsd-x64": "0.25.12",
1980 |         "@esbuild/openharmony-arm64": "0.25.12",
1981 |         "@esbuild/sunos-x64": "0.25.12",
1982 |         "@esbuild/win32-arm64": "0.25.12",
1983 |         "@esbuild/win32-ia32": "0.25.12",
1984 |         "@esbuild/win32-x64": "0.25.12"
1985 |     }
1986 | },
1987 |     "node_modules/escalade": {
1988 |         "version": "3.2.0",
1989 |         "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
1990 |         "integrity": "sha512-WUj2qlxaQtO4g6Pq5c29GTcWGdYd8itL8zTlipgECz3JesAii0Kotd8JU6otB3P
ACgG6xkJUyVhboMS+bje/jA==",
1991 |         "dev": true,
1992 |         "license": "MIT",
1993 |         "engines": {
1994 |             "node": ">=6"
1995 |         }
1996 |     },
1997 |     "node_modules/eventemitter3": {
1998 |         "version": "4.0.7",
1999 |         "resolved": "https://registry.npmjs.org/eventemitter3/-/eventemitter3-4.0.7.tgz",
2000 |         "integrity": "sha512-8guHBZCwKnFhYdHr2ysuRWErTwhoN2X8XELRlrRwpmfeY2jjUN4taQMsULKUVo
1K4DvZl+0pgfyoysHxvmvEw==",
2001 |         "license": "MIT"
2002 |     },
2003 |     "node_modules/fast-equals": {
2004 |         "version": "5.4.0",
2005 |         "resolved": "https://registry.npmjs.org/fast-equals/-/fast-equals-5.4.0.tgz",
2006 |         "integrity": "sha512-jt2DW/aNFNwke7AUd+Z+e6pz39K05rzdBBFCg2sGafS4mk13MI7Z805z9cADNn5
lhGODIgLwug6TZ02ctf7kcw==",
2007 |         "license": "MIT",
2008 |         "engines": {
2009 |             "node": ">=6.0.0"
2010 |         }
2011 |     },
2012 |     "node_modules/fast-glob": {
2013 |         "version": "3.3.3",
2014 |         "resolved": "https://registry.npmjs.org/fast-glob/-/fast-glob-3.3.3.tgz",
2015 |         "integrity": "sha512-7MGTkJ5kx0iWn1Bz8AuvKXgFoYoAtFklBtQDgD3KkqZGjyCTDphYxfWpqgjzrFfDhJy3HkXoAhNc9o3A37
Rq4iT4AzTVuZdhgQ2TCvYLG==",
2016 |         "dev": true,
2017 |         "license": "MIT",
2018 |         "dependencies": {
2019 |             "@nodelib/fs.stat": "^2.0.2",

```

```

2020 |         "@node/lib/fs.walk": "^1.2.3",
2021 |         "glob-parent": "^5.1.2",
2022 |         "merge2": "^1.3.0",
2023 |         "micromatch": "^4.0.8"
2024 |     },
2025 |     "engines": {
2026 |         "node": ">=8.6.0"
2027 |     }
2028 | },
2029 |     "node_modules/fast-glob/node_modules/glob-parent": {
2030 |         "version": "5.1.2",
2031 |         "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
2032 |         "integrity": "sha512-AOIgSQ CepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbc0
c9/SrMyM5RPQrkGz4aS9Zow==",
2033 |         "dev": true,
2034 |         "license": "ISC",
2035 |         "dependencies": {
2036 |             "is-glob": "^4.0.1"
2037 |         },
2038 |         "engines": {
2039 |             "node": ">= 6"
2040 |         }
2041 |     },
2042 |     "node_modules/fastq": {
2043 |         "version": "1.20.1",
2044 |         "resolved": "https://registry.npmjs.org/fastq/-/fastq-1.20.1.tgz",
2045 |         "integrity": "sha512-GGTroxJ/w1x32s/D2EKND7kTil4n80VnK/9mycTc4VDza13l0vpUZTGX3mFSCtV9k
sdGBVzvsyAVLM6mHFTxXxw==",
2046 |         "dev": true,
2047 |         "license": "ISC",
2048 |         "dependencies": {
2049 |             "reusify": "^1.0.4"
2050 |         }
2051 |     },
2052 |     "node_modules/fill-range": {
2053 |         "version": "7.1.1",
2054 |         "resolved": "https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz",
2055 |         "integrity": "sha512-YsgGed1HJi3ZSiqMhFdsl3aV2jzM389gX8Ti37Q4DkS8g2q7Be48Z5U0FvS4N1oLKrDg3
tvtQvaI9KaLyKrc+hBW0yg==",
2056 |         "dev": true,
2057 |         "license": "MIT",
2058 |         "dependencies": {
2059 |             "to-regex-range": "^5.0.1"
2060 |         },
2061 |         "engines": {
2062 |             "node": ">=8"
2063 |         }
2064 |     },
2065 |     "node_modules/follow-redirects": {
2066 |         "version": "1.15.11",
2067 |         "resolved": "https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.15.11.
tgz",
2068 |         "integrity": "sha512-deG2P0JfjrTxL50XGCDyfI97ZGVCxIpFKYmfyrQ54n5F0/0gfIES8C/Psl6kWVD
olizcaaxZJnTS0QSMxvnsBQ==",
2069 |         "funding": [
2070 |             {
2071 |                 "type": "individual",
2072 |                 "url": "https://github.com/sponsors/RubenVerborgh"
2073 |             }
2074 |         ],
2075 |         "license": "MIT",

```

```

2076 |     "engines": {
2077 |       "node": ">=4.0"
2078 |     },
2079 |     "peerDependenciesMeta": {
2080 |       "debug": {
2081 |         "optional": true
2082 |       }
2083 |     }
2084 |   },
2085 |   "node_modules/form-data": {
2086 |     "version": "4.0.5",
2087 |     "resolved": "https://registry.npmjs.org/form-data/-/form-data-4.0.5.tgz",
2088 |     "integrity": "sha512-8RipRLol37bNs2bhoV67fiTEvdTrbMUYcFTiy3+wuuOnUog2QBHCZWXRijWQfA
khBj2Uf5UnVaiWwA5vdd82w==",
2089 |     "license": "MIT",
2090 |     "dependencies": {
2091 |       "asynckit": "^0.4.0",
2092 |       "combined-stream": "^1.0.8",
2093 |       "es-set-tostringtag": "^2.1.0",
2094 |       "hasown": "^2.0.2",
2095 |       "mime-types": "^2.1.12"
2096 |     },
2097 |     "engines": {
2098 |       "node": ">= 6"
2099 |     }
2100 |   },
2101 |   "node_modules/fraction.js": {
2102 |     "version": "5.3.4",
2103 |     "resolved": "https://registry.npmjs.org/fraction.js/-/fraction.js-5.3.4.tgz",
2104 |     "integrity": "sha512-1X1NTtiJphryn/uLQz3whtY6jK3fTqoE3ohKs0tT+Ujr1W59oopxmoEh7Lu5p6v
BaPbgoM0bzveAW4Qi5RyWDQ==",
2105 |     "dev": true,
2106 |     "license": "MIT",
2107 |     "engines": {
2108 |       "node": "*"
2109 |     },
2110 |     "funding": {
2111 |       "type": "github",
2112 |       "url": "https://github.com/sponsors/rawify"
2113 |     }
2114 |   },
2115 |   "node_modules/fsevents": {
2116 |     "version": "2.3.3",
2117 |     "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
2118 |     "integrity": "sha512-5xoDfXfL7faATnagmWPpbFtwh/R77WmMMmqHGS65C3vvB0YHrgF+B1YmZ3441t
Mj5n63k0212XNoJwzlhffQw==",
2119 |     "dev": true,
2120 |     "hasInstallScript": true,
2121 |     "license": "MIT",
2122 |     "optional": true,
2123 |     "os": [
2124 |       "darwin"
2125 |     ],
2126 |     "engines": {
2127 |       "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
2128 |     }
2129 |   },
2130 |   "node_modules/function-bind": {
2131 |     "version": "1.1.2",
2132 |     "resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
2133 |     "integrity": "sha512-7TXnZysj338dC/ocJ1H8Ll3z8BqtYf4O60D1Iq7f4IAPy5z1P6T52iV42gJ+t45i4F45aQIrsQAQ=

```

```

+oV00F744iUgR82nJMfG2SA=="
2134 |         "license": "MIT",
2135 |         "funding": {
2136 |             "url": "https://github.com/sponsors/ljharb"
2137 |         }
2138 |     },
2139 |     "node_modules/gensync": {
2140 |         "version": "1.0.0-beta.2",
2141 |         "resolved": "https://registry.npmjs.org/gensync/-/gensync-1.0.0-beta.2.tgz",
2142 |         "integrity": "sha512-3hN7NaskYvMDLQY55gnW3NQ+mesEAepTqlg+VEbj7zzqEMBVNhzcGYeqFo/TLY
z6eQiFcp1HcsCZ0+nGgS8zg=="
2143 |         "dev": true,
2144 |         "license": "MIT",
2145 |         "engines": {
2146 |             "node": ">=6.9.0"
2147 |         }
2148 |     },
2149 |     "node_modules/get-intrinsic": {
2150 |         "version": "1.3.0",
2151 |         "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
2152 |         "integrity": "sha512-9fSjSs/9fSjSaos/fRIVIp+XSJlE6lfwhES7LntKaCBiamHsjr2na1BiABJPo0m0jjz8GJ
DURarmCPGqaiVg5mfjb98CQ=="
2153 |         "license": "MIT",
2154 |         "dependencies": {
2155 |             "call-bind-apply-helpers": "^1.0.2",
2156 |             "es-define-property": "^1.0.1",
2157 |             "es-errors": "^1.3.0",
2158 |             "es-object-atoms": "^1.1.1",
2159 |             "function-bind": "^1.1.2",
2160 |             "get-proto": "^1.0.1",
2161 |             "gopd": "^1.2.0",
2162 |             "has-symbols": "^1.1.0",
2163 |             "hasown": "^2.0.2",
2164 |             "math-intrinsics": "^1.1.0"
2165 |         },
2166 |         "engines": {
2167 |             "node": ">= 0.4"
2168 |         },
2169 |         "funding": {
2170 |             "url": "https://github.com/sponsors/ljharb"
2171 |         }
2172 |     },
2173 |     "node_modules/get-proto": {
2174 |         "version": "1.0.1",
2175 |         "resolved": "https://registry.npmjs.org/get-proto/-/get-proto-1.0.1.tgz",
2176 |         "integrity": "sha512-sTSfBjoxBp89JvIKIefqw7U2CCebsc74kiY6awiGogKtoSGbgjYE/G/+l9sF3MW
FPNc9Ico0C40DfKHfxFmp0g=="
2177 |         "license": "MIT",
2178 |         "dependencies": {
2179 |             "dunder-proto": "^1.0.1",
2180 |             "es-object-atoms": "^1.0.0"
2181 |         },
2182 |         "engines": {
2183 |             "node": ">= 0.4"
2184 |         }
2185 |     },
2186 |     "node_modules/glob-parent": {
2187 |         "version": "6.0.2",
2188 |         "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-6.0.2.tgz",
2189 |         "integrity": "sha512-XxwI8E0hVQgWp6iDL+3b0r86f4d6AX6zSU55HfB4ydCEuXLXc5FcYeOu+nnGftS
4TEju/11rt4KJPTMgbfmv4A=="

```

```

2190 |         "dev": true,
2191 |         "license": "ISC",
2192 |         "dependencies": {
2193 |             "is-glob": "^4.0.3"
2194 |         },
2195 |         "engines": {
2196 |             "node": ">=10.13.0"
2197 |         }
2198 |     },
2199 |     "node_modules/gopd": {
2200 |         "version": "1.2.0",
2201 |         "resolved": "https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz",
2202 |         "integrity": "sha512-ZUKRh6/kUFoAiAtTYPZJ3hw9wNxx+BIB0ijnlg9PnrJsCcSjs1wyD6vJpaYtg
nzDrKYRSqf3006Rfa93xsRg==",
2203 |         "license": "MIT",
2204 |         "engines": {
2205 |             "node": ">= 0.4"
2206 |         },
2207 |         "funding": {
2208 |             "url": "https://github.com/sponsors/ljharb"
2209 |         }
2210 |     },
2211 |     "node_modules/has-symbols": {
2212 |         "version": "1.1.0",
2213 |         "resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
2214 |         "integrity": "sha512-1cDNdwJ2Jaohmb3sg40mKaMBwuC48sYni5HUw2DvsC8LjGTLK9h+eb1X6Ryu0He
4hT0ULCW68iomhjUoKUqlPQ==",
2215 |         "license": "MIT",
2216 |         "engines": {
2217 |             "node": ">= 0.4"
2218 |         },
2219 |         "funding": {
2220 |             "url": "https://github.com/sponsors/ljharb"
2221 |         }
2222 |     },
2223 |     "node_modules/has-tostringtag": {
2224 |         "version": "1.0.2",
2225 |         "resolved": "https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz"
,
2226 |         "integrity": "sha512-NqADB8VjPFLM2V0VvHUewwwwsw0ZWBAIdgo+ieHtk3hasLz4qeCRjYcqfB6AQRBg
gRKppKF8L52/VqdVs047Dlw==",
2227 |         "license": "MIT",
2228 |         "dependencies": {
2229 |             "has-symbols": "^1.0.3"
2230 |         },
2231 |         "engines": {
2232 |             "node": ">= 0.4"
2233 |         },
2234 |         "funding": {
2235 |             "url": "https://github.com/sponsors/ljharb"
2236 |         }
2237 |     },
2238 |     "node_modules/hasown": {
2239 |         "version": "2.0.2",
2240 |         "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.2.tgz",
2241 |         "integrity": "sha512-0hJU9SCPvmMzIBdZFqNPXWa6dqh7WdH0cII9y+Cys8rG3nL48Bclra9HmKhVVUH
yPWNH5Y7xDwAB7bfgSjkUMQ==",
2242 |         "license": "MIT",
2243 |         "dependencies": {
2244 |             "function-bind": "^1.1.2"
2245 |         },

```

```
2246 |     "engines": {
2247 |       "node": ">= 0.4"
2248 |     }
2249 |   },
2250 |   "node_modules/html5-qrcode": {
2251 |     "version": "2.3.8",
2252 |     "resolved": "https://registry.npmjs.org/html5-qrcode/-/html5-qrcode-2.3.8.tgz",
2253 |     "integrity": "sha512-jsr4vafJhwoLVEDW3n1KvPnCCXWaqfRng0/EEYk1vNcQGcG/htAdhJX0be8YyqM
oSz7+hZvOZSTAepsabiuhIQ==",
2254 |     "license": "Apache-2.0"
2255 |   },
2256 |   "node_modules/internmap": {
2257 |     "version": "2.0.3",
2258 |     "resolved": "https://registry.npmjs.org/internmap/-/internmap-2.0.3.tgz",
2259 |     "integrity": "sha512-5Hh7Y1wQbvY5ooGgPbDaL5iYLAPzMTUjMulskHLH6wnv/A+1q5rgEaiuejB+o
xGXIVZs1FF+R/KPN3ZSQYYg==",
2260 |     "license": "ISC",
2261 |     "engines": {
2262 |       "node": ">=12"
2263 |     }
2264 |   },
2265 |   "node_modules/is-binary-path": {
2266 |     "version": "2.1.0",
2267 |     "resolved": "https://registry.npmjs.org/is-binary-path/-/is-binary-path-2.1.0.tgz",
2268 |     "integrity": "sha512-ZMERYes6pDydyuGidse70ShxtbI7WVeUEozgR/g7rd0xUimYNlvZRE/K2MgZTjW
y725IfelLeVcEM97mmtRGXw==",
2269 |     "dev": true,
2270 |     "license": "MIT",
2271 |     "dependencies": {
2272 |       "binary-extensions": "^2.0.0"
2273 |     },
2274 |     "engines": {
2275 |       "node": ">=8"
2276 |     }
2277 |   },
2278 |   "node_modules/is-core-module": {
2279 |     "version": "2.16.1",
2280 |     "resolved": "https://registry.npmjs.org/is-core-module/-/is-core-module-2.16.1.tgz",
2281 |     "integrity": "sha512-UfoeMA6fIJ8wTYFEUjelnalGI67v6+N7qXJEvQuIGa99l4xsCruSY0VSQ0uPANn4
dAzm8lkYPaKLrrijLq7x23w==",
2282 |     "dev": true,
2283 |     "license": "MIT",
2284 |     "dependencies": {
2285 |       "hasown": "^2.0.2"
2286 |     },
2287 |     "engines": {
2288 |       "node": ">= 0.4"
2289 |     },
2290 |     "funding": {
2291 |       "url": "https://github.com/sponsors/ljharb"
2292 |     }
2293 |   },
2294 |   "node_modules/is-extglob": {
2295 |     "version": "2.1.1",
2296 |     "resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
2297 |     "integrity": "sha512-SbKbANkN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdb036zfHgJ6QE
Dp0ZIFkDtnq5JRxmvl3jsoQ==",
2298 |     "dev": true,
2299 |     "license": "MIT",
2300 |     "engines": {
2301 |       "node": ">=0.10.0"
```



```

2302 |     }
2303 | },
2304 | "node_modules/is-glob": {
2305 |   "version": "4.0.3",
2306 |   "resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
2307 |   "integrity": "sha512-xe1SayHH36ZgE7ZWwhli7pw34hNbNl80jv5KVmkJD4hBdD3th8Tfk9vYasLM+mXW
0ZhFkgZfxhLSnrwRr4e1SSg==",
2308 |   "dev": true,
2309 |   "license": "MIT",
2310 |   "dependencies": {
2311 |     "is-extglob": "^2.1.1"
2312 |   },
2313 |   "engines": {
2314 |     "node": ">=0.10.0"
2315 |   }
2316 | },
2317 | "node_modules/is-number": {
2318 |   "version": "7.0.0",
2319 |   "resolved": "https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz",
2320 |   "integrity": "sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPD1
K9cGvNp6NZWZUBlbGXYxxng==",
2321 |   "dev": true,
2322 |   "license": "MIT",
2323 |   "engines": {
2324 |     "node": ">=0.12.0"
2325 |   }
2326 | },
2327 | "node_modules/jiti": {
2328 |   "version": "1.21.7",
2329 |   "resolved": "https://registry.npmjs.org/jiti/-/jiti-1.21.7.tgz",
2330 |   "integrity": "sha512-/imKNG4EbWNRvjoNC/1H5/9GFy+ tqjGBHcAsSsN+P2RnPqjsLmv6UD3Ej+Kj8nBW
aRAwyk7kK5ZUc+0EatnTR3A==",
2331 |   "dev": true,
2332 |   "license": "MIT",
2333 |   "peer": true,
2334 |   "bin": {
2335 |     "jiti": "bin/jiti.js"
2336 |   }
2337 | },
2338 | "node_modules/js-tokens": {
2339 |   "version": "4.0.0",
2340 |   "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
2341 |   "integrity": "sha512-AqU3+1Pkl9YFbCQd4U+qja6PKU53XQq538NlRULhhW4WzP5kZMhPHa0kbbdPbfsO1akYg5fPE5gaPe6sDw==",
BtpD2kCM6Sbzg4CausW/PKQ==",
2342 |   "license": "MIT"
2343 | },
2344 | "node_modules/jsesc": {
2345 |   "version": "3.1.0",
2346 |   "resolved": "https://registry.npmjs.org/jsesc/-/jsesc-3.1.0.tgz",
2347 |   "integrity": "sha512-/sM3d02F0zXjKQhJuo0Q173wf2K0o8t4I8vHy6lF9poUp7bKT0/NHE8fPX23Pwf
hnykfqnC2xRx0nVw5XuGIaA==",
2348 |   "dev": true,
2349 |   "license": "MIT",
2350 |   "bin": {
2351 |     "jsesc": "bin/jsesc"
2352 |   },
2353 |   "engines": {
2354 |     "node": ">=6"
2355 |   }
2356 | },
2357 | "node_modules/json5": {

```

```

2358 |         "version": "2.2.3",
2359 |         "resolved": "https://registry.npmjs.org/json5/-/json5-2.2.3.tgz",
2360 |         "integrity": "sha512-Xm0We7eyHYH14cLdVPoyg+G0H3rYX++KpzrylJwSW98t3Nk+U8X0l8FWK0gwtzd
b8lXGf6zYwDUzeHMFxasyg==",
2361 |         "dev": true,
2362 |         "license": "MIT",
2363 |         "bin": {
2364 |           "json5": "lib/cli.js"
2365 |         },
2366 |         "engines": {
2367 |           "node": ">=6"
2368 |         }
2369 |       },
2370 |       "node_modules/lilconfig": {
2371 |         "version": "3.1.3",
2372 |         "resolved": "https://registry.npmjs.org/lilconfig/-/lilconfig-3.1.3.tgz",
2373 |         "integrity": "sha512-vlFKAoH5Cgt3Ie+JLhRbwOsCQePABiU3tJ1egGvyQ+33R/vcwM2Zl2QR/LzjsB
eItPt3oSVXapn+m4nQDvpzw==",
2374 |         "dev": true,
2375 |         "license": "MIT",
2376 |         "engines": {
2377 |           "node": ">=14"
2378 |         },
2379 |         "funding": {
2380 |           "url": "https://github.com/sponsors/antonk52"
2381 |         }
2382 |       },
2383 |       "node_modules/lines-and-columns": {
2384 |         "version": "1.2.4",
2385 |         "resolved": "https://registry.npmjs.org/lines-and-columns/-/lines-and-columns-1.2.4.
tgz",
2386 |         "integrity": "sha512-7ylylesZQ/PV29jhEDl3Ufjo6ZX7gCqJr5F7PKrqc93v7fzSymt1BpwEU8nAUXS
8qzzvqhbjhK5QZg6Mt/HkBg==",
2387 |         "dev": true,
2388 |         "license": "MIT"
2389 |       },
2390 |       "node_modules/lodash": {
2391 |         "version": "4.18.1",
2392 |         "resolved": "https://registry.npmjs.org/lodash/-/lodash-4.18.1.tgz",
2393 |         "integrity": "sha512-dMINicTPVE8d1e5otfwmmlxkZoUpiVLweTdUsi/Caj/gfzzblBcCE5sRHV/As
juCmxWrte2TNGSYuCeCq+0Q==",
2394 |         "license": "MIT"
2395 |       },
2396 |       "node_modules/loose-envify": {
2397 |         "version": "1.4.0",
2398 |         "resolved": "https://registry.npmjs.org/loose-envify/-/loose-envify-1.4.0.tgz",
2399 |         "integrity": "sha512-lyuxPGr/Wfhrlem2CL/UcnUc1zcqKAImBDzukY7Y5F/yQiNdko6+fRLevLw1HgM
ySw7f611UIY408EtXRSoK3Q==",
2400 |         "license": "MIT",
2401 |         "dependencies": {
2402 |           "js-tokens": "^3.0.0 || ^4.0.0"
2403 |         },
2404 |         "bin": {
2405 |           "loose-envify": "cli.js"
2406 |         }
2407 |       },
2408 |       "node_modules/lru-cache": {
2409 |         "version": "5.1.1",
2410 |         "resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-5.1.1.tgz",
2411 |         "integrity": "sha512-KpNARQA3Iwv+jTA0utUVVbrh+Jlrr1Fv0e56GGzAF0XN7dk/FviaDW8LHmK52Dl
cH4WP2n6gI8vN1aesBFgo9w==",

```

```

2412 |         "dev": true,
2413 |         "license": "ISC",
2414 |         "dependencies": {
2415 |             "yallist": "^3.0.2"
2416 |         }
2417 |     },
2418 |     "node_modules/math-intrinsics": {
2419 |         "version": "1.1.0",
2420 |         "resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz"
2421 |     },
2422 |     "integrity": "sha512-/IXtbwEk5HTPyEwyKX6hGkYXxM9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBj4
tkhBAppbQUlf6F6Xl9LHu1g==",
2423 |     "license": "MIT",
2424 |     "engines": {
2425 |         "node": ">= 0.4"
2426 |     },
2427 |     "node_modules/merge2": {
2428 |         "version": "1.4.1",
2429 |         "resolved": "https://registry.npmjs.org/merge2/-/merge2-1.4.1.tgz",
2430 |         "integrity": "sha512-8q7VEgMJW4J8tcfVPy8g09NcQwZdbwFEqhe/WZkoIzjn/3TGDwtOCYtXGxA308t
PzpczCCDgv+P2P5y00ZJ00g==",
2431 |         "dev": true,
2432 |         "license": "MIT",
2433 |         "engines": {
2434 |             "node": ">= 8"
2435 |         }
2436 |     },
2437 |     "node_modules/micromatch": {
2438 |         "version": "4.0.8",
2439 |         "resolved": "https://registry.npmjs.org/micromatch/-/micromatch-4.0.8.tgz",
2440 |         "integrity": "sha512-PXwfBhYu0hBCPw8Dn0E+W DYb7af3dSLVWki3HGv84IdF4TyFoC0ysxFd0Goxw7n
Sv4T/PzEJQxsYsEiFCKo2BA==",
2441 |         "dev": true,
2442 |         "license": "MIT",
2443 |         "dependencies": {
2444 |             "braces": "^3.0.3",
2445 |             "picomatch": "^2.3.1"
2446 |         },
2447 |         "engines": {
2448 |             "node": ">=8.6"
2449 |         }
2450 |     },
2451 |     "node_modules/mime-db": {
2452 |         "version": "1.52.0",
2453 |         "resolved": "https://registry.npmjs.org/mime-db/-/mime-db-1.52.0.tgz",
2454 |         "integrity": "sha512-sPU4uV7dYlvtWJxwwwHD0PuihVNiE7TyAbQ5SWxDCB9mUYv0groQ0wYQQ0KPJ8C
IbE+1ETVl0oK1UC2nU3gYvg==",
2455 |         "license": "MIT",
2456 |         "engines": {
2457 |             "node": ">= 0.6"
2458 |         }
2459 |     },
2460 |     "node_modules/mime-types": {
2461 |         "version": "2.1.35",
2462 |         "resolved": "https://registry.npmjs.org/mime-types/-/mime-types-2.1.35.tgz",
2463 |         "integrity": "sha512-ZDY+bPm5zTTF+YpCrAU9nK0UgICYPT0QtT1NZWFv4s++TNkcgVaT0g6+4R2uI4M
jQjzySHB1zxuWL50hzaeXiw==",
2464 |         "license": "MIT",
2465 |         "dependencies": {
2466 |             "mime-db": "1.52.0"

```

```
2467 |     },
2468 |     "engines": {
2469 |       "node": ">= 0.6"
2470 |     }
2471 |   },
2472 |   "node_modules/ms": {
2473 |     "version": "2.1.3",
2474 |     "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
2475 |     "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhjqzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6t
z7R9xAOtHnSO/tXtF3WRTlA==",
2476 |     "license": "MIT"
2477 |   },
2478 |   "node_modules/mz": {
2479 |     "version": "2.7.0",
2480 |     "resolved": "https://registry.npmjs.org/mz/-/mz-2.7.0.tgz",
2481 |     "integrity": "sha512-z81GN07nnYMEhrGh9LeymoE4+Yr0Wn5McHIZMK5cfQC1+NDX08sCZgUc9/6MHni
9IWuFLm1Z3HTCXu2z9fN62Q==",
2482 |     "dev": true,
2483 |     "license": "MIT",
2484 |     "dependencies": {
2485 |       "any-promise": "^1.0.0",
2486 |       "object-assign": "^4.0.1",
2487 |       "thenify-all": "^1.0.0"
2488 |     }
2489 |   },
2490 |   "node_modules/nanoid": {
2491 |     "version": "3.3.11",
2492 |     "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.11.tgz",
2493 |     "integrity": "sha512-N8SpfPUUnUp1bK+PMYW8qSwDl9U+wwNWI4QKx0YDY9JAro3WMX7p20eVRF9v+347
pnakNevPmiHhNmZ2HbFA76w==",
2494 |     "dev": true,
2495 |     "funding": [
2496 |       {
2497 |         "type": "github",
2498 |         "url": "https://github.com/sponsors/ai"
2499 |       }
2500 |     ],
2501 |     "license": "MIT",
2502 |     "bin": {
2503 |       "nanoid": "bin/nanoid.cjs"
2504 |     },
2505 |     "engines": {
2506 |       "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
2507 |     }
2508 |   },
2509 |   "node_modules/node-releases": {
2510 |     "version": "2.0.37",
2511 |     "resolved": "https://registry.npmjs.org/node-releases/-/node-releases-2.0.37.tgz",
2512 |     "integrity": "sha512-1h5gKZCF+p0/o3Iqt5Jp7wc9rH3eJJ0+nh/CIOiRwjRxde/hAHyLPXYN4V3CqKA
biZPSeJFSWHmJsbkicta0Eg==",
2513 |     "dev": true,
2514 |     "license": "MIT"
2515 |   },
2516 |   "node_modules/normalize-path": {
2517 |     "version": "3.0.0",
2518 |     "resolved": "https://registry.npmjs.org/normalize-path/-/normalize-path-3.0.0.tgz",
2519 |     "integrity": "sha512-6eZs5Ls3WtCisHWP9S2Guy8dqkqGi4BVSz3GaqiE6ezub0512ESztXUwUB6C6IK
bQkY2Pnb/mD4WYojCRwcwLA==",
2520 |     "dev": true,
2521 |     "license": "MIT",
2522 |     "engines": {
```

```

2523 |         "node": ">=0.10.0"
2524 |     }
2525 | },
2526 |     "node_modules/object-assign": {
2527 |         "version": "4.1.1",
2528 |         "resolved": "https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz",
2529 |         "integrity": "sha512-rJgTQnkUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JNDoXfkLElb
LJSnc3FUQHVe4cU5hj+BcUg==",
2530 |         "license": "MIT",
2531 |         "engines": {
2532 |             "node": ">=0.10.0"
2533 |         }
2534 |     },
2535 |     "node_modules/object-hash": {
2536 |         "version": "3.0.0",
2537 |         "resolved": "https://registry.npmjs.org/object-hash/-/object-hash-3.0.0.tgz",
2538 |         "integrity": "sha512-RSn9F68PjH9HqtltsSnqYC1XXoWe9Bju5+213R98cNGttag9q9yA0TzdbsqvIa7
aNm5WffBZFpWYr2aWrklWAw==",
2539 |         "dev": true,
2540 |         "license": "MIT",
2541 |         "engines": {
2542 |             "node": ">= 6"
2543 |         }
2544 |     },
2545 |     "node_modules/path-parse": {
2546 |         "version": "1.0.7",
2547 |         "resolved": "https://registry.npmjs.org/path-parse/-/path-parse-1.0.7.tgz",
2548 |         "integrity": "sha512-LDJZPVEEPR+y48z93A0Ed0yXb8pABYGWo/k5YYdYgpY2/2Es0sksJrq7l0Hxry
rV0n1ejG6oAp8ahv0IQD8sw==",
2549 |         "dev": true,
2550 |         "license": "MIT"
2551 |     },
2552 |     "node_modules/picocolors": {
2553 |         "version": "1.1.1",
2554 |         "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
2555 |         "integrity": "sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/L
cu0X8KEyMceP2ntpaHrDEVA==",
2556 |         "dev": true,
2557 |         "license": "ISC"
2558 |     },
2559 |     "node_modules/picomatch": {
2560 |         "version": "2.3.2",
2561 |         "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
2562 |         "integrity": "sha512-V7+vQEJ06Z+c5tSye8S+nHufI51xoXIXjHQ99cQtKUKQqq01k0/KCJUfZXuB47h
/YBLdhah2H3hdUGXn8ie0oA==",
2563 |         "dev": true,
2564 |         "license": "MIT",
2565 |         "engines": {
2566 |             "node": ">=8.6"
2567 |         },
2568 |         "funding": {
2569 |             "url": "https://github.com/sponsors/jonschlinkert"
2570 |         }
2571 |     },
2572 |     "node_modules/pify": {
2573 |         "version": "2.3.0",
2574 |         "resolved": "https://registry.npmjs.org/pify/-/pify-2.3.0.tgz",
2575 |         "integrity": "sha512-udgsAY+fTnnv7kI7aaxbqwwNb0AHiB0QB089PZKPkoTmG0gdbrHDKD+0B2X4uTf
J/FT1R09r9gTsJujNJotuog==",
2576 |         "dev": true,
2577 |         "license": "MIT",

```

```

2578 |         "engines": {
2579 |             "node": ">=0.10.0"
2580 |         }
2581 |     },
2582 |     "node_modules/pirates": {
2583 |         "version": "4.0.7",
2584 |         "resolved": "https://registry.npmjs.org/pirates/-/pirates-4.0.7.tgz",
2585 |         "integrity": "sha512-TfySrs/5nm8fQJDcBDuUng3V0UKsd7S+zzvb0TiGXHfxX4wK31ard+hoNuvkicM
/2YFzlpDgAB0evKSsB4G/FA==",
2586 |         "dev": true,
2587 |         "license": "MIT",
2588 |         "engines": {
2589 |             "node": ">= 6"
2590 |         }
2591 |     },
2592 |     "node_modules/postcss": {
2593 |         "version": "8.5.9",
2594 |         "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.9.tgz",
2595 |         "integrity": "sha512-7a70Nsot+EMX9fFU3064K/kdHWZqGVY+BADLyXc8Dfv+mTLLVl6JzJpPaCZ2kQL
9gIJvKXSLMHhqdRRjwQeFtw==",
2596 |         "dev": true,
2597 |         "funding": [
2598 |             {
2599 |                 "type": "opencollective",
2600 |                 "url": "https://opencollective.com/postcss/"
2601 |             },
2602 |             {
2603 |                 "type": "tidelift",
2604 |                 "url": "https://tidelift.com/funding/github/npm/postcss"
2605 |             },
2606 |             {
2607 |                 "type": "github",
2608 |                 "url": "https://github.com/sponsors/ai"
2609 |             }
2610 |         ],
2611 |         "license": "MIT",
2612 |         "peer": true,
2613 |         "dependencies": {
2614 |             "nanoid": "^3.3.11",
2615 |             "picocolors": "^1.1.1",
2616 |             "source-map-js": "^1.2.1"
2617 |         },
2618 |         "engines": {
2619 |             "node": "^10 || ^12 || >=14"
2620 |         }
2621 |     },
2622 |     "node_modules/postcss-import": {
2623 |         "version": "15.1.0",
2624 |         "resolved": "https://registry.npmjs.org/postcss-import/-/postcss-import-15.1.0.tgz",
2625 |         "integrity": "sha512-hpr+J05B2FVYUAXHeK1YyI267J/dDDhMU6B6civm8hSY1jYJnBXxzKDKDswzJmt
LHryrjhnDjqqp/49t8FALew==",
2626 |         "dev": true,
2627 |         "license": "MIT",
2628 |         "dependencies": {
2629 |             "postcss-value-parser": "^4.0.0",
2630 |             "read-cache": "^1.0.0",
2631 |             "resolve": "^1.1.7"
2632 |         },
2633 |         "engines": {
2634 |             "node": ">=14.0.0"
2635 |         }
2636 |     },

```

```
2636 |         "peerDependencies": {
2637 |             "postcss": "^8.0.0"
2638 |         }
2639 |     },
2640 |     "node_modules/postcss-js": {
2641 |         "version": "4.1.0",
2642 |         "resolved": "https://registry.npmjs.org/postcss-js/-/postcss-js-4.1.0.tgz",
2643 |         "integrity": "sha512-oIA0TqgIo7q2E0wbhb8UaLYePMvYoIeRY2YKntdpFQXNosSu3vLrniGgmH90Ks/
qAkfoj5oB3le/7mINW1LCfw==",
2644 |         "dev": true,
2645 |         "funding": [
2646 |             {
2647 |                 "type": "opencollective",
2648 |                 "url": "https://opencollective.com/postcss/"
2649 |             },
2650 |             {
2651 |                 "type": "github",
2652 |                 "url": "https://github.com/sponsors/ai"
2653 |             }
2654 |         ],
2655 |         "license": "MIT",
2656 |         "dependencies": {
2657 |             "camelcase-css": "^2.0.1"
2658 |         },
2659 |         "engines": {
2660 |             "node": "^12 || ^14 || >= 16"
2661 |         },
2662 |         "peerDependencies": {
2663 |             "postcss": "^8.4.21"
2664 |         }
2665 |     },
2666 |     "node_modules/postcss-load-config": {
2667 |         "version": "6.0.1",
2668 |         "resolved": "https://registry.npmjs.org/postcss-load-config/-/postcss-load-config-6.
0.1.tgz",
2669 |         "integrity": "sha512-oPtTM4oerL+UXmx+93ytZVN82Rrly/wPUV8IeDxFrzIjXOLF1pN+EmKPLbubvKH
T2HC20xXsCAH2Z+CKV60z/g==",
2670 |         "dev": true,
2671 |         "funding": [
2672 |             {
2673 |                 "type": "opencollective",
2674 |                 "url": "https://opencollective.com/postcss/"
2675 |             },
2676 |             {
2677 |                 "type": "github",
2678 |                 "url": "https://github.com/sponsors/ai"
2679 |             }
2680 |         ],
2681 |         "license": "MIT",
2682 |         "dependencies": {
2683 |             "lilconfig": "^3.1.1"
2684 |         },
2685 |         "engines": {
2686 |             "node": ">= 18"
2687 |         },
2688 |         "peerDependencies": {
2689 |             "jiti": ">=1.21.0",
2690 |             "postcss": ">=8.0.9",
2691 |             "tsx": "^4.8.1",
2692 |             "yaml": "^2.4.2"
2693 |         },
2693 |     },
```

```

2694 |     "peerDependenciesMeta": {
2695 |       "jiti": {
2696 |         "optional": true
2697 |       },
2698 |       "postcss": {
2699 |         "optional": true
2700 |       },
2701 |       "tsx": {
2702 |         "optional": true
2703 |       },
2704 |       "yaml": {
2705 |         "optional": true
2706 |       }
2707 |     }
2708 |   },
2709 |   "node_modules/postcss-nested": {
2710 |     "version": "6.2.0",
2711 |     "resolved": "https://registry.npmjs.org/postcss-nested/-/postcss-nested-6.2.0.tgz",
2712 |     "integrity": "sha512-HQbt28KulC5AjzG+cZtj9kvKB93CFCdLvog1WFLf1D+xmMvPGLBstkpTEZfK5+A
N9hfJocyBFCNiQyS48bpgzQ==",
2713 |     "dev": true,
2714 |     "funding": [
2715 |       {
2716 |         "type": "opencollective",
2717 |         "url": "https://opencollective.com/postcss/"
2718 |       },
2719 |       {
2720 |         "type": "github",
2721 |         "url": "https://github.com/sponsors/ai"
2722 |       }
2723 |     ],
2724 |     "license": "MIT",
2725 |     "dependencies": {
2726 |       "postcss-selector-parser": "^6.1.1"
2727 |     },
2728 |     "engines": {
2729 |       "node": ">=12.0"
2730 |     },
2731 |     "peerDependencies": {
2732 |       "postcss": "^8.2.14"
2733 |     }
2734 |   },
2735 |   "node_modules/postcss-selector-parser": {
2736 |     "version": "6.1.2",
2737 |     "resolved": "https://registry.npmjs.org/postcss-selector-parser/-/postcss-selector-p
arser-6.1.2.tgz",
2738 |     "integrity": "sha512-Q8qQFpiZ+TH0/3ZrOr00cJJkfpYCagtMUKXbnEfmgUjwXg6z/WBe0yS9APBBPCT
SiDV+s4SwQGu8yFsiMRIudg==",
2739 |     "dev": true,
2740 |     "license": "MIT",
2741 |     "dependencies": {
2742 |       "cssesc": "^3.0.0",
2743 |       "util-deprecate": "^1.0.2"
2744 |     },
2745 |     "engines": {
2746 |       "node": ">=4"
2747 |     }
2748 |   },
2749 |   "node_modules/postcss-value-parser": {
2750 |     "version": "4.2.0",
2751 |     "resolved": "https://registry.npmjs.org/postcss-value-parser/-/postcss-value-parser-

```



```

4.2.0.tgz",
  2752 |       "integrity": "sha512-1NNCs6uurfkVbeXG4S8JFT9t19m45ICnif8zWld5oPSZ50QnwMfK+H3jv408d4j
w/7Bttv5axS5IiHoLaVNHeQ==",
  2753 |       "dev": true,
  2754 |       "license": "MIT"
  2755 |     },
  2756 |     "node_modules/prop-types": {
  2757 |       "version": "15.8.1",
  2758 |       "resolved": "https://registry.npmjs.org/prop-types/-/prop-types-15.8.1.tgz",
  2759 |       "integrity": "sha512-oj87CgZICdulUohogVAR7AjlC0327U4el4L6eAv0qCeudMDVU0NThNav+b9Df4d
XgSP1gXMTnPdhfe/2qDH5cg==",
  2760 |       "license": "MIT",
  2761 |       "dependencies": {
  2762 |         "loose-envify": "^1.4.0",
  2763 |         "object-assign": "^4.1.1",
  2764 |         "react-is": "^16.13.1"
  2765 |       }
  2766 |     },
  2767 |     "node_modules/prop-types/node_modules/react-is": {
  2768 |       "version": "16.13.1",
  2769 |       "resolved": "https://registry.npmjs.org/react-is/-/react-is-16.13.1.tgz",
  2770 |       "integrity": "sha512-24e6ynE2H+OKt4kqs0vNd8kBpV65zoxbA4BVSE0B3ARVWQki/DHzaUoC5Ku0N/B
iccDaCCTZBu0cfZs70kR8bQ==",
  2771 |       "license": "MIT"
  2772 |     },
  2773 |     "node_modules/proxy-from-env": {
  2774 |       "version": "2.1.0",
  2775 |       "resolved": "https://registry.npmjs.org/proxy-from-env/-/proxy-from-env-2.1.0.tgz",
  2776 |       "integrity": "sha512-cJ+oHTW1VAEa8cJsIgmUZrc+sJRKgaKl3Zyse6+PV38hZe/V6Z14TbCuXcan9F9
ghlz4QrFr2c92TNF82UKYHA==",
  2777 |       "license": "MIT",
  2778 |       "engines": {
  2779 |         "node": ">=10"
  2780 |       }
  2781 |     },
  2782 |     "node_modules/qr-code.react": {
  2783 |       "version": "4.2.0",
  2784 |       "resolved": "https://registry.npmjs.org/qr-code.react/-/qr-code.react-4.2.0.tgz",
  2785 |       "integrity": "sha512-QpgqWi8rD9DsS9EP3z7BT+5LY5SFhsqGjpgw5DY/i3mK4M9DTBNz3ErMi8BWYEF
I3L0d8GIbGmcdFAS1uIRGjA==",
  2786 |       "license": "ISC",
  2787 |       "peerDependencies": {
  2788 |         "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
  2789 |       }
  2790 |     },
  2791 |     "node_modules/queue-microtask": {
  2792 |       "version": "1.2.3",
  2793 |       "resolved": "https://registry.npmjs.org/queue-microtask/-/queue-microtask-1.2.3.tgz"
  2794 |     },
  2795 |     "integrity": "sha512-NuanSa6fLKT5JaSYQzJok04JzTL1CA6aGhv5rfLW3PgqA+M2ChpZQnAC8h8i4ZF
KBS8X5RqkDBHA7r4hej3K9A==",
  2795 |     "dev": true,
  2796 |     "funding": [
  2797 |       {
  2798 |         "type": "github",
  2799 |         "url": "https://github.com/sponsors/feross"
  2800 |       },
  2801 |       {
  2802 |         "type": "patreon",
  2803 |         "url": "https://www.patreon.com/feross"
  2804 |       }
  2805 |     ]
  2806 |   },
  2807 |   "name": "feross",
  2808 |   "version": "1.0.0",
  2809 |   "description": "A small, fast, and reliable utility library for Node.js and the browser.",
  2810 |   "main": "index.js",
  2811 |   "scripts": {
  2812 |     "test": "npm run lint && npm run unit",
  2813 |     "lint": "eslint .",
  2814 |     "unit": "jest"
  2815 |   },
  2816 |   "repository": {
  2817 |     "type": "git",
  2818 |     "url": "https://github.com/feross/feross"
  2819 |   },
  2820 |   "keywords": [
  2821 |     "utility",
  2822 |     "small",
  2823 |     "fast",
  2824 |     "reliable",
  2825 |     "node.js",
  2826 |     "browser"
  2827 |   ],
  2828 |   "author": "feross",
  2829 |   "license": "MIT",
  2830 |   "bugs": {
  2831 |     "url": "https://github.com/feross/feross/issues"
  2832 |   },
  2833 |   "homepage": "https://github.com/feross/feross"
  2834 | }

```

```

2805 |         {
2806 |             "type": "consulting",
2807 |             "url": "https://feross.org/support"
2808 |         }
2809 |     ],
2810 |     "license": "MIT"
2811 | },
2812 |     "node_modules/react": {
2813 |         "version": "18.3.1",
2814 |         "resolved": "https://registry.npmjs.org/react/-/react-18.3.1.tgz",
2815 |         "integrity": "sha512-wS+hAgJShR0KhEvPJArfuPVN1+Hz1t0Y6n5jLrGQbkb4urgPE/0Rve+1kMB1v/o
WgHgm4WICv+i7F2pTVj+2iQ==",
2816 |         "license": "MIT",
2817 |         "peer": true,
2818 |         "dependencies": {
2819 |             "loose-envify": "^1.1.0"
2820 |         },
2821 |         "engines": {
2822 |             "node": ">=0.10.0"
2823 |         }
2824 |     },
2825 |     "node_modules/react-dom": {
2826 |         "version": "18.3.1",
2827 |         "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-18.3.1.tgz",
2828 |         "integrity": "sha512-5m4nQKp+rZRB09LNH59GM4BxTh9251/yLbKIbpe7TpGxfJ+9kv6BLkLBXIjjspb
gbnIBNqLI23tRnTWT0snUIw==",
2829 |         "license": "MIT",
2830 |         "peer": true,
2831 |         "dependencies": {
2832 |             "loose-envify": "^1.1.0",
2833 |             "scheduler": "^0.23.2"
2834 |         },
2835 |         "peerDependencies": {
2836 |             "react": "^18.3.1"
2837 |         }
2838 |     },
2839 |     "node_modules/react-is": {
2840 |         "version": "18.3.1",
2841 |         "resolved": "https://registry.npmjs.org/react-is/-/react-is-18.3.1.tgz",
2842 |         "integrity": "sha512-/LLMVyas0ljAtoYiPqYiL8VWXzUUdThrmU5+n20DZv+a+ClRoevUzw5JxU+Ieh
5/c87ytoTBV9G1FiKfNjDmg==",
2843 |         "license": "MIT"
2844 |     },
2845 |     "node_modules/react-refresh": {
2846 |         "version": "0.17.0",
2847 |         "resolved": "https://registry.npmjs.org/react-refresh/-/react-refresh-0.17.0.tgz",
2848 |         "integrity": "sha512-z6F7K9bV85EfseRCp2bzrpyQ0Gkw1uLoCeL9XBVWPg/TjRj94SkJzUTGf0a4bs7
iJvBwtQG0Wq7wnI0syw3EBQ==",
2849 |         "dev": true,
2850 |         "license": "MIT",
2851 |         "engines": {
2852 |             "node": ">=0.10.0"
2853 |         }
2854 |     },
2855 |     "node_modules/react-router": {
2856 |         "version": "6.30.3",
2857 |         "resolved": "https://registry.npmjs.org/react-router/-/react-router-6.30.3.tgz",
2858 |         "integrity": "sha512-XRnlbKMTmktBKjCLE8/XcZFlNhvr2Ltdr1eJX4idL55/9Bb0RzyZEaIkBFDhFGC
EWBBItsVrDxw3gnisMitdw==",
2859 |         "license": "MIT",
2860 |         "dependencies": {

```

```

2861 |         "@remix-run/router": "1.23.2"
2862 |     },
2863 |     "engines": {
2864 |         "node": ">=14.0.0"
2865 |     },
2866 |     "peerDependencies": {
2867 |         "react": ">=16.8"
2868 |     }
2869 | },
2870 | "node_modules/react-router-dom": {
2871 |     "version": "6.30.3",
2872 |     "resolved": "https://registry.npmjs.org/react-router-dom/-/react-router-dom-6.30.3.t
gz",
2873 |     "integrity": "sha512-pxPcv1AczD4vso7G4Z3TKcvlxK7g7TNT3/FNGMhfqyntocvYKj+GCatfigGDjbl
ozC4baguJ0ReCigoDJXb0ag==",
2874 |     "license": "MIT",
2875 |     "dependencies": {
2876 |         "@remix-run/router": "1.23.2",
2877 |         "react-router": "6.30.3"
2878 |     },
2879 |     "engines": {
2880 |         "node": ">=14.0.0"
2881 |     },
2882 |     "peerDependencies": {
2883 |         "react": ">=16.8",
2884 |         "react-dom": ">=16.8"
2885 |     }
2886 | },
2887 | "node_modules/react-smooth": {
2888 |     "version": "4.0.4",
2889 |     "resolved": "https://registry.npmjs.org/react-smooth/-/react-smooth-4.0.4.tgz",
2890 |     "integrity": "sha512-gnGKTyYwQL0Iii09gHobNoLvX4KiQ4PKx6ewBCYYix+8cdw+cGo3do906l1NBPK
kSWx1DghC1dlWG9L2uGd61Q==",
2891 |     "license": "MIT",
2892 |     "dependencies": {
2893 |         "fast-equals": "^5.0.1",
2894 |         "prop-types": "^15.8.1",
2895 |         "react-transition-group": "^4.4.5"
2896 |     },
2897 |     "peerDependencies": {
2898 |         "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0",
2899 |         "react-dom": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
2900 |     }
2901 | },
2902 | "node_modules/react-transition-group": {
2903 |     "version": "4.4.5",
2904 |     "resolved": "https://registry.npmjs.org/react-transition-group/-/react-transition-gr
oup-4.4.5.tgz",
2905 |     "integrity": "sha512-pZcd1MCJoiKiBR2NRxeCRg13uCXbydPnmB4E0eRrY7480qNW08IIgQG6zlDkm6u
RMsURXPuKq0GwtiM59a5Q6g==",
2906 |     "license": "BSD-3-Clause",
2907 |     "dependencies": {
2908 |         "@babel/runtime": "^7.5.5",
2909 |         "dom-helpers": "^5.0.1",
2910 |         "loose-envify": "^1.4.0",
2911 |         "prop-types": "^15.6.2"
2912 |     },
2913 |     "peerDependencies": {
2914 |         "react": ">=16.6.0",
2915 |         "react-dom": ">=16.6.0"
2916 |     }

```

```

2917 |     },
2918 |     "node_modules/read-cache": {
2919 |       "version": "1.0.0",
2920 |       "resolved": "https://registry.npmjs.org/read-cache/-/read-cache-1.0.0.tgz",
2921 |       "integrity": "sha512-0wdv/Ft7IjOgm/i0xvNDZ1LrRANRfew4b2prF30WMLxLfu3bS8FVhCsrSCMK4l
R56Y9ya+ATh0TpDCTxCmpRA==",
2922 |       "dev": true,
2923 |       "license": "MIT",
2924 |       "dependencies": {
2925 |         "pify": "^2.3.0"
2926 |       }
2927 |     },
2928 |     "node_modules/readdirp": {
2929 |       "version": "3.6.0",
2930 |       "resolved": "https://registry.npmjs.org/readdirp/-/readdirp-3.6.0.tgz",
2931 |       "integrity": "sha512-h0S0890n8RduqdbbhvQ5Z37A0ESjsqz6qnRcffsMU3495FuTdqSm+7bhJ29JvIOs
BDEEnan5DPu9t3To9VRlMZA==",
2932 |       "dev": true,
2933 |       "license": "MIT",
2934 |       "dependencies": {
2935 |         "picomatch": "^2.2.1"
2936 |       },
2937 |       "engines": {
2938 |         "node": ">=8.10.0"
2939 |       }
2940 |     },
2941 |     "node_modules/recharts": {
2942 |       "version": "2.15.4",
2943 |       "resolved": "https://registry.npmjs.org/recharts/-/recharts-2.15.4.tgz",
2944 |       "integrity": "sha512-UT/q6fwS3c1dHbXv2uFgYJ9BMFHu3fwn7AYZaEQhXuYQ4hgslvsUXzGdKeZrW
5xopzDCvuA2N41WJ88I7zIw==",
2945 |       "license": "MIT",
2946 |       "dependencies": {
2947 |         "clsx": "^2.0.0",
2948 |         "eventemitter3": "^4.0.1",
2949 |         "lodash": "^4.17.21",
2950 |         "react-is": "^18.3.1",
2951 |         "react-smooth": "^4.0.4",
2952 |         "recharts-scale": "^0.4.4",
2953 |         "tiny-invariant": "^1.3.1",
2954 |         "victory-vendor": "^36.6.8"
2955 |       },
2956 |       "engines": {
2957 |         "node": ">=14"
2958 |       },
2959 |       "peerDependencies": {
2960 |         "react": "^16.0.0 || ^17.0.0 || ^18.0.0 || ^19.0.0",
2961 |         "react-dom": "^16.0.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
2962 |       }
2963 |     },
2964 |     "node_modules/recharts-scale": {
2965 |       "version": "0.4.5",
2966 |       "resolved": "https://registry.npmjs.org/recharts-scale/-/recharts-scale-0.4.5.tgz",
2967 |       "integrity": "sha512-kivNF0+00cUNu7jQquLXAxz1FIwZj8nrj+Yk0Kc5694NbjCvcT6aSZiIzNzd2Ku
l4o4rTto8QVR9lMntxD4G1w==",
2968 |       "license": "MIT",
2969 |       "dependencies": {
2970 |         "decimal.js-light": "^2.4.1"
2971 |       }
2972 |     },
2973 |     "node_modules/resolve": {

```

```
2974 |         "version": "1.22.11",
2975 |         "resolved": "https://registry.npmjs.org/resolve/-/resolve-1.22.11.tgz",
2976 |         "integrity": "sha512-RfqAvLnMl313r7c9oclB1HhUEAezcpLjz95wFH4LVuhk9JF/r22qmVP9AMm0U4v
MX7Q8pN8jwNg/CSpdFnMjTQ==",
2977 |         "dev": true,
2978 |         "license": "MIT",
2979 |         "dependencies": {
2980 |             "is-core-module": "^2.16.1",
2981 |             "path-parse": "^1.0.7",
2982 |             "supports-preserve-symlinks-flag": "^1.0.0"
2983 |         },
2984 |         "bin": {
2985 |             "resolve": "bin/resolve"
2986 |         },
2987 |         "engines": {
2988 |             "node": ">= 0.4"
2989 |         },
2990 |         "funding": {
2991 |             "url": "https://github.com/sponsors/ljharb"
2992 |         }
2993 |     },
2994 |     "node_modules/reusify": {
2995 |         "version": "1.1.0",
2996 |         "resolved": "https://registry.npmjs.org/reusify/-/reusify-1.1.0.tgz",
2997 |         "integrity": "sha512-g6QUff040ZpHS0eG5p83rFLhHeV00ug/Yf9nZM6fLeUrPguBTkTQ0dpAWWspMh5
5TZfVQDPa3NQJfbVRAXdIW==",
2998 |         "dev": true,
2999 |         "license": "MIT",
3000 |         "engines": {
3001 |             "iojs": ">=1.0.0",
3002 |             "node": ">=0.10.0"
3003 |         }
3004 |     },
3005 |     "node_modules/rollup": {
3006 |         "version": "4.60.1",
3007 |         "resolved": "https://registry.npmjs.org/rollup/-/rollup-4.60.1.tgz",
3008 |         "integrity": "sha512-VmtB2rFU/GroZ4oL8+ZqXgSA3806GR8KSIvWmEFv63pQ0G6KaBH9s07P08XTXP4
vI+3UJUeYpOfjkGfmSBBR0w==",
3009 |         "dev": true,
3010 |         "license": "MIT",
3011 |         "dependencies": {
3012 |             "@types/estree": "1.0.8"
3013 |         },
3014 |         "bin": {
3015 |             "rollup": "dist/bin/rollup"
3016 |         },
3017 |         "engines": {
3018 |             "node": ">=18.0.0",
3019 |             "npm": ">=8.0.0"
3020 |         },
3021 |         "optionalDependencies": {
3022 |             "@rollup/rollup-android-arm-eabi": "4.60.1",
3023 |             "@rollup/rollup-android-arm64": "4.60.1",
3024 |             "@rollup/rollup-darwin-arm64": "4.60.1",
3025 |             "@rollup/rollup-darwin-x64": "4.60.1",
3026 |             "@rollup/rollup-freebsd-arm64": "4.60.1",
3027 |             "@rollup/rollup-freebsd-x64": "4.60.1",
3028 |             "@rollup/rollup-linux-arm-gnueabi": "4.60.1",
3029 |             "@rollup/rollup-linux-arm-musleabi": "4.60.1",
3030 |             "@rollup/rollup-linux-arm64-gnu": "4.60.1",
3031 |             "@rollup/rollup-linux-arm64-musl": "4.60.1",
```

```

3032 |         "@rollup/rollup-linux-loong64-gnu": "4.60.1",
3033 |         "@rollup/rollup-linux-loong64-musl": "4.60.1",
3034 |         "@rollup/rollup-linux-ppc64-gnu": "4.60.1",
3035 |         "@rollup/rollup-linux-ppc64-musl": "4.60.1",
3036 |         "@rollup/rollup-linux-riscv64-gnu": "4.60.1",
3037 |         "@rollup/rollup-linux-riscv64-musl": "4.60.1",
3038 |         "@rollup/rollup-linux-s390x-gnu": "4.60.1",
3039 |         "@rollup/rollup-linux-x64-gnu": "4.60.1",
3040 |         "@rollup/rollup-linux-x64-musl": "4.60.1",
3041 |         "@rollup/rollup-openbsd-x64": "4.60.1",
3042 |         "@rollup/rollup-openharmony-arm64": "4.60.1",
3043 |         "@rollup/rollup-win32-arm64-msvc": "4.60.1",
3044 |         "@rollup/rollup-win32-ia32-msvc": "4.60.1",
3045 |         "@rollup/rollup-win32-x64-gnu": "4.60.1",
3046 |         "@rollup/rollup-win32-x64-msvc": "4.60.1",
3047 |         "fsevents": "~2.3.2"
3048 |     }
3049 | },
3050 |     "node_modules/run-parallel": {
3051 |       "version": "1.2.0",
3052 |       "resolved": "https://registry.npmjs.org/run-parallel/-/run-parallel-1.2.0.tgz",
3053 |       "integrity": "sha512-5l5VZ189/V8vS81Ww6nV0hvS09E11Z8X1Qh185EY9T37Gd386n7o5lUzqkOj8LRyTA87v6q7ChbTX00uq==",
3054 |       "dev": true,
3055 |       "funding": [
3056 |         {
3057 |           "type": "github",
3058 |           "url": "https://github.com/sponsors/feross"
3059 |         },
3060 |         {
3061 |           "type": "patreon",
3062 |           "url": "https://www.patreon.com/feross"
3063 |         },
3064 |         {
3065 |           "type": "consulting",
3066 |           "url": "https://feross.org/support"
3067 |         }
3068 |       ],
3069 |       "license": "MIT",
3070 |       "dependencies": {
3071 |         "queue-microtask": "^1.2.2"
3072 |       }
3073 |     },
3074 |     "node_modules/scheduler": {
3075 |       "version": "0.23.2",
3076 |       "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.23.2.tgz",
3077 |       "integrity": "sha512-UOShsPwz7NrMUqhR6t0hwjFduv0zbtv7toDH1/hIrFRNIDBnnBWD0CwJTGvTpngVlWmGCdP9/Zl/tVrDqcuYzQ==",
3078 |       "license": "MIT",
3079 |       "dependencies": {
3080 |         "loose-envify": "^1.1.0"
3081 |       }
3082 |     },
3083 |     "node_modules/semver": {
3084 |       "version": "6.3.1",
3085 |       "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
3086 |       "integrity": "sha512-SWdXwJJYr0B38i4y7X3Wj8oUeDk8WdZx6Rbd97Q2QvUdKX/E1Z3HqZkHd9H9ZvX45Yt8oL95YJfQZl0==",
3087 |       "dev": true,
3088 |       "license": "ISC",
3089 |       "bin": {

```

```

3090 |         "semver": "bin/semver.js"
3091 |     }
3092 | },
3093 |     "node_modules/socket.io-client": {
3094 |         "version": "4.8.3",
3095 |         "resolved": "https://registry.npmjs.org/socket.io-client/-/socket.io-client-4.8.3.tg
z",
3096 |         "integrity": "sha512-uP0bpjWrjQmUt5DTHq9RuoCBdFJF10cdX9X+a368j/Ft0wmaVgxlrjvK3kjpgCO
DOMMOz9lcaRzxms0bTWZ/g==",
3097 |         "license": "MIT",
3098 |         "dependencies": {
3099 |             "@socket.io/component-emitter": "~3.1.0",
3100 |             "debug": "~4.4.1",
3101 |             "engine.io-client": "~6.6.1",
3102 |             "socket.io-parser": "~4.2.4"
3103 |         },
3104 |         "engines": {
3105 |             "node": ">=10.0.0"
3106 |         }
3107 |     },
3108 |     "node_modules/socket.io-parser": {
3109 |         "version": "4.2.6",
3110 |         "resolved": "https://registry.npmjs.org/socket.io-parser/-/socket.io-parser-4.2.6.tg
z",
3111 |         "integrity": "sha512-asJqbVBDsBCJx0pTqw3WfesSY0iRX+2xzWEWzrpch7L6fLzrhyF8WPI8UaeM4YC
uDfpwA/cgsdugMsmtz8EJeg==",
3112 |         "license": "MIT",
3113 |         "dependencies": {
3114 |             "@socket.io/component-emitter": "~3.1.0",
3115 |             "debug": "~4.4.1"
3116 |         },
3117 |         "engines": {
3118 |             "node": ">=10.0.0"
3119 |         }
3120 |     },
3121 |     "node_modules/source-map-js": {
3122 |         "version": "1.2.1",
3123 |         "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
3124 |         "integrity": "sha512-UXWMKhLowKb728IUtQPXxfYU+usdybtUrK/8uGE8CQMvrh0pwvzDBWj0QhSL7M
Qc7vIsISBG8VQ8+IDQxpfQA==",
3125 |         "dev": true,
3126 |         "license": "BSD-3-Clause",
3127 |         "engines": {
3128 |             "node": ">=0.10.0"
3129 |         }
3130 |     },
3131 |     "node_modules/sucrase": {
3132 |         "version": "3.35.1",
3133 |         "resolved": "https://registry.npmjs.org/sucrase/-/sucrase-3.35.1.tgz",
3134 |         "integrity": "sha512-DhuTmvZWux4H1U0nWMB3sk0sbaCV0oQZjv8u1rDoTV0HTdGem9hkAZtL4JZy8P2
z4Bg0nT+YMe0FyVr4zcG5Tw==",
3135 |         "dev": true,
3136 |         "license": "MIT",
3137 |         "dependencies": {
3138 |             "@jridgewell/gen-mapping": "^0.3.2",
3139 |             "commander": "^4.0.0",
3140 |             "lines-and-columns": "^1.1.6",
3141 |             "mz": "^2.7.0",
3142 |             "pirates": "^4.0.1",
3143 |             "tinyglobby": "^0.2.11",
3144 |             "ts-interface-checker": "^0.1.9"

```

```
3145 |     },
3146 |     "bin": {
3147 |       "sucrase": "bin/sucrase",
3148 |       "sucrase-node": "bin/sucrase-node"
3149 |     },
3150 |     "engines": {
3151 |       "node": ">=16 || 14 >=14.17"
3152 |     }
3153 |   },
3154 |   "node_modules/supports-preserve-symlinks-flag": {
3155 |     "version": "1.0.0",
3156 |     "resolved": "https://registry.npmjs.org/supports-preserve-symlinks-flag/-/supports-p
reserve-symlinks-flag-1.0.0.tgz",
3157 |     "integrity": "sha512-ot0WnXS9fgdkgIcePe6RHNk1WA8+muPa6cSjeR3V8K27q9BB1rTE3R1p7Hv0z1Z
yAc8s6Vvv8DIyWf681MAT0w==",
3158 |     "dev": true,
3159 |     "license": "MIT",
3160 |     "engines": {
3161 |       "node": ">= 0.4"
3162 |     },
3163 |     "funding": {
3164 |       "url": "https://github.com/sponsors/ljharb"
3165 |     }
3166 |   },
3167 |   "node_modules/tailwindcss": {
3168 |     "version": "3.4.19",
3169 |     "resolved": "https://registry.npmjs.org/tailwindcss/-/tailwindcss-3.4.19.tgz",
3170 |     "integrity": "sha512-3ofp+LL8E+pK/JuPLPgqVAIaEuhvIz4qNcf3nA1Xn2o/7fb7s/TYpHhwGDv1ZU3
PkBluUVaF8PyCHcm48cKLWQ==",
3171 |     "dev": true,
3172 |     "license": "MIT",
3173 |     "dependencies": {
3174 |       "@alloc/quick-lru": "^5.2.0",
3175 |       "arg": "^5.0.2",
3176 |       "chokidar": "^3.6.0",
3177 |       "didyoumean": "^1.2.2",
3178 |       "dlv": "^1.1.3",
3179 |       "fast-glob": "^3.3.2",
3180 |       "glob-parent": "^6.0.2",
3181 |       "is-glob": "^4.0.3",
3182 |       "jiti": "^1.21.7",
3183 |       "lilconfig": "^3.1.3",
3184 |       "micromatch": "^4.0.8",
3185 |       "normalize-path": "^3.0.0",
3186 |       "object-hash": "^3.0.0",
3187 |       "picocolors": "^1.1.1",
3188 |       "postcss": "^8.4.47",
3189 |       "postcss-import": "^15.1.0",
3190 |       "postcss-js": "^4.0.1",
3191 |       "postcss-load-config": "^4.0.2 || ^5.0 || ^6.0",
3192 |       "postcss-nested": "^6.2.0",
3193 |       "postcss-selector-parser": "^6.1.2",
3194 |       "resolve": "^1.22.8",
3195 |       "sucrase": "^3.35.0"
3196 |     },
3197 |     "bin": {
3198 |       "tailwind": "lib/cli.js",
3199 |       "tailwindcss": "lib/cli.js"
3200 |     },
3201 |     "engines": {
3202 |       "node": ">=14.0.0"
```



```

3203 |     }
3204 | },
3205 |     "node_modules/thenify": {
3206 |         "version": "3.3.1",
3207 |         "resolved": "https://registry.npmjs.org/thenify/-/thenify-3.3.1.tgz",
3208 |         "integrity": "sha512-RVZSIV5IG10Hk3enotrhz0T9em6cyHBLkH/YAZuKqd8hRkKhSfCGIcP2KUY0EP
xndzANBmNllzWPwak+bheSw==",
3209 |         "dev": true,
3210 |         "license": "MIT",
3211 |         "dependencies": {
3212 |             "any-promise": "^1.0.0"
3213 |         }
3214 |     },
3215 |     "node_modules/thenify-all": {
3216 |         "version": "1.6.0",
3217 |         "resolved": "https://registry.npmjs.org/thenify-all/-/thenify-all-1.6.0.tgz",
3218 |         "integrity": "sha512-RNxQH/qI8/t3thXJDwcstU04zeqo64+Uy/+sNVRBx4Xn20X+OZ9oP+iJnNFqplF
ra2ZUveKCSa2oVWi3T4uVmA==",
3219 |         "dev": true,
3220 |         "license": "MIT",
3221 |         "dependencies": {
3222 |             "thenify": ">= 3.1.0 < 4"
3223 |         },
3224 |         "engines": {
3225 |             "node": ">=0.8"
3226 |         }
3227 |     },
3228 |     "node_modules/tiny-invariant": {
3229 |         "version": "1.3.3",
3230 |         "resolved": "https://registry.npmjs.org/tiny-invariant/-/tiny-invariant-1.3.3.tgz",
3231 |         "integrity": "sha512-+FbBPE1o9QAYvviau/qC5SE3caw21q3xkvWKBtja5vgqOWIHHJ3ioaq1VPfn/Sz
qctz2bU/oYekd9/z5BL+PVg==",
3232 |         "license": "MIT"
3233 |     },
3234 |     "node_modules/tinyglobby": {
3235 |         "version": "0.2.16",
3236 |         "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.16.tgz",
3237 |         "integrity": "sha512-pn99VhoACYR8nFHxqix+uvsbXineAasWm5ojXoN8xEwK5Kd3/TrhNn1wByuD52
UxwRLy8pu+kRMniEi6Eq9Zg==",
3238 |         "dev": true,
3239 |         "license": "MIT",
3240 |         "dependencies": {
3241 |             "fdir": "^6.5.0",
3242 |             "picomatch": "^4.0.4"
3243 |         },
3244 |         "engines": {
3245 |             "node": ">=12.0.0"
3246 |         },
3247 |         "funding": {
3248 |             "url": "https://github.com/sponsors/SuperchupuDev"
3249 |         }
3250 |     },
3251 |     "node_modules/tinyglobby/node_modules/fdir": {
3252 |         "version": "6.5.0",
3253 |         "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
3254 |         "integrity": "sha512-tIbYtZbuc0s0BRGqPJKshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwj
W0nwrKYBiwAmM0p4kLJAnXg==",
3255 |         "dev": true,
3256 |         "license": "MIT",
3257 |         "engines": {
3258 |             "node": ">=12.0.0"

```

```

3259 |     },
3260 |     "peerDependencies": {
3261 |       "picomatch": "^3 || ^4"
3262 |     },
3263 |     "peerDependenciesMeta": {
3264 |       "picomatch": {
3265 |         "optional": true
3266 |       }
3267 |     }
3268 |   },
3269 |   "node_modules/tinyglobby/node_modules/picomatch": {
3270 |     "version": "4.0.4",
3271 |     "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",
3272 |     "integrity": "sha512-QP88BAKvMam/3NxH6vj2o21R6MjxZUAd6nlwAS/pnGvN9IVLocLHxGYIzFhg6fU
Q+5th6P4dv4ew9jX3DSIj7A==",
3273 |     "dev": true,
3274 |     "license": "MIT",
3275 |     "peer": true,
3276 |     "engines": {
3277 |       "node": ">=12"
3278 |     },
3279 |     "funding": {
3280 |       "url": "https://github.com/sponsors/jonschlinkert"
3281 |     }
3282 |   },
3283 |   "node_modules/to-regexp-range": {
3284 |     "version": "5.0.1",
3285 |     "resolved": "https://registry.npmjs.org/to-regexp-range/-/to-regexp-range-5.0.1.tgz",
3286 |     "integrity": "sha512-65P7iz6X5YEr1cwcgvQxbbIw7Uk3gOy5dIdtZ4rDveLqhrdJP+Li/Hx6tyK0NEB
+2GcyneCMJiGqrADCSNk8sQ==",
3287 |     "dev": true,
3288 |     "license": "MIT",
3289 |     "dependencies": {
3290 |       "is-number": "^7.0.0"
3291 |     },
3292 |     "engines": {
3293 |       "node": ">=8.0"
3294 |     }
3295 |   },
3296 |   "node_modules/ts-interface-checker": {
3297 |     "version": "0.1.13",
3298 |     "resolved": "https://registry.npmjs.org/ts-interface-checker/-/ts-interface-checker-
0.1.13.tgz",
3299 |     "integrity": "sha512-Y/arvbn+rrz3JCKL9C4kVNfTfSm2/mEp5FSz5EsZSANGPSlQrpRI5M4PKF+mJnE
52j0090PnPsc3Ur3bTQw0gA==",
3300 |     "dev": true,
3301 |     "license": "Apache-2.0"
3302 |   },
3303 |   "node_modules/update-browserslist-db": {
3304 |     "version": "1.2.3",
3305 |     "resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist
-db-1.2.3.tgz",
3306 |     "integrity": "sha512-Js0m9cx+q0gDxo0eMiFGueWztz+d4+M3rGlmKPT+T4IS/jP4ylw3Nwpu6cpTTP
8R1MAC1kF4VbdLt3ARf209w==",
3307 |     "dev": true,
3308 |     "funding": [
3309 |       {
3310 |         "type": "opencollective",
3311 |         "url": "https://opencollective.com/browserslist"
3312 |       },
3313 |       {

```

```

3314 |         "type": "tidelift",
3315 |         "url": "https://tidelift.com/funding/github/npm/browserslist"
3316 |     },
3317 |     {
3318 |         "type": "github",
3319 |         "url": "https://github.com/sponsors/ai"
3320 |     }
3321 | ],
3322 | "license": "MIT",
3323 | "dependencies": {
3324 |     "escalade": "^3.2.0",
3325 |     "picocolors": "^1.1.1"
3326 | },
3327 | "bin": {
3328 |     "update-browserslist-db": "cli.js"
3329 | },
3330 | "peerDependencies": {
3331 |     "browserslist": ">= 4.21.0"
3332 | }
3333 | },
3334 | "node_modules/util-deprecate": {
3335 |     "version": "1.0.2",
3336 |     "resolved": "https://registry.npmjs.org/util-deprecate/-/util-deprecate-1.0.2.tgz",
3337 |     "integrity": "sha512-EPD5q1uXyFxJpCrLnCc1nHnq3g0a6DZBocAIiI2TaSCA7VCJ1UJDMagCzIkXNsU
YfD1daK//LTEQ8xiIbrHtcw==",
3338 |     "dev": true,
3339 |     "license": "MIT"
3340 | },
3341 | "node_modules/victory-vendor": {
3342 |     "version": "36.9.2",
3343 |     "resolved": "https://registry.npmjs.org/victory-vendor/-/victory-vendor-36.9.2.tgz",
3344 |     "integrity": "sha512-PnpQQMuxlwYdocC8fIJqVXvkeViHYzotI+NJrCuav0ZYFq912ZHBk3mCeuj+5/
Vpod0jPe1z0Fk2ihgzlXqjQ==",
3345 |     "license": "MIT AND ISC",
3346 |     "dependencies": {
3347 |         "@types/d3-array": "^3.0.3",
3348 |         "@types/d3-ease": "^3.0.0",
3349 |         "@types/d3-interpolate": "^3.0.1",
3350 |         "@types/d3-scale": "^4.0.2",
3351 |         "@types/d3-shape": "^3.1.0",
3352 |         "@types/d3-time": "^3.0.0",
3353 |         "@types/d3-timer": "^3.0.0",
3354 |         "d3-array": "^3.1.6",
3355 |         "d3-ease": "^3.0.1",
3356 |         "d3-interpolate": "^3.0.1",
3357 |         "d3-scale": "^4.0.2",
3358 |         "d3-shape": "^3.1.0",
3359 |         "d3-time": "^3.0.0",
3360 |         "d3-timer": "^3.0.1"
3361 |     }
3362 | },
3363 | "node_modules/vite": {
3364 |     "version": "6.4.2",
3365 |     "resolved": "https://registry.npmjs.org/vite/-/vite-6.4.2.tgz",
3366 |     "integrity": "sha512-2N/55r4JDJ4gdrCvGgINMy+HH3iRpNIz8K6SFwVsA+JbQScLiC+clmAXBgwiSPg
cG9U15QmvqCGWzMbqda5zGQ==",
3367 |     "dev": true,
3368 |     "license": "MIT",
3369 |     "peer": true,
3370 |     "dependencies": {
3371 |         "esbuild": "^0.25.0",

```

```
3372 |         "fdir": "^6.4.4",
3373 |         "picomatch": "^4.0.2",
3374 |         "postcss": "^8.5.3",
3375 |         "rollup": "^4.34.9",
3376 |         "tinyglobby": "^0.2.13"
3377 |     },
3378 |     "bin": {
3379 |         "vite": "bin/vite.js"
3380 |     },
3381 |     "engines": {
3382 |         "node": "^18.0.0 || ^20.0.0 || >=22.0.0"
3383 |     },
3384 |     "funding": {
3385 |         "url": "https://github.com/vitejs/vite?sponsor=1"
3386 |     },
3387 |     "optionalDependencies": {
3388 |         "fsevents": "~2.3.3"
3389 |     },
3390 |     "peerDependencies": {
3391 |         "@types/node": "^18.0.0 || ^20.0.0 || >=22.0.0",
3392 |         "jiti": ">=1.21.0",
3393 |         "less": "*",
3394 |         "lightningcss": "^1.21.0",
3395 |         "sass": "*",
3396 |         "sass-embedded": "*",
3397 |         "stylus": "*",
3398 |         "sugarss": "*",
3399 |         "terser": "^5.16.0",
3400 |         "tsx": "^4.8.1",
3401 |         "yaml": "^2.4.2"
3402 |     },
3403 |     "peerDependenciesMeta": {
3404 |         "@types/node": {
3405 |             "optional": true
3406 |         },
3407 |         "jiti": {
3408 |             "optional": true
3409 |         },
3410 |         "less": {
3411 |             "optional": true
3412 |         },
3413 |         "lightningcss": {
3414 |             "optional": true
3415 |         },
3416 |         "sass": {
3417 |             "optional": true
3418 |         },
3419 |         "sass-embedded": {
3420 |             "optional": true
3421 |         },
3422 |         "stylus": {
3423 |             "optional": true
3424 |         },
3425 |         "sugarss": {
3426 |             "optional": true
3427 |         },
3428 |         "terser": {
3429 |             "optional": true
3430 |         },
3431 |         "tsx": {
3432 |             "optional": true
```

```

3433 |     },
3434 |     "yaml": {
3435 |       "optional": true
3436 |     }
3437 |   },
3438 | },
3439 | "node_modules/vite/node_modules/fdir": {
3440 |   "version": "6.5.0",
3441 |   "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
3442 |   "integrity": "sha512-tIbYtZbuc0s0BRGqPJkshJUYdL+SDH7dVM8ggy+ERp3WAUjLEFJE+02kanyHtwj
W0nwrKYBiwAmM0p4kJAnXg==",
3443 |   "dev": true,
3444 |   "license": "MIT",
3445 |   "engines": {
3446 |     "node": ">=12.0.0"
3447 |   },
3448 |   "peerDependencies": {
3449 |     "picomatch": "^3 || ^4"
3450 |   },
3451 |   "peerDependenciesMeta": {
3452 |     "picomatch": {
3453 |       "optional": true
3454 |     }
3455 |   }
3456 | },
3457 | "node_modules/vite/node_modules/picomatch": {
3458 |   "version": "4.0.4",
3459 |   "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",
3460 |   "integrity": "sha512-QP88BAKvMam/3NxH6vj2o21R6MjxZUAd6nlwAS/pnGvN9IVLocLHxGYIzFhg6fU
Q+5th6P4dv4ew9jX3DSIj7A==",
3461 |   "dev": true,
3462 |   "license": "MIT",
3463 |   "peer": true,
3464 |   "engines": {
3465 |     "node": ">=12"
3466 |   },
3467 |   "funding": {
3468 |     "url": "https://github.com/sponsors/jonschlinkert"
3469 |   }
3470 | },
3471 | "node_modules/ws": {
3472 |   "version": "8.18.3",
3473 |   "resolved": "https://registry.npmjs.org/ws/-/ws-8.18.3.tgz",
3474 |   "integrity": "sha512-PEIGCY5tSlUt50cqMXfCzX+oOPqN0vuGqWzbcJ2xvnkzkq46o0pz7dQaTDBdfI
Cb4N14+GARUDw2XV2N4tvzg==",
3475 |   "license": "MIT",
3476 |   "engines": {
3477 |     "node": ">=10.0.0"
3478 |   },
3479 |   "peerDependencies": {
3480 |     "bufferutil": "^4.0.1",
3481 |     "utf-8-validate": ">=5.0.2"
3482 |   },
3483 |   "peerDependenciesMeta": {
3484 |     "bufferutil": {
3485 |       "optional": true
3486 |     },
3487 |     "utf-8-validate": {
3488 |       "optional": true
3489 |     }
3490 |   }

```

```
3491 | },
3492 | "node_modules/xmlhttprequest-ssl": {
3493 |   "version": "2.1.2",
3494 |   "resolved": "https://registry.npmjs.org/xmlhttprequest-ssl/-/xmlhttprequest-ssl-2.1.
2.tgz",
3495 |   "integrity": "sha512-TEU+nJVUUnA4CYJFLvK5X9A0eH4KvDvhIfm0vV1GaQRtchnG0hgK5p8hw/xjv8c
unWYCsiPCSDz0bPyhEwq3KQ==",
3496 |   "engines": {
3497 |     "node": ">=0.4.0"
3498 |   }
3499 | },
3500 | "node_modules/yallist": {
3501 |   "version": "3.1.1",
3502 |   "resolved": "https://registry.npmjs.org/yallist/-/yallist-3.1.1.tgz",
3503 |   "integrity": "sha512-a4UGQaWPH59mOXUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAmS9NsK8GpDMLrCHPks
FT7h3K6T0oUNn2pb7RoXx4g==",
3504 |   "dev": true,
3505 |   "license": "ISC"
3506 | }
3507 | }
3508 | }
```

File: package.json

Path: frontend/package.json

```
1 | {
2 |   "name": "attender-frontend",
3 |   "private": true,
4 |   "version": "1.0.0",
5 |   "type": "module",
6 |   "scripts": {
7 |     "dev": "vite",
8 |     "build": "vite build",
9 |     "preview": "vite preview",
10 |    "host": "vite-- host"
11 |  },
12 |  "dependencies": {
13 |    "axios": "^1.7.9",
14 |    "html5-qrcode": "^2.3.8",
15 |    "qrcode.react": "^4.2.0",
16 |    "react": "^18.3.1",
17 |    "react-dom": "^18.3.1",
18 |    "react-router-dom": "^6.28.0",
19 |    "recharts": "^2.15.0",
20 |    "socket.io-client": "^4.8.3"
21 |  },
22 |  "devDependencies": {
23 |    "@vitejs/plugin-basic-ssl": "^2.3.0",
24 |    "@vitejs/plugin-react": "^4.3.4",
25 |    "autoprefixer": "^10.4.20",
26 |    "postcss": "^8.4.49",
27 |    "tailwindcss": "^3.4.16",
28 |    "vite": "^6.0.3"
29 |  }
30 | }
```

File: postcss.config.js

Path: frontend/postcss.config.js

```
1 | export default {  
2 |   plugins: {  
3 |     tailwindcss: {},  
4 |     autoprefixer: {},  
5 |   },  
6 | };
```


File: client.js

Path: frontend/src/api/client.js

```
1 | import axios from 'axios';
2 |
3 | const API_BASE_URL =
4 |   import.meta.env.VITE_API_BASE_URL ||
5 |   import.meta.env.VITE_API_URL ||
6 |   '/api';
7 |
8 | const api = axios.create({
9 |   baseURL: API_BASE_URL,
10 |   withCredentials: true,
11 |   headers: { 'Content-Type': 'application/json' },
12 | });
13 |
14 | api.interceptors.request.use((config) => {
15 |   const token = localStorage.getItem('attender_token');
16 |   if (token) {
17 |     config.headers.Authorization = `Bearer ${token}`;
18 |   }
19 |   if (config.data instanceof FormData) {
20 |     delete config.headers['Content-Type'];
21 |   }
22 |   return config;
23 | });
24 |
25 | api.interceptors.response.use(
26 |   (r) => r,
27 |   (err) => {
28 |     if (!err.response) {
29 |       return Promise.reject(
30 |         new Error(`Cannot reach API. Ensure backend is running at ${API_BASE_URL}`)
31 |       );
32 |     }
33 |     const msg = err.response.data?.message || 'Request failed';
34 |     return Promise.reject(new Error(msg));
35 |   }
36 | );
37 |
38 | export default api;
```

File: App.jsx

Path: frontend/src/App.jsx

```
-----
1 | import { Navigate, Route, Routes } from "react-router-dom";
2 | import { useAuth } from "../context/AuthContext.jsx"; // Ensure this path is correct
3 | import ProtectedRoute from "../components/ProtectedRoute.jsx";
4 | import AppLayoutSwitcher from "../components/AppLayoutSwitcher.jsx";
5 |
6 | // Pages
7 | import HomePage from "../pages/HomePage";
8 | import Login from "../pages/Login.jsx";
9 | import Signup from "../pages/Signup.jsx";
10 | import Dashboard from "../pages/Dashboard.jsx";
11 | import ClassesPage from "../pages/ClassesPage.jsx";
12 | import AttendancePage from "../pages/AttendancePage.jsx";
13 | import ReportsPage from "../pages/ReportsPage.jsx";
14 | import SettingsPage from "../pages/SettingsPage.jsx";
15 | import MessagesPage from "../pages/MessagesPage.jsx";
16 | import MarkAttendance from "../pages/MarkAttendance";
17 |
18 | export default function App() {
19 |   const { user, loading } = useAuth();
20 |
21 |   // Prevent routing logic until we know if the user is logged in
22 |   if (loading) {
23 |     return (
24 |       <div className="h-screen w-screen flex items-center justify-center bg-slate-50">
25 |         <div className="animate-spin rounded-full h-12 w-12 border-t-2 border-b-2 border-indigo-600"></div>
26 |       </div>
27 |     );
28 |   }
29 |
30 |   return (
31 |     <Routes>
32 |       /* ? HOME ROUTE LOGIC
33 |        If logged in, go straight to dashboard.
34 |        If logged out, show the public landing page.
35 |       */
36 |       <Route
37 |         path="/"
38 |         element={user ? <Navigate to="/app/dashboard" replace /> : <HomePage />}
39 |       />
40 |
41 |       /* Public Auth Routes */
42 |       <Route
43 |         path="/login"
44 |         element={user ? <Navigate to="/app/dashboard" replace /> : <Login />}
45 |       />
46 |       <Route
47 |         path="/signup"
48 |         element={user ? <Navigate to="/app/dashboard" replace /> : <Signup />}
49 |       />
50 |
51 |       /* ?? Protected Layout Section */
52 |       <Route
53 |         path="/app"
54 |         element={
55 |           <ProtectedRoute>
56 |             <AppLayoutSwitcher />
```

```
57 |         </ProtectedRoute>
58 |     }
59 | >
60 |     <Route index element={<Navigate to="dashboard" replace />} />
61 |     <Route path="dashboard" element={<Dashboard />} />
62 |     <Route path="classes" element={<ClassesPage />} />
63 |     <Route path="attendance" element={<AttendancePage />} />
64 |     <Route path="reports" element={<ReportsPage />} />
65 |     <Route path="mark-attendance" element={<MarkAttendance />} />
66 |     <Route path="messages" element={<MessagesPage />} />
67 |     <Route path="settings" element={<SettingsPage />} />
68 | </Route>
69 |
70 |     {/* 404 Fallback */}
71 |     <Route path="*" element={<Navigate to="/" replace />} />
72 | </Routes>
73 | );
74 | }
```

File: AppLayoutSwitcher.jsx

Path: frontend/src/components/AppLayoutSwitcher.jsx

```
1 | import { useEffect, useState } from "react";
2 | import { Outlet } from "react-router-dom";
3 | import Layout from "../Layout.jsx";
4 | import MobileLayout from "../pages/MobileLayout.jsx";
5 | import { useAuth } from "../context/AuthContext.jsx";
6 |
7 | export default function AppLayoutSwitcher() {
8 |   const [isMobile, setIsMobile] = useState(false);
9 |   const { user } = useAuth();
10 |
11 |   useEffect(() => {
12 |     const check = () => setIsMobile(window.innerWidth < 768);
13 |     check();
14 |     window.addEventListener("resize", check);
15 |     return () => window.removeEventListener("resize", check);
16 |   }, []);
17 |
18 |   if (!user) {
19 |     return (
20 |       <div className="h-screen flex items-center justify-center">
21 |         Loading layout...
22 |       </div>
23 |     );
24 |   }
25 |
26 |   return isMobile ? (
27 |     <MobileLayout>
28 |       <Outlet />
29 |     </MobileLayout>
30 |   ) : (
31 |     <Layout>
32 |       <Outlet />
33 |     </Layout>
34 |   );
35 | }
```

File: Layout.jsx

Path: frontend/src/components/Layout.jsx

```
1 | import Sidebar from "../Sidebar.jsx";
2 | import TopBar from "../TopBar.jsx";
3 |
4 | export default function Layout({ children }) {
5 |   return (
6 |     <div className="flex h-screen overflow-hidden bg-slate-50 dark:bg-slate-950">
7 |       <aside className="w-64 flex-shrink-0">
8 |         <Sidebar />
9 |       </aside>
10 |
11 |       <div className="flex flex-1 flex-col min-w-0 overflow-hidden">
12 |         <TopBar />
13 |
14 |         <main className="flex-1 overflow-y-auto p-4 lg:p-8">
15 |           <div className="mx-auto max-w-6xl">
16 |             {children}
17 |           </div>
18 |         </main>
19 |       </div>
20 |     </div>
21 |   );
22 | }
```

File: ProtectedRoute.jsx

Path: frontend/src/components/ProtectedRoute.jsx

```
1 | import { Navigate, useLocation } from "react-router-dom";
2 | import { useAuth } from "../context/AuthContext.jsx";
3 |
4 | export default function ProtectedRoute({ children }) {
5 |   const { user, bootstrapping } = useAuth();
6 |   const location = useLocation();
7 |
8 |   if (bootstrapping) {
9 |     return (
10 |       <div className="h-screen flex items-center justify-center">
11 |         Loading...
12 |       </div>
13 |     );
14 |   }
15 |
16 |   if (!user) {
17 |     return <Navigate to="/login" replace state={{ from: location.pathname }} />;
18 |   }
19 |
20 |   return children;
21 | }
```

File: Sidebar.jsx

Path: frontend/src/components/Sidebar.jsx

```
1 | import { NavLink, useNavigate } from 'react-router-dom'; // 1. Added useNavigate
2 | import { useAuth } from '../context/AuthContext.jsx';
3 |
4 | const linkBase =
5 |   'flex items-center gap-2 rounded-lg px-3 py-2 text-sm font-medium text-slate-600 hover:b
g-slate-100 dark:text-slate-300 dark:hover:bg-slate-800';
6 |
7 | function Item({ to, children }) {
8 |   return (
9 |     <NavLink
10 |       to={to}
11 |       className={({ isActive }) =>
12 |         `${linkBase} ${
13 |           isActive
14 |             ? 'bg-indigo-50 text-indigo-700 dark:bg-slate-800 dark:text-white'
15 |             : ''
16 |         }`
17 |     >
18 |       {children}
19 |     </NavLink>
20 |   );
21 | }
22 |
23 | export default function Sidebar({ onNavigate }) {
24 |   const { user, logout } = useAuth();
25 |   const navigate = useNavigate(); // 2. Initialize navigate
26 |   const role = user?.role;
27 |
28 |   const close = () => onNavigate?.();
29 |
30 |   // Handle Logout with Redirect
31 |   const handleSignOut = async () => {
32 |     await logout(); // Clear state/tokens
33 |     navigate('/', { replace: true }); // 3. Redirect to HomePage
34 |   };
35 |
36 |   const initials =
37 |     user?.firstName && user?.lastName
38 |       ? `${user.firstName[0] || ''}${user.lastName[0] || ''}`.toUpperCase()
39 |       : (user?.username || '?').slice(0, 2).toUpperCase();
40 |
41 |   const navForRole = () => {
42 |     if (role === 'admin') {
43 |       return (
44 |         <>
45 |           <Item to="/app"><span>Dashboard</span></Item>
46 |           <Item to="/app/classes"><span>Classes</span></Item>
47 |           <Item to="/app/attendance"><span>Attendance</span></Item>
48 |           <Item to="/app/reports"><span>Reports</span></Item>
49 |           <Item to="/app/messages"><span>Messages</span></Item>
50 |           <Item to="/app/settings"><span>Settings</span></Item>
51 |         </>
52 |       );
53 |     }
54 |   };
55 |
56 |   if (role === 'teacher') {
```

```

57 |         return (
58 |             <>
59 |                 <Item to="/app"><span>Dashboard</span></Item>
60 |                 <Item to="/app/classes"><span>Classes</span></Item>
61 |                 <Item to="/app/reports"><span>Reports</span></Item>
62 |                 <Item to="/app/messages"><span>Messages</span></Item>
63 |                 <Item to="/app/settings"><span>Settings</span></Item>
64 |             </>
65 |         );
66 |     }
67 |     return (
68 |         <>
69 |             <Item to="/app"><span>Dashboard</span></Item>
70 |             <Item to="/app/classes"><span>Classes</span></Item>
71 |             <Item to="/app/messages"><span>Messages</span></Item>
72 |             <Item to="/app/settings"><span>Settings</span></Item>
73 |         </>
74 |     );
75 | };
76 |
77 |     return (
78 |         <aside className="flex h-full w-64 flex-col border-r border-slate-200 bg-white dark:bo
rder-slate-800 dark:bg-slate-900">
79 |
80 |             <div className="flex items-center gap-1 px-5 py-6">
81 |                 
86 |                 <span className="text-lg font-semibold text-slate-900 dark:text-white tracking-tig
ht">
87 |                     Attender
88 |                 </span>
89 |             </div>
90 |
91 |             <nav className="flex flex-1 flex-col gap-2 px-3 py-2" onClick={close}>
92 |                 {navForRole()}
93 |             </nav>
94 |
95 |             <div className="border-t border-slate-200 p-4 dark:border-slate-800">
96 |                 <div className="mb-3 flex items-center gap-3">
97 |                     <div className="flex h-10 w-10 items-center justify-center rounded-full bg-indig
o-600 text-xs font-semibold text-white">
98 |                         {initials}
99 |                     </div>
100 |                     <div className="min-w-0">
101 |                         <p className="truncate text-sm font-semibold text-slate-900 dark:text-white">
102 |                             {user?.firstName} {user?.lastName}
103 |                         </p>
104 |                         <p className="truncate text-xs capitalize text-slate-500">
105 |                             {user?.role}
106 |                         </p>
107 |                     </div>
108 |                 </div>
109 |
110 |                 {/* ? UPDATED BUTTON */}
111 |                 <button
112 |                     type="button"
113 |                     onClick={handleSignOut}
114 |                     className="w-full rounded-lg bg-slate-100 px-3 py-2 text-sm font-medium text-sla

```



```
te-700 hover:bg-slate-200 dark:bg-slate-800 dark:text-slate-200 dark:hover:bg-slate-700 transition
-colors"
115 |         >
116 |         Sign Out
117 |     </button>
118 | </div>
119 | </aside>
120 | );
121 | }
```

File: TopBar.jsx

Path: frontend/src/components/TopBar.jsx

```
1 | import { useState, useEffect, useRef } from 'react';
2 | import { useNavigate } from 'react-router-dom';
3 | import api from '../api/client.js';
4 |
5 | export default function TopBar() {
6 |   const [query, setQuery] = useState('');
7 |   const [results, setResults] = useState({ classes: [], students: [] });
8 |   const [isOpen, setIsOpen] = useState(false);
9 |   const navigate = useNavigate();
10 |   const searchRef = useRef(null);
11 |
12 |   // Close dropdown when clicking outside
13 |   useEffect(() => {
14 |     const handleClickOutside = (e) => {
15 |       if (searchRef.current && !searchRef.current.contains(e.target)) {
16 |         setIsOpen(false);
17 |       }
18 |     };
19 |     document.addEventListener('mousedown', handleClickOutside);
20 |     return () => document.removeEventListener('mousedown', handleClickOutside);
21 |   }, []);
22 |
23 |   useEffect(() => {
24 |     // frontend/src/pages/TopBar.jsx
25 |
26 |     // inside your TopBar.jsx useEffect
27 |     const fetchResults = async () => {
28 |       if (!query.trim()) {
29 |         setResults({ classes: [], students: [] });
30 |         setIsOpen(false);
31 |         return;
32 |       }
33 |
34 |       try {
35 |         // FORCE the key to be 'search'
36 |         const [classRes, studentRes] = await Promise.all([
37 |           api.get(`/classes?search=${encodeURIComponent(query)}`),
38 |           api.get(`/users/search?search=${encodeURIComponent(query)}&role=student`)
39 |         ]);
40 |
41 |         setResults({
42 |           classes: classRes.data.data || [],
43 |           students: studentRes.data.data || []
44 |         });
45 |         setIsOpen(true);
46 |       } catch (err) {
47 |         console.error("Search failed:", err);
48 |       }
49 |     };
50 |
51 |     // Fast debounce for instant feedback
52 |     const timer = setTimeout(fetchResults, 150);
53 |     return () => clearTimeout(timer);
54 |   }, [query]);
55 |
56 |   return (
57 |     <header className="flex items-center gap-4 border-b border-slate-200 bg-white px-6 py-
```

```

4 dark:border-slate-800 dark:bg-slate-900 sticky top-0 z-50">
58 |         <div className="mx-auto flex w-full max-w-5xl flex-1 items-center gap-4">
59 |
60 |             <div className="relative w-full max-w-xl" ref={searchRef}>
61 |                 <input
62 |                     type="search"
63 |                     value={query}
64 |                     onChange={(e) => setQuery(e.target.value)}
65 |                     onFocus={() => query.length >= 1 && setIsOpen(true)}
66 |                     placeholder="Type to search..."
67 |                     className="w-full rounded-full border border-slate-200 bg-slate-50 px-4 py-3 t
ext-sm outline-none ring-brand-600 focus:ring-2 dark:border-slate-700 dark:bg-slate-800 dark:text-
white transition-all"
68 |                 />
69 |
70 |                 {/* SUGGESTIONS PANEL */}
71 |                 {isOpen && query.length >= 1 && (
72 |                     <div className="absolute top-full mt-2 w-full overflow-hidden rounded-[2rem] b
order border-slate-200 bg-white/90 backdrop-blur-xl shadow-2xl dark:border-slate-700 dark:bg-slate
-900/90 animate-in fade-in slide-in-from-top-2 duration-200">
73 |
74 |                         {/* CLASSES */}
75 |                         {results.classes.length > 0 && (
76 |                             <div className="p-3">
77 |                                 <p className="px-4 py-2 text-[10px] font-black uppercase tracking-[0.2em
] text-slate-400">Matched Classes</p>
78 |                                 {results.classes.map(cls => (
79 |                                     <div
80 |                                         key={cls._id}
81 |                                         onClick={() => { navigate(`/app/classes`); setIsOpen(false); setQuer
y(''); }}
82 |                                         className="flex cursor-pointer items-center gap-4 rounded-2xl px-4 p
y-3 hover:bg-brand-50 dark:hover:bg-brand-900/20 transition-colors group"
83 |                                     >
84 |                                         <span className="text-xl group-hover:scale-110 transition-transform"
>?</span>
85 |                                         <div className="text-left">
86 |                                             <p className="text-sm font-black text-slate-800 dark:text-white">{
cls.name}</p>
87 |                                             <p className="text-[10px] font-bold text-slate-500 uppercase">{cls
.subject} · {cls.standard}</p>
88 |                                         </div>
89 |                                         </div>
90 |                                     )}}
91 |                                 </div>
92 |                             )}
93 |
94 |                         {/* STUDENTS */}
95 |                         {results.students.length > 0 && (
96 |                             <div className="border-t border-slate-100 p-3 dark:border-slate-800">
97 |                                 <p className="px-4 py-2 text-[10px] font-black uppercase tracking-[0.2em
] text-slate-400">Students</p>
98 |                                 {results.students.map(std => (
99 |                                     <div
100 |                                         key={std._id}
101 |                                         onClick={() => { navigate(`/app/messages`, { state: { contactId: std
._id } }); setIsOpen(false); setQuery(''); }}
102 |                                         className="flex cursor-pointer items-center gap-4 rounded-2xl px-4 p
y-3 hover:bg-brand-50 dark:hover:bg-brand-900/20 transition-colors group"
103 |                                     >
104 |                                         <span className="text-xl group-hover:scale-110 transition-transform"

```

```

>?</span>
105 |             <div className="text-left">
106 |                 <p className="text-sm font-black text-slate-800 dark:text-white">{
std.firstName} {std.lastName}</p>
107 |                 <p className="text-[10px] font-bold text-slate-500">@{std.username
}</p>
108 |             </div>
109 |         </div>
110 |     )}}
111 | </div>
112 | }}
113 |
114 |     {results.classes.length === 0 && results.students.length === 0 && (
115 |         <div className="p-10 text-center">
116 |             <p className="text-xs font-black text-slate-400 uppercase tracking-wides
t">No matching results for "{query}"</p>
117 |             </div>
118 |         )}
119 |     </div>
120 |     )}
121 | </div>
122 |
123 |     <div className="ml-auto flex items-center gap-4">
124 |         <div className="w-10 h-10 rounded-full bg-slate-100 dark:bg-slate-800 flex items
-center justify-center text-sm cursor-pointer hover:bg-brand-100 transition-colors">?</div>
125 |         <div className="w-10 h-10 rounded-full bg-brand-600 text-white flex items-center
justify-center text-sm font-black cursor-pointer shadow-lg shadow-brand-200">?</div>
126 |     </div>
127 | </div>
128 | </header>
129 | );
130 | }

```

File: AuthContext.jsx

Path: frontend/src/context/AuthContext.jsx

```
1 | import {
2 |   createContext,
3 |   useCallback,
4 |   useContext,
5 |   useEffect,
6 |   useMemo,
7 |   useState,
8 | } from "react";
9 | import api from "../api/client.js";
10 |
11 | const AuthContext = createContext(null);
12 | const TOKEN_KEY = "attender_token";
13 |
14 | export function AuthProvider({ children }) {
15 |   const [user, setUser] = useState(null);
16 |   const [bootstrapping, setBootstrapping] = useState(true);
17 |
18 |   const applyTheme = useCallback((theme) => {
19 |     const root = document.documentElement;
20 |     root.classList.toggle("dark", theme === "dark");
21 |   }, []);
22 |
23 |   const loadMe = useCallback(async () => {
24 |     const token = localStorage.getItem(TOKEN_KEY);
25 |
26 |     if (!token) {
27 |       setUser(null);
28 |       setBootstrapping(false);
29 |       return;
30 |     }
31 |
32 |     try {
33 |       const { data } = await api.get("/auth/me");
34 |       setUser(data.user);
35 |       applyTheme(data.user.theme || "light");
36 |     } catch {
37 |       localStorage.removeItem(TOKEN_KEY);
38 |       setUser(null);
39 |     } finally {
40 |       setBootstrapping(false);
41 |     }
42 |   }, [applyTheme]);
43 |
44 |   useEffect(() => {
45 |     loadMe();
46 |   }, [loadMe]);
47 |
48 |   const refreshUser = useCallback(async () => {
49 |     await loadMe();
50 |   }, [loadMe]);
51 |
52 |   const updateUser = useCallback((updates) => {
53 |     setUser((prev) => {
54 |       if (!prev) return prev;
55 |       return { ...prev, ...updates };
56 |     });
57 |   }, []);
```

```

58 |
59 |     const login = useCallback(async (username, password, role) => {
60 |         const { data } = await api.post("/auth/login", {
61 |             username,
62 |             password,
63 |             role,
64 |         });
65 |
66 |         localStorage.setItem(TOKEN_KEY, data.token);
67 |         setUser(data.user);
68 |         applyTheme(data.user.theme || "light");
69 |     }, [applyTheme]);
70 |
71 |     const register = useCallback(async (payload) => {
72 |         const { data } = await api.post("/auth/register", payload);
73 |
74 |         localStorage.setItem(TOKEN_KEY, data.token);
75 |         setUser(data.user);
76 |         applyTheme(data.user.theme || "light");
77 |     }, [applyTheme]);
78 |
79 |     const logout = useCallback(() => {
80 |         localStorage.removeItem(TOKEN_KEY);
81 |         setUser(null);
82 |         applyTheme("light");
83 |     }, [applyTheme]);
84 |
85 |     const value = useMemo(
86 |         () => ({
87 |             user,
88 |             bootstrapping,
89 |             login,
90 |             register,
91 |             logout,
92 |             refreshUser,
93 |             applyTheme,
94 |             updateUser,
95 |         }),
96 |         [user, bootstrapping, login, register, logout, refreshUser, applyTheme, updateUser]
97 |     );
98 |
99 |     return (
100 |         <AuthContext.Provider value={value}>
101 |             {children}
102 |         </AuthContext.Provider>
103 |     );
104 | }
105 |
106 | export function useAuth() {
107 |     const ctx = useContext(AuthContext);
108 |     if (!ctx) throw new Error("useAuth must be used within AuthProvider");
109 |     return ctx;
110 | }

```

File: index.css

Path: frontend/src/index.css

```
1 | @tailwind base;
2 | @tailwind components;
3 | @tailwind utilities;
4 |
5 | html,
6 | body,
7 | #root {
8 |   height: 100%;
9 | }
10 |
11 | body {
12 |   font-family: 'Inter', system-ui, sans-serif;
13 | }
14 |
15 | /* Custom Scrollbar for the Main Content */
16 | .custom-scrollbar::-webkit-scrollbar {
17 |   width: 6px;
18 | }
19 | .custom-scrollbar::-webkit-scrollbar-track {
20 |   background: transparent;
21 | }
22 | .custom-scrollbar::-webkit-scrollbar-thumb {
23 |   background: #e2e8f0; /* slate-200 */
24 |   border-radius: 10px;
25 | }
26 | .dark .custom-scrollbar::-webkit-scrollbar-thumb {
27 |   background: #1e293b; /* slate-800 */
28 | }
```

File: main.jsx

Path: frontend/src/main.jsx

```
1 | import React from 'react';
2 | import ReactDOM from 'react-dom/client';
3 | import { BrowserRouter } from 'react-router-dom';
4 | import App from './App.jsx';
5 | import { AuthProvider } from './context/AuthContext.jsx';
6 | import './index.css';
7 |
8 | ReactDOM.createRoot(document.getElementById('root')).render(
9 |   <React.StrictMode>
10 |     <BrowserRouter>
11 |       <AuthProvider>
12 |         <App />
13 |       </AuthProvider>
14 |     </BrowserRouter>
15 |   </React.StrictMode>
16 | );
```


File: AttendancePage.jsx

Path: frontend/src/pages/AttendancePage.jsx

```
1 | import { useCallback, useEffect, useMemo, useState } from 'react';
2 | import api from '../api/client.js';
3 | import { useAuth } from '../context/AuthContext.jsx';
4 |
5 | export default function AttendancePage() {
6 |   const { user } = useAuth();
7 |   const [classes, setClasses] = useState([]);
8 |   const [classId, setClassId] = useState('');
9 |   const [date, setDate] = useState(() => new Date().toISOString().slice(0, 10));
10 |   const [rows, setRows] = useState([]);
11 |   const [list, setList] = useState([]);
12 |   const [sessionToken, setSessionToken] = useState('');
13 |   const [error, setError] = useState('');
14 |   const [message, setMessage] = useState('');
15 |
16 |   useEffect(() => {
17 |     api
18 |       .get('/classes')
19 |       .then(({ data }) => {
20 |         setClasses(data.data || []);
21 |         if (data.data?.[0]) setClassId(data.data[0]._id);
22 |       })
23 |       .catch((e) => setError(e.message));
24 |   }, []);
25 |
26 |   const selectedClass = useMemo(() => classes.find((c) => c._id === classId), [classes, classId]);
27 |
28 |   useEffect(() => {
29 |     if (!classId || user?.role === 'student') return;
30 |     const cls = classes.find((c) => c._id === classId);
31 |     if (!cls) return;
32 |     const studs = (cls.studentIds || []).map((s) => ({
33 |       userId: s._id || s,
34 |       name: s.firstName ? `${s.firstName} ${s.lastName}` : String(s),
35 |       status: 'present',
36 |     }));
37 |     setRows(studs);
38 |   }, [classId, classes, user?.role]);
39 |
40 |   const loadList = useCallback(async () => {
41 |     if (!classId) return;
42 |     const { data } = await api.get('/attendance', {
43 |       params: { classId, from: date, to: date, limit: 100, page: 1 },
44 |     });
45 |     setList(data.data || []);
46 |   }, [classId, date]);
47 |
48 |   useEffect(() => {
49 |     if (user?.role === 'student' && classId) {
50 |       loadList().catch(() => {});
51 |     }
52 |   }, [classId, date, user?.role, loadList]);
53 |
54 |   useEffect(() => {
55 |     if ((user?.role === 'teacher' || user?.role === 'admin') && classId) {
56 |       loadList().catch(() => {});
```

```

57 |     }
58 |   }, [classId, date, user?.role, loadList]);
59 |
60 |   const saveBulk = async (e) => {
61 |     e.preventDefault();
62 |     setError('');
63 |     setMessage('');
64 |     try {
65 |       await api.post('/attendance/bulk', {
66 |         classId,
67 |         date,
68 |         entries: rows.map((r) => ({ userId: r.userId, status: r.status })),
69 |       });
70 |       setMessage('Attendance saved. ');
71 |       await loadList();
72 |     } catch (err) {
73 |       setError(err.message);
74 |     }
75 |   };
76 |
77 |   const markSelf = async (e) => {
78 |     e.preventDefault();
79 |     setError('');
80 |     setMessage('');
81 |     try {
82 |       await api.post('/attendance/self', { classId, sessionToken, status: 'present' });
83 |       setMessage('Attendance recorded for today. ');
84 |       await loadList();
85 |     } catch (err) {
86 |       setError(err.message);
87 |     }
88 |   };
89 |
90 |   if (user?.role === 'student') {
91 |     return (
92 |       <div className="space-y-6">
93 |         <div>
94 |           <h1 className="text-2xl font-bold text-slate-900 dark:text-white">Mark my attend
ance</h1>
95 |           <p className="text-sm text-slate-600 dark:text-slate-300">
96 |             Paste the session token your teacher shares (simulates scanning a QR code).
97 |           </p>
98 |         </div>
99 |         <form
100 |           onSubmit={markSelf}
101 |           className="max-w-lg space-y-4 rounded-2xl border border-slate-200 bg-white p-6 s
hadow-sm dark:border-slate-800 dark:bg-slate-900"
102 |           >
103 |           <div>
104 |             <label className="text-xs font-semibold uppercase text-slate-500">Class</label
>
105 |             <select
106 |               className="mt-1 w-full rounded-lg border border-slate-200 px-3 py-2 text-sm
dark:border-slate-700 dark:bg-slate-800 dark:text-white"
107 |               value={classId}
108 |               onChange={(e) => setClassId(e.target.value)}
109 |             >
110 |               {classes.map((c) => (
111 |                 <option key={c._id} value={c._id}>
112 |                   {c.name} ({c.code})
113 |                 </option>

```

```

114 |         )))
115 |     </select>
116 | </div>
117 | <div>
118 |     <label className="text-xs font-semibold uppercase text-slate-500">Session token</label>
119 |     <input
120 |         className="mt-1 w-full rounded-lg border border-slate-200 px-3 py-2 text-sm
dark:border-slate-700 dark:bg-slate-800 dark:text-white"
121 |         value={sessionToken}
122 |         onChange={(e) => setSessionToken(e.target.value)}
123 |         placeholder="Paste token from teacher"
124 |     />
125 | </div>
126 | {error ? <p className="text-sm text-red-600">{error}</p> : null}
127 | {message ? <p className="text-sm text-emerald-600">{message}</p> : null}
128 | <button
129 |     type="submit"
130 |     className="w-full rounded-lg bg-brand-600 py-2.5 text-sm font-semibold text-white
ite hover:bg-brand-700"
131 | >
132 |     Scan QR / Submit token
133 | </button>
134 | </form>
135 | <div className="rounded-2xl border border-slate-200 bg-white p-5 shadow-sm dark:bo
rder-slate-800 dark:bg-slate-900">
136 |     <h2 className="text-sm font-semibold text-slate-900 dark:text-white">Today's
s records</h2>
137 |     <ul className="mt-3 space-y-2 text-sm text-slate-600 dark:text-slate-300">
138 |         {list.map((a) => (
139 |             <li key={a._id} className="flex justify-between">
140 |                 <span>{new Date(a.date).toLocaleDateString()}</span>
141 |                 <span className="font-medium capitalize">{a.status}</span>
142 |             </li>
143 |         ))}
144 |         {!list.length ? <li className="text-slate-400">No records for this class today
.</li> : null}
145 |     </ul>
146 | </div>
147 | </div>
148 | );
149 | }
150 |
151 | if (user?.role !== 'teacher' && user?.role !== 'admin') {
152 |     return <p className="text-sm text-slate-600">You do not have access to teacher attendance
nce tools.</p>;
153 | }
154 |
155 | return (
156 |     <div className="space-y-6">
157 |         <div>
158 |             <h1 className="text-2xl font-bold text-slate-900 dark:text-white">Mark attendance<
/h1>
159 |             <p className="text-sm text-slate-600 dark:text-slate-300">
160 |                 Choose a class and date, set statuses, then save in bulk.
161 |             </p>
162 |         </div>
163 |         <form
164 |             onSubmit={saveBulk}
165 |             className="space-y-4 rounded-2xl border border-slate-200 bg-white p-6 shadow-sm da
rk:border-slate-800 dark:bg-slate-900"

```

```

166 |         >
167 |         <div className="grid gap-4 md:grid-cols-3">
168 |             <div>
169 |                 <label className="text-xs font-semibold uppercase text-slate-500">Class</label>
>
170 |                 <select
171 |                     className="mt-1 w-full rounded-lg border border-slate-200 px-3 py-2 text-sm
dark:border-slate-700 dark:bg-slate-800 dark:text-white"
172 |                     value={classId}
173 |                     onChange={(e) => setClassId(e.target.value)}
174 |                 >
175 |                     {classes.map((c) => (
176 |                         <option key={c._id} value={c._id}>
177 |                             {c.name}
178 |                         </option>
179 |                     ))}
180 |                 </select>
181 |             </div>
182 |             <div>
183 |                 <label className="text-xs font-semibold uppercase text-slate-500">Date</label>
184 |                 <input
185 |                     type="date"
186 |                     className="mt-1 w-full rounded-lg border border-slate-200 px-3 py-2 text-sm
dark:border-slate-700 dark:bg-slate-800 dark:text-white"
187 |                     value={date}
188 |                     onChange={(e) => setDate(e.target.value)}
189 |                 />
190 |             </div>
191 |             <div className="flex items-end">
192 |                 <button
193 |                     type="button"
194 |                     onClick={loadList}
195 |                     className="w-full rounded-lg border border-slate-200 py-2 text-sm dark:borde
r-slate-700"
196 |                 >
197 |                     Refresh list
198 |                 </button>
199 |             </div>
200 |         </div>
201 |         <div className="overflow-x-auto">
202 |             <table className="min-w-full text-left text-sm">
203 |                 <thead>
204 |                     <tr className="border-b border-slate-200 text-xs uppercase text-slate-500 da
rk:border-slate-700">
205 |                         <th className="py-2 pr-4">Student</th>
206 |                         <th className="py-2">Status</th>
207 |                     </tr>
208 |                 </thead>
209 |                 <tbody>
210 |                     {rows.map((r) => (
211 |                         <tr key={r.userId} className="border-b border-slate-100 dark:border-slate-
800">
212 |                             <td className="py-2 pr-4">{r.name}</td>
213 |                             <td className="py-2">
214 |                                 <select
215 |                                     className="rounded-lg border border-slate-200 px-2 py-1 text-sm dark
:border-slate-700 dark:bg-slate-800 dark:text-white"
216 |                                     value={r.status}
217 |                                     onChange={(e) =>
218 |                                         setRows((prev) =>
219 |                                             prev.map((x) => (x.userId === r.userId ? { ...x, status: e.targe

```

```

t.value } : x))
220 |         )
221 |     }
222 |     >
223 |         <option value="present">Present</option>
224 |         <option value="absent">Absent</option>
225 |         <option value="late">Late</option>
226 |     </select>
227 | </td>
228 | </tr>
229 |     )}}
230 | </tbody>
231 | </table>
232 | {!rows.length ? (
233 |     <p className="py-6 text-center text-sm text-slate-500">
234 |         {selectedClass ? 'No students enrolled in this class.' : 'Select a class.'}
235 |     </p>
236 | ) : null}
237 | </div>
238 | {error ? <p className="text-sm text-red-600">{error}</p> : null}
239 | {message ? <p className="text-sm text-emerald-600">{message}</p> : null}
240 | <button
241 |     type="submit"
242 |     className="rounded-lg bg-brand-600 px-4 py-2 text-sm font-semibold text-white ho
ver:bg-brand-700"
243 |     >
244 |         Save bulk attendance
245 | </button>
246 | </form>
247 | <div className="rounded-2xl border border-slate-200 bg-white p-5 shadow-sm dark:bord
er-slate-800 dark:bg-slate-900">
248 |     <h2 className="text-sm font-semibold">Existing rows ({date})</h2>
249 |     <ul className="mt-3 space-y-2 text-sm">
250 |         {list.map((a) => (
251 |             <li key={a._id} className="flex justify-between">
252 |                 <span>
253 |                     {a.userId?.firstName} {a.userId?.lastName}
254 |                 </span>
255 |                 <span className="capitalize">{a.status}</span>
256 |             </li>
257 |         )}}
258 |         {!list.length ? <li className="text-slate-400">No saved rows for this date yet.<
/li> : null}
259 |     </ul>
260 | </div>
261 | </div>
262 | );
263 | }

```

File: ClassesPage.jsx

Path: frontend/src/pages/ClassesPage.jsx

```
1 | import { useEffect, useState, useMemo } from "react";
2 | import api from "../api/client.js";
3 | import { useAuth } from "../context/AuthContext.jsx";
4 | import { QRCodeSVG } from "qrcode.react";
5 | import { useNavigate } from "react-router-dom";
6 |
7 | const CopyIcon = () => (
8 |   <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 24 24" fill=
"none" stroke="currentColor" strokeWidth="2.5" strokeLinecap="round" strokeLinejoin="round">
9 |     <rect width="14" height="14" x="8" y="8" rx="2" ry="2" />
10 |     <path d="M4 16c-1.1 0-2-.9-2-2V4c0-1.1.9-2 2-2h10c1.1 0 2 .9 2 2" />
11 |   </svg>
12 | );
13 |
14 | export default function ClassesPage() {
15 |   const { user } = useAuth();
16 |   const navigate = useNavigate();
17 |
18 |   const [classes, setClasses] = useState([]);
19 |   const [view, setView] = useState({ type: "list", data: null });
20 |   const [form, setForm] = useState({ name: "", standard: "", subject: "" });
21 |   const [joinCode, setJoinCode] = useState("");
22 |   const [timeLeft, setTimeLeft] = useState(0);
23 |   const [error, setError] = useState("");
24 |   const [activeMenu, setActiveMenu] = useState(null);
25 |   const [copied, setCopied] = useState(false);
26 |   const [rawAttendance, setRawAttendance] = useState([]);
27 |   const [loadingStats, setLoadingStats] = useState(false);
28 |   const [showModal, setShowModal] = useState(false);
29 |   const [qrFullscreen, setQrFullscreen] = useState(false);
30 |   const [locationLoading, setLocationLoading] = useState(false);
31 |
32 |   const loadClasses = async () => {
33 |     try {
34 |       const { data } = await api.get("/classes");
35 |       setClasses(data.data || []);
36 |     } catch (err) {
37 |       setError(err.message);
38 |     }
39 |   };
40 |
41 |   useEffect(() => {
42 |     loadClasses();
43 |   }, []);
44 |
45 |   useEffect(() => {
46 |     let timer;
47 |     if (view.type === "attendance" && timeLeft > 0) {
48 |       timer = setInterval(() => setTimeLeft((prev) => prev - 1), 1000);
49 |     } else if (view.type === "attendance" && timeLeft === 0) {
50 |       handleAutoEndSession();
51 |     }
52 |     return () => clearInterval(timer);
53 |   }, [view.type, timeLeft]);
54 |
55 |   useEffect(() => {
56 |     if (view.type === "details" && view.data?._id) {
```

```

57 |         const fetchHistory = async () => {
58 |             setLoadingStats(true);
59 |             try {
60 |                 const { data } = await api.get("/reports/range", {
61 |                     params: {
62 |                         classId: view.data._id,
63 |                         from: new Date(2020, 1, 1).toISOString(),
64 |                         to: new Date().toISOString(),
65 |                     },
66 |                 });
67 |                 setRawAttendance(data.data || []);
68 |             } catch (err) {
69 |                 setRawAttendance([]);
70 |             } finally {
71 |                 setLoadingStats(false);
72 |             }
73 |         };
74 |         fetchHistory();
75 |     }
76 | }, [view.type, view.data?._id]);
77 |
78 | const studentStatsMap = useMemo(() => {
79 |     const stats = {};
80 |     if (!Array.isArray(rawAttendance)) return stats;
81 |     rawAttendance.forEach((record) => {
82 |         const sId = record.userId?._id;
83 |         if (!sId) return;
84 |         if (!stats[sId]) stats[sId] = { present: 0, absent: 0, total: 0 };
85 |         stats[sId].total++;
86 |         if (record.status === "present") stats[sId].present++;
87 |         else if (record.status === "absent") stats[sId].absent++;
88 |     });
89 |     return stats;
90 | }, [rawAttendance]);
91 |
92 | // --- ACTIONS ---
93 |
94 | const handleCreate = async (e) => {
95 |     e.preventDefault();
96 |     setError("");
97 |     try {
98 |         await api.post("/classes", form);
99 |         setForm({ name: "", standard: "", subject: "" });
100 |         loadClasses();
101 |     } catch (err) {
102 |         setError(err.message);
103 |     }
104 | };
105 |
106 | const handleJoin = async (e) => {
107 |     e.preventDefault();
108 |     setError("");
109 |     try {
110 |         await api.post("/classes/join", { code: joinCode });
111 |         setJoinCode("");
112 |         loadClasses();
113 |         alert("Successfully joined!");
114 |     } catch (err) {
115 |         setError(err.response?.data?.message || err.message);
116 |     }
117 | };

```

```

118 |
119 | const handleDelete = async (classId) => {
120 |   if (!window.confirm("Delete this class?")) return;
121 |   try {
122 |     await api.delete(`/classes/${classId}`);
123 |     setClasses(classes.filter((c) => c._id !== classId));
124 |     setActiveMenu(null);
125 |   } catch (err) {
126 |     setError(err.message);
127 |   }
128 | };
129 |
130 | const startAttendance = async (cls) => {
131 |   try {
132 |     setLocationLoading(true);
133 |     const teacherPosition = await new Promise((resolve, reject) => {
134 |       if (!navigator.geolocation) {
135 |         reject(new Error("Geolocation is not supported by this browser."));
136 |         return;
137 |       }
138 |       navigator.geolocation.getCurrentPosition(
139 |         (position) => resolve(position),
140 |         (geoError) => reject(geoError),
141 |         { enableHighAccuracy: true, timeout: 5000, maximumAge: 0 }
142 |       );
143 |     });
144 |
145 |     const { data } = await api.post(`/classes/${cls._id}/session`, {
146 |       lat: teacherPosition.coords.latitude,
147 |       lng: teacherPosition.coords.longitude,
148 |       accuracyMeters: teacherPosition.coords.accuracy,
149 |     });
150 |     setTimeLeft(60);
151 |     setView({
152 |       type: "attendance",
153 |       data: {
154 |         ...cls,
155 |         sessionToken: data.sessionToken,
156 |         sessionLat: teacherPosition.coords.latitude,
157 |         sessionLng: teacherPosition.coords.longitude,
158 |         sessionAccuracyMeters: teacherPosition.coords.accuracy,
159 |       },
160 |     });
161 |   } catch (err) {
162 |     if (err?.code === 1) {
163 |       setError("Location permission denied. Allow location to start attendance.");
164 |     } else {
165 |       setError("Failed to start session with live location.");
166 |     }
167 |   } finally {
168 |     setLocationLoading(false);
169 |   }
170 | };
171 |
172 | const handleAutoEndSession = async () => {
173 |   try {
174 |     await api.post("/attendance/finalize", { classId: view.data._id });
175 |     setView({ type: "list", data: null });
176 |     navigate("/app/dashboard");
177 |   } catch (err) {
178 |     navigate("/app/dashboard");

```



```

179 |     }
180 |   };
181 |
182 |   if (view.type === "attendance") {
183 |     const cls = view.data;
184 |     // Keep payload short for better mobile scanning reliability
185 |     const qrPayload = JSON.stringify({
186 |       c: cls._id,
187 |       t: cls.sessionToken,
188 |       la: cls.sessionLat,
189 |       lo: cls.sessionLng,
190 |       ac: cls.sessionAccuracyMeters,
191 |     });
192 |     return (
193 |       <div className="w-full min-h-[calc(100vh-120px)] flex items-center justify-center p-
4 overflow-y-auto">
194 |         <div className="w-full max-w-md bg-white dark:bg-slate-900 rounded-[2.5rem] shadow
-2xl p-6 md:p-10 text-center border border-slate-200 dark:border-slate-800 animate-in zoom-in dura
tion-300 my-8">
195 |           <h2 className="text-xl md:text-2xl font-black">{cls.name}</h2>
196 |           <p className="text-brand-600 text-[10px] font-black uppercase tracking-widest mb
-6">{cls.subject}</p>
197 |           <div className="flex justify-center mb-6">
198 |             <button
199 |               type="button"
200 |               onClick={() => setQrFullscreen(true)}
201 |               className="bg-white p-4 rounded-2xl shadow-inner border border-slate-50 acti
ve:scale-[0.99] transition-transform"
202 |               aria-label="Open QR fullscreen"
203 |             >
204 |               <QRCodeSVG value={qrPayload} size={280} includeMargin level="H" />
205 |               <div className="mt-2 text-[10px] font-black uppercase tracking-widest text-s
late-400">
206 |                 Tap to enlarge
207 |               </div>
208 |             </button>
209 |           </div>
210 |           <div className="mb-6">
211 |             <div className="text-5xl font-black tracking-tighter">{timeLeft}s</div>
212 |             <p className="text-[10px] text-slate-400 font-bold uppercase mt-1 tracking-wid
est">Time Remaining</p>
213 |           </div>
214 |           <div className="flex flex-col gap-3">
215 |             <button onClick={() => window.confirm("End session?") && handleAutoEndSession(
)} className="bg-red-600 hover:bg-red-700 text-white py-4 rounded-2xl font-black text-xs uppercase
tracking-widest transition-all active:scale-95">End Session Now</button>
216 |             <button onClick={() => setView({ type: "list", data: null })} className="bg-sl
ate-100 dark:bg-slate-800 py-4 rounded-2xl text-xs font-black uppercase tracking-widest transition
-all hover:bg-slate-200">Back to List</button>
217 |           </div>
218 |         </div>
219 |       </div>
220 |       {qrFullscreen && (
221 |         <div
222 |           className="fixed inset-0 z-50 bg-black/70 backdrop-blur-sm flex items-center j
ustify-center p-4"
223 |           onClick={() => setQrFullscreen(false)}
224 |           role="dialog"
225 |           aria-modal="true"
226 |         >
227 |           <div

```

```

228 |         className="bg-white rounded-3xl p-6 shadow-2xl"
229 |         onClick={() => e.stopPropagation()}
230 |     >
231 |         <div className="flex items-center justify-between gap-4 mb-4">
232 |             <div className="text-left">
233 |                 <div className="text-sm font-black">{cls.name}</div>
234 |                 <div className="text-[10px] font-bold uppercase tracking-widest text-slate-400">
235 |                     Hold phone steady ? 20?30cm distance
236 |                 </div>
237 |             </div>
238 |             <button
239 |                 type="button"
240 |                 onClick={() => setQrFullscreen(false)}
241 |                 className="px-4 py-2 rounded-2xl bg-slate-100 text-xs font-black uppercase"
242 |             >
243 |                 Close
244 |             </button>
245 |         </div>
246 |         <div className="bg-white rounded-2xl p-3">
247 |             <QRCodeSVG value={qrPayload} size={420} includeMargin level="H" />
248 |         </div>
249 |     </div>
250 | </div>
251 |     })
252 | </div>
253 | );
254 | }
255 |
256 | if (view.type === "details") {
257 |     const cls = view.data;
258 |
259 |     // SORTING LOGIC: Ascending order by Roll Number
260 |     const sortedStudents = [...(cls.studentIds || [])].sort((a, b) => {
261 |         const rollA = String(a.rollNumber || "");
262 |         const rollB = String(b.rollNumber || "");
263 |         return rollA.localeCompare(rollB, undefined, { numeric: true, sensitivity: 'base' })
264 |     });
265 |
266 |     return (
267 |         <div className="max-w-7xl mx-auto p-4 md:p-10 space-y-6">
268 |             <div className="bg-white dark:bg-slate-900 p-6 md:p-8 rounded-[2rem] shadow border"
269 |             flex flex-col md:flex-row justify-between gap-4">
270 |                 <div>
271 |                     <button onClick={() => setView({ type: "list", data: null })} className="text-brand-600 text-xs font-bold mb-3">? Back</button>
272 |                     <h1 className="text-2xl md:text-4xl font-black">{cls.name}</h1>
273 |                     <p className="text-[10px] text-slate-400 font-bold uppercase">{cls.standard} ? {cls.subject}</p>
274 |                 </div>
275 |                 <div className="bg-slate-100 dark:bg-slate-800 p-4 rounded-xl flex items-center justify-between gap-3 relative">
276 |                     <div>
277 |                         <p className="text-[10px] font-bold text-slate-400">Class Code</p>
278 |                         <p className="text-xl font-black text-brand-600">{cls.code}</p>
279 |                     </div>
280 |                     <button onClick={() => { navigator.clipboard.writeText(cls.code); setCopied(true); setTimeout(() => setCopied(false), 1500); }} className="p-2 bg-white dark:bg-slate-700 rounded-lg shadow">?</button>

```

```

280 |         {copied && <div className="absolute -bottom-10 right-0 bg-black text-white tex
t-xs px-3 py-1 rounded-lg">Copied!</div>}
281 |         </div>
282 |     </div>
283 |
284 |     <div className="space-y-4">
285 |         {/* Desktop View */}
286 |         <div className="hidden md:block bg-white dark:bg-slate-900 rounded-[2rem] shadow
border overflow-hidden">
287 |             <table className="w-full text-left">
288 |                 <thead className="bg-slate-50 dark:bg-slate-800 text-xs uppercase text-slate
-400">
289 |                     <tr>
290 |                         <th className="px-6 py-4">Roll No</th>
291 |                         <th className="px-6 py-4">Name</th>
292 |                         <th className="px-6 py-4">Present</th>
293 |                         <th className="px-6 py-4">Absent</th>
294 |                         <th className="px-6 py-4">%</th>
295 |                         <th className="px-6 py-4 text-right">Action</th>
296 |                     </tr>
297 |                 </thead>
298 |                 <tbody>
299 |                     {sortedStudents.map((s) => {
300 |                         const stats = studentStatsMap[s._id] || { present: 0, absent: 0, total:
0 };
301 |                         const percent = stats.total ? ((stats.present / stats.total) * 100).toFi
xed(1) : "0";
302 |                         return (
303 |                             <tr key={s._id} className="border-t dark:border-slate-800">
304 |                                 <td className="px-6 py-4 font-bold text-slate-600">{s.rollNumber ||
"N/A"}</td>
305 |                                 <td className="px-6 py-4 font-bold">{s.firstName} {s.lastName}</td>
306 |                                 <td className="px-6 py-4 text-emerald-600">{stats.present}</td>
307 |                                 <td className="px-6 py-4 text-red-500">{stats.absent}</td>
308 |                                 <td className="px-6 py-4">{percent}%</td>
309 |                                 <td className="px-6 py-4 text-right">
310 |                                     <button onClick={() => navigate("/app/messages", { state: { contac
tId: s._id, contactName: `${s.firstName} ${s.lastName}` } })} className="bg-brand-600 text-white p
x-4 py-2 rounded-lg text-xs font-bold">Message</button>
311 |                                 </td>
312 |                             </tr>
313 |                         );
314 |                     })}
315 |                 </tbody>
316 |             </table>
317 |         </div>
318 |
319 |         {/* Mobile View */}
320 |         <div className="md:hidden space-y-3">
321 |             {sortedStudents.map((s) => {
322 |                 const stats = studentStatsMap[s._id] || { present: 0, absent: 0, total: 0 };
323 |                 const percent = stats.total ? ((stats.present / stats.total) * 100).toFixed(
1) : "0";
324 |                 return (
325 |                     <div key={s._id} className="bg-white dark:bg-slate-900 p-5 rounded-3xl bor
der border-slate-100 dark:border-slate-800 shadow-sm">
326 |                         <div className="flex justify-between items-start mb-4">
327 |                             <div>
328 |                                 <span className="text-[10px] font-bold text-slate-400 uppercase trac
king-widest">Roll #{s.rollNumber || "N/A"}</span>
329 |                                 <h3 className="text-lg font-black">{s.firstName} {s.lastName}</h3>

```

```

330 |         </div>
331 |         <div className="text-right">
332 |             <span className="text-xl font-black text-brand-600">{percent}%</span>
>
333 |         </div>
334 |     </div>
335 |     <div className="grid grid-cols-2 gap-2 mb-4">
336 |         <div className="bg-emerald-50 p-3 rounded-2xl text-center">
337 |             <p className="text-emerald-600 font-black">{stats.present}</p>
338 |             <p className="text-[9px] uppercase font-bold">Present</p>
339 |         </div>
340 |         <div className="bg-red-50 p-3 rounded-2xl text-center">
341 |             <p className="text-red-600 font-black">{stats.absent}</p>
342 |             <p className="text-[9px] uppercase font-bold">Absent</p>
343 |         </div>
344 |     </div>
345 |     <button onClick={() => navigate("/app/messages", { state: { contactId: s
._id, contactName: `${s.firstName} ${s.lastName}` } })} className="w-full bg-brand-600 text-white
py-3 rounded-2xl text-xs font-black uppercase">Send Message</button>
346 |     </div>
347 |     );
348 |     })}
349 | </div>
350 | </div>
351 | </div>
352 | );
353 | }
354 |
355 | return (
356 |     <div className="max-w-7xl mx-auto p-6 md:p-10 space-y-10">
357 |         <header className="flex flex-col md:flex-row justify-between items-start md:items-ce
nter gap-6">
358 |             <div>
359 |                 <h1 className="text-5xl font-black text-slate-900 dark:text-white italic trackin
g-tighter leading-none">My Classes</h1>
360 |                 <p className="text-slate-500 font-medium mt-2">Manage and track active sessions.
</p>
361 |             </div>
362 |             <button onClick={() => setShowModal(true)} className="bg-brand-600 text-white px-5
py-3 rounded-xl text-xs font-black uppercase shadow-lg">+ {user.role === "teacher" ? "Create Class
" : "Join Class"}</button>
363 |         </header>
364 |
365 |         {showModal && (
366 |             <div className="fixed inset-0 z-50 flex items-center justify-center bg-black/40 ba
ckdrop-blur-sm px-4">
367 |                 <div className="w-full max-w-md bg-white dark:bg-slate-900 rounded-[2rem] p-8">
368 |                     <h2 className="text-xl font-black mb-6 text-center">{user.role === "teacher" ?
"Create Class" : "Join Class"}</h2>
369 |                     <form onSubmit={(e) => { user.role === "teacher" ? handleCreate(e) : handleJoi
n(e); setShowModal(false); }} className="space-y-4">
370 |                         {user.role === "teacher" ? (
371 |                             <>
372 |                                 <input required placeholder="Class Name" value={form.name} onChange={(e)
=> setForm({ ...form, name: e.target.value })} className="w-full px-4 py-3 rounded-xl border bg-sl
ate-50 text-sm font-bold" />
373 |                                 <input required placeholder="Standard" value={form.standard} onChange={(
e) => setForm({ ...form, standard: e.target.value })} className="w-full px-4 py-3 rounded-xl borde
r bg-slate-50 text-sm font-bold" />
374 |                                 <input required placeholder="Subject" value={form.subject} onChange={(e)
=> setForm({ ...form, subject: e.target.value })} className="w-full px-4 py-3 rounded-xl border bg

```

```

-slate-50 text-sm font-bold" />
375 |                 </>
376 |                 ) : (
377 |                 <input required placeholder="Enter Class Code" value={joinCode} onChange={
(e) => setJoinCode(e.target.value.toUpperCase())} className="w-full px-4 py-3 rounded-xl border bg
-slate-50 text-sm font-bold text-center uppercase" />
378 |                 )}
379 |                 <div className="flex gap-3">
380 |                 <button type="submit" className="flex-1 bg-brand-600 text-white py-3 round
ed-xl font-black text-sm">Confirm</button>
381 |                 <button type="button" onClick={() => setShowModal(false)} className="flex-
1 bg-slate-100 py-3 rounded-xl font-black text-sm">Cancel</button>
382 |                 </div>
383 |             </form>
384 |         </div>
385 |     </div>
386 |     )}
387 |
388 |     <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
389 |         {classes.map((cls) => (
390 |             <div key={cls._id} className="group relative bg-white dark:bg-slate-900 rounded-
[2.5rem] shadow-sm border border-slate-100 flex flex-col overflow-hidden">
391 |                 {user.role === "teacher" && (
392 |                     <div className="absolute top-4 right-4 z-10">
393 |                         <button onClick={() => setActiveMenu(activeMenu === cls._id ? null : cls._
id)} className="p-2 bg-white/20 hover:bg-white/40 backdrop-blur-md rounded-full text-white">
394 |                             <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="
0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round" strokeLinejoin=
"round"><circle cx="12" cy="12" r="1" /><circle cx="12" cy="5" r="1" /><circle cx="12" cy="19" r="
1" /></svg>
395 |                             </button>
396 |                             {activeMenu === cls._id && (
397 |                                 <div className="absolute right-0 mt-2 w-32 bg-white rounded-xl shadow-xl
border py-1 z-20">
398 |                                     <button onClick={() => handleDelete(cls._id)} className="w-full text-l
eft px-4 py-2 text-xs font-black text-red-600">Delete Class</button>
399 |                                     </div>
400 |                                 )}
401 |                             </div>
402 |                         )}
403 |                     <div className="h-32 bg-brand-600 flex items-center justify-center text-5xl">?
</div>
404 |                     <div className="p-8 flex-1 flex flex-col">
405 |                         <h3 className="text-2xl font-black">{cls.name}</h3>
406 |                         <p className="text-slate-400 font-black text-[10px] uppercase tracking-wides
t mt-1">{cls.standard} ? {cls.subject}</p>
407 |                         <div className="flex gap-2 mt-8">
408 |                             {user.role === "teacher" && (
409 |                                 <button onClick={() => startAttendance(cls)} disabled={locationLoading}
className="flex-1 bg-brand-600 text-white py-3 rounded-xl text-[10px] font-black uppercase disable
d:opacity-50 disabled:cursor-not-allowed">{locationLoading ? "Locating..." : "Session"}</button>
410 |                                 )}
411 |                                 <button onClick={() => setView({ type: "details", data: cls })} className=
"flex-1 bg-slate-100 py-3 rounded-xl text-[10px] font-black uppercase">Details</button>
412 |                             </div>
413 |                         </div>
414 |                     </div>
415 |                 )}
416 |             </div>
417 |         </div>
418 |     );

```


File: Dashboard.jsx

Path: frontend/src/pages/Dashboard.jsx

```
1 | import { useEffect, useMemo, useState } from 'react';
2 | import { Link } from 'react-router-dom';
3 | import {
4 |   Line, LineChart, CartesianGrid, Legend, ResponsiveContainer, Tooltip, XAxis, YAxis, Area
Chart, Area, BarChart, Bar, PieChart, Pie, Cell
5 | } from 'recharts';
6 | import api from '../api/client.js';
7 | import { useAuth } from '../context/AuthContext.jsx';
8 |
9 | const PIE_COLORS = ['#4f46e5', '#ef4444', '#f59e0b'];
10 |
11 | function formatDateLabel(d) {
12 |   return new Date(d).toLocaleDateString(undefined, { month: 'short', day: 'numeric' });
13 | }
14 |
15 | export default function Dashboard() {
16 |   const { user } = useAuth();
17 |   const [summary, setSummary] = useState(null);
18 |   const [chartRows, setChartRows] = useState([]);
19 |   const [classes, setClasses] = useState([]);
20 |   const [studentTrends, setStudentTrends] = useState([]);
21 |   const [err, setErr] = useState('');
22 |
23 |   // NEW FILTERS STATE
24 |   const [days, setDays] = useState('30');
25 |   const [chartType, setChartType] = useState('line'); // 'line' | 'bar' | 'pie'
26 |
27 |   useEffect(() => {
28 |     let cancelled = false;
29 |     const loadData = async () => {
30 |       try {
31 |         const [{ data: s }, { data: cl }] = await Promise.all([
32 |           api.get('/reports/summary'),
33 |           api.get('/classes'),
34 |         ]);
35 |         if (cancelled) return;
36 |         setSummary(s);
37 |         setClasses(cl.data || []);
38 |
39 |         if (user?.role === 'student') {
40 |           const { data: st } = await api.get(`/reports/student-trends?days=${days}`);
41 |           setStudentTrends(st.data || []);
42 |         }
43 |
44 |         const to = new Date();
45 |         const from = new Date();
46 |         from.setDate(from.getDate() - parseInt(days));
47 |
48 |         const { data: att } = await api.get('/attendance', {
49 |           params: { from: from.toISOString(), to: to.toISOString(), limit: 500, page: 1 },
50 |         });
51 |
52 |         if (cancelled) return;
53 |         const map = {};
54 |         (att.data || []).forEach((row) => {
55 |           const key = new Date(row.date).toISOString().slice(0, 10);
56 |           if (!map[key]) map[key] = { date: key, present: 0, absent: 0, late: 0 };
```

```

57 |         map[key][row.status] += 1;
58 |     });
59 |     const rows = Object.values(map).sort((a, b) => a.date.localeCompare(b.date));
60 |     setChartRows(rows.map((r) => ({ ...r, label: formatDateLabel(r.date) })));
61 | } catch (e) {
62 |     if (!cancelled) setErr(e.message);
63 | }
64 | };
65 | loadData();
66 | return () => { cancelled = true; };
67 | }, [user?.role, user?.id, days]);
68 |
69 | // Aggregate data for Pie Chart
70 | const pieData = useMemo(() => {
71 |     const data = user?.role === 'student' ? studentTrends : chartRows;
72 |     const totals = data.reduce((acc, curr) => {
73 |         acc[0].value += (curr.present || 0);
74 |         acc[1].value += (curr.absent || 0);
75 |         return acc;
76 |     }, [
77 |         { name: 'Present', value: 0 },
78 |         { name: 'Absent', value: 0 }
79 |     ]);
80 |     return totals;
81 | }, [chartRows, studentTrends, user?.role]);
82 |
83 | const today = new Date().toLocaleDateString(undefined, {
84 |     weekday: 'long', day: 'numeric', month: 'long', year: 'numeric',
85 | });
86 |
87 | if (err) return <p className="text-sm text-red-600">{err}</p>;
88 |
89 | return (
90 | <div className="space-y-6 md:space-y-8 pt-7 pb-22 px-7 sm:px-0">
91 |
92 |     {/* HEADER */}
93 |     <div className="flex flex-col justify-between gap-3 md:gap-4 md:flex-row md:items-star
t">
94 |         <div>
95 |             <h1 className="text-2xl md:text-3xl font-black text-slate-900 dark:text-white">
96 |                 Hello, {user?.firstName || 'User'} ?
97 |             </h1>
98 |             <p className="mt-1 text-sm md:text-base text-slate-600 dark:text-slate-300">
99 |                 {user?.role === 'student'
100 |                     ? 'Track your live attendance progress.'
101 |                     : 'Manage your classes and reporting.'}
102 |             </p>
103 |         </div>
104 |         <div className="flex flex-col items-end gap-2">
105 |             <p className="text-xs md:text-sm font-bold text-slate-400">{today}</p>
106 |
107 |             {/* TIME FILTER UI */}
108 |             <select
109 |                 value={days}
110 |                 onChange={(e) => setDays(e.target.value)}
111 |                 className="text-xs font-bold bg-slate-100 dark:bg-slate-800 border-none rounded-
lg px-3 py-1 text-slate-600 dark:text-slate-300 outline-none cursor-pointer"
112 |             >
113 |                 <option value="7">Last 7 Days</option>
114 |                 <option value="30">Last 30 Days</option>
115 |                 <option value="365">Last 1 Year</option>

```



```

116 |         </select>
117 |     </div>
118 | </div>
119 |
120 |     {/* STATS */}
121 |     {summary && (
122 |         <div className="grid gap-3 md:gap-4 sm:grid-cols-3">
123 |             {user?.role === 'admin' && (
124 |                 <>
125 |                     <StatCard label="Total Users" value={summary.users} />
126 |                     <StatCard label="Active Classes" value={summary.classes} />
127 |                     <StatCard
128 |                         label="Total Attendance"
129 |                         value={({summary.attendanceByStatus?.present || 0) +
130 |                             (summary.attendanceByStatus?.absent || 0)}
131 |                     />
132 |                 </>
133 |             )}
134 |             {user?.role === 'teacher' && (
135 |                 <>
136 |                     <StatCard label="My Classes" value={summary.myClasses} />
137 |                     <StatCard label="Present" value={summary.attendance.present} color="text-emera
ld-600" />
138 |                     <StatCard label="Absent" value={summary.attendance.absent} color="text-red-600
" />
139 |                 </>
140 |             )}
141 |             {user?.role === 'student' && (
142 |                 <>
143 |                     <StatCard label="Rate" value={`$${summary.approximateRate}%`} color="text-indig
o-600" />
144 |                     <StatCard label="Present" value={summary.present} />
145 |                     <StatCard label="Absent" value={summary.absent} color="text-red-600" />
146 |                 </>
147 |             )}
148 |         </div>
149 |     )}
150 |
151 |     {/* CHART SECTION */}
152 |     <div className="grid gap-4 md:gap-6 lg:grid-cols-3">
153 |
154 |         {/* CHART CARD */}
155 |         <div className="rounded-[2rem] md:rounded-[2.5rem] border border-slate-200 bg-white
p-4 md:p-8 shadow-sm lg:col-span-2 dark:border-slate-800 dark:bg-slate-900">
156 |
157 |             <div className="mb-4 md:mb-6 flex items-center justify-between">
158 |                 <h2 className="text-[11px] md:text-sm font-black uppercase tracking-widest text-
slate-400">
159 |                     {user?.role === 'student' ? 'Activity Analytics' : 'Attendance Trends'}
160 |                 </h2>
161 |
162 |                 {/* CHART TYPE TOGGLE */}
163 |                 <div className="flex bg-slate-100 dark:bg-slate-800 p-1 rounded-xl">
164 |                     {[ 'line', 'bar', 'pie' ].map((type) => (
165 |                         <button
166 |                             key={type}
167 |                             onClick={() => setChartType(type)}
168 |                             className={`px-3 py-1 text-[10px] font-bold uppercase rounded-lg transitio
n-all ${
169 |                                 chartType === type
170 |                                 ? 'bg-white dark:bg-slate-700 shadow-sm text-indigo-600 dark:text-indigo

```

```

400'
171 |         : 'text-slate-400'
172 |       }`}}
173 |     >
174 |       {type}
175 |     </button>
176 |   )}}
177 | </div>
178 | </div>
179 |
180 | <div className="w-full flex justify-center items-center">
181 |   <div className="w-full max-w-md md:max-w-none h-64 md:h-72">
182 |     <ResponsiveContainer width="100%" height="100%">
183 |       {chartType === 'pie' ? (
184 |         <PieChart>
185 |           <Pie
186 |             data={pieData}
187 |             innerRadius={60}
188 |             outerRadius={80}
189 |             paddingAngle={5}
190 |             dataKey="value"
191 |           >
192 |             {pieData.map((entry, index) => (
193 |               <Cell key={`cell-${index}`} fill={PIE_COLORS[index % PIE_COLORS.leng
th]} />
194 |             ))}
195 |           </Pie>
196 |           <Tooltip />
197 |           <Legend verticalAlign="bottom" height={36}/>
198 |         </PieChart>
199 |       ) : chartType === 'bar' ? (
200 |         <BarChart data={user?.role === 'student' ? studentTrends : chartRows}>
201 |           <CartesianGrid strokeDasharray="3 3" vertical={false} stroke="#f1f5f9" />
202 |           <XAxis dataKey="label" tick={{fontSize: 10}} axisLine={false} />
203 |           <YAxis tick={{fontSize: 10}} axisLine={false} />
204 |           <Tooltip cursor={{fill: '#f8fafc'}} />
205 |           <Legend />
206 |           <Bar dataKey="present" fill="#4f46e5" radius={[4, 4, 0, 0]} />
207 |           <Bar dataKey="absent" fill="#ef4444" radius={[4, 4, 0, 0]} />
208 |         </BarChart>
209 |       ) : (
210 |         // LINE / AREA CHART
211 |         user?.role === 'student' ? (
212 |           <AreaChart data={studentTrends}>
213 |             <defs>
214 |               <linearGradient id="colorP" x1="0" y1="0" x2="0" y2="1">
215 |                 <stop offset="5%" stopColor="#4f46e5" stopOpacity={0.3}/>
216 |                 <stop offset="95%" stopColor="#4f46e5" stopOpacity={0}/>
217 |               </linearGradient>
218 |             </defs>
219 |             <CartesianGrid strokeDasharray="3 3" vertical={false} stroke="#f1f5f9" />
220 |             <XAxis dataKey="label" tick={{fontSize: 10}} axisLine={false} />
221 |             <YAxis hide />
222 |             <Tooltip />
223 |             <Area type="monotone" dataKey="present" stroke="#4f46e5" strokeWidth={
3} fill="url(#colorP)" />
224 |           </AreaChart>
225 |         ) : (
226 |           <LineChart data={chartRows}>

```

```

227 |                 <CartesianGrid strokeDasharray="3 3" stroke="#f1f5f9" vertical={false}
/>
228 |                 <XAxis dataKey="label" tick={{ fontSize: 10 }} axisLine={false} />
229 |                 <YAxis tick={{ fontSize: 10 }} axisLine={false} />
230 |                 <Tooltip />
231 |                 <Legend />
232 |                 <Line type="monotone" dataKey="present" stroke="#4f46e5" strokeWidth={
3} dot={false} />
233 |                 <Line type="monotone" dataKey="absent" stroke="#ef4444" strokeWidth={3
} dot={false} />
234 |             </LineChart>
235 |         )
236 |     })
237 | </ResponsiveContainer>
238 | </div>
239 | </div>
240 | </div>
241 |
242 |     { /* ACTIONS */ }
243 |     <div className="space-y-4 md:space-y-6">
244 |         {user?.role === 'student' && (
245 |             <div className="bg-slate-900 rounded-[2rem] md:rounded-[2.5rem] p-5 md:p-8 text-
white shadow-xl">
246 |                 <h2 className="text-lg md:text-2xl font-black mb-3">Daily Attendance</h2>
247 |                 <Link
248 |                     to="/app/mark-attendance"
249 |                     className="block w-full bg-indigo-600 py-3 md:py-4 rounded-xl text-center te
xt-xs font-bold transition-transform hover:scale-[1.02]"
250 |                 >
251 |                     ? Scan QR
252 |                 </Link>
253 |             </div>
254 |         )}
255 |
256 |         <div className="rounded-[2rem] md:rounded-[2.5rem] border border-slate-200 bg-whit
e p-5 md:p-8 shadow-sm dark:border-slate-800 dark:bg-slate-900">
257 |             <h3 className="text-xs font-black uppercase text-slate-400 mb-3">
258 |                 Quick actions
259 |             </h3>
260 |             <div className="flex flex-col gap-2">
261 |                 <Link className="text-indigo-600 dark:text-indigo-400 font-bold text-sm hover:
underline" to="/app/classes">
262 |                     ? My Classes
263 |                 </Link>
264 |                 <Link className="text-indigo-600 dark:text-indigo-400 font-bold text-sm hover:
underline" to="/app/reports">
265 |                     ? Reports
266 |                 </Link>
267 |             </div>
268 |         </div>
269 |     </div>
270 | </div>
271 | </div>
272 | );
273 | }
274 |
275 | function StatCard({ label, value, color = "text-slate-900 dark:text-white" }) {
276 |     return (
277 |         <div className="rounded-[2rem] border border-slate-200 bg-white p-6 shadow-sm dark:bor
der-slate-800 dark:bg-slate-900">
278 |             <p className="text-[10px] font-black uppercase tracking-widest text-slate-400">{labe

```

```
l}</p>
279 |         <p className={`mt-2 text-3xl font-black ${color}`}>{value}</p>
280 |     </div>
281 | );
282 | }
```

File: HomePage.jsx

Path: frontend/src/pages/HomePage.jsx

```
1 | import { useState } from "react";
2 | import { Link } from "react-router-dom";
3 | import { useAuth } from "../context/AuthContext.jsx"; // Ensure this path is correct
4 |
5 | export default function HomePage() {
6 |   const [menuOpen, setMenuOpen] = useState(false);
7 |   const { user } = useAuth(); // Access auth state
8 |
9 |   return (
10 |     <div className="min-h-screen bg-slate-50 font-sans text-slate-900 selection:bg-indigo-
100 selection:text-indigo-700">
11 |
12 |       {/* Navbar */}
13 |       <nav className="fixed top-0 w-full bg-white/80 backdrop-blur-md border-b border-slat
e-200 z-50">
14 |         <div className="max-w-7xl mx-auto px-4 md:px-6 h-16 md:h-20 flex items-center just
ify-between">
15 |
16 |           {/* Logo */}
17 |           <div className="flex items-center gap-2">
18 |             
23 |             <span className="text-base md:text-lg font-black text-slate-900">
24 |               Attender
25 |             </span>
26 |           </div>
27 |
28 |           {/* Desktop Menu */}
29 |           <div className="hidden md:flex items-center gap-8 text-sm font-bold text-slate-6
00">
30 |             <a href="#features" className="hover:text-indigo-600 transition">Features</a>
31 |             <a href="#how-it-works" className="hover:text-indigo-600 transition">How It Wo
rks</a>
32 |           </div>
33 |
34 |           {/* ? UPDATED: Desktop Buttons (Conditional) */}
35 |           <div className="hidden md:flex items-center gap-4">
36 |             {user ? (
37 |               <Link
38 |                 to="/app/dashboard"
39 |                 className="bg-indigo-600 text-white px-5 py-2 rounded-full text-sm font-bo
ld shadow hover:bg-indigo-700 transition"
40 |               >
41 |                 Dashboard
42 |               </Link>
43 |             ) : (
44 |               <>
45 |                 <Link to="/login" className="text-sm font-bold text-slate-600 hover:text-i
ndigo-600">
46 |                   Log In
47 |                 </Link>
48 |                 <Link
49 |                   to="/Signup"
50 |                   className="bg-indigo-600 text-white px-5 py-2 rounded-full text-sm font-
```

```

bold shadow hover:bg-indigo-700 transition"
51 |         >
52 |         Sign Up
53 |     </Link>
54 | </>
55 |     })
56 | </div>
57 |
58 |     { /* Mobile Menu Button */ }
59 |     <div className="md:hidden">
60 |         <button
61 |             onClick={() => setMenuOpen(!menuOpen)}
62 |             className="text-2xl"
63 |             >
64 |                 {menuOpen ? "?" : "?"}
65 |             </button>
66 |         </div>
67 |     </div>
68 |
69 |     { /* ? UPDATED: Mobile Dropdown (Conditional) */ }
70 |     {menuOpen && (
71 |         <div className="md:hidden bg-white border-t px-4 py-4 space-y-3 shadow-sm animat
e-in slide-in-from-top duration-300">
72 |             <a href="#features" className="block text-sm font-medium">Features</a>
73 |             <a href="#how-it-works" className="block text-sm font-medium">How It Works</a>
74 |             {user ? (
75 |                 <Link to="/app/dashboard" className="block text-sm font-medium text-indigo-6
00">Dashboard</Link>
76 |             ) : (
77 |                 <>
78 |                 <Link to="/login" className="block text-sm font-medium">Log In</Link>
79 |                 <Link to="/Signup" className="block text-sm font-medium text-indigo-600">S
ign Up</Link>
80 |                 </>
81 |             )}
82 |         </div>
83 |     )}
84 | </nav>
85 |
86 |     { /* Hero Section */ }
87 |     <header className="pt-32 md:pt-40 pb-20 px-6">
88 |         <div className="max-w-4xl mx-auto text-center space-y-6 md:space-y-8">
89 |
90 |             <div className="inline-flex items-center gap-2 bg-indigo-50 text-indigo-700 px-4
py-2 rounded-full text-xs font-black uppercase tracking-widest border border-indigo-100">
91 |                 ? Smart Attendance System
92 |             </div>
93 |
94 |             <h1 className="text-4xl sm:text-5xl md:text-6xl font-black tracking-tight leadin
g-tight">
95 |                 Attendance Made <br />
96 |                 <span className="text-indigo-600">Effortless.</span>
97 |             </h1>
98 |
99 |             <p className="text-base md:text-lg text-slate-500 max-w-2xl mx-auto">
100 |                 QR-based attendance tracking with real-time analytics, class messaging, and st
udent insights ? all in one powerful app.
101 |             </p>
102 |
103 |             <div className="pt-4">
104 |                 <Link

```

```

105 |         to={user ? "/app/dashboard" : "/Signup"}
106 |         className="bg-indigo-600 text-white px-6 sm:px-8 py-3 rounded-full font-bold
shadow-md hover:bg-indigo-700 transition inline-block"
107 |         >
108 |         {user ? "Go to Dashboard" : "Get Started"}
109 |     </Link>
110 | </div>
111 |
112 | </div>
113 | </header>
114 |
115 | {/* Features Section */}
116 | <section id="features" className="py-20 md:py-24 px-6 bg-white">
117 |     <div className="max-w-7xl mx-auto">
118 |         <div className="text-center mb-12 md:mb-16">
119 |             <h2 className="text-3xl md:text-4xl font-black">Features</h2>
120 |             <p className="text-slate-500 mt-2">Everything you need for modern attendance m
anagement.</p>
121 |         </div>
122 |
123 |         <div className="grid grid-cols-1 sm:grid-cols-2 md:grid-cols-3 gap-6 md:gap-8">
124 |             <FeatureCard icon="?" title="QR Attendance" desc="Secure QR codes for instant
attendance." />
125 |             <FeatureCard icon="?" title="Class Messaging" desc="Share notes and announceme
nts." />
126 |             <FeatureCard icon="?" title="Smart Reports" desc="Track trends with insights."
/>
127 |         </div>
128 |     </div>
129 | </section>
130 |
131 | {/* How It Works Section */}
132 | <section id="how-it-works" className="py-20 md:py-24 px-6 bg-slate-50">
133 |     <div className="max-w-5xl mx-auto text-center">
134 |         <h2 className="text-3xl md:text-4xl font-black mb-4">How It Works</h2>
135 |         <p className="text-slate-500 mb-12 md:mb-16">
136 |             Four simple steps to seamless attendance.
137 |         </p>
138 |
139 |         <div className="grid grid-cols-2 md:grid-cols-4 gap-6 md:gap-8">
140 |             <Step icon="?" step="1" title="Generate QR" desc="Teacher creates QR." />
141 |             <Step icon="?" step="2" title="Scan" desc="Students scan instantly." />
142 |             <Step icon="?" step="3" title="Recorded" desc="Attendance auto logged." />
143 |             <Step icon="?" step="4" title="Notify" desc="Admins stay updated." />
144 |         </div>
145 |     </div>
146 | </section>
147 |
148 | {/* Footer */}
149 | <footer className="py-10 border-t border-slate-200 bg-white">
150 |     <div className="max-w-7xl mx-auto px-6 flex flex-col md:flex-row justify-between i
tems-center gap-6">
151 |         <div className="flex items-center gap-2">
152 |             
157 |             <span className="font-black text-sm text-slate-900">Attender</span>
158 |         </div>
159 |

```

```

160 |         <div className="flex gap-6 md:gap-10 text-sm text-slate-600 font-bold">
161 |             <a href="#features" className="hover:text-indigo-600 transition">Features</a>
162 |             <a href="#how-it-works" className="hover:text-indigo-600 transition">How It Wo
rks</a>
163 |         </div>
164 |     </div>
165 |
166 |     <div className="text-center mt-6 text-xs text-slate-400">
167 |         © 2026 Attender. All rights reserved.
168 |     </div>
169 | </footer>
170 |
171 | </div>
172 | );
173 | }
174 |
175 | /* SUB-COMPONENTS */
176 |
177 | function FeatureCard({ icon, title, desc }) {
178 |     return (
179 |         <div className="p-8 rounded-3xl border border-slate-100 bg-white hover:shadow-xl hover
:-translate-y-1 transition duration-300">
180 |             <div className="text-4xl mb-4">{icon}</div>
181 |             <h3 className="font-black text-slate-900 mb-2 uppercase tracking-tight">{title}</h3>
182 |             <p className="text-sm text-slate-500 leading-relaxed">{desc}</p>
183 |         </div>
184 |     );
185 | }
186 |
187 | function Step({ icon, step, title, desc }) {
188 |     return (
189 |         <div className="text-center space-y-3">
190 |             <div className="w-14 h-14 md:w-16 md:h-16 mx-auto bg-white border border-slate-100 r
ounded-2xl shadow-sm flex items-center justify-center text-2xl md:text-3xl">
191 |                 {icon}
192 |             </div>
193 |             <p className="text-[10px] font-black text-indigo-600 uppercase tracking-widest">STEP
{step}</p>
194 |             <h4 className="font-bold text-slate-900">{title}</h4>
195 |             <p className="text-xs text-slate-400 leading-tight px-2">{desc}</p>
196 |         </div>
197 |     );
198 | }

```


File: Login.jsx

Path: frontend/src/pages/Login.jsx

```
1 | import { useState } from "react";
2 | import { Link, useNavigate, useLocation } from "react-router-dom";
3 | import { useAuth } from "../context/AuthContext.jsx";
4 |
5 | export default function Login() {
6 |   const { login } = useAuth();
7 |   const navigate = useNavigate();
8 |   const location = useLocation();
9 |
10 |   const [username, setUsername] = useState("");
11 |   const [password, setPassword] = useState("");
12 |   const [role, setRole] = useState("student");
13 |   const [error, setError] = useState("");
14 |   const [loading, setLoading] = useState(false);
15 |
16 |   const successMsg = location.state?.message;
17 |
18 |   const submit = async (e) => {
19 |     e.preventDefault();
20 |     setError("");
21 |     setLoading(true);
22 |     try {
23 |       await login(username, password, role);
24 |       navigate("/app", { replace: true });
25 |     } catch (err) {
26 |       setError(err.message || "Invalid login credentials");
27 |     } finally {
28 |       setLoading(false);
29 |     }
30 |   };
31 |
32 |   return (
33 |     <div className="min-h-screen flex items-center justify-center bg-slate-100 px-4">
34 |
35 |       {/* Card */}
36 |       <div className="w-full max-w-md bg-white rounded-2xl shadow-xl p-6 sm:p-8">
37 |
38 |         {/* Logo + Title */}
39 |         <div className="text-center mb-6">
40 |           
45 |           <h1 className="text-2xl font-black text-slate-900">Attender</h1>
46 |           <p className="text-sm text-slate-500">Welcome back </p>
47 |         </div>
48 |
49 |         {/* Success Message */}
50 |         {successMsg && (
51 |           <div className="mb-4 p-3 bg-emerald-50 border border-emerald-200 text-emerald-70
0 text-xs rounded-lg font-semibold text-center">
52 |             {successMsg}
53 |           </div>
54 |         )}
55 |
56 |       {/* Form */}
```

```

57 |         <form onSubmit={submit} className="space-y-4">
58 |
59 |             {/* Username */}
60 |             <input
61 |                 required
62 |                 type="text"
63 |                 placeholder="Username"
64 |                 value={username}
65 |                 onChange={(e) => setUsername(e.target.value)}
66 |                 className="w-full px-4 py-3 rounded-xl border bg-slate-50 focus:outline-none f
ocus:ring-2 focus:ring-indigo-500 text-sm"
67 |             />
68 |
69 |             {/* Role */}
70 |             <select
71 |                 value={role}
72 |                 onChange={(e) => setRole(e.target.value)}
73 |                 className="w-full px-4 py-3 rounded-xl border bg-slate-50 focus:outline-none f
ocus:ring-2 focus:ring-indigo-500 text-sm"
74 |             >
75 |                 <option value="student">Student</option>
76 |                 <option value="teacher">Teacher</option>
77 |                 <option value="admin">Admin</option>
78 |             </select>
79 |
80 |             {/* Password */}
81 |             <input
82 |                 required
83 |                 type="password"
84 |                 placeholder="Password"
85 |                 value={password}
86 |                 onChange={(e) => setPassword(e.target.value)}
87 |                 className="w-full px-4 py-3 rounded-xl border bg-slate-50 focus:outline-none f
ocus:ring-2 focus:ring-indigo-500 text-sm"
88 |             />
89 |
90 |             {/* Error */}
91 |             {error && (
92 |                 <p className="text-xs text-red-600 font-semibold text-center">
93 |                     {error}
94 |                 </p>
95 |             )}
96 |
97 |             {/* Button */}
98 |             <button
99 |                 type="submit"
100 |                 disabled={loading}
101 |                 className="w-full py-3 rounded-xl bg-indigo-600 text-white font-bold hover:bg-
indigo-700 transition active:scale-95"
102 |             >
103 |                 {loading ? "Logging in..." : "Sign In"}
104 |             </button>
105 |         </form>
106 |
107 |         {/* Footer */}
108 |         <p className="mt-6 text-center text-sm text-slate-600">
109 |             Don?t have an account?{" "}
110 |             <Link to="/signup" className="text-indigo-600 font-semibold">
111 |                 Sign Up
112 |             </Link>
113 |         </p>

```

```
114 |         </div>
115 |     </div>
116 | );
117 | }
```

File: MarkAttendance.jsx

Path: frontend/src/pages/MarkAttendance.jsx

```
1 | import { useEffect, useState, useRef } from "react";
2 | import { Html5Qrcode, Html5QrcodeSupportedFormats } from "html5-qrcode";
3 | import api from "../api/client.js";
4 | import { useNavigate } from "react-router-dom";
5 |
6 | export default function MarkAttendance() {
7 |   const [status, setStatus] = useState("idle");
8 |   const [errorMessage, setErrorMessage] = useState("");
9 |   const [studentName, setStudentName] = useState("");
10 |   const [hasStarted, setHasStarted] = useState(false);
11 |   const [debugHint, setDebugHint] = useState("");
12 |   const [scanPayload, setScanPayload] = useState(null);
13 |   const [distanceMeters, setDistanceMeters] = useState(null);
14 |   const [distanceError, setDistanceError] = useState("");
15 |   const [studentCoords, setStudentCoords] = useState(null);
16 |   const [studentAccuracy, setStudentAccuracy] = useState(null);
17 |   const [effectiveDistanceMeters, setEffectiveDistanceMeters] = useState(null);
18 |   const [markedStatus, setMarkedStatus] = useState("");
19 |   const [geofenceMeters, setGeofenceMeters] = useState(3);
20 |
21 |   const scannerRef = useRef(null);
22 |   const isProcessingRef = useRef(false);
23 |   const isStartingRef = useRef(false);
24 |   const navigate = useNavigate();
25 |
26 |   const haversineDistanceMeters = (lat1, lon1, lat2, lon2) => {
27 |     const toRad = (value) => (value * Math.PI) / 180;
28 |     const earthRadius = 6371000; // meters
29 |     const dLat = toRad(lat2 - lat1);
30 |     const dLon = toRad(lon2 - lon1);
31 |     const a =
32 |       Math.sin(dLat / 2) * Math.sin(dLat / 2) +
33 |       Math.cos(toRad(lat1)) *
34 |       Math.cos(toRad(lat2)) *
35 |       Math.sin(dLon / 2) *
36 |       Math.sin(dLon / 2);
37 |     const c = 2 * Math.atan2(Math.sqrt(a), Math.sqrt(1 - a));
38 |     return earthRadius * c;
39 |   };
40 |
41 |   const getReadableError = (err) => {
42 |     if (err?.response?.data?.message) return err.response.data.message;
43 |     if (err?.message) return err.message;
44 |     return "Something went wrong";
45 |   };
46 |
47 |   const isIosDevice = () => {
48 |     const userAgent = navigator.userAgent || "";
49 |     return /iP(hone|od|ad)/.test(userAgent)
50 |       || (navigator.platform === "MacIntel" && navigator.maxTouchPoints > 1);
51 |   };
52 |
53 |   const getPreferredCamera = async () => {
54 |     const cameras = await Html5Qrcode.getCameras();
55 |     if (!cameras?.length) return { facingMode: { ideal: "environment" } };
56 |
57 |     const rearCamera = cameras.find((camera) =>
```

```

58 |         /back|rear|environment|wide/i.test(camera.label)
59 |     );
60 |
61 |     return rearCamera?.id || cameras[0].id;
62 | };
63 |
64 | // 1. Helper to safely stop the scanner
65 | const stopScanner = async ({ clear = false } = {}) => {
66 |     if (scannerRef.current && scannerRef.current.isScanning) {
67 |         try {
68 |             await scannerRef.current.stop();
69 |             if (clear) {
70 |                 await scannerRef.current.clear();
71 |             }
72 |         } catch (err) {
73 |             console.warn("Cleanup error:", err);
74 |         }
75 |     }
76 | };
77 |
78 | // 2. Attendance Submission Logic
79 | const submitDecodedText = async (decodedText) => {
80 |     if (isProcessingRef.current) return;
81 |     isProcessingRef.current = true;
82 |
83 |     try {
84 |         const qrData = JSON.parse(decodedText);
85 |         const classId = qrData.classId || qrData.c;
86 |         const sessionToken = qrData.token || qrData.t;
87 |         const sessionLat = Number(qrData.sessionLat ?? qrData.la);
88 |         const sessionLng = Number(qrData.sessionLng ?? qrData.lo);
89 |         const sessionAccuracyMeters = Number(qrData.sessionAccuracyMeters ?? qrData.ac ?? 0)
;
90 |
91 |         if (!classId || !sessionToken || Number.isNaN(sessionLat) || Number.isNaN(sessionLng
)) {
92 |             throw new Error("Invalid QR Code");
93 |         }
94 |
95 |         await stopScanner(); // Stop camera immediately once QR is valid
96 |         setScanPayload({ classId, sessionToken, sessionLat, sessionLng, sessionAccuracyMeter
s });
97 |         setDistanceError("");
98 |         setDistanceMeters(null);
99 |         setStudentCoords(null);
100 |         setStudentAccuracy(null);
101 |         setEffectiveDistanceMeters(null);
102 |         setGeofenceMeters(3);
103 |         setStatus("idle");
104 |
105 |         navigator.geolocation.getCurrentPosition(
106 |             (position) => {
107 |                 const currentLat = position.coords.latitude;
108 |                 const currentLng = position.coords.longitude;
109 |                 const computedDistance = haversineDistanceMeters(
110 |                     sessionLat,
111 |                     sessionLng,
112 |                     currentLat,
113 |                     currentLng
114 |                 );
115 |                 const currentAccuracy = Number(position.coords.accuracy || 0);

```

```

116 |         const effectiveDistance = Math.max(
117 |             0,
118 |             computedDistance - (sessionAccuracyMeters + currentAccuracy)
119 |         );
120 |         setStudentCoords({ lat: currentLat, lng: currentLng });
121 |         setStudentAccuracy(currentAccuracy);
122 |         setDistanceMeters(computedDistance);
123 |         setEffectiveDistanceMeters(effectiveDistance);
124 |         setDistanceError("");
125 |         markAttendance({
126 |             classId,
127 |             sessionToken,
128 |             lat: currentLat,
129 |             lng: currentLng,
130 |             accuracy: currentAccuracy,
131 |         });
132 |     },
133 |     (geoErr) => {
134 |         setDistanceError(
135 |             geoErr?.code === 1
136 |                 ? "Location permission denied. Enable GPS to continue."
137 |                 : "Unable to fetch high-accuracy location."
138 |         );
139 |     },
140 |     { enableHighAccuracy: true, timeout: 5000, maximumAge: 0 }
141 | );
142 | } catch (err) {
143 |     setErrorMessage(getReadableError(err) || "Invalid Code");
144 |     setStatus("error");
145 |     setTimeout(() => {
146 |         setErrorMessage("");
147 |         setStatus("scanning");
148 |         setScanPayload(null);
149 |         setDistanceMeters(null);
150 |         setDistanceError("");
151 |         setStudentCoords(null);
152 |         setStudentAccuracy(null);
153 |         setEffectiveDistanceMeters(null);
154 |         setMarkedStatus("");
155 |         isProcessingRef.current = false;
156 |         startCamera(); // Restart scanning
157 |     }, 3000);
158 | }
159 | };
160 |
161 | const markAttendance = async ({ classId, sessionToken, lat, lng, accuracy }) => {
162 |     setStatus("submitting");
163 |     setErrorMessage("");
164 |     try {
165 |         const { data } = await api.post("/attendance/self", {
166 |             classId,
167 |             sessionToken,
168 |             studentLat: lat,
169 |             studentLng: lng,
170 |             studentAccuracyMeters: accuracy,
171 |         });
172 |
173 |         setStudentName(data?.studentName || "Student");
174 |         setMarkedStatus(data?.status || "");
175 |         setGeofenceMeters(Number(data?.geofenceMeters) || 3);
176 |         setStatus(data?.status === "absent" ? "absent" : "success");

```

```

177 |         if ("vibrate" in navigator) navigator.vibrate([100, 50, 100]);
178 |         setTimeout(() => navigate("/app", { replace: true }), 2000);
179 |     } catch (err) {
180 |         setErrorMessage(getReadableError(err) || "Unable to mark attendance");
181 |         setStatus("error");
182 |         isProcessingRef.current = false;
183 |     }
184 | };
185 |
186 | // 3. Main Camera Start Logic (Optimized for Mobile)
187 | const startCamera = async () => {
188 |     if (!scannerRef.current || isStartingRef.current) return;
189 |
190 |     isStartingRef.current = true;
191 |
192 |     try {
193 |         await stopScanner();
194 |         setDebugHint("");
195 |         setErrorMessage("");
196 |         setStatus("idle");
197 |
198 |         const cameraConfig = await getPreferredCamera();
199 |
200 |         await scannerRef.current.start(
201 |             cameraConfig,
202 |             {
203 |                 fps: 10,
204 |                 qrbox: (vw, vh) => {
205 |                     const minEdge = Math.min(vw, vh);
206 |                     const boxSize = Math.floor(minEdge * 0.7);
207 |                     return { width: boxSize, height: boxSize };
208 |                 },
209 |                 formatsToSupport: [Html5QrcodeSupportedFormats.QR_CODE],
210 |                 experimentalFeatures: { useBarcodeDetectorIfSupported: true },
211 |             },
212 |             (decodedText) => submitDecodedText(decodedText),
213 |             () => { /* Quietly ignore scan failures */ }
214 |         );
215 |
216 |         setStatus("scanning");
217 |         setHasStarted(true);
218 |     } catch (err) {
219 |         const isSecure = window.isSecureContext;
220 |         if (!isSecure) {
221 |             setErrorMessage("HTTPS REQUIRED: Open the 'https://' ngrok link.");
222 |         } else if (/permission/i.test(err?.message || "")) {
223 |             setErrorMessage("Camera permission denied. Allow camera access and try again.");
224 |         } else if (err?.name === "AbortError" || /interrupted because the media was removed/
i.test(err?.message || "")) {
225 |             setErrorMessage("Camera start was interrupted. Tap Open Camera once and wait.");
226 |         } else {
227 |             setErrorMessage(getReadableError(err) || "Could not open mobile camera.");
228 |         }
229 |         setDebugHint(err?.message || "");
230 |         setStatus("error");
231 |     } finally {
232 |         isStartingRef.current = false;
233 |     }
234 | };
235 |
236 | useEffect(() => {

```

```

237 | // Initialize the library instance once
238 | const html5QrCode = new Html5Qrcode("reader");
239 | scannerRef.current = html5QrCode;
240 |
241 | // AUTO-START only on non-iOS.
242 | // iOS Safari requires a click, so we let the "Start" button handle it.
243 | const isIos = isIosDevice();
244 | if (!isIos) {
245 |     startCamera();
246 | }
247 |
248 | return () => {
249 |     // Clean up hardware when leaving the page
250 |     if (scannerRef.current) {
251 |         stopScanner({ clear: true }).catch(() => {});
252 |     }
253 | };
254 | }, []);
255 |
256 | return (
257 |     <div className="w-full min-h-screen flex flex-col items-center justify-center p-6 bg-slate-900 dark:bg-slate-950 overflow-y-auto">
late-50 |         <div className="w-full text-center mb-8">
258 |             <h1 className="text-4xl font-black italic tracking-tighter text-slate-900 dark:text-white">SCANNER</h1>
259 |             <p className="text-[10px] font-bold uppercase text-brand-600 tracking-widest">Attender System</p>
260 |         </div>
261 |
262 |         {/* Scanner Container */}
263 |         <div className="relative w-full aspect-square max-w-[340px] shrink-0 bg-black rounded-[3rem] shadow-2xl border-[8px] border-white dark:border-slate-800 overflow-hidden">
264 |             <div
265 |                 id="reader"
266 |                 className="w-full h-full [&_video]:h-full [&_video]:w-full [&_video]:object-cover [&_div]:border-0 [&_img]:hidden"
267 |             />
268 |
269 |             {/* Scanning Overlay */}
270 |             {status === "scanning" && (
271 |                 <div className="absolute inset-0 pointer-events-none flex items-center justify-center">
272 |                     <div className="relative w-48 h-48 rounded-3xl border-2 border-brand-500 shadow-w-[0_0_1000px_rgba(0,0,0,0.6)]">
273 |                         <div className="absolute top-0 left-0 w-full h-1 bg-brand-400 shadow-[0_0_15px_#6366f1] animate-pulse" />
274 |                     </div>
275 |                 </div>
276 |             )}
277 |
278 |             {/* Status Overlays */}
279 |             {status === "submitting" && (
280 |                 <div className="absolute inset-0 flex flex-col items-center justify-center bg-slate-900/80 backdrop-blur-md text-white">
281 |                     <div className="animate-spin rounded-full h-10 w-10 border-b-2 border-white mb-4" />
282 |                     <p className="text-xs font-black uppercase tracking-widest">Verifying...</p>
283 |                 </div>
284 |             )}
285 |
286 |             {status === "success" && (
287 |

```



```

288 |         <div className="absolute inset-0 flex flex-col items-center justify-center bg-emerald-500 text-white animate-in fade-in zoom-in">
289 |             <span className="text-6xl mb-4">?</span>
290 |             <p className="font-black text-2xl">{studentName}</p>
291 |             <p className="text-xs font-bold opacity-80">
292 |                 PRESENT MARKED
293 |             </p>
294 |         </div>
295 |     )}
296 |     {status === "absent" && (
297 |         <div className="absolute inset-0 flex flex-col items-center justify-center bg-red-600 text-white animate-in fade-in zoom-in">
298 |             <span className="text-6xl mb-4">!</span>
299 |             <p className="font-black text-2xl">{studentName}</p>
300 |             <p className="text-xs font-bold opacity-90">
301 |                 ABSENT MARKED (OUTSIDE {geofenceMeters}M)
302 |             </p>
303 |         </div>
304 |     )}
305 | </div>
306 |
307 |     {/* Controls */}
308 |     <div className="mt-8 w-full flex flex-col items-center gap-3">
309 |         {errorMessage && (
310 |             <div className="px-4 py-2 bg-red-100 text-red-700 rounded-full text-[10px] font-bold uppercase animate-bounce">
311 |                 ?? {errorMessage}
312 |             </div>
313 |         )}
314 |
315 |         {debugHint && (
316 |             <p className="max-w-xs text-center text-[10px] text-slate-500 break-words">
317 |                 {debugHint}
318 |             </p>
319 |         )}
320 |
321 |         {scanPayload && (
322 |             <div className="w-full max-w-sm rounded-2xl border border-slate-200 bg-white p-4 text-left space-y-3">
323 |                 <p className="text-[10px] font-black uppercase tracking-widest text-slate-500">
324 |                     Validation checks
325 |                 </p>
326 |                 <p className="text-xs font-bold text-slate-700">
327 |                     Raw distance:{" "}
328 |                     {typeof distanceMeters === "number" ? `${distanceMeters.toFixed(2)} m` : "Checking..."}
329 |                 </p>
330 |                 <p className="text-xs font-bold text-slate-700">
331 |                     Effective distance:{" "}
332 |                     {typeof effectiveDistanceMeters === "number" ? `${effectiveDistanceMeters.toFixed(2)} m` : "Checking..."}
333 |                 </p>
334 |                 {typeof studentAccuracy === "number" && (
335 |                     <p className="text-[10px] font-bold text-slate-500">
336 |                         GPS accuracy: +/- {studentAccuracy.toFixed(1)} m
337 |                     </p>
338 |                 )}
339 |                 {distanceError && <p className="text-xs font-bold text-red-600">{distanceError}}</p>}
340 |                 <p className="text-[10px] font-bold text-slate-500 uppercase">

```

```

341 |             Attendance is marked automatically after QR scan
342 |         </p>
343 |     </div>
344 |     )}
345 |
346 |     {!hasStarted && (
347 |         <button onClick={startCamera} className="w-full max-w-[200px] py-4 bg-brand-600
text-white rounded-2xl font-black uppercase tracking-widest shadow-lg">
348 |             Open Camera
349 |         </button>
350 |     )}
351 |
352 |     <button onClick={() => navigate(-1)} className="text-slate-400 text-[10px] font-bo
ld uppercase tracking-widest mt-4">
353 |         Cancel & Exit
354 |     </button>
355 | </div>
356 | </div>
357 | );
358 | }

```

File: MessagesPage.jsx

Path: frontend/src/pages/MessagesPage.jsx

```
1 | import { useEffect, useState, useRef } from "react";
2 | import { useLocation } from "react-router-dom";
3 | import api from "../api/client.js";
4 | import { useAuth } from "../context/AuthContext.jsx";
5 |
6 | export default function MessagesPage() {
7 |   const IMAGE_EXTENSIONS = /\. (jpg|jpeg|png|webp|gif|bmp|svg)$/i;
8 |   const DOCUMENT_LABELS = {
9 |     pdf: "PDF",
10 |    doc: "DOC",
11 |    docx: "DOCX",
12 |    xls: "XLS",
13 |    xlsx: "XLSX",
14 |    ppt: "PPT",
15 |    pptx: "PPTX",
16 |    txt: "TXT",
17 |    zip: "ZIP",
18 |    rar: "RAR",
19 |   };
20 |
21 |   const { user } = useAuth();
22 |   const location = useLocation();
23 |
24 |   const [classes, setClasses] = useState([]);
25 |   const [users, setUsers] = useState([]);
26 |   const [activeChat, setActiveChat] = useState(null);
27 |   const [messages, setMessages] = useState([]);
28 |   const [chatMeta, setChatMeta] = useState({});
29 |
30 |   const [text, setText] = useState("");
31 |   const [searchQuery, setSearchQuery] = useState("");
32 |   const [file, setFile] = useState(null);
33 |   const [filePreviewUrl, setFilePreviewUrl] = useState("");
34 |   const [editingId, setEditingId] = useState(null);
35 |   const [menuId, setMenuId] = useState(null);
36 |   const [composerError, setComposerError] = useState("");
37 |   const [showAttachMenu, setShowAttachMenu] = useState(false);
38 |
39 |   const fileRef = useRef(null);
40 |   const imageRef = useRef(null);
41 |   const cameraRef = useRef(null);
42 |   const documentRef = useRef(null);
43 |   const scrollRef = useRef();
44 |
45 |   const isMobile = window.innerWidth < 768;
46 |   const [mobileChat, setMobileChat] = useState(false);
47 |   const openedChatsRef = useRef({});
48 |
49 |   const getFileExtension = (name = "") => {
50 |     const parts = name.split(".");
51 |     return parts.length > 1 ? parts.pop().toLowerCase() : "";
52 |   };
53 |
54 |   const getAttachmentUrl = (fileUrl = "") => {
55 |     if (!fileUrl) return "";
56 |     if (fileUrl.startsWith("http")) return fileUrl;
57 |     const normalizedPath = fileUrl.startsWith("/") ? fileUrl : `/${fileUrl}`;
```

```

58 |     return `${window.location.origin}${normalizedPath}`;
59 | };
60 |
61 | const isImageFile = (message) => {
62 |     if (message?.fileType === "image") return true;
63 |     return IMAGE_EXTENSIONS.test(message?.fileUrl || message?.fileName || "");
64 | };
65 |
66 | const formatMessageTime = (value) => {
67 |     if (!value) return "";
68 |     return new Date(value).toLocaleTimeString([], {
69 |         hour: "numeric",
70 |         minute: "2-digit",
71 |     });
72 | };
73 |
74 | const renderMessageStatus = (message, isMe) => {
75 |     if (!isMe || activeChat?.type !== "direct") return null;
76 |
77 |     if (message?.seenAt) {
78 |         return <span className="font-black text-sky-500">??</span>;
79 |     }
80 |
81 |     if (message?.deliveredAt) {
82 |         return <span className="font-black text-slate-500">?</span>;
83 |     }
84 |
85 |     return <span className="font-black text-slate-400">?</span>;
86 | };
87 |
88 | const getDocumentBadge = (message) => {
89 |     const ext = getFileExtension(message?.fileName || message?.fileUrl || "");
90 |     return DOCUMENT_LABELS[ext] || (ext ? ext.toUpperCase() : "FILE");
91 | };
92 |
93 | const getChatKey = (type, id) => `${type}-${id}`;
94 |
95 | const buildChatItem = (item) => ({
96 |     id: item._id || item.id,
97 |     name: item.name || item.fullName,
98 |     type: item.name ? "class" : "direct",
99 |     raw: item,
100 | });
101 |
102 | const getMessagePreview = (message) => {
103 |     if (!message) return "";
104 |     if (message.text?.trim()) return message.text;
105 |     if (message.fileType === "image") return "Photo";
106 |     if (message.fileName) return message.fileName;
107 |     if (message.fileUrl) return "Attachment";
108 |     return "";
109 | };
110 |
111 | const openChat = (chat) => {
112 |     const chatKey = getChatKey(chat.type, chat.id);
113 |     openedChatsRef.current[chatKey] = new Date().toISOString();
114 |
115 |     setActiveChat({
116 |         id: chat.id,
117 |         name: chat.name,
118 |         type: chat.type,

```

```

119 |     });
120 |     setMobileChat(true);
121 |     setChatMeta((prev) => ({
122 |         ...prev,
123 |         [chatKey]: {
124 |             ...prev[chatKey],
125 |             unreadCount: 0,
126 |         },
127 |     }));
128 | });
129 |
130 | const sortedChatItems = [...classes, ...users]
131 |     .map(buildChatItem)
132 |     .sort((a, b) => {
133 |         const aMeta = chatMeta[getChatKey(a.type, a.id)];
134 |         const bMeta = chatMeta[getChatKey(b.type, b.id)];
135 |         const aTime = aMeta?.latestMessage?.createdAt ? new Date(aMeta.latestMessage.created
At).getTime() : 0;
136 |         const bTime = bMeta?.latestMessage?.createdAt ? new Date(bMeta.latestMessage.created
At).getTime() : 0;
137 |         if (aTime !== bTime) return bTime - aTime;
138 |         return a.name.localeCompare(b.name);
139 |     });
140 |
141 | const filteredChatItems = sortedChatItems.filter((chat) =>
142 |     chat.name.toLowerCase().includes(searchQuery.trim().toLowerCase())
143 | );
144 |
145 | const filteredClassChats = filteredChatItems.filter((chat) => chat.type === "class");
146 | const filteredDirectChats = filteredChatItems.filter((chat) => chat.type === "direct");
147 |
148 | const openPicker = (kind) => {
149 |     setShowAttachMenu(false);
150 |     if (kind === "image") imageRef.current?.click();
151 |     if (kind === "camera") cameraRef.current?.click();
152 |     if (kind === "document") documentRef.current?.click();
153 | };
154 |
155 | const handleFileChange = (selectedFile) => {
156 |     if (!selectedFile) return;
157 |     setComposerError("");
158 |     setFile(selectedFile);
159 |     setShowAttachMenu(false);
160 | };
161 |
162 | const removeSelectedFile = () => {
163 |     setFile(null);
164 |     setComposerError("");
165 |     if (fileRef.current) fileRef.current.value = "";
166 |     if (imageRef.current) imageRef.current.value = "";
167 |     if (cameraRef.current) cameraRef.current.value = "";
168 |     if (documentRef.current) documentRef.current.value = "";
169 | };
170 |
171 | const clearComposer = () => {
172 |     setText("");
173 |     removeSelectedFile();
174 |     setEditingId(null);
175 |     setComposerError("");
176 | };
177 |

```

```

178 |     const renderChatRow = (chat, compact = false) => {
179 |         const meta = chatMeta[getChatKey(chat.type, chat.id)];
180 |
181 |         return (
182 |             <div
183 |                 key={getChatKey(chat.type, chat.id)}
184 |                 onClick={() => openChat(chat)}
185 |                 className={`flex items-center gap-4 border-b border-slate-100 bg-white p-4 transit
ion-all ${
186 |                     activeChat?.id === chat.id && activeChat?.type === chat.type
187 |                     ? "border-l-4 border-l-indigo-600 shadow-sm"
188 |                     : "hover:bg-slate-50"
189 |                 } ${compact ? "active:bg-slate-50" : "cursor-pointer"}}`
190 |             >
191 |                 <div className={`${compact ? "w-14 h-14 text-xl" : "w-12 h-12 text-lg"} flex shrink-0 items-center justify-center rounded-full bg-indigo-600 font-black text-white`}>
192 |                     {chat.name[0]}
193 |                 </div>
194 |                 <div className="min-w-0 flex-1">
195 |                     <div className="flex items-center justify-between gap-3">
196 |                         <p className={`${compact ? "text-base" : "text-sm"} truncate font-bold text-slate-800`}>{chat.name}</p>
197 |                         <div className="flex flex-col items-end gap-1">
198 |                             {meta?.latestMessage?.createdAt && (
199 |                                 <span className="shrink-0 text-[10px] font-semibold text-slate-400">
200 |                                     {formatMessageTime(meta.latestMessage.createdAt)}
201 |                                 </span>
202 |                             )}
203 |                             {meta?.unreadCount > 0 && (
204 |                                 <span className="flex min-w-5 items-center justify-center rounded-full bg-[#25d366] px-1.5 py-0.5 text-[10px] font-black text-white">
205 |                                     {meta.unreadCount}
206 |                                 </span>
207 |                             )}
208 |                         </div>
209 |                     </div>
210 |                     <p className={`truncate ${compact ? "text-xs font-medium normal-case" : "text-[10px] font-black uppercase"} text-slate-400`}>
211 |                         {getMessagePreview(meta?.latestMessage) || (chat.type === "class" ? "Class Group" : "Personal Message")}
212 |                     </p>
213 |                 </div>
214 |             </div>
215 |         );
216 |     };
217 |
218 |     const renderAttachment = (message) => {
219 |         if (!message?.fileUrl) return null;
220 |
221 |         const fileHref = getAttachmentUrl(message.fileUrl);
222 |         const fileName = message.fileName || "Attachment";
223 |
224 |         if (isImageFile(message)) {
225 |             return (
226 |                 <a href={fileHref} target="_blank" rel="noreferrer" className="mb-2 block overflow-hidden rounded-2xl">
227 |                     <img src={fileHref} alt={fileName} className="max-h-72 w-full rounded-2xl object-cover" />
228 |                 </a>
229 |             );
230 |         }

```

```

231 |
232 |     return (
233 |         <a
234 |             href={fileHref}
235 |             target="_blank"
236 |             rel="noreferrer"
237 |             className="mb-2 flex items-center gap-3 rounded-2xl bg-black/5 px-3 py-3 text-left
no-underline"
238 |             >
239 |                 <div className="flex h-12 w-12 shrink-0 items-center justify-center rounded-2xl bg
-indigo-600 font-black text-white">
240 |                     {getDocumentBadge(message)}
241 |                 </div>
242 |                 <div className="min-w-0">
243 |                     <p className="truncate text-sm font-bold">{fileName}</p>
244 |                     <p className="text-[11px] opacity-70">Tap to open</p>
245 |                 </div>
246 |             </a>
247 |         );
248 |     };
249 |
250 |     const renderSelectedAttachmentPreview = () => {
251 |         if (!file) return null;
252 |
253 |         if (file.type.startsWith("image/")) {
254 |             return (
255 |                 <div className="mb-3 overflow-hidden rounded-3xl border border-slate-200 bg-slate-
50">
256 |                     <div className="relative">
257 |                         <img
258 |                             src={filePreviewUrl}
259 |                             alt={file.name}
260 |                             className="max-h-56 w-full object-cover"
261 |                         />
262 |                         <button
263 |                             type="button"
264 |                             onClick={removeSelectedFile}
265 |                             className="absolute right-3 top-3 flex h-8 w-8 items-center justify-center r
ounded-full bg-black/70 text-sm font-bold text-white"
266 |                         >
267 |                             x
268 |                         </button>
269 |                     </div>
270 |                     <div className="px-4 py-3">
271 |                         <p className="truncate text-sm font-semibold text-slate-800">{file.name}</p>
272 |                         <p className="text-xs text-slate-500">Photo ready to send</p>
273 |                     </div>
274 |                 </div>
275 |             );
276 |         }
277 |
278 |         return (
279 |             <div className="mb-3 rounded-3xl border border-slate-200 bg-slate-50 p-4">
280 |                 <div className="flex items-start gap-3">
281 |                     <div className="flex h-14 w-14 shrink-0 items-center justify-center rounded-2xl
bg-indigo-600 font-black text-white">
282 |                         {getDocumentBadge({ fileName: file.name })}
283 |                     </div>
284 |                     <div className="min-w-0 flex-1">
285 |                         <p className="truncate text-sm font-semibold text-slate-800">{file.name}</p>
286 |                         <p className="mt-1 text-xs text-slate-500">Document ready to send</p>

```

```

287 |         </div>
288 |         <button
289 |             type="button"
290 |             onClick={removeSelectedFile}
291 |             className="flex h-8 w-8 items-center justify-center rounded-full bg-slate-200
text-sm font-bold text-slate-700"
292 |         >
293 |             x
294 |         </button>
295 |     </div>
296 | </div>
297 | );
298 | };
299 |
300 | // ===== INIT =====
301 | useEffect(() => {
302 |     const load = async () => {
303 |         try {
304 |             const [cls, usr] = await Promise.all([
305 |                 api.get("/classes"),
306 |                 api.get("/users?limit=100"),
307 |             ]);
308 |             setClasses(cls.data.data || []);
309 |             // Filter out the current user
310 |             setUsers((usr.data.data || []).filter((u) => (u._id || u.id) !== user.id));
311 |         } catch (err) {
312 |             console.error("Load failed", err);
313 |         }
314 |     };
315 |     load();
316 | }, [user.id]);
317 |
318 | useEffect(() => {
319 |     if (location.state?.contactId) {
320 |         openChat({
321 |             id: location.state.contactId,
322 |             name: location.state.contactName,
323 |             type: "direct",
324 |         });
325 |     }
326 | }, [location.state]);
327 |
328 | useEffect(() => {
329 |     let cancelled = false;
330 |
331 |     const fetchChatMeta = async () => {
332 |         const chatItems = [...classes, ...users].map(buildChatItem);
333 |         if (!chatItems.length) return;
334 |
335 |         try {
336 |             const results = await Promise.all(
337 |                 chatItems.map(async (chat) => {
338 |                     const url = chat.type === "class"
339 |                         ? `/messages/class/${chat.id}`
340 |                         : `/messages/direct/${chat.id}`;
341 |                     const { data } = await api.get(url);
342 |                     const items = data || [];
343 |                     const latestMessage = items[items.length - 1] || null;
344 |                     return { chat, latestMessage, items };
345 |                 })
346 |             );

```



```

347 |
348 |     if (cancelled) return;
349 |
350 |     setChatMeta((prev) => {
351 |         const next = { ...prev };
352 |
353 |         results.forEach(({ chat, latestMessage, items }) => {
354 |             const key = getChatKey(chat.type, chat.id);
355 |             let unreadCount = 0;
356 |
357 |             if (chat.type === "direct") {
358 |                 unreadCount = items.filter((message) => {
359 |                     const senderId = message.senderId?._id || message.senderId;
360 |                     return senderId !== user.id && !message.seenAt;
361 |                 }).length;
362 |             } else {
363 |                 const lastOpenedAt = openedChatsRef.current[key];
364 |                 unreadCount = items.filter((message) => {
365 |                     const senderId = message.senderId?._id || message.senderId;
366 |                     if (senderId === user.id) return false;
367 |                     if (!lastOpenedAt) return true;
368 |                     return new Date(message.createdAt).getTime() > new Date(lastOpenedAt).getT
ime();
369 |                 }).length;
370 |             }
371 |
372 |             if (activeChat?.id === chat.id && activeChat?.type === chat.type) {
373 |                 unreadCount = 0;
374 |             }
375 |
376 |             next[key] = { latestMessage, unreadCount };
377 |
378 |         });
379 |
380 |         return next;
381 |     });
382 | } catch (err) {
383 |     console.error("Chat meta load failed", err);
384 | }
385 | };
386 |
387 | fetchChatMeta();
388 | const interval = setInterval(fetchChatMeta, 8000);
389 | return () => {
390 |     cancelled = true;
391 |     clearInterval(interval);
392 | };
393 | }, [classes, users, user.id, activeChat]);
394 |
395 | // ===== FETCH =====
396 | useEffect(() => {
397 |     if (!activeChat) return;
398 |     const fetchMsg = async () => {
399 |         const url = activeChat.type === "class"
400 |             ? `/messages/class/${activeChat.id}`
401 |             : `/messages/direct/${activeChat.id}`;
402 |         const { data } = await api.get(url);
403 |         setMessages(data || []);
404 |     };
405 |     fetchMsg();
406 |     const interval = setInterval(fetchMsg, 4000);

```

```

407 |     return () => clearInterval(interval);
408 | }, [activeChat]);
409 |
410 | useEffect(() => {
411 |     scrollRef.current?.scrollIntoView({ behavior: "smooth" });
412 | }, [messages]);
413 |
414 | useEffect(() => {
415 |     if (!file || !file.type.startsWith("image/")) {
416 |         setFilePreviewUrl("");
417 |         return undefined;
418 |     }
419 |
420 |     const previewUrl = URL.createObjectURL(file);
421 |     setFilePreviewUrl(previewUrl);
422 |
423 |     return () => URL.revokeObjectURL(previewUrl);
424 | }, [file]);
425 |
426 | // ===== ACTIONS =====
427 | const sendMessage = async (e) => {
428 |     e.preventDefault();
429 |     if (!activeChat) return;
430 |     if (!text.trim() && !file) return;
431 |
432 |     try {
433 |         setComposerError("");
434 |
435 |         if (editingId) {
436 |             const { data } = await api.patch(`/messages/${editingId}`, { text: text.trim() });
437 |             setMessages((prev) =>
438 |                 prev.map((message) =>
439 |                     message._id === editingId ? { ...message, ...data, text: data.text ?? text.trim() } : message
440 |                 )
441 |             );
442 |             clearComposer();
443 |             return;
444 |         }
445 |
446 |         const form = new FormData();
447 |         form.append("text", text.trim());
448 |         if (file) form.append("file", file);
449 |         if (activeChat.type === "class") form.append("classId", activeChat.id);
450 |         else form.append("receiverId", activeChat.id);
451 |
452 |         const { data } = await api.post("/messages", form, {
453 |             headers: {
454 |                 "Content-Type": "multipart/form-data",
455 |             },
456 |         });
457 |         setMessages((prev) => [...prev, data]);
458 |         clearComposer();
459 |     } catch (err) {
460 |         setComposerError(err?.message || "Unable to send message");
461 |     }
462 | };
463 |
464 | const deleteMsg = async (id) => {
465 |     await api.delete(`/messages/${id}`);
466 |     setMessages((prev) => prev.filter((m) => m._id !== id));

```

```

467 |     setMenuId(null);
468 | };
469 |
470 | const editMsg = (m) => {
471 |     setEditingId(m._id);
472 |     setText(m.text);
473 |     setFile(null);
474 |     setComposerError("");
475 |     setMenuId(null);
476 | };
477 |
478 | const cancelEdit = () => {
479 |     clearComposer();
480 |     setMenuId(null);
481 | };
482 |
483 | // ===== MOBILE UI =====
484 | if (isMobile) {
485 |     return (
486 |         <div className="bg-white min-h-screen">
487 |             {!mobileChat ? (
488 |                 /* CHAT LIST VIEW (Bottom sidebar will be visible here) */
489 |                 <div className="flex flex-col pb-24">
490 |                     <div className="p-5 bg-white font-black text-2xl border-b top-0 z-10 shadow-sm
">
491 |                         Messages
492 |                     </div>
493 |                     <div className="flex-1 overflow-y-auto">
494 |                         <div className="sticky top-0 z-10 border-b bg-white p-4">
495 |                             <input
496 |                                 value={searchQuery}
497 |                                 onChange={(e) => setSearchQuery(e.target.value)}
498 |                                 placeholder="Search classes or friends..."
499 |                                 className="w-full rounded-2xl border border-slate-200 bg-slate-50 px-4 p
y-3 text-sm outline-none focus:border-indigo-400"
500 |                             />
501 |                         </div>
502 |
503 |                         <div className="px-4 py-3">
504 |                             <p className="mb-2 text-[11px] font-black uppercase tracking-wide text-sla
te-400">Classes</p>
505 |                             <div className="overflow-hidden rounded-3xl border border-slate-100 bg-whi
te">
506 |                                 {filteredClassChats.length ? (
507 |                                     filteredClassChats.map((chat) => renderChatRow(chat, true))
508 |                                 ) : (
509 |                                     <div className="p-4 text-sm text-slate-400">No classes found.</div>
510 |                                 )}
511 |                             </div>
512 |                         </div>
513 |
514 |                         <div className="px-4 pb-4">
515 |                             <p className="mb-2 text-[11px] font-black uppercase tracking-wide text-sla
te-400">Friends</p>
516 |                             <div className="overflow-hidden rounded-3xl border border-slate-100 bg-whi
te">
517 |                                 {filteredDirectChats.length ? (
518 |                                     filteredDirectChats.map((chat) => renderChatRow(chat, true))
519 |                                 ) : (
520 |                                     <div className="p-4 text-sm text-slate-400">No friends found.</div>
521 |                                 )}

```

```

522 |         </div>
523 |     </div>
524 | </div>
525 | </div>
526 | ) : (
527 |     /* ACTIVE CHAT VIEW (Overrides full screen to hide bottom sidebar) */
528 |     <div className="fixed inset-0 z-[200] flex flex-col bg-[#efeae2] h-screen overflow-hidden">
529 |         {/* HEADER */}
530 |         <div className="flex items-center gap-3 p-3 bg-white border-b shadow-sm sticky top-0 z-30">
531 |             <button
532 |                 className="text-2xl p-2 text-indigo-600 font-bold"
533 |                 onClick={() => setMobileChat(false)}
534 |             >
535 |                 ?
536 |             </button>
537 |             <div className="w-10 h-10 bg-indigo-600 text-white flex items-center justify-center rounded-full font-bold">
538 |                 {activeChat.name[0]}
539 |             </div>
540 |             <div className="flex-1">
541 |                 <p className="font-black text-slate-800 text-sm leading-none">{activeChat.name}</p>
542 |                 <p className="text-[10px] text-green-500 font-bold uppercase mt-1 tracking-tight">Online</p>
543 |             </div>
544 |         </div>
545 |
546 |         {/* MESSAGES AREA */}
547 |         <div className="flex-1 overflow-y-auto bg-[url('https://www.transparenttextures.com/patterns/cubes.png')] p-4 space-y-3 pb-4">
548 |             {messages.map((m) => {
549 |                 const isMe = (m.senderId?._id || m.senderId) === user.id;
550 |                 return (
551 |                     <div key={m._id} className={`flex ${isMe ? "justify-end" : "justify-start"} `}>
552 |                         <div className={`relative max-w-[85%] rounded-2xl px-3 py-2 shadow-sm text-sm ${isMe ? "bg-[#d9fdd3] text-slate-800 rounded-tr-none" : "bg-white text-slate-800 rounded-tl-none"}`>
553 |                             {isMe && (
554 |                                 <button
555 |                                     onClick={() => setMenuId(menuId === m._id ? null : m._id)}
556 |                                     className={`absolute -left-6 top-1 text-slate-400 ${isMe ? "" : "-right-6 left-auto"}`}
557 |                                 >?</button>
558 |                             )}
559 |
560 |                             {menuId === m._id && (
561 |                                 <div className="absolute -left-20 top-6 bg-white shadow-xl border rounded-lg text-xs z-50 flex flex-col min-w-[80px] overflow-hidden">
562 |                                     <button onClick={() => editMsg(m)} className="px-4 py-2 hover:bg-slate-50 text-slate-700 text-left border-b">Edit</button>
563 |                                     <button onClick={() => deleteMsg(m._id)} className="px-4 py-2 hover:bg-slate-50 text-red-500 text-left font-bold">Delete</button>
564 |                                 </div>
565 |                             )}
566 |
567 |                             {renderAttachment(m)}

```

```

570 |                 {m.text && <p className="leading-relaxed whitespace-pre-wrap break-w
ords">{m.text}</p>}
571 |                 <div className="mt-1 flex items-center justify-end gap-1 text-[10px]
text-slate-500">
572 |                     {m.isEdited && <span>edited</span>}
573 |                     <span>{formatMessageTime(m.updatedAt || m.createdAt)}</span>
574 |                     {renderMessageStatus(m, isMe)}
575 |                 </div>
576 |             </div>
577 |         </div>
578 |     );
579 |   }}}
580 |   <div ref={scrollRef} />
581 | </div>
582 |
583 |   {/* INPUT AREA (Fixed at bottom) */}
584 |   <div className="p-3 bg-white border-t sticky bottom-0 z-30">
585 |     {editingId && (
586 |       <div className="mb-2 flex items-center justify-between rounded-2xl border
border-amber-200 bg-amber-50 px-3 py-2 text-xs">
587 |         <span className="font-semibold text-amber-800">Editing message</span>
588 |         <button type="button" onClick={cancelEdit} className="font-bold text-amb
er-700">
589 |             Cancel
590 |         </button>
591 |       </div>
592 |     )}
593 |
594 |     {renderSelectedAttachmentPreview()}
595 |
596 |     {composerError && (
597 |       <p className="mb-2 text-xs font-semibold text-red-500">{composerError}</p>
598 |     )}
599 |
600 |     <form onSubmit={sendMessage} className="flex items-end gap-2">
601 |       <div className="relative">
602 |         <button
603 |           type="button"
604 |           onClick={() => setShowAttachMenu((prev) => !prev)}
605 |           className="w-10 h-10 flex items-center justify-center bg-slate-100 rou
nded-full text-slate-500 text-xl"
606 |         >+</button>
607 |
608 |         {showAttachMenu && (
609 |           <div className="absolute bottom-12 left-0 flex w-44 flex-col overflow-
hidden rounded-2xl border bg-white shadow-2xl">
610 |             <button type="button" onClick={() => openPicker("image")} className=
"px-4 py-3 text-left text-sm hover:bg-slate-50">
611 |                 Photo Library
612 |             </button>
613 |             <button type="button" onClick={() => openPicker("camera")} className
="px-4 py-3 text-left text-sm hover:bg-slate-50">
614 |                 Camera
615 |             </button>
616 |             <button type="button" onClick={() => openPicker("document")} classNa
me="px-4 py-3 text-left text-sm hover:bg-slate-50">
617 |                 Document
618 |             </button>
619 |           </div>
620 |         )}
621 |       </div>

```

```

622 |
623 |         <input
624 |             type="file"
625 |             ref={fileRef}
626 |             hidden
627 |             onChange={(e) => handleFileChange(e.target.files?.[0])}
628 |         />
629 |         <input
630 |             type="file"
631 |             accept="image/*"
632 |             ref={imageRef}
633 |             hidden
634 |             onChange={(e) => handleFileChange(e.target.files?.[0])}
635 |         />
636 |         <input
637 |             type="file"
638 |             accept="image/*"
639 |             capture="environment"
640 |             ref={cameraRef}
641 |             hidden
642 |             onChange={(e) => handleFileChange(e.target.files?.[0])}
643 |         />
644 |         <input
645 |             type="file"
646 |             accept=".pdf, .doc, .docx, .xls, .xlsx, .ppt, .pptx, .txt, .zip, .rar"
647 |             ref={documentRef}
648 |             hidden
649 |             onChange={(e) => handleFileChange(e.target.files?.[0])}
650 |         />
651 |
652 |         <input
653 |             value={text}
654 |             onChange={(e) => setText(e.target.value)}
655 |             className="flex-1 bg-slate-100 border-none rounded-[24px] px-4 py-3 text
-sm focus:ring-1 focus:ring-indigo-500"
656 |             placeholder={editingId ? "Edit your message..." : "Type a message..."}
657 |         />
658 |
659 |         <button className="w-10 h-10 flex items-center justify-center bg-[#25d366]
text-white rounded-full shadow-lg">
660 |             {editingId ? "?" : ""}
661 |         </button>
662 |     </form>
663 | </div>
664 | </div>
665 |     )}
666 | </div>
667 | );
668 | }
669 |
670 | // ===== DESKTOP UI =====
671 | return (
672 |     <div className="flex h-[82vh] bg-white border rounded-3xl shadow-sm overflow-hidden m-
2">
673 |         <div className="w-80 border-r flex flex-col bg-slate-50">
674 |             <div className="p-6 font-black text-2xl text-slate-800">Messages</div>
675 |             <div className="flex-1 overflow-y-auto">
676 |                 <div className="sticky top-0 z-10 border-b bg-slate-50 p-4">
677 |                     <input
678 |                         value={searchQuery}
679 |                         onChange={(e) => setSearchQuery(e.target.value)}

```

```

680 |         placeholder="Search classes or friends..."
681 |         className="w-full rounded-2xl border border-slate-200 bg-white px-4 py-3 tex
t-sm outline-none focus:border-indigo-400"
682 |         />
683 |     </div>
684 |
685 |     <div className="p-4">
686 |         <p className="mb-2 text-[11px] font-black uppercase tracking-wide text-slate-4
00">Classes</p>
687 |         <div className="overflow-hidden rounded-3xl border border-slate-200 bg-white">
688 |             {filteredClassChats.length ? (
689 |                 filteredClassChats.map((chat) => renderChatRow(chat))
690 |             ) : (
691 |                 <div className="p-4 text-sm text-slate-400">No classes found.</div>
692 |             )}
693 |         </div>
694 |     </div>
695 |
696 |     <div className="px-4 pb-4">
697 |         <p className="mb-2 text-[11px] font-black uppercase tracking-wide text-slate-4
00">Friends</p>
698 |         <div className="overflow-hidden rounded-3xl border border-slate-200 bg-white">
699 |             {filteredDirectChats.length ? (
700 |                 filteredDirectChats.map((chat) => renderChatRow(chat))
701 |             ) : (
702 |                 <div className="p-4 text-sm text-slate-400">No friends found.</div>
703 |             )}
704 |         </div>
705 |     </div>
706 | </div>
707 |
708 |
709 |     <div className="flex-1 flex flex-col bg-[#f0f2f5]">
710 |         {activeChat ? (
711 |             <>
712 |                 <div className="p-4 bg-white border-b flex items-center gap-3">
713 |                     <div className="w-8 h-8 bg-indigo-600 text-white flex items-center justify-c
enter rounded-full text-xs font-bold">
714 |                         {activeChat.name[0]}
715 |                     </div>
716 |                     <p className="font-black text-slate-800">{activeChat.name}</p>
717 |                 </div>
718 |
719 |                 <div className="flex-1 overflow-y-auto bg-[url('https://www.transparenttexture
s.com/patterns/cubes.png')] p-6 space-y-4">
720 |                     {messages.map((m) => {
721 |                         const isMe = (m.senderId?._id || m.senderId) === user.id;
722 |                         return (
723 |                             <div key={m._id} className={`flex ${isMe ? "justify-end" : "justify-star
t"}`}>
724 |                                 <div className="relative group max-w-[70%]">
725 |                                     {isMe && (
726 |                                         <button
727 |                                             onClick={() => setMenuId(menuId === m._id ? null : m._id)}
728 |                                             className="absolute -left-6 top-2 opacity-0 group-hover:opacity-
100 transition-opacity"
729 |                                             >?</button>
730 |                                     )}
731 |                                     {menuId === m._id && (
732 |                                         <div className="absolute -left-24 top-8 bg-white shadow-xl rounded
-lg text-xs z-10 border overflow-hidden">

```

```

733 |                 <button onClick={() => editMsg(m)} className="block px-4 py-2 ho
ver:bg-slate-50 w-full text-left">Edit</button>
734 |                 <button onClick={() => deleteMsg(m._id)} className="block px-4 p
y-2 hover:bg-slate-50 text-red-500 w-full text-left">Delete</button>
735 |             </div>
736 |         )}
737 |         <div className={`px-4 py-2 rounded-2xl shadow-sm text-sm ${
738 |             isMe ? "bg-[#d9fdd3] text-slate-800 rounded-tr-none" : "bg-white t
ext-slate-800 rounded-tl-none"
739 |         }`} >
740 |             {renderAttachment(m)}
741 |             {m.text && <p className="whitespace-pre-wrap break-words">{m.text}
</p>}
742 |             <div className="mt-1 flex items-center justify-end gap-1 text-[10p
x] text-slate-500">
743 |                 {m.isEdited && <span>edited</span>}
744 |                 <span>{formatMessageTime(m.updatedAt || m.createdAt)}</span>
745 |                 {renderMessageStatus(m, isMe)}
746 |             </div>
747 |         </div>
748 |     </div>
749 | </div>
750 | );
751 | }}}
752 | <div ref={scrollRef} />
753 | </div>
754 |
755 | <form onSubmit={sendMessage} className="p-4 bg-white border-t">
756 |     {renderSelectedAttachmentPreview()}
757 |
758 |     <div className="flex gap-4 items-end">
759 |         <div className="relative">
760 |             <button
761 |                 type="button"
762 |                 onClick={() => setShowAttachMenu((prev) => !prev)}
763 |                 className="flex h-12 w-12 items-center justify-center rounded-full bg-
slate-100 text-xl text-slate-500"
764 |             >
765 |                 +
766 |             </button>
767 |             {showAttachMenu && (
768 |                 <div className="absolute bottom-14 left-0 flex w-44 flex-col overflow-
hidden rounded-2xl border bg-white shadow-2xl">
769 |                     <button type="button" onClick={() => openPicker("image")} className=
"px-4 py-3 text-left text-sm hover:bg-slate-50">
770 |                         Photo Library
771 |                     </button>
772 |                     <button type="button" onClick={() => openPicker("camera")} className
="px-4 py-3 text-left text-sm hover:bg-slate-50">
773 |                         Camera
774 |                     </button>
775 |                     <button type="button" onClick={() => openPicker("document")} classNa
me="px-4 py-3 text-left text-sm hover:bg-slate-50">
776 |                         Document
777 |                     </button>
778 |                 </div>
779 |             )}
780 |         </div>
781 |         <input
782 |             type="file"
783 |             ref={fileRef}

```



```

784 |             hidden
785 |             onChange={(e) => handleFileChange(e.target.files?.[0])}
786 |         />
787 |         <input
788 |             type="file"
789 |             accept="image/*"
790 |             ref={imageRef}
791 |             hidden
792 |             onChange={(e) => handleFileChange(e.target.files?.[0])}
793 |         />
794 |         <input
795 |             type="file"
796 |             accept="image/*"
797 |             capture="environment"
798 |             ref={cameraRef}
799 |             hidden
800 |             onChange={(e) => handleFileChange(e.target.files?.[0])}
801 |         />
802 |         <input
803 |             type="file"
804 |             accept=".pdf, .doc, .docx, .xls, .xlsx, .ppt, .pptx, .txt, .zip, .rar"
805 |             ref={documentRef}
806 |             hidden
807 |             onChange={(e) => handleFileChange(e.target.files?.[0])}
808 |         />
809 |         <input
810 |             value={text}
811 |             onChange={(e) => setText(e.target.value)}
812 |             placeholder={editingId ? "Edit your message..." : "Write something..."}
813 |             className="flex-1 bg-slate-50 border-none rounded-[24px] px-4 py-3 focus
:ring-2 focus:ring-indigo-600 outline-none"
814 |         />
815 |         <button className="bg-[#25d366] text-white px-8 py-3 rounded-xl font-bold"
>
816 |             {editingId ? "Save" : "Send"}
817 |         </button>
818 |     </div>
819 | </form>
820 | </>
821 | ) : (
822 |     <div className="flex-1 flex flex-col items-center justify-center text-slate-400"
>
823 |         <div className="text-6xl mb-4">?</div>
824 |         <p className="font-bold">Select a conversation to start chatting</p>
825 |     </div>
826 |     )}
827 | </div>
828 | </div>
829 | );
830 | }

```

File: MobileLayout.jsx

Path: frontend/src/pages/MobileLayout.jsx

```
1 | import { useState } from "react";
2 | import { Link, useLocation, useNavigate } from "react-router-dom";
3 | import { useAuth } from "../context/AuthContext.jsx";
4 |
5 | export default function MobileLayout({ children }) {
6 |   const [open, setOpen] = useState(false);
7 |   const { user, logout } = useAuth();
8 |   const navigate = useNavigate();
9 |   const location = useLocation();
10 |
11 |   // Prevent rendering if auth is still resolving
12 |   if (!user) {
13 |     return (
14 |       <div className="h-screen flex items-center justify-center bg-slate-50">
15 |         <div className="animate-spin rounded-full h-8 w-8 border-b-2 border-indigo-600"></div>
16 |       </div>
17 |     );
18 |   }
19 |
20 |   const handleLogout = async () => {
21 |     await logout();
22 |     navigate("/", { replace: true }); // Redirect to HomePage after logout
23 |   };
24 |
25 |   // Define navigation based on user role
26 |   const nav =
27 |     user.role === "teacher"
28 |     ? [
29 |       { path: "/app/dashboard", icon: "?" },
30 |       { path: "/app/classes", icon: "?" },
31 |       { path: "/app/reports", icon: "?" },
32 |       { path: "/app/messages", icon: "?" },
33 |     ]
34 |     : [
35 |       { path: "/app/dashboard", icon: "?" },
36 |       { path: "/app/classes", icon: "?" },
37 |       { path: "/app/mark-attendance", icon: "/scan.png" }, // Custom Image Icon
38 |       { path: "/app/messages", icon: "?" },
39 |     ];
40 |
41 |   return (
42 |     <div className="flex flex-col h-screen bg-slate-100 overflow-hidden">
43 |
44 |       </* ? TOP HEADER */>
45 |       <div className="flex justify-between items-center px-5 py-4 bg-white shadow-sm z-40">
46 |
47 |         <div className="flex items-center gap-2">
48 |           
49 |           <span className="font-black tracking-tighter text-slate-900">ATTENDER</span>
50 |         </div>
51 |         <button
52 |           onClick={() => setOpen(!open)}
53 |           className="w-8 h-8 flex items-center justify-center rounded-full bg-slate-50 text-slate-600"
54 |           >
55 |           {open ? "?" : "?"}
56 |         </button>
57 |       </div>
58 |
59 |       <div className="flex-grow-1">
60 |         {children}
61 |       </div>
62 |     </div>
63 |   );
64 | }
```

```

55 |         </button>
56 |     </div>
57 |
58 |     { /* ? PROFILE DROPDOWN */ }
59 |     { open && (
60 |         <div className="absolute right-4 top-16 bg-white shadow-xl border border-slate-100
rounded-2xl z-[60] w-48 overflow-hidden animate-in fade-in zoom-in duration-200">
61 |             <div className="px-4 py-3 border-b bg-slate-50">
62 |                 <p className="text-xs font-bold text-slate-400 uppercase tracking-widest">Sign
ed in as</p>
63 |                 <p className="text-sm font-black truncate text-slate-700">{user.username}</p>
64 |             </div>
65 |             <Link
66 |                 to="/app/settings"
67 |                 onClick={() => setOpen(false)}
68 |                 className="block px-4 py-3 text-sm font-bold text-slate-600 hover:bg-slate-50
transition"
69 |                 >
70 |                     ?? Settings
71 |             </Link>
72 |             <button
73 |                 onClick={handleLogout}
74 |                 className="w-full text-left px-4 py-3 text-sm font-bold text-red-500 hover:bg-
red-50 transition"
75 |                 >
76 |                     Logout
77 |             </button>
78 |         </div>
79 |     )}
80 |
81 |     { /* ? MAIN CONTENT AREA */ }
82 |     <main className="flex-1 overflow-y-auto pb-24 px-4 pt-4">
83 |         {children}
84 |     </main>
85 |
86 |     { /* ? BOTTOM NAVIGATION BAR */ }
87 |     <div className="fixed bottom-0 left-0 right-0 bg-white/90 backdrop-blur-md border-t
border-slate-200 flex justify-around items-center py-3 pb-6 z-50">
88 |         {nav.map((n, i) => {
89 |             const isActive = location.pathname === n.path;
90 |             const isImageIcon = n.icon.startsWith("/");
91 |
92 |             return (
93 |                 <Link
94 |                     key={i}
95 |                     to={n.path}
96 |                     className={`flex flex-col items-center justify-center transition-all duratio
n-300 ${
97 |                         isActive ? "scale-110" : "opacity-50"
98 |                     }`}
99 |                 >
100 |                     <div className="w-7 h-7 flex items-center justify-center">
101 |                         {isImageIcon ? (
102 |                             <img
103 |                                 src={n.icon}
104 |                                 alt="nav-icon"
105 |                                 className="w-full h-full object-contain"
106 |                                 style={{
107 |                                     // This filter turns the black icon into Indigo-600 when active
108 |                                     filter: isActive
109 |                                         ? "invert(31%) sepia(94%) saturate(2564%) hue-rotate(227deg) brigh

```

```

tness(96%) contrast(101%)"
110 |         : "none"
111 |     }}
112 |     />
113 |     ) : (
114 |         <span className={`text-2xl ${isActive ? "" : "grayscale"}`}>
115 |             {n.icon}
116 |         </span>
117 |     )}
118 | </div>
119 |
120 |     {/* Optional indicator dot */}
121 |     {isActive && (
122 |         <div className="w-1 h-1 bg-indigo-600 rounded-full mt-1"></div>
123 |     )}
124 | </Link>
125 |     );
126 |     }}
127 | </div>
128 | </div>
129 | );
130 | }

```

File: ReportsPage.jsx

Path: frontend/src/pages/ReportsPage.jsx

```
1 | import { useEffect, useState, useMemo } from "react";
2 | import {
3 |   PieChart,
4 |   Pie,
5 |   Cell,
6 |   ResponsiveContainer,
7 |   Tooltip,
8 |   Legend,
9 |   BarChart,
10 |   Bar,
11 |   XAxis,
12 |   YAxis,
13 |   CartesianGrid,
14 |   LineChart,
15 |   Line,
16 | } from "recharts";
17 | import api from "../api/client.js";
18 | import { useAuth } from "../context/AuthContext.jsx";
19 | import { useNavigate } from "react-router-dom";
20 |
21 | const COLORS = ["#10b981", "#ef4444"];
22 |
23 | export default function ReportsPage() {
24 |   const { user } = useAuth();
25 |   const navigate = useNavigate();
26 |
27 |   const [classes, setClasses] = useState([]);
28 |   const [selectedClass, setSelectedClass] = useState("");
29 |   const [range, setRange] = useState("7");
30 |   const [attendanceData, setAttendanceData] = useState([]);
31 |   const [loading, setLoading] = useState(false);
32 |   const [chartView, setChartView] = useState("pie");
33 |
34 |   // 1. INITIALIZE: Fetch available classes
35 |   useEffect(() => {
36 |     const init = async () => {
37 |       try {
38 |         const { data } = await api.get("/classes");
39 |         const cls = data.data || [];
40 |         setClasses(cls);
41 |         if (cls.length) setSelectedClass(cls[0]._id);
42 |       } catch (err) {
43 |         console.error("Error fetching classes:", err);
44 |       }
45 |     };
46 |     init();
47 |   }, []);
48 |
49 |   // 2. FETCH DATA: Triggered when class or range changes
50 |   useEffect(() => {
51 |     if (!selectedClass || user?.role === "student") return;
52 |
53 |     const fetchRangeData = async () => {
54 |       setLoading(true);
55 |       const to = new Date();
56 |       const from = new Date();
57 |       from.setDate(from.getDate() - (parseInt(range) - 1));
```

```

58 |
59 |     try {
60 |         const res = await api.get("/reports/range", {
61 |             params: {
62 |                 classId: selectedClass,
63 |                 from: from.toISOString(),
64 |                 to: to.toISOString(),
65 |             },
66 |         });
67 |         setAttendanceData(res.data.data || []);
68 |     } catch (err) {
69 |         console.error("Error fetching report data:", err);
70 |     } finally {
71 |         setLoading(false);
72 |     }
73 | };
74 |
75 |     fetchRangeData();
76 | }, [selectedClass, range, user?.role]);
77 |
78 | // 3. TREND DATA: Aggregates total Present/Absent per day
79 | const classTrendData = useMemo(() => {
80 |     const dailyMap = {};
81 |     const daysCount = parseInt(range);
82 |
83 |     for (let i = 0; i < daysCount; i++) {
84 |         const d = new Date();
85 |         d.setDate(d.getDate() - i);
86 |         const label = d.toLocaleDateString("en-US", {
87 |             month: "short",
88 |             day: "numeric",
89 |         });
90 |         dailyMap[label] = {
91 |             date: label,
92 |             present: 0,
93 |             absent: 0,
94 |             timestamp: d.getTime(),
95 |         };
96 |     }
97 |
98 |     attendanceData.forEach((r) => {
99 |         const dateLabel = new Date(r.date).toLocaleDateString("en-US", {
100 |             month: "short",
101 |             day: "numeric",
102 |         });
103 |         if (dailyMap[dateLabel]) {
104 |             if (r.status === "present") dailyMap[dateLabel].present++;
105 |             else dailyMap[dateLabel].absent++;
106 |         }
107 |     });
108 |
109 |     return Object.values(dailyMap).sort((a, b) => a.timestamp - b.timestamp);
110 | }, [attendanceData, range]);
111 |
112 | // 4. STUDENT STATS: Aggregates data for the Table/Mobile List
113 | const studentStats = useMemo(() => {
114 |     const stats = {};
115 |
116 |     attendanceData.forEach((r) => {
117 |         // Ensure the nested user object exists
118 |         const u = r.userId;

```

```

119 |         if (!u?._id) return;
120 |
121 |         if (!stats[u._id]) {
122 |             stats[u._id] = {
123 |                 id: u._id,
124 |                 // THIS LINE: Fetching the rollNumber from the user object
125 |                 rollNumber: u.rollNumber || "N/A",
126 |                 name: `${u.firstName} ${u.lastName}`,
127 |                 present: 0,
128 |                 absent: 0,
129 |                 total: 0,
130 |             };
131 |         }
132 |
133 |         stats[u._id].total++;
134 |         if (r.status === "present") stats[u._id].present++;
135 |         else stats[u._id].absent++;
136 |     });
137 |
138 |     return Object.values(stats)
139 |         .map((s) => ({
140 |             ...s,
141 |             percentage: s.total ? ((s.present / s.total) * 100).toFixed(1) : "0",
142 |         }))
143 |         .sort((a, b) =>
144 |             // Sorting by roll number numerically
145 |             String(a.rollNumber).localeCompare(String(b.rollNumber), undefined, {
146 |                 numeric: true,
147 |             }),
148 |         );
149 | }, [attendanceData]);
150 |
151 | // 5. PIE DATA
152 | const pieData = [
153 |     {
154 |         name: "Present",
155 |         value: attendanceData.filter((a) => a.status === "present").length,
156 |     },
157 |     {
158 |         name: "Absent",
159 |         value: attendanceData.filter((a) => a.status === "absent").length,
160 |     },
161 | ];
162 |
163 | const downloadCSV = () => {
164 |     const header = "Roll No,Student Name,Present,Absent,Percentage\n";
165 |     const rows = studentStats
166 |         .map(
167 |             (s) =>
168 |                 `${s.rollNumber},${s.name},${s.present},${s.absent},${s.percentage}%`,
169 |         )
170 |         .join("\n");
171 |     const blob = new Blob([header + rows], { type: "text/csv" });
172 |     const url = URL.createObjectURL(blob);
173 |     const a = document.createElement("a");
174 |     a.href = url;
175 |     a.download = `Report_${selectedClass}_${range}days.csv`;
176 |     a.click();
177 | };
178 |
179 | return (

```

```

180 |         <div className="space-y-6 pb-10 p-4 md:p-8">
181 |             {/* ? FILTER BAR */}
182 |             <div className="bg-white p-4 rounded-2xl shadow-sm flex flex-col gap-3 md:flex-row m
e:none border-2 border-transparent focus:border-indigo-500 transition"
183 |                 <select
184 |                     value={selectedClass}
185 |                     onChange={(e) => setSelectedClass(e.target.value)}
186 |                     className="flex-1 bg-slate-100 rounded-xl px-4 py-2 text-sm font-semibold outlin
e:none border-2 border-transparent focus:border-indigo-500 transition"
187 |                 >
188 |                     {classes.map((c) => (
189 |                         <option key={c._id} value={c._id}>
190 |                             {c.name} - {c.standard}
191 |                         </option>
192 |                     ))}
193 |                 </select>
194 |
195 |                 <select
196 |                     value={range}
197 |                     onChange={(e) => setRange(e.target.value)}
198 |                     className="flex-1 bg-slate-100 rounded-xl px-4 py-2 text-sm font-semibold outlin
e:none border-2 border-transparent focus:border-indigo-500 transition"
199 |                 >
200 |                     <option value="7">Last 7 days</option>
201 |                     <option value="30">Last 30 days</option>
202 |                 </select>
203 |
204 |                 <button
205 |                     onClick={downloadCSV}
206 |                     className="bg-indigo-600 text-white py-2 px-6 rounded-xl text-xs font-bold hover
: bg-indigo-700 transition"
207 |                 >
208 |                     Export CSV
209 |                 </button>
210 |             </div>
211 |
212 |             {/* ? ANALYTICS SECTION */}
213 |             <div className="bg-white p-6 rounded-2xl shadow-sm border border-slate-50">
214 |                 <div className="flex flex-col md:flex-row justify-between items-start md:items-cen
ter mb-8 gap-4">
215 |                     <div>
216 |                         <h3 className="font-bold text-slate-800 text-lg">
217 |                             Attendance Trends
218 |                         </h3>
219 |                         <p className="text-xs text-slate-400">
220 |                             Class activity for the last {range} days
221 |                         </p>
222 |                     </div>
223 |                     <div className="flex bg-slate-100 p-1 rounded-xl">
224 |                         {[ "pie", "bar", "line"].map((type) => (
225 |                             <button
226 |                                 key={type}
227 |                                 onClick={() => setChartView(type)}
228 |                                 className={`px-5 py-2 text-xs font-bold rounded-lg transition-all ${
229 |                                     chartView === type
230 |                                     ? "bg-white shadow-sm text-indigo-600"
231 |                                     : "text-slate-500"
232 |                                 }}
233 |                             >
234 |                                 {type.toUpperCase()}
235 |                             </button>

```



```

236 |         )}}
237 |     </div>
238 | </div>
239 |
240 | <div className="h-80 w-full">
241 |     {loading ? (
242 |         <div className="h-full flex items-center justify-center text-slate-400">
243 |             Loading...
244 |         </div>
245 |     ) : (
246 |         <ResponsiveContainer width="100%" height="100%">
247 |             {chartView === "pie" ? (
248 |                 <PieChart>
249 |                     <Pie
250 |                         data={pieData}
251 |                         dataKey="value"
252 |                         innerRadius={70}
253 |                         outerRadius={95}
254 |                         paddingAngle={8}
255 |                     >
256 |                         {pieData.map((_, i) => (
257 |                             <Cell key={i} fill={COLORS[i]} />
258 |                         ))}
259 |                     </Pie>
260 |                     <Tooltip />
261 |                     <Legend />
262 |                 </PieChart>
263 |             ) : chartView === "bar" ? (
264 |                 <BarChart data={classTrendData}>
265 |                     <CartesianGrid strokeDasharray="3 3" vertical={false} />
266 |                     <XAxis dataKey="date" fontSize={11} />
267 |                     <YAxis fontSize={11} />
268 |                     <Tooltip />
269 |                     <Legend />
270 |                     <Bar
271 |                         name="Present"
272 |                         dataKey="present"
273 |                         fill="#10b981"
274 |                         radius={[4, 4, 0, 0]}
275 |                     />
276 |                     <Bar
277 |                         name="Absent"
278 |                         dataKey="absent"
279 |                         fill="#ef4444"
280 |                         radius={[4, 4, 0, 0]}
281 |                     />
282 |                 </BarChart>
283 |             ) : (
284 |                 <LineChart data={classTrendData}>
285 |                     <CartesianGrid strokeDasharray="3 3" vertical={false} />
286 |                     <XAxis dataKey="date" fontSize={11} />
287 |                     <YAxis fontSize={11} />
288 |                     <Tooltip />
289 |                     <Legend />
290 |                     <Line
291 |                         type="monotone"
292 |                         dataKey="present"
293 |                         stroke="#10b981"
294 |                         strokeWidth={3}
295 |                     />
296 |                     <Line

```

```

297 |         type="monotone"
298 |         dataKey="absent"
299 |         stroke="#ef4444"
300 |         strokeWidth={2}
301 |         strokeDasharray="5 5"
302 |     />
303 | </LineChart>
304 |     )}
305 | </ResponsiveContainer>
306 |   )}
307 | </div>
308 | </div>
309 |
310 |   { /* ? DESKTOP TABLE */ }
311 |   <div className="hidden md:block bg-white rounded-2xl overflow-hidden shadow-sm border border-slate-100">
312 |     <table className="w-full text-sm">
313 |       <thead className="bg-slate-50 text-slate-500 text-[11px] font-bold uppercase tracking-widest">
314 |         <tr>
315 |           <th className="p-5 text-center">Roll</th>
316 |           <th className="text-left">Student</th>
317 |           <th className="text-center">Present</th>
318 |           <th className="text-center">Absent</th>
319 |           <th className="text-center">Attendance %</th>
320 |           <th className="text-center">Quick Chat</th>
321 |         </tr>
322 |       </thead>
323 |       <tbody className="divide-y divide-slate-50">
324 |         {studentStats.map((s) => (
325 |           <tr key={s.id} className="hover:bg-slate-50 transition-colors">
326 |             <td className="p-4 text-center font-bold text-slate-400">
327 |               {s.rollNumber}
328 |             </td>
329 |             <td className="p-4 font-bold text-slate-700">{s.name}</td>
330 |             <td className="text-center text-emerald-600 font-bold">
331 |               {s.present}
332 |             </td>
333 |             <td className="text-center text-red-500 font-bold">
334 |               {s.absent}
335 |             </td>
336 |             <td className="text-center">
337 |               <span
338 |                 className={`px-3 py-1 rounded-full text-xs font-bold ${parseFloat(s.percentage) < 75 ? "text-red-600 bg-red-50" : "text-emerald-700 bg-emerald-50"}`>
339 |                 >
340 |                   {s.percentage}%
341 |                 </span>
342 |             </td>
343 |             <td className="text-center">
344 |               <button
345 |                 onClick={() =>
346 |                   navigate("/app/messages", {
347 |                     state: {
348 |                       contactId: s.id,
349 |                       contactName: s.name,
350 |                       type: "direct",
351 |                     },
352 |                   })
353 |               >
354 |                 <div>

```

```
-white px-4 py-2 rounded-xl transition-all"
355 |         >
356 |         ?
357 |         </button>
358 |     </td>
359 | </tr>
360 |     )})
361 | </tbody>
362 | </table>
363 | </div>
364 | </div>
365 | );
366 | }
```

File: SettingsPage.jsx

Path: frontend/src/pages/SettingsPage.jsx

```
1 | import { useEffect, useState } from 'react';
2 | import api from '../api/client.js';
3 | import { useAuth } from '../context/AuthContext.jsx';
4 |
5 | export default function SettingsPage() {
6 |   const { user, refreshUser, applyTheme, updateUser } = useAuth();
7 |
8 |   // Profile State
9 |   const [profileForm, setProfileForm] = useState({ firstName: '', lastName: '', email: ''
});
10 |   const [profileMsg, setProfileMsg] = useState({ text: '', type: '' }); // type: 'success'
or 'error'
11 |
12 |   // Security State
13 |   const [securityForm, setSecurityForm] = useState({ currentPassword: '', newPassword: ''
});
14 |   const [securityMsg, setSecurityMsg] = useState({ text: '', type: '' });
15 |
16 |   // Preferences State
17 |   const [theme, setTheme] = useState('light');
18 |
19 |   // Load user data into form on mount
20 |   useEffect(() => {
21 |     if (user) {
22 |       setProfileForm({
23 |         firstName: user.firstName || '',
24 |         lastName: user.lastName || '',
25 |         email: user.email || '',
26 |       });
27 |       setTheme(user.theme || 'light');
28 |     }
29 |   }, [user]);
30 |
31 |   // Handle Profile Update
32 |   const handleProfileUpdate = async (e) => {
33 |     e.preventDefault();
34 |     setProfileMsg({ text: '', type: '' });
35 |     try {
36 |       await api.patch('/users/me', profileForm);
37 |       updateUser({
38 |         firstName: profileForm.firstName,
39 |         lastName: profileForm.lastName,
40 |         email: profileForm.email,
41 |       });
42 |       await refreshUser(); // This updates the sidebar and header instantly
43 |       setProfileMsg({ text: 'Profile updated successfully! ', type: 'success' });
44 |
45 |       // Clear message after 3 seconds
46 |       setTimeout(() => setProfileMsg({ text: '', type: '' }), 3000);
47 |     } catch (err) {
48 |       setProfileMsg({ text: err.message || 'Failed to update profile', type: 'error' });
49 |     }
50 |   };
51 |
52 |   // Handle Password Update
53 |   const handlePasswordUpdate = async (e) => {
54 |     e.preventDefault();
```

```

55 |     setSecurityMsg({ text: '', type: '' });
56 |     try {
57 |         await api.patch('/users/me/password', securityForm);
58 |         setSecurityForm({ currentPassword: '', newPassword: '' });
59 |         setSecurityMsg({ text: 'Password changed successfully! ?', type: 'success' });
60 |     } catch (err) {
61 |         // Check if backend returned a 400/401 for wrong password
62 |         const errorText = err.message.includes('incorrect') ? '? Current password is wrong'
: err.message;
63 |         setSecurityMsg({ text: errorText, type: 'error' });
64 |     }
65 | };
66 |
67 | // Handle Theme Change
68 | const handleThemeChange = async (newTheme) => {
69 |     try {
70 |         await api.patch('/users/me/preferences', { theme: newTheme });
71 |         updateUser({ theme: newTheme });
72 |         setTheme(newTheme);
73 |         applyTheme(newTheme); // Applies 'dark' class to <html>
74 |         await refreshUser();
75 |     } catch (err) {
76 |         console.error("Theme update failed");
77 |     }
78 | };
79 |
80 | return (
81 |     <div className="max-w-4xl mx-auto space-y-6 sm:space-y-8 pt-7 pb-22 px-7 sm:px-0 animat
e-in fade-in duration-500">
82 |
83 |         {/* Header */}
84 |         <div className="border-b border-slate-200 dark:border-slate-800 pb-4">
85 |             <h1 className="text-2xl sm:text-3xl font-black text-slate-900 dark:text-white">
86 |                 Settings
87 |             </h1>
88 |             <p className="text-slate-500 text-sm">
89 |                 Manage your account preferences and security.
90 |             </p>
91 |         </div>
92 |
93 |         {/* PROFILE */}
94 |         <section className="bg-white dark:bg-slate-900/60 backdrop-blur rounded-3xl sm:rounded
-2.5rem p-5 sm:p-8 border border-slate-100 dark:border-slate-800 shadow-sm">
95 |
96 |             <h2 className="text-base sm:text-lg font-bold mb-5 flex items-center gap-2 dark:text
-white">
97 |                 <span className="bg-indigo-100 dark:bg-indigo-900/40 p-2 rounded-xl">?</span>
98 |                 Personal Information
99 |             </h2>
100 |
101 |             {profileMsg.text && (
102 |                 <div
103 |                     className={`mb-5 p-3 sm:p-4 rounded-2xl text-sm font-semibold ${
104 |                         profileMsg.type === 'success'
105 |                         ? 'bg-emerald-50 dark:bg-emerald-900/20 text-emerald-700 dark:text-emerald-3
00 border border-emerald-100 dark:border-emerald-900/30'
106 |                         : 'bg-red-50 dark:bg-red-900/20 text-red-700 dark:text-red-300 border border
-red-100 dark:border-red-900/30'
107 |                     }`}
108 |                 >
109 |                     {profileMsg.text}

```

```

110 |         </div>
111 |     }}
112 |
113 |     <form className="grid grid-cols-1 md:grid-cols-2 gap-4 sm:gap-6" onSubmit={handlePro
fileUpdate}>
114 |
115 |         <div className="space-y-2">
116 |             <label className="text-xs font-black uppercase tracking-widest text-slate-400 ml
-1">
117 |                 First Name
118 |             </label>
119 |             <input
120 |                 className="w-full bg-slate-50 dark:bg-slate-950 text-slate-900 dark:text-white
border border-transparent dark:border-slate-800 rounded-2xl px-4 py-3 focus:ring-2 ring-brand-500
outline-none transition"
121 |                 value={profileForm.firstName}
122 |                 onChange={e => setProfileForm({ ...profileForm, firstName: e.target.value })}
123 |             />
124 |         </div>
125 |
126 |         <div className="space-y-2">
127 |             <label className="text-xs font-black uppercase tracking-widest text-slate-400 ml
-1">
128 |                 Last Name
129 |             </label>
130 |             <input
131 |                 className="w-full bg-slate-50 dark:bg-slate-950 text-slate-900 dark:text-white
border border-transparent dark:border-slate-800 rounded-2xl px-4 py-3 focus:ring-2 ring-brand-500
outline-none transition"
132 |                 value={profileForm.lastName}
133 |                 onChange={e => setProfileForm({ ...profileForm, lastName: e.target.value })}
134 |             />
135 |         </div>
136 |
137 |         <div className="md:col-span-2 space-y-2">
138 |             <label className="text-xs font-black uppercase tracking-widest text-slate-400 ml
-1">
139 |                 Email Address
140 |             </label>
141 |             <input
142 |                 type="email"
143 |                 className="w-full bg-slate-50 dark:bg-slate-950 text-slate-900 dark:text-white
border border-transparent dark:border-slate-800 rounded-2xl px-4 py-3 focus:ring-2 ring-brand-500
outline-none transition"
144 |                 value={profileForm.email}
145 |                 onChange={e => setProfileForm({ ...profileForm, email: e.target.value })}
146 |             />
147 |         </div>
148 |
149 |         <div className="md:col-span-2 flex justify-end pt-2">
150 |             <button className="w-full sm:w-auto bg-brand-600 text-white px-6 sm:px-8 py-3 ro
unded-2xl font-bold hover:bg-brand-700 active:scale-95 transition">
151 |                 Save Changes
152 |             </button>
153 |         </div>
154 |     </form>
155 | </section>
156 |
157 |     {/* APPEARANCE */}
158 |     <section className="bg-white dark:bg-slate-900/60 backdrop-blur rounded-3xl sm:rounded
-[2.5rem] p-5 sm:p-8 border border-slate-100 dark:border-slate-800 shadow-sm">

```

```

159 |
160 |     <h2 className="text-base sm:text-lg font-bold mb-5 flex items-center gap-2 dark:text
-white">
161 |         <span className="bg-amber-100 dark:bg-amber-900/40 p-2 rounded-xl">?</span>
162 |         Appearance
163 |     </h2>
164 |
165 |     <div className="flex p-1 bg-slate-100 dark:bg-slate-950 rounded-2xl w-full sm:w-fit"
>
166 |         <button
167 |             onClick={() => handleThemeChange('light')}
168 |             className={`flex-1 sm:flex-none px-4 sm:px-6 py-2 rounded-xl text-sm font-bold t
ransition ${
169 |                 theme === 'light'
170 |                 ? 'bg-white dark:bg-slate-800 shadow text-brand-600'
171 |                 : 'text-slate-500 dark:text-slate-400'
172 |             }`>
173 |             >
174 |             ?? Light
175 |         </button>
176 |
177 |         <button
178 |             onClick={() => handleThemeChange('dark')}
179 |             className={`flex-1 sm:flex-none px-4 sm:px-6 py-2 rounded-xl text-sm font-bold t
ransition ${
180 |                 theme === 'dark'
181 |                 ? 'bg-slate-800 shadow text-white'
182 |                 : 'text-slate-500 dark:text-slate-400'
183 |             }`>
184 |             >
185 |             ? Dark
186 |         </button>
187 |     </div>
188 | </section>
189 |
190 |     {/* SECURITY */}
191 |     <section className="bg-white dark:bg-slate-900/60 backdrop-blur rounded-3xl sm:rounded
-[2.5rem] p-5 sm:p-8 border border-slate-100 dark:border-slate-800 shadow-sm">
192 |
193 |         <h2 className="text-base sm:text-lg font-bold mb-5 flex items-center gap-2 dark:text
-white">
194 |             <span className="bg-red-100 dark:bg-red-900/40 p-2 rounded-xl">??</span>
195 |             Account Security
196 |         </h2>
197 |
198 |         {securityMsg.text && (
199 |             <div
200 |                 className={`mb-5 p-3 sm:p-4 rounded-2xl text-sm font-semibold ${
201 |                     securityMsg.type === 'success'
202 |                     ? 'bg-emerald-50 dark:bg-emerald-900/20 text-emerald-700 dark:text-emerald-3
00 border border-emerald-100 dark:border-emerald-900/30'
203 |                     : 'bg-red-50 dark:bg-red-900/20 text-red-700 dark:text-red-300 border border
-red-100 dark:border-red-900/30'
204 |                 }`}
205 |             >
206 |                 {securityMsg.text}
207 |             </div>
208 |         )}
209 |
210 |         <form className="grid grid-cols-1 md:grid-cols-2 gap-4 sm:gap-6" onSubmit={handlePas
swordUpdate}>

```

```

211 |
212 |         <div className="space-y-2">
213 |             <label className="text-xs font-black uppercase tracking-widest text-slate-400 ml
-1">
214 |                 Current Password
215 |             </label>
216 |             <input
217 |                 type="password"
218 |                 required
219 |                 className="w-full bg-slate-50 dark:bg-slate-950 text-slate-900 dark:text-white
border border-transparent dark:border-slate-800 rounded-2xl px-4 py-3 focus:ring-2 ring-red-500 ou
tline-none transition"
220 |                 value={securityForm.currentPassword}
221 |                 onChange={e => setSecurityForm({ ...securityForm, currentPassword: e.target.va
lue })}
222 |             />
223 |         </div>
224 |
225 |         <div className="space-y-2">
226 |             <label className="text-xs font-black uppercase tracking-widest text-slate-400 ml
-1">
227 |                 New Password
228 |             </label>
229 |             <input
230 |                 type="password"
231 |                 required
232 |                 className="w-full bg-slate-50 dark:bg-slate-950 text-slate-900 dark:text-white
border border-transparent dark:border-slate-800 rounded-2xl px-4 py-3 focus:ring-2 ring-brand-500
outline-none transition"
233 |                 value={securityForm.newPassword}
234 |                 onChange={e => setSecurityForm({ ...securityForm, newPassword: e.target.value
})}
235 |             />
236 |         </div>
237 |
238 |         <div className="md:col-span-2 flex justify-end pt-2">
239 |             <button className="w-full sm:w-auto bg-slate-900 dark:bg-white dark:text-slate-9
00 text-white px-6 sm:px-8 py-3 rounded-2xl font-bold hover:opacity-80 active:scale-95 transition"
>
240 |                 Update Password
241 |             </button>
242 |         </div>
243 |     </form>
244 | </section>
245 | </div>
246 | );
247 | }

```


File: Signup.jsx

Path: frontend/src/pages/Signup.jsx

```
1 | import { useState } from "react";
2 | import { Link, useNavigate } from "react-router-dom";
3 | import api from "../api/client.js";
4 |
5 | export default function Signup() {
6 |   const navigate = useNavigate();
7 |
8 |   const [form, setForm] = useState({
9 |     username: "",
10 |    firstName: "",
11 |    lastName: "",
12 |    email: "",
13 |    rollNumber: "", // 1. Added rollNumber to state
14 |    role: "student",
15 |    password: "",
16 |  });
17 |
18 |   const [error, setError] = useState("");
19 |   const [loading, setLoading] = useState(false);
20 |
21 |   const onChange = (k) => (e) =>
22 |     setForm((f) => ({ ...f, [k]: e.target.value }));
23 |
24 |   const submit = async (e) => {
25 |     e.preventDefault();
26 |     setError("");
27 |     setLoading(true);
28 |     try {
29 |       // This sends the entire form object, including rollNumber, to your API
30 |       await api.post("/auth/register", form);
31 |
32 |       navigate("/login", {
33 |         replace: true,
34 |         state: { message: "Account created successfully! Please sign in." },
35 |       });
36 |     } catch (err) {
37 |       setError(err?.response?.data?.message || err.message || "Signup failed.");
38 |     } finally {
39 |       setLoading(false);
40 |     }
41 |   };
42 |
43 |   return (
44 |     <div className="min-h-screen flex items-center justify-center bg-slate-100 px-4 py-10">
45 |       <div className="w-full max-w-md bg-white rounded-2xl shadow-xl p-6 sm:p-8">
46 |         <div className="text-center mb-6">
47 |           
52 |           <h1 className="text-2xl font-black text-slate-900">Attender</h1>
53 |           <p className="text-sm text-slate-500">Create your account</p>
54 |         </div>
55 |
56 |         <form onSubmit={submit} className="space-y-4">
```

```

57 |         <input
58 |             required
59 |             placeholder="Username"
60 |             value={form.username}
61 |             onChange={onChange("username")}
62 |             className="w-full px-4 py-3 rounded-xl border bg-slate-50 focus:outline-none f
ocus:ring-2 focus:ring-indigo-500 text-sm"
63 |         />
64 |
65 |         <div className="grid grid-cols-2 gap-3">
66 |             <input
67 |                 required
68 |                 placeholder="First Name"
69 |                 value={form.firstName}
70 |                 onChange={onChange("firstName")}
71 |                 className="w-full px-4 py-3 rounded-xl border bg-slate-50 focus:outline-none
focus:ring-2 focus:ring-indigo-500 text-sm"
72 |             />
73 |             <input
74 |                 required
75 |                 placeholder="Last Name"
76 |                 value={form.lastName}
77 |                 onChange={onChange("lastName")}
78 |                 className="w-full px-4 py-3 rounded-xl border bg-slate-50 focus:outline-none
focus:ring-2 focus:ring-indigo-500 text-sm"
79 |             />
80 |         </div>
81 |
82 |         <input
83 |             required
84 |             type="email"
85 |             placeholder="Email"
86 |             value={form.email}
87 |             onChange={onChange("email")}
88 |             className="w-full px-4 py-3 rounded-xl border bg-slate-50 focus:outline-none f
ocus:ring-2 focus:ring-indigo-500 text-sm"
89 |         />
90 |
91 |         <select
92 |             value={form.role}
93 |             onChange={onChange("role")}
94 |             className="w-full px-4 py-3 rounded-xl border bg-slate-50 focus:outline-none f
ocus:ring-2 focus:ring-indigo-500 text-sm"
95 |         >
96 |             <option value="student">Student</option>
97 |             <option value="teacher">Teacher</option>
98 |         </select>
99 |
100 |         {form.role === "student" && (
101 |             <input
102 |                 required
103 |                 placeholder="Roll Number"
104 |                 value={form.rollNumber}
105 |                 onChange={onChange("rollNumber")}
106 |                 className="w-full px-4 py-3 rounded-xl border bg-slate-50 focus:outline-none
focus:ring-2 focus:ring-indigo-500 text-sm"
107 |             />
108 |         )}
109 |
110 |         <input
111 |             required

```

```

112 |         type="password"
113 |         placeholder="Password (min 6 characters)"
114 |         value={form.password}
115 |         onChange={onChange("password")}
116 |         className="w-full px-4 py-3 rounded-xl border bg-slate-50 focus:outline-none f
ocus:ring-2 focus:ring-indigo-500 text-sm"
117 |     />
118 |
119 |     {error && (
120 |         <p className="text-xs text-red-600 font-semibold text-center">
121 |             {error}
122 |         </p>
123 |     )}
124 |
125 |     <button
126 |         type="submit"
127 |         disabled={loading}
128 |         className="w-full py-3 rounded-xl bg-indigo-600 text-white font-bold hover:bg-
indigo-700 transition active:scale-95"
129 |         >
130 |             {loading ? "Creating account..." : "Sign Up"}
131 |         </button>
132 |     </form>
133 |
134 |     <p className="mt-6 text-center text-sm text-slate-600">
135 |         Already have an account?{" "}
136 |         <Link to="/login" className="text-indigo-600 font-semibold">
137 |             Sign In
138 |         </Link>
139 |     </p>
140 | </div>
141 | </div>
142 | );
143 | }

```

File: tailwind.config.js

Path: frontend/tailwind.config.js

```
1 | /** @type {import('tailwindcss').Config} */
2 | export default {
3 |   darkMode: 'class',
4 |   content: ['./index.html', './src/**/*.{js,jsx}'],
5 |   theme: {
6 |     extend: {
7 |       colors: {
8 |         brand: {
9 |           50: '#eef2ff',
10 |          100: '#e0e7ff',
11 |          500: '#6366f1',
12 |          600: '#4f46e5',
13 |          700: '#4338ca',
14 |          900: '#2d2a6e',
15 |        },
16 |      },
17 |    },
18 |  },
19 |   plugins: [],
20 | };
```

File: vite.config.js

Path: frontend/vite.config.js

```
1 | // vite.config.js
2 | import { defineConfig } from 'vite'
3 | import react from '@vitejs/plugin-react'
4 |
5 | export default defineConfig({
6 |   plugins: [react()],
7 |   server: {
8 |     host: true, // This is same as --host
9 |     port: 5173,
10 |    strictPort: true,
11 |    proxy: {
12 |      // REST API -> backend
13 |      '/api': {
14 |        target: 'http://localhost:5000',
15 |        changeOrigin: true,
16 |        secure: false,
17 |      },
18 |      // Uploaded files -> backend static folder
19 |      '/uploads': {
20 |        target: 'http://localhost:5000',
21 |        changeOrigin: true,
22 |        secure: false,
23 |      },
24 |      // Socket.IO (websocket + polling) -> backend
25 |      '/socket.io': {
26 |        target: 'http://localhost:5000',
27 |        ws: true,
28 |        changeOrigin: true,
29 |        secure: false,
30 |      },
31 |    },
32 |    allowedHosts: [
33 |      'prance-captivate-bling.ngrok-free.dev'
34 |    ]
35 |  }
36 | })
```

File: package-lock.json

Path: package-lock.json

```
-----
 1 | {
 2 |   "name": "pro",
 3 |   "lockfileVersion": 3,
 4 |   "requires": true,
 5 |   "packages": {
 6 |     "": {
 7 |       "dependencies": {
 8 |         "cors": "^2.8.6",
 9 |         "dotenv": "^17.4.2",
10 |         "lucide-react": "^1.8.0",
11 |         "nodemailer": "^8.0.6"
12 |       },
13 |       "devDependencies": {
14 |         "@vitejs/plugin-basic-ssl": "^2.3.0"
15 |       }
16 |     },
17 |     "node_modules/@emnapi/wasi-threads": {
18 |       "version": "1.2.1",
19 |       "resolved": "https://registry.npmjs.org/@emnapi/wasi-threads/-/wasi-threads-1.2.1.tgz",
20 |       "integrity": "sha512-uTII70YF+/Mes/MrcIOYp5y0tSMLBWSIoLPpcgwipoiKbli6k322tcoFsxoIIxPDqW01SQGAgko4EzZi2BNv2w==",
21 |       "dev": true,
22 |       "license": "MIT",
23 |       "optional": true,
24 |       "dependencies": {
25 |         "tslib": "^2.4.0"
26 |       }
27 |     },
28 |     "node_modules/@napi-rs/wasm-runtime": {
29 |       "version": "1.1.4",
30 |       "resolved": "https://registry.npmjs.org/@napi-rs/wasm-runtime/-/wasm-runtime-1.1.4.tgz",
31 |       "integrity": "sha512-3NQNNgA1YsLJb/kMH1ildASP9HW7/7kYnRI2szWJaofaS1hWmbGI4H+d3+22aGzXXN9IJ+n+GiFVcGipJP18ow==",
32 |       "dev": true,
33 |       "license": "MIT",
34 |       "optional": true,
35 |       "dependencies": {
36 |         "@tybys/wasm-util": "^0.10.1"
37 |       },
38 |       "funding": {
39 |         "type": "github",
40 |         "url": "https://github.com/sponsors/Brooooooklyn"
41 |       },
42 |       "peerDependencies": {
43 |         "@emnapi/core": "^1.7.1",
44 |         "@emnapi/runtime": "^1.7.1"
45 |       }
46 |     },
47 |     "node_modules/@oxc-project/types": {
48 |       "version": "0.124.0",
49 |       "resolved": "https://registry.npmjs.org/@oxc-project/types/-/types-0.124.0.tgz",
50 |       "integrity": "sha512-VBFWMTBvHxS11Z5Lv1r3IWgrwhMTXV+Md+EQF0Xf60+wAdsGFTBx7X7K/hP4pi8N7dcm1RvcHwDxZ16Qx8keUg==",
51 |       "dev": true,
52 |       "license": "MIT",
```

```

53 |         "funding": {
54 |             "url": "https://github.com/sponsors/Boshen"
55 |         }
56 |     },
57 |     "node_modules/@rolldown/binding-android-arm64": {
58 |         "version": "1.0.0-rc.15",
59 |         "resolved": "https://registry.npmjs.org/@rolldown/binding-android-arm64/-/binding-an
droid-arm64-1.0.0-rc.15.tgz",
60 |         "integrity": "sha512-YYe6aWruPZDtHNPwu7+qAHEmbQ/yRl6atqb/AhznLTnD3UY99Q1jE7ihLSahNwk
F4EqRPVC4SiR400UkLK02tA==",
61 |         "cpu": [
62 |             "arm64"
63 |         ],
64 |         "dev": true,
65 |         "license": "MIT",
66 |         "optional": true,
67 |         "os": [
68 |             "android"
69 |         ],
70 |         "engines": {
71 |             "node": "^20.19.0 || >=22.12.0"
72 |         }
73 |     },
74 |     "node_modules/@rolldown/binding-darwin-arm64": {
75 |         "version": "1.0.0-rc.15",
76 |         "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-arm64/-/binding-dar
win-arm64-1.0.0-rc.15.tgz",
77 |         "integrity": "sha512-oArR/ig8wNTPYSXL+Mzhs0oxhxfuHRfG7IkW7jXsw8mY0tk71W00kF2VEVh699p
dmzjPQsTjld1JI0oHkLP1Fg==",
78 |         "cpu": [
79 |             "arm64"
80 |         ],
81 |         "dev": true,
82 |         "license": "MIT",
83 |         "optional": true,
84 |         "os": [
85 |             "darwin"
86 |         ],
87 |         "engines": {
88 |             "node": "^20.19.0 || >=22.12.0"
89 |         }
90 |     },
91 |     "node_modules/@rolldown/binding-darwin-x64": {
92 |         "version": "1.0.0-rc.15",
93 |         "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-x64/-/binding-darwi
n-x64-1.0.0-rc.15.tgz",
94 |         "integrity": "sha512-YzeVq0qjPYvUbjSWJ4EDL8ahbmsIXQpgL3JVipmN+MX0XnXMeWomLN3Fb+nwCmP
/jfyqte5I3XRSm70fQrbyxw==",
95 |         "cpu": [
96 |             "x64"
97 |         ],
98 |         "dev": true,
99 |         "license": "MIT",
100 |         "optional": true,
101 |         "os": [
102 |             "darwin"
103 |         ],
104 |         "engines": {
105 |             "node": "^20.19.0 || >=22.12.0"
106 |         }
107 |     },

```

```

108 |     "node_modules/@rolldown/binding-freebsd-x64": {
109 |       "version": "1.0.0-rc.15",
110 |       "resolved": "https://registry.npmjs.org/@rolldown/binding-freebsd-x64/-/binding-freebsd-x64-1.0.0-rc.15.tgz",
111 |       "integrity": "sha512-9Erhx956jeQ0nNTyif1+QWAXDRD38ZNjr//bSHrt6wDwB+QkAfl2q6Mn1k60BPeznjRmbM10lgRb1Pli4xZPw==",
112 |       "cpu": [
113 |         "x64"
114 |       ],
115 |       "dev": true,
116 |       "license": "MIT",
117 |       "optional": true,
118 |       "os": [
119 |         "freebsd"
120 |       ],
121 |       "engines": {
122 |         "node": "^20.19.0 || >=22.12.0"
123 |       }
124 |     },
125 |     "node_modules/@rolldown/binding-linux-arm-gnueabihf": {
126 |       "version": "1.0.0-rc.15",
127 |       "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm-gnueabihf/-/binding-linux-arm-gnueabihf-1.0.0-rc.15.tgz",
128 |       "integrity": "sha512-cVwK0w8QbZJGTnP/AHQBs5yNwmpgGYStL88t4UIaqcvYJWBfS0s3oqVLZPwsPU6M0zlw4GqjP0Zq5MnAGwFeGA==",
129 |       "cpu": [
130 |         "arm"
131 |       ],
132 |       "dev": true,
133 |       "license": "MIT",
134 |       "optional": true,
135 |       "os": [
136 |         "linux"
137 |       ],
138 |       "engines": {
139 |         "node": "^20.19.0 || >=22.12.0"
140 |       }
141 |     },
142 |     "node_modules/@rolldown/binding-linux-arm64-gnu": {
143 |       "version": "1.0.0-rc.15",
144 |       "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm64-gnu/-/binding-linux-arm64-gnu-1.0.0-rc.15.tgz",
145 |       "integrity": "sha512-eBZ/u8iAK9SoHGanqe/jrPnY0JvBN6iXbV0sb038mbz+ZJsaobExAm1Iu+rx4S1l2FjG0qEZn4Rc6X8n+9M+w==",
146 |       "cpu": [
147 |         "arm64"
148 |       ],
149 |       "dev": true,
150 |       "license": "MIT",
151 |       "optional": true,
152 |       "os": [
153 |         "linux"
154 |       ],
155 |       "engines": {
156 |         "node": "^20.19.0 || >=22.12.0"
157 |       }
158 |     },
159 |     "node_modules/@rolldown/binding-linux-arm64-musl": {
160 |       "version": "1.0.0-rc.15",
161 |       "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm64-musl/-/binding-linux-arm64-musl-1.0.0-rc.15.tgz",

```



```

162 |         "integrity": "sha512-ZvRYMGrAkLV9PEkgt4LQM6MjQX2P58HPAuecwY0bY2DhS2t35R0I810bKi0wmaY
ORt6m/2Sm+Z+nFgb0WhXNcQ==",
163 |         "cpu": [
164 |             "arm64"
165 |         ],
166 |         "dev": true,
167 |         "license": "MIT",
168 |         "optional": true,
169 |         "os": [
170 |             "linux"
171 |         ],
172 |         "engines": {
173 |             "node": "^20.19.0 || >=22.12.0"
174 |         }
175 |     },
176 |     "node_modules/@rolldown/binding-linux-ppc64-gnu": {
177 |         "version": "1.0.0-rc.15",
178 |         "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-ppc64-gnu/-/binding-
linux-ppc64-gnu-1.0.0-rc.15.tgz",
179 |         "integrity": "sha512-VDpgGBzgfg5hLg+uBpCLOFG5kVvEyafmfXGUV0UHLcL5irxAk7PKNeC2MwClgk6
ZAIhmo9FLhRYgvMmedLtnQ==",
180 |         "cpu": [
181 |             "ppc64"
182 |         ],
183 |         "dev": true,
184 |         "license": "MIT",
185 |         "optional": true,
186 |         "os": [
187 |             "linux"
188 |         ],
189 |         "engines": {
190 |             "node": "^20.19.0 || >=22.12.0"
191 |         }
192 |     },
193 |     "node_modules/@rolldown/binding-linux-s390x-gnu": {
194 |         "version": "1.0.0-rc.15",
195 |         "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-s390x-gnu/-/binding-
linux-s390x-gnu-1.0.0-rc.15.tgz",
196 |         "integrity": "sha512-y1uXY3qQWCzcPgRJATPSOUP4tCemh4uBdY7e3EZbVwCJTY3gLJWnQABgeUetvED
+bt1FQ010eZwvhLS2bpNrAQ==",
197 |         "cpu": [
198 |             "s390x"
199 |         ],
200 |         "dev": true,
201 |         "license": "MIT",
202 |         "optional": true,
203 |         "os": [
204 |             "linux"
205 |         ],
206 |         "engines": {
207 |             "node": "^20.19.0 || >=22.12.0"
208 |         }
209 |     },
210 |     "node_modules/@rolldown/binding-linux-x64-gnu": {
211 |         "version": "1.0.0-rc.15",
212 |         "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-x64-gnu/-/binding-li
nux-x64-gnu-1.0.0-rc.15.tgz",
213 |         "integrity": "sha512-023bTPBod7J3Y/4fzAN6QtPkSABR0rigtrwaP+qSEabUh5zf6ELr9Nc7GujAR0u
PY3uwdSIXWrvhn1Kx0vurWA==",
214 |         "cpu": [
215 |             "x64"

```

```

216 |     ],
217 |     "dev": true,
218 |     "license": "MIT",
219 |     "optional": true,
220 |     "os": [
221 |       "linux"
222 |     ],
223 |     "engines": {
224 |       "node": "^20.19.0 || >=22.12.0"
225 |     }
226 |   },
227 |   "node_modules/@rolldown/binding-linux-x64-musl": {
228 |     "version": "1.0.0-rc.15",
229 |     "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-x64-musl/-/binding-l
linux-x64-musl-1.0.0-rc.15.tgz",
230 |     "integrity": "sha512-witB200/hU4Cgf00KUoeFgQ4GktPi1eEbAhaLAIpGD6+ZnhcPkUtPsoKKHRzmOo
WPZue46IThdSgdo4XneOLYw==",
231 |     "cpu": [
232 |       "x64"
233 |     ],
234 |     "dev": true,
235 |     "license": "MIT",
236 |     "optional": true,
237 |     "os": [
238 |       "linux"
239 |     ],
240 |     "engines": {
241 |       "node": "^20.19.0 || >=22.12.0"
242 |     }
243 |   },
244 |   "node_modules/@rolldown/binding-openharmony-arm64": {
245 |     "version": "1.0.0-rc.15",
246 |     "resolved": "https://registry.npmjs.org/@rolldown/binding-openharmony-arm64/-/bindin
g-openharmony-arm64-1.0.0-rc.15.tgz",
247 |     "integrity": "sha512-UCL68NJ0Ud5zRipXZE9dF5PmirzJE4E4BCI00ssEnM7wLDsxjc6Qb0sGDxTNRTP
53I6MZpygyCpY8Aa8sPfkPg==",
248 |     "cpu": [
249 |       "arm64"
250 |     ],
251 |     "dev": true,
252 |     "license": "MIT",
253 |     "optional": true,
254 |     "os": [
255 |       "openharmony"
256 |     ],
257 |     "engines": {
258 |       "node": "^20.19.0 || >=22.12.0"
259 |     }
260 |   },
261 |   "node_modules/@rolldown/binding-wasm32-wasi": {
262 |     "version": "1.0.0-rc.15",
263 |     "resolved": "https://registry.npmjs.org/@rolldown/binding-wasm32-wasi/-/binding-wasm
32-wasi-1.0.0-rc.15.tgz",
264 |     "integrity": "sha512-ApLruZq/ig+nhaE70Jm4lDjayUnOHVUa77zGeqngZ9pn0ovdVbbNPerVibLXDmW
eUZXjIYIT8V3xkT58Rm9u5Q==",
265 |     "cpu": [
266 |       "wasm32"
267 |     ],
268 |     "dev": true,
269 |     "license": "MIT",
270 |     "optional": true,

```

```

271 |         "dependencies": {
272 |             "@emnapi/core": "1.9.2",
273 |             "@emnapi/runtime": "1.9.2",
274 |             "@napi-rs/wasm-runtime": "^1.1.3"
275 |         },
276 |         "engines": {
277 |             "node": ">=14.0.0"
278 |         }
279 |     },
280 |     "node_modules/@rolldown/binding-wasm32-wasi/node_modules/@emnapi/core": {
281 |         "version": "1.9.2",
282 |         "resolved": "https://registry.npmjs.org/@emnapi/core/-/core-1.9.2.tgz",
283 |         "integrity": "sha512-UC+ZhH3XtczQYf0lu3lNEkdW/p4dsJ1r/bP7H8+rhao3TTTTM01ATq/4DdIi23Xu
GoFY+Cz0JmCbdVl0hz9jZcA==",
284 |         "dev": true,
285 |         "license": "MIT",
286 |         "optional": true,
287 |         "dependencies": {
288 |             "@emnapi/wasi-threads": "1.2.1",
289 |             "tslib": "^2.4.0"
290 |         }
291 |     },
292 |     "node_modules/@rolldown/binding-wasm32-wasi/node_modules/@emnapi/runtime": {
293 |         "version": "1.9.2",
294 |         "resolved": "https://registry.npmjs.org/@emnapi/runtime/-/runtime-1.9.2.tgz",
295 |         "integrity": "sha512-3U4+MIWHImeyu1wnmVygh5WlglfYDtyf0k8AbLhMFx0ipihf6nrWC4syIm/SwEee
c0mNSafiiNnMJwbza/Is6Lw==",
296 |         "dev": true,
297 |         "license": "MIT",
298 |         "optional": true,
299 |         "dependencies": {
300 |             "tslib": "^2.4.0"
301 |         }
302 |     },
303 |     "node_modules/@rolldown/binding-win32-arm64-msvc": {
304 |         "version": "1.0.0-rc.15",
305 |         "resolved": "https://registry.npmjs.org/@rolldown/binding-win32-arm64-msvc/-/binding
-win32-arm64-msvc-1.0.0-rc.15.tgz",
306 |         "integrity": "sha512-KmoUoU7HnN+Si5YWJigfTws1jz1bKBYDQKdbLspz0UaqjjFkddHsqorgiW1mxCA
j88lYUE6NC/zJNwT+SloqtA==",
307 |         "cpu": [
308 |             "arm64"
309 |         ],
310 |         "dev": true,
311 |         "license": "MIT",
312 |         "optional": true,
313 |         "os": [
314 |             "win32"
315 |         ],
316 |         "engines": {
317 |             "node": "^20.19.0 || >=22.12.0"
318 |         }
319 |     },
320 |     "node_modules/@rolldown/binding-win32-x64-msvc": {
321 |         "version": "1.0.0-rc.15",
322 |         "resolved": "https://registry.npmjs.org/@rolldown/binding-win32-x64-msvc/-/binding-w
in32-x64-msvc-1.0.0-rc.15.tgz",
323 |         "integrity": "sha512-3P2A8L+x75qavWLe/Dll3EYBJLQmtkJN8rfh+U/eR3MqMgL/h98PhYI+JFFXuDP
gPeCB7iZAKiqii5vq0vnA0g==",
324 |         "cpu": [
325 |             "x64"

```

```

326 |     ],
327 |     "dev": true,
328 |     "license": "MIT",
329 |     "optional": true,
330 |     "os": [
331 |       "win32"
332 |     ],
333 |     "engines": {
334 |       "node": "^20.19.0 || >=22.12.0"
335 |     }
336 |   },
337 |   "node_modules/@rolldown/pluginutils": {
338 |     "version": "1.0.0-rc.15",
339 |     "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.0-rc
.15.tgz",
340 |     "integrity": "sha512-UromN0peaE53IaBRe9W7CjrZgXl90fqGpK+mIZbA3qSTeYqg3ppqROBdIPvOG3F
SereDHNwoHBI2e50n1BDrlg==",
341 |     "dev": true,
342 |     "license": "MIT"
343 |   },
344 |   "node_modules/@tybys/wasm-util": {
345 |     "version": "0.10.1",
346 |     "resolved": "https://registry.npmjs.org/@tybys/wasm-util/-/wasm-util-0.10.1.tgz",
347 |     "integrity": "sha512-9tTaPJLSiejZKx+Bmog4uSubteqTvFrVrURwkmHixBo0G4seD0zUxp98E1DzUBJ
xLQ3NPwXrGKDiVjwx/DpPsg==",
348 |     "dev": true,
349 |     "license": "MIT",
350 |     "optional": true,
351 |     "dependencies": {
352 |       "tslib": "^2.4.0"
353 |     }
354 |   },
355 |   "node_modules/@vitejs/plugin-basic-ssl": {
356 |     "version": "2.3.0",
357 |     "resolved": "https://registry.npmjs.org/@vitejs/plugin-basic-ssl/-/plugin-basic-ssl-
2.3.0.tgz",
358 |     "integrity": "sha512-bdyo8rB3NnQbikdMpHaML9Z10ZPBu6fF0Bo+0txsBlvMjtysWskmBcnbIDhUqgC
8tcxNv/a+BcV5U+2nQMm10Q==",
359 |     "dev": true,
360 |     "license": "MIT",
361 |     "engines": {
362 |       "node": "^18.0.0 || ^20.0.0 || >=22.0.0"
363 |     },
364 |     "peerDependencies": {
365 |       "vite": "^6.0.0 || ^7.0.0 || ^8.0.0"
366 |     }
367 |   },
368 |   "node_modules/cors": {
369 |     "version": "2.8.6",
370 |     "resolved": "https://registry.npmjs.org/cors/-/cors-2.8.6.tgz",
371 |     "integrity": "sha512-tJtZBBHA6vjIAaF6EnIaq6laBBP9aq/Y3ouVJjEfoHbRBCHBAHYcMh/w8LDrk2P
vIMMq8gmopa5D4V8RmbrxGw==",
372 |     "license": "MIT",
373 |     "dependencies": {
374 |       "object-assign": "^4",
375 |       "vary": "^1"
376 |     },
377 |     "engines": {
378 |       "node": ">= 0.10"
379 |     },
380 |     "funding": {

```

```

381 |         "type": "opencollective",
382 |         "url": "https://opencollective.com/express"
383 |     }
384 | },
385 |     "node_modules/detect-libc": {
386 |         "version": "2.1.2",
387 |         "resolved": "https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.2.tgz",
388 |         "integrity": "sha512-Btj2B00083o3WyH59e8MgXsxEQVcarkUOpEYrubB0urwnN10yQ364rsiByU11nZ
lqWYZm05i/of7io4mzihBtQ==",
389 |         "dev": true,
390 |         "license": "Apache-2.0",
391 |         "engines": {
392 |             "node": ">=8"
393 |         }
394 |     },
395 |     "node_modules/dotenv": {
396 |         "version": "17.4.2",
397 |         "resolved": "https://registry.npmjs.org/dotenv/-/dotenv-17.4.2.tgz",
398 |         "integrity": "sha512-nI4U3TottKAcAD9LLud4Cb7b2QztQMUEfHbvHhTH09bqXTxnSie8WnjPALV/WMCr
JZ6UV/qHJ6L030q03LcdYZw==",
399 |         "license": "BSD-2-Clause",
400 |         "engines": {
401 |             "node": ">=12"
402 |         },
403 |         "funding": {
404 |             "url": "https://dotenvx.com"
405 |         }
406 |     },
407 |     "node_modules/fdir": {
408 |         "version": "6.5.0",
409 |         "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
410 |         "integrity": "sha512-tIbYtZbuc0s0BRGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwj
W0nwrKYBiwAmM0p4kLJAnXg==",
411 |         "dev": true,
412 |         "license": "MIT",
413 |         "engines": {
414 |             "node": ">=12.0.0"
415 |         },
416 |         "peerDependencies": {
417 |             "picomatch": "^3 || ^4"
418 |         },
419 |         "peerDependenciesMeta": {
420 |             "picomatch": {
421 |                 "optional": true
422 |             }
423 |         }
424 |     },
425 |     "node_modules/fsevents": {
426 |         "version": "2.3.3",
427 |         "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
428 |         "integrity": "sha512-5xoDfX+fL7faATnagmWPPbFtwh/R77WmMMqHGS65C3vvB0YHrgF+B1YmZ3441t
Mj5n63k0212XNoJwzlhffQw==",
429 |         "dev": true,
430 |         "hasInstallScript": true,
431 |         "license": "MIT",
432 |         "optional": true,
433 |         "os": [
434 |             "darwin"
435 |         ],
436 |         "engines": {
437 |             "node": "^8.16.0 || ^10.6.0 || >=11.0.0"

```

```

438 |     }
439 | },
440 | "node_modules/lightningcss": {
441 |     "version": "1.32.0",
442 |     "resolved": "https://registry.npmjs.org/lightningcss/-/lightningcss-1.32.0.tgz",
443 |     "integrity": "sha512-NXYBzinNrblfraPGyrbPoD19C1h9lfI/1mzgWYvXUTE414Gz/X1FD2XBZSZM7rR
TrMA8JL30tAaGifrIKhQ5yQ==",
444 |     "dev": true,
445 |     "license": "MPL-2.0",
446 |     "dependencies": {
447 |         "detect-libc": "^2.0.3"
448 |     },
449 |     "engines": {
450 |         "node": ">= 12.0.0"
451 |     },
452 |     "funding": {
453 |         "type": "opencollective",
454 |         "url": "https://opencollective.com/parcel"
455 |     },
456 |     "optionalDependencies": {
457 |         "lightningcss-android-arm64": "1.32.0",
458 |         "lightningcss-darwin-arm64": "1.32.0",
459 |         "lightningcss-darwin-x64": "1.32.0",
460 |         "lightningcss-freebsd-x64": "1.32.0",
461 |         "lightningcss-linux-arm-gnueabi-hf": "1.32.0",
462 |         "lightningcss-linux-arm64-gnu": "1.32.0",
463 |         "lightningcss-linux-arm64-musl": "1.32.0",
464 |         "lightningcss-linux-x64-gnu": "1.32.0",
465 |         "lightningcss-linux-x64-musl": "1.32.0",
466 |         "lightningcss-win32-arm64-msvc": "1.32.0",
467 |         "lightningcss-win32-x64-msvc": "1.32.0"
468 |     }
469 | },
470 | "node_modules/lightningcss-android-arm64": {
471 |     "version": "1.32.0",
472 |     "resolved": "https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-an
droid-arm64-1.32.0.tgz",
473 |     "integrity": "sha512-YK7/ClTt4kAK0vo6w3X+Pnm0D2cf2vPHbh0XdoNti1Ga0al1P4TBZhwjATvjNwL
EBCnKvjJc2jQgHXH0NEwAg==",
474 |     "cpu": [
475 |         "arm64"
476 |     ],
477 |     "dev": true,
478 |     "license": "MPL-2.0",
479 |     "optional": true,
480 |     "os": [
481 |         "android"
482 |     ],
483 |     "engines": {
484 |         "node": ">= 12.0.0"
485 |     },
486 |     "funding": {
487 |         "type": "opencollective",
488 |         "url": "https://opencollective.com/parcel"
489 |     }
490 | },
491 | "node_modules/lightningcss-darwin-arm64": {
492 |     "version": "1.32.0",
493 |     "resolved": "https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-dar
win-arm64-1.32.0.tgz",
494 |     "integrity": "sha512-RzeG9Ju5bag2Bv1/lwLVJvBE3q6TtXskdZLLCyfg5pt+HLz9BqlIC07LZM7VHNT

```

```

Tn/5PRhHFBsjk5lc4cmScPQ=="
495 |         "cpu": [
496 |             "arm64"
497 |         ],
498 |         "dev": true,
499 |         "license": "MPL-2.0",
500 |         "optional": true,
501 |         "os": [
502 |             "darwin"
503 |         ],
504 |         "engines": {
505 |             "node": ">= 12.0.0"
506 |         },
507 |         "funding": {
508 |             "type": "opencollective",
509 |             "url": "https://opencollective.com/parcel"
510 |         }
511 |     },
512 |     "node_modules/lightningcss-darwin-x64": {
513 |         "version": "1.32.0",
514 |         "resolved": "https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwi
n-x64-1.32.0.tgz",
515 |         "integrity": "sha512-U+QsBp2m/s2wqpUYT/6wnlagdZbtZdndSmut/NJqlCcMLTwp5muCrID+K5UJ6jq
D2BFshejCYXniPDbNh73V8w=="
516 |         "cpu": [
517 |             "x64"
518 |         ],
519 |         "dev": true,
520 |         "license": "MPL-2.0",
521 |         "optional": true,
522 |         "os": [
523 |             "darwin"
524 |         ],
525 |         "engines": {
526 |             "node": ">= 12.0.0"
527 |         },
528 |         "funding": {
529 |             "type": "opencollective",
530 |             "url": "https://opencollective.com/parcel"
531 |         }
532 |     },
533 |     "node_modules/lightningcss-freebsd-x64": {
534 |         "version": "1.32.0",
535 |         "resolved": "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-free
bsd-x64-1.32.0.tgz",
536 |         "integrity": "sha512-JCTigedEksZk3tHTTthnMdVfGf61Fky8Ji2E4YjUTEQX14xiy/lTzXnu1vwiZe3
bYe0q+SpsSH/CTeDXK6WHig=="
537 |         "cpu": [
538 |             "x64"
539 |         ],
540 |         "dev": true,
541 |         "license": "MPL-2.0",
542 |         "optional": true,
543 |         "os": [
544 |             "freebsd"
545 |         ],
546 |         "engines": {
547 |             "node": ">= 12.0.0"
548 |         },
549 |         "funding": {
550 |             "type": "opencollective",

```

```

551 |         "url": "https://opencollective.com/parcel"
552 |     }
553 | },
554 |     "node_modules/lightningcss-linux-arm-gnueabihf": {
555 |         "version": "1.32.0",
556 |         "resolved": "https://registry.npmjs.org/lightningcss-linux-arm-gnueabihf/-/lightning
css-linux-arm-gnueabihf-1.32.0.tgz",
557 |         "integrity": "sha512-x6rnnpRa2GL0zQ0kt6rts3YDPzduLpWvwAF6EMhXFVZXD4tPrBkEFqzGowzCsIW
sPjqSK+tyNEODUBXeeVHskw==",
558 |         "cpu": [
559 |             "arm"
560 |         ],
561 |         "dev": true,
562 |         "license": "MPL-2.0",
563 |         "optional": true,
564 |         "os": [
565 |             "linux"
566 |         ],
567 |         "engines": {
568 |             "node": ">= 12.0.0"
569 |         },
570 |         "funding": {
571 |             "type": "opencollective",
572 |             "url": "https://opencollective.com/parcel"
573 |         }
574 |     },
575 |     "node_modules/lightningcss-linux-arm64-gnu": {
576 |         "version": "1.32.0",
577 |         "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-
linux-arm64-gnu-1.32.0.tgz",
578 |         "integrity": "sha512-0nnMyoyOLRJXfbM0ilaSRcLH3Jw5z9HDNGfT/gwCPgaDjnx0i8w7vBzFLFR1f6C
MLKF8gVbebmKUN3fa/kQJpQ==",
579 |         "cpu": [
580 |             "arm64"
581 |         ],
582 |         "dev": true,
583 |         "license": "MPL-2.0",
584 |         "optional": true,
585 |         "os": [
586 |             "linux"
587 |         ],
588 |         "engines": {
589 |             "node": ">= 12.0.0"
590 |         },
591 |         "funding": {
592 |             "type": "opencollective",
593 |             "url": "https://opencollective.com/parcel"
594 |         }
595 |     },
596 |     "node_modules/lightningcss-linux-arm64-musl": {
597 |         "version": "1.32.0",
598 |         "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss
-linux-arm64-musl-1.32.0.tgz",
599 |         "integrity": "sha512-UpQkoenr4UJEzgVIYpI80lDFvRmPVg6oqboNHfoH4CQIfNA+H0rZ7Mo7KZP02dC
6LjghPQJeBsvXhJod/wNIBg==",
600 |         "cpu": [
601 |             "arm64"
602 |         ],
603 |         "dev": true,
604 |         "license": "MPL-2.0",
605 |         "optional": true,

```



```

606 |         "os": [
607 |             "linux"
608 |         ],
609 |         "engines": {
610 |             "node": ">= 12.0.0"
611 |         },
612 |         "funding": {
613 |             "type": "opencollective",
614 |             "url": "https://opencollective.com/parcel"
615 |         }
616 |     },
617 |     "node_modules/lightningcss-linux-x64-gnu": {
618 |         "version": "1.32.0",
619 |         "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-li
620 |         "integrity": "sha512-V7Qr52IhZmdKPVr+Vtw8o+WLSQJYCTd8loIfpDaMRWGUZfB0YEJeyJIKqGIDMZP
621 |         "cpu": [
622 |             "x64"
623 |         ],
624 |         "dev": true,
625 |         "license": "MPL-2.0",
626 |         "optional": true,
627 |         "os": [
628 |             "linux"
629 |         ],
630 |         "engines": {
631 |             "node": ">= 12.0.0"
632 |         },
633 |         "funding": {
634 |             "type": "opencollective",
635 |             "url": "https://opencollective.com/parcel"
636 |         }
637 |     },
638 |     "node_modules/lightningcss-linux-x64-musl": {
639 |         "version": "1.32.0",
640 |         "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-l
641 |         "integrity": "sha512-bYcLp+Vb0awsIXg/80uCRezCYHNg1/l3mt0gzHnWV9XP1W5sKa5/TCdGwaR/zBM
642 |         "cpu": [
643 |             "x64"
644 |         ],
645 |         "dev": true,
646 |         "license": "MPL-2.0",
647 |         "optional": true,
648 |         "os": [
649 |             "linux"
650 |         ],
651 |         "engines": {
652 |             "node": ">= 12.0.0"
653 |         },
654 |         "funding": {
655 |             "type": "opencollective",
656 |             "url": "https://opencollective.com/parcel"
657 |         }
658 |     },
659 |     "node_modules/lightningcss-win32-arm64-msvc": {
660 |         "version": "1.32.0",
661 |         "resolved": "https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss

```

```

662 |         "integrity": "sha512-8SbC8BR40pS6baCM8sbtYDSwEVQd4JlFT0laD3gWGHfThTcABnNDBda6eTZeqbo
falIJhFx0qKzgHJmcPTnGdw==",
663 |         "cpu": [
664 |             "arm64"
665 |         ],
666 |         "dev": true,
667 |         "license": "MPL-2.0",
668 |         "optional": true,
669 |         "os": [
670 |             "win32"
671 |         ],
672 |         "engines": {
673 |             "node": ">= 12.0.0"
674 |         },
675 |         "funding": {
676 |             "type": "opencollective",
677 |             "url": "https://opencollective.com/parcel"
678 |         }
679 |     },
680 |     "node_modules/lightningcss-win32-x64-msvc": {
681 |         "version": "1.32.0",
682 |         "resolved": "https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-w
in32-x64-msvc-1.32.0.tgz",
683 |         "integrity": "sha512-Amq9B/SoZYdDi1kFrojnoqPLxYhQ4Wo5XiL8EVJrVsB8ARoC1PWW6VGtT0WKCem
jy8aC+louJnjs7U18x3b06Q==",
684 |         "cpu": [
685 |             "x64"
686 |         ],
687 |         "dev": true,
688 |         "license": "MPL-2.0",
689 |         "optional": true,
690 |         "os": [
691 |             "win32"
692 |         ],
693 |         "engines": {
694 |             "node": ">= 12.0.0"
695 |         },
696 |         "funding": {
697 |             "type": "opencollective",
698 |             "url": "https://opencollective.com/parcel"
699 |         }
700 |     },
701 |     "node_modules/lucide-react": {
702 |         "version": "1.8.0",
703 |         "resolved": "https://registry.npmjs.org/lucide-react/-/lucide-react-1.8.0.tgz",
704 |         "integrity": "sha512-WuvlsjngSk7TnTBJ1hscY3ql9V9V0dcPkd3PKcSmM34vJD8KG6molxz7m7zbYFg
ICwsanQWmJ13JlYs4Zp7Arw==",
705 |         "license": "ISC",
706 |         "peerDependencies": {
707 |             "react": "^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0"
708 |         }
709 |     },
710 |     "node_modules/nanoid": {
711 |         "version": "3.3.11",
712 |         "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.11.tgz",
713 |         "integrity": "sha512-N8SpfPUUnUp1bK+PMYW8qSWdl9U+wwNWI4QKx0YDy9JJAro3WMX7p20eVRF9v+347
pnakNevPmiHhNmZ2HbFA76w==",
714 |         "dev": true,
715 |         "funding": [
716 |             {
717 |                 "type": "github",

```

```

718 |         "url": "https://github.com/sponsors/ai"
719 |     }
720 | ],
721 |     "license": "MIT",
722 |     "bin": {
723 |         "nanoid": "bin/nanoid.cjs"
724 |     },
725 |     "engines": {
726 |         "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
727 |     }
728 | },
729 |     "node_modules/nodemailer": {
730 |         "version": "8.0.6",
731 |         "resolved": "https://registry.npmjs.org/nodemailer/-/nodemailer-8.0.6.tgz",
732 |         "integrity": "sha512-Nm2XeuDwwy2wi5A+8jPwwQwNzcjNjhWdE3pVLoXEusxJqCnAPAgNBGkSmiLknbn
Wu0F9qraRpYZjfxqtKZ4tPw==",
733 |         "license": "MIT-0",
734 |         "engines": {
735 |             "node": ">=6.0.0"
736 |         }
737 |     },
738 |     "node_modules/object-assign": {
739 |         "version": "4.1.1",
740 |         "resolved": "https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz",
741 |         "integrity": "sha512-rJgTQnkUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JND0XfkLElb
LJSnc3FUQHVe4cU5hj+BcUg==",
742 |         "license": "MIT",
743 |         "engines": {
744 |             "node": ">=0.10.0"
745 |         }
746 |     },
747 |     "node_modules/picocolors": {
748 |         "version": "1.1.1",
749 |         "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
750 |         "integrity": "sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/L
cu0X8KEyMceP2ntpaHrDEVA==",
751 |         "dev": true,
752 |         "license": "ISC"
753 |     },
754 |     "node_modules/picomatch": {
755 |         "version": "4.0.4",
756 |         "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",
757 |         "integrity": "sha512-qp88BAKvMam/3NxH6vj2021R6MjxZUAd6nlwAS/pnGvN9IVLocLHxGYIzFhg6FU
Q+5th6P4dv4ew9jX3DSIj7A==",
758 |         "dev": true,
759 |         "license": "MIT",
760 |         "peer": true,
761 |         "engines": {
762 |             "node": ">=12"
763 |         },
764 |         "funding": {
765 |             "url": "https://github.com/sponsors/jonschlinkert"
766 |         }
767 |     },
768 |     "node_modules/postcss": {
769 |         "version": "8.5.10",
770 |         "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.10.tgz",
771 |         "integrity": "sha512-pMMHxB0ZKFU6HgAZ4eyGnwXF/EvPGGqUr0MnZ5+99485wwW41kW91A4LOGxSHhg
ugZmSchL5AlElNdwlNgcNLQ==",
772 |         "dev": true,
773 |         "funding": [

```

```

774 |     {
775 |       "type": "opencollective",
776 |       "url": "https://opencollective.com/postcss/"
777 |     },
778 |     {
779 |       "type": "tidelift",
780 |       "url": "https://tidelift.com/funding/github/npm/postcss"
781 |     },
782 |     {
783 |       "type": "github",
784 |       "url": "https://github.com/sponsors/ai"
785 |     }
786 |   ],
787 |   "license": "MIT",
788 |   "dependencies": {
789 |     "nanoid": "^3.3.11",
790 |     "picocolors": "^1.1.1",
791 |     "source-map-js": "^1.2.1"
792 |   },
793 |   "engines": {
794 |     "node": "^10 || ^12 || >=14"
795 |   }
796 | },
797 | "node_modules/react": {
798 |   "version": "19.2.5",
799 |   "resolved": "https://registry.npmjs.org/react/-/react-19.2.5.tgz",
800 |   "integrity": "sha512-lLUJLzz1zTUBrskt2pwZgLq59AemifIftw4aB7Jx0qf1HY2FDaGDxgwpAPVzHU1
kdWabH7FauP4i1oEeer2WCA==",
801 |   "license": "MIT",
802 |   "peer": true,
803 |   "engines": {
804 |     "node": ">=0.10.0"
805 |   }
806 | },
807 | "node_modules/rolldown": {
808 |   "version": "1.0.0-rc.15",
809 |   "resolved": "https://registry.npmjs.org/rolldown/-/rolldown-1.0.0-rc.15.tgz",
810 |   "integrity": "sha512-Ff31guA5zT6WjnGp0SXw76X6hzGRk/OQq2hE+1lcDe+lJdHSgnSX6nK3erb0NHY
CbpSj9a9E+uX/0vytZowp2g==",
811 |   "dev": true,
812 |   "license": "MIT",
813 |   "dependencies": {
814 |     "@oxc-project/types": "=0.124.0",
815 |     "@rolldown/pluginutils": "1.0.0-rc.15"
816 |   },
817 |   "bin": {
818 |     "rolldown": "bin/cli.mjs"
819 |   },
820 |   "engines": {
821 |     "node": "^20.19.0 || >=22.12.0"
822 |   },
823 |   "optionalDependencies": {
824 |     "@rolldown/binding-android-arm64": "1.0.0-rc.15",
825 |     "@rolldown/binding-darwin-arm64": "1.0.0-rc.15",
826 |     "@rolldown/binding-darwin-x64": "1.0.0-rc.15",
827 |     "@rolldown/binding-freebsd-x64": "1.0.0-rc.15",
828 |     "@rolldown/binding-linux-arm-gnueabi-hf": "1.0.0-rc.15",
829 |     "@rolldown/binding-linux-arm64-gnu": "1.0.0-rc.15",
830 |     "@rolldown/binding-linux-arm64-musl": "1.0.0-rc.15",
831 |     "@rolldown/binding-linux-ppc64-gnu": "1.0.0-rc.15",
832 |     "@rolldown/binding-linux-s390x-gnu": "1.0.0-rc.15",

```

```

833 |         "@rolldown/binding-linux-x64-gnu": "1.0.0-rc.15",
834 |         "@rolldown/binding-linux-x64-musl": "1.0.0-rc.15",
835 |         "@rolldown/binding-openharmony-arm64": "1.0.0-rc.15",
836 |         "@rolldown/binding-wasm32-wasi": "1.0.0-rc.15",
837 |         "@rolldown/binding-win32-arm64-msvc": "1.0.0-rc.15",
838 |         "@rolldown/binding-win32-x64-msvc": "1.0.0-rc.15"
839 |     }
840 | },
841 |     "node_modules/source-map-js": {
842 |       "version": "1.2.1",
843 |       "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
844 |       "integrity": "sha512-UxWMKkL0wVKb728IUtQPXxfYU+usdybtUrK/8uGE8CQMvrh0pwvzDBWj0QhSL7M
Qc7vIsISBG8VQ8+IDQxpfQA==",
845 |       "dev": true,
846 |       "license": "BSD-3-Clause",
847 |       "engines": {
848 |         "node": ">=0.10.0"
849 |       }
850 |     },
851 |     "node_modules/tinyglobby": {
852 |       "version": "0.2.16",
853 |       "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.16.tgz",
854 |       "integrity": "sha512-pn99VhoACYR8nFHxqix+uvsbXineAasWm5ojXoN8xEwK5Kd3/TrhNn1wByuD52
UxWRLy8pu+kRMniEi6Eq9Zg==",
855 |       "dev": true,
856 |       "license": "MIT",
857 |       "dependencies": {
858 |         "fdir": "^6.5.0",
859 |         "picomatch": "^4.0.4"
860 |       },
861 |       "engines": {
862 |         "node": ">=12.0.0"
863 |       },
864 |       "funding": {
865 |         "url": "https://github.com/sponsors/SuperchupuDev"
866 |       }
867 |     },
868 |     "node_modules/tslib": {
869 |       "version": "2.8.1",
870 |       "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
871 |       "integrity": "sha512-oJFu94HQB+KVduSUQL7wnpmqnfmlsOA/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83M
k0uHPRhtSXKKU99IBazS/2w==",
872 |       "dev": true,
873 |       "license": "0BSD",
874 |       "optional": true
875 |     },
876 |     "node_modules/vary": {
877 |       "version": "1.1.2",
878 |       "resolved": "https://registry.npmjs.org/vary/-/vary-1.1.2.tgz",
879 |       "integrity": "sha512-BNGbWLfd0eUPabhkXUVm0j8uuvREyTh5ovRa/dyow/BqAbZJyC+5fU+IzQ0zmAK
zYqYRAISoRhdQr3eIZ/PXqg==",
880 |       "license": "MIT",
881 |       "engines": {
882 |         "node": ">= 0.8"
883 |       }
884 |     },
885 |     "node_modules/vite": {
886 |       "version": "8.0.8",
887 |       "resolved": "https://registry.npmjs.org/vite/-/vite-8.0.8.tgz",
888 |       "integrity": "sha512-dbuU7/iLVa8KZALJyLOBQ88n0XtNG8vxKuOT4I2mD+Ya70KPceF4IAmDsmU0h1Q
sn5bPrvsY9HJstCRh3hG6Uw==",

```

```
889 |     "dev": true,
890 |     "license": "MIT",
891 |     "peer": true,
892 |     "dependencies": {
893 |       "lightningcss": "^1.32.0",
894 |       "picomatch": "^4.0.4",
895 |       "postcss": "^8.5.8",
896 |       "rolldown": "1.0.0-rc.15",
897 |       "tinyglobby": "^0.2.15"
898 |     },
899 |     "bin": {
900 |       "vite": "bin/vite.js"
901 |     },
902 |     "engines": {
903 |       "node": "^20.19.0 || >=22.12.0"
904 |     },
905 |     "funding": {
906 |       "url": "https://github.com/vitejs/vite?sponsor=1"
907 |     },
908 |     "optionalDependencies": {
909 |       "fsevents": "~2.3.3"
910 |     },
911 |     "peerDependencies": {
912 |       "@types/node": "^20.19.0 || >=22.12.0",
913 |       "@vitejs/devtools": "^0.1.0",
914 |       "esbuild": "^0.27.0 || ^0.28.0",
915 |       "jiti": ">=1.21.0",
916 |       "less": "^4.0.0",
917 |       "sass": "^1.70.0",
918 |       "sass-embedded": "^1.70.0",
919 |       "stylus": ">=0.54.8",
920 |       "sugarss": "^5.0.0",
921 |       "terser": "^5.16.0",
922 |       "tsx": "^4.8.1",
923 |       "yaml": "^2.4.2"
924 |     },
925 |     "peerDependenciesMeta": {
926 |       "@types/node": {
927 |         "optional": true
928 |       },
929 |       "@vitejs/devtools": {
930 |         "optional": true
931 |       },
932 |       "esbuild": {
933 |         "optional": true
934 |       },
935 |       "jiti": {
936 |         "optional": true
937 |       },
938 |       "less": {
939 |         "optional": true
940 |       },
941 |       "sass": {
942 |         "optional": true
943 |       },
944 |       "sass-embedded": {
945 |         "optional": true
946 |       },
947 |       "stylus": {
948 |         "optional": true
949 |       },
```

```
950 |         "sugarss": {
951 |             "optional": true
952 |         },
953 |         "terser": {
954 |             "optional": true
955 |         },
956 |         "tsx": {
957 |             "optional": true
958 |         },
959 |         "yaml": {
960 |             "optional": true
961 |         }
962 |     }
963 | }
964 | }
965 | }
```

File: package.json

Path: package.json

```
1 | {
2 |   "devDependencies": {
3 |     "@vitejs/plugin-basic-ssl": "^2.3.0"
4 |   },
5 |   "dependencies": {
6 |     "cors": "^2.8.6",
7 |     "dotenv": "^17.4.2",
8 |     "lucide-react": "^1.8.0",
9 |     "nodemailer": "^8.0.6"
10 |   }
11 | }
```


File: README.md

Path: README.md

```
-----
1 | # Attender ? Attendance Management System
2 |
3 | Full-stack app: **React (Vite) + Tailwind**, **Node.js (Express)**, **MongoDB (Mongoose)**
, **JWT + bcrypt**.
4 |
5 | ## Prerequisites
6 |
7 | - [Node.js](https://nodejs.org/) 18+
8 | - [MongoDB](https://www.mongodb.com/try/download/community) running locally, or a MongoDB
Atlas URI
9 |
10 | ## 1. Backend setup
11 |
12 | ```bash
13 | cd backend
14 | npm install
15 | ```
16 |
17 | Create environment file (or edit the provided `.env`):
18 |
19 | - Copy `backend/.env.example` to `backend/.env`
20 | - Set `MONGODB_URI`, `JWT_SECRET` (long random string), and `CLIENT_URL=http://localhost:5
173`
21 |
22 | Start API:
23 |
24 | ```bash
25 | npm run dev
26 | ```
27 |
28 | API: `http://localhost:5000`
29 |
30 | ### Sample data
31 |
32 | ```bash
33 | cd backend
34 | npm run seed
35 | ```
36 |
37 | **Test accounts** (password for all: `Password123` ? no special characters; re-run `npm ru
n seed` if logins fail after changing the seed):
38 |
39 | | Username | Role |
40 | |-----|-----|
41 | | `admin` | admin |
42 | | `teacher1` | teacher |
43 | | `student1` | student |
44 | | `student2` | student |
45 |
46 | ## 2. Frontend setup
47 |
48 | ```bash
49 | cd frontend
50 | npm install
51 | npm run dev
52 | ```
53 |
```

```

54 | App: `http://localhost:5173`
55 |
56 | Vite proxies `/api` to the backend in development (`frontend/vite.config.js`).
57 |
58 | ## 3. Troubleshooting login
59 |
60 | 1. **MongoDB must be reachable** ? same URI as in `backend/.env`.
61 | 2. **Seed the database** so known users exist: `npm run seed` in `backend`.
62 | 3. **CORS** ? `CLIENT_URL` in backend must match the frontend origin (default `http://localhost:5173`).
63 | 4. **JWT** ? after login, the UI stores the token in `localStorage` as `attender_token` and sends `Authorization: Bearer ...` on each request.
64 | 5. Use **username** (not email) on the login form unless you change the UI to email.
65 |
66 | ## Project layout (all important files)
67 |
68 | ```
69 | pro/
70 | ??? .gitignore
71 | ??? README.md
72 | ??? docs/
73 | ?   ??? API.md
74 | ??? backend/
75 | ?   ??? .env                ? copy from .env.example (gitignored)
76 | ?   ??? .env.example        ? insert MONGODB_URI, JWT_SECRET, CLIENT_URL, PORT
77 | ?   ??? package.json
78 | ?   ??? scripts/
79 | ?   ?   ??? seed.js         ? sample users + class + attendance
80 | ?   ??? src/
81 | ?       ??? server.js        ? Express entry: CORS, JSON, routes, listen
82 | ?       ??? config/
83 | ?       ?   ??? db.js        ? Mongo connection
84 | ?       ??? models/
85 | ?       ?   ??? User.js
86 | ?       ?   ??? Class.js
87 | ?       ?   ??? Attendance.js
88 | ?       ??? middleware/
89 | ?       ?   ??? auth.js      ? JWT + role checks
90 | ?       ?   ??? validate.js
91 | ?       ?   ??? errorHandler.js
92 | ?       ??? utils/
93 | ?       ?   ??? jwt.js
94 | ?       ??? controllers/
95 | ?       ?   ??? authController.js
96 | ?       ?   ??? userController.js
97 | ?       ?   ??? classController.js
98 | ?       ?   ??? attendanceController.js
99 | ?       ?   ??? reportController.js
100 | ?       ??? routes/
101 | ?         ??? authRoutes.js
102 | ?         ??? userRoutes.js
103 | ?         ??? classRoutes.js
104 | ?         ??? attendanceRoutes.js
105 | ?         ??? reportRoutes.js
106 | ??? frontend/
107 |     ??? index.html
108 |     ??? vite.config.js      ? dev proxy /api ? backend :5000
109 |     ??? tailwind.config.js
110 |     ??? postcss.config.js
111 |     ??? package.json
112 |     ??? src/

```

```
113 |     ??? main.jsx
114 |     ??? index.css
115 |     ??? App.jsx           ? routes; authenticated shell under /app
116 |     ??? api/client.js     ? axios + Bearer token
117 |     ??? context/AuthContext.jsx
118 |     ??? components/
119 |     ?   ??? Layout.jsx
120 |     ?   ??? Sidebar.jsx
121 |     ?   ??? TopBar.jsx
122 |     ?   ??? ProtectedRoute.jsx
123 |     ??? pages/
124 |         ??? Login.jsx
125 |         ??? Signup.jsx
126 |         ??? Dashboard.jsx
127 |         ??? ClassesPage.jsx
128 |         ??? AttendancePage.jsx
129 |         ??? ReportsPage.jsx
130 |         ??? SettingsPage.jsx
131 |         ??? MessagesPage.jsx
132 | ```
133 |
134 | **Where to put secrets:** create `backend/.env` next to `backend/package.json` (see `backe
nd/.env.example`). Never commit real `JWT_SECRET` values.
135 |
136 | ## API documentation
137 |
138 | See [docs/API.md](docs/API.md).
139 |
140 | ## Security notes (production)
141 |
142 | - Rotate `JWT_SECRET` and never commit real secrets.
143 | - Serve over HTTPS; consider httpOnly cookies instead of localStorage for tokens.
144 | - Add rate limiting and audit logging for attendance changes.
```