

# Frontend Code Reference

---

React modes, components, hooks, API clients, and types.

Eurskem AI · Agentic Workflow Platform

Generated 2026-08-24

Code revision 8bd16ca4a2a3

Derived from the live repository

**Source of truth.** Inventories and symbol tables are generated from the current checkout. Narrative explains observed structures and does not replace executable contracts.

## Frontend architecture

The frontend is a React SPA. State is local or context-based rather than centralized in Redux/Zustand. API clients own authentication-aware requests and streaming; modes own server-state loading and presentation; the Builder bridges YAML contracts to React Flow.

| Package / area    | Files | Symbols | Representative responsibility                                          |
|-------------------|-------|---------|------------------------------------------------------------------------|
| ui/src            | 4     | 10      | On a fresh page load the in-memory identity is empty, but the HttpOnly |
| ui/src/api        | 3     | 203     | ---- auth identity (in-memory) ----                                    |
| ui/src/components | 17    | 115     | React/TypeScript module.                                               |
| ui/src/hooks      | 2     | 7       | This effect owns one authenticated SSE fetch/reconnect lifecycle.      |
| ui/src/modes      | 228   | 3754    | React/TypeScript module.                                               |
| ui/src/styles     | 1     | 0       | React/TypeScript module.                                               |
| ui/src/test       | 1     | 0       | vite.config.ts runs vitest without `globals: true`, so React Testing   |

## TypeScript and TSX declarations

| Symbol            | Kind     | Location                                    | Signature / summary   |
|-------------------|----------|---------------------------------------------|-----------------------|
| WORKFLOW_NAME     | const    | ui/e2e/chat-knowledge-multimodal.spec.ts:4  | Frontend declaration. |
| WORKFLOW_PATH     | const    | ui/e2e/chat-knowledge-multimodal.spec.ts:7  | Frontend declaration. |
| DICTATED_QUESTION | const    | ui/e2e/chat-knowledge-multimodal.spec.ts:8  | Frontend declaration. |
| ANSWER            | const    | ui/e2e/chat-knowledge-multimodal.spec.ts:9  | Frontend declaration. |
| IMAGE_KEY         | const    | ui/e2e/chat-knowledge-multimodal.spec.ts:10 | Frontend declaration. |
| MODELS            | const    | ui/e2e/chat-knowledge-multimodal.spec.ts:11 | Frontend declaration. |
| json              | function | ui/e2e/chat-knowledge-multimodal.spec.ts:18 | Frontend declaration. |
| nodeRun           | function | ui/e2e/chat-knowledge-multimodal.spec.ts:23 | Frontend declaration. |
| installSpeech     | function | ui/e2e/chat-knowledge-multimodal.spec.ts:38 | Frontend declaration. |
| Recognition       | class    |                                             |                       |

| Symbol                 | Kind     | Location                                                     | Signature / summary                                                                                       |
|------------------------|----------|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                        |          | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:42</a>  |  Frontend declaration.   |
| <b>Utterance</b>       | class    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:61</a>  |  Frontend declaration.   |
| <b>browserWindow</b>   | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:66</a>  |  Frontend declaration.   |
| <b>installApi</b>      | function | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:83</a>  |  Frontend declaration.   |
| <b>runBodies</b>       | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:86</a>  |  Frontend declaration.   |
| <b>transcript</b>      | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:87</a>  |  Frontend declaration.   |
| <b>conversation</b>    | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:88</a>  |  Frontend declaration.   |
| <b>knowledgeOutput</b> | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:96</a>  |  Frontend declaration.   |
| <b>visualOutput</b>    | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:129</a> |  Frontend declaration.   |
| <b>nodeRuns</b>        | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:138</a> |  Frontend declaration.   |
| <b>nodeTypes</b>       | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:149</a> |  Frontend declaration. |
| <b>request</b>         | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:152</a> |  Frontend declaration. |
| <b>url</b>             | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:153</a> |  Frontend declaration. |
| <b>body</b>            | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:166</a> |  Frontend declaration. |
| <b>existing</b>        | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:167</a> |  Frontend declaration. |
| <b>message</b>         | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:169</a> |  Frontend declaration. |
| <b>body</b>            | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:196</a> |  Frontend declaration. |
| <b>events</b>          | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:202</a> |  Frontend declaration. |
| <b>png</b>             | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:243</a> |  Frontend declaration. |
| <b>workflowYaml</b>    | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:254</a> |  Frontend declaration. |
| <b>state</b>           | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:256</a> |  Frontend declaration. |
| <b>composer</b>        | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:259</a> |  Frontend declaration. |
| <b>userMessage</b>     | const    |                                                              |                                                                                                           |

| Symbol                     | Kind     | Location                                                     | Signature / summary                                                                                       |
|----------------------------|----------|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                            |          | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:264</a> |  Frontend declaration.   |
| <b>assistant</b>           | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:267</a> |  Frontend declaration.   |
| <b>citation</b>            | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:269</a> |  Frontend declaration.   |
| <b>activity</b>            | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:288</a> |  Frontend declaration.   |
| <b>restoredUserMessage</b> | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:314</a> |  Frontend declaration.   |
| <b>restoredAssistant</b>   | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:316</a> |  Frontend declaration.   |
| <b>restoredCitation</b>    | const    | <a href="#">ui/e2e/chat-knowledge-multimodal.spec.ts:318</a> |  Frontend declaration.   |
| <b>ChatRecord</b>          | type     | <a href="#">ui/e2e/chat-stress.spec.ts:2</a>                 |  Frontend declaration.   |
| <b>chatYaml</b>            | const    | <a href="#">ui/e2e/chat-stress.spec.ts:21</a>                |  Frontend declaration.   |
| <b>seededRandom</b>        | function | <a href="#">ui/e2e/chat-stress.spec.ts:59</a>                |  Frontend declaration.   |
| <b>randomChats</b>         | function | <a href="#">ui/e2e/chat-stress.spec.ts:67</a>                |  Frontend declaration. |
| <b>random</b>              | const    | <a href="#">ui/e2e/chat-stress.spec.ts:69</a>                |  Frontend declaration. |
| <b>adjectives</b>          | const    | <a href="#">ui/e2e/chat-stress.spec.ts:70</a>                |  Frontend declaration. |
| <b>nouns</b>               | const    | <a href="#">ui/e2e/chat-stress.spec.ts:71</a>                |  Frontend declaration. |
| <b>outputTypes</b>         | const    | <a href="#">ui/e2e/chat-stress.spec.ts:72</a>                |  Frontend declaration. |
| <b>number</b>              | const    | <a href="#">ui/e2e/chat-stress.spec.ts:74</a>                |  Frontend declaration. |
| <b>adjective</b>           | const    | <a href="#">ui/e2e/chat-stress.spec.ts:75</a>                |  Frontend declaration. |
| <b>noun</b>                | const    | <a href="#">ui/e2e/chat-stress.spec.ts:76</a>                |  Frontend declaration. |
| <b>output</b>              | const    | <a href="#">ui/e2e/chat-stress.spec.ts:77</a>                |  Frontend declaration. |
| <b>status</b>              | const    | <a href="#">ui/e2e/chat-stress.spec.ts:78</a>                |  Frontend declaration. |
| <b>timestamp</b>           | const    | <a href="#">ui/e2e/chat-stress.spec.ts:81</a>                |  Frontend declaration. |
| <b>json</b>                | function | <a href="#">ui/e2e/chat-stress.spec.ts:102</a>               |  Frontend declaration. |
| <b>installChatApi</b>      | function |                                                              |                                                                                                           |

| Symbol                | Kind  | Location                                       | Signature / summary                                                                                       |
|-----------------------|-------|------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                       |       | <a href="#">ui/e2e/chat-stress.spec.ts:106</a> |  Frontend declaration.   |
| <b>runBodies</b>      | const | <a href="#">ui/e2e/chat-stress.spec.ts:110</a> |  Frontend declaration.   |
| <b>requestCounts</b>  | const | <a href="#">ui/e2e/chat-stress.spec.ts:111</a> |  Frontend declaration.   |
| <b>runToChat</b>      | const | <a href="#">ui/e2e/chat-stress.spec.ts:112</a> |  Frontend declaration.   |
| <b>conversations</b>  | const | <a href="#">ui/e2e/chat-stress.spec.ts:113</a> |  Frontend declaration.   |
| <b>request</b>        | const | <a href="#">ui/e2e/chat-stress.spec.ts:116</a> |  Frontend declaration.   |
| <b>url</b>            | const | <a href="#">ui/e2e/chat-stress.spec.ts:117</a> |  Frontend declaration.   |
| <b>id</b>             | const | <a href="#">ui/e2e/chat-stress.spec.ts:131</a> |  Frontend declaration.   |
| <b>id</b>             | const | <a href="#">ui/e2e/chat-stress.spec.ts:136</a> |  Frontend declaration.   |
| <b>id</b>             | const | <a href="#">ui/e2e/chat-stress.spec.ts:141</a> |  Frontend declaration.   |
| <b>chat</b>           | const | <a href="#">ui/e2e/chat-stress.spec.ts:142</a> |  Frontend declaration. |
| <b>body</b>           | const | <a href="#">ui/e2e/chat-stress.spec.ts:146</a> |  Frontend declaration. |
| <b>key</b>            | const | <a href="#">ui/e2e/chat-stress.spec.ts:147</a> |  Frontend declaration. |
| <b>existing</b>       | const | <a href="#">ui/e2e/chat-stress.spec.ts:148</a> |  Frontend declaration. |
| <b>conversationId</b> | const | <a href="#">ui/e2e/chat-stress.spec.ts:162</a> |  Frontend declaration. |
| <b>conversation</b>   | const | <a href="#">ui/e2e/chat-stress.spec.ts:163</a> |  Frontend declaration. |
| <b>body</b>           | const | <a href="#">ui/e2e/chat-stress.spec.ts:165</a> |  Frontend declaration. |
| <b>existing</b>       | const | <a href="#">ui/e2e/chat-stress.spec.ts:166</a> |  Frontend declaration. |
| <b>message</b>        | const | <a href="#">ui/e2e/chat-stress.spec.ts:168</a> |  Frontend declaration. |
| <b>body</b>           | const | <a href="#">ui/e2e/chat-stress.spec.ts:198</a> |  Frontend declaration. |
| <b>runId</b>          | const | <a href="#">ui/e2e/chat-stress.spec.ts:201</a> |  Frontend declaration. |
| <b>runId</b>          | const | <a href="#">ui/e2e/chat-stress.spec.ts:206</a> |  Frontend declaration. |
| <b>runId</b>          | const |                                                |                                                                                                           |

| Symbol                | Kind     | Location                                       | Signature / summary                                                                                       |
|-----------------------|----------|------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                       |          | <a href="#">ui/e2e/chat-stress.spec.ts:214</a> |  Frontend declaration.   |
| <b>chatId</b>         | const    | <a href="#">ui/e2e/chat-stress.spec.ts:215</a> |  Frontend declaration.   |
| <b>runId</b>          | const    | <a href="#">ui/e2e/chat-stress.spec.ts:228</a> |  Frontend declaration.   |
| <b>runtimeErrors</b>  | function | <a href="#">ui/e2e/chat-stress.spec.ts:246</a> |  Frontend declaration.   |
| <b>errors</b>         | const    | <a href="#">ui/e2e/chat-stress.spec.ts:248</a> |  Frontend declaration.   |
| <b>errors</b>         | const    | <a href="#">ui/e2e/chat-stress.spec.ts:257</a> |  Frontend declaration.   |
| <b>state</b>          | const    | <a href="#">ui/e2e/chat-stress.spec.ts:258</a> |  Frontend declaration.   |
| <b>target</b>         | const    | <a href="#">ui/e2e/chat-stress.spec.ts:264</a> |  Frontend declaration.   |
| <b>search</b>         | const    | <a href="#">ui/e2e/chat-stress.spec.ts:266</a> |  Frontend declaration.   |
| <b>errors</b>         | const    | <a href="#">ui/e2e/chat-stress.spec.ts:280</a> |  Frontend declaration.   |
| <b>state</b>          | const    | <a href="#">ui/e2e/chat-stress.spec.ts:281</a> |  Frontend declaration. |
| <b>sampled</b>        | const    | <a href="#">ui/e2e/chat-stress.spec.ts:283</a> |  Frontend declaration. |
| <b>detailRequests</b> | const    | <a href="#">ui/e2e/chat-stress.spec.ts:290</a> |  Frontend declaration. |
| <b>errors</b>         | const    | <a href="#">ui/e2e/chat-stress.spec.ts:299</a> |  Frontend declaration. |
| <b>state</b>          | const    | <a href="#">ui/e2e/chat-stress.spec.ts:300</a> |  Frontend declaration. |
| <b>chat</b>           | const    | <a href="#">ui/e2e/chat-stress.spec.ts:301</a> |  Frontend declaration. |
| <b>composer</b>       | const    | <a href="#">ui/e2e/chat-stress.spec.ts:316</a> |  Frontend declaration. |
| <b>errors</b>         | const    | <a href="#">ui/e2e/chat-stress.spec.ts:335</a> |  Frontend declaration. |
| <b>state</b>          | const    | <a href="#">ui/e2e/chat-stress.spec.ts:336</a> |  Frontend declaration. |
| <b>send</b>           | const    | <a href="#">ui/e2e/chat-stress.spec.ts:339</a> |  Frontend declaration. |
| <b>errors</b>         | const    | <a href="#">ui/e2e/chat-stress.spec.ts:348</a> |  Frontend declaration. |
| <b>state</b>          | const    | <a href="#">ui/e2e/chat-stress.spec.ts:349</a> |  Frontend declaration. |
| <b>chat</b>           | const    |                                                |                                                                                                           |

| Symbol                     | Kind     | Location                                         | Signature / summary                                                                                       |
|----------------------------|----------|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                            |          | <a href="#">ui/e2e/chat-stress.spec.ts:350</a>   |  Frontend declaration.   |
| <b>errors</b>              | const    | <a href="#">ui/e2e/chat-stress.spec.ts:368</a>   |  Frontend declaration.   |
| <b>state</b>               | const    | <a href="#">ui/e2e/chat-stress.spec.ts:369</a>   |  Frontend declaration.   |
| <b>publishTarget</b>       | const    | <a href="#">ui/e2e/chat-stress.spec.ts:371</a>   |  Frontend declaration.   |
| <b>search</b>              | const    | <a href="#">ui/e2e/chat-stress.spec.ts:373</a>   |  Frontend declaration.   |
| <b>errors</b>              | const    | <a href="#">ui/e2e/chat-stress.spec.ts:387</a>   |  Frontend declaration.   |
| <b>state</b>               | const    | <a href="#">ui/e2e/chat-stress.spec.ts:388</a>   |  Frontend declaration.   |
| <b>first</b>               | const    | <a href="#">ui/e2e/chat-stress.spec.ts:389</a>   |  Frontend declaration.   |
| <b>second</b>              | const    | <a href="#">ui/e2e/chat-stress.spec.ts:390</a>   |  Frontend declaration.   |
| <b>OBJECTIVE</b>           | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:2</a>  |  Frontend declaration.   |
| <b>WORKFLOW_ID</b>         | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:5</a>  |  Frontend declaration. |
| <b>SKILL_WORKFLOW_ID</b>   | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:6</a>  |  Frontend declaration. |
| <b>WEB_WORKFLOW_ID</b>     | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:7</a>  |  Frontend declaration. |
| <b>RAG_WORKFLOW_ID</b>     | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:8</a>  |  Frontend declaration. |
| <b>DIAGRAM_WORKFLOW_ID</b> | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:9</a>  |  Frontend declaration. |
| <b>ANSWER</b>              | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:10</a> |  Frontend declaration. |
| <b>AMSTERDAM_ANSWER</b>    | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:11</a> |  Frontend declaration. |
| <b>WEATHER_ANSWER</b>      | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:12</a> |  Frontend declaration. |
| <b>NO_KNOWLEDGE_ANSWER</b> | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:13</a> |  Frontend declaration. |
| <b>UNGROUNDED_ANSWER</b>   | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:14</a> |  Frontend declaration. |
| <b>EXPERIENCES</b>         | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:15</a> |  Frontend declaration. |
| <b>json</b>                | function | <a href="#">ui/e2e/chat-workspace.spec.ts:37</a> |  Frontend declaration. |
| <b>installApi</b>          | function |                                                  |                                                                                                           |

| Symbol                    | Kind  | Location                                          | Signature / summary                                                                                       |
|---------------------------|-------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                           |       | <a href="#">ui/e2e/chat-workspace.spec.ts:42</a>  |  Frontend declaration.   |
| <b>runBodies</b>          | const | <a href="#">ui/e2e/chat-workspace.spec.ts:45</a>  |  Frontend declaration.   |
| <b>retryBodies</b>        | const | <a href="#">ui/e2e/chat-workspace.spec.ts:46</a>  |  Frontend declaration.   |
| <b>resumeBodies</b>       | const | <a href="#">ui/e2e/chat-workspace.spec.ts:47</a>  |  Frontend declaration.   |
| <b>askBodies</b>          | const | <a href="#">ui/e2e/chat-workspace.spec.ts:48</a>  |  Frontend declaration.   |
| <b>prepareBodies</b>      | const | <a href="#">ui/e2e/chat-workspace.spec.ts:49</a>  |  Frontend declaration.   |
| <b>messages</b>           | const | <a href="#">ui/e2e/chat-workspace.spec.ts:50</a>  |  Frontend declaration.   |
| <b>llmYaml</b>            | const | <a href="#">ui/e2e/chat-workspace.spec.ts:51</a>  |  Frontend declaration.   |
| <b>skillYaml</b>          | const | <a href="#">ui/e2e/chat-workspace.spec.ts:81</a>  |  Frontend declaration.   |
| <b>webYaml</b>            | const | <a href="#">ui/e2e/chat-workspace.spec.ts:105</a> |  Frontend declaration.   |
| <b>ragYaml</b>            | const | <a href="#">ui/e2e/chat-workspace.spec.ts:131</a> |  Frontend declaration. |
| <b>diagramYaml</b>        | const | <a href="#">ui/e2e/chat-workspace.spec.ts:168</a> |  Frontend declaration. |
| <b>builderAdapterYaml</b> | const | <a href="#">ui/e2e/chat-workspace.spec.ts:195</a> |  Frontend declaration. |
| <b>workflow</b>           | const | <a href="#">ui/e2e/chat-workspace.spec.ts:236</a> |  Frontend declaration. |
| <b>request</b>            | const | <a href="#">ui/e2e/chat-workspace.spec.ts:248</a> |  Frontend declaration. |
| <b>url</b>                | const | <a href="#">ui/e2e/chat-workspace.spec.ts:249</a> |  Frontend declaration. |
| <b>body</b>               | const | <a href="#">ui/e2e/chat-workspace.spec.ts:303</a> |  Frontend declaration. |
| <b>groundedDiagram</b>    | const | <a href="#">ui/e2e/chat-workspace.spec.ts:304</a> |  Frontend declaration. |
| <b>currentWeather</b>     | const | <a href="#">ui/e2e/chat-workspace.spec.ts:305</a> |  Frontend declaration. |
| <b>body</b>               | const | <a href="#">ui/e2e/chat-workspace.spec.ts:314</a> |  Frontend declaration. |
| <b>documentIds</b>        | const | <a href="#">ui/e2e/chat-workspace.spec.ts:325</a> |  Frontend declaration. |
| <b>body</b>               | const | <a href="#">ui/e2e/chat-workspace.spec.ts:368</a> |  Frontend declaration. |
| <b>existing</b>           | const |                                                   |                                                                                                           |



| Symbol                   | Kind  | Location                                       | Signature / summary                                                                                       |
|--------------------------|-------|------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                          |       | <code>ui/e2e/chat-workspace.spec.ts:369</code> |  Frontend declaration.   |
| <b>message</b>           | const | <code>ui/e2e/chat-workspace.spec.ts:371</code> |  Frontend declaration.   |
| <b>id</b>                | const | <code>ui/e2e/chat-workspace.spec.ts:379</code> |  Frontend declaration.   |
| <b>body</b>              | const | <code>ui/e2e/chat-workspace.spec.ts:380</code> |  Frontend declaration.   |
| <b>existing</b>          | const | <code>ui/e2e/chat-workspace.spec.ts:381</code> |  Frontend declaration.   |
| <b>body</b>              | const | <code>ui/e2e/chat-workspace.spec.ts:387</code> |  Frontend declaration.   |
| <b>body</b>              | const | <code>ui/e2e/chat-workspace.spec.ts:394</code> |  Frontend declaration.   |
| <b>body</b>              | const | <code>ui/e2e/chat-workspace.spec.ts:400</code> |  Frontend declaration.   |
| <b>state</b>             | const | <code>ui/e2e/chat-workspace.spec.ts:472</code> |  Frontend declaration.   |
| <b>composer</b>          | const | <code>ui/e2e/chat-workspace.spec.ts:486</code> |  Frontend declaration.   |
| <b>assistant</b>         | const | <code>ui/e2e/chat-workspace.spec.ts:494</code> |  Frontend declaration. |
| <b>activitySummary</b>   | const | <code>ui/e2e/chat-workspace.spec.ts:500</code> |  Frontend declaration. |
| <b>transcriptStep</b>    | const | <code>ui/e2e/chat-workspace.spec.ts:503</code> |  Frontend declaration. |
| <b>traceDownload</b>     | const | <code>ui/e2e/chat-workspace.spec.ts:513</code> |  Frontend declaration. |
| <b>localHistory</b>      | const | <code>ui/e2e/chat-workspace.spec.ts:526</code> |  Frontend declaration. |
| <b>restoredUser</b>      | const | <code>ui/e2e/chat-workspace.spec.ts:533</code> |  Frontend declaration. |
| <b>restoredAssistant</b> | const | <code>ui/e2e/chat-workspace.spec.ts:534</code> |  Frontend declaration. |
| <b>state</b>             | const | <code>ui/e2e/chat-workspace.spec.ts:542</code> |  Frontend declaration. |
| <b>followUp</b>          | const | <code>ui/e2e/chat-workspace.spec.ts:549</code> |  Frontend declaration. |
| <b>state</b>             | const | <code>ui/e2e/chat-workspace.spec.ts:575</code> |  Frontend declaration. |
| <b>question</b>          | const | <code>ui/e2e/chat-workspace.spec.ts:576</code> |  Frontend declaration. |
| <b>state</b>             | const | <code>ui/e2e/chat-workspace.spec.ts:597</code> |  Frontend declaration. |
| <b>skillMenu</b>         | const |                                                |                                                                                                           |

| Symbol                  | Kind  | Location                                          | Signature / summary                                                                                       |
|-------------------------|-------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                         |       | <a href="#">ui/e2e/chat-workspace.spec.ts:610</a> |  Frontend declaration.   |
| <b>literatureReview</b> | const | <a href="#">ui/e2e/chat-workspace.spec.ts:611</a> |  Frontend declaration.   |
| <b>skillContent</b>     | const | <a href="#">ui/e2e/chat-workspace.spec.ts:614</a> |  Frontend declaration.   |
| <b>composer</b>         | const | <a href="#">ui/e2e/chat-workspace.spec.ts:644</a> |  Frontend declaration.   |
| <b>data</b>             | const | <a href="#">ui/e2e/chat-workspace.spec.ts:647</a> |  Frontend declaration.   |
| <b>uploadRequest</b>    | const | <a href="#">ui/e2e/chat-workspace.spec.ts:660</a> |  Frontend declaration.   |
| <b>data</b>             | const | <a href="#">ui/e2e/chat-workspace.spec.ts:666</a> |  Frontend declaration.   |
| <b>picker</b>           | const | <a href="#">ui/e2e/chat-workspace.spec.ts:689</a> |  Frontend declaration.   |
| <b>account</b>          | const | <a href="#">ui/e2e/chat-workspace.spec.ts:693</a> |  Frontend declaration.   |
| <b>uploadRequest</b>    | const | <a href="#">ui/e2e/chat-workspace.spec.ts:697</a> |  Frontend declaration.   |
| <b>state</b>            | const | <a href="#">ui/e2e/chat-workspace.spec.ts:708</a> |  Frontend declaration. |
| <b>fileInput</b>        | const | <a href="#">ui/e2e/chat-workspace.spec.ts:710</a> |  Frontend declaration. |
| <b>question</b>         | const | <a href="#">ui/e2e/chat-workspace.spec.ts:715</a> |  Frontend declaration. |
| <b>submittedYaml</b>    | const | <a href="#">ui/e2e/chat-workspace.spec.ts:735</a> |  Frontend declaration. |
| <b>firstChat</b>        | const | <a href="#">ui/e2e/chat-workspace.spec.ts:746</a> |  Frontend declaration. |
| <b>composer</b>         | const | <a href="#">ui/e2e/chat-workspace.spec.ts:748</a> |  Frontend declaration. |
| <b>data</b>             | const | <a href="#">ui/e2e/chat-workspace.spec.ts:750</a> |  Frontend declaration. |
| <b>history</b>          | const | <a href="#">ui/e2e/chat-workspace.spec.ts:767</a> |  Frontend declaration. |
| <b>state</b>            | const | <a href="#">ui/e2e/chat-workspace.spec.ts:779</a> |  Frontend declaration. |
| <b>state</b>            | const | <a href="#">ui/e2e/chat-workspace.spec.ts:796</a> |  Frontend declaration. |
| <b>editor</b>           | const | <a href="#">ui/e2e/chat-workspace.spec.ts:811</a> |  Frontend declaration. |
| <b>state</b>            | const | <a href="#">ui/e2e/chat-workspace.spec.ts:836</a> |  Frontend declaration. |
| <b>composer</b>         | const |                                                   |                                                                                                           |

| Symbol                 | Kind     | Location                                           | Signature / summary                                                                                       |
|------------------------|----------|----------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                        |          | <a href="#">ui/e2e/chat-workspace.spec.ts:838</a>  |  Frontend declaration.   |
| <b>jsonButton</b>      | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:843</a>  |  Frontend declaration.   |
| <b>downloadPromise</b> | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:845</a>  |  Frontend declaration.   |
| <b>download</b>        | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:847</a>  |  Frontend declaration.   |
| <b>submittedYaml</b>   | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:854</a>  |  Frontend declaration.   |
| <b>prepareRequests</b> | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:872</a>  |  Frontend declaration.   |
| <b>picker</b>          | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:877</a>  |  Frontend declaration.   |
| <b>localHistory</b>    | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:884</a>  |  Frontend declaration.   |
| <b>sourcePicker</b>    | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:894</a>  |  Frontend declaration.   |
| <b>state</b>           | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:914</a>  |  Frontend declaration.   |
| <b>sourcePicker</b>    | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:918</a>  |  Frontend declaration. |
| <b>question</b>        | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:923</a>  |  Frontend declaration. |
| <b>followUp</b>        | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:965</a>  |  Frontend declaration. |
| <b>localHistory</b>    | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:983</a>  |  Frontend declaration. |
| <b>assistant</b>       | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:993</a>  |  Frontend declaration. |
| <b>followUp</b>        | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:995</a>  |  Frontend declaration. |
| <b>followUpRequest</b> | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:998</a>  |  Frontend declaration. |
| <b>before</b>          | const    | <a href="#">ui/e2e/chat-workspace.spec.ts:1001</a> |  Frontend declaration. |
| <b>SCREENSHOT_ROOT</b> | const    | <a href="#">ui/e2e/release-gate.spec.ts:4</a>      |  Frontend declaration. |
| <b>workflow</b>        | function | <a href="#">ui/e2e/release-gate.spec.ts:6</a>      |  Frontend declaration. |
| <b>id</b>              | const    | <a href="#">ui/e2e/release-gate.spec.ts:8</a>      |  Frontend declaration. |
| <b>run</b>             | function | <a href="#">ui/e2e/release-gate.spec.ts:34</a>     |  Frontend declaration. |
| <b>status</b>          | const    |                                                    |                                                                                                           |

| Symbol               | Kind     | Location                                        | Signature / summary                                                                                                  |
|----------------------|----------|-------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                      |          | <a href="#">ui/e2e/release-gate.spec.ts:36</a>  |  Frontend declaration.              |
| <b>created</b>       | const    | <a href="#">ui/e2e/release-gate.spec.ts:37</a>  |  Frontend declaration.              |
| <b>chatYaml</b>      | const    | <a href="#">ui/e2e/release-gate.spec.ts:58</a>  |  Frontend declaration.              |
| <b>MockOptions</b>   | type     | <a href="#">ui/e2e/release-gate.spec.ts:83</a>  |  Frontend declaration.              |
| <b>json</b>          | function | <a href="#">ui/e2e/release-gate.spec.ts:89</a>  |  Frontend declaration.              |
| <b>installApi</b>    | function | <a href="#">ui/e2e/release-gate.spec.ts:97</a>  |  Frontend declaration.              |
| <b>workflows</b>     | const    | <a href="#">ui/e2e/release-gate.spec.ts:99</a>  |  Frontend declaration.              |
| <b>runs</b>          | const    | <a href="#">ui/e2e/release-gate.spec.ts:100</a> |  Frontend declaration.              |
| <b>requestCounts</b> | const    | <a href="#">ui/e2e/release-gate.spec.ts:101</a> |  Frontend declaration.              |
| <b>transcript</b>    | const    | <a href="#">ui/e2e/release-gate.spec.ts:106</a> |  Documented frontend declaration.   |
| <b>conversation</b>  | const    | <a href="#">ui/e2e/release-gate.spec.ts:107</a> |  Documented frontend declaration. |
| <b>request</b>       | const    | <a href="#">ui/e2e/release-gate.spec.ts:114</a> |  Frontend declaration.            |
| <b>url</b>           | const    | <a href="#">ui/e2e/release-gate.spec.ts:115</a> |  Frontend declaration.            |
| <b>body</b>          | const    | <a href="#">ui/e2e/release-gate.spec.ts:140</a> |  Frontend declaration.            |
| <b>existing</b>      | const    | <a href="#">ui/e2e/release-gate.spec.ts:141</a> |  Frontend declaration.            |
| <b>message</b>       | const    | <a href="#">ui/e2e/release-gate.spec.ts:143</a> |  Frontend declaration.            |
| <b>body</b>          | const    | <a href="#">ui/e2e/release-gate.spec.ts:152</a> |  Frontend declaration.            |
| <b>id</b>            | const    | <a href="#">ui/e2e/release-gate.spec.ts:165</a> |  Frontend declaration.            |
| <b>summary</b>       | const    | <a href="#">ui/e2e/release-gate.spec.ts:166</a> |  Frontend declaration.            |
| <b>runtimeErrors</b> | function | <a href="#">ui/e2e/release-gate.spec.ts:190</a> |  Frontend declaration.            |
| <b>errors</b>        | const    | <a href="#">ui/e2e/release-gate.spec.ts:192</a> |  Frontend declaration.            |
| <b>openApp</b>       | function | <a href="#">ui/e2e/release-gate.spec.ts:199</a> |  Frontend declaration.            |
| <b>errors</b>        | const    |                                                 |                                                                                                                      |

| Symbol               | Kind     | Location                                        | Signature / summary                                                                                       |
|----------------------|----------|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                      |          | <a href="#">ui/e2e/release-gate.spec.ts:210</a> |  Frontend declaration.   |
| <b>counts</b>        | const    | <a href="#">ui/e2e/release-gate.spec.ts:211</a> |  Frontend declaration.   |
| <b>modes</b>         | const    | <a href="#">ui/e2e/release-gate.spec.ts:213</a> |  Frontend declaration.   |
| <b>button</b>        | const    | <a href="#">ui/e2e/release-gate.spec.ts:218</a> |  Frontend declaration.   |
| <b>errors</b>        | const    | <a href="#">ui/e2e/release-gate.spec.ts:233</a> |  Frontend declaration.   |
| <b>counts</b>        | const    | <a href="#">ui/e2e/release-gate.spec.ts:234</a> |  Frontend declaration.   |
| <b>search</b>        | const    | <a href="#">ui/e2e/release-gate.spec.ts:238</a> |  Frontend declaration.   |
| <b>overflow</b>      | const    | <a href="#">ui/e2e/release-gate.spec.ts:245</a> |  Frontend declaration.   |
| <b>errors</b>        | const    | <a href="#">ui/e2e/release-gate.spec.ts:254</a> |  Frontend declaration.   |
| <b>counts</b>        | const    | <a href="#">ui/e2e/release-gate.spec.ts:255</a> |  Frontend declaration.   |
| <b>viewportWidth</b> | const    | <a href="#">ui/e2e/release-gate.spec.ts:258</a> |  Frontend declaration. |
| <b>expandHistory</b> | const    | <a href="#">ui/e2e/release-gate.spec.ts:260</a> |  Frontend declaration. |
| <b>errors</b>        | const    | <a href="#">ui/e2e/release-gate.spec.ts:280</a> |  Frontend declaration. |
| <b>composer</b>      | const    | <a href="#">ui/e2e/release-gate.spec.ts:296</a> |  Frontend declaration. |
| <b>errors</b>        | const    | <a href="#">ui/e2e/release-gate.spec.ts:306</a> |  Frontend declaration. |
| <b>screens</b>       | const    | <a href="#">ui/e2e/release-gate.spec.ts:309</a> |  Frontend declaration. |
| <b>overflow</b>      | const    | <a href="#">ui/e2e/release-gate.spec.ts:317</a> |  Frontend declaration. |
| <b>Mode</b>          | type     | <a href="#">ui/src/App.tsx:9</a>                |  Frontend declaration. |
| <b>StudioRoot</b>    | const    | <a href="#">ui/src/App.tsx:11</a>               |  Frontend declaration. |
| <b>EvalRoot</b>      | const    | <a href="#">ui/src/App.tsx:13</a>               |  Frontend declaration. |
| <b>CostRoot</b>      | const    | <a href="#">ui/src/App.tsx:14</a>               |  Frontend declaration. |
| <b>KnowledgeRoot</b> | const    | <a href="#">ui/src/App.tsx:15</a>               |  Frontend declaration. |
| <b>ModeLoading</b>   | function | <a href="#">ui/src/App.tsx:16</a>               |                                                                                                           |

| Symbol                         | Kind     | Location                                    | Signature / summary              |
|--------------------------------|----------|---------------------------------------------|----------------------------------|
|                                |          |                                             | Frontend declaration.            |
| <b>App</b>                     | function | <a href="#">ui/src/App.tsx:20</a>           | Frontend declaration.            |
| <b>openKnowledge</b>           | const    | <a href="#">ui/src/App.tsx:68</a>           | Frontend declaration.            |
| <b>RunCostContext</b>          | const    | <a href="#">ui/src/RunCostContext.tsx:3</a> | Frontend declaration.            |
| <b>useSetRunCost</b>           | const    | <a href="#">ui/src/RunCostContext.tsx:5</a> | Frontend declaration.            |
| <b>BASE</b>                    | const    | <a href="#">ui/src/api/client.ts:64</a>     | Frontend declaration.            |
| <b>API</b>                     | const    | <a href="#">ui/src/api/client.ts:66</a>     | Documented frontend declaration. |
| <b>CriterionScore</b>          | type     | <a href="#">ui/src/api/client.ts:76</a>     | Documented frontend declaration. |
| <b>ExampleResult</b>           | type     | <a href="#">ui/src/api/client.ts:78</a>     | Frontend declaration.            |
| <b>RunCandidate</b>            | type     | <a href="#">ui/src/api/client.ts:84</a>     | Frontend declaration.            |
| <b>DiscoveredCandidate</b>     | type     | <a href="#">ui/src/api/client.ts:92</a>     | Frontend declaration.            |
| <b>ClaimVerificationResult</b> | type     | <a href="#">ui/src/api/client.ts:110</a>    | Frontend declaration.            |
| <b>InternalEvidenceRecord</b>  | type     | <a href="#">ui/src/api/client.ts:119</a>    | Frontend declaration.            |
| <b>Scorecard</b>               | type     | <a href="#">ui/src/api/client.ts:131</a>    | Frontend declaration.            |
| <b>WorkflowFieldCheck</b>      | type     | <a href="#">ui/src/api/client.ts:141</a>    | Frontend declaration.            |
| <b>WorkflowCaseResult</b>      | type     | <a href="#">ui/src/api/client.ts:148</a>    | Frontend declaration.            |
| <b>ModelComparisonResult</b>   | type     | <a href="#">ui/src/api/client.ts:158</a>    | Frontend declaration.            |
| <b>WorkflowCompareResponse</b> | type     | <a href="#">ui/src/api/client.ts:167</a>    | Frontend declaration.            |
| <b>onSessionExpired</b>        | function | <a href="#">ui/src/api/client.ts:186</a>    | Documented frontend declaration. |
| <b>_handleSessionExpired</b>   | function | <a href="#">ui/src/api/client.ts:192</a>    | Frontend declaration.            |
| <b>afetch</b>                  | function | <a href="#">ui/src/api/client.ts:200</a>    | Frontend declaration.            |
| <b>login</b>                   | function | <a href="#">ui/src/api/client.ts:209</a>    | Frontend declaration.            |
| <b>body</b>                    | const    | <a href="#">ui/src/api/client.ts:211</a>    |                                  |

| Symbol                 | Kind     | Location                                 | Signature / summary              |
|------------------------|----------|------------------------------------------|----------------------------------|
|                        |          |                                          | Frontend declaration.            |
| <b>r</b>               | const    | <a href="#">ui/src/api/client.ts:212</a> | Frontend declaration.            |
| <b>data</b>            | const    | <a href="#">ui/src/api/client.ts:218</a> | Frontend declaration.            |
| <b>rehydrate</b>       | function | <a href="#">ui/src/api/client.ts:231</a> | Documented frontend declaration. |
| <b>r</b>               | const    | <a href="#">ui/src/api/client.ts:236</a> | Frontend declaration.            |
| <b>data</b>            | const    | <a href="#">ui/src/api/client.ts:238</a> | Frontend declaration.            |
| <b>logout</b>          | function | <a href="#">ui/src/api/client.ts:249</a> | Frontend declaration.            |
| <b>isAuthenticated</b> | function | <a href="#">ui/src/api/client.ts:258</a> | Frontend declaration.            |
| <b>apiBase</b>         | function | <a href="#">ui/src/api/client.ts:264</a> | Documented frontend declaration. |
| <b>getAuthHeaders</b>  | function | <a href="#">ui/src/api/client.ts:267</a> | Frontend declaration.            |
| <b>currentUsername</b> | function | <a href="#">ui/src/api/client.ts:271</a> | Frontend declaration.            |
| <b>wsUrl</b>           | function | <a href="#">ui/src/api/client.ts:275</a> | Frontend declaration.            |
| <b>wsBase</b>          | const    | <a href="#">ui/src/api/client.ts:277</a> | Frontend declaration.            |
| <b>authHeaders</b>     | function | <a href="#">ui/src/api/client.ts:280</a> | Frontend declaration.            |
| <b>j</b>               | function | <a href="#">ui/src/api/client.ts:283</a> | Frontend declaration.            |
| <b>text</b>            | const    | <a href="#">ui/src/api/client.ts:286</a> | Frontend declaration.            |
| <b>payload</b>         | const    | <a href="#">ui/src/api/client.ts:288</a> | Frontend declaration.            |
| <b>detail</b>          | const    | <a href="#">ui/src/api/client.ts:289</a> | Frontend declaration.            |
| <b>report</b>          | const    | <a href="#">ui/src/api/client.ts:290</a> | Frontend declaration.            |
| <b>errors</b>          | const    | <a href="#">ui/src/api/client.ts:292</a> | Frontend declaration.            |
| <b>api</b>             | const    | <a href="#">ui/src/api/client.ts:317</a> | Frontend declaration.            |
| <b>search</b>          | const    | <a href="#">ui/src/api/client.ts:446</a> | Frontend declaration.            |
| <b>form</b>            | const    | <a href="#">ui/src/api/client.ts:728</a> |                                  |

| Symbol                       | Kind     | Location                                  | Signature / summary   |
|------------------------------|----------|-------------------------------------------|-----------------------|
|                              |          |                                           | Frontend declaration. |
| <b>params</b>                | const    | <a href="#">ui/src/api/client.ts:748</a>  | Frontend declaration. |
| <b>response</b>              | const    | <a href="#">ui/src/api/client.ts:749</a>  | Frontend declaration. |
| <b>blob</b>                  | const    | <a href="#">ui/src/api/client.ts:756</a>  | Frontend declaration. |
| <b>url</b>                   | const    | <a href="#">ui/src/api/client.ts:757</a>  | Frontend declaration. |
| <b>anchor</b>                | const    | <a href="#">ui/src/api/client.ts:758</a>  | Frontend declaration. |
| <b>response</b>              | const    | <a href="#">ui/src/api/client.ts:863</a>  | Frontend declaration. |
| <b>blob</b>                  | const    | <a href="#">ui/src/api/client.ts:865</a>  | Frontend declaration. |
| <b>url</b>                   | const    | <a href="#">ui/src/api/client.ts:866</a>  | Frontend declaration. |
| <b>anchor</b>                | const    | <a href="#">ui/src/api/client.ts:867</a>  | Frontend declaration. |
| <b>params</b>                | const    | <a href="#">ui/src/api/client.ts:1186</a> | Frontend declaration. |
| <b>RunEventStreamOptions</b> | type     | <a href="#">ui/src/api/client.ts:1191</a> | Frontend declaration. |
| <b>streamRunEvents</b>       | function | <a href="#">ui/src/api/client.ts:1198</a> | Frontend declaration. |
| <b>headers</b>               | const    | <a href="#">ui/src/api/client.ts:1203</a> | Frontend declaration. |
| <b>response</b>              | const    | <a href="#">ui/src/api/client.ts:1210</a> | Frontend declaration. |
| <b>reader</b>                | const    | <a href="#">ui/src/api/client.ts:1226</a> | Frontend declaration. |
| <b>decoder</b>               | const    | <a href="#">ui/src/api/client.ts:1227</a> | Frontend declaration. |
| <b>block</b>                 | const    | <a href="#">ui/src/api/client.ts:1239</a> | Frontend declaration. |
| <b>dataLines</b>             | const    | <a href="#">ui/src/api/client.ts:1246</a> | Frontend declaration. |
| <b>parsed</b>                | const    | <a href="#">ui/src/api/client.ts:1251</a> | Frontend declaration. |
| <b>event</b>                 | const    | <a href="#">ui/src/api/client.ts:1259</a> | Frontend declaration. |
| <b>API</b>                   | const    | <a href="#">ui/src/api/knowledge.ts:2</a> | Frontend declaration. |
| <b>afetch</b>                | function | <a href="#">ui/src/api/knowledge.ts:4</a> |                       |



| Symbol                        | Kind     | Location                                    | Signature / summary              |
|-------------------------------|----------|---------------------------------------------|----------------------------------|
|                               |          |                                             | Frontend declaration.            |
| <b>j</b>                      | function | <a href="#">ui/src/api/knowledge.ts:8</a>   | Frontend declaration.            |
| <b>text</b>                   | const    | <a href="#">ui/src/api/knowledge.ts:11</a>  | Frontend declaration.            |
| <b>payload</b>                | const    | <a href="#">ui/src/api/knowledge.ts:13</a>  | Frontend declaration.            |
| <b>detail</b>                 | const    | <a href="#">ui/src/api/knowledge.ts:14</a>  | Frontend declaration.            |
| <b>jsonHeaders</b>            | function | <a href="#">ui/src/api/knowledge.ts:22</a>  | Frontend declaration.            |
| <b>DocTypeChoice</b>          | type     | <a href="#">ui/src/api/knowledge.ts:28</a>  | Documented frontend declaration. |
| <b>EmbeddingModelChoice</b>   | type     | <a href="#">ui/src/api/knowledge.ts:32</a>  | Frontend declaration.            |
| <b>ResourceStatus</b>         | type     | <a href="#">ui/src/api/knowledge.ts:36</a>  | Frontend declaration.            |
| <b>ProfileType</b>            | type     | <a href="#">ui/src/api/knowledge.ts:38</a>  | Frontend declaration.            |
| <b>CollectionResource</b>     | type     | <a href="#">ui/src/api/knowledge.ts:39</a>  | Frontend declaration.            |
| <b>ProfileVersion</b>         | type     | <a href="#">ui/src/api/knowledge.ts:51</a>  | Frontend declaration.            |
| <b>IndexVersion</b>           | type     | <a href="#">ui/src/api/knowledge.ts:62</a>  | Frontend declaration.            |
| <b>IngestionJobStatus</b>     | type     | <a href="#">ui/src/api/knowledge.ts:78</a>  | Frontend declaration.            |
| <b>IngestionJob</b>           | type     | <a href="#">ui/src/api/knowledge.ts:82</a>  | Frontend declaration.            |
| <b>DocumentResource</b>       | type     | <a href="#">ui/src/api/knowledge.ts:98</a>  | Frontend declaration.            |
| <b>RAGAgentDefinition</b>     | type     | <a href="#">ui/src/api/knowledge.ts:108</a> | Frontend declaration.            |
| <b>RAGCitation</b>            | type     | <a href="#">ui/src/api/knowledge.ts:119</a> | Frontend declaration.            |
| <b>RAGSource</b>              | type     | <a href="#">ui/src/api/knowledge.ts:129</a> | Frontend declaration.            |
| <b>RAGRelevantContextItem</b> | type     | <a href="#">ui/src/api/knowledge.ts:138</a> | Frontend declaration.            |
| <b>RAGQueryResponse</b>       | type     | <a href="#">ui/src/api/knowledge.ts:146</a> | Frontend declaration.            |
| <b>RetrievedChunkView</b>     | type     | <a href="#">ui/src/api/knowledge.ts:168</a> | Frontend declaration.            |
| <b>RetrievalStageView</b>     | type     | <a href="#">ui/src/api/knowledge.ts:180</a> |                                  |

| Symbol                        | Kind  | Location                                    | Signature / summary              |
|-------------------------------|-------|---------------------------------------------|----------------------------------|
|                               |       |                                             | Frontend declaration.            |
| <b>RetrievalResult</b>        | type  | <a href="#">ui/src/api/knowledge.ts:188</a> | Frontend declaration.            |
| <b>RetrievalPreset</b>        | type  | <a href="#">ui/src/api/knowledge.ts:200</a> | Frontend declaration.            |
| <b>RetrievalTraceSummary</b>  | type  | <a href="#">ui/src/api/knowledge.ts:206</a> | Frontend declaration.            |
| <b>RetrievalChunkContext</b>  | type  | <a href="#">ui/src/api/knowledge.ts:216</a> | Frontend declaration.            |
| <b>IngestionPreset</b>        | type  | <a href="#">ui/src/api/knowledge.ts:225</a> | Documented frontend declaration. |
| <b>ProfileCreateRequest</b>   | type  | <a href="#">ui/src/api/knowledge.ts:232</a> | Frontend declaration.            |
| <b>knowledgeApi</b>           | const | <a href="#">ui/src/api/knowledge.ts:240</a> | Frontend declaration.            |
| <b>form</b>                   | const | <a href="#">ui/src/api/knowledge.ts:300</a> | Frontend declaration.            |
| <b>ExecutionKind</b>          | type  | <a href="#">ui/src/api/types.ts:5</a>       | Documented frontend declaration. |
| <b>NodePreset</b>             | type  | <a href="#">ui/src/api/types.ts:15</a>      | Documented frontend declaration. |
| <b>NodeAbout</b>              | type  | <a href="#">ui/src/api/types.ts:26</a>      | Frontend declaration.            |
| <b>NodeTypeManifest</b>       | type  | <a href="#">ui/src/api/types.ts:48</a>      | Frontend declaration.            |
| <b>FieldKind</b>              | type  | <a href="#">ui/src/api/types.ts:67</a>      | Documented frontend declaration. |
| <b>FieldSpec</b>              | type  | <a href="#">ui/src/api/types.ts:78</a>      | Frontend declaration.            |
| <b>DraftInstructionsField</b> | type  | <a href="#">ui/src/api/types.ts:95</a>      | Documented frontend declaration. |
| <b>DraftCodeRequest</b>       | type  | <a href="#">ui/src/api/types.ts:105</a>     | Documented frontend declaration. |
| <b>SchemaPreview</b>          | type  | <a href="#">ui/src/api/types.ts:115</a>     | Frontend declaration.            |
| <b>RuleOperator</b>           | type  | <a href="#">ui/src/api/types.ts:131</a>     | Documented frontend declaration. |
| <b>RuleCondition</b>          | type  | <a href="#">ui/src/api/types.ts:133</a>     | Documented frontend declaration. |
| <b>RuleConditionGroup</b>     | type  | <a href="#">ui/src/api/types.ts:139</a>     | Frontend declaration.            |
| <b>RuleAction</b>             | type  | <a href="#">ui/src/api/types.ts:144</a>     | Frontend declaration.            |
| <b>BusinessRule</b>           | type  | <a href="#">ui/src/api/types.ts:150</a>     |                                  |

| Symbol                           | Kind | Location                                | Signature / summary                                                                                                  |
|----------------------------------|------|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                  |      |                                         |  Frontend declaration.              |
| <b>OperatorCatalog</b>           | type | <a href="#">ui/src/api/types.ts:159</a> |  Frontend declaration.              |
| <b>ContractField</b>             | type | <a href="#">ui/src/api/types.ts:168</a> |  Documented frontend declaration.   |
| <b>ContractNode</b>              | type | <a href="#">ui/src/api/types.ts:181</a> |  Frontend declaration.              |
| <b>OutputContract</b>            | type | <a href="#">ui/src/api/types.ts:190</a> |  Frontend declaration.              |
| <b>StepExplanation</b>           | type | <a href="#">ui/src/api/types.ts:204</a> |  Documented frontend declaration.   |
| <b>NodeTestResult</b>            | type | <a href="#">ui/src/api/types.ts:226</a> |  Frontend declaration.              |
| <b>SimulationStep</b>            | type | <a href="#">ui/src/api/types.ts:238</a> |  Frontend declaration.              |
| <b>SimulationResult</b>          | type | <a href="#">ui/src/api/types.ts:251</a> |  Frontend declaration.              |
| <b>MCPOperationClass</b>         | type | <a href="#">ui/src/api/types.ts:274</a> |  Frontend declaration.              |
| <b>MCPServerInfo</b>             | type | <a href="#">ui/src/api/types.ts:275</a> |  Frontend declaration.            |
| <b>MCPToolField</b>              | type | <a href="#">ui/src/api/types.ts:304</a> |  Frontend declaration.            |
| <b>MCPToolInfo</b>               | type | <a href="#">ui/src/api/types.ts:312</a> |  Frontend declaration.            |
| <b>MCPToolTestResult</b>         | type | <a href="#">ui/src/api/types.ts:331</a> |  Documented frontend declaration. |
| <b>EmailConnectionInfo</b>       | type | <a href="#">ui/src/api/types.ts:349</a> |  Frontend declaration.            |
| <b>IntegrationConnectionInfo</b> | type | <a href="#">ui/src/api/types.ts:357</a> |  Frontend declaration.            |
| <b>CloudFileMeta</b>             | type | <a href="#">ui/src/api/types.ts:368</a> |  Documented frontend declaration. |
| <b>CloudFileRef</b>              | type | <a href="#">ui/src/api/types.ts:381</a> |  Documented frontend declaration. |
| <b>LLMModelInfo</b>              | type | <a href="#">ui/src/api/types.ts:389</a> |  Frontend declaration.            |
| <b>OpenRouterModelInfo</b>       | type | <a href="#">ui/src/api/types.ts:409</a> |  Documented frontend declaration. |
| <b>LibraryVisibilityStatus</b>   | type | <a href="#">ui/src/api/types.ts:424</a> |  Documented frontend declaration. |
| <b>LibraryDurationRange</b>      | type | <a href="#">ui/src/api/types.ts:425</a> |  Documented frontend declaration. |
| <b>LibraryHumanReviews</b>       | type | <a href="#">ui/src/api/types.ts:430</a> |                                                                                                                      |

| Symbol                                  | Kind | Location                                | Signature / summary              |
|-----------------------------------------|------|-----------------------------------------|----------------------------------|
|                                         |      |                                         | Frontend declaration.            |
| <b>LibraryEvidencePolicy</b>            | type | <a href="#">ui/src/api/types.ts:435</a> | Frontend declaration.            |
| <b>LibraryMetadata</b>                  | type | <a href="#">ui/src/api/types.ts:440</a> | Frontend declaration.            |
| <b>ReadinessLevel</b>                   | type | <a href="#">ui/src/api/types.ts:459</a> | Documented frontend declaration. |
| <b>ReadinessItem</b>                    | type | <a href="#">ui/src/api/types.ts:461</a> | Frontend declaration.            |
| <b>ReadinessSummary</b>                 | type | <a href="#">ui/src/api/types.ts:468</a> | Frontend declaration.            |
| <b>WorkflowStats</b>                    | type | <a href="#">ui/src/api/types.ts:473</a> | Frontend declaration.            |
| <b>WorkflowSummary</b>                  | type | <a href="#">ui/src/api/types.ts:486</a> | Frontend declaration.            |
| <b>PrivateChatWorkflowSummary</b>       | type | <a href="#">ui/src/api/types.ts:497</a> | Frontend declaration.            |
| <b>PrivateChatWorkflowDetail</b>        | type | <a href="#">ui/src/api/types.ts:517</a> | Frontend declaration.            |
| <b>ChatWorkspaceExperience</b>          | type | <a href="#">ui/src/api/types.ts:521</a> | Frontend declaration.            |
| <b>ChatWorkspacePlan</b>                | type | <a href="#">ui/src/api/types.ts:530</a> | Frontend declaration.            |
| <b>ChatWorkspacePlanRequest</b>         | type | <a href="#">ui/src/api/types.ts:541</a> | Frontend declaration.            |
| <b>BusinessChatMessageRole</b>          | type | <a href="#">ui/src/api/types.ts:558</a> | Frontend declaration.            |
| <b>BusinessChatTranscriptMessage</b>    | type | <a href="#">ui/src/api/types.ts:560</a> | Frontend declaration.            |
| <b>BusinessChatConversation</b>         | type | <a href="#">ui/src/api/types.ts:569</a> | Frontend declaration.            |
| <b>BusinessChatConversationResponse</b> | type | <a href="#">ui/src/api/types.ts:577</a> | Frontend declaration.            |
| <b>WorkflowDetail</b>                   | type | <a href="#">ui/src/api/types.ts:582</a> | Frontend declaration.            |
| <b>PreflightSeverity</b>                | type | <a href="#">ui/src/api/types.ts:593</a> | Frontend declaration.            |
| <b>PreflightIssue</b>                   | type | <a href="#">ui/src/api/types.ts:595</a> | Frontend declaration.            |
| <b>PreflightCheck</b>                   | type | <a href="#">ui/src/api/types.ts:604</a> | Frontend declaration.            |
| <b>WorkflowPreflightReport</b>          | type | <a href="#">ui/src/api/types.ts:610</a> | Frontend declaration.            |
| <b>AutofixWorkflowResult</b>            | type | <a href="#">ui/src/api/types.ts:621</a> |                                  |

| Symbol                              | Kind      | Location                                | Signature / summary              |
|-------------------------------------|-----------|-----------------------------------------|----------------------------------|
|                                     |           |                                         | Frontend declaration.            |
| <b>AutofixNodeResult</b>            | type      | <a href="#">ui/src/api/types.ts:629</a> | Frontend declaration.            |
| <b>WorkflowDraft</b>                | type      | <a href="#">ui/src/api/types.ts:641</a> | Documented frontend declaration. |
| <b>WorkflowVersionSummary</b>       | type      | <a href="#">ui/src/api/types.ts:657</a> | Documented frontend declaration. |
| <b>WorkflowFileReference</b>        | type      | <a href="#">ui/src/api/types.ts:669</a> | Frontend declaration.            |
| <b>WorkflowFileCapabilities</b>     | type      | <a href="#">ui/src/api/types.ts:682</a> | Frontend declaration.            |
| <b>HITLReviewContent</b>            | type      | <a href="#">ui/src/api/types.ts:691</a> | Frontend declaration.            |
| <b>HITLReviewPanel</b>              | type      | <a href="#">ui/src/api/types.ts:700</a> | Frontend declaration.            |
| <b>ExtractedWorkflowFile</b>        | type      | <a href="#">ui/src/api/types.ts:709</a> | Frontend declaration.            |
| <b>RunEvent</b>                     | type      | <a href="#">ui/src/api/types.ts:717</a> | Frontend declaration.            |
| <b>RunSnapshot</b>                  | type      | <a href="#">ui/src/api/types.ts:726</a> | Frontend declaration.            |
| <b>RunStatus</b>                    | type      | <a href="#">ui/src/api/types.ts:732</a> | Frontend declaration.            |
| <b>WorkflowRunOrigin</b>            | type      | <a href="#">ui/src/api/types.ts:739</a> | Frontend declaration.            |
| <b>WorkflowRunHistoryVisibility</b> | type      | <a href="#">ui/src/api/types.ts:746</a> | Frontend declaration.            |
| <b>EventType</b>                    | type      | <a href="#">ui/src/api/types.ts:748</a> | Frontend declaration.            |
| <b>PauseKind</b>                    | type      | <a href="#">ui/src/api/types.ts:757</a> | Frontend declaration.            |
| <b>PendingGate</b>                  | type      | <a href="#">ui/src/api/types.ts:764</a> | Documented frontend declaration. |
| <b>RunSummary</b>                   | interface | <a href="#">ui/src/api/types.ts:785</a> | Frontend declaration.            |
| <b>NodeRunStatus</b>                | type      | <a href="#">ui/src/api/types.ts:818</a> | Frontend declaration.            |
| <b>ModelSelection</b>               | interface | <a href="#">ui/src/api/types.ts:825</a> | Frontend declaration.            |
| <b>NodeRun</b>                      | interface | <a href="#">ui/src/api/types.ts:837</a> | Frontend declaration.            |
| <b>CostLedgerEntry</b>              | interface | <a href="#">ui/src/api/types.ts:853</a> | Documented frontend declaration. |
| <b>CostGroupSummary</b>             | interface | <a href="#">ui/src/api/types.ts:882</a> |                                  |

| Symbol                         | Kind      | Location                                 | Signature / summary                                                                                                |
|--------------------------------|-----------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                                |           |                                          |  Documented frontend declaration. |
| <b>RunCostSummary</b>          | interface | <a href="#">ui/src/api/types.ts:894</a>  |  Documented frontend declaration. |
| <b>CostBreakdownRow</b>        | interface | <a href="#">ui/src/api/types.ts:905</a>  |  Documented frontend declaration. |
| <b>CostOverview</b>            | interface | <a href="#">ui/src/api/types.ts:910</a>  |  Frontend declaration.            |
| <b>DirectPricingEntry</b>      | interface | <a href="#">ui/src/api/types.ts:922</a>  |  Frontend declaration.            |
| <b>OpenRouterPricingEntry</b>  | interface | <a href="#">ui/src/api/types.ts:931</a>  |  Frontend declaration.            |
| <b>PricingResponse</b>         | interface | <a href="#">ui/src/api/types.ts:938</a>  |  Frontend declaration.            |
| <b>InfraAllocation</b>         | interface | <a href="#">ui/src/api/types.ts:943</a>  |  Frontend declaration.            |
| <b>InfraAllocationEntry</b>    | interface | <a href="#">ui/src/api/types.ts:949</a>  |  Frontend declaration.            |
| <b>CacheModelSummary</b>       | interface | <a href="#">ui/src/api/types.ts:955</a>  |  Frontend declaration.            |
| <b>CacheSummary</b>            | interface | <a href="#">ui/src/api/types.ts:962</a>  |  Frontend declaration.          |
| <b>BudgetStatus</b>            | interface | <a href="#">ui/src/api/types.ts:970</a>  |  Frontend declaration.          |
| <b>SessionBudgetStatus</b>     | interface | <a href="#">ui/src/api/types.ts:976</a>  |  Frontend declaration.          |
| <b>BudgetsResponse</b>         | interface | <a href="#">ui/src/api/types.ts:980</a>  |  Frontend declaration.          |
| <b>GenerateWorkflowAttempt</b> | interface | <a href="#">ui/src/api/types.ts:985</a>  |  Frontend declaration.          |
| <b>GenerateWorkflowResult</b>  | interface | <a href="#">ui/src/api/types.ts:991</a>  |  Frontend declaration.          |
| <b>RunChatTurn</b>             | interface | <a href="#">ui/src/api/types.ts:1000</a> |  Frontend declaration.          |
| <b>PromptTemplateCategory</b>  | type      | <a href="#">ui/src/api/types.ts:1007</a> |  Frontend declaration.          |
| <b>PromptTemplate</b>          | interface | <a href="#">ui/src/api/types.ts:1009</a> |  Frontend declaration.          |
| <b>AskContext</b>              | interface | <a href="#">ui/src/api/types.ts:1027</a> |  Frontend declaration.          |
| <b>AuditEvent</b>              | interface | <a href="#">ui/src/api/types.ts:1039</a> |  Frontend declaration.          |
| <b>RunDetail</b>               | interface | <a href="#">ui/src/api/types.ts:1049</a> |  Frontend declaration.          |
| <b>CoverageStatus</b>          | type      | <a href="#">ui/src/api/types.ts:1059</a> |                                                                                                                    |

| Symbol                       | Kind      | Location                                                     | Signature / summary              |
|------------------------------|-----------|--------------------------------------------------------------|----------------------------------|
|                              |           |                                                              | Frontend declaration.            |
| <b>CallCoverageRow</b>       | interface | <a href="#">ui/src/api/types.ts:1061</a>                     | Frontend declaration.            |
| <b>CallCoverageMatrix</b>    | interface | <a href="#">ui/src/api/types.ts:1075</a>                     | Frontend declaration.            |
| <b>ProposalApproval</b>      | interface | <a href="#">ui/src/api/types.ts:1085</a>                     | Frontend declaration.            |
| <b>ConceptAlternative</b>    | interface | <a href="#">ui/src/api/types.ts:1102</a>                     | Frontend declaration.            |
| <b>ProposalSourceVersion</b> | interface | <a href="#">ui/src/api/types.ts:1118</a>                     | Frontend declaration.            |
| <b>ProposalReview</b>        | interface | <a href="#">ui/src/api/types.ts:1127</a>                     | Frontend declaration.            |
| <b>HorizonEvaluation</b>     | interface | <a href="#">ui/src/api/types.ts:1136</a>                     | Frontend declaration.            |
| <b>ProposalRenderRequest</b> | interface | <a href="#">ui/src/api/types.ts:1160</a>                     | Frontend declaration.            |
| <b>ProposalRenderResult</b>  | interface | <a href="#">ui/src/api/types.ts:1174</a>                     | Frontend declaration.            |
| <b>CopyButton</b>            | function  | <a href="#">ui/src/components/CopyButton.tsx:2</a>           | Frontend declaration.            |
| <b>handleCopy</b>            | function  | <a href="#">ui/src/components/CopyButton.tsx:15</a>          | Frontend declaration.            |
| <b>items</b>                 | const     | <a href="#">ui/src/components/ModeShell.tsx:3</a>            | Frontend declaration.            |
| <b>ModeShell</b>             | function  | <a href="#">ui/src/components/ModeShell.tsx:9</a>            | Frontend declaration.            |
| <b>Spinner</b>               | function  | <a href="#">ui/src/components/Spinner.tsx:1</a>              | Frontend declaration.            |
| <b>user</b>                  | const     | <a href="#">ui/src/components/auth/LoginPage.test.tsx:20</a> | Frontend declaration.            |
| <b>onLogin</b>               | const     | <a href="#">ui/src/components/auth/LoginPage.test.tsx:21</a> | Frontend declaration.            |
| <b>Props</b>                 | interface | <a href="#">ui/src/components/auth/LoginPage.tsx:3</a>       | Frontend declaration.            |
| <b>LoginPage</b>             | const     | <a href="#">ui/src/components/auth/LoginPage.tsx:9</a>       | Documented frontend declaration. |
| <b>submittingRef</b>         | const     | <a href="#">ui/src/components/auth/LoginPage.tsx:18</a>      | Documented frontend declaration. |
| <b>handleLogin</b>           | const     | <a href="#">ui/src/components/auth/LoginPage.tsx:19</a>      | Documented frontend declaration. |
| <b>result</b>                | const     | <a href="#">ui/src/components/auth/LoginPage.tsx:25</a>      | Frontend declaration.            |
| <b>Harness</b>               | function  |                                                              |                                  |

| Symbol             | Kind     | Location                                                       | Signature / summary              |
|--------------------|----------|----------------------------------------------------------------|----------------------------------|
|                    |          | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>7   | Frontend declaration.            |
| field              | const    | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>25  | Frontend declaration.            |
| field              | const    | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>43  | Frontend declaration.            |
| field              | const    | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>55  | Frontend declaration.            |
| lineItems          | const    | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>75  | Frontend declaration.            |
| user               | const    | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>87  | Frontend declaration.            |
| user               | const    | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>96  | Frontend declaration.            |
| captured           | const    | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>99  | Documented frontend declaration. |
| Tracking           | function | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>100 | Documented frontend declaration. |
| next               | const    | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>108 | Frontend declaration.            |
| productInput       | const    | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>119 | Frontend declaration.            |
| requestKind        | const    | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>130 | Frontend declaration.            |
| orderNumber        | const    | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>136 | Frontend declaration.            |
| user               | const    | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>147 | Frontend declaration.            |
| user               | const    | ui/src/components/forms/<br>StartFormRenderer.test.tsx:<br>157 | Frontend declaration.            |
| StartFormField     | type     | ui/src/components/forms/<br>StartFormRenderer.tsx:15           | Frontend declaration.            |
| StartFormFileField | type     | ui/src/components/forms/<br>StartFormRenderer.tsx:35           | Frontend declaration.            |



| Symbol                    | Kind     | Location                                                          | Signature / summary                                                                                                |
|---------------------------|----------|-------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>StartFormFileValue</b> | type     | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:44</a>  |  Frontend declaration.            |
| <b>labelFor</b>           | function | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:46</a>  |  Frontend declaration.            |
| <b>optionLabel</b>        | function | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:50</a>  |  Frontend declaration.            |
| <b>isRequired</b>         | function | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:54</a>  |  Frontend declaration.            |
| <b>FieldWrapper</b>       | function | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:59</a>  |  Frontend declaration.            |
| <b>isComplex</b>          | const    | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:77</a>  |  Documented frontend declaration. |
| <b>labelText</b>          | const    | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:79</a>  |  Documented frontend declaration. |
| <b>TextInput</b>          | function | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:112</a> |  Frontend declaration.            |
| <b>inputType</b>          | const    | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:116</a> |  Frontend declaration.            |
| <b>EnumOptions</b>        | function | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:131</a> |  Frontend declaration.            |
| <b>values</b>             | const    | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:133</a> |  Frontend declaration.          |
| <b>ScalarField</b>        | function | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:142</a> |  Frontend declaration.          |
| <b>kind</b>               | const    | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:146</a> |  Frontend declaration.          |
| <b>inputType</b>          | const    | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:190</a> |  Frontend declaration.          |
| <b>selected</b>           | const    | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:235</a> |  Frontend declaration.          |
| <b>toggle</b>             | const    | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:236</a> |  Frontend declaration.          |
| <b>CompoundField</b>      | function | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:277</a> |  Frontend declaration.          |
| <b>record</b>             | const    | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:281</a> |  Frontend declaration.          |
| <b>set</b>                | const    | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:282</a> |  Frontend declaration.          |
| <b>children</b>           | const    | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:283</a> |  Frontend declaration.          |
| <b>amountField</b>        | const    | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:286</a> |  Frontend declaration.          |
| <b>currencyField</b>      | const    | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:287</a> |  Frontend declaration.          |
| <b>unitField</b>          | const    |                                                                   |                                                                                                                    |

| Symbol                     | Kind      | Location                                                          | Signature / summary   |
|----------------------------|-----------|-------------------------------------------------------------------|-----------------------|
|                            |           | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:312</a> | Frontend declaration. |
| <b>addressFields</b>       | const     | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:363</a> | Frontend declaration. |
| <b>RepeatingGroupField</b> | function  | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:401</a> | Frontend declaration. |
| <b>rows</b>                | const     | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:405</a> | Frontend declaration. |
| <b>children</b>            | const     | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:406</a> | Frontend declaration. |
| <b>asTable</b>             | const     | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:407</a> | Frontend declaration. |
| <b>setCell</b>             | const     | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:408</a> | Frontend declaration. |
| <b>copy</b>                | const     | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:410</a> | Frontend declaration. |
| <b>addRow</b>              | const     | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:414</a> | Frontend declaration. |
| <b>removeRow</b>           | const     | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:415</a> | Frontend declaration. |
| <b>FileFieldWidget</b>     | function  | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:497</a> | Frontend declaration. |
| <b>StartFormRenderer</b>   | function  | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:509</a> | Frontend declaration. |
| <b>disabled</b>            | const     | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:529</a> | Frontend declaration. |
| <b>fieldDisabled</b>       | const     | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:552</a> | Frontend declaration. |
| <b>value</b>               | const     | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:554</a> | Frontend declaration. |
| <b>setValue</b>            | const     | <a href="#">ui/src/components/forms/StartFormRenderer.tsx:555</a> | Frontend declaration. |
| <b>Mode</b>                | type      | <a href="#">ui/src/components/layout/Sidebar.tsx:4</a>            | Frontend declaration. |
| <b>NAV</b>                 | const     | <a href="#">ui/src/components/layout/Sidebar.tsx:6</a>            | Frontend declaration. |
| <b>SECONDARY</b>           | const     | <a href="#">ui/src/components/layout/Sidebar.tsx:13</a>           | Frontend declaration. |
| <b>Props</b>               | interface | <a href="#">ui/src/components/layout/Sidebar.tsx:19</a>           | Frontend declaration. |
| <b>Sidebar</b>             | const     | <a href="#">ui/src/components/layout/Sidebar.tsx:29</a>           | Frontend declaration. |
| <b>active</b>              | const     | <a href="#">ui/src/components/layout/Sidebar.tsx:65</a>           | Frontend declaration. |
| <b>Mode</b>                | type      |                                                                   |                       |

| Symbol                            | Kind      | Location                                                       | Signature / summary                                                                                                  |
|-----------------------------------|-----------|----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                   |           | <a href="#">ui/src/components/layout/Topbar.tsx:3</a>          |  Frontend declaration.              |
| <b>Props</b>                      | interface | <a href="#">ui/src/components/layout/Topbar.tsx:5</a>          |  Frontend declaration.              |
| <b>TITLES</b>                     | const     | <a href="#">ui/src/components/layout/Topbar.tsx:11</a>         |  Frontend declaration.              |
| <b>Topbar</b>                     | const     | <a href="#">ui/src/components/layout/Topbar.tsx:18</a>         |  Frontend declaration.              |
| <b>RagSourceView</b>              | type      | <a href="#">ui/src/components/rag/RagAnswerView.tsx:11</a>     |  Frontend declaration.              |
| <b>RagRelevantContextItemView</b> | type      | <a href="#">ui/src/components/rag/RagAnswerView.tsx:18</a>     |  Frontend declaration.              |
| <b>ModelLabelLookup</b>           | type      | <a href="#">ui/src/components/rag/RagAnswerView.tsx:26</a>     |  Frontend declaration.              |
| <b>sourceLink</b>                 | function  | <a href="#">ui/src/components/rag/RagAnswerView.tsx:28</a>     |  Frontend declaration.              |
| <b>link</b>                       | const     | <a href="#">ui/src/components/rag/RagAnswerView.tsx:30</a>     |  Frontend declaration.              |
| <b>locationLabel</b>              | function  | <a href="#">ui/src/components/rag/RagAnswerView.tsx:33</a>     |  Frontend declaration.              |
| <b>parts</b>                      | const     | <a href="#">ui/src/components/rag/RagAnswerView.tsx:35</a>     |  Frontend declaration.             |
| <b>RagAnswerView</b>              | function  | <a href="#">ui/src/components/rag/RagAnswerView.tsx:40</a>     |  Frontend declaration.            |
| <b>link</b>                       | const     | <a href="#">ui/src/components/rag/RagAnswerView.tsx:81</a>     |  Frontend declaration.            |
| <b>location</b>                   | const     | <a href="#">ui/src/components/rag/RagAnswerView.tsx:82</a>     |  Frontend declaration.            |
| <b>Node</b>                       | type      | <a href="#">ui/src/components/studio/WorkflowCanvas.tsx:8</a>  |  Frontend declaration.            |
| <b>Edge</b>                       | type      | <a href="#">ui/src/components/studio/WorkflowCanvas.tsx:9</a>  |  Frontend declaration.            |
| <b>getLayoutedElements</b>        | const     | <a href="#">ui/src/components/studio/WorkflowCanvas.tsx:13</a> |  Frontend declaration.            |
| <b>g</b>                          | const     | <a href="#">ui/src/components/studio/WorkflowCanvas.tsx:15</a> |  Frontend declaration.            |
| <b>Props</b>                      | interface | <a href="#">ui/src/components/studio/WorkflowCanvas.tsx:31</a> |  Frontend declaration.            |
| <b>WorkflowCanvas</b>             | function  | <a href="#">ui/src/components/studio/WorkflowCanvas.tsx:36</a> |  Frontend declaration.            |
| <b>rawNodes</b>                   | const     | <a href="#">ui/src/components/studio/WorkflowCanvas.tsx:42</a> |  Frontend declaration.            |
| <b>rawEdges</b>                   | const     | <a href="#">ui/src/components/studio/WorkflowCanvas.tsx:47</a> |  Documented frontend declaration. |
| <b>BrandMark</b>                  | function  |                                                                |                                                                                                                      |

| Symbol                         | Kind     | Location                                                 | Signature / summary                                                                                                |
|--------------------------------|----------|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                                |          | ui/src/components/ui/BrandMark.tsx:5                     |  Documented frontend declaration. |
| <b>badge</b>                   | const    | ui/src/components/ui/BrandMark.tsx:6                     |  Documented frontend declaration. |
| <b>IconName</b>                | type     | ui/src/components/ui/Icon.tsx:4                          |  Documented frontend declaration. |
| <b>IconPath</b>                | function | ui/src/components/ui/Icon.tsx:40                         |  Frontend declaration.            |
| <b>Icon</b>                    | function | ui/src/components/ui/Icon.tsx:286                        |  Frontend declaration.            |
| <b>WorkflowStatus</b>          | type     | ui/src/components/workflows/WorkflowProgress.tsx:5       |  Frontend declaration.            |
| <b>WorkflowProgressStep</b>    | type     | ui/src/components/workflows/WorkflowProgress.tsx:7       |  Frontend declaration.            |
| <b>WorkflowProgress</b>        | function | ui/src/components/workflows/WorkflowProgress.tsx:18      |  Frontend declaration.            |
| <b>complete</b>                | const    | ui/src/components/workflows/WorkflowProgress.tsx:32      |  Frontend declaration.            |
| <b>selected</b>                | const    | ui/src/components/workflows/WorkflowProgress.tsx:43      |  Frontend declaration.          |
| <b>button</b>                  | const    | ui/src/components/workflows/WorkflowProgress.tsx:44      |  Frontend declaration.          |
| <b>JsonValue</b>               | function | ui/src/components/workflows/WorkflowStepInspector.tsx:2  |  Frontend declaration.          |
| <b>WorkflowStepInspector</b>   | function | ui/src/components/workflows/WorkflowStepInspector.tsx:10 |  Frontend declaration.          |
| <b>WorkflowStatus</b>          | type     | ui/src/components/workflows/workflowStatus.ts:2          |  Frontend declaration.          |
| <b>WORKFLOW_STATUS_LABEL</b>   | const    | ui/src/components/workflows/workflowStatus.ts:4          |  Frontend declaration.          |
| <b>normalizeWorkflowStatus</b> | function | ui/src/components/workflows/workflowStatus.ts:12         |  Frontend declaration.          |
| <b>workflowStatusFromNode</b>  | function | ui/src/components/workflows/workflowStatus.ts:20         |  Frontend declaration.          |
| <b>workflowStatusFromRun</b>   | function |                                                          |  Frontend declaration.          |

| Symbol                         | Kind     | Location                                         | Signature / summary   |
|--------------------------------|----------|--------------------------------------------------|-----------------------|
|                                |          | ui/src/components/workflows/workflowStatus.ts:24 |                       |
| <b>WORKFLOW_STATUS_GLYPH</b>   | const    | ui/src/components/workflows/workflowStatus.ts:28 | Frontend declaration. |
| <b>WORKFLOW_STATUS_CLASSES</b> | const    | ui/src/components/workflows/workflowStatus.ts:36 | Frontend declaration. |
| <b>useRunEvents</b>            | function | ui/src/hooks/useRunEvents.ts:4                   | Frontend declaration. |
| <b>controller</b>              | const    | ui/src/hooks/useRunEvents.ts:17                  | Frontend declaration. |
| <b>run</b>                     | const    | ui/src/hooks/useRunEvents.ts:23                  | Frontend declaration. |
| <b>result</b>                  | const    | ui/src/hooks/useRunEvents.ts:28                  | Frontend declaration. |
| <b>delay</b>                   | const    | ui/src/hooks/useRunEvents.ts:76                  | Frontend declaration. |
| <b>useRunSocket</b>            | function | ui/src/hooks/useRunSocket.ts:4                   | Frontend declaration. |
| <b>evt</b>                     | const    | ui/src/hooks/useRunSocket.ts:29                  | Frontend declaration. |
| <b>Tab</b>                     | type     | ui/src/modes/cost/CostRoot.tsx:15                | Frontend declaration. |
| <b>TABS</b>                    | const    | ui/src/modes/cost/CostRoot.tsx:17                | Frontend declaration. |
| <b>usd</b>                     | function | ui/src/modes/cost/CostRoot.tsx:25                | Frontend declaration. |
| <b>Card</b>                    | function | ui/src/modes/cost/CostRoot.tsx:30                | Frontend declaration. |
| <b>SectionTitle</b>            | function | ui/src/modes/cost/CostRoot.tsx:38                | Frontend declaration. |
| <b>BreakdownList</b>           | function | ui/src/modes/cost/CostRoot.tsx:46                | Frontend declaration. |
| <b>max</b>                     | const    | ui/src/modes/cost/CostRoot.tsx:51                | Frontend declaration. |
| <b>OverviewTab</b>             | function | ui/src/modes/cost/CostRoot.tsx:71                | Frontend declaration. |
| <b>maxDaily</b>                | const    | ui/src/modes/cost/CostRoot.tsx:87                | Frontend declaration. |
| <b>PricingTab</b>              | function | ui/src/modes/cost/CostRoot.tsx:156               | Frontend declaration. |
| <b>refresh</b>                 | const    | ui/src/modes/cost/CostRoot.tsx:162               | Frontend declaration. |
| <b>timer</b>                   | const    |                                                  |                       |

| Symbol                         | Kind                  | Location                                        | Signature / summary                                                                                                |
|--------------------------------|-----------------------|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                                |                       | <code>ui/src/modes/cost/CostRoot.tsx:172</code> |  Documented frontend declaration. |
| <code>saveOverride</code>      | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:175</code> |  Documented frontend declaration. |
| <code>draft</code>             | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:177</code> |  Documented frontend declaration. |
| <code>input_usd_per_1k</code>  | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:179</code> |  Frontend declaration.            |
| <code>output_usd_per_1k</code> | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:180</code> |  Frontend declaration.            |
| <code>revert</code>            | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:186</code> |  Frontend declaration.            |
| <code>draft</code>             | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:211</code> |  Frontend declaration.            |
| <code>InfraTab</code>          | <code>function</code> | <code>ui/src/modes/cost/CostRoot.tsx:304</code> |  Frontend declaration.            |
| <code>refresh</code>           | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:308</code> |  Frontend declaration.            |
| <code>save</code>              | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:311</code> |  Frontend declaration.            |
| <code>draft</code>             | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:313</code> |  Frontend declaration.          |
| <code>value_usd</code>         | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:315</code> |  Frontend declaration.          |
| <code>draft</code>             | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:337</code> |  Frontend declaration.          |
| <code>CacheTab</code>          | <code>function</code> | <code>ui/src/modes/cost/CostRoot.tsx:393</code> |  Frontend declaration.          |
| <code>BudgetsTab</code>        | <code>function</code> | <code>ui/src/modes/cost/CostRoot.tsx:445</code> |  Frontend declaration.          |
| <code>refresh</code>           | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:450</code> |  Frontend declaration.          |
| <code>saveGlobal</code>        | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:453</code> |  Frontend declaration.          |
| <code>value</code>             | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:455</code> |  Frontend declaration.          |
| <code>saveSession</code>       | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:461</code> |  Frontend declaration.          |
| <code>value</code>             | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:463</code> |  Frontend declaration.          |
| <code>CostRoot</code>          | <code>function</code> | <code>ui/src/modes/cost/CostRoot.tsx:551</code> |  Frontend declaration.          |
| <code>activeTab</code>         | <code>const</code>    | <code>ui/src/modes/cost/CostRoot.tsx:554</code> |  Frontend declaration.          |
| <code>CRITERIA</code>          | <code>const</code>    |                                                 |                                                                                                                    |

| Symbol                         | Kind     | Location                                                        | Signature / summary                                                                                                  |
|--------------------------------|----------|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                |          | <a href="#">ui/src/modes/eval/EvalRoot.tsx:3</a>                |  Frontend declaration.              |
| <b>NAVY</b>                    | const    | <a href="#">ui/src/modes/eval/EvalRoot.tsx:5</a>                |  Frontend declaration.              |
| <b>GOLD</b>                    | const    | <a href="#">ui/src/modes/eval/EvalRoot.tsx:6</a>                |  Frontend declaration.              |
| <b>CANDIDATE_MODELS</b>        | const    | <a href="#">ui/src/modes/eval/EvalRoot.tsx:7</a>                |  Frontend declaration.              |
| <b>ScoreBar</b>                | function | <a href="#">ui/src/modes/eval/EvalRoot.tsx:14</a>               |  Frontend declaration.              |
| <b>pct</b>                     | const    | <a href="#">ui/src/modes/eval/EvalRoot.tsx:16</a>               |  Frontend declaration.              |
| <b>color</b>                   | const    | <a href="#">ui/src/modes/eval/EvalRoot.tsx:17</a>               |  Frontend declaration.              |
| <b>labelFor</b>                | function | <a href="#">ui/src/modes/eval/EvalRoot.tsx:24</a>               |  Frontend declaration.              |
| <b>ModelComparisonRow</b>      | function | <a href="#">ui/src/modes/eval/EvalRoot.tsx:28</a>               |  Frontend declaration.              |
| <b>passPct</b>                 | const    | <a href="#">ui/src/modes/eval/EvalRoot.tsx:36</a>               |  Frontend declaration.              |
| <b>passColor</b>               | const    | <a href="#">ui/src/modes/eval/EvalRoot.tsx:37</a>               |  Frontend declaration.            |
| <b>WorkflowModelComparison</b> | function | <a href="#">ui/src/modes/eval/EvalRoot.tsx:86</a>               |  Frontend declaration.            |
| <b>toggle</b>                  | function | <a href="#">ui/src/modes/eval/EvalRoot.tsx:97</a>               |  Frontend declaration.            |
| <b>runComparison</b>           | function | <a href="#">ui/src/modes/eval/EvalRoot.tsx:101</a>              |  Frontend declaration.            |
| <b>r</b>                       | const    | <a href="#">ui/src/modes/eval/EvalRoot.tsx:106</a>              |  Frontend declaration.            |
| <b>EvalRoot</b>                | function | <a href="#">ui/src/modes/eval/EvalRoot.tsx:161</a>              |  Frontend declaration.            |
| <b>runEval</b>                 | function | <a href="#">ui/src/modes/eval/EvalRoot.tsx:186</a>              |  Frontend declaration.            |
| <b>card</b>                    | const    | <a href="#">ui/src/modes/eval/EvalRoot.tsx:190</a>              |  Frontend declaration.            |
| <b>CollectionContextValue</b>  | type     | <a href="#">ui/src/modes/knowledge/CollectionContext.tsx:9</a>  |  Frontend declaration.            |
| <b>CollectionProvider</b>      | function | <a href="#">ui/src/modes/knowledge/CollectionContext.tsx:11</a> |  Frontend declaration.            |
| <b>setCollectionId</b>         | const    | <a href="#">ui/src/modes/knowledge/CollectionContext.tsx:19</a> |  Frontend declaration.            |
| <b>apply</b>                   | const    | <a href="#">ui/src/modes/knowledge/CollectionContext.tsx:28</a> |  Documented frontend declaration. |
| <b>keep</b>                    | const    |                                                                 |                                                                                                                      |

| Symbol                      | Kind     | Location                                                           | Signature / summary                                                                                                  |
|-----------------------------|----------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                             |          | <a href="#">ui/src/modes/knowledge/CollectionContext.tsx:32</a>    |  Frontend declaration.              |
| <b>next</b>                 | const    | <a href="#">ui/src/modes/knowledge/CollectionContext.tsx:33</a>    |  Frontend declaration.              |
| <b>refresh</b>              | const    | <a href="#">ui/src/modes/knowledge/CollectionContext.tsx:39</a>    |  Frontend declaration.              |
| <b>value</b>                | const    | <a href="#">ui/src/modes/knowledge/CollectionContext.tsx:59</a>    |  Frontend declaration.              |
| <b>CollectionBar</b>        | function | <a href="#">ui/src/modes/knowledge/CollectionContext.tsx:77</a>    |  Frontend declaration.              |
| <b>CollectionsPage</b>      | function | <a href="#">ui/src/modes/knowledge/CollectionsPage.tsx:5</a>       |  Frontend declaration.              |
| <b>toggle</b>               | function | <a href="#">ui/src/modes/knowledge/CollectionsPage.tsx:18</a>      |  Frontend declaration.              |
| <b>precision</b>            | const    | <a href="#">ui/src/modes/knowledge/CollectionsPage.tsx:24</a>      |  Frontend declaration.              |
| <b>create</b>               | function | <a href="#">ui/src/modes/knowledge/CollectionsPage.tsx:26</a>      |  Frontend declaration.              |
| <b>created</b>              | const    | <a href="#">ui/src/modes/knowledge/CollectionsPage.tsx:30</a>      |  Frontend declaration.              |
| <b>on</b>                   | const    | <a href="#">ui/src/modes/knowledge/CollectionsPage.tsx:54</a>      |  Frontend declaration.            |
| <b>DocumentsIndexesPage</b> | function | <a href="#">ui/src/modes/knowledge/DocumentsIndexesPage.tsx:5</a>  |  Frontend declaration.            |
| <b>refresh</b>              | function | <a href="#">ui/src/modes/knowledge/DocumentsIndexesPage.tsx:12</a> |  Frontend declaration.            |
| <b>activate</b>             | function | <a href="#">ui/src/modes/knowledge/DocumentsIndexesPage.tsx:22</a> |  Documented frontend declaration. |
| <b>activeIndexId</b>        | const    | <a href="#">ui/src/modes/knowledge/DocumentsIndexesPage.tsx:31</a> |  Frontend declaration.            |
| <b>IngestionPage</b>        | function | <a href="#">ui/src/modes/knowledge/IngestionPage.tsx:6</a>         |  Frontend declaration.            |
| <b>timer</b>                | const    | <a href="#">ui/src/modes/knowledge/IngestionPage.tsx:32</a>        |  Documented frontend declaration. |
| <b>choosePreset</b>         | function | <a href="#">ui/src/modes/knowledge/IngestionPage.tsx:36</a>        |  Frontend declaration.            |
| <b>next</b>                 | const    | <a href="#">ui/src/modes/knowledge/IngestionPage.tsx:37</a>        |  Frontend declaration.            |
| <b>run</b>                  | function | <a href="#">ui/src/modes/knowledge/IngestionPage.tsx:39</a>        |  Frontend declaration.            |
| <b>stamp</b>                | const    | <a href="#">ui/src/modes/knowledge/IngestionPage.tsx:42</a>        |  Frontend declaration.            |
| <b>payloads</b>             | const    | <a href="#">ui/src/modes/knowledge/IngestionPage.tsx:43</a>        |  Frontend declaration.            |
| <b>parserProfile</b>        | const    |                                                                    |                                                                                                                      |



| Symbol                 | Kind     | Location                                                       | Signature / summary              |
|------------------------|----------|----------------------------------------------------------------|----------------------------------|
|                        |          | <code>ui/src/modes/knowledge/IngestionPage.tsx:44</code>       | Frontend declaration.            |
| <b>chunkingProfile</b> | const    | <code>ui/src/modes/knowledge/IngestionPage.tsx:45</code>       | Frontend declaration.            |
| <b>created</b>         | const    | <code>ui/src/modes/knowledge/IngestionPage.tsx:48</code>       | Documented frontend declaration. |
| <b>completed</b>       | const    | <code>ui/src/modes/knowledge/IngestionPage.tsx:52</code>       | Frontend declaration.            |
| <b>progress</b>        | const    | <code>ui/src/modes/knowledge/IngestionPage.tsx:53</code>       | Frontend declaration.            |
| <b>api</b>             | const    | <code>ui/src/modes/knowledge/KnowledgeRoot.test.tsx:24</code>  | Frontend declaration.            |
| <b>collection</b>      | function | <code>ui/src/modes/knowledge/KnowledgeRoot.test.tsx:26</code>  | Frontend declaration.            |
| <b>created</b>         | const    | <code>ui/src/modes/knowledge/KnowledgeRoot.test.tsx:64</code>  | Frontend declaration.            |
| <b>list</b>            | const    | <code>ui/src/modes/knowledge/KnowledgeRoot.test.tsx:87</code>  | Documented frontend declaration. |
| <b>section</b>         | const    | <code>ui/src/modes/knowledge/KnowledgeRoot.test.tsx:88</code>  | Documented frontend declaration. |
| <b>created</b>         | const    | <code>ui/src/modes/knowledge/KnowledgeRoot.test.tsx:93</code>  | Frontend declaration.            |
| <b>cta</b>             | const    | <code>ui/src/modes/knowledge/KnowledgeRoot.test.tsx:138</code> | Frontend declaration.            |
| <b>Tab</b>             | type     | <code>ui/src/modes/knowledge/KnowledgeRoot.tsx:10</code>       | Frontend declaration.            |
| <b>TABS</b>            | const    | <code>ui/src/modes/knowledge/KnowledgeRoot.tsx:12</code>       | Frontend declaration.            |
| <b>KnowledgeTabs</b>   | function | <code>ui/src/modes/knowledge/KnowledgeRoot.tsx:16</code>       | Documented frontend declaration. |
| <b>showBar</b>         | const    | <code>ui/src/modes/knowledge/KnowledgeRoot.tsx:21</code>       | Documented frontend declaration. |
| <b>KnowledgeRoot</b>   | function | <code>ui/src/modes/knowledge/KnowledgeRoot.tsx:34</code>       | Frontend declaration.            |
| <b>requested</b>       | const    | <code>ui/src/modes/knowledge/KnowledgeRoot.tsx:37</code>       | Frontend declaration.            |
| <b>handler</b>         | const    | <code>ui/src/modes/knowledge/KnowledgeRoot.tsx:42</code>       | Frontend declaration.            |
| <b>STRATEGIES</b>      | const    | <code>ui/src/modes/knowledge/PlaygroundPage.tsx:6</code>       | Frontend declaration.            |
| <b>ResultColumn</b>    | function | <code>ui/src/modes/knowledge/PlaygroundPage.tsx:8</code>       | Frontend declaration.            |
| <b>PlaygroundPage</b>  | function | <code>ui/src/modes/knowledge/PlaygroundPage.tsx:17</code>      | Frontend declaration.            |
| <b>filters</b>         | const    |                                                                |                                  |

| Symbol                          | Kind     | Location                                                         | Signature / summary                                                                                                  |
|---------------------------------|----------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                 |          | <a href="#">ui/src/modes/knowledge/PlaygroundPage.tsx:39</a>     |  Frontend declaration.              |
| <b>config</b>                   | const    | <a href="#">ui/src/modes/knowledge/PlaygroundPage.tsx:40</a>     |  Frontend declaration.              |
| <b>choosePreset</b>             | function | <a href="#">ui/src/modes/knowledge/PlaygroundPage.tsx:41</a>     |  Frontend declaration.              |
| <b>value</b>                    | const    | <a href="#">ui/src/modes/knowledge/PlaygroundPage.tsx:43</a>     |  Frontend declaration.              |
| <b>next</b>                     | const    | <a href="#">ui/src/modes/knowledge/PlaygroundPage.tsx:44</a>     |  Frontend declaration.              |
| <b>run</b>                      | function | <a href="#">ui/src/modes/knowledge/PlaygroundPage.tsx:53</a>     |  Frontend declaration.              |
| <b>compare</b>                  | function | <a href="#">ui/src/modes/knowledge/PlaygroundPage.tsx:54</a>     |  Frontend declaration.              |
| <b>save</b>                     | function | <a href="#">ui/src/modes/knowledge/PlaygroundPage.tsx:55</a>     |  Frontend declaration.              |
| <b>StageTimeline</b>            | function | <a href="#">ui/src/modes/knowledge/PlaygroundPage.tsx:69</a>     |  Frontend declaration.              |
| <b>ProfilesAgentsPage</b>       | function | <a href="#">ui/src/modes/knowledge/ProfilesAgentsPage.tsx:6</a>  |  Frontend declaration.              |
| <b>refresh</b>                  | function | <a href="#">ui/src/modes/knowledge/ProfilesAgentsPage.tsx:25</a> |  Frontend declaration.            |
| <b>resolveGenerationProfile</b> | function | <a href="#">ui/src/modes/knowledge/ProfilesAgentsPage.tsx:40</a> |  Frontend declaration.            |
| <b>existing</b>                 | const    | <a href="#">ui/src/modes/knowledge/ProfilesAgentsPage.tsx:44</a> |  Documented frontend declaration. |
| <b>created</b>                  | const    | <a href="#">ui/src/modes/knowledge/ProfilesAgentsPage.tsx:46</a> |  Documented frontend declaration. |
| <b>create</b>                   | function | <a href="#">ui/src/modes/knowledge/ProfilesAgentsPage.tsx:62</a> |  Frontend declaration.            |
| <b>generation</b>               | const    | <a href="#">ui/src/modes/knowledge/ProfilesAgentsPage.tsx:66</a> |  Frontend declaration.            |
| <b>runTest</b>                  | function | <a href="#">ui/src/modes/knowledge/ProfilesAgentsPage.tsx:75</a> |  Frontend declaration.            |
| <b>TracesPage</b>               | function | <a href="#">ui/src/modes/knowledge/TracesPage.tsx:4</a>          |  Frontend declaration.            |
| <b>open</b>                     | function | <a href="#">ui/src/modes/knowledge/TracesPage.tsx:12</a>         |  Frontend declaration.            |
| <b>COLLECTION_STORAGE_KEY</b>   | const    | <a href="#">ui/src/modes/knowledge/collectionStore.ts:15</a>     |  Frontend declaration.            |
| <b>CollectionContextValue</b>   | type     | <a href="#">ui/src/modes/knowledge/collectionStore.ts:17</a>     |  Frontend declaration.            |
| <b>CollectionContext</b>        | const    | <a href="#">ui/src/modes/knowledge/collectionStore.ts:27</a>     |  Frontend declaration.            |
| <b>useCollection</b>            | function |                                                                  |                                                                                                                      |

| Symbol                          | Kind     | Location                                                  | Signature / summary                                                                                       |
|---------------------------------|----------|-----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                                 |          | <code>ui/src/modes/knowledge/collectionStore.ts:29</code> |  Frontend declaration.   |
| <b>value</b>                    | const    | <code>ui/src/modes/knowledge/collectionStore.ts:31</code> |  Frontend declaration.   |
| <b>IngestionPresetKey</b>       | type     | <code>ui/src/modes/knowledge/config.ts:2</code>           |  Frontend declaration.   |
| <b>INGESTION_PRESETS</b>        | const    | <code>ui/src/modes/knowledge/config.ts:4</code>           |  Frontend declaration.   |
| <b>ingestionProfileRequests</b> | function | <code>ui/src/modes/knowledge/config.ts:13</code>          |  Frontend declaration.   |
| <b>label</b>                    | const    | <code>ui/src/modes/knowledge/config.ts:18</code>          |  Frontend declaration.   |
| <b>comparisonExperiments</b>    | function | <code>ui/src/modes/knowledge/config.ts:39</code>          |  Frontend declaration.   |
| <b>ErrorNotice</b>              | function | <code>ui/src/modes/knowledge/shared.tsx:2</code>          |  Frontend declaration.   |
| <b>ResourceId</b>               | function | <code>ui/src/modes/knowledge/shared.tsx:7</code>          |  Frontend declaration.   |
| <b>copy</b>                     | function | <code>ui/src/modes/knowledge/shared.tsx:11</code>         |  Frontend declaration.   |
| <b>STATUS_STYLES</b>            | const    | <code>ui/src/modes/knowledge/shared.tsx:29</code>         |  Frontend declaration. |
| <b>Status</b>                   | function | <code>ui/src/modes/knowledge/shared.tsx:49</code>         |  Frontend declaration. |
| <b>style</b>                    | const    | <code>ui/src/modes/knowledge/shared.tsx:51</code>         |  Frontend declaration. |
| <b>Connection</b>               | type     | <code>ui/src/modes/studio/Builder.tsx:18</code>           |  Frontend declaration. |
| <b>Edge</b>                     | type     | <code>ui/src/modes/studio/Builder.tsx:19</code>           |  Frontend declaration. |
| <b>EdgeChange</b>               | type     | <code>ui/src/modes/studio/Builder.tsx:20</code>           |  Frontend declaration. |
| <b>Node</b>                     | type     | <code>ui/src/modes/studio/Builder.tsx:21</code>           |  Frontend declaration. |
| <b>NodeChange</b>               | type     | <code>ui/src/modes/studio/Builder.tsx:22</code>           |  Frontend declaration. |
| <b>ReactFlowInstance</b>        | type     | <code>ui/src/modes/studio/Builder.tsx:23</code>           |  Frontend declaration. |
| <b>Viewport</b>                 | type     | <code>ui/src/modes/studio/Builder.tsx:24</code>           |  Frontend declaration. |
| <b>ModelRoutingPolicy</b>       | type     | <code>ui/src/modes/studio/Builder.tsx:78</code>           |  Frontend declaration. |
| <b>NodeExperienceSpec</b>       | type     | <code>ui/src/modes/studio/Builder.tsx:79</code>           |  Frontend declaration. |
| <b>NoteSpec</b>                 | type     |                                                           |                                                                                                           |

| Symbol                      | Kind     | Location                                         | Signature / summary                                                                                                  |
|-----------------------------|----------|--------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                             |          | <code>ui/src/modes/studio/Builder.tsx:80</code>  |  Frontend declaration.              |
| <b>WorkflowEdgeData</b>     | type     | <code>ui/src/modes/studio/Builder.tsx:81</code>  |  Frontend declaration.              |
| <b>WorkflowInputSpec</b>    | type     | <code>ui/src/modes/studio/Builder.tsx:82</code>  |  Frontend declaration.              |
| <b>WorkflowNodeData</b>     | type     | <code>ui/src/modes/studio/Builder.tsx:83</code>  |  Frontend declaration.              |
| <b>YamlWorkflow</b>         | type     | <code>ui/src/modes/studio/Builder.tsx:84</code>  |  Frontend declaration.              |
| <b>nodeTypes</b>            | const    | <code>ui/src/modes/studio/Builder.tsx:86</code>  |  Frontend declaration.              |
| <b>NOTE_DEFAULT_SIZE</b>    | const    | <code>ui/src/modes/studio/Builder.tsx:93</code>  |  Frontend declaration.              |
| <b>NAME_PATTERN</b>         | const    | <code>ui/src/modes/studio/Builder.tsx:94</code>  |  Frontend declaration.              |
| <b>COMPACT_ENTER_ZOOM</b>   | const    | <code>ui/src/modes/studio/Builder.tsx:97</code>  |  Documented frontend declaration.   |
| <b>COMPACT_EXIT_ZOOM</b>    | const    | <code>ui/src/modes/studio/Builder.tsx:98</code>  |  Documented frontend declaration.   |
| <b>FOCUS_MIN_ZOOM</b>       | const    | <code>ui/src/modes/studio/Builder.tsx:101</code> |  Documented frontend declaration. |
| <b>WorkflowMeta</b>         | type     | <code>ui/src/modes/studio/Builder.tsx:102</code> |  Documented frontend declaration. |
| <b>BuilderSnapshot</b>      | type     | <code>ui/src/modes/studio/Builder.tsx:104</code> |  Frontend declaration.            |
| <b>RunDraft</b>             | type     | <code>ui/src/modes/studio/Builder.tsx:110</code> |  Frontend declaration.            |
| <b>BuilderNavState</b>      | type     | <code>ui/src/modes/studio/Builder.tsx:117</code> |  Documented frontend declaration. |
| <b>cloneSnapshot</b>        | function | <code>ui/src/modes/studio/Builder.tsx:124</code> |  Frontend declaration.            |
| <b>canvasFor</b>            | function | <code>ui/src/modes/studio/Builder.tsx:128</code> |  Frontend declaration.            |
| <b>applyCanvasPositions</b> | function | <code>ui/src/modes/studio/Builder.tsx:140</code> |  Frontend declaration.            |
| <b>positions</b>            | const    | <code>ui/src/modes/studio/Builder.tsx:145</code> |  Frontend declaration.            |
| <b>relatedPath</b>          | function | <code>ui/src/modes/studio/Builder.tsx:151</code> |  Frontend declaration.            |
| <b>related</b>              | const    | <code>ui/src/modes/studio/Builder.tsx:154</code> |  Frontend declaration.            |
| <b>Builder</b>              | function | <code>ui/src/modes/studio/Builder.tsx:171</code> |  Frontend declaration.            |
| <b>location</b>             | const    |                                                  |                                                                                                                      |

| Symbol                    | Kind  | Location                                         | Signature / summary                                                                                                  |
|---------------------------|-------|--------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                           |       | <code>ui/src/modes/studio/Builder.tsx:174</code> |  Frontend declaration.              |
| <b>navigate</b>           | const | <code>ui/src/modes/studio/Builder.tsx:175</code> |  Frontend declaration.              |
| <b>recordNodeOutput</b>   | const | <code>ui/src/modes/studio/Builder.tsx:215</code> |  Documented frontend declaration.   |
| <b>autosaveChainRef</b>   | const | <code>ui/src/modes/studio/Builder.tsx:228</code> |  Documented frontend declaration.   |
| <b>autosaveSeqRef</b>     | const | <code>ui/src/modes/studio/Builder.tsx:229</code> |  Documented frontend declaration.   |
| <b>canvasRef</b>          | const | <code>ui/src/modes/studio/Builder.tsx:253</code> |  Frontend declaration.              |
| <b>panelsBeforeExpand</b> | const | <code>ui/src/modes/studio/Builder.tsx:257</code> |  Documented frontend declaration.   |
| <b>dragStart</b>          | const | <code>ui/src/modes/studio/Builder.tsx:258</code> |  Documented frontend declaration.   |
| <b>pendingViewport</b>    | const | <code>ui/src/modes/studio/Builder.tsx:259</code> |  Documented frontend declaration.   |
| <b>skipNextRouteLoad</b>  | const | <code>ui/src/modes/studio/Builder.tsx:265</code> |  Documented frontend declaration.   |
| <b>currentWorkflow</b>    | const | <code>ui/src/modes/studio/Builder.tsx:275</code> |  Frontend declaration.            |
| <b>workflowNodes</b>      | const | <code>ui/src/modes/studio/Builder.tsx:283</code> |  Documented frontend declaration. |
| <b>noteSpecs</b>          | const | <code>ui/src/modes/studio/Builder.tsx:284</code> |  Documented frontend declaration. |
| <b>built</b>              | const | <code>ui/src/modes/studio/Builder.tsx:287</code> |  Frontend declaration.            |
| <b>currentYaml</b>        | const | <code>ui/src/modes/studio/Builder.tsx:290</code> |  Frontend declaration.            |
| <b>selected</b>           | const | <code>ui/src/modes/studio/Builder.tsx:294</code> |  Frontend declaration.            |
| <b>captureSnapshot</b>    | const | <code>ui/src/modes/studio/Builder.tsx:298</code> |  Frontend declaration.            |
| <b>pushHistory</b>        | const | <code>ui/src/modes/studio/Builder.tsx:303</code> |  Frontend declaration.            |
| <b>next</b>               | const | <code>ui/src/modes/studio/Builder.tsx:305</code> |  Frontend declaration.            |
| <b>markChanged</b>        | const | <code>ui/src/modes/studio/Builder.tsx:310</code> |  Frontend declaration.            |
| <b>hydrateWorkflow</b>    | const | <code>ui/src/modes/studio/Builder.tsx:322</code> |  Documented frontend declaration. |
| <b>flow</b>               | const | <code>ui/src/modes/studio/Builder.tsx:328</code> |  Frontend declaration.            |
| <b>restored</b>           | const |                                                  |                                                                                                                      |

| Symbol                        | Kind  | Location                                         | Signature / summary                                                                                                  |
|-------------------------------|-------|--------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                               |       | <code>ui/src/modes/studio/Builder.tsx:329</code> |  Frontend declaration.              |
| <b>laidOut</b>                | const | <code>ui/src/modes/studio/Builder.tsx:330</code> |  Frontend declaration.              |
| <b>noteNodes</b>              | const | <code>ui/src/modes/studio/Builder.tsx:335</code> |  Documented frontend declaration.   |
| <b>workflow</b>               | const | <code>ui/src/modes/studio/Builder.tsx:373</code> |  Frontend declaration.              |
| <b>draft</b>                  | const | <code>ui/src/modes/studio/Builder.tsx:388</code> |  Documented frontend declaration.   |
| <b>viewport</b>               | const | <code>ui/src/modes/studio/Builder.tsx:426</code> |  Frontend declaration.              |
| <b>timer</b>                  | const | <code>ui/src/modes/studio/Builder.tsx:433</code> |  Frontend declaration.              |
| <b>seq</b>                    | const | <code>ui/src/modes/studio/Builder.tsx:434</code> |  Frontend declaration.              |
| <b>yaml</b>                   | const | <code>ui/src/modes/studio/Builder.tsx:436</code> |  Frontend declaration.              |
| <b>canvas</b>                 | const | <code>ui/src/modes/studio/Builder.tsx:437</code> |  Frontend declaration.              |
| <b>addNode</b>                | const | <code>ui/src/modes/studio/Builder.tsx:457</code> |  Frontend declaration.            |
| <b>manifest</b>               | const | <code>ui/src/modes/studio/Builder.tsx:463</code> |  Frontend declaration.            |
| <b>snapshot</b>               | const | <code>ui/src/modes/studio/Builder.tsx:465</code> |  Frontend declaration.            |
| <b>bounds</b>                 | const | <code>ui/src/modes/studio/Builder.tsx:469</code> |  Frontend declaration.            |
| <b>existingIds</b>            | const | <code>ui/src/modes/studio/Builder.tsx:475</code> |  Frontend declaration.            |
| <b>id</b>                     | const | <code>ui/src/modes/studio/Builder.tsx:476</code> |  Frontend declaration.            |
| <b>supportsModelSelection</b> | const | <code>ui/src/modes/studio/Builder.tsx:477</code> |  Frontend declaration.            |
| <b>defaultConfig</b>          | const | <code>ui/src/modes/studio/Builder.tsx:480</code> |  Frontend declaration.            |
| <b>node</b>                   | const | <code>ui/src/modes/studio/Builder.tsx:488</code> |  Documented frontend declaration. |
| <b>onDrop</b>                 | const | <code>ui/src/modes/studio/Builder.tsx:511</code> |  Frontend declaration.            |
| <b>typeName</b>               | const | <code>ui/src/modes/studio/Builder.tsx:514</code> |  Frontend declaration.            |
| <b>addNote</b>                | const | <code>ui/src/modes/studio/Builder.tsx:524</code> |  Documented frontend declaration. |
| <b>snapshot</b>               | const |                                                  |                                                                                                                      |

| Symbol                     | Kind  | Location                                         | Signature / summary                                                                                                  |
|----------------------------|-------|--------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                            |       | <code>ui/src/modes/studio/Builder.tsx:525</code> |  Documented frontend declaration.   |
| <b>bounds</b>              | const | <code>ui/src/modes/studio/Builder.tsx:529</code> |  Frontend declaration.              |
| <b>id</b>                  | const | <code>ui/src/modes/studio/Builder.tsx:535</code> |  Frontend declaration.              |
| <b>note</b>                | const | <code>ui/src/modes/studio/Builder.tsx:536</code> |  Frontend declaration.              |
| <b>updateNoteText</b>      | const | <code>ui/src/modes/studio/Builder.tsx:546</code> |  Frontend declaration.              |
| <b>onConnect</b>           | const | <code>ui/src/modes/studio/Builder.tsx:553</code> |  Frontend declaration.              |
| <b>groupId</b>             | const | <code>ui/src/modes/studio/Builder.tsx:557</code> |  Frontend declaration.              |
| <b>addConnectedMcpTool</b> | const | <code>ui/src/modes/studio/Builder.tsx:571</code> |  Documented frontend declaration.   |
| <b>source</b>              | const | <code>ui/src/modes/studio/Builder.tsx:576</code> |  Frontend declaration.              |
| <b>position</b>            | const | <code>ui/src/modes/studio/Builder.tsx:577</code> |  Frontend declaration.              |
| <b>newId</b>               | const | <code>ui/src/modes/studio/Builder.tsx:578</code> |  Frontend declaration.            |
| <b>groupId</b>             | const | <code>ui/src/modes/studio/Builder.tsx:583</code> |  Frontend declaration.            |
| <b>onNodesChange</b>       | const | <code>ui/src/modes/studio/Builder.tsx:593</code> |  Frontend declaration.            |
| <b>changes</b>             | const | <code>ui/src/modes/studio/Builder.tsx:598</code> |  Documented frontend declaration. |
| <b>positionChange</b>      | const | <code>ui/src/modes/studio/Builder.tsx:600</code> |  Documented frontend declaration. |
| <b>removed</b>             | const | <code>ui/src/modes/studio/Builder.tsx:612</code> |  Frontend declaration.            |
| <b>output</b>              | const | <code>ui/src/modes/studio/Builder.tsx:636</code> |  Frontend declaration.            |
| <b>onEdgesChange</b>       | const | <code>ui/src/modes/studio/Builder.tsx:657</code> |  Frontend declaration.            |
| <b>onConfigChange</b>      | const | <code>ui/src/modes/studio/Builder.tsx:665</code> |  Frontend declaration.            |
| <b>onExperienceChange</b>  | const | <code>ui/src/modes/studio/Builder.tsx:674</code> |  Frontend declaration.            |
| <b>onIdChange</b>          | const | <code>ui/src/modes/studio/Builder.tsx:683</code> |  Frontend declaration.            |
| <b>config</b>              | const | <code>ui/src/modes/studio/Builder.tsx:699</code> |  Documented frontend declaration. |
| <b>replace</b>             | const |                                                  |                                                                                                                      |

| Symbol                        | Kind  | Location                                         | Signature / summary   |
|-------------------------------|-------|--------------------------------------------------|-----------------------|
|                               |       | <code>ui/src/modes/studio/Builder.tsx:711</code> | Frontend declaration. |
| <b>output</b>                 | const | <code>ui/src/modes/studio/Builder.tsx:712</code> | Frontend declaration. |
| <b>onModelSelectionChange</b> | const | <code>ui/src/modes/studio/Builder.tsx:736</code> | Frontend declaration. |
| <b>onModelRoutingChange</b>   | const | <code>ui/src/modes/studio/Builder.tsx:745</code> | Frontend declaration. |
| <b>onInputsChange</b>         | const | <code>ui/src/modes/studio/Builder.tsx:754</code> | Frontend declaration. |
| <b>undo</b>                   | const | <code>ui/src/modes/studio/Builder.tsx:760</code> | Frontend declaration. |
| <b>previous</b>               | const | <code>ui/src/modes/studio/Builder.tsx:762</code> | Frontend declaration. |
| <b>current</b>                | const | <code>ui/src/modes/studio/Builder.tsx:763</code> | Frontend declaration. |
| <b>redo</b>                   | const | <code>ui/src/modes/studio/Builder.tsx:773</code> | Frontend declaration. |
| <b>next</b>                   | const | <code>ui/src/modes/studio/Builder.tsx:775</code> | Frontend declaration. |
| <b>current</b>                | const | <code>ui/src/modes/studio/Builder.tsx:776</code> | Frontend declaration. |
| <b>validate</b>               | const | <code>ui/src/modes/studio/Builder.tsx:786</code> | Frontend declaration. |
| <b>report</b>                 | const | <code>ui/src/modes/studio/Builder.tsx:792</code> | Frontend declaration. |
| <b>autofix</b>                | const | <code>ui/src/modes/studio/Builder.tsx:802</code> | Frontend declaration. |
| <b>result</b>                 | const | <code>ui/src/modes/studio/Builder.tsx:808</code> | Frontend declaration. |
| <b>fixedWorkflow</b>          | const | <code>ui/src/modes/studio/Builder.tsx:809</code> | Frontend declaration. |
| <b>autofixSelectedNode</b>    | const | <code>ui/src/modes/studio/Builder.tsx:821</code> | Frontend declaration. |
| <b>result</b>                 | const | <code>ui/src/modes/studio/Builder.tsx:827</code> | Frontend declaration. |
| <b>fixedWorkflow</b>          | const | <code>ui/src/modes/studio/Builder.tsx:829</code> | Frontend declaration. |
| <b>onSave</b>                 | const | <code>ui/src/modes/studio/Builder.tsx:845</code> | Frontend declaration. |
| <b>report</b>                 | const | <code>ui/src/modes/studio/Builder.tsx:855</code> | Frontend declaration. |
| <b>onSaveAsConfirm</b>        | const | <code>ui/src/modes/studio/Builder.tsx:878</code> | Frontend declaration. |
| <b>workflow</b>               | const |                                                  |                       |



| Symbol                       | Kind  | Location                                          | Signature / summary                                                                                                  |
|------------------------------|-------|---------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                              |       | <code>ui/src/modes/studio/Builder.tsx:882</code>  |  Frontend declaration.              |
| <b>prepareRun</b>            | const | <code>ui/src/modes/studio/Builder.tsx:902</code>  |  Frontend declaration.              |
| <b>report</b>                | const | <code>ui/src/modes/studio/Builder.tsx:904</code>  |  Frontend declaration.              |
| <b>autoLayout</b>            | const | <code>ui/src/modes/studio/Builder.tsx:926</code>  |  Frontend declaration.              |
| <b>workflowNodes</b>         | const | <code>ui/src/modes/studio/Builder.tsx:932</code>  |  Documented frontend declaration.   |
| <b>noteNodes</b>             | const | <code>ui/src/modes/studio/Builder.tsx:933</code>  |  Documented frontend declaration.   |
| <b>toggleLayoutDirection</b> | const | <code>ui/src/modes/studio/Builder.tsx:943</code>  |  Documented frontend declaration.   |
| <b>next</b>                  | const | <code>ui/src/modes/studio/Builder.tsx:944</code>  |  Documented frontend declaration.   |
| <b>toggleExpanded</b>        | const | <code>ui/src/modes/studio/Builder.tsx:948</code>  |  Frontend declaration.              |
| <b>next</b>                  | const | <code>ui/src/modes/studio/Builder.tsx:950</code>  |  Frontend declaration.              |
| <b>restoreAutosave</b>       | const | <code>ui/src/modes/studio/Builder.tsx:965</code>  |  Documented frontend declaration. |
| <b>discardAutosave</b>       | const | <code>ui/src/modes/studio/Builder.tsx:972</code>  |  Frontend declaration.            |
| <b>startBlank</b>            | const | <code>ui/src/modes/studio/Builder.tsx:979</code>  |  Frontend declaration.            |
| <b>workflow</b>              | const | <code>ui/src/modes/studio/Builder.tsx:981</code>  |  Frontend declaration.            |
| <b>startTemplate</b>         | const | <code>ui/src/modes/studio/Builder.tsx:1000</code> |  Frontend declaration.            |
| <b>result</b>                | const | <code>ui/src/modes/studio/Builder.tsx:1005</code> |  Frontend declaration.            |
| <b>workflow</b>              | const | <code>ui/src/modes/studio/Builder.tsx:1006</code> |  Frontend declaration.            |
| <b>realNodeCount</b>         | const | <code>ui/src/modes/studio/Builder.tsx:1021</code> |  Documented frontend declaration. |
| <b>path</b>                  | const | <code>ui/src/modes/studio/Builder.tsx:1025</code> |  Frontend declaration.            |
| <b>issueNodes</b>            | const | <code>ui/src/modes/studio/Builder.tsx:1026</code> |  Frontend declaration.            |
| <b>executionKinds</b>        | const | <code>ui/src/modes/studio/Builder.tsx:1032</code> |  Documented frontend declaration. |
| <b>mcpServerIds</b>          | const | <code>ui/src/modes/studio/Builder.tsx:1036</code> |  Documented frontend declaration. |
| <b>found</b>                 | const |                                                   |                                                                                                                      |

| Symbol                       | Kind  | Location                                          | Signature / summary                                                                                                  |
|------------------------------|-------|---------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                              |       | <code>ui/src/modes/studio/Builder.tsx:1037</code> |  Documented frontend declaration.   |
| <b>serverId</b>              | const | <code>ui/src/modes/studio/Builder.tsx:1040</code> |  Frontend declaration.              |
| <b>ids</b>                   | const | <code>ui/src/modes/studio/Builder.tsx:1048</code> |  Frontend declaration.              |
| <b>next</b>                  | const | <code>ui/src/modes/studio/Builder.tsx:1054</code> |  Frontend declaration.              |
| <b>annotatedNodes</b>        | const | <code>ui/src/modes/studio/Builder.tsx:1076</code> |  Documented frontend declaration.   |
| <b>stages</b>                | const | <code>ui/src/modes/studio/Builder.tsx:1112</code> |  Documented frontend declaration.   |
| <b>stageForNode</b>          | const | <code>ui/src/modes/studio/Builder.tsx:1116</code> |  Frontend declaration.              |
| <b>map</b>                   | const | <code>ui/src/modes/studio/Builder.tsx:1117</code> |  Frontend declaration.              |
| <b>collapseStage</b>         | const | <code>ui/src/modes/studio/Builder.tsx:1123</code> |  Frontend declaration.              |
| <b>setAllStagesCollapsed</b> | const | <code>ui/src/modes/studio/Builder.tsx:1131</code> |  Documented frontend declaration.   |
| <b>expandStage</b>           | const | <code>ui/src/modes/studio/Builder.tsx:1135</code> |  Frontend declaration.            |
| <b>next</b>                  | const | <code>ui/src/modes/studio/Builder.tsx:1137</code> |  Frontend declaration.            |
| <b>focusNode</b>             | const | <code>ui/src/modes/studio/Builder.tsx:1144</code> |  Documented frontend declaration. |
| <b>node</b>                  | const | <code>ui/src/modes/studio/Builder.tsx:1145</code> |  Documented frontend declaration. |
| <b>selectNode</b>            | const | <code>ui/src/modes/studio/Builder.tsx:1158</code> |  Frontend declaration.            |
| <b>stageIndex</b>            | const | <code>ui/src/modes/studio/Builder.tsx:1162</code> |  Documented frontend declaration. |
| <b>displayNodes</b>          | const | <code>ui/src/modes/studio/Builder.tsx:1169</code> |  Frontend declaration.            |
| <b>isNote</b>                | const | <code>ui/src/modes/studio/Builder.tsx:1171</code> |  Frontend declaration.            |
| <b>displayEdges</b>          | const | <code>ui/src/modes/studio/Builder.tsx:1200</code> |  Frontend declaration.            |
| <b>highlighted</b>           | const | <code>ui/src/modes/studio/Builder.tsx:1201</code> |  Frontend declaration.            |
| <b>collapsed</b>             | const | <code>ui/src/modes/studio/Builder.tsx:1218</code> |  Documented frontend declaration. |
| <b>canvasNodes</b>           | const | <code>ui/src/modes/studio/Builder.tsx:1222</code> |  Frontend declaration.            |
| <b>collapsibleStages</b>     | const |                                                   |                                                                                                                      |

| Symbol                     | Kind     | Location                                                         | Signature / summary                                                                                                  |
|----------------------------|----------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                            |          | <a href="#">ui/src/modes/studio/Builder.tsx:1228</a>             |  Frontend declaration.              |
| <b>runExport</b>           | const    | <a href="#">ui/src/modes/studio/Builder.tsx:1229</a>             |  Frontend declaration.              |
| <b>exportNodes</b>         | const    | <a href="#">ui/src/modes/studio/Builder.tsx:1241</a>             |  Documented frontend declaration.   |
| <b>image</b>               | const    | <a href="#">ui/src/modes/studio/Builder.tsx:1242</a>             |  Documented frontend declaration.   |
| <b>filename</b>            | const    | <a href="#">ui/src/modes/studio/Builder.tsx:1255</a>             |  Frontend declaration.              |
| <b>onKeyDown</b>           | const    | <a href="#">ui/src/modes/studio/Builder.tsx:1272</a>             |  Documented frontend declaration.   |
| <b>target</b>              | const    | <a href="#">ui/src/modes/studio/Builder.tsx:1273</a>             |  Documented frontend declaration.   |
| <b>typing</b>              | const    | <a href="#">ui/src/modes/studio/Builder.tsx:1274</a>             |  Frontend declaration.              |
| <b>direction</b>           | const    | <a href="#">ui/src/modes/studio/Builder.tsx:1293</a>             |  Frontend declaration.              |
| <b>inCanvas</b>            | const    | <a href="#">ui/src/modes/studio/Builder.tsx:1296</a>             |  Frontend declaration.              |
| <b>nextId</b>              | const    | <a href="#">ui/src/modes/studio/Builder.tsx:1301</a>             |  Documented frontend declaration. |
| <b>autosaveLabel</b>       | const    | <a href="#">ui/src/modes/studio/Builder.tsx:1331</a>             |  Frontend declaration.            |
| <b>returnPath</b>          | const    | <a href="#">ui/src/modes/studio/Builder.tsx:1345</a>             |  Frontend declaration.            |
| <b>viewport</b>            | const    | <a href="#">ui/src/modes/studio/Builder.tsx:1493</a>             |  Frontend declaration.            |
| <b>user</b>                | const    | <a href="#">ui/src/modes/studio/BuilderInspector.test.tsx:9</a>  |  Frontend declaration.            |
| <b>onTest</b>              | const    | <a href="#">ui/src/modes/studio/BuilderInspector.test.tsx:10</a> |  Frontend declaration.            |
| <b>onAutofix</b>           | const    | <a href="#">ui/src/modes/studio/BuilderInspector.test.tsx:11</a> |  Frontend declaration.            |
| <b>BuilderInspectorTab</b> | type     | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:38</a>      |  Frontend declaration.            |
| <b>TABS</b>                | const    | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:49</a>      |  Frontend declaration.            |
| <b>NodeActions</b>         | function | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:61</a>      |  Frontend declaration.            |
| <b>BuilderInspector</b>    | function | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:91</a>      |  Frontend declaration.            |
| <b>manifest</b>            | const    | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:166</a>     |  Frontend declaration.            |

| Symbol                   | Kind     | Location                                                     | Signature / summary                                                                                                |
|--------------------------|----------|--------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>previewValues</b>     | const    | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:173</a> |  Documented frontend declaration. |
| <b>typeNameOf</b>        | const    | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:190</a> |  Documented frontend declaration. |
| <b>upstreamTypes</b>     | const    | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:191</a> |  Documented frontend declaration. |
| <b>downstreamTypes</b>   | const    | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:196</a> |  Frontend declaration.            |
| <b>businessLabel</b>     | const    | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:201</a> |  Frontend declaration.            |
| <b>hasChatbotStart</b>   | const    | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:206</a> |  Documented frontend declaration. |
| <b>visibleTabs</b>       | const    | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:209</a> |  Frontend declaration.            |
| <b>EmptyState</b>        | function | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:424</a> |  Frontend declaration.            |
| <b>AdvancedPanel</b>     | function | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:442</a> |  Frontend declaration.            |
| <b>supportsModel</b>     | const    | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:460</a> |  Frontend declaration.            |
| <b>configuredModel</b>   | const    | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:466</a> |  Frontend declaration.          |
| <b>selectedModel</b>     | const    | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:469</a> |  Frontend declaration.          |
| <b>routing</b>           | const    | <a href="#">ui/src/modes/studio/BuilderInspector.tsx:470</a> |  Frontend declaration.          |
| <b>NAME_PATTERN</b>      | const    | <a href="#">ui/src/modes/studio/BuilderStart.tsx:6</a>       |  Frontend declaration.          |
| <b>BuilderStart</b>      | function | <a href="#">ui/src/modes/studio/BuilderStart.tsx:8</a>       |  Frontend declaration.          |
| <b>trimmed</b>           | const    | <a href="#">ui/src/modes/studio/BuilderStart.tsx:25</a>      |  Frontend declaration.          |
| <b>valid</b>             | const    | <a href="#">ui/src/modes/studio/BuilderStart.tsx:27</a>      |  Frontend declaration.          |
| <b>BuilderTestPanel</b>  | function | <a href="#">ui/src/modes/studio/BuilderTestPanel.tsx:4</a>   |  Frontend declaration.          |
| <b>branches</b>          | const    | <a href="#">ui/src/modes/studio/BuilderTestPanel.tsx:30</a>  |  Frontend declaration.          |
| <b>label</b>             | const    | <a href="#">ui/src/modes/studio/BuilderTestPanel.tsx:58</a>  |  Frontend declaration.          |
| <b>Edge</b>              | type     | <a href="#">ui/src/modes/studio/Cockpit.tsx:10</a>           |  Frontend declaration.          |
| <b>Node</b>              | type     | <a href="#">ui/src/modes/studio/Cockpit.tsx:11</a>           |  Frontend declaration.          |
| <b>ReactFlowInstance</b> | type     |                                                              |                                                                                                                    |

| Symbol               | Kind     | Location                                         | Signature / summary                                                                                                  |
|----------------------|----------|--------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                      |          | <code>ui/src/modes/studio/Cockpit.tsx:12</code>  |  Frontend declaration.              |
| <b>GraphEdge</b>     | type     | <code>ui/src/modes/studio/Cockpit.tsx:24</code>  |  Frontend declaration.              |
| <b>NodeStatus</b>    | type     | <code>ui/src/modes/studio/Cockpit.tsx:25</code>  |  Frontend declaration.              |
| <b>nodeTypes</b>     | const    | <code>ui/src/modes/studio/Cockpit.tsx:43</code>  |  Frontend declaration.              |
| <b>STATUS_BADGE</b>  | const    | <code>ui/src/modes/studio/Cockpit.tsx:49</code>  |  Frontend declaration.              |
| <b>Cockpit</b>       | function | <code>ui/src/modes/studio/Cockpit.tsx:58</code>  |  Frontend declaration.              |
| <b>run</b>           | const    | <code>ui/src/modes/studio/Cockpit.tsx:60</code>  |  Frontend declaration.              |
| <b>leftPanel</b>     | const    | <code>ui/src/modes/studio/Cockpit.tsx:96</code>  |  Frontend declaration.              |
| <b>rightPanel</b>    | const    | <code>ui/src/modes/studio/Cockpit.tsx:100</code> |  Frontend declaration.              |
| <b>base</b>          | const    | <code>ui/src/modes/studio/Cockpit.tsx:108</code> |  Documented frontend declaration.   |
| <b>initialNodes</b>  | const    | <code>ui/src/modes/studio/Cockpit.tsx:109</code> |  Frontend declaration.            |
| <b>laidOut</b>       | const    | <code>ui/src/modes/studio/Cockpit.tsx:113</code> |  Frontend declaration.            |
| <b>plainEdges</b>    | const    | <code>ui/src/modes/studio/Cockpit.tsx:122</code> |  Frontend declaration.            |
| <b>rawStatuses</b>   | const    | <code>ui/src/modes/studio/Cockpit.tsx:135</code> |  Documented frontend declaration. |
| <b>ssStatus</b>      | const    | <code>ui/src/modes/studio/Cockpit.tsx:137</code> |  Frontend declaration.            |
| <b>status</b>        | const    | <code>ui/src/modes/studio/Cockpit.tsx:138</code> |  Frontend declaration.            |
| <b>withSkips</b>     | const    | <code>ui/src/modes/studio/Cockpit.tsx:143</code> |  Frontend declaration.            |
| <b>runEnded</b>      | const    | <code>ui/src/modes/studio/Cockpit.tsx:149</code> |  Frontend declaration.            |
| <b>finalStatuses</b> | const    | <code>ui/src/modes/studio/Cockpit.tsx:154</code> |  Frontend declaration.            |
| <b>status</b>        | const    | <code>ui/src/modes/studio/Cockpit.tsx:157</code> |  Frontend declaration.            |
| <b>nodeRun</b>       | const    | <code>ui/src/modes/studio/Cockpit.tsx:158</code> |  Frontend declaration.            |
| <b>durationLabel</b> | const    | <code>ui/src/modes/studio/Cockpit.tsx:159</code> |  Frontend declaration.            |
| <b>summary</b>       | const    |                                                  |                                                                                                                      |

| Symbol                         | Kind  | Location                                         | Signature / summary                                                                                                  |
|--------------------------------|-------|--------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                |       | <code>ui/src/modes/studio/Cockpit.tsx:160</code> |  Frontend declaration.              |
| <b>hasError</b>                | const | <code>ui/src/modes/studio/Cockpit.tsx:161</code> |  Frontend declaration.              |
| <b>executionKinds</b>          | const | <code>ui/src/modes/studio/Cockpit.tsx:184</code> |  Documented frontend declaration.   |
| <b>stageIndexById</b>          | const | <code>ui/src/modes/studio/Cockpit.tsx:187</code> |  Frontend declaration.              |
| <b>map</b>                     | const | <code>ui/src/modes/studio/Cockpit.tsx:189</code> |  Frontend declaration.              |
| <b>pathHighlight</b>           | const | <code>ui/src/modes/studio/Cockpit.tsx:193</code> |  Frontend declaration.              |
| <b>filteredOutIds</b>          | const | <code>ui/src/modes/studio/Cockpit.tsx:198</code> |  Frontend declaration.              |
| <b>collapsedResult</b>         | const | <code>ui/src/modes/studio/Cockpit.tsx:203</code> |  Frontend declaration.              |
| <b>bandNodes</b>               | const | <code>ui/src/modes/studio/Cockpit.tsx:208</code> |  Frontend declaration.              |
| <b>displayNodes</b>            | const | <code>ui/src/modes/studio/Cockpit.tsx:212</code> |  Frontend declaration.              |
| <b>rendered</b>                | const | <code>ui/src/modes/studio/Cockpit.tsx:214</code> |  Frontend declaration.            |
| <b>nodeId</b>                  | const | <code>ui/src/modes/studio/Cockpit.tsx:216</code> |  Frontend declaration.            |
| <b>faded</b>                   | const | <code>ui/src/modes/studio/Cockpit.tsx:217</code> |  Frontend declaration.            |
| <b>pathHighlighted</b>         | const | <code>ui/src/modes/studio/Cockpit.tsx:221</code> |  Frontend declaration.            |
| <b>executionKind</b>           | const | <code>ui/src/modes/studio/Cockpit.tsx:222</code> |  Frontend declaration.            |
| <b>displayEdges</b>            | const | <code>ui/src/modes/studio/Cockpit.tsx:232</code> |  Frontend declaration.            |
| <b>onPath</b>                  | const | <code>ui/src/modes/studio/Cockpit.tsx:234</code> |  Frontend declaration.            |
| <b>isActiveEdge</b>            | const | <code>ui/src/modes/studio/Cockpit.tsx:235</code> |  Frontend declaration.            |
| <b>faded</b>                   | const | <code>ui/src/modes/studio/Cockpit.tsx:236</code> |  Frontend declaration.            |
| <b>selectNode</b>              | const | <code>ui/src/modes/studio/Cockpit.tsx:259</code> |  Documented frontend declaration. |
| <b>focusNode</b>               | const | <code>ui/src/modes/studio/Cockpit.tsx:263</code> |  Frontend declaration.            |
| <b>node</b>                    | const | <code>ui/src/modes/studio/Cockpit.tsx:266</code> |  Frontend declaration.            |
| <b>appliedInitialSelection</b> | const |                                                  |                                                                                                                      |

| Symbol                   | Kind  | Location                                         | Signature / summary                                                                                                |
|--------------------------|-------|--------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                          |       | <code>ui/src/modes/studio/Cockpit.tsx:280</code> |  Documented frontend declaration. |
| <b>fitToScreen</b>       | const | <code>ui/src/modes/studio/Cockpit.tsx:295</code> |  Frontend declaration.            |
| <b>focusSelectedPath</b> | const | <code>ui/src/modes/studio/Cockpit.tsx:299</code> |  Frontend declaration.            |
| <b>showFailedPath</b>    | const | <code>ui/src/modes/studio/Cockpit.tsx:308</code> |  Frontend declaration.            |
| <b>failedNode</b>        | const | <code>ui/src/modes/studio/Cockpit.tsx:310</code> |  Frontend declaration.            |
| <b>id</b>                | const | <code>ui/src/modes/studio/Cockpit.tsx:312</code> |  Frontend declaration.            |
| <b>highlighted</b>       | const | <code>ui/src/modes/studio/Cockpit.tsx:314</code> |  Frontend declaration.            |
| <b>hasFailedNode</b>     | const | <code>ui/src/modes/studio/Cockpit.tsx:319</code> |  Frontend declaration.            |
| <b>keyboardOrder</b>     | const | <code>ui/src/modes/studio/Cockpit.tsx:321</code> |  Frontend declaration.            |
| <b>sa</b>                | const | <code>ui/src/modes/studio/Cockpit.tsx:325</code> |  Frontend declaration.            |
| <b>sb</b>                | const | <code>ui/src/modes/studio/Cockpit.tsx:326</code> |  Frontend declaration.          |
| <b>onGraphKeyDown</b>    | const | <code>ui/src/modes/studio/Cockpit.tsx:332</code> |  Frontend declaration.          |
| <b>currentIndex</b>      | const | <code>ui/src/modes/studio/Cockpit.tsx:337</code> |  Frontend declaration.          |
| <b>forward</b>           | const | <code>ui/src/modes/studio/Cockpit.tsx:338</code> |  Frontend declaration.          |
| <b>nextIndex</b>         | const | <code>ui/src/modes/studio/Cockpit.tsx:339</code> |  Frontend declaration.          |
| <b>onNodeClick</b>       | const | <code>ui/src/modes/studio/Cockpit.tsx:344</code> |  Frontend declaration.          |
| <b>next</b>              | const | <code>ui/src/modes/studio/Cockpit.tsx:348</code> |  Frontend declaration.          |
| <b>selectedNodeInfo</b>  | const | <code>ui/src/modes/studio/Cockpit.tsx:356</code> |  Frontend declaration.          |
| <b>node</b>              | const | <code>ui/src/modes/studio/Cockpit.tsx:359</code> |  Frontend declaration.          |
| <b>overviewNodes</b>     | const | <code>ui/src/modes/studio/Cockpit.tsx:363</code> |  Frontend declaration.          |
| <b>workflowVariables</b> | const | <code>ui/src/modes/studio/Cockpit.tsx:367</code> |  Frontend declaration.          |
| <b>testWorkflow</b>      | const | <code>ui/src/modes/studio/Cockpit.tsx:376</code> |  Frontend declaration.          |
| <b>showHITL</b>          | const |                                                  |                                                                                                                    |

| Symbol                    | Kind     | Location                                             | Signature / summary              |
|---------------------------|----------|------------------------------------------------------|----------------------------------|
|                           |          | <code>ui/src/modes/studio/Cockpit.tsx:454</code>     | Frontend declaration.            |
| <b>gateDismissed</b>      | const    | <code>ui/src/modes/studio/Cockpit.tsx:456</code>     | Frontend declaration.            |
| <b>showGateError</b>      | const    | <code>ui/src/modes/studio/Cockpit.tsx:457</code>     | Frontend declaration.            |
| <b>displayStatus</b>      | const    | <code>ui/src/modes/studio/Cockpit.tsx:465</code>     | Frontend declaration.            |
| <b>inspector</b>          | const    | <code>ui/src/modes/studio/Cockpit.tsx:466</code>     | Frontend declaration.            |
| <b>failedNodeId</b>       | const    | <code>ui/src/modes/studio/Cockpit.tsx:661</code>     | Frontend declaration.            |
| <b>query</b>              | const    | <code>ui/src/modes/studio/Cockpit.tsx:662</code>     | Frontend declaration.            |
| <b>CockpitLaunchPanel</b> | function | <code>ui/src/modes/studio/Cockpit.tsx:680</code>     | Frontend declaration.            |
| <b>entries</b>            | const    | <code>ui/src/modes/studio/Cockpit.tsx:701</code>     | Frontend declaration.            |
| <b>issues</b>             | const    | <code>ui/src/modes/studio/Cockpit.tsx:702</code>     | Frontend declaration.            |
| <b>errors</b>             | const    | <code>ui/src/modes/studio/Cockpit.tsx:703</code>     | Frontend declaration.            |
| <b>warnings</b>           | const    | <code>ui/src/modes/studio/Cockpit.tsx:704</code>     | Frontend declaration.            |
| <b>ToolbarButton</b>      | function | <code>ui/src/modes/studio/Cockpit.tsx:805</code>     | Frontend declaration.            |
| <b>GraphMenuButton</b>    | function | <code>ui/src/modes/studio/Cockpit.tsx:829</code>     | Frontend declaration.            |
| <b>CockpitNodeData</b>    | type     | <code>ui/src/modes/studio/CockpitNode.tsx:7</code>   | Frontend declaration.            |
| <b>STATUS_STYLES</b>      | const    | <code>ui/src/modes/studio/CockpitNode.tsx:28</code>  | Documented frontend declaration. |
| <b>CockpitNodeImpl</b>    | function | <code>ui/src/modes/studio/CockpitNode.tsx:38</code>  | Frontend declaration.            |
| <b>s</b>                  | const    | <code>ui/src/modes/studio/CockpitNode.tsx:40</code>  | Frontend declaration.            |
| <b>active</b>             | const    | <code>ui/src/modes/studio/CockpitNode.tsx:41</code>  | Frontend declaration.            |
| <b>faded</b>              | const    | <code>ui/src/modes/studio/CockpitNode.tsx:42</code>  | Frontend declaration.            |
| <b>CockpitNode</b>        | const    | <code>ui/src/modes/studio/CockpitNode.tsx:106</code> | Documented frontend declaration. |
| <b>ConfigPanel</b>        | function | <code>ui/src/modes/studio/ConfigPanel.tsx:9</code>   | Frontend declaration.            |
| <b>manifest</b>           | const    |                                                      |                                  |



| Symbol                            | Kind     | Location                                                     | Signature / summary                                                                                                |
|-----------------------------------|----------|--------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                                   |          | <a href="#">ui/src/modes/studio/ConfigPanel.tsx:34</a>       |  Frontend declaration.            |
| <b>supportsModelSelection</b>     | const    | <a href="#">ui/src/modes/studio/ConfigPanel.tsx:35</a>       |  Frontend declaration.            |
| <b>configuredModel</b>            | const    | <a href="#">ui/src/modes/studio/ConfigPanel.tsx:45</a>       |  Frontend declaration.            |
| <b>selectedModel</b>              | const    | <a href="#">ui/src/modes/studio/ConfigPanel.tsx:48</a>       |  Frontend declaration.            |
| <b>modellInfo</b>                 | const    | <a href="#">ui/src/modes/studio/ConfigPanel.tsx:49</a>       |  Frontend declaration.            |
| <b>routingPolicy</b>              | const    | <a href="#">ui/src/modes/studio/ConfigPanel.tsx:50</a>       |  Frontend declaration.            |
| <b>updateRoutingPolicy</b>        | const    | <a href="#">ui/src/modes/studio/ConfigPanel.tsx:54</a>       |  Frontend declaration.            |
| <b>PropertySchema</b>             | type     | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:23</a>  |  Frontend declaration.            |
| <b>acceptsText</b>                | function | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:31</a>  |  Frontend declaration.            |
| <b>CONFIGURE_TAB_OWNED_FIELDS</b> | const    | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:45</a>  |  Documented frontend declaration. |
| <b>humanLabel</b>                 | function | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:60</a>  |  Frontend declaration.          |
| <b>leafLabel</b>                  | function | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:64</a>  |  Frontend declaration.          |
| <b>leaf</b>                       | const    | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:66</a>  |  Frontend declaration.          |
| <b>DataMappingPanel</b>           | function | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:69</a>  |  Frontend declaration.          |
| <b>manifest</b>                   | const    | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:88</a>  |  Frontend declaration.          |
| <b>properties</b>                 | const    | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:91</a>  |  Frontend declaration.          |
| <b>ownedFields</b>                | const    | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:94</a>  |  Frontend declaration.          |
| <b>targetFields</b>               | const    | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:95</a>  |  Frontend declaration.          |
| <b>downstream</b>                 | const    | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:102</a> |  Frontend declaration.          |
| <b>FieldCard</b>                  | function | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:175</a> |  Frontend declaration.          |
| <b>binding</b>                    | const    | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:190</a> |  Frontend declaration.          |
| <b>setValue</b>                   | const    | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:194</a> |  Frontend declaration.          |
| <b>remove</b>                     | const    |                                                              |                                                                                                                    |

| Symbol                        | Kind     | Location                                                          | Signature / summary                                                                                       |
|-------------------------------|----------|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                               |          | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:198</a>      |  Frontend declaration.   |
| <b>connected</b>              | const    | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:204</a>      |  Frontend declaration.   |
| <b>ConnectedRow</b>           | function | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:313</a>      |  Frontend declaration.   |
| <b>EmptyMappingState</b>      | function | <a href="#">ui/src/modes/studio/DataMappingPanel.tsx:360</a>      |  Frontend declaration.   |
| <b>FileInputField</b>         | function | <a href="#">ui/src/modes/studio/FileInputField.tsx:6</a>          |  Frontend declaration.   |
| <b>extensions</b>             | const    | <a href="#">ui/src/modes/studio/FileInputField.tsx:28</a>         |  Frontend declaration.   |
| <b>allowed</b>                | const    | <a href="#">ui/src/modes/studio/FileInputField.tsx:32</a>         |  Frontend declaration.   |
| <b>maximum</b>                | const    | <a href="#">ui/src/modes/studio/FileInputField.tsx:33</a>         |  Frontend declaration.   |
| <b>addFiles</b>               | function | <a href="#">ui/src/modes/studio/FileInputField.tsx:39</a>         |  Frontend declaration.   |
| <b>next</b>                   | const    | <a href="#">ui/src/modes/studio/FileInputField.tsx:41</a>         |  Frontend declaration.   |
| <b>unique</b>                 | const    | <a href="#">ui/src/modes/studio/FileInputField.tsx:42</a>         |  Frontend declaration. |
| <b>invalid</b>                | const    | <a href="#">ui/src/modes/studio/FileInputField.tsx:45</a>         |  Frontend declaration. |
| <b>tooLarge</b>               | const    | <a href="#">ui/src/modes/studio/FileInputField.tsx:53</a>         |  Frontend declaration. |
| <b>GenerateWorkflowDialog</b> | function | <a href="#">ui/src/modes/studio/GenerateWorkflowDialog.tsx:8</a>  |  Frontend declaration. |
| <b>navigate</b>               | const    | <a href="#">ui/src/modes/studio/GenerateWorkflowDialog.tsx:10</a> |  Frontend declaration. |
| <b>generate</b>               | function | <a href="#">ui/src/modes/studio/GenerateWorkflowDialog.tsx:16</a> |  Frontend declaration. |
| <b>res</b>                    | const    | <a href="#">ui/src/modes/studio/GenerateWorkflowDialog.tsx:23</a> |  Frontend declaration. |
| <b>openInBuilder</b>          | function | <a href="#">ui/src/modes/studio/GenerateWorkflowDialog.tsx:31</a> |  Frontend declaration. |
| <b>workflow</b>               | const    | <a href="#">ui/src/modes/studio/GenerateWorkflowDialog.tsx:45</a> |  Frontend declaration. |
| <b>existing</b>               | const    | <a href="#">ui/src/modes/studio/GenerateWorkflowDialog.tsx:46</a> |  Frontend declaration. |

| Symbol                       | Kind     | Location                                              | Signature / summary                                                                                       |
|------------------------------|----------|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>slug</b>                  | const    | ui/src/modes/studio/<br>GenerateWorkflowDialog.tsx:47 |  Frontend declaration.   |
| <b>DEFAULT_STAGE_OPTIONS</b> | const    | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:6   |  Frontend declaration.   |
| <b>PreviewState</b>          | type     | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:15  |  Frontend declaration.   |
| <b>cleanExperience</b>       | function | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:17  |  Frontend declaration.   |
| <b>cleaned</b>               | const    | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:19  |  Frontend declaration.   |
| <b>GuidedExperiencePanel</b> | function | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:24  |  Frontend declaration.   |
| <b>experience</b>            | const    | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:35  |  Frontend declaration.   |
| <b>fallbackName</b>          | const    | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:36  |  Frontend declaration.   |
| <b>stageOptions</b>          | const    | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:37  |  Frontend declaration. |
| <b>custom</b>                | const    | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:38  |  Frontend declaration. |
| <b>update</b>                | function | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:52  |  Frontend declaration. |
| <b>displayName</b>           | const    | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:56  |  Frontend declaration. |
| <b>purpose</b>               | const    | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:58  |  Frontend declaration. |
| <b>contribution</b>          | const    | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:59  |  Frontend declaration. |
| <b>expectedOutput</b>        | const    | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:60  |  Frontend declaration. |
| <b>readabilityIssues</b>     | const    | ui/src/modes/studio/<br>GuidedExperiencePanel.tsx:61  |  Frontend declaration. |
| <b>previewCopy</b>           | const    |                                                       |  Frontend declaration. |

| Symbol                      | Kind     | Location                                                      | Signature / summary   |
|-----------------------------|----------|---------------------------------------------------------------|-----------------------|
|                             |          | <code>ui/src/modes/studio/GuidedExperiencePanel.tsx:69</code> |                       |
| <b>RichEditorValue</b>      | type     | <code>ui/src/modes/studio/HITLPanel.tsx:11</code>             | Frontend declaration. |
| <b>DEFAULT_CAPABILITIES</b> | const    | <code>ui/src/modes/studio/HITLPanel.tsx:14</code>             | Frontend declaration. |
| <b>emptyEditorValue</b>     | function | <code>ui/src/modes/studio/HITLPanel.tsx:26</code>             | Frontend declaration. |
| <b>contentAsText</b>        | function | <code>ui/src/modes/studio/HITLPanel.tsx:30</code>             | Frontend declaration. |
| <b>initialReviewContent</b> | function | <code>ui/src/modes/studio/HITLPanel.tsx:35</code>             | Frontend declaration. |
| <b>first</b>                | const    | <code>ui/src/modes/studio/HITLPanel.tsx:43</code>             | Frontend declaration. |
| <b>fallback</b>             | const    | <code>ui/src/modes/studio/HITLPanel.tsx:55</code>             | Frontend declaration. |
| <b>formatBytes</b>          | function | <code>ui/src/modes/studio/HITLPanel.tsx:63</code>             | Frontend declaration. |
| <b>errorMessage</b>         | function | <code>ui/src/modes/studio/HITLPanel.tsx:68</code>             | Frontend declaration. |
| <b>HITLPanel</b>            | function | <code>ui/src/modes/studio/HITLPanel.tsx:72</code>             | Frontend declaration. |
| <b>initialContent</b>       | const    | <code>ui/src/modes/studio/HITLPanel.tsx:125</code>            | Frontend declaration. |
| <b>jsonAdapter</b>          | const    | <code>ui/src/modes/studio/HITLPanel.tsx:129</code>            | Frontend declaration. |
| <b>initialEditorText</b>    | const    | <code>ui/src/modes/studio/HITLPanel.tsx:137</code>            | Frontend declaration. |
| <b>canEdit</b>              | const    | <code>ui/src/modes/studio/HITLPanel.tsx:154</code>            | Frontend declaration. |
| <b>canReject</b>            | const    | <code>ui/src/modes/studio/HITLPanel.tsx:156</code>            | Frontend declaration. |
| <b>originalText</b>         | const    | <code>ui/src/modes/studio/HITLPanel.tsx:157</code>            | Frontend declaration. |
| <b>dirty</b>                | const    | <code>ui/src/modes/studio/HITLPanel.tsx:158</code>            | Frontend declaration. |
| <b>charCount</b>            | const    | <code>ui/src/modes/studio/HITLPanel.tsx:162</code>            | Frontend declaration. |
| <b>wordCount</b>            | const    | <code>ui/src/modes/studio/HITLPanel.tsx:163</code>            | Frontend declaration. |
| <b>submit</b>               | function | <code>ui/src/modes/studio/HITLPanel.tsx:167</code>            | Frontend declaration. |
| <b>submittedText</b>        | const    | <code>ui/src/modes/studio/HITLPanel.tsx:175</code>            | Frontend declaration. |

| Symbol                      | Kind     | Location                                              | Signature / summary                                                                                                |
|-----------------------------|----------|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>payload</b>              | const    | <a href="#">ui/src/modes/studio/HITLPanel.tsx:193</a> |  Frontend declaration.            |
| <b>resumePromise</b>        | const    | <a href="#">ui/src/modes/studio/HITLPanel.tsx:204</a> |  Frontend declaration.            |
| <b>result</b>               | const    | <a href="#">ui/src/modes/studio/HITLPanel.tsx:208</a> |  Documented frontend declaration. |
| <b>message</b>              | const    | <a href="#">ui/src/modes/studio/HITLPanel.tsx:211</a> |  Documented frontend declaration. |
| <b>overrideWithDocument</b> | function | <a href="#">ui/src/modes/studio/HITLPanel.tsx:218</a> |  Frontend declaration.            |
| <b>uploaded</b>             | const    | <a href="#">ui/src/modes/studio/HITLPanel.tsx:225</a> |  Frontend declaration.            |
| <b>ref</b>                  | const    | <a href="#">ui/src/modes/studio/HITLPanel.tsx:226</a> |  Frontend declaration.            |
| <b>extracted</b>            | const    | <a href="#">ui/src/modes/studio/HITLPanel.tsx:227</a> |  Frontend declaration.            |
| <b>discardChanges</b>       | function | <a href="#">ui/src/modes/studio/HITLPanel.tsx:238</a> |  Frontend declaration.            |
| <b>accept</b>               | const    | <a href="#">ui/src/modes/studio/HITLPanel.tsx:247</a> |  Frontend declaration.            |
| <b>file</b>                 | const    | <a href="#">ui/src/modes/studio/HITLPanel.tsx:309</a> |  Frontend declaration.          |
| <b>LibraryFilterState</b>   | type     | <a href="#">ui/src/modes/studio/Library.tsx:16</a>    |  Frontend declaration.          |
| <b>LibrarySortKey</b>       | type     | <a href="#">ui/src/modes/studio/Library.tsx:17</a>    |  Frontend declaration.          |
| <b>Library</b>              | function | <a href="#">ui/src/modes/studio/Library.tsx:25</a>    |  Frontend declaration.          |
| <b>navigate</b>             | const    | <a href="#">ui/src/modes/studio/Library.tsx:27</a>    |  Frontend declaration.          |
| <b>loadWorkflows</b>        | function | <a href="#">ui/src/modes/studio/Library.tsx:46</a>    |  Frontend declaration.          |
| <b>categoryCounts</b>       | const    | <a href="#">ui/src/modes/studio/Library.tsx:61</a>    |  Frontend declaration.          |
| <b>counts</b>               | const    | <a href="#">ui/src/modes/studio/Library.tsx:63</a>    |  Frontend declaration.          |
| <b>availableOutputs</b>     | const    | <a href="#">ui/src/modes/studio/Library.tsx:71</a>    |  Frontend declaration.          |
| <b>outputs</b>              | const    | <a href="#">ui/src/modes/studio/Library.tsx:73</a>    |  Frontend declaration.          |
| <b>visible</b>              | const    | <a href="#">ui/src/modes/studio/Library.tsx:79</a>    |  Frontend declaration.          |
| <b>byNav</b>                | const    | <a href="#">ui/src/modes/studio/Library.tsx:82</a>    |  Frontend declaration.          |
| <b>bySearchAndFilters</b>   | const    |                                                       |                                                                                                                    |

| Symbol                      | Kind     | Location                                                 | Signature / summary   |
|-----------------------------|----------|----------------------------------------------------------|-----------------------|
|                             |          | <code>ui/src/modes/studio/Library.tsx:87</code>          | Frontend declaration. |
| <b>lastOpened</b>           | const    | <code>ui/src/modes/studio/Library.tsx:92</code>          | Frontend declaration. |
| <b>recentOthers</b>         | const    | <code>ui/src/modes/studio/Library.tsx:96</code>          | Frontend declaration. |
| <b>approvedFeatured</b>     | const    | <code>ui/src/modes/studio/Library.tsx:100</code>         | Frontend declaration. |
| <b>showFeatured</b>         | const    | <code>ui/src/modes/studio/Library.tsx:103</code>         | Frontend declaration. |
| <b>selectWorkflow</b>       | function | <code>ui/src/modes/studio/Library.tsx:104</code>         | Frontend declaration. |
| <b>toggleFavoriteFor</b>    | function | <code>ui/src/modes/studio/Library.tsx:109</code>         | Frontend declaration. |
| <b>confirmDelete</b>        | function | <code>ui/src/modes/studio/Library.tsx:113</code>         | Frontend declaration. |
| <b>selectedWorkflow</b>     | const    | <code>ui/src/modes/studio/Library.tsx:126</code>         | Frontend declaration. |
| <b>ModelSelect</b>          | function | <code>ui/src/modes/studio/ModelSelect.tsx:14</code>      | Frontend declaration. |
| <b>containerRef</b>         | const    | <code>ui/src/modes/studio/ModelSelect.tsx:29</code>      | Frontend declaration. |
| <b>timer</b>                | const    | <code>ui/src/modes/studio/ModelSelect.tsx:33</code>      | Frontend declaration. |
| <b>handleClick</b>          | const    | <code>ui/src/modes/studio/ModelSelect.tsx:45</code>      | Frontend declaration. |
| <b>needle</b>               | const    | <code>ui/src/modes/studio/ModelSelect.tsx:53</code>      | Frontend declaration. |
| <b>filteredCatalog</b>      | const    | <code>ui/src/modes/studio/ModelSelect.tsx:55</code>      | Frontend declaration. |
| <b>selectedCatalogModel</b> | const    | <code>ui/src/modes/studio/ModelSelect.tsx:60</code>      | Frontend declaration. |
| <b>selectedLabel</b>        | const    | <code>ui/src/modes/studio/ModelSelect.tsx:62</code>      | Frontend declaration. |
| <b>choose</b>               | const    | <code>ui/src/modes/studio/ModelSelect.tsx:63</code>      | Frontend declaration. |
| <b>manifest</b>             | function | <code>ui/src/modes/studio/NodePalette.test.tsx:7</code>  | Frontend declaration. |
| <b>types</b>                | const    | <code>ui/src/modes/studio/NodePalette.test.tsx:26</code> | Frontend declaration. |
| <b>user</b>                 | const    | <code>ui/src/modes/studio/NodePalette.test.tsx:44</code> | Frontend declaration. |
| <b>user</b>                 | const    | <code>ui/src/modes/studio/NodePalette.test.tsx:62</code> | Frontend declaration. |
| <b>onAdd</b>                | const    |                                                          |                       |

| Symbol                     | Kind     | Location                                                 | Signature / summary                                                                                                |
|----------------------------|----------|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                            |          | <code>ui/src/modes/studio/NodePalette.test.tsx:63</code> |  Frontend declaration.            |
| <b>presetTypes</b>         | const    | <code>ui/src/modes/studio/NodePalette.test.tsx:64</code> |  Frontend declaration.            |
| <b>CATEGORY_ORDER</b>      | const    | <code>ui/src/modes/studio/NodePalette.tsx:16</code>      |  Documented frontend declaration. |
| <b>HIDDEN_FROM_PALETTE</b> | const    | <code>ui/src/modes/studio/NodePalette.tsx:34</code>      |  Documented frontend declaration. |
| <b>PALETTE_LABELS</b>      | const    | <code>ui/src/modes/studio/NodePalette.tsx:40</code>      |  Documented frontend declaration. |
| <b>groupByCategory</b>     | function | <code>ui/src/modes/studio/NodePalette.tsx:55</code>      |  Frontend declaration.            |
| <b>groups</b>              | const    | <code>ui/src/modes/studio/NodePalette.tsx:57</code>      |  Frontend declaration.            |
| <b>list</b>                | const    | <code>ui/src/modes/studio/NodePalette.tsx:59</code>      |  Frontend declaration.            |
| <b>known</b>               | const    | <code>ui/src/modes/studio/NodePalette.tsx:63</code>      |  Frontend declaration.            |
| <b>unknown</b>             | const    | <code>ui/src/modes/studio/NodePalette.tsx:64</code>      |  Frontend declaration.            |
| <b>matchesQuery</b>        | function | <code>ui/src/modes/studio/NodePalette.tsx:67</code>      |  Frontend declaration.          |
| <b>label</b>               | const    | <code>ui/src/modes/studio/NodePalette.tsx:70</code>      |  Frontend declaration.          |
| <b>presets</b>             | const    | <code>ui/src/modes/studio/NodePalette.tsx:71</code>      |  Frontend declaration.          |
| <b>haystack</b>            | const    | <code>ui/src/modes/studio/NodePalette.tsx:72</code>      |  Frontend declaration.          |
| <b>NodeTypeCard</b>        | function | <code>ui/src/modes/studio/NodePalette.tsx:75</code>      |  Frontend declaration.          |
| <b>NodePalette</b>         | function | <code>ui/src/modes/studio/NodePalette.tsx:129</code>     |  Frontend declaration.          |
| <b>filtered</b>            | const    | <code>ui/src/modes/studio/NodePalette.tsx:147</code>     |  Frontend declaration.          |
| <b>groups</b>              | const    | <code>ui/src/modes/studio/NodePalette.tsx:155</code>     |  Frontend declaration.          |
| <b>quickActions</b>        | const    | <code>ui/src/modes/studio/NodePalette.tsx:156</code>     |  Frontend declaration.          |
| <b>needle</b>              | const    | <code>ui/src/modes/studio/NodePalette.tsx:160</code>     |  Frontend declaration.          |
| <b>toggle</b>              | function | <code>ui/src/modes/studio/NodePalette.tsx:164</code>     |  Frontend declaration.          |
| <b>next</b>                | const    | <code>ui/src/modes/studio/NodePalette.tsx:167</code>     |  Frontend declaration.          |
| <b>handleAdd</b>           | const    |                                                          |                                                                                                                    |

| Symbol                   | Kind     | Location                                                 | Signature / summary                                                                                                  |
|--------------------------|----------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                          |          | <a href="#">ui/src/modes/studio/NodePalette.tsx:173</a>  |  Frontend declaration.              |
| <b>isCollapsed</b>       | const    | <a href="#">ui/src/modes/studio/NodePalette.tsx:233</a>  |  Frontend declaration.              |
| <b>starterQuestion</b>   | function | <a href="#">ui/src/modes/studio/NodeTypeAskAi.tsx:2</a>  |  Frontend declaration.              |
| <b>NodeTypeAskAi</b>     | function | <a href="#">ui/src/modes/studio/NodeTypeAskAi.tsx:10</a> |  Documented frontend declaration.   |
| <b>EXTENSION_STYLE</b>   | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:12</a>  |  Documented frontend declaration.   |
| <b>OutputViewer</b>      | function | <a href="#">ui/src/modes/studio/OutputViewer.tsx:19</a>  |  Frontend declaration.              |
| <b>navigate</b>          | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:29</a>  |  Frontend declaration.              |
| <b>nodeOutputs</b>       | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:35</a>  |  Frontend declaration.              |
| <b>workflowInputs</b>    | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:37</a>  |  Frontend declaration.              |
| <b>workflowVariables</b> | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:38</a>  |  Frontend declaration.              |
| <b>OutputArtifact</b>    | type     | <a href="#">ui/src/modes/studio/OutputViewer.tsx:43</a>  |  Documented frontend declaration. |
| <b>rendererEntries</b>   | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:49</a>  |  Frontend declaration.            |
| <b>artifactKeys</b>      | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:60</a>  |  Frontend declaration.            |
| <b>artifacts</b>         | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:61</a>  |  Frontend declaration.            |
| <b>key</b>               | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:64</a>  |  Frontend declaration.            |
| <b>extension</b>         | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:66</a>  |  Frontend declaration.            |
| <b>artifactOrder</b>     | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:72</a>  |  Frontend declaration.            |
| <b>primaryArtifact</b>   | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:83</a>  |  Frontend declaration.            |
| <b>previewArtifact</b>   | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:84</a>  |  Frontend declaration.            |
| <b>doc</b>               | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:85</a>  |  Frontend declaration.            |
| <b>minioKey</b>          | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:86</a>  |  Frontend declaration.            |
| <b>fileKinds</b>         | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:87</a>  |  Frontend declaration.            |
| <b>rendererWarnings</b>  | const    |                                                          |                                                                                                                      |



| Symbol                      | Kind     | Location                                                 | Signature / summary                                                                                                  |
|-----------------------------|----------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                             |          | <a href="#">ui/src/modes/studio/OutputViewer.tsx:88</a>  |  Frontend declaration.              |
| <b>pageCountOutput</b>      | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:93</a>  |  Frontend declaration.              |
| <b>pageCount</b>            | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:97</a>  |  Frontend declaration.              |
| <b>pageCountEstimated</b>   | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:98</a>  |  Frontend declaration.              |
| <b>submissionReadyFlags</b> | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:103</a> |  Documented frontend declaration.   |
| <b>submissionReady</b>      | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:106</a> |  Frontend declaration.              |
| <b>evidenceOutput</b>       | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:109</a> |  Frontend declaration.              |
| <b>ragCitations</b>         | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:113</a> |  Frontend declaration.              |
| <b>evidenceCitations</b>    | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:114</a> |  Frontend declaration.              |
| <b>citations</b>            | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:115</a> |  Frontend declaration.              |
| <b>evidenceBlockers</b>     | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:116</a> |  Frontend declaration.            |
| <b>evidenceQa</b>           | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:117</a> |  Frontend declaration.            |
| <b>auditLog</b>             | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:118</a> |  Frontend declaration.            |
| <b>answerText</b>           | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:119</a> |  Frontend declaration.            |
| <b>sourcesText</b>          | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:125</a> |  Frontend declaration.            |
| <b>runScoring</b>           | function | <a href="#">ui/src/modes/studio/OutputViewer.tsx:130</a> |  Frontend declaration.            |
| <b>res</b>                  | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:134</a> |  Frontend declaration.            |
| <b>auditEntries</b>         | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:147</a> |  Frontend declaration.            |
| <b>decisionBadge</b>        | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:151</a> |  Frontend declaration.            |
| <b>scorePanel</b>           | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:158</a> |  Documented frontend declaration. |
| <b>sidePanel</b>            | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:196</a> |  Documented frontend declaration. |
| <b>out</b>                  | const    | <a href="#">ui/src/modes/studio/OutputViewer.tsx:280</a> |  Frontend declaration.            |
| <b>decision</b>             | const    |                                                          |                                                                                                                      |

| Symbol                      | Kind     | Location                                                     | Signature / summary              |
|-----------------------------|----------|--------------------------------------------------------------|----------------------------------|
|                             |          | <code>ui/src/modes/studio/OutputViewer.tsx:281</code>        | Frontend declaration.            |
| <b>entries</b>              | const    | <code>ui/src/modes/studio/OutputViewer.tsx:321</code>        | Documented frontend declaration. |
| <b>o</b>                    | const    | <code>ui/src/modes/studio/OutputViewer.tsx:343</code>        | Frontend declaration.            |
| <b>viewUrl</b>              | const    | <code>ui/src/modes/studio/OutputViewer.tsx:400</code>        | Documented frontend declaration. |
| <b>PreflightPanel</b>       | function | <code>ui/src/modes/studio/PreflightPanel.tsx:2</code>        | Frontend declaration.            |
| <b>errors</b>               | const    | <code>ui/src/modes/studio/PreflightPanel.tsx:18</code>       | Frontend declaration.            |
| <b>warnings</b>             | const    | <code>ui/src/modes/studio/PreflightPanel.tsx:19</code>       | Frontend declaration.            |
| <b>IssueList</b>            | function | <code>ui/src/modes/studio/PreflightPanel.tsx:109</code>      | Frontend declaration.            |
| <b>clickable</b>            | const    | <code>ui/src/modes/studio/PreflightPanel.tsx:128</code>      | Frontend declaration.            |
| <b>content</b>              | const    | <code>ui/src/modes/studio/PreflightPanel.tsx:129</code>      | Frontend declaration.            |
| <b>PromptDraftAssistant</b> | function | <code>ui/src/modes/studio/PromptDraftAssistant.tsx:4</code>  | Frontend declaration.            |
| <b>bottomRef</b>            | const    | <code>ui/src/modes/studio/PromptDraftAssistant.tsx:32</code> | Frontend declaration.            |
| <b>ask</b>                  | function | <code>ui/src/modes/studio/PromptDraftAssistant.tsx:33</code> | Frontend declaration.            |
| <b>trimmed</b>              | const    | <code>ui/src/modes/studio/PromptDraftAssistant.tsx:35</code> | Frontend declaration.            |
| <b>withQuestion</b>         | const    | <code>ui/src/modes/studio/PromptDraftAssistant.tsx:41</code> | Frontend declaration.            |
| <b>result</b>               | const    | <code>ui/src/modes/studio/PromptDraftAssistant.tsx:47</code> | Frontend declaration.            |
| <b>lastAssistantDraft</b>   | const    | <code>ui/src/modes/studio/PromptDraftAssistant.tsx:60</code> | Frontend declaration.            |
| <b>statusClass</b>          | const    | <code>ui/src/modes/studio/ProposalReview.tsx:11</code>       | Frontend declaration.            |
| <b>ProposalReview</b>       | function | <code>ui/src/modes/studio/ProposalReview.tsx:17</code>       | Frontend declaration.            |
| <b>params</b>               | const    | <code>ui/src/modes/studio/ProposalReview.tsx:19</code>       | Frontend declaration.            |
| <b>concepts</b>             | const    | <code>ui/src/modes/studio/ProposalReview.tsx:32</code>       | Frontend declaration.            |
| <b>load</b>                 | function | <code>ui/src/modes/studio/ProposalReview.tsx:42</code>       | Frontend declaration.            |
| <b>addSource</b>            | function |                                                              |                                  |

| Symbol                  | Kind     | Location                                                   | Signature / summary                                                                                                  |
|-------------------------|----------|------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                         |          | <a href="#">ui/src/modes/studio/ProposalReview.tsx:63</a>  |  Documented frontend declaration.   |
| <b>verifyClaims</b>     | function | <a href="#">ui/src/modes/studio/ProposalReview.tsx:81</a>  |  Frontend declaration.              |
| <b>result</b>           | const    | <a href="#">ui/src/modes/studio/ProposalReview.tsx:87</a>  |  Frontend declaration.              |
| <b>generateConcepts</b> | function | <a href="#">ui/src/modes/studio/ProposalReview.tsx:102</a> |  Frontend declaration.              |
| <b>result</b>           | const    | <a href="#">ui/src/modes/studio/ProposalReview.tsx:108</a> |  Frontend declaration.              |
| <b>requestApproval</b>  | function | <a href="#">ui/src/modes/studio/ProposalReview.tsx:120</a> |  Frontend declaration.              |
| <b>approval</b>         | const    | <a href="#">ui/src/modes/studio/ProposalReview.tsx:126</a> |  Frontend declaration.              |
| <b>decide</b>           | function | <a href="#">ui/src/modes/studio/ProposalReview.tsx:142</a> |  Frontend declaration.              |
| <b>updated</b>          | const    | <a href="#">ui/src/modes/studio/ProposalReview.tsx:151</a> |  Frontend declaration.              |
| <b>evaluate</b>         | function | <a href="#">ui/src/modes/studio/ProposalReview.tsx:168</a> |  Frontend declaration.              |
| <b>RichEditorValue</b>  | type     | <a href="#">ui/src/modes/studio/RichTextEditor.tsx:2</a>   |  Frontend declaration.            |
| <b>EditorCommand</b>    | type     | <a href="#">ui/src/modes/studio/RichTextEditor.tsx:7</a>   |  Frontend declaration.            |
| <b>COMMANDS</b>         | const    | <a href="#">ui/src/modes/studio/RichTextEditor.tsx:14</a>  |  Frontend declaration.            |
| <b>escapeHtml</b>       | function | <a href="#">ui/src/modes/studio/RichTextEditor.tsx:26</a>  |  Frontend declaration.            |
| <b>plainTextToHtml</b>  | function | <a href="#">ui/src/modes/studio/RichTextEditor.tsx:35</a>  |  Frontend declaration.            |
| <b>RichTextEditor</b>   | function | <a href="#">ui/src/modes/studio/RichTextEditor.tsx:43</a>  |  Frontend declaration.            |
| <b>editorRef</b>        | const    | <a href="#">ui/src/modes/studio/RichTextEditor.tsx:55</a>  |  Frontend declaration.            |
| <b>resetTextRef</b>     | const    | <a href="#">ui/src/modes/studio/RichTextEditor.tsx:56</a>  |  Frontend declaration.            |
| <b>emitChange</b>       | function | <a href="#">ui/src/modes/studio/RichTextEditor.tsx:68</a>  |  Documented frontend declaration. |
| <b>editor</b>           | const    | <a href="#">ui/src/modes/studio/RichTextEditor.tsx:70</a>  |  Frontend declaration.            |
| <b>runCommand</b>       | function | <a href="#">ui/src/modes/studio/RichTextEditor.tsx:77</a>  |  Frontend declaration.            |
| <b>insertPlainText</b>  | function | <a href="#">ui/src/modes/studio/RichTextEditor.tsx:84</a>  |  Frontend declaration.            |
| <b>text</b>             | const    |                                                            |                                                                                                                      |

| Symbol                        | Kind     | Location                                               | Signature / summary                                                                                                  |
|-------------------------------|----------|--------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                               |          | <code>ui/src/modes/studio/RichTextEditor.tsx:87</code> |  Frontend declaration.              |
| <b>DiscoveredCandidate</b>    | type     | <code>ui/src/modes/studio/RunCandidates.tsx:5</code>   |  Frontend declaration.              |
| <b>InternalEvidenceRecord</b> | type     | <code>ui/src/modes/studio/RunCandidates.tsx:6</code>   |  Frontend declaration.              |
| <b>RunCandidate</b>           | type     | <code>ui/src/modes/studio/RunCandidates.tsx:7</code>   |  Frontend declaration.              |
| <b>foundByLabel</b>           | const    | <code>ui/src/modes/studio/RunCandidates.tsx:9</code>   |  Frontend declaration.              |
| <b>sourceTypeLabel</b>        | const    | <code>ui/src/modes/studio/RunCandidates.tsx:16</code>  |  Frontend declaration.              |
| <b>RunCandidates</b>          | function | <code>ui/src/modes/studio/RunCandidates.tsx:23</code>  |  Frontend declaration.              |
| <b>navigate</b>               | const    | <code>ui/src/modes/studio/RunCandidates.tsx:26</code>  |  Frontend declaration.              |
| <b>load</b>                   | function | <code>ui/src/modes/studio/RunCandidates.tsx:39</code>  |  Frontend declaration.              |
| <b>res</b>                    | const    | <code>ui/src/modes/studio/RunCandidates.tsx:43</code>  |  Frontend declaration.              |
| <b>verifyClaim</b>            | function | <code>ui/src/modes/studio/RunCandidates.tsx:60</code>  |  Frontend declaration.            |
| <b>res</b>                    | const    | <code>ui/src/modes/studio/RunCandidates.tsx:66</code>  |  Frontend declaration.            |
| <b>shown</b>                  | const    | <code>ui/src/modes/studio/RunCandidates.tsx:79</code>  |  Frontend declaration.            |
| <b>fmtSize</b>                | const    | <code>ui/src/modes/studio/RunCandidates.tsx:87</code>  |  Frontend declaration.            |
| <b>v</b>                      | const    | <code>ui/src/modes/studio/RunCandidates.tsx:258</code> |  Frontend declaration.            |
| <b>isVerifying</b>            | const    | <code>ui/src/modes/studio/RunCandidates.tsx:259</code> |  Frontend declaration.            |
| <b>err</b>                    | const    | <code>ui/src/modes/studio/RunCandidates.tsx:260</code> |  Frontend declaration.            |
| <b>navigateMock</b>           | const    | <code>ui/src/modes/studio/RunDialog.test.tsx:17</code> |  Frontend declaration.            |
| <b>actual</b>                 | const    | <code>ui/src/modes/studio/RunDialog.test.tsx:20</code> |  Frontend declaration.            |
| <b>CHATBOT_WORKFLOW_YAML</b>  | const    | <code>ui/src/modes/studio/RunDialog.test.tsx:28</code> |  Documented frontend declaration. |
| <b>renderDialog</b>           | function | <code>ui/src/modes/studio/RunDialog.test.tsx:42</code> |  Frontend declaration.            |
| <b>field</b>                  | const    | <code>ui/src/modes/studio/RunDialog.test.tsx:80</code> |  Frontend declaration.            |
| <b>startFormFieldsFrom</b>    | function |                                                        |                                                                                                                      |

| Symbol                        | Kind     | Location                                           | Signature / summary                                                                                                  |
|-------------------------------|----------|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                               |          | <code>ui/src/modes/studio/RunDialog.tsx:18</code>  |  Frontend declaration.              |
| <b>parsed</b>                 | const    | <code>ui/src/modes/studio/RunDialog.tsx:20</code>  |  Frontend declaration.              |
| <b>node</b>                   | const    | <code>ui/src/modes/studio/RunDialog.tsx:21</code>  |  Frontend declaration.              |
| <b>config</b>                 | const    | <code>ui/src/modes/studio/RunDialog.tsx:23</code>  |  Frontend declaration.              |
| <b>chatbotStartConfigFrom</b> | function | <code>ui/src/modes/studio/RunDialog.tsx:35</code>  |  Frontend declaration.              |
| <b>parsed</b>                 | const    | <code>ui/src/modes/studio/RunDialog.tsx:39</code>  |  Frontend declaration.              |
| <b>node</b>                   | const    | <code>ui/src/modes/studio/RunDialog.tsx:40</code>  |  Frontend declaration.              |
| <b>config</b>                 | const    | <code>ui/src/modes/studio/RunDialog.tsx:42</code>  |  Frontend declaration.              |
| <b>RunLaunchContext</b>       | type     | <code>ui/src/modes/studio/RunDialog.tsx:56</code>  |  Documented frontend declaration.   |
| <b>RunDialog</b>              | function | <code>ui/src/modes/studio/RunDialog.tsx:60</code>  |  Frontend declaration.              |
| <b>navigate</b>               | const    | <code>ui/src/modes/studio/RunDialog.tsx:74</code>  |  Frontend declaration.            |
| <b>startFields</b>            | const    | <code>ui/src/modes/studio/RunDialog.tsx:75</code>  |  Frontend declaration.            |
| <b>startFieldNames</b>        | const    | <code>ui/src/modes/studio/RunDialog.tsx:76</code>  |  Frontend declaration.            |
| <b>chatbotConfig</b>          | const    | <code>ui/src/modes/studio/RunDialog.tsx:77</code>  |  Frontend declaration.            |
| <b>keys</b>                   | const    | <code>ui/src/modes/studio/RunDialog.tsx:104</code> |  Documented frontend declaration. |
| <b>applyImportedJson</b>      | function | <code>ui/src/modes/studio/RunDialog.tsx:108</code> |  Frontend declaration.            |
| <b>record</b>                 | const    | <code>ui/src/modes/studio/RunDialog.tsx:123</code> |  Frontend declaration.            |
| <b>applied</b>                | const    | <code>ui/src/modes/studio/RunDialog.tsx:125</code> |  Frontend declaration.            |
| <b>skipped</b>                | const    | <code>ui/src/modes/studio/RunDialog.tsx:126</code> |  Frontend declaration.            |
| <b>nextValues</b>             | const    | <code>ui/src/modes/studio/RunDialog.tsx:127</code> |  Frontend declaration.            |
| <b>nextFileRefs</b>           | const    | <code>ui/src/modes/studio/RunDialog.tsx:128</code> |  Frontend declaration.            |
| <b>spec</b>                   | const    | <code>ui/src/modes/studio/RunDialog.tsx:132</code> |  Frontend declaration.            |
| <b>rawValue</b>               | const    |                                                    |                                                                                                                      |

| Symbol                        | Kind     | Location                                           | Signature / summary                                                                                                  |
|-------------------------------|----------|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                               |          | <code>ui/src/modes/studio/RunDialog.tsx:133</code> |  Frontend declaration.              |
| <b>refs</b>                   | const    | <code>ui/src/modes/studio/RunDialog.tsx:135</code> |  Frontend declaration.              |
| <b>next</b>                   | const    | <code>ui/src/modes/studio/RunDialog.tsx:139</code> |  Frontend declaration.              |
| <b>effectiveValue</b>         | const    | <code>ui/src/modes/studio/RunDialog.tsx:149</code> |  Frontend declaration.              |
| <b>next</b>                   | const    | <code>ui/src/modes/studio/RunDialog.tsx:165</code> |  Frontend declaration.              |
| <b>handleImportFilePicked</b> | function | <code>ui/src/modes/studio/RunDialog.tsx:177</code> |  Frontend declaration.              |
| <b>launch</b>                 | function | <code>ui/src/modes/studio/RunDialog.tsx:186</code> |  Frontend declaration.              |
| <b>nextErrors</b>             | const    | <code>ui/src/modes/studio/RunDialog.tsx:188</code> |  Frontend declaration.              |
| <b>nextStartErrors</b>        | const    | <code>ui/src/modes/studio/RunDialog.tsx:189</code> |  Frontend declaration.              |
| <b>runInputs</b>              | const    | <code>ui/src/modes/studio/RunDialog.tsx:190</code> |  Frontend declaration.              |
| <b>visibleStartFields</b>     | const    | <code>ui/src/modes/studio/RunDialog.tsx:200</code> |  Frontend declaration.            |
| <b>value</b>                  | const    | <code>ui/src/modes/studio/RunDialog.tsx:205</code> |  Frontend declaration.            |
| <b>empty</b>                  | const    | <code>ui/src/modes/studio/RunDialog.tsx:206</code> |  Frontend declaration.            |
| <b>spec</b>                   | const    | <code>ui/src/modes/studio/RunDialog.tsx:216</code> |  Frontend declaration.            |
| <b>selected</b>               | const    | <code>ui/src/modes/studio/RunDialog.tsx:218</code> |  Frontend declaration.            |
| <b>loaded</b>                 | const    | <code>ui/src/modes/studio/RunDialog.tsx:219</code> |  Frontend declaration.            |
| <b>value</b>                  | const    | <code>ui/src/modes/studio/RunDialog.tsx:225</code> |  Frontend declaration.            |
| <b>preflight</b>              | const    | <code>ui/src/modes/studio/RunDialog.tsx:258</code> |  Documented frontend declaration. |
| <b>errors</b>                 | const    | <code>ui/src/modes/studio/RunDialog.tsx:260</code> |  Documented frontend declaration. |
| <b>spec</b>                   | const    | <code>ui/src/modes/studio/RunDialog.tsx:278</code> |  Frontend declaration.            |
| <b>loaded</b>                 | const    | <code>ui/src/modes/studio/RunDialog.tsx:280</code> |  Frontend declaration.            |
| <b>selected</b>               | const    | <code>ui/src/modes/studio/RunDialog.tsx:286</code> |  Frontend declaration.            |
| <b>uploaded</b>               | const    |                                                    |                                                                                                                      |

| Symbol                   | Kind     | Location                                           | Signature / summary                                                                                                  |
|--------------------------|----------|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                          |          | <code>ui/src/modes/studio/RunDialog.tsx:288</code> |  Frontend declaration.              |
| <b>fullPreflight</b>     | const    | <code>ui/src/modes/studio/RunDialog.tsx:295</code> |  Frontend declaration.              |
| <b>fullErrors</b>        | const    | <code>ui/src/modes/studio/RunDialog.tsx:299</code> |  Frontend declaration.              |
| <b>runId</b>             | const    | <code>ui/src/modes/studio/RunDialog.tsx:314</code> |  Frontend declaration.              |
| <b>next</b>              | const    | <code>ui/src/modes/studio/RunDialog.tsx:392</code> |  Frontend declaration.              |
| <b>file</b>              | const    | <code>ui/src/modes/studio/RunDialog.tsx:445</code> |  Frontend declaration.              |
| <b>spec</b>              | const    | <code>ui/src/modes/studio/RunDialog.tsx:464</code> |  Frontend declaration.              |
| <b>next</b>              | const    | <code>ui/src/modes/studio/RunDialog.tsx:476</code> |  Frontend declaration.              |
| <b>next</b>              | const    | <code>ui/src/modes/studio/RunDialog.tsx:489</code> |  Frontend declaration.              |
| <b>next</b>              | const    | <code>ui/src/modes/studio/RunDialog.tsx:520</code> |  Frontend declaration.              |
| <b>TERMINAL_STATUSES</b> | const    | <code>ui/src/modes/studio/RunHistory.tsx:19</code> |  Frontend declaration.            |
| <b>VALID_TABS</b>        | const    | <code>ui/src/modes/studio/RunHistory.tsx:21</code> |  Frontend declaration.            |
| <b>RunHistory</b>        | function | <code>ui/src/modes/studio/RunHistory.tsx:22</code> |  Frontend declaration.            |
| <b>navigate</b>          | const    | <code>ui/src/modes/studio/RunHistory.tsx:25</code> |  Frontend declaration.            |
| <b>tabParam</b>          | const    | <code>ui/src/modes/studio/RunHistory.tsx:27</code> |  Frontend declaration.            |
| <b>activeTab</b>         | const    | <code>ui/src/modes/studio/RunHistory.tsx:29</code> |  Frontend declaration.            |
| <b>selectedNodeId</b>    | const    | <code>ui/src/modes/studio/RunHistory.tsx:32</code> |  Frontend declaration.            |
| <b>data</b>              | const    | <code>ui/src/modes/studio/RunHistory.tsx:33</code> |  Frontend declaration.            |
| <b>leftPanel</b>         | const    | <code>ui/src/modes/studio/RunHistory.tsx:44</code> |  Frontend declaration.            |
| <b>rightPanel</b>        | const    | <code>ui/src/modes/studio/RunHistory.tsx:48</code> |  Frontend declaration.            |
| <b>next</b>              | const    | <code>ui/src/modes/studio/RunHistory.tsx:63</code> |  Frontend declaration.            |
| <b>selectRun</b>         | function | <code>ui/src/modes/studio/RunHistory.tsx:71</code> |  Documented frontend declaration. |
| <b>setTab</b>            | function |                                                    |                                                                                                                      |

| Symbol                     | Kind     | Location                                             | Signature / summary              |
|----------------------------|----------|------------------------------------------------------|----------------------------------|
|                            |          | <code>ui/src/modes/studio/RunHistory.tsx:75</code>   | Frontend declaration.            |
| <b>next</b>                | const    | <code>ui/src/modes/studio/RunHistory.tsx:78</code>   | Frontend declaration.            |
| <b>selectNode</b>          | function | <code>ui/src/modes/studio/RunHistory.tsx:83</code>   | Frontend declaration.            |
| <b>next</b>                | const    | <code>ui/src/modes/studio/RunHistory.tsx:86</code>   | Frontend declaration.            |
| <b>run</b>                 | const    | <code>ui/src/modes/studio/RunHistory.tsx:92</code>   | Frontend declaration.            |
| <b>isTerminal</b>          | const    | <code>ui/src/modes/studio/RunHistory.tsx:94</code>   | Frontend declaration.            |
| <b>selectedNodeRun</b>     | const    | <code>ui/src/modes/studio/RunHistory.tsx:95</code>   | Frontend declaration.            |
| <b>selectedNodeInfo</b>    | const    | <code>ui/src/modes/studio/RunHistory.tsx:96</code>   | Frontend declaration.            |
| <b>SaveAsDialog</b>        | function | <code>ui/src/modes/studio/SaveAsDialog.tsx:4</code>  | Frontend declaration.            |
| <b>onDisplayNameChange</b> | function | <code>ui/src/modes/studio/SaveAsDialog.tsx:26</code> | Frontend declaration.            |
| <b>collision</b>           | const    | <code>ui/src/modes/studio/SaveAsDialog.tsx:31</code> | Frontend declaration.            |
| <b>slugValid</b>           | const    | <code>ui/src/modes/studio/SaveAsDialog.tsx:33</code> | Frontend declaration.            |
| <b>canSubmit</b>           | const    | <code>ui/src/modes/studio/SaveAsDialog.tsx:34</code> | Frontend declaration.            |
| <b>submit</b>              | function | <code>ui/src/modes/studio/SaveAsDialog.tsx:36</code> | Frontend declaration.            |
| <b>MULTILINE_NAMES</b>     | const    | <code>ui/src/modes/studio/SchemaForm.tsx:10</code>   | Documented frontend declaration. |
| <b>PROMPT_FIELD_NAMES</b>  | const    | <code>ui/src/modes/studio/SchemaForm.tsx:18</code>   | Documented frontend declaration. |
| <b>Schema</b>              | type     | <code>ui/src/modes/studio/SchemaForm.tsx:21</code>   | Frontend declaration.            |
| <b>SchemaForm</b>          | function | <code>ui/src/modes/studio/SchemaForm.tsx:23</code>   | Frontend declaration.            |
| <b>required</b>            | const    | <code>ui/src/modes/studio/SchemaForm.tsx:42</code>   | Frontend declaration.            |
| <b>next</b>                | const    | <code>ui/src/modes/studio/SchemaForm.tsx:59</code>   | Frontend declaration.            |
| <b>FieldRenderer</b>       | function | <code>ui/src/modes/studio/SchemaForm.tsx:71</code>   | Frontend declaration.            |
| <b>label</b>               | const    | <code>ui/src/modes/studio/SchemaForm.tsx:89</code>   | Frontend declaration.            |
| <b>askAiDialog</b>         | const    |                                                      |                                  |



| Symbol                 | Kind     | Location                                                   | Signature / summary                                                                                                  |
|------------------------|----------|------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                        |          | <a href="#">ui/src/modes/studio/SchemaForm.tsx:107</a>     |  Frontend declaration.              |
| <b>effective</b>       | const    | <a href="#">ui/src/modes/studio/SchemaForm.tsx:117</a>     |  Documented frontend declaration.   |
| <b>isOptional</b>      | const    | <a href="#">ui/src/modes/studio/SchemaForm.tsx:118</a>     |  Documented frontend declaration.   |
| <b>resourceKind</b>    | const    | <a href="#">ui/src/modes/studio/SchemaForm.tsx:122</a>     |  Documented frontend declaration.   |
| <b>multiline</b>       | const    | <a href="#">ui/src/modes/studio/SchemaForm.tsx:212</a>     |  Documented frontend declaration.   |
| <b>isPromptField</b>   | const    | <a href="#">ui/src/modes/studio/SchemaForm.tsx:213</a>     |  Documented frontend declaration.   |
| <b>common</b>          | const    | <a href="#">ui/src/modes/studio/SchemaForm.tsx:214</a>     |  Frontend declaration.              |
| <b>arr</b>             | const    | <a href="#">ui/src/modes/studio/SchemaForm.tsx:254</a>     |  Documented frontend declaration.   |
| <b>Hint</b>            | function | <a href="#">ui/src/modes/studio/SchemaForm.tsx:292</a>     |  Frontend declaration.              |
| <b>resolveOptional</b> | function | <a href="#">ui/src/modes/studio/SchemaForm.tsx:296</a>     |  Frontend declaration.              |
| <b>variants</b>        | const    | <a href="#">ui/src/modes/studio/SchemaForm.tsx:299</a>     |  Documented frontend declaration. |
| <b>nonNull</b>         | const    | <a href="#">ui/src/modes/studio/SchemaForm.tsx:301</a>     |  Documented frontend declaration. |
| <b>tabs</b>            | const    | <a href="#">ui/src/modes/studio/StudioLayout.tsx:3</a>     |  Frontend declaration.            |
| <b>StudioLayout</b>    | function | <a href="#">ui/src/modes/studio/StudioLayout.tsx:11</a>    |  Frontend declaration.            |
| <b>location</b>        | const    | <a href="#">ui/src/modes/studio/StudioLayout.tsx:13</a>    |  Frontend declaration.            |
| <b>chatRoute</b>       | const    | <a href="#">ui/src/modes/studio/StudioLayout.tsx:14</a>    |  Frontend declaration.            |
| <b>LocationProbe</b>   | function | <a href="#">ui/src/modes/studio/StudioRoot.test.tsx:24</a> |  Frontend declaration.            |
| <b>location</b>        | const    | <a href="#">ui/src/modes/studio/StudioRoot.test.tsx:26</a> |  Frontend declaration.            |
| <b>renderRoute</b>     | function | <a href="#">ui/src/modes/studio/StudioRoot.test.tsx:29</a> |  Frontend declaration.            |
| <b>expectRedirect</b>  | function | <a href="#">ui/src/modes/studio/StudioRoot.test.tsx:38</a> |  Frontend declaration.            |
| <b>DeferredScreen</b>  | const    | <a href="#">ui/src/modes/studio/StudioRoot.test.tsx:48</a> |  Frontend declaration.            |
| <b>Library</b>         | const    | <a href="#">ui/src/modes/studio/StudioRoot.tsx:4</a>       |  Frontend declaration.            |
| <b>Builder</b>         | const    |                                                            |                                                                                                                      |

| Symbol                     | Kind     | Location                                                         | Signature / summary                                                                                       |
|----------------------------|----------|------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                            |          | <code>ui/src/modes/studio/StudioRoot.tsx:6</code>                |  Frontend declaration.   |
| <b>Cockpit</b>             | const    | <code>ui/src/modes/studio/StudioRoot.tsx:7</code>                |  Frontend declaration.   |
| <b>BusinessChat</b>        | const    | <code>ui/src/modes/studio/StudioRoot.tsx:8</code>                |  Frontend declaration.   |
| <b>RunHistory</b>          | const    | <code>ui/src/modes/studio/StudioRoot.tsx:9</code>                |  Frontend declaration.   |
| <b>RunCandidates</b>       | const    | <code>ui/src/modes/studio/StudioRoot.tsx:10</code>               |  Frontend declaration.   |
| <b>ProposalReview</b>      | const    | <code>ui/src/modes/studio/StudioRoot.tsx:11</code>               |  Frontend declaration.   |
| <b>LegacyRunRedirect</b>   | function | <code>ui/src/modes/studio/StudioRoot.tsx:12</code>               |  Frontend declaration.   |
| <b>StudioRoot</b>          | function | <code>ui/src/modes/studio/StudioRoot.tsx:17</code>               |  Frontend declaration.   |
| <b>YAML</b>                | const    | <code>ui/src/modes/studio/VersionHistoryPanel.test.tsx:15</code> |  Frontend declaration.   |
| <b>onRestored</b>          | const    | <code>ui/src/modes/studio/VersionHistoryPanel.test.tsx:57</code> |  Frontend declaration.   |
| <b>formatTimestamp</b>     | function | <code>ui/src/modes/studio/VersionHistoryPanel.tsx:6</code>       |  Frontend declaration. |
| <b>summarize</b>           | function | <code>ui/src/modes/studio/VersionHistoryPanel.tsx:14</code>      |  Frontend declaration. |
| <b>parsed</b>              | const    | <code>ui/src/modes/studio/VersionHistoryPanel.tsx:17</code>      |  Frontend declaration. |
| <b>VersionHistoryPanel</b> | function | <code>ui/src/modes/studio/VersionHistoryPanel.tsx:23</code>      |  Frontend declaration. |
| <b>currentSummary</b>      | const    | <code>ui/src/modes/studio/VersionHistoryPanel.tsx:69</code>      |  Frontend declaration. |
| <b>previewSummary</b>      | const    | <code>ui/src/modes/studio/VersionHistoryPanel.tsx:71</code>      |  Frontend declaration. |
| <b>selectedVersion</b>     | const    | <code>ui/src/modes/studio/VersionHistoryPanel.tsx:72</code>      |  Frontend declaration. |
| <b>restore</b>             | function | <code>ui/src/modes/studio/VersionHistoryPanel.tsx:73</code>      |  Frontend declaration. |
| <b>result</b>              | const    | <code>ui/src/modes/studio/VersionHistoryPanel.tsx:79</code>      |  Frontend declaration. |
| <b>nextInputName</b>       | function | <code>ui/src/modes/studio/WorkflowInputsPanel.tsx:5</code>       |  Frontend declaration. |
| <b>InputNameEditor</b>     | function | <code>ui/src/modes/studio/WorkflowInputsPanel.tsx:11</code>      |  Frontend declaration. |
| <b>valid</b>               | const    | <code>ui/src/modes/studio/WorkflowInputsPanel.tsx:22</code>      |  Frontend declaration. |

| Symbol                     | Kind     | Location                                                        | Signature / summary                                                                                                  |
|----------------------------|----------|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>duplicate</b>           | const    | <a href="#">ui/src/modes/studio/WorkflowInputsPanel.tsx:23</a>  |  Frontend declaration.              |
| <b>commit</b>              | function | <a href="#">ui/src/modes/studio/WorkflowInputsPanel.tsx:24</a>  |  Frontend declaration.              |
| <b>WorkflowInputsPanel</b> | function | <a href="#">ui/src/modes/studio/WorkflowInputsPanel.tsx:56</a>  |  Frontend declaration.              |
| <b>update</b>              | function | <a href="#">ui/src/modes/studio/WorkflowInputsPanel.tsx:74</a>  |  Frontend declaration.              |
| <b>rename</b>              | function | <a href="#">ui/src/modes/studio/WorkflowInputsPanel.tsx:80</a>  |  Frontend declaration.              |
| <b>next</b>                | const    | <a href="#">ui/src/modes/studio/WorkflowInputsPanel.tsx:87</a>  |  Frontend declaration.              |
| <b>remove</b>              | function | <a href="#">ui/src/modes/studio/WorkflowInputsPanel.tsx:93</a>  |  Frontend declaration.              |
| <b>next</b>                | const    | <a href="#">ui/src/modes/studio/WorkflowInputsPanel.tsx:95</a>  |  Frontend declaration.              |
| <b>addInput</b>            | function | <a href="#">ui/src/modes/studio/WorkflowInputsPanel.tsx:99</a>  |  Frontend declaration.              |
| <b>name</b>                | const    | <a href="#">ui/src/modes/studio/WorkflowInputsPanel.tsx:101</a> |  Frontend declaration.              |
| <b>accepts</b>             | const    | <a href="#">ui/src/modes/studio/WorkflowInputsPanel.tsx:156</a> |  Frontend declaration.            |
| <b>type</b>                | const    | <a href="#">ui/src/modes/studio/WorkflowInputsPanel.tsx:192</a> |  Frontend declaration.            |
| <b>next</b>                | const    | <a href="#">ui/src/modes/studio/WorkflowInputsPanel.tsx:288</a> |  Frontend declaration.            |
| <b>WorkflowNode</b>        | const    | <a href="#">ui/src/modes/studio/WorkflowNode.tsx:23</a>         |  Frontend declaration.            |
| <b>requestedModel</b>      | const    | <a href="#">ui/src/modes/studio/WorkflowNode.tsx:28</a>         |  Frontend declaration.            |
| <b>businessLabel</b>       | const    | <a href="#">ui/src/modes/studio/WorkflowNode.tsx:29</a>         |  Frontend declaration.            |
| <b>typeLabel</b>           | const    | <a href="#">ui/src/modes/studio/WorkflowNode.tsx:30</a>         |  Frontend declaration.            |
| <b>mcpOperation</b>        | const    | <a href="#">ui/src/modes/studio/WorkflowNode.tsx:31</a>         |  Frontend declaration.            |
| <b>vertical</b>            | const    | <a href="#">ui/src/modes/studio/WorkflowNode.tsx:32</a>         |  Frontend declaration.            |
| <b>border</b>              | const    | <a href="#">ui/src/modes/studio/WorkflowNode.tsx:33</a>         |  Frontend declaration.            |
| <b>targetHandle</b>        | const    | <a href="#">ui/src/modes/studio/WorkflowNode.tsx:47</a>         |  Documented frontend declaration. |
| <b>sourceHandle</b>        | const    | <a href="#">ui/src/modes/studio/WorkflowNode.tsx:54</a>         |  Frontend declaration.            |
| <b>deleteButton</b>        | const    |                                                                 |                                                                                                                      |

| Symbol                        | Kind     | Location                                                                     | Signature / summary              |
|-------------------------------|----------|------------------------------------------------------------------------------|----------------------------------|
|                               |          | <code>ui/src/modes/studio/WorkflowNode.tsx:61</code>                         | Frontend declaration.            |
| <b>VariableMap</b>            | type     | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:2</code>                | Frontend declaration.            |
| <b>visibleInputs</b>          | function | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:4</code>                | Frontend declaration.            |
| <b>valueText</b>              | function | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:10</code>               | Frontend declaration.            |
| <b>templateReference</b>      | function | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:16</code>               | Frontend declaration.            |
| <b>VariableValue</b>          | function | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:20</code>               | Frontend declaration.            |
| <b>rendered</b>               | const    | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:32</code>               | Frontend declaration.            |
| <b>VariableSection</b>        | function | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:62</code>               | Frontend declaration.            |
| <b>entries</b>                | const    | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:78</code>               | Frontend declaration.            |
| <b>WorkflowVariablesPanel</b> | function | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:105</code>              | Frontend declaration.            |
| <b>safeInputs</b>             | const    | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:118</code>              | Frontend declaration.            |
| <b>outputEntries</b>          | const    | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:119</code>              | Frontend declaration.            |
| <b>copy</b>                   | function | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:120</code>              | Frontend declaration.            |
| <b>fields</b>                 | const    | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:179</code>              | Frontend declaration.            |
| <b>nodeReference</b>          | const    | <code>ui/src/modes/studio/WorkflowVariablesPanel.tsx:186</code>              | Frontend declaration.            |
| <b>WORKFLOWS_DIR</b>          | const    | <code>ui/src/modes/studio/__tests__/yaml-roundtrip.shipped.test.ts:12</code> | Documented frontend declaration. |
| <b>normalise</b>              | function | <code>ui/src/modes/studio/__tests__/yaml-</code>                             | Frontend declaration.            |

| Symbol           | Kind     | Location                                                                     | Signature / summary                                                                                                  |
|------------------|----------|------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                  |          | <code>roundtrip.shipped.test.ts:22</code>                                    |                                                                                                                      |
| <b>roundTrip</b> | function | <code>ui/src/modes/studio/__tests__/yaml-roundtrip.shipped.test.ts:25</code> |  Frontend declaration.              |
| <b>original</b>  | const    | <code>ui/src/modes/studio/__tests__/yaml-roundtrip.shipped.test.ts:27</code> |  Frontend declaration.              |
| <b>rebuilt</b>   | const    | <code>ui/src/modes/studio/__tests__/yaml-roundtrip.shipped.test.ts:31</code> |  Frontend declaration.              |
| <b>files</b>     | const    | <code>ui/src/modes/studio/__tests__/yaml-roundtrip.shipped.test.ts:36</code> |  Frontend declaration.              |
| <b>text</b>      | const    | <code>ui/src/modes/studio/__tests__/yaml-roundtrip.shipped.test.ts:40</code> |  Frontend declaration.              |
| <b>node</b>      | function | <code>ui/src/modes/studio/builder-graph.test.ts:14</code>                    |  Frontend declaration.             |
| <b>edge</b>      | function | <code>ui/src/modes/studio/builder-graph.test.ts:23</code>                    |  Frontend declaration.            |
| <b>edges</b>     | const    | <code>ui/src/modes/studio/builder-graph.test.ts:40</code>                    |  Documented frontend declaration. |
| <b>upstream</b>  | const    | <code>ui/src/modes/studio/builder-graph.test.ts:41</code>                    |  Documented frontend declaration. |
| <b>edges</b>     | const    | <code>ui/src/modes/studio/builder-graph.test.ts:46</code>                    |  Frontend declaration.            |
| <b>manifests</b> | const    | <code>ui/src/modes/studio/builder-graph.test.ts:52</code>                    |  Frontend declaration.            |
| <b>nodes</b>     | const    | <code>ui/src/modes/studio/builder-graph.test.ts:61</code>                    |  Frontend declaration.            |
| <b>edges</b>     | const    | <code>ui/src/modes/studio/builder-graph.test.ts:62</code>                    |  Frontend declaration.            |
| <b>options</b>   | const    | <code>ui/src/modes/studio/builder-graph.test.ts:63</code>                    |  Frontend declaration.            |
| <b>sourceIds</b> | const    | <code>ui/src/modes/studio/builder-graph.test.ts:64</code>                    |  Frontend declaration.            |
| <b>nodes</b>     | const    | <code>ui/src/modes/studio/builder-graph.test.ts:71</code>                    |  Frontend declaration.            |
| <b>edges</b>     | const    | <code>ui/src/modes/studio/builder-graph.test.ts:72</code>                    |  Frontend declaration.            |
| <b>options</b>   | const    | <code>ui/src/modes/studio/builder-graph.test.ts:73</code>                    |  Frontend declaration.            |

| Symbol                | Kind     | Location                                                      | Signature / summary                                                                                       |
|-----------------------|----------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>tokens</b>         | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:74</a>  |  Frontend declaration.   |
| <b>nodes</b>          | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:79</a>  |  Frontend declaration.   |
| <b>edges</b>          | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:80</a>  |  Frontend declaration.   |
| <b>options</b>        | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:81</a>  |  Frontend declaration.   |
| <b>fromA</b>          | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:82</a>  |  Frontend declaration.   |
| <b>nodes</b>          | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:88</a>  |  Frontend declaration.   |
| <b>options</b>        | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:89</a>  |  Frontend declaration.   |
| <b>routerWorkflow</b> | function | <a href="#">ui/src/modes/studio/builder-graph.test.ts:103</a> |  Frontend declaration.   |
| <b>sliced</b>         | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:125</a> |  Frontend declaration.   |
| <b>ids</b>            | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:126</a> |  Frontend declaration.   |
| <b>original</b>       | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:133</a> |  Frontend declaration. |
| <b>before</b>         | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:134</a> |  Frontend declaration. |
| <b>sliced</b>         | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:142</a> |  Frontend declaration. |
| <b>ids</b>            | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:143</a> |  Frontend declaration. |
| <b>routerEdge</b>     | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:146</a> |  Frontend declaration. |
| <b>routerNode</b>     | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:149</a> |  Frontend declaration. |
| <b>workflow</b>       | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:158</a> |  Frontend declaration. |
| <b>sliced</b>         | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:168</a> |  Frontend declaration. |
| <b>fanOutEdge</b>     | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:169</a> |  Frontend declaration. |
| <b>edges</b>          | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:176</a> |  Frontend declaration. |
| <b>config</b>         | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:184</a> |  Frontend declaration. |
| <b>renamed</b>        | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:185</a> |  Frontend declaration. |
| <b>config</b>         | const    |                                                               |                                                                                                           |

| Symbol                              | Kind     | Location                                                      | Signature / summary                                                                                                  |
|-------------------------------------|----------|---------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                     |          | <a href="#">ui/src/modes/studio/builder-graph.test.ts:190</a> |  Frontend declaration.              |
| <b>renamed</b>                      | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:191</a> |  Frontend declaration.              |
| <b>config</b>                       | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:196</a> |  Frontend declaration.              |
| <b>renamed</b>                      | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:197</a> |  Frontend declaration.              |
| <b>config</b>                       | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:202</a> |  Frontend declaration.              |
| <b>renamed</b>                      | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:203</a> |  Frontend declaration.              |
| <b>config</b>                       | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:211</a> |  Frontend declaration.              |
| <b>renamed</b>                      | const    | <a href="#">ui/src/modes/studio/builder-graph.test.ts:212</a> |  Frontend declaration.              |
| <b>VariableOption</b>               | type     | <a href="#">ui/src/modes/studio/builder-graph.ts:9</a>        |  Frontend declaration.              |
| <b>SchemaShape</b>                  | type     | <a href="#">ui/src/modes/studio/builder-graph.ts:17</a>       |  Frontend declaration.              |
| <b>schemaFields</b>                 | function | <a href="#">ui/src/modes/studio/builder-graph.ts:21</a>       |  Frontend declaration.            |
| <b>properties</b>                   | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:23</a>       |  Frontend declaration.            |
| <b>renameTokensInText</b>           | function | <a href="#">ui/src/modes/studio/builder-graph.ts:36</a>       |  Documented frontend declaration. |
| <b>pattern</b>                      | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:37</a>       |  Documented frontend declaration. |
| <b>renameNodeReferencesInValue</b>  | function | <a href="#">ui/src/modes/studio/builder-graph.ts:43</a>       |  Frontend declaration.            |
| <b>renameNodeReferencesInConfig</b> | function | <a href="#">ui/src/modes/studio/builder-graph.ts:63</a>       |  Frontend declaration.            |
| <b>EMBEDDED_TOKEN_RE</b>            | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:88</a>       |  Documented frontend declaration. |
| <b>WHOLE_VALUE_RE</b>               | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:92</a>       |  Frontend declaration.            |
| <b>PruneResult</b>                  | type     | <a href="#">ui/src/modes/studio/builder-graph.ts:97</a>       |  Frontend declaration.            |
| <b>pruneNodeReferencesInValue</b>   | function | <a href="#">ui/src/modes/studio/builder-graph.ts:99</a>       |  Frontend declaration.            |
| <b>trimmed</b>                      | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:102</a>      |  Frontend declaration.            |
| <b>stripped</b>                     | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:106</a>      |  Frontend declaration.            |
| <b>items</b>                        | const    |                                                               |                                                                                                                      |

| Symbol                             | Kind     | Location                                                 | Signature / summary                                                                                       |
|------------------------------------|----------|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                                    |          | <a href="#">ui/src/modes/studio/builder-graph.ts:110</a> |  Frontend declaration.   |
| <b>result</b>                      | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:112</a> |  Frontend declaration.   |
| <b>entries</b>                     | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:119</a> |  Frontend declaration.   |
| <b>result</b>                      | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:121</a> |  Frontend declaration.   |
| <b>pruneNodeReferencesInConfig</b> | function | <a href="#">ui/src/modes/studio/builder-graph.ts:136</a> |  Frontend declaration.   |
| <b>upstreamNodeIds</b>             | function | <a href="#">ui/src/modes/studio/builder-graph.ts:143</a> |  Frontend declaration.   |
| <b>reverse</b>                     | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:148</a> |  Frontend declaration.   |
| <b>upstream</b>                    | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:152</a> |  Frontend declaration.   |
| <b>queue</b>                       | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:153</a> |  Frontend declaration.   |
| <b>current</b>                     | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:155</a> |  Frontend declaration.   |
| <b>buildVariableOptions</b>        | function | <a href="#">ui/src/modes/studio/builder-graph.ts:162</a> |  Frontend declaration. |
| <b>options</b>                     | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:170</a> |  Frontend declaration. |
| <b>upstream</b>                    | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:187</a> |  Frontend declaration. |
| <b>manifest</b>                    | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:190</a> |  Frontend declaration. |
| <b>fields</b>                      | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:191</a> |  Frontend declaration. |
| <b>edgeTargets</b>                 | function | <a href="#">ui/src/modes/studio/builder-graph.ts:214</a> |  Frontend declaration. |
| <b>ancestors</b>                   | function | <a href="#">ui/src/modes/studio/builder-graph.ts:220</a> |  Frontend declaration. |
| <b>reverse</b>                     | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:222</a> |  Frontend declaration. |
| <b>found</b>                       | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:228</a> |  Frontend declaration. |
| <b>queue</b>                       | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:229</a> |  Frontend declaration. |
| <b>current</b>                     | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:231</a> |  Frontend declaration. |
| <b>descendants</b>                 | function | <a href="#">ui/src/modes/studio/builder-graph.ts:238</a> |  Frontend declaration. |
| <b>forward</b>                     | const    |                                                          |                                                                                                           |



| Symbol                           | Kind     | Location                                                 | Signature / summary                                                                                       |
|----------------------------------|----------|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                                  |          | <a href="#">ui/src/modes/studio/builder-graph.ts:240</a> |  Frontend declaration.   |
| <b>found</b>                     | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:247</a> |  Frontend declaration.   |
| <b>queue</b>                     | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:248</a> |  Frontend declaration.   |
| <b>current</b>                   | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:250</a> |  Frontend declaration.   |
| <b>filterEdges</b>               | function | <a href="#">ui/src/modes/studio/builder-graph.ts:257</a> |  Frontend declaration.   |
| <b>result</b>                    | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:262</a> |  Frontend declaration.   |
| <b>branches</b>                  | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:266</a> |  Frontend declaration.   |
| <b>targets</b>                   | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:274</a> |  Frontend declaration.   |
| <b>forceSingleRouterBranches</b> | function | <a href="#">ui/src/modes/studio/builder-graph.ts:284</a> |  Frontend declaration.   |
| <b>singleBranches</b>            | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:289</a> |  Frontend declaration.   |
| <b>labels</b>                    | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:291</a> |  Frontend declaration. |
| <b>route</b>                     | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:295</a> |  Frontend declaration. |
| <b>leafIds</b>                   | function | <a href="#">ui/src/modes/studio/builder-graph.ts:307</a> |  Frontend declaration. |
| <b>sources</b>                   | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:309</a> |  Frontend declaration. |
| <b>testWorkflow</b>              | function | <a href="#">ui/src/modes/studio/builder-graph.ts:312</a> |  Frontend declaration. |
| <b>nodeIds</b>                   | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:321</a> |  Frontend declaration. |
| <b>roots</b>                     | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:322</a> |  Frontend declaration. |
| <b>leaves</b>                    | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:325</a> |  Frontend declaration. |
| <b>entry</b>                     | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:326</a> |  Frontend declaration. |
| <b>sliceWorkflowThroughNode</b>  | function | <a href="#">ui/src/modes/studio/builder-graph.ts:342</a> |  Frontend declaration. |
| <b>keep</b>                      | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:347</a> |  Frontend declaration. |
| <b>sliced</b>                    | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:348</a> |  Frontend declaration. |
|                                  | function |                                                          |                                                                                                           |

| Symbol                            | Kind     | Location                                                        | Signature / summary                                                                                                  |
|-----------------------------------|----------|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>sliceWorkflowThroughBranch</b> |          | <a href="#">ui/src/modes/studio/builder-graph.ts:358</a>        |  Frontend declaration.              |
| <b>keep</b>                       | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:365</a>        |  Frontend declaration.              |
| <b>match</b>                      | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:373</a>        |  Frontend declaration.              |
| <b>targets</b>                    | const    | <a href="#">ui/src/modes/studio/builder-graph.ts:380</a>        |  Frontend declaration.              |
| <b>outgoingEdges</b>              | function | <a href="#">ui/src/modes/studio/builder-graph.ts:392</a>        |  Frontend declaration.              |
| <b>generateDefaults</b>           | function | <a href="#">ui/src/modes/studio/builder-helpers.ts:9</a>        |  Frontend declaration.              |
| <b>out</b>                        | const    | <a href="#">ui/src/modes/studio/builder-helpers.ts:13</a>       |  Frontend declaration.              |
| <b>d</b>                          | const    | <a href="#">ui/src/modes/studio/builder-helpers.ts:15</a>       |  Frontend declaration.              |
| <b>variants</b>                   | const    | <a href="#">ui/src/modes/studio/builder-helpers.ts:28</a>       |  Documented frontend declaration.   |
| <b>nonNull</b>                    | const    | <a href="#">ui/src/modes/studio/builder-helpers.ts:29</a>       |  Documented frontend declaration.   |
| <b>newNodeId</b>                  | function | <a href="#">ui/src/modes/studio/builder-helpers.ts:35</a>       |  Documented frontend declaration. |
| <b>stem</b>                       | const    | <a href="#">ui/src/modes/studio/builder-helpers.ts:36</a>       |  Documented frontend declaration. |
| <b>findManifest</b>               | function | <a href="#">ui/src/modes/studio/builder-helpers.ts:43</a>       |  Documented frontend declaration. |
| <b>Config</b>                     | type     | <a href="#">ui/src/modes/studio/builder/AITaskConfig.tsx:24</a> |  Frontend declaration.            |
| <b>LANGUAGES</b>                  | const    | <a href="#">ui/src/modes/studio/builder/AITaskConfig.tsx:26</a> |  Frontend declaration.            |
| <b>asString</b>                   | function | <a href="#">ui/src/modes/studio/builder/AITaskConfig.tsx:36</a> |  Frontend declaration.            |
| <b>asRecord</b>                   | function | <a href="#">ui/src/modes/studio/builder/AITaskConfig.tsx:40</a> |  Frontend declaration.            |
| <b>AITaskConfig</b>               | function | <a href="#">ui/src/modes/studio/builder/AITaskConfig.tsx:46</a> |  Frontend declaration.            |
| <b>language</b>                   | const    | <a href="#">ui/src/modes/studio/builder/AITaskConfig.tsx:64</a> |  Frontend declaration.            |
| <b>outputFields</b>               | const    | <a href="#">ui/src/modes/studio/builder/AITaskConfig.tsx:65</a> |  Frontend declaration.            |
| <b>task</b>                       | const    | <a href="#">ui/src/modes/studio/builder/AITaskConfig.tsx:66</a> |  Frontend declaration.            |
| <b>set</b>                        | const    | <a href="#">ui/src/modes/studio/builder/AITaskConfig.tsx:67</a> |  Frontend declaration.            |
| <b>applyPreset</b>                | const    |                                                                 |                                                                                                                      |

| Symbol                | Kind     | Location                                                               | Signature / summary              |
|-----------------------|----------|------------------------------------------------------------------------|----------------------------------|
|                       |          | <code>ui/src/modes/studio/builder/AITaskConfig.tsx:69</code>           | Frontend declaration.            |
| <b>existing</b>       | const    | <code>ui/src/modes/studio/builder/AITaskConfig.tsx:74</code>           | Documented frontend declaration. |
| <b>AboutPanel</b>     | function | <code>ui/src/modes/studio/builder/AboutPanel.tsx:22</code>             | Frontend declaration.            |
| <b>about</b>          | const    | <code>ui/src/modes/studio/builder/AboutPanel.tsx:55</code>             | Frontend declaration.            |
| <b>Entry</b>          | function | <code>ui/src/modes/studio/builder/AboutPanel.tsx:204</code>            | Frontend declaration.            |
| <b>Badge</b>          | function | <code>ui/src/modes/studio/builder/AboutPanel.tsx:216</code>            | Frontend declaration.            |
| <b>Flag</b>           | function | <code>ui/src/modes/studio/builder/AboutPanel.tsx:224</code>            | Frontend declaration.            |
| <b>className</b>      | const    | <code>ui/src/modes/studio/builder/AboutPanel.tsx:226</code>            | Frontend declaration.            |
| <b>AskAiDialog</b>    | function | <code>ui/src/modes/studio/builder/AskAiDialog.tsx:16</code>            | Frontend declaration.            |
| <b>askedInitially</b> | const    | <code>ui/src/modes/studio/builder/AskAiDialog.tsx:31</code>            | Frontend declaration.            |
| <b>bottomRef</b>      | const    | <code>ui/src/modes/studio/builder/AskAiDialog.tsx:32</code>            | Frontend declaration.            |
| <b>ask</b>            | function | <code>ui/src/modes/studio/builder/AskAiDialog.tsx:33</code>            | Frontend declaration.            |
| <b>trimmed</b>        | const    | <code>ui/src/modes/studio/builder/AskAiDialog.tsx:35</code>            | Frontend declaration.            |
| <b>withQuestion</b>   | const    | <code>ui/src/modes/studio/builder/AskAiDialog.tsx:40</code>            | Frontend declaration.            |
| <b>result</b>         | const    | <code>ui/src/modes/studio/builder/AskAiDialog.tsx:46</code>            | Frontend declaration.            |
| <b>workflow</b>       | function | <code>ui/src/modes/studio/builder/ChatPreviewPanel.test.tsx:14</code>  | Frontend declaration.            |
| <b>user</b>           | const    | <code>ui/src/modes/studio/builder/ChatPreviewPanel.test.tsx:60</code>  | Frontend declaration.            |
| <b>user</b>           | const    | <code>ui/src/modes/studio/builder/ChatPreviewPanel.test.tsx:86</code>  | Frontend declaration.            |
| <b>user</b>           | const    | <code>ui/src/modes/studio/builder/ChatPreviewPanel.test.tsx:106</code> | Frontend declaration.            |
| <b>detail</b>         | const    | <code>ui/src/modes/studio/builder/</code>                              |                                  |

| Symbol                  | Kind     | Location                                                               | Signature / summary                                                                                                |
|-------------------------|----------|------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                         |          | <code>ChatPreviewPanel.test.tsx:16</code>                              |  Documented frontend declaration. |
| <b>user</b>             | const    | <code>ui/src/modes/studio/builder/ChatPreviewPanel.test.tsx:129</code> |  Frontend declaration.            |
| <b>Turn</b>             | type     | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:25</code>       |  Frontend declaration.            |
| <b>ChatOutput</b>       | type     | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:38</code>       |  Frontend declaration.            |
| <b>SEND_TIMEOUT_MS</b>  | const    | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:47</code>       |  Frontend declaration.            |
| <b>findChatbotStart</b> | function | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:49</code>       |  Frontend declaration.            |
| <b>node</b>             | const    | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:51</code>       |  Frontend declaration.            |
| <b>asChatOutput</b>     | function | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:56</code>       |  Frontend declaration.           |
| <b>humanize</b>         | function | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:61</code>       |  Frontend declaration.          |
| <b>ChatPreviewPanel</b> | function | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:65</code>       |  Frontend declaration.          |
| <b>startConfig</b>      | const    | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:73</code>       |  Frontend declaration.          |
| <b>controllerRef</b>    | const    | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:78</code>       |  Frontend declaration.          |
| <b>chatbotName</b>      | const    | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:79</code>       |  Frontend declaration.          |
| <b>welcome</b>          | const    | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:82</code>       |  Frontend declaration.          |
| <b>placeholder</b>      | const    | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:83</code>       |  Frontend declaration.          |
| <b>suggested</b>        | const    | <code>ui/src/modes/studio/builder/ChatPreviewPanel.tsx:85</code>       |  Frontend declaration.          |
| <b>reset</b>            | const    |                                                                        |  Frontend declaration.          |

| Symbol            | Kind     | Location                                                         | Signature / summary                                                                                       |
|-------------------|----------|------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                   |          | ui/src/modes/studio/<br>builder/<br>ChatPreviewPanel.tsx:88      |                                                                                                           |
| <b>send</b>       | const    | ui/src/modes/studio/<br>builder/<br>ChatPreviewPanel.tsx:96      |  Frontend declaration.   |
| <b>trimmed</b>    | const    | ui/src/modes/studio/<br>builder/<br>ChatPreviewPanel.tsx:98      |  Frontend declaration.   |
| <b>history</b>    | const    | ui/src/modes/studio/<br>builder/<br>ChatPreviewPanel.tsx:101     |  Frontend declaration.   |
| <b>controller</b> | const    | ui/src/modes/studio/<br>builder/<br>ChatPreviewPanel.tsx:106     |  Frontend declaration.   |
| <b>timer</b>      | const    | ui/src/modes/studio/<br>builder/<br>ChatPreviewPanel.tsx:109     |  Frontend declaration.   |
| <b>result</b>     | const    | ui/src/modes/studio/<br>builder/<br>ChatPreviewPanel.tsx:112     |  Frontend declaration.   |
| <b>output</b>     | const    | ui/src/modes/studio/<br>builder/<br>ChatPreviewPanel.tsx:121     |  Frontend declaration.  |
| <b>aborted</b>    | const    | ui/src/modes/studio/<br>builder/<br>ChatPreviewPanel.tsx:140     |  Frontend declaration. |
| <b>ChatBubble</b> | function | ui/src/modes/studio/<br>builder/<br>ChatPreviewPanel.tsx:268     |  Frontend declaration. |
| <b>user</b>       | const    | ui/src/modes/studio/<br>builder/<br>CloudFileBrowser.test.tsx:50 |  Frontend declaration. |
| <b>user</b>       | const    | ui/src/modes/studio/<br>builder/<br>CloudFileBrowser.test.tsx:64 |  Frontend declaration. |
| <b>onSelect</b>   | const    | ui/src/modes/studio/<br>builder/<br>CloudFileBrowser.test.tsx:65 |  Frontend declaration. |
| <b>user</b>       | const    | ui/src/modes/studio/<br>builder/<br>CloudFileBrowser.test.tsx:75 |  Frontend declaration. |
| <b>onSelect</b>   | const    | ui/src/modes/studio/<br>builder/<br>CloudFileBrowser.test.tsx:76 |  Frontend declaration. |

| Symbol                  | Kind     | Location                                                                              | Signature / summary                                                                                                |
|-------------------------|----------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>fileRow</b>          | const    | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.test.tsx:9<br/>4</code>  |  Frontend declaration.            |
| <b>folderRow</b>        | const    | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.test.tsx:9<br/>8</code>  |  Documented frontend declaration. |
| <b>user</b>             | const    | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.test.tsx:1<br/>05</code> |  Frontend declaration.            |
| <b>onSelect</b>         | const    | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.test.tsx:1<br/>06</code> |  Frontend declaration.            |
| <b>user</b>             | const    | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.test.tsx:1<br/>16</code> |  Frontend declaration.            |
| <b>onSelect</b>         | const    | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.test.tsx:1<br/>17</code> |  Frontend declaration.            |
| <b>formatBytes</b>      | function | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.tsx:18</code>            |  Frontend declaration.          |
| <b>units</b>            | const    | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.tsx:22</code>            |  Frontend declaration.          |
| <b>formatDate</b>       | function | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.tsx:31</code>            |  Frontend declaration.          |
| <b>date</b>             | const    | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.tsx:34</code>            |  Frontend declaration.          |
| <b>asFileRef</b>        | function | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.tsx:37</code>            |  Frontend declaration.          |
| <b>CloudFileBrowser</b> | function | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.tsx:48</code>            |  Frontend declaration.          |
| <b>currentFolderId</b>  | const    | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.tsx:69</code>            |  Frontend declaration.          |
| <b>loadMore</b>         | const    | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.tsx:88</code>            |  Frontend declaration.          |
| <b>openFolder</b>       | const    | <code>ui/src/modes/studio/<br/>builder/<br/>CloudFileBrowser.tsx:103</code>           |  Frontend declaration.          |

| Symbol                   | Kind     | Location                                                                | Signature / summary                                                                                                  |
|--------------------------|----------|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>jumpToBreadcrumb</b>  | const    | <a href="#">ui/src/modes/studio/builder/CloudFileBrowser.tsx:108</a>    |  Frontend declaration.              |
| <b>selectable</b>        | const    | <a href="#">ui/src/modes/studio/builder/CloudFileBrowser.tsx:113</a>    |  Frontend declaration.              |
| <b>toggleChecked</b>     | const    | <a href="#">ui/src/modes/studio/builder/CloudFileBrowser.tsx:115</a>    |  Frontend declaration.              |
| <b>next</b>              | const    | <a href="#">ui/src/modes/studio/builder/CloudFileBrowser.tsx:118</a>    |  Frontend declaration.              |
| <b>confirmChecked</b>    | const    | <a href="#">ui/src/modes/studio/builder/CloudFileBrowser.tsx:124</a>    |  Frontend declaration.              |
| <b>isGroup</b>           | function | <a href="#">ui/src/modes/studio/builder/ConditionGroupEditor.tsx:24</a> |  Frontend declaration.              |
| <b>newCondition</b>      | function | <a href="#">ui/src/modes/studio/builder/ConditionGroupEditor.tsx:30</a> |  Frontend declaration.              |
| <b>newGroup</b>          | function | <a href="#">ui/src/modes/studio/builder/ConditionGroupEditor.tsx:34</a> |  Frontend declaration.             |
| <b>stripBraces</b>       | function | <a href="#">ui/src/modes/studio/builder/ConditionGroupEditor.tsx:38</a> |  Frontend declaration.            |
| <b>toReference</b>       | function | <a href="#">ui/src/modes/studio/builder/ConditionGroupEditor.tsx:42</a> |  Frontend declaration.            |
| <b>coerceValue</b>       | function | <a href="#">ui/src/modes/studio/builder/ConditionGroupEditor.tsx:52</a> |  Frontend declaration.            |
| <b>trimmed</b>           | const    | <a href="#">ui/src/modes/studio/builder/ConditionGroupEditor.tsx:53</a> |  Frontend declaration.            |
| <b>parsed</b>            | const    | <a href="#">ui/src/modes/studio/builder/ConditionGroupEditor.tsx:59</a> |  Frontend declaration.            |
| <b>valueToText</b>       | function | <a href="#">ui/src/modes/studio/builder/ConditionGroupEditor.tsx:65</a> |  Frontend declaration.            |
| <b>findContractField</b> | function | <a href="#">ui/src/modes/studio/builder/ConditionGroupEditor.tsx:74</a> |  Documented frontend declaration. |
| <b>reference</b>         | const    | <a href="#">ui/src/modes/studio/builder/ConditionGroupEditor.tsx:79</a> |  Frontend declaration.            |
| <b>match</b>             | const    |                                                                         |                                                                                                                      |

| Symbol                      | Kind     | Location                                                              | Signature / summary                                                                                       |
|-----------------------------|----------|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                             |          | <code>ui/src/modes/studio/builder/ConditionGroupEditor.tsx:81</code>  |  Frontend declaration.   |
| <b>ValueInput</b>           | function | <code>ui/src/modes/studio/builder/ConditionGroupEditor.tsx:86</code>  |  Frontend declaration.   |
| <b>ConditionEditor</b>      | function | <code>ui/src/modes/studio/builder/ConditionGroupEditor.tsx:145</code> |  Frontend declaration.   |
| <b>field</b>                | const    | <code>ui/src/modes/studio/builder/ConditionGroupEditor.tsx:160</code> |  Frontend declaration.   |
| <b>allowed</b>              | const    | <code>ui/src/modes/studio/builder/ConditionGroupEditor.tsx:164</code> |  Frontend declaration.   |
| <b>arity</b>                | const    | <code>ui/src/modes/studio/builder/ConditionGroupEditor.tsx:168</code> |  Frontend declaration.   |
| <b>ConditionGroupEditor</b> | function | <code>ui/src/modes/studio/builder/ConditionGroupEditor.tsx:238</code> |  Frontend declaration.  |
| <b>replace</b>              | const    | <code>ui/src/modes/studio/builder/ConditionGroupEditor.tsx:254</code> |  Frontend declaration. |
| <b>conditions</b>           | const    | <code>ui/src/modes/studio/builder/ConditionGroupEditor.tsx:255</code> |  Frontend declaration. |
| <b>remove</b>               | const    | <code>ui/src/modes/studio/builder/ConditionGroupEditor.tsx:259</code> |  Frontend declaration. |
| <b>asNonEmptyString</b>     | function | <code>ui/src/modes/studio/builder/ConfigureTab.tsx:38</code>          |  Frontend declaration. |
| <b>isLegacyTransform</b>    | function | <code>ui/src/modes/studio/builder/ConfigureTab.tsx:49</code>          |  Frontend declaration. |
| <b>ConfigureTab</b>         | function | <code>ui/src/modes/studio/builder/ConfigureTab.tsx:71</code>          |  Frontend declaration. |
| <b>config</b>               | const    | <code>ui/src/modes/studio/builder/ConfigureTab.tsx:105</code>         |  Frontend declaration. |
| <b>typeName</b>             | const    | <code>ui/src/modes/studio/builder/ConfigureTab.tsx:106</code>         |  Frontend declaration. |



| Symbol                               | Kind     | Location                                                         | Signature / summary                                                                                                  |
|--------------------------------------|----------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>transformMode</b>                 | const    | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:110</a> |  Documented frontend declaration.   |
| <b>useNewPromptTemplateEditor</b>    | const    | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:113</a> |  Frontend declaration.              |
| <b>DecisionConfig</b>                | function | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:352</a> |  Frontend declaration.              |
| <b>rules</b>                         | const    | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:365</a> |  Frontend declaration.              |
| <b>defaults</b>                      | const    | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:366</a> |  Frontend declaration.              |
| <b>DefaultsEditor</b>                | function | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:418</a> |  Frontend declaration.              |
| <b>entries</b>                       | const    | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:426</a> |  Frontend declaration.              |
| <b>rename</b>                        | const    | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:427</a> |  Frontend declaration.            |
| <b>next</b>                          | const    | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:429</a> |  Frontend declaration.            |
| <b>raw</b>                           | const    | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:449</a> |  Frontend declaration.            |
| <b>parsed</b>                        | const    | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:450</a> |  Frontend declaration.            |
| <b>next</b>                          | const    | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:465</a> |  Frontend declaration.            |
| <b>useAuthoringContext</b>           | function | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:487</a> |  Documented frontend declaration. |
| <b>refetchEmailConnections</b>       | const    | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:492</a> |  Frontend declaration.            |
| <b>refetchIntegrationConnections</b> | const    | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:498</a> |  Frontend declaration.            |
| <b>timer</b>                         | const    | <a href="#">ui/src/modes/studio/builder/ConfigureTab.tsx:520</a> |  Documented frontend declaration. |
| <b>Config</b>                        | type     |                                                                  |                                                                                                                      |

| Symbol                    | Kind     | Location                                                                | Signature / summary                                                                                                  |
|---------------------------|----------|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                           |          | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:26</a>  |  Frontend declaration.              |
| <b>OperationKind</b>      | type     | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:28</a>  |  Frontend declaration.              |
| <b>Operation</b>          | type     | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:33</a>  |  Frontend declaration.              |
| <b>OPERATION_KINDS</b>    | const    | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:44</a>  |  Frontend declaration.              |
| <b>OPERATION_LABELS</b>   | const    | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:49</a>  |  Frontend declaration.              |
| <b>OPERATION_HINTS</b>    | const    | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:66</a>  |  Frontend declaration.              |
| <b>NEEDS_SOURCE</b>       | const    | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:83</a>  |  Frontend declaration.              |
| <b>NEEDS_SOURCES</b>      | const    | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:87</a>  |  Frontend declaration.             |
| <b>newOperation</b>       | function | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:88</a>  |  Frontend declaration.            |
| <b>operationsOf</b>       | function | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:92</a>  |  Frontend declaration.            |
| <b>PathField</b>          | function | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:100</a> |  Documented frontend declaration. |
| <b>SourcesField</b>       | function | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:136</a> |  Frontend declaration.            |
| <b>ObjectEntriesField</b> | function | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:178</a> |  Documented frontend declaration. |
| <b>rows</b>               | const    | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:187</a> |  Frontend declaration.            |
| <b>setRow</b>             | const    | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:188</a> |  Frontend declaration.            |
| <b>next</b>               | const    | <a href="#">ui/src/modes/studio/builder/DataTransformConfig.tsx:189</a> |  Frontend declaration.            |
| <b>isPath</b>             | const    |                                                                         |  Frontend declaration.            |

| Symbol                       | Kind     | Location                                                        | Signature / summary                                                                                       |
|------------------------------|----------|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                              |          | ui/src/modes/studio/<br>builder/<br>DataTransformConfig.tsx:195 |                                                                                                           |
| <b>OperationCard</b>         | function | ui/src/modes/studio/<br>builder/<br>DataTransformConfig.tsx:250 |  Frontend declaration.   |
| <b>kind</b>                  | const    | ui/src/modes/studio/<br>builder/<br>DataTransformConfig.tsx:265 |  Frontend declaration.   |
| <b>set</b>                   | const    | ui/src/modes/studio/<br>builder/<br>DataTransformConfig.tsx:266 |  Frontend declaration.   |
| <b>DataTransformConfig</b>   | function | ui/src/modes/studio/<br>builder/<br>DataTransformConfig.tsx:465 |  Frontend declaration.   |
| <b>operations</b>            | const    | ui/src/modes/studio/<br>builder/<br>DataTransformConfig.tsx:475 |  Frontend declaration.   |
| <b>copy</b>                  | const    | ui/src/modes/studio/<br>builder/<br>DataTransformConfig.tsx:492 |  Frontend declaration.   |
| <b>Config</b>                | type     | ui/src/modes/studio/<br>builder/EmailConfig.tsx:27              |  Frontend declaration.  |
| <b>WRITE_OPERATIONS</b>      | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:29              |  Frontend declaration. |
| <b>SENDING_OPERATIONS</b>    | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:31              |  Frontend declaration. |
| <b>asString</b>              | function | ui/src/modes/studio/<br>builder/EmailConfig.tsx:32              |  Frontend declaration. |
| <b>Recipient</b>             | type     | ui/src/modes/studio/<br>builder/EmailConfig.tsx:36              |  Frontend declaration. |
| <b>recipientsOf</b>          | function | ui/src/modes/studio/<br>builder/EmailConfig.tsx:38              |  Frontend declaration. |
| <b>useEmailOAuthPopup</b>    | function | ui/src/modes/studio/<br>builder/EmailConfig.tsx:48              |  Frontend declaration. |
| <b>onCompleteRef</b>         | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:49              |  Frontend declaration. |
| <b>handleMessage</b>         | function | ui/src/modes/studio/<br>builder/EmailConfig.tsx:58              |  Frontend declaration. |
| <b>ConnectMailboxButtons</b> | function | ui/src/modes/studio/<br>builder/EmailConfig.tsx:73              |  Frontend declaration. |
| <b>ConnectionManagement</b>  | function | ui/src/modes/studio/<br>builder/EmailConfig.tsx:94              |  Frontend declaration. |
| <b>toggleAllowSend</b>       | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:104             |  Frontend declaration. |
| <b>disconnect</b>            | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:115             |  Frontend declaration. |

| Symbol                  | Kind     | Location                                                  | Signature / summary   |
|-------------------------|----------|-----------------------------------------------------------|-----------------------|
| <b>EmailConfig</b>      | function | ui/src/modes/studio/<br>builder/EmailConfig.tsx:157       | Frontend declaration. |
| <b>operation</b>        | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:173       | Frontend declaration. |
| <b>connectionId</b>     | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:174       | Frontend declaration. |
| <b>connection</b>       | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:175       | Frontend declaration. |
| <b>set</b>              | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:176       | Frontend declaration. |
| <b>openConnectPopup</b> | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:177       | Frontend declaration. |
| <b>value</b>            | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:227       | Frontend declaration. |
| <b>active</b>           | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:228       | Frontend declaration. |
| <b>SearchFields</b>     | function | ui/src/modes/studio/<br>builder/EmailConfig.tsx:294       | Frontend declaration. |
| <b>set</b>              | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:302       | Frontend declaration. |
| <b>MessageReference</b> | function | ui/src/modes/studio/<br>builder/EmailConfig.tsx:376       | Frontend declaration. |
| <b>MessageFields</b>    | function | ui/src/modes/studio/<br>builder/EmailConfig.tsx:423       | Frontend declaration. |
| <b>recipients</b>       | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:437       | Frontend declaration. |
| <b>set</b>              | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:438       | Frontend declaration. |
| <b>next</b>             | const    | ui/src/modes/studio/<br>builder/EmailConfig.tsx:455       | Frontend declaration. |
| <b>Config</b>           | type     | ui/src/modes/studio/<br>builder/<br>EndAgentConfig.tsx:15 | Frontend declaration. |
| <b>EndOutputField</b>   | type     | ui/src/modes/studio/<br>builder/<br>EndAgentConfig.tsx:17 | Frontend declaration. |
| <b>asString</b>         | function | ui/src/modes/studio/<br>builder/<br>EndAgentConfig.tsx:18 | Frontend declaration. |
| <b>EndAgentConfig</b>   | function | ui/src/modes/studio/<br>builder/<br>EndAgentConfig.tsx:22 | Frontend declaration. |
| <b>mode</b>             | const    | ui/src/modes/studio/<br>builder/<br>EndAgentConfig.tsx:32 | Frontend declaration. |
| <b>set</b>              | const    |                                                           |                       |

| Symbol                      | Kind     | Location                                                              | Signature / summary                                                                                       |
|-----------------------------|----------|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                             |          | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:33</a>     |  Frontend declaration.   |
| <b>MappedValueField</b>     | function | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:70</a>     |  Frontend declaration.   |
| <b>OutputMappingList</b>    | function | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:122</a>    |  Frontend declaration.   |
| <b>outputs</b>              | const    | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:132</a>    |  Frontend declaration.   |
| <b>setOutputs</b>           | const    | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:133</a>    |  Frontend declaration.   |
| <b>replace</b>              | const    | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:134</a>    |  Frontend declaration.   |
| <b>copy</b>                 | const    | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:135</a>    |  Frontend declaration.   |
| <b>CustomResponseFields</b> | function | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:186</a>    |  Frontend declaration.  |
| <b>ChatResponseFields</b>   | function | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:212</a>    |  Frontend declaration. |
| <b>outcome</b>              | const    | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:222</a>    |  Frontend declaration. |
| <b>handoff</b>              | const    | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:223</a>    |  Frontend declaration. |
| <b>setHandoff</b>           | const    | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:224</a>    |  Frontend declaration. |
| <b>next</b>                 | const    | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:291</a>    |  Frontend declaration. |
| <b>next</b>                 | const    | <a href="#">ui/src/modes/studio/builder/EndAgentConfig.tsx:308</a>    |  Frontend declaration. |
| <b>EXECUTION_KINDS</b>      | const    | <a href="#">ui/src/modes/studio/builder/ExecutionKindBadge.tsx:11</a> |  Frontend declaration. |
| <b>ExecutionKindBadge</b>   | function | <a href="#">ui/src/modes/studio/builder/ExecutionKindBadge.tsx:53</a> |  Frontend declaration. |
| <b>meta</b>                 | const    |                                                                       |  Frontend declaration. |

| Symbol                      | Kind     | Location                                                        | Signature / summary                                                                                                |
|-----------------------------|----------|-----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                             |          | ui/src/modes/studio/<br>builder/<br>ExecutionKindBadge.tsx:61   |                                                                                                                    |
| <b>ExplanationView</b>      | function | ui/src/modes/studio/<br>builder/<br>ExplanationView.tsx:15      |  Frontend declaration.            |
| <b>meta</b>                 | const    | ui/src/modes/studio/<br>builder/<br>ExplanationView.tsx:24      |  Frontend declaration.            |
| <b>ValueTree</b>            | function | ui/src/modes/studio/<br>builder/<br>ExplanationView.tsx:97      |  Documented frontend declaration. |
| <b>entries</b>              | const    | ui/src/modes/studio/<br>builder/<br>ExplanationView.tsx:115     |  Frontend declaration.            |
| <b>Config</b>               | type     | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:16 |  Frontend declaration.            |
| <b>METHODS</b>              | const    | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:18 |  Frontend declaration.            |
| <b>SAFETY_CLASSES</b>       | const    | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:20 |  Frontend declaration.           |
| <b>asString</b>             | function | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:29 |  Frontend declaration.          |
| <b>headerEntries</b>        | function | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:33 |  Frontend declaration.          |
| <b>headers</b>              | const    | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:35 |  Frontend declaration.          |
| <b>ExternalActionConfig</b> | function | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:39 |  Frontend declaration.          |
| <b>actionType</b>           | const    | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:49 |  Frontend declaration.          |
| <b>safetyClass</b>          | const    | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:50 |  Frontend declaration.          |
| <b>headers</b>              | const    | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:51 |  Frontend declaration.          |
| <b>isWrite</b>              | const    | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:52 |  Frontend declaration.          |
| <b>setHeaders</b>           | const    |                                                                 |  Frontend declaration.          |

| Symbol                                | Kind     | Location                                                         | Signature / summary                                                                                                  |
|---------------------------------------|----------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                       |          | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:53  |                                                                                                                      |
| <b>asObject</b>                       | const    | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:55  |  Frontend declaration.              |
| <b>next</b>                           | const    | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:152 |  Frontend declaration.              |
| <b>next</b>                           | const    | ui/src/modes/studio/<br>builder/<br>ExternalActionConfig.tsx:162 |  Frontend declaration.              |
| <b>KIND_LABELS</b>                    | const    | ui/src/modes/studio/<br>builder/FieldPicker.tsx:37               |  Frontend declaration.              |
| <b>FIELD_GROUP_COLLAPSE_THRESHOLD</b> | const    | ui/src/modes/studio/<br>builder/FieldPicker.tsx:48               |  Documented frontend declaration.   |
| <b>matches</b>                        | function | ui/src/modes/studio/<br>builder/FieldPicker.tsx:49               |  Documented frontend declaration.   |
| <b>haystack</b>                       | const    | ui/src/modes/studio/<br>builder/FieldPicker.tsx:52               |  Frontend declaration.              |
| <b>FieldEntry</b>                     | function | ui/src/modes/studio/<br>builder/FieldPicker.tsx:57               |  Frontend declaration.            |
| <b>depth</b>                          | const    | ui/src/modes/studio/<br>builder/FieldPicker.tsx:79               |  Frontend declaration.            |
| <b>leaf</b>                           | const    | ui/src/modes/studio/<br>builder/FieldPicker.tsx:80               |  Frontend declaration.            |
| <b>label</b>                          | const    | ui/src/modes/studio/<br>builder/FieldPicker.tsx:81               |  Frontend declaration.            |
| <b>ValuePicker</b>                    | function | ui/src/modes/studio/<br>builder/FieldPicker.tsx:126              |  Frontend declaration.            |
| <b>normalised</b>                     | const    | ui/src/modes/studio/<br>builder/FieldPicker.tsx:155              |  Frontend declaration.            |
| <b>filterableGroups</b>               | const    | ui/src/modes/studio/<br>builder/FieldPicker.tsx:162              |  Documented frontend declaration. |
| <b>groups</b>                         | const    | ui/src/modes/studio/<br>builder/FieldPicker.tsx:172              |  Frontend declaration.            |
| <b>inputs</b>                         | const    | ui/src/modes/studio/<br>builder/FieldPicker.tsx:182              |  Frontend declaration.            |
| <b>recommended</b>                    | const    | ui/src/modes/studio/<br>builder/FieldPicker.tsx:189              |  Frontend declaration.            |
| <b>nothing</b>                        | const    | ui/src/modes/studio/<br>builder/FieldPicker.tsx:202              |  Frontend declaration.            |
| <b>previewFor</b>                     | const    | ui/src/modes/studio/<br>builder/FieldPicker.tsx:204              |  Frontend declaration.            |
| <b>live</b>                           | const    |                                                                  |                                                                                                                      |

| Symbol                   | Kind     | Location                                                               | Signature / summary                                                                                                  |
|--------------------------|----------|------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                          |          | <code>ui/src/modes/studio/builder/FieldPicker.tsx:206</code>           |  Frontend declaration.              |
| <b>compatible</b>        | const    | <code>ui/src/modes/studio/builder/FieldPicker.tsx:248</code>           |  Frontend declaration.              |
| <b>incompatible</b>      | const    | <code>ui/src/modes/studio/builder/FieldPicker.tsx:249</code>           |  Frontend declaration.              |
| <b>field</b>             | const    | <code>ui/src/modes/studio/builder/FieldPicker.tsx:262</code>           |  Frontend declaration.              |
| <b>field</b>             | const    | <code>ui/src/modes/studio/builder/FieldPicker.tsx:281</code>           |  Frontend declaration.              |
| <b>compatible</b>        | const    | <code>ui/src/modes/studio/builder/FieldPicker.tsx:300</code>           |  Frontend declaration.              |
| <b>incompatible</b>      | const    | <code>ui/src/modes/studio/builder/FieldPicker.tsx:301</code>           |  Frontend declaration.              |
| <b>collapsible</b>       | const    | <code>ui/src/modes/studio/builder/FieldPicker.tsx:302</code>           |  Frontend declaration.              |
| <b>expanded</b>          | const    | <code>ui/src/modes/studio/builder/FieldPicker.tsx:303</code>           |  Frontend declaration.              |
| <b>fieldList</b>         | const    | <code>ui/src/modes/studio/builder/FieldPicker.tsx:304</code>           |  Frontend declaration.              |
| <b>next</b>              | const    | <code>ui/src/modes/studio/builder/FieldPicker.tsx:328</code>           |  Frontend declaration.            |
| <b>FieldPicker</b>       | const    | <code>ui/src/modes/studio/builder/FieldPicker.tsx:397</code>           |  Documented frontend declaration. |
| <b>FieldDetail</b>       | function | <code>ui/src/modes/studio/builder/FieldPicker.tsx:400</code>           |  Documented frontend declaration. |
| <b>leaf</b>              | const    | <code>ui/src/modes/studio/builder/FieldPicker.tsx:401</code>           |  Documented frontend declaration. |
| <b>InfoPopover</b>       | function | <code>ui/src/modes/studio/builder/InfoPopover.tsx:17</code>            |  Frontend declaration.            |
| <b>entry</b>             | const    | <code>ui/src/modes/studio/builder/InfoPopover.tsx:20</code>            |  Frontend declaration.            |
| <b>Row</b>               | function | <code>ui/src/modes/studio/builder/InfoPopover.tsx:75</code>            |  Frontend declaration.            |
| <b>PRESETS</b>           | const    | <code>ui/src/modes/studio/builder/IntegrationConfig.test.tsx:19</code> |  Frontend declaration.            |
| <b>GOOGLE_CONNECTION</b> | const    | <code>ui/src/modes/studio/builder/IntegrationConfig.test.tsx:24</code> |  Frontend declaration.            |
| <b>user</b>              | const    | <code>ui/src/modes/studio/builder/IntegrationConfig.test.tsx:58</code> |  Frontend declaration.            |
| <b>onChange</b>          | const    |                                                                        |                                                                                                                      |



| Symbol          | Kind  | Location                                                                               | Signature / summary                                                                                       |
|-----------------|-------|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                 |       | <code>ui/src/modes/studio/<br/>builder/<br/>IntegrationConfig.test.tsx:<br/>59</code>  |  Frontend declaration.   |
| <b>user</b>     | const | <code>ui/src/modes/studio/<br/>builder/<br/>IntegrationConfig.test.tsx:<br/>119</code> |  Frontend declaration.   |
| <b>user</b>     | const | <code>ui/src/modes/studio/<br/>builder/<br/>IntegrationConfig.test.tsx:<br/>163</code> |  Frontend declaration.   |
| <b>user</b>     | const | <code>ui/src/modes/studio/<br/>builder/<br/>IntegrationConfig.test.tsx:<br/>180</code> |  Frontend declaration.   |
| <b>onChange</b> | const | <code>ui/src/modes/studio/<br/>builder/<br/>IntegrationConfig.test.tsx:<br/>181</code> |  Frontend declaration.   |
| <b>user</b>     | const | <code>ui/src/modes/studio/<br/>builder/<br/>IntegrationConfig.test.tsx:<br/>207</code> |  Frontend declaration.   |
| <b>onChange</b> | const | <code>ui/src/modes/studio/<br/>builder/<br/>IntegrationConfig.test.tsx:<br/>208</code> |  Frontend declaration. |
| <b>user</b>     | const | <code>ui/src/modes/studio/<br/>builder/<br/>IntegrationConfig.test.tsx:<br/>230</code> |  Frontend declaration. |
| <b>onChange</b> | const | <code>ui/src/modes/studio/<br/>builder/<br/>IntegrationConfig.test.tsx:<br/>231</code> |  Frontend declaration. |
| <b>user</b>     | const | <code>ui/src/modes/studio/<br/>builder/<br/>IntegrationConfig.test.tsx:<br/>249</code> |  Frontend declaration. |
| <b>onChange</b> | const | <code>ui/src/modes/studio/<br/>builder/<br/>IntegrationConfig.test.tsx:<br/>250</code> |  Frontend declaration. |
| <b>user</b>     | const | <code>ui/src/modes/studio/<br/>builder/<br/>IntegrationConfig.test.tsx:<br/>266</code> |  Frontend declaration. |
| <b>onChange</b> | const | <code>ui/src/modes/studio/<br/>builder/<br/>IntegrationConfig.test.tsx:<br/>267</code> |  Frontend declaration. |

| Symbol                          | Kind     | Location                                                              | Signature / summary                                                                                                  |
|---------------------------------|----------|-----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Config</b>                   | type     | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:27</a>  |  Frontend declaration.              |
| <b>Provider</b>                 | type     | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:29</a>  |  Frontend declaration.              |
| <b>Picked</b>                   | type     | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:30</a>  |  Frontend declaration.              |
| <b>PROVIDER_LABELS</b>          | const    | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:31</a>  |  Frontend declaration.              |
| <b>OPERATIONS</b>               | const    | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:36</a>  |  Frontend declaration.              |
| <b>asString</b>                 | function | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:44</a>  |  Frontend declaration.              |
| <b>isTemplateRef</b>            | function | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:48</a>  |  Frontend declaration.              |
| <b>toldList</b>                 | function | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:56</a>  |  Documented frontend declaration.  |
| <b>useIntegrationOAuthPopup</b> | function | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:64</a>  |  Documented frontend declaration. |
| <b>onCompleteRef</b>            | const    | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:65</a>  |  Documented frontend declaration. |
| <b>handleMessage</b>            | function | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:74</a>  |  Frontend declaration.            |
| <b>ConnectionManagement</b>     | function | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:89</a>  |  Frontend declaration.            |
| <b>disconnect</b>               | const    | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:99</a>  |  Frontend declaration.            |
| <b>StaticOrPickedField</b>      | function | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:131</a> |  Frontend declaration.            |
| <b>MultiPickerField</b>         | function | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:197</a> |  Documented frontend declaration. |
| <b>ids</b>                      | const    | <a href="#">ui/src/modes/studio/builder/IntegrationConfig.tsx:217</a> |  Frontend declaration.            |
| <b>addPicked</b>                | const    |                                                                       |                                                                                                                      |

| Symbol                     | Kind     | Location                                                      | Signature / summary                                                                                       |
|----------------------------|----------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                            |          | ui/src/modes/studio/<br>builder/<br>IntegrationConfig.tsx:218 |  Frontend declaration.   |
| <b>next</b>                | const    | ui/src/modes/studio/<br>builder/<br>IntegrationConfig.tsx:221 |  Frontend declaration.   |
| <b>merged</b>              | const    | ui/src/modes/studio/<br>builder/<br>IntegrationConfig.tsx:225 |  Frontend declaration.   |
| <b>remove</b>              | const    | ui/src/modes/studio/<br>builder/<br>IntegrationConfig.tsx:229 |  Frontend declaration.   |
| <b>next</b>                | const    | ui/src/modes/studio/<br>builder/<br>IntegrationConfig.tsx:231 |  Frontend declaration.   |
| <b>IntegrationConfig</b>   | function | ui/src/modes/studio/<br>builder/<br>IntegrationConfig.tsx:311 |  Frontend declaration.   |
| <b>provider</b>            | const    | ui/src/modes/studio/<br>builder/<br>IntegrationConfig.tsx:327 |  Frontend declaration.   |
| <b>operation</b>           | const    | ui/src/modes/studio/<br>builder/<br>IntegrationConfig.tsx:328 |  Frontend declaration.  |
| <b>connectionId</b>        | const    | ui/src/modes/studio/<br>builder/<br>IntegrationConfig.tsx:329 |  Frontend declaration. |
| <b>set</b>                 | const    | ui/src/modes/studio/<br>builder/<br>IntegrationConfig.tsx:330 |  Frontend declaration. |
| <b>openConnectPopup</b>    | const    | ui/src/modes/studio/<br>builder/<br>IntegrationConfig.tsx:331 |  Frontend declaration. |
| <b>providerConnections</b> | const    | ui/src/modes/studio/<br>builder/<br>IntegrationConfig.tsx:354 |  Frontend declaration. |
| <b>connection</b>          | const    | ui/src/modes/studio/<br>builder/<br>IntegrationConfig.tsx:356 |  Frontend declaration. |
| <b>Config</b>              | type     | ui/src/modes/studio/<br>builder/JoinConfig.tsx:19             |  Frontend declaration. |
| <b>partsOf</b>             | function | ui/src/modes/studio/<br>builder/JoinConfig.tsx:21             |  Frontend declaration. |
| <b>SEPARATOR_PRESETS</b>   | const    | ui/src/modes/studio/<br>builder/JoinConfig.tsx:25             |  Frontend declaration. |
| <b>BranchField</b>         | function | ui/src/modes/studio/<br>builder/JoinConfig.tsx:32             |  Frontend declaration. |
| <b>JoinConfig</b>          | function | ui/src/modes/studio/<br>builder/JoinConfig.tsx:92             |  Frontend declaration. |

| Symbol                | Kind     | Location                                                          | Signature / summary                                                                                       |
|-----------------------|----------|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>parts</b>          | const    | <a href="#">ui/src/modes/studio/builder/JoinConfig.tsx:102</a>    |  Frontend declaration.   |
| <b>separator</b>      | const    | <a href="#">ui/src/modes/studio/builder/JoinConfig.tsx:103</a>    |  Frontend declaration.   |
| <b>copy</b>           | const    | <a href="#">ui/src/modes/studio/builder/JoinConfig.tsx:124</a>    |  Frontend declaration.   |
| <b>Config</b>         | type     | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:35</a>  |  Frontend declaration.   |
| <b>asString</b>       | function | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:37</a>  |  Frontend declaration.   |
| <b>SchemaProperty</b> | type     | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:41</a>  |  Frontend declaration.   |
| <b>propertiesOf</b>   | function | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:50</a>  |  Frontend declaration.   |
| <b>properties</b>     | const    | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:55</a>  |  Frontend declaration.   |
| <b>required</b>       | const    | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:56</a>  |  Frontend declaration.   |
| <b>primitiveType</b>  | function | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:61</a>  |  Frontend declaration.   |
| <b>declared</b>       | const    | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:63</a>  |  Frontend declaration. |
| <b>MCPToolConfig</b>  | function | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:68</a>  |  Frontend declaration. |
| <b>serverId</b>       | const    | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:90</a>  |  Frontend declaration. |
| <b>toolName</b>       | const    | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:92</a>  |  Frontend declaration. |
| <b>argumentValues</b> | const    | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:93</a>  |  Frontend declaration. |
| <b>loadTools</b>      | const    | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:100</a> |  Frontend declaration. |
| <b>server</b>         | const    | <a href="#">ui/src/modes/studio/builder/MCPToolConfig.tsx:123</a> |  Frontend declaration. |
| <b>tool</b>           | const    |                                                                   |                                                                                                           |

| Symbol                 | Kind     | Location                                                       | Signature / summary                                                                                                  |
|------------------------|----------|----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                        |          | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:125</code> |  Frontend declaration.              |
| <b>filteredTools</b>   | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:126</code> |  Frontend declaration.              |
| <b>needle</b>          | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:128</code> |  Frontend declaration.              |
| <b>setArgument</b>     | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:136</code> |  Frontend declaration.              |
| <b>next</b>            | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:138</code> |  Frontend declaration.              |
| <b>ServerStatus</b>    | function | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:342</code> |  Frontend declaration.              |
| <b>healthy</b>         | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:350</code> |  Frontend declaration.              |
| <b>ToolInfo</b>        | function | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:419</code> |  Documented frontend declaration.  |
| <b>ToolForm</b>        | function | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:493</code> |  Frontend declaration.            |
| <b>applyReference</b>  | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:514</code> |  Documented frontend declaration. |
| <b>reference</b>       | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:515</code> |  Documented frontend declaration. |
| <b>value</b>           | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:526</code> |  Frontend declaration.            |
| <b>isRequired</b>      | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:527</code> |  Frontend declaration.            |
| <b>kind</b>            | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:528</code> |  Frontend declaration.            |
| <b>label</b>           | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:529</code> |  Frontend declaration.            |
| <b>destinationKind</b> | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:530</code> |  Frontend declaration.            |
| <b>isEmpty</b>         | const    |                                                                |  Frontend declaration.            |

| Symbol                       | Kind     | Location                                                       | Signature / summary                                                                                                |
|------------------------------|----------|----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                              |          | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:537</code> |                                                                                                                    |
| <b>suggestion</b>            | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:541</code> |  Documented frontend declaration. |
| <b>raw</b>                   | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:598</code> |  Frontend declaration.            |
| <b>parsed</b>                | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:600</code> |  Frontend declaration.            |
| <b>ToolTester</b>            | function | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:663</code> |  Documented frontend declaration. |
| <b>run</b>                   | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:669</code> |  Frontend declaration.            |
| <b>args</b>                  | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:673</code> |  Frontend declaration.            |
| <b>kind</b>                  | const    | <code>ui/src/modes/studio/builder/MCPToolConfig.tsx:676</code> |  Frontend declaration.           |
| <b>Catalog</b>               | type     | <code>ui/src/modes/studio/builder/MCPToolPicker.tsx:20</code>  |  Frontend declaration.          |
| <b>requiredArgumentNames</b> | function | <code>ui/src/modes/studio/builder/MCPToolPicker.tsx:22</code>  |  Frontend declaration.          |
| <b>required</b>              | const    | <code>ui/src/modes/studio/builder/MCPToolPicker.tsx:24</code>  |  Frontend declaration.          |
| <b>matchesQuery</b>          | function | <code>ui/src/modes/studio/builder/MCPToolPicker.tsx:27</code>  |  Frontend declaration.          |
| <b>haystack</b>              | const    | <code>ui/src/modes/studio/builder/MCPToolPicker.tsx:30</code>  |  Frontend declaration.          |
| <b>MCPToolPicker</b>         | function | <code>ui/src/modes/studio/builder/MCPToolPicker.tsx:39</code>  |  Frontend declaration.          |
| <b>inputRef</b>              | const    | <code>ui/src/modes/studio/builder/MCPToolPicker.tsx:58</code>  |  Frontend declaration.          |
| <b>perServer</b>             | const    | <code>ui/src/modes/studio/builder/MCPToolPicker.tsx:72</code>  |  Frontend declaration.          |
| <b>catalog</b>               | const    |                                                                |  Frontend declaration.          |

| Symbol            | Kind     | Location                                                              | Signature / summary                                                                                                  |
|-------------------|----------|-----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                   |          | ui/src/modes/studio/<br>builder/<br>MCPToolPicker.tsx:89              |                                                                                                                      |
| <b>entries</b>    | const    | ui/src/modes/studio/<br>builder/<br>MCPToolPicker.tsx:91              |  Frontend declaration.              |
| <b>aRank</b>      | const    | ui/src/modes/studio/<br>builder/<br>MCPToolPicker.tsx:101             |  Documented frontend declaration.   |
| <b>bRank</b>      | const    | ui/src/modes/studio/<br>builder/<br>MCPToolPicker.tsx:102             |  Frontend declaration.              |
| <b>aWrite</b>     | const    | ui/src/modes/studio/<br>builder/<br>MCPToolPicker.tsx:106             |  Frontend declaration.              |
| <b>bWrite</b>     | const    | ui/src/modes/studio/<br>builder/<br>MCPToolPicker.tsx:107             |  Frontend declaration.              |
| <b>normalised</b> | const    | ui/src/modes/studio/<br>builder/<br>MCPToolPicker.tsx:112             |  Frontend declaration.              |
| <b>filtered</b>   | const    | ui/src/modes/studio/<br>builder/<br>MCPToolPicker.tsx:114             |  Frontend declaration.             |
| <b>grouped</b>    | const    | ui/src/modes/studio/<br>builder/<br>MCPToolPicker.tsx:121             |  Documented frontend declaration. |
| <b>groups</b>     | const    | ui/src/modes/studio/<br>builder/<br>MCPToolPicker.tsx:122             |  Documented frontend declaration. |
| <b>group</b>      | const    | ui/src/modes/studio/<br>builder/<br>MCPToolPicker.tsx:124             |  Frontend declaration.            |
| <b>required</b>   | const    | ui/src/modes/studio/<br>builder/<br>MCPToolPicker.tsx:179             |  Frontend declaration.            |
| <b>node</b>       | function | ui/src/modes/studio/<br>builder/<br>NodeSearchPalette.test.tsx:<br>8  |  Frontend declaration.            |
| <b>nodes</b>      | const    | ui/src/modes/studio/<br>builder/<br>NodeSearchPalette.test.tsx:<br>17 |  Frontend declaration.            |
| <b>setup</b>      | function | ui/src/modes/studio/<br>builder/<br>NodeSearchPalette.test.tsx:<br>26 |  Frontend declaration.            |
| <b>onSelect</b>   | const    | ui/src/modes/studio/<br>builder/                                      |  Frontend declaration.            |

| Symbol                           | Kind                  | Location                                                               | Signature / summary              |
|----------------------------------|-----------------------|------------------------------------------------------------------------|----------------------------------|
|                                  |                       | <code>NodeSearchPalette.test.tsx:28</code>                             |                                  |
| <code>onClose</code>             | <code>const</code>    | <code>ui/src/modes/studio/builder/NodeSearchPalette.test.tsx:29</code> | Frontend declaration.            |
| <code>NodeSearchPalette</code>   | <code>function</code> | <code>ui/src/modes/studio/builder/NodeSearchPalette.tsx:13</code>      | Frontend declaration.            |
| <code>inputRef</code>            | <code>const</code>    | <code>ui/src/modes/studio/builder/NodeSearchPalette.tsx:25</code>      | Frontend declaration.            |
| <code>matches</code>             | <code>const</code>    | <code>ui/src/modes/studio/builder/NodeSearchPalette.tsx:26</code>      | Frontend declaration.            |
| <code>active</code>              | <code>const</code>    | <code>ui/src/modes/studio/builder/NodeSearchPalette.tsx:31</code>      | Frontend declaration.            |
| <code>next</code>                | <code>const</code>    | <code>ui/src/modes/studio/builder/NodeSearchPalette.tsx:50</code>      | Frontend declaration.            |
| <code>exampleValueForType</code> | <code>function</code> | <code>ui/src/modes/studio/builder/NodeTestPanel.tsx:45</code>          | Documented frontend declaration. |
| <code>setDeep</code>             | <code>function</code> | <code>ui/src/modes/studio/builder/NodeTestPanel.tsx:62</code>          | Frontend declaration.            |
| <code>segments</code>            | <code>const</code>    | <code>ui/src/modes/studio/builder/NodeTestPanel.tsx:64</code>          | Frontend declaration.            |
| <code>existing</code>            | <code>const</code>    | <code>ui/src/modes/studio/builder/NodeTestPanel.tsx:67</code>          | Frontend declaration.            |
| <code>buildSampleInputs</code>   | <code>function</code> | <code>ui/src/modes/studio/builder/NodeTestPanel.tsx:79</code>          | Documented frontend declaration. |
| <code>out</code>                 | <code>const</code>    | <code>ui/src/modes/studio/builder/NodeTestPanel.tsx:80</code>          | Frontend declaration.            |
| <code>buildSampleUpstream</code> | <code>function</code> | <code>ui/src/modes/studio/builder/NodeTestPanel.tsx:91</code>          | Documented frontend declaration. |
| <code>out</code>                 | <code>const</code>    | <code>ui/src/modes/studio/builder/NodeTestPanel.tsx:92</code>          | Frontend declaration.            |
| <code>nodeSample</code>          | <code>const</code>    | <code>ui/src/modes/studio/builder/NodeTestPanel.tsx:95</code>          | Frontend declaration.            |
| <code>NodeTestPanel</code>       | <code>function</code> |                                                                        | Frontend declaration.            |



| Symbol                  | Kind     | Location                                                        | Signature / summary   |
|-------------------------|----------|-----------------------------------------------------------------|-----------------------|
|                         |          | ui/src/modes/studio/<br>builder/<br>NodeTestPanel.tsx:103       |                       |
| <b>supportsModel</b>    | const    | ui/src/modes/studio/<br>builder/<br>NodeTestPanel.tsx:132       | Frontend declaration. |
| <b>runTest</b>          | const    | ui/src/modes/studio/<br>builder/<br>NodeTestPanel.tsx:154       | Frontend declaration. |
| <b>nodeId</b>           | const    | ui/src/modes/studio/<br>builder/<br>NodeTestPanel.tsx:160       | Frontend declaration. |
| <b>branches</b>         | const    | ui/src/modes/studio/<br>builder/<br>NodeTestPanel.tsx:190       | Frontend declaration. |
| <b>externalWrite</b>    | const    | ui/src/modes/studio/<br>builder/<br>NodeTestPanel.tsx:193       | Frontend declaration. |
| <b>label</b>            | const    | ui/src/modes/studio/<br>builder/<br>NodeTestPanel.tsx:341       | Frontend declaration. |
| <b>NOTE_NODE_TYPE</b>   | const    | ui/src/modes/studio/<br>builder/NoteNode.tsx:16                 | Frontend declaration. |
| <b>NOTE_ID_PREFIX</b>   | const    | ui/src/modes/studio/<br>builder/NoteNode.tsx:18                 | Frontend declaration. |
| <b>isNoteNodeId</b>     | const    | ui/src/modes/studio/<br>builder/NoteNode.tsx:19                 | Frontend declaration. |
| <b>NoteNode</b>         | function | ui/src/modes/studio/<br>builder/NoteNode.tsx:20                 | Frontend declaration. |
| <b>OPERATION_STYLES</b> | const    | ui/src/modes/studio/<br>builder/<br>OperationBadge.tsx:2        | Frontend declaration. |
| <b>OPERATION_TITLES</b> | const    | ui/src/modes/studio/<br>builder/<br>OperationBadge.tsx:10       | Frontend declaration. |
| <b>OperationBadge</b>   | function | ui/src/modes/studio/<br>builder/<br>OperationBadge.tsx:24       | Frontend declaration. |
| <b>OutputsPanel</b>     | function | ui/src/modes/studio/<br>builder/OutputsPanel.tsx:19             | Frontend declaration. |
| <b>Config</b>           | type     | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:24 | Frontend declaration. |
| <b>InputRow</b>         | type     | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:26 | Frontend declaration. |
| <b>INPUT_TYPES</b>      | const    | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:33 | Frontend declaration. |

| Symbol                        | Kind     | Location                                                         | Signature / summary                                                                                       |
|-------------------------------|----------|------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>isFileReaderTextField</b>  | function | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:47  |  Frontend declaration.   |
| <b>asString</b>               | function | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:50  |  Frontend declaration.   |
| <b>nextInputName</b>          | function | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:54  |  Frontend declaration.   |
| <b>isValidIdentifier</b>      | function | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:60  |  Frontend declaration.   |
| <b>leafLabel</b>              | function | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:64  |  Frontend declaration.   |
| <b>leaf</b>                   | const    | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:66  |  Frontend declaration.   |
| <b>destinationKindForType</b> | function | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:69  |  Frontend declaration.   |
| <b>InputValueEditor</b>       | function | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:84  |  Frontend declaration.  |
| <b>binding</b>                | const    | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:94  |  Frontend declaration. |
| <b>destinationKind</b>        | const    | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:95  |  Frontend declaration. |
| <b>connected</b>              | const    | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:96  |  Frontend declaration. |
| <b>resetToDefault</b>         | const    | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:97  |  Frontend declaration. |
| <b>PromptTemplateConfig</b>   | function | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:214 |  Frontend declaration. |
| <b>inputFields</b>            | const    | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:231 |  Frontend declaration. |
| <b>outputFields</b>           | const    | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:233 |  Frontend declaration. |
| <b>set</b>                    | const    | ui/src/modes/studio/<br>builder/                                 |  Frontend declaration. |

| Symbol                   | Kind  | Location                                                             | Signature / summary                                                                                       |
|--------------------------|-------|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                          |       | PromptTemplateConfig.tsx:23<br>4                                     |                                                                                                           |
| <b>setInputFields</b>    | const | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:23<br>6 |  Frontend declaration.   |
| <b>addInput</b>          | const | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:23<br>7 |  Frontend declaration.   |
| <b>name</b>              | const | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:23<br>9 |  Frontend declaration.   |
| <b>renameInput</b>       | const | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:25<br>1 |  Frontend declaration.   |
| <b>trimmed</b>           | const | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:25<br>3 |  Frontend declaration.   |
| <b>oldName</b>           | const | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:25<br>4 |  Frontend declaration.  |
| <b>next</b>              | const | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:27<br>1 |  Frontend declaration. |
| <b>updateInput</b>       | const | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:27<br>7 |  Frontend declaration. |
| <b>setInputType</b>      | const | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:29<br>0 |  Frontend declaration. |
| <b>row</b>               | const | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:29<br>2 |  Frontend declaration. |
| <b>removeInput</b>       | const | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:32<br>6 |  Frontend declaration. |
| <b>draftInstructions</b> | const | ui/src/modes/studio/<br>builder/<br>PromptTemplateConfig.tsx:33<br>1 |  Frontend declaration. |
| <b>result</b>            | const | ui/src/modes/studio/<br>builder/                                     |  Frontend declaration. |

| Symbol                     | Kind     | Location                                                       | Signature / summary   |
|----------------------------|----------|----------------------------------------------------------------|-----------------------|
|                            |          | PromptTemplateConfig.tsx:33<br>6                               |                       |
| <b>Config</b>              | type     | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:17 | Frontend declaration. |
| <b>asString</b>            | function | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:19 | Frontend declaration. |
| <b>PythonSnippetConfig</b> | function | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:23 | Frontend declaration. |
| <b>inputFields</b>         | const    | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:38 | Frontend declaration. |
| <b>outputFields</b>        | const    | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:40 | Frontend declaration. |
| <b>entries</b>             | const    | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:41 | Frontend declaration. |
| <b>setInput</b>            | const    | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:42 | Frontend declaration. |
| <b>next</b>                | const    | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:44 | Frontend declaration. |
| <b>renameInput</b>         | const    | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:48 | Frontend declaration. |
| <b>next</b>                | const    | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:50 | Frontend declaration. |
| <b>value</b>               | const    | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:51 | Frontend declaration. |
| <b>removeInput</b>         | const    | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:56 | Frontend declaration. |
| <b>next</b>                | const    | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:57 | Frontend declaration. |
| <b>generate</b>            | const    | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:61 | Frontend declaration. |
| <b>result</b>              | const    | ui/src/modes/studio/<br>builder/<br>PythonSnippetConfig.tsx:66 | Frontend declaration. |
| <b>Config</b>              | type     | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:19      | Frontend declaration. |

| Symbol                | Kind     | Location                                                   | Signature / summary                                                                                       |
|-----------------------|----------|------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>asString</b>       | function | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:21  |  Frontend declaration.   |
| <b>asRecord</b>       | function | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:25  |  Frontend declaration.   |
| <b>RAGAgentConfig</b> | function | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:31  |  Frontend declaration.   |
| <b>set</b>            | const    | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:43  |  Frontend declaration.   |
| <b>ragAgentId</b>     | const    | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:44  |  Frontend declaration.   |
| <b>AgentPicker</b>    | function | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:70  |  Frontend declaration.   |
| <b>containerRef</b>   | const    | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:86  |  Frontend declaration.   |
| <b>agent</b>          | const    | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:98  |  Frontend declaration. |
| <b>timer</b>          | const    | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:117 |  Frontend declaration. |
| <b>handleClick</b>    | const    | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:129 |  Frontend declaration. |
| <b>choose</b>         | const    | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:137 |  Frontend declaration. |
| <b>AgentDetails</b>   | function | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:208 |  Frontend declaration. |
| <b>agent</b>          | const    | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:221 |  Frontend declaration. |
| <b>model</b>          | const    | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:231 |  Frontend declaration. |
| <b>known</b>          | const    | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:232 |  Frontend declaration. |
| <b>QuerySection</b>   | function | ui/src/modes/studio/<br>builder/<br>RAGAgentConfig.tsx:264 |  Frontend declaration. |
| <b>binding</b>        | const    |                                                            |                                                                                                           |

| Symbol                       | Kind     | Location                                                            | Signature / summary   |
|------------------------------|----------|---------------------------------------------------------------------|-----------------------|
|                              |          | <a href="#">ui/src/modes/studio/builder/RAGAgentConfig.tsx:275</a>  | Frontend declaration. |
| <b>isEmpty</b>               | const    | <a href="#">ui/src/modes/studio/builder/RAGAgentConfig.tsx:276</a>  | Frontend declaration. |
| <b>RuntimeContextSection</b> | function | <a href="#">ui/src/modes/studio/builder/RAGAgentConfig.tsx:320</a>  | Frontend declaration. |
| <b>raw</b>                   | const    | <a href="#">ui/src/modes/studio/builder/RAGAgentConfig.tsx:331</a>  | Frontend declaration. |
| <b>referenceValue</b>        | const    | <a href="#">ui/src/modes/studio/builder/RAGAgentConfig.tsx:332</a>  | Frontend declaration. |
| <b>objectValue</b>           | const    | <a href="#">ui/src/modes/studio/builder/RAGAgentConfig.tsx:333</a>  | Frontend declaration. |
| <b>Option</b>                | type     | <a href="#">ui/src/modes/studio/builder/ResourceSelect.tsx:4</a>    | Frontend declaration. |
| <b>ResourceSelect</b>        | function | <a href="#">ui/src/modes/studio/builder/ResourceSelect.tsx:15</a>   | Frontend declaration. |
| <b>load</b>                  | const    | <a href="#">ui/src/modes/studio/builder/ResourceSelect.tsx:29</a>   | Frontend declaration. |
| <b>selectClass</b>           | const    | <a href="#">ui/src/modes/studio/builder/ResourceSelect.tsx:47</a>   | Frontend declaration. |
| <b>missing</b>               | const    | <a href="#">ui/src/modes/studio/builder/ResourceSelect.tsx:62</a>   | Frontend declaration. |
| <b>setup</b>                 | function | <a href="#">ui/src/modes/studio/builder/RouterEditor.test.tsx:6</a> | Frontend declaration. |
| <b>onChange</b>              | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.test.tsx:8</a> | Frontend declaration. |
| <b>Config</b>                | type     | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:28</a>     | Frontend declaration. |
| <b>Branch</b>                | type     | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:30</a>     | Frontend declaration. |
| <b>asString</b>              | function | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:32</a>     | Frontend declaration. |
| <b>branchesOf</b>            | function | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:36</a>     | Frontend declaration. |
| <b>raw</b>                   | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:38</a>     | Frontend declaration. |

| Symbol                      | Kind     | Location                                                         | Signature / summary                                                                                                  |
|-----------------------------|----------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>toBranchMap</b>          | function | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:45</a>  |  Frontend declaration.              |
| <b>map</b>                  | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:47</a>  |  Frontend declaration.              |
| <b>RouterEditor</b>         | function | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:53</a>  |  Frontend declaration.              |
| <b>mode</b>                 | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:69</a>  |  Documented frontend declaration.   |
| <b>selection</b>            | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:70</a>  |  Documented frontend declaration.   |
| <b>set</b>                  | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:71</a>  |  Documented frontend declaration.   |
| <b>ModeCard</b>             | function | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:172</a> |  Frontend declaration.              |
| <b>FieldModeEditor</b>      | function | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:197</a> |  Frontend declaration.              |
| <b>routeField</b>           | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:208</a> |  Frontend declaration.              |
| <b>branches</b>             | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:209</a> |  Frontend declaration.            |
| <b>field</b>                | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:210</a> |  Frontend declaration.            |
| <b>match</b>                | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:214</a> |  Frontend declaration.            |
| <b>uncovered</b>            | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:225</a> |  Documented frontend declaration. |
| <b>setBranches</b>          | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:228</a> |  Frontend declaration.            |
| <b>next</b>                 | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:295</a> |  Frontend declaration.            |
| <b>next</b>                 | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:311</a> |  Frontend declaration.            |
| <b>next</b>                 | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:324</a> |  Frontend declaration.            |
| <b>ConditionsModeEditor</b> | function | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:357</a> |  Frontend declaration.            |

| Symbol                 | Kind     | Location                                                         | Signature / summary                                                                                                  |
|------------------------|----------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>cases</b>           | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:369</a> |  Frontend declaration.              |
| <b>setCases</b>        | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:374</a> |  Frontend declaration.              |
| <b>next</b>            | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:398</a> |  Frontend declaration.              |
| <b>next</b>            | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:411</a> |  Frontend declaration.              |
| <b>next</b>            | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:422</a> |  Frontend declaration.              |
| <b>next</b>            | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:441</a> |  Frontend declaration.              |
| <b>next</b>            | const    | <a href="#">ui/src/modes/studio/builder/RouterEditor.tsx:457</a> |  Frontend declaration.              |
| <b>newRule</b>         | function | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:35</a>   |  Frontend declaration.             |
| <b>ActionEditor</b>    | function | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:44</a>   |  Frontend declaration.            |
| <b>RuleCard</b>        | function | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:96</a>   |  Frontend declaration.            |
| <b>then</b>            | const    | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:184</a>  |  Frontend declaration.            |
| <b>RuleBuilder</b>     | function | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:221</a>  |  Frontend declaration.            |
| <b>copy</b>            | const    | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:263</a>  |  Frontend declaration.            |
| <b>RuleAssistant</b>   | function | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:304</a>  |  Frontend declaration.            |
| <b>availableFields</b> | const    | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:318</a>  |  Frontend declaration.            |
| <b>submit</b>          | const    | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:328</a>  |  Frontend declaration.            |
| <b>renderRule</b>      | function | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:425</a>  |  Documented frontend declaration. |
| <b>lines</b>           | const    | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:426</a>  |  Documented frontend declaration. |
| <b>verb</b>            | const    | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:435</a>  |  Frontend declaration.            |
| <b>renderGroup</b>     | function | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:440</a>  |  Frontend declaration.            |



| Symbol                | Kind     | Location                                                          | Signature / summary                                                                                       |
|-----------------------|----------|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>pad</b>            | const    | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:442</a>   |  Frontend declaration.   |
| <b>joiner</b>         | const    | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:443</a>   |  Frontend declaration.   |
| <b>lines</b>          | const    | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:444</a>   |  Frontend declaration.   |
| <b>value</b>          | const    | <a href="#">ui/src/modes/studio/builder/RuleBuilder.tsx:453</a>   |  Frontend declaration.   |
| <b>Config</b>         | type     | <a href="#">ui/src/modes/studio/builder/SQLQueryConfig.tsx:15</a> |  Frontend declaration.   |
| <b>asString</b>       | function | <a href="#">ui/src/modes/studio/builder/SQLQueryConfig.tsx:17</a> |  Frontend declaration.   |
| <b>SQLQueryConfig</b> | function | <a href="#">ui/src/modes/studio/builder/SQLQueryConfig.tsx:21</a> |  Frontend declaration.   |
| <b>params</b>         | const    | <a href="#">ui/src/modes/studio/builder/SQLQueryConfig.tsx:36</a> |  Frontend declaration.   |
| <b>entries</b>        | const    | <a href="#">ui/src/modes/studio/builder/SQLQueryConfig.tsx:38</a> |  Frontend declaration.   |
| <b>setParam</b>       | const    | <a href="#">ui/src/modes/studio/builder/SQLQueryConfig.tsx:39</a> |  Frontend declaration.   |
| <b>next</b>           | const    | <a href="#">ui/src/modes/studio/builder/SQLQueryConfig.tsx:41</a> |  Frontend declaration. |
| <b>renameParam</b>    | const    | <a href="#">ui/src/modes/studio/builder/SQLQueryConfig.tsx:45</a> |  Frontend declaration. |
| <b>next</b>           | const    | <a href="#">ui/src/modes/studio/builder/SQLQueryConfig.tsx:47</a> |  Frontend declaration. |
| <b>value</b>          | const    | <a href="#">ui/src/modes/studio/builder/SQLQueryConfig.tsx:48</a> |  Frontend declaration. |
| <b>removeParam</b>    | const    | <a href="#">ui/src/modes/studio/builder/SQLQueryConfig.tsx:53</a> |  Frontend declaration. |
| <b>next</b>           | const    | <a href="#">ui/src/modes/studio/builder/SQLQueryConfig.tsx:54</a> |  Frontend declaration. |
| <b>generate</b>       | const    | <a href="#">ui/src/modes/studio/builder/SQLQueryConfig.tsx:58</a> |  Frontend declaration. |
| <b>result</b>         | const    |                                                                   |  Frontend declaration. |

| Symbol               | Kind     | Location                                                  | Signature / summary                                                                                                  |
|----------------------|----------|-----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                      |          | ui/src/modes/studio/<br>builder/<br>SQLQueryConfig.tsx:63 |                                                                                                                      |
| <b>KINDS</b>         | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:20  |  Frontend declaration.              |
| <b>ITEM_KINDS</b>    | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:32  |  Frontend declaration.              |
| <b>newField</b>      | function | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:36  |  Frontend declaration.              |
| <b>nextFieldName</b> | function | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:47  |  Frontend declaration.              |
| <b>taken</b>         | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:48  |  Frontend declaration.              |
| <b>coerceForType</b> | function | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:58  |  Frontend declaration.              |
| <b>next</b>          | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:59  |  Frontend declaration.             |
| <b>FieldRow</b>      | function | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:80  |  Frontend declaration.            |
| <b>hasChildren</b>   | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:107 |  Frontend declaration.            |
| <b>showEnum</b>      | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:109 |  Frontend declaration.            |
| <b>enumValues</b>    | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:111 |  Frontend declaration.            |
| <b>setEnumValues</b> | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:113 |  Frontend declaration.            |
| <b>itemType</b>      | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:228 |  Frontend declaration.            |
| <b>next</b>          | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:229 |  Frontend declaration.            |
| <b>EnumEditor</b>    | function | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:300 |  Frontend declaration.            |
| <b>hasValue</b>      | const    |                                                           |  Documented frontend declaration. |

| Symbol          | Kind     | Location                                                  | Signature / summary   |
|-----------------|----------|-----------------------------------------------------------|-----------------------|
|                 |          | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:314 |                       |
| next            | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:336 | Frontend declaration. |
| FieldList       | function | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:361 | Frontend declaration. |
| replace         | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:373 | Frontend declaration. |
| copy            | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:374 | Frontend declaration. |
| move            | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:378 | Frontend declaration. |
| target          | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:379 | Frontend declaration. |
| copy            | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:381 | Frontend declaration. |
| duplicate       | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:385 | Frontend declaration. |
| copy            | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:386 | Frontend declaration. |
| SchemaBuilder   | function | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:417 | Frontend declaration. |
| timer           | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:455 | Frontend declaration. |
| summary         | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:468 | Frontend declaration. |
| count           | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:470 | Frontend declaration. |
| SchemaAssistant | function | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:548 | Frontend declaration. |
| submit          | const    | ui/src/modes/studio/<br>builder/<br>SchemaBuilder.tsx:565 | Frontend declaration. |
| SimulatorPanel  | function |                                                           | Frontend declaration. |

| Symbol                             | Kind     | Location                                                    | Signature / summary                                                                                       |
|------------------------------------|----------|-------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                                    |          | ui/src/modes/studio/<br>builder/<br>SimulatorPanel.tsx:26   |                                                                                                           |
| <b>inputSpecs</b>                  | const    | ui/src/modes/studio/<br>builder/<br>SimulatorPanel.tsx:48   |  Frontend declaration.   |
| <b>stubOutputs</b>                 | const    | ui/src/modes/studio/<br>builder/<br>SimulatorPanel.tsx:53   |  Frontend declaration.   |
| <b>parsed</b>                      | const    | ui/src/modes/studio/<br>builder/<br>SimulatorPanel.tsx:55   |  Frontend declaration.   |
| <b>value</b>                       | const    | ui/src/modes/studio/<br>builder/<br>SimulatorPanel.tsx:59   |  Frontend declaration.   |
| <b>run</b>                         | const    | ui/src/modes/studio/<br>builder/<br>SimulatorPanel.tsx:70   |  Frontend declaration.   |
| <b>StepCard</b>                    | function | ui/src/modes/studio/<br>builder/<br>SimulatorPanel.tsx:221  |  Frontend declaration.   |
| <b>waiting</b>                     | const    | ui/src/modes/studio/<br>builder/<br>SimulatorPanel.tsx:235  |  Frontend declaration.  |
| <b>BuilderStageBandNode</b>        | function | ui/src/modes/studio/<br>builder/StageNodes.tsx:13           |  Frontend declaration. |
| <b>BuilderStagePlaceholderNode</b> | function | ui/src/modes/studio/<br>builder/StageNodes.tsx:42           |  Frontend declaration. |
| <b>preview</b>                     | const    | ui/src/modes/studio/<br>builder/StageNodes.tsx:44           |  Frontend declaration. |
| <b>remaining</b>                   | const    | ui/src/modes/studio/<br>builder/StageNodes.tsx:45           |  Frontend declaration. |
| <b>Config</b>                      | type     | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:26 |  Frontend declaration. |
| <b>StartField</b>                  | type     | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:28 |  Frontend declaration. |
| <b>CURRENCY_CODES</b>              | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:29 |  Frontend declaration. |
| <b>asString</b>                    | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:31 |  Frontend declaration. |
| <b>nextName</b>                    | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:35 |  Frontend declaration. |
| <b>taken</b>                       | const    |                                                             |  Frontend declaration. |

| Symbol                      | Kind     | Location                                                     | Signature / summary                                                                                                |
|-----------------------------|----------|--------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                             |          | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:37  |                                                                                                                    |
| <b>nextFileFieldName</b>    | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:42  |  Frontend declaration.            |
| <b>currencyPreset</b>       | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:49  |  Documented frontend declaration. |
| <b>numberUnitPreset</b>     | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:60  |  Frontend declaration.            |
| <b>durationPreset</b>       | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:71  |  Frontend declaration.            |
| <b>dateRangePreset</b>      | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:82  |  Frontend declaration.            |
| <b>addressPreset</b>        | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:92  |  Frontend declaration.            |
| <b>COUNTRIES</b>            | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:105 |  Frontend declaration.           |
| <b>countryPreset</b>        | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:110 |  Frontend declaration.          |
| <b>repeatingGroupPreset</b> | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:119 |  Frontend declaration.          |
| <b>sectionPreset</b>        | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:131 |  Frontend declaration.          |
| <b>infoPreset</b>           | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:135 |  Frontend declaration.          |
| <b>readonlyPreset</b>       | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:139 |  Frontend declaration.          |
| <b>QUICK_ADD</b>            | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:143 |  Frontend declaration.          |
| <b>StartAgentConfig</b>     | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:156 |  Frontend declaration.          |
| <b>mode</b>                 | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:164 |  Frontend declaration.          |
| <b>set</b>                  | const    |                                                              |  Frontend declaration.          |

| Symbol                         | Kind     | Location                                                     | Signature / summary                                                                                       |
|--------------------------------|----------|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                                |          | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:165 |                                                                                                           |
| <b>InputFormFields</b>         | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:192 |  Frontend declaration.   |
| <b>fields</b>                  | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:196 |  Frontend declaration.   |
| <b>fileFields</b>              | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:197 |  Frontend declaration.   |
| <b>sample</b>                  | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:198 |  Frontend declaration.   |
| <b>quickAddCategories</b>      | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:199 |  Frontend declaration.   |
| <b>FieldExtras</b>             | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:315 |  Frontend declaration.   |
| <b>set</b>                     | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:325 |  Frontend declaration.  |
| <b>isInfo</b>                  | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:326 |  Frontend declaration. |
| <b>index</b>                   | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:327 |  Frontend declaration. |
| <b>earlierFields</b>           | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:328 |  Frontend declaration. |
| <b>FormatAndLengthControls</b> | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:464 |  Frontend declaration. |
| <b>EnumWidgetControls</b>      | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:506 |  Frontend declaration. |
| <b>values</b>                  | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:510 |  Frontend declaration. |
| <b>isMulti</b>                 | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:511 |  Frontend declaration. |
| <b>optionLabels</b>            | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:512 |  Frontend declaration. |
| <b>CONDITION_OPERATORS</b>     | const    |                                                              |  Frontend declaration. |

| Symbol                  | Kind     | Location                                                     | Signature / summary                                                                                       |
|-------------------------|----------|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                         |          | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:552 |                                                                                                           |
| <b>toGroup</b>          | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:556 |  Frontend declaration.   |
| <b>firstCondition</b>   | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:560 |  Frontend declaration.   |
| <b>first</b>            | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:562 |  Frontend declaration.   |
| <b>ConditionEditor</b>  | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:565 |  Frontend declaration.   |
| <b>visible</b>          | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:576 |  Frontend declaration.   |
| <b>required</b>         | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:578 |  Frontend declaration.   |
| <b>conditionRow</b>     | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:579 |  Frontend declaration.  |
| <b>FileFieldsEditor</b> | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:632 |  Frontend declaration. |
| <b>replace</b>          | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:640 |  Frontend declaration. |
| <b>copy</b>             | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:641 |  Frontend declaration. |
| <b>ChatbotFields</b>    | function | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:709 |  Frontend declaration. |
| <b>suggested</b>        | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:711 |  Frontend declaration. |
| <b>next</b>             | const    | ui/src/modes/studio/<br>builder/<br>StartAgentConfig.tsx:760 |  Frontend declaration. |
| <b>TOKEN_RE</b>         | const    | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:22 |  Frontend declaration. |
| <b>resolveChipLabel</b> | function | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:24 |  Frontend declaration. |
| <b>binding</b>          | const    |                                                              |  Frontend declaration. |

| Symbol                | Kind     | Location                                                                     | Signature / summary                                                                                                  |
|-----------------------|----------|------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                       |          | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:26</code>  |                                                                                                                      |
| <b>leaf</b>           | const    | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:28</code>  |  Frontend declaration.              |
| <b>inner</b>          | const    | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:31</code>  |  Frontend declaration.              |
| <b>buildChip</b>      | function | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:34</code>  |  Frontend declaration.              |
| <b>span</b>           | const    | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:37</code>  |  Frontend declaration.              |
| <b>deserialize</b>    | function | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:48</code>  |  Frontend declaration.              |
| <b>fragment</b>       | const    | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:50</code>  |  Frontend declaration.              |
| <b>appendText</b>     | const    | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:52</code>  |  Frontend declaration.             |
| <b>lines</b>          | const    | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:53</code>  |  Frontend declaration.            |
| <b>serialize</b>      | function | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:72</code>  |  Frontend declaration.            |
| <b>element</b>        | const    | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:79</code>  |  Frontend declaration.            |
| <b>getCaretOffset</b> | function | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:93</code>  |  Documented frontend declaration. |
| <b>selection</b>      | const    | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:94</code>  |  Documented frontend declaration. |
| <b>anchor</b>         | const    | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:96</code>  |  Frontend declaration.            |
| <b>range</b>          | const    | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:98</code>  |  Frontend declaration.            |
| <b>wrapper</b>        | const    | <code>ui/src/modes/studio/<br/>builder/<br/>TemplateTextField.tsx:101</code> |  Frontend declaration.            |
| <b>setCaretOffset</b> | function |                                                                              |  Frontend declaration.            |



| Symbol                   | Kind     | Location                                                              | Signature / summary                                                                                                  |
|--------------------------|----------|-----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                          |          | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:105</a> |                                                                                                                      |
| <b>selection</b>         | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:107</a> |  Frontend declaration.              |
| <b>range</b>             | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:109</a> |  Frontend declaration.              |
| <b>visit</b>             | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:112</a> |  Frontend declaration.              |
| <b>length</b>            | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:116</a> |  Frontend declaration.              |
| <b>element</b>           | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:126</a> |  Frontend declaration.              |
| <b>unit</b>              | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:127</a> |  Frontend declaration.              |
| <b>TemplateTextField</b> | function | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:153</a> |  Frontend declaration.             |
| <b>rootRef</b>           | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:171</a> |  Frontend declaration.            |
| <b>lastEmittedRef</b>    | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:172</a> |  Frontend declaration.            |
| <b>savedRangeRef</b>     | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:173</a> |  Frontend declaration.            |
| <b>isComposingRef</b>    | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:174</a> |  Frontend declaration.            |
| <b>root</b>              | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:182</a> |  Documented frontend declaration. |
| <b>caret</b>             | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:184</a> |  Frontend declaration.            |
| <b>root</b>              | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:196</a> |  Documented frontend declaration. |
| <b>caret</b>             | const    | <a href="#">ui/src/modes/studio/builder/TemplateTextField.tsx:198</a> |  Frontend declaration.            |
| <b>emitChange</b>        | const    |                                                                       |  Frontend declaration.            |

| Symbol        | Kind  | Location                                                      | Signature / summary                                                                                                  |
|---------------|-------|---------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|               |       | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:203 |                                                                                                                      |
| root          | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:205 |  Frontend declaration.              |
| next          | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:207 |  Frontend declaration.              |
| captureRange  | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:214 |  Frontend declaration.              |
| selection     | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:216 |  Frontend declaration.              |
| root          | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:217 |  Frontend declaration.              |
| range         | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:219 |  Frontend declaration.              |
| insertChip    | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:222 |  Frontend declaration.             |
| root          | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:224 |  Frontend declaration.            |
| range         | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:227 |  Frontend declaration.            |
| end           | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:228 |  Frontend declaration.            |
| chip          | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:234 |  Frontend declaration.            |
| spacer        | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:235 |  Frontend declaration.            |
| selection     | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:240 |  Frontend declaration.            |
| handleKeyDown | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:247 |  Frontend declaration.            |
| selection     | const | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:259 |  Documented frontend declaration. |
| range         | const |                                                               |  Frontend declaration.            |

| Symbol                                     | Kind     | Location                                                      | Signature / summary                                                                                                  |
|--------------------------------------------|----------|---------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                            |          | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:261 |                                                                                                                      |
| <b>br</b>                                  | const    | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:263 |  Frontend declaration.              |
| <b>spacer</b>                              | const    | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:264 |  Frontend declaration.              |
| <b>handlePaste</b>                         | const    | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:273 |  Frontend declaration.              |
| <b>text</b>                                | const    | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:276 |  Frontend declaration.              |
| <b>selection</b>                           | const    | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:277 |  Frontend declaration.              |
| <b>range</b>                               | const    | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:279 |  Frontend declaration.              |
| <b>node</b>                                | const    | ui/src/modes/studio/<br>builder/<br>TemplateTextField.tsx:284 |  Documented frontend declaration.  |
| <b>FIELD_GROUP_COLLAPSE<br/>_THRESHOLD</b> | const    | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:19   |  Documented frontend declaration. |
| <b>getDeep</b>                             | function | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:20   |  Documented frontend declaration. |
| <b>setDeepImmutable</b>                    | function | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:29   |  Frontend declaration.            |
| <b>segments</b>                            | const    | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:35   |  Frontend declaration.            |
| <b>existing</b>                            | const    | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:38   |  Frontend declaration.            |
| <b>nested</b>                              | const    | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:39   |  Frontend declaration.            |
| <b>FieldControl</b>                        | function | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:44   |  Frontend declaration.            |
| <b>selected</b>                            | const    | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:95   |  Documented frontend declaration. |
| <b>next</b>                                | const    |                                                               |  Frontend declaration.            |

| Symbol                          | Kind     | Location                                                                | Signature / summary                                                                                                |
|---------------------------------|----------|-------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                                 |          | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:103            |                                                                                                                    |
| <b>WorkflowInputsEditor</b>     | function | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:145            |  Documented frontend declaration. |
| <b>inputs</b>                   | const    | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:154            |  Frontend declaration.            |
| <b>UpstreamSampleEditor</b>     | function | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:188            |  Frontend declaration.            |
| <b>nodes</b>                    | const    | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:198            |  Frontend declaration.            |
| <b>collapsible</b>              | const    | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:212            |  Frontend declaration.            |
| <b>isOpen</b>                   | const    | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:213            |  Frontend declaration.            |
| <b>nodeValues</b>               | const    | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:214            |  Frontend declaration.           |
| <b>next</b>                     | const    | ui/src/modes/studio/<br>builder/<br>TestSampleEditor.tsx:220            |  Frontend declaration.          |
| <b>InputBinding</b>             | type     | ui/src/modes/studio/<br>builder/<br>WorkflowInputAgentConfig.ts<br>x:17 |  Frontend declaration.          |
| <b>WorkflowInputAgentConfig</b> | function | ui/src/modes/studio/<br>builder/<br>WorkflowInputAgentConfig.ts<br>x:19 |  Frontend declaration.          |
| <b>source</b>                   | const    | ui/src/modes/studio/<br>builder/<br>WorkflowInputAgentConfig.ts<br>x:29 |  Frontend declaration.          |
| <b>fields</b>                   | const    | ui/src/modes/studio/<br>builder/<br>WorkflowInputAgentConfig.ts<br>x:30 |  Frontend declaration.          |
| <b>sample</b>                   | const    | ui/src/modes/studio/<br>builder/<br>WorkflowInputAgentConfig.ts<br>x:31 |  Frontend declaration.          |
| <b>binding</b>                  | const    | ui/src/modes/studio/<br>builder/<br>WorkflowInputAgentConfig.ts<br>x:56 |  Frontend declaration.          |

| Symbol                        | Kind     | Location                                                        | Signature / summary                                                                                                  |
|-------------------------------|----------|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>FieldBinding</b>           | type     | <a href="#">ui/src/modes/studio/builder/binding.ts:12</a>       |  Frontend declaration.              |
| <b>REFERENCE_RE</b>           | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:24</a>       |  Documented frontend declaration.   |
| <b>resolveBinding</b>         | function | <a href="#">ui/src/modes/studio/builder/binding.ts:25</a>       |  Documented frontend declaration.   |
| <b>match</b>                  | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:29</a>       |  Frontend declaration.              |
| <b>path</b>                   | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:32</a>       |  Frontend declaration.              |
| <b>resolved</b>               | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:34</a>       |  Frontend declaration.              |
| <b>resolveAgainstContract</b> | function | <a href="#">ui/src/modes/studio/builder/binding.ts:37</a>       |  Frontend declaration.              |
| <b>rest</b>                   | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:43</a>       |  Frontend declaration.              |
| <b>dot</b>                    | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:44</a>       |  Frontend declaration.              |
| <b>nodeId</b>                 | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:47</a>       |  Documented frontend declaration.   |
| <b>fieldPath</b>              | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:48</a>       |  Documented frontend declaration. |
| <b>node</b>                   | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:49</a>       |  Documented frontend declaration. |
| <b>field</b>                  | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:50</a>       |  Frontend declaration.            |
| <b>name</b>                   | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:55</a>       |  Frontend declaration.            |
| <b>input</b>                  | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:56</a>       |  Frontend declaration.            |
| <b>name</b>                   | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:77</a>       |  Frontend declaration.            |
| <b>variable</b>               | const    | <a href="#">ui/src/modes/studio/builder/binding.ts:78</a>       |  Frontend declaration.            |
| <b>stepLabelFor</b>           | function | <a href="#">ui/src/modes/studio/builder/binding.ts:102</a>      |  Documented frontend declaration. |
| <b>FeatureHelpEntry</b>       | type     | <a href="#">ui/src/modes/studio/builder/feature-help.ts:13</a>  |  Frontend declaration.            |
| <b>FEATURE_HELP</b>           | const    | <a href="#">ui/src/modes/studio/builder/feature-help.ts:25</a>  |  Frontend declaration.            |
| <b>DestinationKind</b>        | type     | <a href="#">ui/src/modes/studio/builder/field-suggest.ts:10</a> |  Frontend declaration.            |
| <b>typeLabel</b>              | function | <a href="#">ui/src/modes/studio/builder/field-suggest.ts:12</a> |  Frontend declaration.            |
| <b>COMPATIBLE_TYPES</b>       | const    |                                                                 |                                                                                                                      |

| Symbol                       | Kind     | Location                                                      | Signature / summary                                                                                                  |
|------------------------------|----------|---------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                              |          | <code>ui/src/modes/studio/builder/field-suggest.ts:23</code>  |  Documented frontend declaration.   |
| <b>isTypeCompatible</b>      | function | <code>ui/src/modes/studio/builder/field-suggest.ts:28</code>  |  Frontend declaration.              |
| <b>incompatibilityReason</b> | function | <code>ui/src/modes/studio/builder/field-suggest.ts:33</code>  |  Frontend declaration.              |
| <b>SYNONYMS</b>              | const    | <code>ui/src/modes/studio/builder/field-suggest.ts:41</code>  |  Documented frontend declaration.   |
| <b>tokenize</b>              | function | <code>ui/src/modes/studio/builder/field-suggest.ts:50</code>  |  Frontend declaration.              |
| <b>base</b>                  | const    | <code>ui/src/modes/studio/builder/field-suggest.ts:52</code>  |  Frontend declaration.              |
| <b>expanded</b>              | const    | <code>ui/src/modes/studio/builder/field-suggest.ts:53</code>  |  Frontend declaration.              |
| <b>overlapCount</b>          | function | <code>ui/src/modes/studio/builder/field-suggest.ts:62</code>  |  Frontend declaration.              |
| <b>setB</b>                  | const    | <code>ui/src/modes/studio/builder/field-suggest.ts:64</code>  |  Frontend declaration.              |
| <b>asContractField</b>       | function | <code>ui/src/modes/studio/builder/field-suggest.ts:67</code>  |  Frontend declaration.              |
| <b>Candidate</b>             | type     | <code>ui/src/modes/studio/builder/field-suggest.ts:81</code>  |  Frontend declaration.            |
| <b>scoreField</b>            | function | <code>ui/src/modes/studio/builder/field-suggest.ts:89</code>  |  Documented frontend declaration. |
| <b>candidateTokens</b>       | const    | <code>ui/src/modes/studio/builder/field-suggest.ts:96</code>  |  Frontend declaration.            |
| <b>RECOMMEND_MIN</b>         | const    | <code>ui/src/modes/studio/builder/field-suggest.ts:102</code> |  Frontend declaration.            |
| <b>RECOMMEND_MAX</b>         | const    | <code>ui/src/modes/studio/builder/field-suggest.ts:104</code> |  Frontend declaration.            |
| <b>buildRecommended</b>      | function | <code>ui/src/modes/studio/builder/field-suggest.ts:105</code> |  Frontend declaration.            |
| <b>destinationTokens</b>     | const    | <code>ui/src/modes/studio/builder/field-suggest.ts:113</code> |  Frontend declaration.            |
| <b>candidates</b>            | const    | <code>ui/src/modes/studio/builder/field-suggest.ts:115</code> |  Frontend declaration.            |
| <b>totalNodes</b>            | const    | <code>ui/src/modes/studio/builder/field-suggest.ts:117</code> |  Frontend declaration.            |
| <b>recency</b>               | const    | <code>ui/src/modes/studio/builder/field-suggest.ts:119</code> |  Frontend declaration.            |

| Symbol                    | Kind     | Location                                                               | Signature / summary                                                                                       |
|---------------------------|----------|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>score</b>              | const    | <a href="#">ui/src/modes/studio/builder/field-suggest.ts:121</a>       |  Frontend declaration.   |
| <b>field</b>              | const    | <a href="#">ui/src/modes/studio/builder/field-suggest.ts:126</a>       |  Frontend declaration.   |
| <b>score</b>              | const    | <a href="#">ui/src/modes/studio/builder/field-suggest.ts:127</a>       |  Frontend declaration.   |
| <b>suggestField</b>       | function | <a href="#">ui/src/modes/studio/builder/field-suggest.ts:143</a>       |  Frontend declaration.   |
| <b>groups</b>             | const    | <a href="#">ui/src/modes/studio/builder/field-suggest.ts:150</a>       |  Frontend declaration.   |
| <b>recommended</b>        | const    | <a href="#">ui/src/modes/studio/builder/field-suggest.ts:151</a>       |  Frontend declaration.   |
| <b>FormConditionGroup</b> | type     | <a href="#">ui/src/modes/studio/builder/formConditions.test.ts:8</a>   |  Frontend declaration.   |
| <b>group</b>              | const    | <a href="#">ui/src/modes/studio/builder/formConditions.test.ts:53</a>  |  Frontend declaration.  |
| <b>group</b>              | const    | <a href="#">ui/src/modes/studio/builder/formConditions.test.ts:65</a>  |  Frontend declaration. |
| <b>group</b>              | const    | <a href="#">ui/src/modes/studio/builder/formConditions.test.ts:77</a>  |  Frontend declaration. |
| <b>group</b>              | const    | <a href="#">ui/src/modes/studio/builder/formConditions.test.ts:86</a>  |  Frontend declaration. |
| <b>group</b>              | const    | <a href="#">ui/src/modes/studio/builder/formConditions.test.ts:106</a> |  Frontend declaration. |
| <b>errors</b>             | const    | <a href="#">ui/src/modes/studio/builder/formConditions.test.ts:123</a> |  Frontend declaration. |
| <b>errors</b>             | const    | <a href="#">ui/src/modes/studio/builder/formConditions.test.ts:131</a> |  Frontend declaration. |
| <b>errors</b>             | const    | <a href="#">ui/src/modes/studio/builder/formConditions.test.ts:139</a> |  Frontend declaration. |
| <b>errors</b>             | const    | <a href="#">ui/src/modes/studio/builder/formConditions.test.ts:147</a> |  Frontend declaration. |
| <b>errors</b>             | const    |                                                                        |                                                                                                           |

| Symbol                        | Kind     | Location                                                            | Signature / summary                                                                                                  |
|-------------------------------|----------|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                               |          | <code>ui/src/modes/studio/builder/formConditions.test.ts:155</code> |  Frontend declaration.              |
| <b>errors</b>                 | const    | <code>ui/src/modes/studio/builder/formConditions.test.ts:163</code> |  Frontend declaration.              |
| <b>errors</b>                 | const    | <code>ui/src/modes/studio/builder/formConditions.test.ts:171</code> |  Frontend declaration.              |
| <b>errors</b>                 | const    | <code>ui/src/modes/studio/builder/formConditions.test.ts:179</code> |  Frontend declaration.              |
| <b>FormConditionOperator</b>  | type     | <code>ui/src/modes/studio/builder/formConditions.ts:14</code>       |  Frontend declaration.              |
| <b>FormCondition</b>          | type     | <code>ui/src/modes/studio/builder/formConditions.ts:16</code>       |  Frontend declaration.              |
| <b>FormConditionGroup</b>     | type     | <code>ui/src/modes/studio/builder/formConditions.ts:22</code>       |  Frontend declaration.              |
| <b>isGroup</b>                | function | <code>ui/src/modes/studio/builder/formConditions.ts:27</code>       |  Frontend declaration.             |
| <b>valuesEqual</b>            | function | <code>ui/src/modes/studio/builder/formConditions.ts:31</code>       |  Frontend declaration.            |
| <b>contains</b>               | function | <code>ui/src/modes/studio/builder/formConditions.ts:40</code>       |  Frontend declaration.            |
| <b>evaluateCondition</b>      | function | <code>ui/src/modes/studio/builder/formConditions.ts:51</code>       |  Frontend declaration.            |
| <b>actual</b>                 | const    | <code>ui/src/modes/studio/builder/formConditions.ts:53</code>       |  Frontend declaration.            |
| <b>evaluateConditionGroup</b> | function | <code>ui/src/modes/studio/builder/formConditions.ts:67</code>       |  Frontend declaration.            |
| <b>results</b>                | const    | <code>ui/src/modes/studio/builder/formConditions.ts:73</code>       |  Frontend declaration.            |
| <b>EMAIL_RE</b>               | const    | <code>ui/src/modes/studio/builder/formConditions.ts:92</code>       |  Documented frontend declaration. |
| <b>URL_RE</b>                 | const    | <code>ui/src/modes/studio/builder/formConditions.ts:94</code>       |  Documented frontend declaration. |
| <b>PHONE_RE</b>               | const    |                                                                     |  Frontend declaration.            |



| Symbol                          | Kind     | Location                                                   | Signature / summary                                                                                       |
|---------------------------------|----------|------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                                 |          | ui/src/modes/studio/<br>builder/<br>formConditions.ts:95   |                                                                                                           |
| <b>ConstraintField</b>          | type     | ui/src/modes/studio/<br>builder/<br>formConditions.ts:96   |  Frontend declaration.   |
| <b>friendlyNumber</b>           | function | ui/src/modes/studio/<br>builder/<br>formConditions.ts:109  |  Frontend declaration.   |
| <b>validateFieldConstraints</b> | function | ui/src/modes/studio/<br>builder/<br>formConditions.ts:113  |  Frontend declaration.   |
| <b>errors</b>                   | const    | ui/src/modes/studio/<br>builder/<br>formConditions.ts:118  |  Frontend declaration.   |
| <b>value</b>                    | const    | ui/src/modes/studio/<br>builder/<br>formConditions.ts:120  |  Frontend declaration.   |
| <b>label</b>                    | const    | ui/src/modes/studio/<br>builder/<br>formConditions.ts:122  |  Frontend declaration.   |
| <b>lower</b>                    | const    | ui/src/modes/studio/<br>builder/<br>formConditions.ts:152  |  Frontend declaration.  |
| <b>upper</b>                    | const    | ui/src/modes/studio/<br>builder/<br>formConditions.ts:153  |  Frontend declaration. |
| <b>collectConditionFields</b>   | function | ui/src/modes/studio/<br>builder/<br>formConditions.ts:173  |  Frontend declaration. |
| <b>found</b>                    | const    | ui/src/modes/studio/<br>builder/<br>formConditions.ts:175  |  Frontend declaration. |
| <b>node</b>                     | function | ui/src/modes/studio/<br>builder/node-<br>search.test.ts:5  |  Frontend declaration. |
| <b>nodes</b>                    | const    | ui/src/modes/studio/<br>builder/node-<br>search.test.ts:14 |  Frontend declaration. |
| <b>many</b>                     | const    | ui/src/modes/studio/<br>builder/node-<br>search.test.ts:65 |  Frontend declaration. |
| <b>NodeSearchMatch</b>          | type     | ui/src/modes/studio/<br>builder/node-search.ts:13          |  Frontend declaration. |
| <b>matchNodes</b>               | function | ui/src/modes/studio/<br>builder/node-search.ts:20          |  Frontend declaration. |
| <b>needle</b>                   | const    | ui/src/modes/studio/<br>builder/node-search.ts:26          |  Frontend declaration. |
| <b>described</b>                | const    |                                                            |                                                                                                           |

| Symbol                    | Kind     | Location                                                            | Signature / summary                                                                                                  |
|---------------------------|----------|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                           |          | <code>ui/src/modes/studio/builder/node-search.ts:27</code>          |  Frontend declaration.              |
| <b>businessLabel</b>      | const    | <code>ui/src/modes/studio/builder/node-search.ts:28</code>          |  Frontend declaration.              |
| <b>typeLabel</b>          | const    | <code>ui/src/modes/studio/builder/node-search.ts:29</code>          |  Frontend declaration.              |
| <b>ranked</b>             | const    | <code>ui/src/modes/studio/builder/node-search.ts:44</code>          |  Frontend declaration.              |
| <b>rank</b>               | function | <code>ui/src/modes/studio/builder/node-search.ts:60</code>          |  Frontend declaration.              |
| <b>label</b>              | const    | <code>ui/src/modes/studio/builder/node-search.ts:62</code>          |  Frontend declaration.              |
| <b>MAX_PREVIEW_LENGTH</b> | const    | <code>ui/src/modes/studio/builder/previewValues.ts:6</code>         |  Frontend declaration.              |
| <b>summarize</b>          | function | <code>ui/src/modes/studio/builder/previewValues.ts:8</code>         |  Frontend declaration.              |
| <b>text</b>               | const    | <code>ui/src/modes/studio/builder/previewValues.ts:11</code>        |  Frontend declaration.              |
| <b>text</b>               | const    | <code>ui/src/modes/studio/builder/previewValues.ts:15</code>        |  Frontend declaration.              |
| <b>flattenOutput</b>      | function | <code>ui/src/modes/studio/builder/previewValues.ts:22</code>        |  Documented frontend declaration. |
| <b>out</b>                | const    | <code>ui/src/modes/studio/builder/previewValues.ts:26</code>        |  Frontend declaration.            |
| <b>walk</b>               | const    | <code>ui/src/modes/studio/builder/previewValues.ts:27</code>        |  Frontend declaration.            |
| <b>buildPreviewValues</b> | function | <code>ui/src/modes/studio/builder/previewValues.ts:46</code>        |  Documented frontend declaration. |
| <b>path</b>               | const    | <code>ui/src/modes/studio/builder/rule-rendering.test.ts:83</code>  |  Frontend declaration.            |
| <b>rule</b>               | const    | <code>ui/src/modes/studio/builder/rule-rendering.test.ts:101</code> |  Frontend declaration.            |
| <b>rendered</b>           | const    | <code>ui/src/modes/studio/builder/rule-rendering.test.ts:112</code> |  Frontend declaration.            |
| <b>rule</b>               | const    | <code>ui/src/modes/studio/builder/rule-rendering.test.ts:122</code> |  Frontend declaration.            |
| <b>rendered</b>           | const    | <code>ui/src/modes/studio/builder/rule-rendering.test.ts:139</code> |  Frontend declaration.            |
| <b>rendered</b>           | const    | <code>ui/src/modes/studio/builder/rule-rendering.test.ts:147</code> |  Frontend declaration.            |
| <b>rendered</b>           | const    |                                                                     |                                                                                                                      |

| Symbol                                | Kind     | Location                                                            | Signature / summary   |
|---------------------------------------|----------|---------------------------------------------------------------------|-----------------------|
|                                       |          | <code>ui/src/modes/studio/builder/rule-rendering.test.ts:159</code> | Frontend declaration. |
| <b>rendered</b>                       | const    | <code>ui/src/modes/studio/builder/rule-rendering.test.ts:169</code> | Frontend declaration. |
| <b>rendered</b>                       | const    | <code>ui/src/modes/studio/builder/rule-rendering.test.ts:178</code> | Frontend declaration. |
| <b>node</b>                           | function | <code>ui/src/modes/studio/builder/stage-view.test.ts:15</code>      | Frontend declaration. |
| <b>nodes</b>                          | const    | <code>ui/src/modes/studio/builder/stage-view.test.ts:31</code>      | Frontend declaration. |
| <b>edges</b>                          | const    | <code>ui/src/modes/studio/builder/stage-view.test.ts:38</code>      | Frontend declaration. |
| <b>stages</b>                         | const    | <code>ui/src/modes/studio/builder/stage-view.test.ts:44</code>      | Frontend declaration. |
| <b>bands</b>                          | const    | <code>ui/src/modes/studio/builder/stage-view.test.ts:52</code>      | Frontend declaration. |
| <b>bands</b>                          | const    | <code>ui/src/modes/studio/builder/stage-view.test.ts:65</code>      | Frontend declaration. |
| <b>onCollapse</b>                     | const    | <code>ui/src/modes/studio/builder/stage-view.test.ts:70</code>      | Frontend declaration. |
| <b>result</b>                         | const    | <code>ui/src/modes/studio/builder/stage-view.test.ts:79</code>      | Frontend declaration. |
| <b>placeholder</b>                    | const    | <code>ui/src/modes/studio/builder/stage-view.test.ts:87</code>      | Frontend declaration. |
| <b>collapsedNodes</b>                 | const    | <code>ui/src/modes/studio/builder/stage-view.test.ts:100</code>     | Frontend declaration. |
| <b>collapsedEdges</b>                 | const    | <code>ui/src/modes/studio/builder/stage-view.test.ts:101</code>     | Frontend declaration. |
| <b>collapsedStages</b>                | const    | <code>ui/src/modes/studio/builder/stage-view.test.ts:105</code>     | Frontend declaration. |
| <b>BUILDER_STAGE_BAND_TYPE</b>        | const    | <code>ui/src/modes/studio/builder/stage-view.ts:23</code>           | Frontend declaration. |
| <b>BUILDER_STAGE_PLACEHOLDER_TYPE</b> | const    | <code>ui/src/modes/studio/builder/stage-view.ts:25</code>           | Frontend declaration. |

| Symbol                             | Kind     | Location                                                      | Signature / summary                                                                                                |
|------------------------------------|----------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>SYNTHETIC_PREFIX</b>            | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:28</a>  |  Documented frontend declaration. |
| <b>BAND_PADDING</b>                | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:29</a>  |  Documented frontend declaration. |
| <b>BAND_LABEL_HEADROOM</b>         | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:31</a>  |  Frontend declaration.            |
| <b>PLACEHOLDER_WIDTH</b>           | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:32</a>  |  Frontend declaration.            |
| <b>PLACEHOLDER_HEIGHT</b>          | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:33</a>  |  Frontend declaration.            |
| <b>isSyntheticNodeId</b>           | function | <a href="#">ui/src/modes/studio/builder/stage-view.ts:34</a>  |  Frontend declaration.            |
| <b>bandId</b>                      | function | <a href="#">ui/src/modes/studio/builder/stage-view.ts:38</a>  |  Frontend declaration.            |
| <b>placeholderId</b>               | function | <a href="#">ui/src/modes/studio/builder/stage-view.ts:42</a>  |  Frontend declaration.            |
| <b>BuilderStageBandData</b>        | type     | <a href="#">ui/src/modes/studio/builder/stage-view.ts:46</a>  |  Frontend declaration.            |
| <b>BuilderStagePlaceholderData</b> | type     | <a href="#">ui/src/modes/studio/builder/stage-view.ts:55</a>  |  Frontend declaration.            |
| <b>buildStageBandNodes</b>         | function | <a href="#">ui/src/modes/studio/builder/stage-view.ts:71</a>  |  Frontend declaration.          |
| <b>width</b>                       | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:79</a>  |  Frontend declaration.          |
| <b>height</b>                      | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:80</a>  |  Frontend declaration.          |
| <b>applyStageCollapse</b>          | function | <a href="#">ui/src/modes/studio/builder/stage-view.ts:113</a> |  Frontend declaration.          |
| <b>nodeById</b>                    | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:121</a> |  Frontend declaration.          |
| <b>stageForNode</b>                | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:123</a> |  Frontend declaration.          |
| <b>collapsedStages</b>             | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:127</a> |  Frontend declaration.          |
| <b>hiddenIds</b>                   | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:129</a> |  Frontend declaration.          |
| <b>placeholders</b>                | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:130</a> |  Frontend declaration.          |
| <b>members</b>                     | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:132</a> |  Frontend declaration.          |
| <b>data</b>                        | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:135</a> |  Frontend declaration.          |
| <b>resolveEndpoint</b>             | const    | <a href="#">ui/src/modes/studio/builder/stage-view.ts:161</a> |  Frontend declaration.          |
| <b>stageIndex</b>                  | const    |                                                               |                                                                                                                    |

| Symbol                         | Kind     | Location                                                                     | Signature / summary                                                                                                |
|--------------------------------|----------|------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                                |          | ui/src/modes/studio/<br>builder/stage-view.ts:164                            |  Frontend declaration.            |
| <b>seen</b>                    | const    | ui/src/modes/studio/<br>builder/stage-view.ts:167                            |  Frontend declaration.            |
| <b>remapped</b>                | const    | ui/src/modes/studio/<br>builder/stage-view.ts:169                            |  Frontend declaration.            |
| <b>source</b>                  | const    | ui/src/modes/studio/<br>builder/stage-view.ts:171                            |  Frontend declaration.            |
| <b>target</b>                  | const    | ui/src/modes/studio/<br>builder/stage-view.ts:172                            |  Frontend declaration.            |
| <b>key</b>                     | const    | ui/src/modes/studio/<br>builder/stage-view.ts:174                            |  Documented frontend declaration. |
| <b>collapsibleStageIndexes</b> | function | ui/src/modes/studio/<br>builder/stage-view.ts:191                            |  Documented frontend declaration. |
| <b>manifestFixture</b>         | function | ui/src/modes/studio/<br>builder/test-fixtures.ts:12                          |  Frontend declaration.            |
| <b>statusGlyph</b>             | function | ui/src/modes/studio/<br>business-chat/<br>AgentActivityCard.tsx:4            |  Frontend declaration.            |
| <b>initials</b>                | function | ui/src/modes/studio/<br>business-chat/<br>AgentActivityCard.tsx:13           |  Frontend declaration.            |
| <b>AgentActivityCard</b>       | function | ui/src/modes/studio/<br>business-chat/<br>AgentActivityCard.tsx:17           |  Frontend declaration.          |
| <b>running</b>                 | const    | ui/src/modes/studio/<br>business-chat/<br>AgentActivityCard.tsx:27           |  Frontend declaration.          |
| <b>activities</b>              | const    | ui/src/modes/studio/<br>business-chat/<br>AgentActivityGroup.test.tsx<br>:5  |  Frontend declaration.          |
| <b>onSelectNode</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>AgentActivityGroup.test.tsx<br>:13 |  Frontend declaration.          |
| <b>statusGlyph</b>             | function | ui/src/modes/studio/<br>business-chat/<br>AgentActivityGroup.tsx:4           |  Frontend declaration.          |
| <b>activityHeadline</b>        | function | ui/src/modes/studio/<br>business-chat/<br>AgentActivityGroup.tsx:13          |  Frontend declaration.          |
| <b>reused</b>                  | const    | ui/src/modes/studio/<br>business-chat/<br>AgentActivityGroup.tsx:18          |  Frontend declaration.          |
| <b>AgentActivityGroup</b>      | function | ui/src/modes/studio/<br>business-chat/<br>AgentActivityGroup.tsx:22          |  Frontend declaration.          |

| Symbol                          | Kind     | Location                                                    | Signature / summary                                                                                       |
|---------------------------------|----------|-------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>visible</b>                  | const    | ui/src/modes/studio/business-chat/AgentActivityGroup.tsx:33 |  Frontend declaration.   |
| <b>toolCount</b>                | const    | ui/src/modes/studio/business-chat/AgentActivityGroup.tsx:34 |  Frontend declaration.   |
| <b>duration</b>                 | const    | ui/src/modes/studio/business-chat/AgentActivityGroup.tsx:35 |  Frontend declaration.   |
| <b>current</b>                  | const    | ui/src/modes/studio/business-chat/AgentActivityGroup.tsx:42 |  Frontend declaration.   |
| <b>LocalChatRecord</b>          | type     | ui/src/modes/studio/business-chat/BusinessChat.tsx:32       |  Frontend declaration.   |
| <b>CitationTarget</b>           | type     | ui/src/modes/studio/business-chat/BusinessChat.tsx:42       |  Frontend declaration.   |
| <b>CreateArtifactKind</b>       | type     | ui/src/modes/studio/business-chat/BusinessChat.tsx:43       |  Frontend declaration.   |
| <b>WorkspaceNote</b>            | type     | ui/src/modes/studio/business-chat/BusinessChat.tsx:44       |  Frontend declaration.  |
| <b>WorkspaceSource</b>          | type     | ui/src/modes/studio/business-chat/BusinessChat.tsx:45       |  Frontend declaration. |
| <b>SlashCommand</b>             | type     | ui/src/modes/studio/business-chat/BusinessChat.tsx:49       |  Frontend declaration. |
| <b>BrowserSpeechRecognition</b> | type     | ui/src/modes/studio/business-chat/BusinessChat.tsx:60       |  Frontend declaration. |
| <b>AssistantSegment</b>         | type     | ui/src/modes/studio/business-chat/BusinessChat.tsx:71       |  Frontend declaration. |
| <b>AgentActivity</b>            | type     | ui/src/modes/studio/business-chat/BusinessChat.tsx:72       |  Frontend declaration. |
| <b>WorkflowChatMeta</b>         | type     | ui/src/modes/studio/business-chat/BusinessChat.tsx:73       |  Frontend declaration. |
| <b>DurableChatMessage</b>       | type     | ui/src/modes/studio/business-chat/BusinessChat.tsx:80       |  Frontend declaration. |
| <b>ChatMessage</b>              | type     | ui/src/modes/studio/business-chat/BusinessChat.tsx:93       |  Frontend declaration. |
| <b>newId</b>                    | function |                                                             |                                                                                                           |

| Symbol                          | Kind     | Location                                                            | Signature / summary                                                                                                |
|---------------------------------|----------|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                                 |          | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:95</code>  |  Frontend declaration.            |
| <b>activityKey</b>              | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:99</code>  |  Frontend declaration.            |
| <b>BusinessChat</b>             | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:102</code> |  Frontend declaration.            |
| <b>BusinessChatConversation</b> | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:124</code> |  Documented frontend declaration. |
| <b>navigate</b>                 | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:126</code> |  Documented frontend declaration. |
| <b>history</b>                  | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:129</code> |  Frontend declaration.            |
| <b>matching</b>                 | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:130</code> |  Frontend declaration.            |
| <b>workspaceStorageId</b>       | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:161</code> |  Frontend declaration.          |
| <b>abortRef</b>                 | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:184</code> |  Frontend declaration.          |
| <b>runSubmissionRef</b>         | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:185</code> |  Frontend declaration.          |
| <b>finalizedRunsRef</b>         | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:186</code> |  Frontend declaration.          |
| <b>responseLabelsRef</b>        | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:187</code> |  Frontend declaration.          |
| <b>recognitionRef</b>           | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:188</code> |  Frontend declaration.          |
| <b>fileInputRef</b>             | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:189</code> |  Frontend declaration.          |
| <b>scrollRef</b>                | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:190</code> |  Frontend declaration.          |
| <b>openLocalChat</b>            | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:191</code> |  Frontend declaration.          |
| <b>startLocalChat</b>           | function |                                                                     |  Frontend declaration.          |

| Symbol                  | Kind  | Location                                                            | Signature / summary                                                                                       |
|-------------------------|-------|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                         |       | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:200</code> |                                                                                                           |
| <b>updated</b>          | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:206</code> |  Frontend declaration.   |
| <b>next</b>             | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:209</code> |  Frontend declaration.   |
| <b>prompt</b>           | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:218</code> |  Frontend declaration.   |
| <b>next</b>             | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:221</code> |  Frontend declaration.   |
| <b>key</b>              | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:241</code> |  Frontend declaration.   |
| <b>pending</b>          | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:242</code> |  Frontend declaration.   |
| <b>parsed</b>           | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:245</code> |  Frontend declaration.  |
| <b>handedOff</b>        | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:255</code> |  Frontend declaration. |
| <b>controller</b>       | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:261</code> |  Frontend declaration. |
| <b>timeout</b>          | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:262</code> |  Frontend declaration. |
| <b>workflowLoad</b>     | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:264</code> |  Frontend declaration. |
| <b>loadedMeta</b>       | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:275</code> |  Frontend declaration. |
| <b>restored</b>         | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:276</code> |  Frontend declaration. |
| <b>patch</b>            | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:291</code> |  Frontend declaration. |
| <b>latestRunMessage</b> | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:301</code> |  Frontend declaration. |
| <b>latestRunId</b>      | const |                                                                     |  Frontend declaration. |



| Symbol                        | Kind  | Location                                                            | Signature / summary                                                                                                  |
|-------------------------------|-------|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                               |       | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:304</code> |                                                                                                                      |
| <b>patchMessage</b>           | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:363</code> |  Frontend declaration.              |
| <b>persistMessage</b>         | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:367</code> |  Frontend declaration.              |
| <b>serialized</b>             | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:370</code> |  Frontend declaration.              |
| <b>appendDurableMessage</b>   | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:377</code> |  Frontend declaration.              |
| <b>hydrateRun</b>             | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:386</code> |  Frontend declaration.              |
| <b>next</b>                   | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:393</code> |  Frontend declaration.              |
| <b>appendAssistantFromRun</b> | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:404</code> |  Frontend declaration.             |
| <b>run</b>                    | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:409</code> |  Frontend declaration.            |
| <b>responseLabel</b>          | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:423</code> |  Frontend declaration.            |
| <b>showGateOrResult</b>       | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:446</code> |  Frontend declaration.            |
| <b>gate</b>                   | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:449</code> |  Frontend declaration.            |
| <b>intervention</b>           | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:450</code> |  Frontend declaration.            |
| <b>observeAttempt</b>         | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:463</code> |  Documented frontend declaration. |
| <b>controller</b>             | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:467</code> |  Frontend declaration.            |
| <b>node</b>                   | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:475</code> |  Frontend declaration.            |
| <b>waitingForSubprocess</b>   | const |                                                                     |  Frontend declaration.            |

| Symbol                     | Kind  | Location                                                       | Signature / summary   |
|----------------------------|-------|----------------------------------------------------------------|-----------------------|
|                            |       | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:479 |                       |
| <b>node</b>                | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:508 | Frontend declaration. |
| <b>runWorkflowOnce</b>     | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:536 | Frontend declaration. |
| <b>executionYaml</b>       | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:543 | Frontend declaration. |
| <b>executionMeta</b>       | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:544 | Frontend declaration. |
| <b>executionWorkflowId</b> | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:545 | Frontend declaration. |
| <b>messageId</b>           | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:550 | Frontend declaration. |
| <b>requestedRunId</b>      | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:551 | Frontend declaration. |
| <b>userMessage</b>         | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:552 | Frontend declaration. |
| <b>updated</b>             | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:558 | Frontend declaration. |
| <b>conversationSummary</b> | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:565 | Frontend declaration. |
| <b>webSourceUrls</b>       | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:566 | Frontend declaration. |
| <b>inputs</b>              | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:569 | Frontend declaration. |
| <b>uploadAttachments</b>   | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:604 | Frontend declaration. |
| <b>uploaded</b>            | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:610 | Frontend declaration. |
| <b>incoming</b>            | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:616 | Frontend declaration. |
| <b>importDriveFiles</b>    | const |                                                                | Frontend declaration. |

| Symbol                  | Kind  | Location                                                       | Signature / summary                                                                                       |
|-------------------------|-------|----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                         |       | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:625 |                                                                                                           |
| <b>localFiles</b>       | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:632 |  Frontend declaration.   |
| <b>uploaded</b>         | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:638 |  Frontend declaration.   |
| <b>incoming</b>         | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:641 |  Frontend declaration.   |
| <b>addWebSources</b>    | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:651 |  Frontend declaration.   |
| <b>incoming</b>         | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:653 |  Frontend declaration.   |
| <b>toggleDictation</b>  | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:657 |  Frontend declaration.   |
| <b>Constructor</b>      | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:663 |  Frontend declaration.  |
| <b>recognition</b>      | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:669 |  Frontend declaration. |
| <b>result</b>           | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:674 |  Frontend declaration. |
| <b>askFollowUp</b>      | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:689 |  Frontend declaration. |
| <b>userMessage</b>      | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:692 |  Frontend declaration. |
| <b>history</b>          | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:709 |  Frontend declaration. |
| <b>assistantMessage</b> | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:711 |  Frontend declaration. |
| <b>errorMessage</b>     | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:720 |  Frontend declaration. |
| <b>pauseCurrentRun</b>  | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:734 |  Frontend declaration. |
| <b>resumeCurrentRun</b> | const |                                                                |  Frontend declaration. |

| Symbol                      | Kind  | Location                                                       | Signature / summary                                                                                       |
|-----------------------------|-------|----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                             |       | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:749 |                                                                                                           |
| <b>startNewAttempt</b>      | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:766 |  Frontend declaration.   |
| <b>sourceRunId</b>          | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:769 |  Frontend declaration.   |
| <b>newRunId</b>             | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:770 |  Frontend declaration.   |
| <b>nextAttempt</b>          | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:771 |  Frontend declaration.   |
| <b>attemptMessage</b>       | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:777 |  Frontend declaration.   |
| <b>onInterventionResult</b> | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:805 |  Frontend declaration.   |
| <b>record</b>               | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:807 |  Frontend declaration.  |
| <b>status</b>               | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:808 |  Frontend declaration. |
| <b>interventionMessage</b>  | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:809 |  Frontend declaration. |
| <b>nestedChildGate</b>      | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:810 |  Frontend declaration. |
| <b>resolvedMessage</b>      | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:812 |  Frontend declaration. |
| <b>serialized</b>           | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:818 |  Frontend declaration. |
| <b>runId</b>                | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:826 |  Frontend declaration. |
| <b>interventionPending</b>  | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:862 |  Frontend declaration. |
| <b>busy</b>                 | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:868 |  Frontend declaration. |
| <b>disabledReason</b>       | const |                                                                |  Frontend declaration. |

| Symbol                   | Kind  | Location                                                       | Signature / summary                                                                                       |
|--------------------------|-------|----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                          |       | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:869 |                                                                                                           |
| <b>contextActivities</b> | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:876 |  Frontend declaration.   |
| <b>activity</b>          | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:880 |  Frontend declaration.   |
| <b>activeSourceCount</b> | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:885 |  Frontend declaration.   |
| <b>activeSources</b>     | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:886 |  Frontend declaration.   |
| <b>openDeepResearch</b>  | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:887 |  Frontend declaration.   |
| <b>workflow</b>          | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:890 |  Frontend declaration.   |
| <b>selectedSources</b>   | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:891 |  Frontend declaration.  |
| <b>files</b>             | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:892 |  Frontend declaration. |
| <b>deepResearchChat</b>  | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:900 |  Frontend declaration. |
| <b>params</b>            | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:908 |  Frontend declaration. |
| <b>submit</b>            | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:915 |  Frontend declaration. |
| <b>text</b>              | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:919 |  Frontend declaration. |
| <b>skill</b>             | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:927 |  Frontend declaration. |
| <b>detail</b>            | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:931 |  Frontend declaration. |
| <b>workflow</b>          | const | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:957 |  Frontend declaration. |
| <b>detail</b>            | const |                                                                |  Frontend declaration. |

| Symbol                      | Kind     | Location                                                             | Signature / summary                                                                                       |
|-----------------------------|----------|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                             |          | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:958</code>  |                                                                                                           |
| <b>prepared</b>             | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:966</code>  |  Frontend declaration.   |
| <b>detail</b>               | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:967</code>  |  Frontend declaration.   |
| <b>askWithoutKnowledge</b>  | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:983</code>  |  Frontend declaration.   |
| <b>workflow</b>             | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:987</code>  |  Frontend declaration.   |
| <b>detail</b>               | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:988</code>  |  Frontend declaration.   |
| <b>removeKnowledgeScope</b> | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:999</code>  |  Frontend declaration.   |
| <b>updated</b>              | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1001</code> |  Frontend declaration.  |
| <b>chooseSlashCommand</b>   | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1005</code> |  Frontend declaration. |
| <b>result</b>               | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1007</code> |  Frontend declaration. |
| <b>naturalFormat</b>        | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1008</code> |  Frontend declaration. |
| <b>slashMatches</b>         | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1022</code> |  Frontend declaration. |
| <b>title</b>                | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1052</code> |  Frontend declaration. |
| <b>activityItems</b>        | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1054</code> |  Frontend declaration. |
| <b>createMenuItems</b>      | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1055</code> |  Frontend declaration. |
| <b>openNoteDraft</b>        | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1056</code> |  Frontend declaration. |
| <b>saveNoteDraft</b>        | function |                                                                      |  Frontend declaration. |

| Symbol                         | Kind     | Location                                                             | Signature / summary                                                                                                  |
|--------------------------------|----------|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                |          | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1061</code> |                                                                                                                      |
| <b>note</b>                    | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1063</code> |  Frontend declaration.              |
| <b>openCitation</b>            | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1070</code> |  Frontend declaration.              |
| <b>matching</b>                | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1073</code> |  Frontend declaration.              |
| <b>selectActivity</b>          | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1084</code> |  Frontend declaration.              |
| <b>activitiesForRun</b>        | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1091</code> |  Frontend declaration.              |
| <b>activity</b>                | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1095</code> |  Frontend declaration.              |
| <b>showSourceUsage</b>         | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1099</code> |  Frontend declaration.             |
| <b>removeWorkspaceSource</b>   | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1106</code> |  Frontend declaration.            |
| <b>selectSourceFromSession</b> | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1114</code> |  Frontend declaration.            |
| <b>openTechnicalExecution</b>  | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1120</code> |  Frontend declaration.            |
| <b>precedingQuestion</b>       | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1205</code> |  Frontend declaration.            |
| <b>runActivities</b>           | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1206</code> |  Frontend declaration.            |
| <b>images</b>                  | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1274</code> |  Frontend declaration.            |
| <b>MessageView</b>             | function | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1379</code> |  Documented frontend declaration. |
| <b>projection</b>              | const    | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1435</code> |  Frontend declaration.            |
| <b>citations</b>               | const    |                                                                      |  Frontend declaration.            |

| Symbol                     | Kind     | Location                                                        | Signature / summary                                                                                       |
|----------------------------|----------|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                            |          | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1461 |                                                                                                           |
| <b>answerText</b>          | const    | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1463 |  Frontend declaration.   |
| <b>noKnowledgeEvidence</b> | const    | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1464 |  Frontend declaration.   |
| <b>downloadJson</b>        | const    | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1467 |  Frontend declaration.   |
| <b>blob</b>                | const    | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1469 |  Frontend declaration.   |
| <b>url</b>                 | const    | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1470 |  Frontend declaration.   |
| <b>link</b>                | const    | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1471 |  Frontend declaration.   |
| <b>assistantSpeechText</b> | function | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1512 |  Frontend declaration.  |
| <b>SegmentView</b>         | function | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1521 |  Frontend declaration. |
| <b>parts</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1532 |  Frontend declaration. |
| <b>match</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1534 |  Frontend declaration. |
| <b>number</b>              | const    | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1536 |  Frontend declaration. |
| <b>citationItem</b>        | const    | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1537 |  Frontend declaration. |
| <b>formatBytes</b>         | function | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1573 |  Frontend declaration. |
| <b>artifactDetails</b>     | function | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1579 |  Frontend declaration. |
| <b>details</b>             | const    | ui/src/modes/studio/<br>business-chat/<br>BusinessChat.tsx:1581 |  Frontend declaration. |
| <b>ArtifactCard</b>        | function |                                                                 |  Frontend declaration. |



| Symbol                     | Kind  | Location                                                                        | Signature / summary   |
|----------------------------|-------|---------------------------------------------------------------------------------|-----------------------|
|                            |       | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1589</code>            |                       |
| <b>params</b>              | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1597</code>            | Frontend declaration. |
| <b>download</b>            | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1614</code>            | Frontend declaration. |
| <b>src</b>                 | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1621</code>            | Frontend declaration. |
| <b>labels</b>              | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1638</code>            | Frontend declaration. |
| <b>presentation</b>        | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1645</code>            | Frontend declaration. |
| <b>details</b>             | const | <code>ui/src/modes/studio/business-chat/BusinessChat.tsx:1646</code>            | Frontend declaration. |
| <b>message</b>             | const | <code>ui/src/modes/studio/business-chat/ChatInterventionCard.test.tsx:13</code> | Frontend declaration. |
| <b>user</b>                | const | <code>ui/src/modes/studio/business-chat/ChatInterventionCard.test.tsx:37</code> | Frontend declaration. |
| <b>user</b>                | const | <code>ui/src/modes/studio/business-chat/ChatInterventionCard.test.tsx:47</code> | Frontend declaration. |
| <b>editor</b>              | const | <code>ui/src/modes/studio/business-chat/ChatInterventionCard.test.tsx:49</code> | Frontend declaration. |
| <b>user</b>                | const | <code>ui/src/modes/studio/business-chat/ChatInterventionCard.test.tsx:63</code> | Frontend declaration. |
| <b>ref</b>                 | const | <code>ui/src/modes/studio/business-chat/ChatInterventionCard.test.tsx:64</code> | Frontend declaration. |
| <b>user</b>                | const | <code>ui/src/modes/studio/business-chat/ChatInterventionCard.test.tsx:77</code> | Frontend declaration. |
| <b>InterventionMessage</b> | type  |                                                                                 | Frontend declaration. |

| Symbol                      | Kind     | Location                                                              | Signature / summary                                                                                       |
|-----------------------------|----------|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                             |          | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:7  |                                                                                                           |
| <b>DEFAULT_CAPABILITIES</b> | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:9  |  Frontend declaration.   |
| <b>reviewValue</b>          | function | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:15 |  Frontend declaration.   |
| <b>ReviewFact</b>           | function | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:22 |  Frontend declaration.   |
| <b>ChatInterventionCard</b> | function | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:26 |  Frontend declaration.   |
| <b>adapter</b>              | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:38 |  Frontend declaration.   |
| <b>initialText</b>          | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:39 |  Frontend declaration.   |
| <b>canApprove</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:47 |  Frontend declaration.  |
| <b>canEdit</b>              | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:49 |  Frontend declaration. |
| <b>canReject</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:50 |  Frontend declaration. |
| <b>dirty</b>                | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:51 |  Frontend declaration. |
| <b>overLimit</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:52 |  Frontend declaration. |
| <b>accept</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:53 |  Frontend declaration. |
| <b>decide</b>               | function | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:54 |  Frontend declaration. |
| <b>payload</b>              | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:59 |  Frontend declaration. |
| <b>result</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:68 |  Frontend declaration. |
| <b>replaceWithDocument</b>  | function |                                                                       |  Frontend declaration. |

| Symbol                   | Kind     | Location                                                                        | Signature / summary   |
|--------------------------|----------|---------------------------------------------------------------------------------|-----------------------|
|                          |          | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:76           |                       |
| <b>uploaded</b>          | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:81           | Frontend declaration. |
| <b>ref</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:82           | Frontend declaration. |
| <b>extracted</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>ChatInterventionCard.tsx:83           | Frontend declaration. |
| <b>ChatNodeInspector</b> | function | ui/src/modes/studio/<br>business-chat/<br>ChatNodeInspector.tsx:5               | Frontend declaration. |
| <b>chat</b>              | const    | ui/src/modes/studio/<br>business-chat/<br>ChatSessionsPanel.test.tsx:<br>5      | Frontend declaration. |
| <b>onOpen</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>ChatSessionsPanel.test.tsx:<br>13     | Frontend declaration. |
| <b>onNew</b>             | const    | ui/src/modes/studio/<br>business-chat/<br>ChatSessionsPanel.test.tsx:<br>22     | Frontend declaration. |
| <b>ChatSessionsPanel</b> | function | ui/src/modes/studio/<br>business-chat/<br>ChatSessionsPanel.tsx:2               | Frontend declaration. |
| <b>onAddUrls</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceOverlays.test.<br>tsx:30 | Frontend declaration. |
| <b>connection</b>        | const    | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceOverlays.test.<br>tsx:39 | Frontend declaration. |
| <b>onImportDrive</b>     | const    | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceOverlays.test.<br>tsx:42 | Frontend declaration. |
| <b>onClose</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceOverlays.test.<br>tsx:51 | Frontend declaration. |
| <b>trigger</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceOverlays.test.<br>tsx:53 | Frontend declaration. |
| <b>dialog</b>            | const    | ui/src/modes/studio/<br>business-chat/                                          |                       |

| Symbol                      | Kind     | Location                                                                          | Signature / summary                                                                                       |
|-----------------------------|----------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                             |          | <code>ChatWorkspaceOverlays.test.tsx:56</code>                                    |  Frontend declaration.   |
| <b>close</b>                | const    | <code>ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.test.tsx:66</code>  |  Frontend declaration.   |
| <b>technical</b>            | const    | <code>ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.test.tsx:67</code>  |  Frontend declaration.   |
| <b>chat</b>                 | const    | <code>ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.test.tsx:76</code>  |  Frontend declaration.   |
| <b>onOpen</b>               | const    | <code>ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.test.tsx:77</code>  |  Frontend declaration.   |
| <b>onOpen</b>               | const    | <code>ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.test.tsx:87</code>  |  Frontend declaration.   |
| <b>onOpen</b>               | const    | <code>ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.test.tsx:101</code> |  Frontend declaration. |
| <b>workflow</b>             | const    | <code>ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.test.tsx:105</code> |  Frontend declaration. |
| <b>ExistingChatWorkflow</b> | type     | <code>ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:9</code>        |  Frontend declaration. |
| <b>Drawer</b>               | function | <code>ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:17</code>       |  Frontend declaration. |
| <b>dialogRef</b>            | const    | <code>ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:19</code>       |  Frontend declaration. |
| <b>restoreFocusRef</b>      | const    | <code>ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:20</code>       |  Frontend declaration. |
| <b>dialog</b>               | const    | <code>ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:23</code>       |  Frontend declaration. |
| <b>first</b>                | const    | <code>ui/src/modes/studio/business-chat/</code>                                   |  Frontend declaration. |

| Symbol                        | Kind     | Location                                                        | Signature / summary                                                                                       |
|-------------------------------|----------|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                               |          | ChatWorkspaceOverlays.tsx:24                                    |                                                                                                           |
| <b>focusable</b>              | const    | ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:31  |  Frontend declaration.   |
| <b>first</b>                  | const    | ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:33  |  Frontend declaration.   |
| <b>ChatHistoryDrawer</b>      | function | ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:38  |  Frontend declaration.   |
| <b>ExistingWorkflowDrawer</b> | function | ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:52  |  Frontend declaration.   |
| <b>normalized</b>             | const    | ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:64  |  Frontend declaration.   |
| <b>visible</b>                | const    | ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:65  |  Frontend declaration.  |
| <b>SourcePickerDialog</b>     | function | ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:68  |  Frontend declaration. |
| <b>refreshConnections</b>     | const    | ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:86  |  Frontend declaration. |
| <b>googleConnections</b>      | const    | ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:87  |  Frontend declaration. |
| <b>handleMessage</b>          | const    | ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:101 |  Frontend declaration. |
| <b>chooseCollection</b>       | const    | ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:108 |  Frontend declaration. |
| <b>selectedConnection</b>     | const    | ui/src/modes/studio/business-chat/ChatWorkspaceOverlays.tsx:115 |  Frontend declaration. |
| <b>importDrive</b>            | const    | ui/src/modes/studio/business-chat/                              |  Frontend declaration. |

| Symbol                 | Kind     | Location                                                                    | Signature / summary   |
|------------------------|----------|-----------------------------------------------------------------------------|-----------------------|
|                        |          | ChatWorkspaceOverlays.tsx:1<br>16                                           |                       |
| CitationDrawer         | function | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceOverlays.tsx:1<br>39 | Frontend declaration. |
| loadContext            | const    | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceOverlays.tsx:1<br>48 | Frontend declaration. |
| NoteEditor             | function | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceOverlays.tsx:1<br>57 | Frontend declaration. |
| ArtifactCreationDrawer | function | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceOverlays.tsx:1<br>64 | Frontend declaration. |
| ActivityDrawer         | function | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceOverlays.tsx:1<br>70 | Frontend declaration. |
| ChatWorkspacePanel     | type     | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceShell.tsx:2          | Frontend declaration. |
| clamp                  | function | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceShell.tsx:4          | Frontend declaration. |
| ChatWorkspaceShell     | function | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceShell.tsx:8          | Frontend declaration. |
| dragRef                | const    | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceShell.tsx:36         | Frontend declaration. |
| leftWidth              | const    | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceShell.tsx:37         | Frontend declaration. |
| rightWidth             | const    | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceShell.tsx:38         | Frontend declaration. |
| style                  | const    | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceShell.tsx:39         | Frontend declaration. |
| beginResize            | function | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceShell.tsx:43         | Frontend declaration. |
| startWidth             | const    | ui/src/modes/studio/<br>business-chat/<br>ChatWorkspaceShell.tsx:45         | Frontend declaration. |
| resize                 | function |                                                                             |                       |

| Symbol                  | Kind     | Location                                                                    | Signature / summary                                                                                       |
|-------------------------|----------|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                         |          | <a href="#">ui/src/modes/studio/business-chat/ChatWorkspaceShell.tsx:49</a> |  Frontend declaration.   |
| <b>drag</b>             | const    | <a href="#">ui/src/modes/studio/business-chat/ChatWorkspaceShell.tsx:51</a> |  Frontend declaration.   |
| <b>delta</b>            | const    | <a href="#">ui/src/modes/studio/business-chat/ChatWorkspaceShell.tsx:53</a> |  Frontend declaration.   |
| <b>next</b>             | const    | <a href="#">ui/src/modes/studio/business-chat/ChatWorkspaceShell.tsx:54</a> |  Frontend declaration.   |
| <b>finishResize</b>     | function | <a href="#">ui/src/modes/studio/business-chat/ChatWorkspaceShell.tsx:58</a> |  Frontend declaration.   |
| <b>keyboardResize</b>   | function | <a href="#">ui/src/modes/studio/business-chat/ChatWorkspaceShell.tsx:63</a> |  Frontend declaration.   |
| <b>direction</b>        | const    | <a href="#">ui/src/modes/studio/business-chat/ChatWorkspaceShell.tsx:66</a> |  Frontend declaration.   |
| <b>items</b>            | const    | <a href="#">ui/src/modes/studio/business-chat/ComposerMenu.test.tsx:5</a>   |  Frontend declaration.  |
| <b>onClose</b>          | const    | <a href="#">ui/src/modes/studio/business-chat/ComposerMenu.test.tsx:13</a>  |  Frontend declaration. |
| <b>analyze</b>          | const    | <a href="#">ui/src/modes/studio/business-chat/ComposerMenu.test.tsx:15</a>  |  Frontend declaration. |
| <b>research</b>         | const    | <a href="#">ui/src/modes/studio/business-chat/ComposerMenu.test.tsx:16</a>  |  Frontend declaration. |
| <b>onClose</b>          | const    | <a href="#">ui/src/modes/studio/business-chat/ComposerMenu.test.tsx:25</a>  |  Frontend declaration. |
| <b>skill</b>            | const    | <a href="#">ui/src/modes/studio/business-chat/ComposerMenu.test.tsx:33</a>  |  Frontend declaration. |
| <b>createItem</b>       | const    | <a href="#">ui/src/modes/studio/business-chat/ComposerMenu.test.tsx:41</a>  |  Frontend declaration. |
| <b>ComposerMenuItem</b> | type     | <a href="#">ui/src/modes/studio/business-chat/ComposerMenu.tsx:2</a>        |  Frontend declaration. |
| <b>ComposerMenu</b>     | function | <a href="#">ui/src/modes/studio/business-chat/ComposerMenu.tsx:9</a>        |  Frontend declaration. |
| <b>rootRef</b>          | const    |                                                                             |  Frontend declaration. |

| Symbol                      | Kind     | Location                                                                        | Signature / summary   |
|-----------------------------|----------|---------------------------------------------------------------------------------|-----------------------|
|                             |          | <code>ui/src/modes/studio/business-chat/ComposerMenu.tsx:21</code>              |                       |
| <b>restoreFocusRef</b>      | const    | <code>ui/src/modes/studio/business-chat/ComposerMenu.tsx:22</code>              | Frontend declaration. |
| <b>closeOutside</b>         | const    | <code>ui/src/modes/studio/business-chat/ComposerMenu.tsx:27</code>              | Frontend declaration. |
| <b>moveFocus</b>            | function | <code>ui/src/modes/studio/business-chat/ComposerMenu.tsx:36</code>              | Frontend declaration. |
| <b>buttons</b>              | const    | <code>ui/src/modes/studio/business-chat/ComposerMenu.tsx:38</code>              | Frontend declaration. |
| <b>current</b>              | const    | <code>ui/src/modes/studio/business-chat/ComposerMenu.tsx:39</code>              | Frontend declaration. |
| <b>sources</b>              | const    | <code>ui/src/modes/studio/business-chat/NotebookSourcesPanel.test.tsx:5</code>  | Frontend declaration. |
| <b>onToggle</b>             | const    | <code>ui/src/modes/studio/business-chat/NotebookSourcesPanel.test.tsx:13</code> | Frontend declaration. |
| <b>onShowUsage</b>          | const    | <code>ui/src/modes/studio/business-chat/NotebookSourcesPanel.test.tsx:31</code> | Frontend declaration. |
| <b>onToggle</b>             | const    | <code>ui/src/modes/studio/business-chat/NotebookSourcesPanel.test.tsx:32</code> | Frontend declaration. |
| <b>onRemoveSource</b>       | const    | <code>ui/src/modes/studio/business-chat/NotebookSourcesPanel.test.tsx:40</code> | Frontend declaration. |
| <b>SourceFilter</b>         | type     | <code>ui/src/modes/studio/business-chat/NotebookSourcesPanel.tsx:3</code>       | Frontend declaration. |
| <b>sourceIcon</b>           | function | <code>ui/src/modes/studio/business-chat/NotebookSourcesPanel.tsx:5</code>       | Frontend declaration. |
| <b>NotebookSourcesPanel</b> | function | <code>ui/src/modes/studio/business-chat/NotebookSourcesPanel.tsx:15</code>      | Frontend declaration. |
| <b>visible</b>              | const    | <code>ui/src/modes/studio/business-chat/NotebookSourcesPanel.tsx:38</code>      | Frontend declaration. |



| Symbol                       | Kind     | Location                                                                        | Signature / summary                                                                                       |
|------------------------------|----------|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>matchesQuery</b>          | const    | ui/src/modes/studio/<br>business-chat/<br>NotebookSourcesPanel.tsx:39           |  Frontend declaration.   |
| <b>matchesFilter</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>NotebookSourcesPanel.tsx:40           |  Frontend declaration.   |
| <b>selected</b>              | const    | ui/src/modes/studio/<br>business-chat/<br>NotebookSourcesPanel.tsx:49           |  Frontend declaration.   |
| <b>template</b>              | const    | ui/src/modes/studio/<br>business-chat/<br>PromptTemplateLibrary.test.<br>tsx:12 |  Frontend declaration.   |
| <b>user</b>                  | const    | ui/src/modes/studio/<br>business-chat/<br>PromptTemplateLibrary.test.<br>tsx:24 |  Frontend declaration.   |
| <b>onInsert</b>              | const    | ui/src/modes/studio/<br>business-chat/<br>PromptTemplateLibrary.test.<br>tsx:25 |  Frontend declaration.   |
| <b>custom</b>                | const    | ui/src/modes/studio/<br>business-chat/<br>PromptTemplateLibrary.test.<br>tsx:35 |  Frontend declaration.   |
| <b>user</b>                  | const    | ui/src/modes/studio/<br>business-chat/<br>PromptTemplateLibrary.test.<br>tsx:37 |  Frontend declaration.  |
| <b>copy</b>                  | const    | ui/src/modes/studio/<br>business-chat/<br>PromptTemplateLibrary.test.<br>tsx:51 |  Frontend declaration. |
| <b>user</b>                  | const    | ui/src/modes/studio/<br>business-chat/<br>PromptTemplateLibrary.test.<br>tsx:53 |  Frontend declaration. |
| <b>CATEGORIES</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>PromptTemplateLibrary.tsx:5           |  Frontend declaration. |
| <b>PromptTemplateLibrary</b> | function | ui/src/modes/studio/<br>business-chat/<br>PromptTemplateLibrary.tsx:7           |  Frontend declaration. |
| <b>visible</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>PromptTemplateLibrary.tsx:1<br>8      |  Frontend declaration. |
| <b>duplicate</b>             | function | ui/src/modes/studio/<br>business-chat/<br>PromptTemplateLibrary.tsx:1<br>9      |  Frontend declaration. |

| Symbol               | Kind     | Location                                                                     | Signature / summary                                                                                       |
|----------------------|----------|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>favorite</b>      | function | <code>ui/src/modes/studio/business-chat/PromptTemplateLibrary.tsx:20</code>  |  Frontend declaration.   |
| <b>remove</b>        | function | <code>ui/src/modes/studio/business-chat/PromptTemplateLibrary.tsx:21</code>  |  Frontend declaration.   |
| <b>save</b>          | function | <code>ui/src/modes/studio/business-chat/PromptTemplateLibrary.tsx:22</code>  |  Frontend declaration.   |
| <b>result</b>        | const    | <code>ui/src/modes/studio/business-chat/PromptTemplateLibrary.tsx:23</code>  |  Frontend declaration.   |
| <b>RunControlBar</b> | function | <code>ui/src/modes/studio/business-chat/RunControlBar.tsx:3</code>           |  Frontend declaration.   |
| <b>state</b>         | const    | <code>ui/src/modes/studio/business-chat/RunControlBar.tsx:23</code>          |  Frontend declaration.   |
| <b>run</b>           | const    | <code>ui/src/modes/studio/business-chat/SessionAuditPanel.test.tsx:6</code>  |  Frontend declaration. |
| <b>onTabChange</b>   | const    | <code>ui/src/modes/studio/business-chat/SessionAuditPanel.test.tsx:16</code> |  Frontend declaration. |
| <b>events</b>        | const    | <code>ui/src/modes/studio/business-chat/SessionAuditPanel.test.tsx:28</code> |  Frontend declaration. |
| <b>onSelectNode</b>  | const    | <code>ui/src/modes/studio/business-chat/SessionAuditPanel.test.tsx:39</code> |  Frontend declaration. |
| <b>source</b>        | const    | <code>ui/src/modes/studio/business-chat/SessionAuditPanel.test.tsx:40</code> |  Frontend declaration. |
| <b>activity</b>      | const    | <code>ui/src/modes/studio/business-chat/SessionAuditPanel.test.tsx:41</code> |  Frontend declaration. |
| <b>SessionTab</b>    | type     | <code>ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:8</code>       |  Frontend declaration. |
| <b>statusGlyph</b>   | function | <code>ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:10</code>      |  Frontend declaration. |

| Symbol                    | Kind     | Location                                                                     | Signature / summary                                                                                       |
|---------------------------|----------|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>formatDuration</b>     | function | <a href="#">ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:18</a>   |  Frontend declaration.   |
| <b>SessionAuditPanel</b>  | function | <a href="#">ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:23</a>   |  Frontend declaration.   |
| <b>tab</b>                | const    | <a href="#">ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:62</a>   |  Frontend declaration.   |
| <b>selectedSources</b>    | const    | <a href="#">ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:63</a>   |  Frontend declaration.   |
| <b>accessedSources</b>    | const    | <a href="#">ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:64</a>   |  Frontend declaration.   |
| <b>models</b>             | const    | <a href="#">ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:65</a>   |  Frontend declaration.   |
| <b>filteredAudit</b>      | const    | <a href="#">ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:68</a>   |  Frontend declaration.   |
| <b>trace</b>              | const    | <a href="#">ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:69</a>   |  Frontend declaration.  |
| <b>traceText</b>          | const    | <a href="#">ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:70</a>   |  Frontend declaration. |
| <b>downloadTrace</b>      | function | <a href="#">ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:71</a>   |  Frontend declaration. |
| <b>blob</b>               | const    | <a href="#">ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:73</a>   |  Frontend declaration. |
| <b>url</b>                | const    | <a href="#">ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:74</a>   |  Frontend declaration. |
| <b>link</b>               | const    | <a href="#">ui/src/modes/studio/business-chat/SessionAuditPanel.tsx:75</a>   |  Frontend declaration. |
| <b>CreateArtifactKind</b> | type     | <a href="#">ui/src/modes/studio/business-chat/SourceFirstChatHome.tsx:23</a> |  Frontend declaration. |
| <b>WorkspaceNote</b>      | type     | <a href="#">ui/src/modes/studio/business-chat/SourceFirstChatHome.tsx:24</a> |  Frontend declaration. |
| <b>WorkspaceSource</b>    | type     | <a href="#">ui/src/modes/studio/business-chat/SourceFirstChatHome.tsx:25</a> |  Frontend declaration. |
| <b>LocalChatRecord</b>    | type     |                                                                              |                                                                                                           |

| Symbol                     | Kind     | Location                                                              | Signature / summary                                                                                       |
|----------------------------|----------|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                            |          | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:41  |  Frontend declaration.   |
| <b>SUGGESTIONS</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:44  |  Frontend declaration.   |
| <b>SourceFirstChatHome</b> | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:52  |  Frontend declaration.   |
| <b>navigate</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:54  |  Frontend declaration.   |
| <b>workspaceId</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:57  |  Frontend declaration.   |
| <b>openChat</b>            | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:108 |  Frontend declaration.   |
| <b>newChat</b>             | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:120 |  Frontend declaration.   |
| <b>chat</b>                | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:122 |  Frontend declaration.  |
| <b>openWorkflowPicker</b>  | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:126 |  Frontend declaration. |
| <b>useExistingWorkflow</b> | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:148 |  Frontend declaration. |
| <b>files</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:152 |  Frontend declaration. |
| <b>uploadFiles</b>         | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:159 |  Frontend declaration. |
| <b>uploaded</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:165 |  Frontend declaration. |
| <b>incoming</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:167 |  Frontend declaration. |
| <b>importDriveFiles</b>    | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:176 |  Frontend declaration. |
| <b>localFiles</b>          | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:182 |  Frontend declaration. |
| <b>uploaded</b>            | const    |                                                                       |  Frontend declaration. |

| Symbol                  | Kind     | Location                                                              | Signature / summary                                                                                       |
|-------------------------|----------|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                         |          | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:188 |                                                                                                           |
| <b>incoming</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:190 |  Frontend declaration.   |
| <b>message</b>          | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:194 |  Frontend declaration.   |
| <b>addWebSources</b>    | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:201 |  Frontend declaration.   |
| <b>incoming</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:203 |  Frontend declaration.   |
| <b>selectCollection</b> | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:207 |  Frontend declaration.   |
| <b>nonKnowledge</b>     | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:211 |  Frontend declaration.   |
| <b>selectedIds</b>      | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:212 |  Frontend declaration.  |
| <b>removeSource</b>     | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:219 |  Frontend declaration. |
| <b>startWorkspace</b>   | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:226 |  Frontend declaration. |
| <b>objective</b>        | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:228 |  Frontend declaration. |
| <b>files</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:233 |  Frontend declaration. |
| <b>collectionId</b>     | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:234 |  Frontend declaration. |
| <b>documentIds</b>      | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:235 |  Frontend declaration. |
| <b>agents</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:241 |  Frontend declaration. |
| <b>prepared</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:254 |  Frontend declaration. |
| <b>workflow</b>         | const    |                                                                       |  Frontend declaration. |

| Symbol                | Kind     | Location                                                              | Signature / summary   |
|-----------------------|----------|-----------------------------------------------------------------------|-----------------------|
|                       |          | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:255 |                       |
| attachmentCategories  | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:264 | Frontend declaration. |
| planningRequest       | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:265 | Frontend declaration. |
| plan                  | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:272 | Frontend declaration. |
| prepared              | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:273 | Frontend declaration. |
| workflow              | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:278 | Frontend declaration. |
| chooseKnowledgeAgent  | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:297 | Frontend declaration. |
| objective             | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:299 | Frontend declaration. |
| collectionId          | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:300 | Frontend declaration. |
| documentIds           | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:301 | Frontend declaration. |
| prepared              | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:310 | Frontend declaration. |
| workflow              | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:311 | Frontend declaration. |
| configureKnowledge    | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:325 | Frontend declaration. |
| collectionId          | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:327 | Frontend declaration. |
| saveNote              | function | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:332 | Frontend declaration. |
| selectedCount         | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:342 | Frontend declaration. |
| hasKnowledgeSelection | const    |                                                                       | Frontend declaration. |

| Symbol                      | Kind     | Location                                                               | Signature / summary                                                                                                  |
|-----------------------------|----------|------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                             |          | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:344  |                                                                                                                      |
| <b>createItems</b>          | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:345  |  Frontend declaration.              |
| <b>target</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:371  |  Frontend declaration.              |
| <b>selected</b>             | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:373  |  Frontend declaration.              |
| <b>images</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>SourceFirstChatHome.tsx:411  |  Frontend declaration.              |
| <b>stageStatus</b>          | function | ui/src/modes/studio/<br>business-chat/<br>WorkflowContextPanel.tsx:2   |  Frontend declaration.              |
| <b>WorkflowContextPanel</b> | function | ui/src/modes/studio/<br>business-chat/<br>WorkflowContextPanel.tsx:10  |  Frontend declaration.              |
| <b>businessStages</b>       | const    | ui/src/modes/studio/<br>business-chat/<br>WorkflowContextPanel.tsx:24  |  Frontend declaration.             |
| <b>label</b>                | const    | ui/src/modes/studio/<br>business-chat/<br>WorkflowContextPanel.tsx:25  |  Frontend declaration.            |
| <b>status</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>WorkflowContextPanel.tsx:48  |  Frontend declaration.            |
| <b>WorkflowChatMeta</b>     | type     | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.test.ts:24 |  Frontend declaration.            |
| <b>REFERENCE_DIR</b>        | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.test.ts:40 |  Documented frontend declaration. |
| <b>fileRef</b>              | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.test.ts:41 |  Documented frontend declaration. |
| <b>metaDefaults</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.test.ts:55 |  Frontend declaration.            |
| <b>yamlText</b>             | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.test.ts:64 |  Frontend declaration.            |

| Symbol             | Kind  | Location                                                                     | Signature / summary                                                                                       |
|--------------------|-------|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>meta</b>        | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:65</code>  |  Frontend declaration.   |
| <b>yamlText</b>    | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:78</code>  |  Frontend declaration.   |
| <b>meta</b>        | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:79</code>  |  Frontend declaration.   |
| <b>meta</b>        | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:87</code>  |  Frontend declaration.   |
| <b>chatbotMeta</b> | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:93</code>  |  Frontend declaration.   |
| <b>meta</b>        | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:124</code> |  Frontend declaration.   |
| <b>result</b>      | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:134</code> |  Frontend declaration. |
| <b>meta</b>        | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:160</code> |  Frontend declaration. |
| <b>started</b>     | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:168</code> |  Frontend declaration. |
| <b>plainMeta</b>   | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:172</code> |  Frontend declaration. |
| <b>completed</b>   | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:181</code> |  Frontend declaration. |
| <b>unknown</b>     | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:190</code> |  Frontend declaration. |
| <b>completed</b>   | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:194</code> |  Frontend declaration. |



| Symbol              | Kind  | Location                                                                     | Signature / summary                                                                                       |
|---------------------|-------|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>meta</b>         | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:199</code> |  Frontend declaration.   |
| <b>request</b>      | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:207</code> |  Frontend declaration.   |
| <b>request</b>      | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:239</code> |  Frontend declaration.   |
| <b>segments</b>     | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:290</code> |  Frontend declaration.   |
| <b>kinds</b>        | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:313</code> |  Frontend declaration.   |
| <b>segments</b>     | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:323</code> |  Frontend declaration.   |
| <b>segments</b>     | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:332</code> |  Frontend declaration. |
| <b>segments</b>     | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:344</code> |  Frontend declaration. |
| <b>segments</b>     | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:359</code> |  Frontend declaration. |
| <b>sources</b>      | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:372</code> |  Frontend declaration. |
| <b>segments</b>     | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:380</code> |  Frontend declaration. |
| <b>segments</b>     | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:418</code> |  Frontend declaration. |
| <b>workflowMeta</b> | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:451</code> |  Frontend declaration. |

| Symbol             | Kind  | Location                                                                     | Signature / summary                                                                                       |
|--------------------|-------|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>prepared</b>    | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:508</code> |  Frontend declaration.   |
| <b>activity</b>    | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:518</code> |  Frontend declaration.   |
| <b>route</b>       | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:531</code> |  Frontend declaration.   |
| <b>failure</b>     | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:537</code> |  Frontend declaration.   |
| <b>knowledge</b>   | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:555</code> |  Frontend declaration.   |
| <b>activity</b>    | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:557</code> |  Frontend declaration.   |
| <b>rewriteNode</b> | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:576</code> |  Frontend declaration. |
| <b>activity</b>    | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:579</code> |  Frontend declaration. |
| <b>workflow</b>    | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:590</code> |  Frontend declaration. |
| <b>meta</b>        | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:613</code> |  Frontend declaration. |
| <b>result</b>      | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:619</code> |  Frontend declaration. |
| <b>disallowed</b>  | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:627</code> |  Frontend declaration. |
| <b>meta</b>        | const | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:637</code> |  Frontend declaration. |

| Symbol                          | Kind     | Location                                                                     | Signature / summary                                                                                       |
|---------------------------------|----------|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>activity</b>                 | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:647</code> |  Frontend declaration.   |
| <b>segments</b>                 | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.test.ts:683</code> |  Frontend declaration.   |
| <b>ChatOutput</b>               | type     | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:24</code>       |  Frontend declaration.   |
| <b>GenericChatExperienceId</b>  | type     | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:26</code>       |  Frontend declaration.   |
| <b>GENERIC_CHAT_EXPERIENCES</b> | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:28</code>       |  Frontend declaration.   |
| <b>ChatFormField</b>            | type     | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:55</code>       |  Frontend declaration.   |
| <b>WorkflowChatMeta</b>         | type     | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:62</code>       |  Frontend declaration.   |
| <b>WorkflowChatNode</b>         | type     | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:80</code>       |  Frontend declaration. |
| <b>businessActivityLabel</b>    | function | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:94</code>       |  Frontend declaration. |
| <b>AgentActivity</b>            | type     | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:105</code>      |  Frontend declaration. |
| <b>chatMetaFromYaml</b>         | function | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:123</code>      |  Frontend declaration. |
| <b>meta</b>                     | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:125</code>      |  Frontend declaration. |
| <b>nodes</b>                    | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:149</code>      |  Frontend declaration. |
| <b>upstream</b>                 | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:150</code>      |  Frontend declaration. |
| <b>downstream</b>               | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:151</code>      |  Frontend declaration. |
| <b>targets</b>                  | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:154</code>      |  Frontend declaration. |

| Symbol                           | Kind     | Location                                                                   | Signature / summary                                                                                                  |
|----------------------------------|----------|----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>type</b>                      | const    | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:179</a> |  Frontend declaration.              |
| <b>experience</b>                | const    | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:180</a> |  Frontend declaration.              |
| <b>config</b>                    | const    | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:223</a> |  Frontend declaration.              |
| <b>compatibleTransformModels</b> | function | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:253</a> |  Documented frontend declaration.   |
| <b>transforms</b>                | const    | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:254</a> |  Documented frontend declaration.   |
| <b>constrained</b>               | const    | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:258</a> |  Frontend declaration.              |
| <b>withTransformModel</b>        | function | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:271</a> |  Documented frontend declaration.   |
| <b>doc</b>                       | const    | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:273</a> |  Frontend declaration.             |
| <b>nodes</b>                     | const    | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:275</a> |  Frontend declaration.            |
| <b>node</b>                      | const    | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:277</a> |  Frontend declaration.            |
| <b>config</b>                    | const    | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:278</a> |  Frontend declaration.            |
| <b>allowed</b>                   | const    | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:280</a> |  Frontend declaration.            |
| <b>buildRunInputs</b>            | function | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:292</a> |  Documented frontend declaration. |
| <b>allowedOptionalInputs</b>     | const    | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:300</a> |  Frontend declaration.            |
| <b>inputs</b>                    | const    | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:305</a> |  Frontend declaration.            |
| <b>humanizeNodeId</b>            | function | <a href="#">ui/src/modes/studio/business-chat/businessChatModel.ts:311</a> |  Frontend declaration.            |
| <b>asRecord</b>                  | function |                                                                            |                                                                                                                      |

| Symbol                     | Kind     | Location                                                                | Signature / summary                                                                                                |
|----------------------------|----------|-------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                            |          | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:317</code> |  Frontend declaration.            |
| <b>meaningfulText</b>      | function | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:323</code> |  Frontend declaration.            |
| <b>value</b>               | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:326</code> |  Frontend declaration.            |
| <b>parsed</b>              | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:329</code> |  Frontend declaration.            |
| <b>value</b>               | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:331</code> |  Frontend declaration.            |
| <b>activityFromNodeRun</b> | function | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:339</code> |  Documented frontend declaration. |
| <b>displayName</b>         | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:344</code> |  Frontend declaration.            |
| <b>output</b>              | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:352</code> |  Frontend declaration.           |
| <b>base</b>                | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:353</code> |  Frontend declaration.          |
| <b>results</b>             | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:374</code> |  Frontend declaration.          |
| <b>sources</b>             | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:375</code> |  Frontend declaration.          |
| <b>record</b>              | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:376</code> |  Frontend declaration.          |
| <b>count</b>               | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:381</code> |  Frontend declaration.          |
| <b>citations</b>           | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:390</code> |  Frontend declaration.          |
| <b>sources</b>             | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:391</code> |  Frontend declaration.          |
| <b>citation</b>            | const    | <code>ui/src/modes/studio/business-chat/businessChatModel.ts:392</code> |  Frontend declaration.          |
| <b>title</b>               | const    |                                                                         |  Frontend declaration.          |

| Symbol      | Kind  | Location                                                           | Signature / summary   |
|-------------|-------|--------------------------------------------------------------------|-----------------------|
|             |       | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:393 |                       |
| page        | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:395 | Frontend declaration. |
| section     | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:398 | Frontend declaration. |
| count       | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:403 | Frontend declaration. |
| parsed      | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:413 | Frontend declaration. |
| rewritten   | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:414 | Frontend declaration. |
| generated   | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:422 | Frontend declaration. |
| provider    | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:423 | Frontend declaration. |
| key         | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:424 | Frontend declaration. |
| contentType | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:425 | Frontend declaration. |
| model       | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:426 | Frontend declaration. |
| server      | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:437 | Frontend declaration. |
| tool        | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:438 | Frontend declaration. |
| failed      | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:439 | Frontend declaration. |
| calls       | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:454 | Frontend declaration. |
| selected    | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:462 | Frontend declaration. |
| reason      | const |                                                                    | Frontend declaration. |

| Symbol                                  | Kind     | Location                                                           | Signature / summary                                                                                                  |
|-----------------------------------------|----------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                         |          | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:465 |                                                                                                                      |
| <b>resolveComposerIntent</b>            | function | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:482 |  Documented frontend declaration.   |
| <b>eventProgressLabel</b>               | function | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:498 |  Frontend declaration.              |
| <b>authored</b>                         | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:503 |  Frontend declaration.              |
| <b>label</b>                            | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:505 |  Frontend declaration.              |
| <b>authored</b>                         | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:509 |  Frontend declaration.              |
| <b>InterventionRequest</b>              | type     | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:529 |  Documented frontend declaration.   |
| <b>interventionFromPendingG<br/>ate</b> | function | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:544 |  Frontend declaration.             |
| <b>source</b>                           | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:572 |  Documented frontend declaration. |
| <b>hasReviewContent</b>                 | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:576 |  Frontend declaration.            |
| <b>nodeId</b>                           | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:579 |  Frontend declaration.            |
| <b>composerDisabledReason</b>           | function | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:613 |  Documented frontend declaration. |
| <b>ChatCitation</b>                     | type     | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:625 |  Documented frontend declaration. |
| <b>AssistantSegment</b>                 | type     | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:639 |  Frontend declaration.            |
| <b>isFileReference</b>                  | function | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:640 |  Frontend declaration.            |
| <b>valueAsText</b>                      | function | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:647 |  Documented frontend declaration. |
| <b>outputAsRecord</b>                   | function |                                                                    |  Documented frontend declaration. |

| Symbol                     | Kind     | Location                                                           | Signature / summary                                                                                                |
|----------------------------|----------|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                            |          | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:659 |                                                                                                                    |
| <b>assistantSegments</b>   | function | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:669 |  Frontend declaration.            |
| <b>segments</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:675 |  Frontend declaration.            |
| <b>nodeRuns</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:676 |  Frontend declaration.            |
| <b>nodeTypes</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:677 |  Frontend declaration.            |
| <b>sourceItems</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:680 |  Documented frontend declaration. |
| <b>acquiredByCandidate</b> | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:681 |  Documented frontend declaration. |
| <b>documents</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:684 |  Frontend declaration.           |
| <b>record</b>              | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:687 |  Frontend declaration.          |
| <b>sourcePriority</b>      | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:691 |  Frontend declaration.          |
| <b>sourceNodeRuns</b>      | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:700 |  Frontend declaration.          |
| <b>priority</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:701 |  Frontend declaration.          |
| <b>nodeType</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:705 |  Frontend declaration.          |
| <b>output</b>              | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:706 |  Frontend declaration.          |
| <b>files</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:708 |  Frontend declaration.          |
| <b>record</b>              | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:711 |  Frontend declaration.          |
| <b>results</b>             | const    |                                                                    |  Frontend declaration.          |



| Symbol                | Kind  | Location                                                           | Signature / summary                                                                                                  |
|-----------------------|-------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                       |       | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:723 |                                                                                                                      |
| <b>record</b>         | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:726 |  Frontend declaration.              |
| <b>rawUrl</b>         | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:727 |  Frontend declaration.              |
| <b>sourceUri</b>      | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:728 |  Documented frontend declaration.   |
| <b>title</b>          | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:731 |  Documented frontend declaration.   |
| <b>data</b>           | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:747 |  Frontend declaration.              |
| <b>papers</b>         | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:748 |  Frontend declaration.              |
| <b>record</b>         | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:754 |  Frontend declaration.             |
| <b>rawDoi</b>         | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:755 |  Frontend declaration.            |
| <b>rawUrl</b>         | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:756 |  Frontend declaration.            |
| <b>sourceUri</b>      | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:759 |  Documented frontend declaration. |
| <b>title</b>          | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:760 |  Documented frontend declaration. |
| <b>snippet</b>        | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:762 |  Documented frontend declaration. |
| <b>candidates</b>     | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:777 |  Frontend declaration.            |
| <b>dossiers</b>       | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:778 |  Frontend declaration.            |
| <b>citedTextByUrl</b> | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:779 |  Frontend declaration.            |
| <b>citations</b>      | const |                                                                    |  Frontend declaration.            |

| Symbol             | Kind  | Location                                                           | Signature / summary                                                                                                  |
|--------------------|-------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                    |       | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:782 |                                                                                                                      |
| <b>record</b>      | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:785 |  Frontend declaration.              |
| <b>record</b>      | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:794 |  Frontend declaration.              |
| <b>candidateId</b> | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:795 |  Frontend declaration.              |
| <b>acquired</b>    | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:796 |  Frontend declaration.              |
| <b>rawUrl</b>      | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:797 |  Frontend declaration.              |
| <b>sourceUri</b>   | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:800 |  Documented frontend declaration.   |
| <b>title</b>       | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:801 |  Documented frontend declaration.  |
| <b>sourceName</b>  | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:803 |  Documented frontend declaration. |
| <b>identifiers</b> | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:804 |  Frontend declaration.            |
| <b>paper</b>       | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:805 |  Frontend declaration.            |
| <b>documentId</b>  | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:807 |  Frontend declaration.            |
| <b>pdfKey</b>      | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:808 |  Frontend declaration.            |
| <b>downloadUrl</b> | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:809 |  Frontend declaration.            |
| <b>snippet</b>     | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:812 |  Frontend declaration.            |
| <b>citations</b>   | const | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:828 |  Frontend declaration.            |
| <b>chunks</b>      | const |                                                                    |  Frontend declaration.            |

| Symbol                         | Kind     | Location                                                           | Signature / summary              |
|--------------------------------|----------|--------------------------------------------------------------------|----------------------------------|
|                                |          | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:829 |                                  |
| <b>retrievalTraceId</b>        | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:830 | Frontend declaration.            |
| <b>chunkList</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:834 | Frontend declaration.            |
| <b>record</b>                  | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:837 | Frontend declaration.            |
| <b>name</b>                    | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:838 | Frontend declaration.            |
| <b>chunk</b>                   | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:840 | Frontend declaration.            |
| <b>metadata</b>                | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:841 | Frontend declaration.            |
| <b>snippet</b>                 | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:842 | Frontend declaration.            |
| <b>rawSourceUri</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:843 | Frontend declaration.            |
| <b>sourceUri</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:844 | Documented frontend declaration. |
| <b>uniqueSources</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:863 | Frontend declaration.            |
| <b>key</b>                     | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:865 | Frontend declaration.            |
| <b>deduped</b>                 | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:868 | Frontend declaration.            |
| <b>structuredResultFromRun</b> | function | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:876 | Frontend declaration.            |
| <b>directHandoff</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:881 | Frontend declaration.            |
| <b>result</b>                  | const    | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:884 | Frontend declaration.            |
| <b>handoff</b>                 | const    |                                                                    | Frontend declaration.            |

| Symbol                          | Kind     | Location                                                              | Signature / summary                                                                                       |
|---------------------------------|----------|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                                 |          | ui/src/modes/studio/<br>business-chat/<br>businessChatModel.ts:885    |                                                                                                           |
| <b>table</b>                    | const    | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.test.ts:18 |  Frontend declaration.   |
| <b>research</b>                 | const    | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.test.ts:24 |  Frontend declaration.   |
| <b>ResponseFormat</b>           | type     | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.ts:1       |  Frontend declaration.   |
| <b>WritingStyle</b>             | type     | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.ts:2       |  Frontend declaration.   |
| <b>SlashCommand</b>             | type     | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.ts:3       |  Frontend declaration.   |
| <b>SLASH_COMMANDS</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.ts:12      |  Frontend declaration.   |
| <b>matchingSlashCommands</b>    | function | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.ts:24      |  Frontend declaration.  |
| <b>extractTemplateVariables</b> | function | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.ts:29      |  Frontend declaration. |
| <b>found</b>                    | const    | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.ts:31      |  Frontend declaration. |
| <b>renderPromptTemplate</b>     | function | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.ts:34      |  Frontend declaration. |
| <b>classifyResponseFormat</b>   | function | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.ts:40      |  Frontend declaration. |
| <b>text</b>                     | const    | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.ts:42      |  Frontend declaration. |
| <b>numericSignals</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.ts:43      |  Frontend declaration. |
| <b>formatHint</b>               | function | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.ts:50      |  Frontend declaration. |
| <b>formatInstruction</b>        | const    | ui/src/modes/studio/<br>business-chat/<br>chatEnhancements.ts:52      |  Frontend declaration. |
| <b>applySlashCommand</b>        | function |                                                                       |  Frontend declaration. |

| Symbol                   | Kind  | Location                                                               | Signature / summary              |
|--------------------------|-------|------------------------------------------------------------------------|----------------------------------|
|                          |       | <code>ui/src/modes/studio/business-chat/chatEnhancements.ts:62</code>  |                                  |
| <b>remainder</b>         | const | <code>ui/src/modes/studio/business-chat/chatEnhancements.ts:68</code>  | Frontend declaration.            |
| <b>fileRef</b>           | const | <code>ui/src/modes/studio/business-chat/chatOutputs.test.ts:10</code>  | Frontend declaration.            |
| <b>answer</b>            | const | <code>ui/src/modes/studio/business-chat/chatOutputs.test.ts:64</code>  | Frontend declaration.            |
| <b>result</b>            | const | <code>ui/src/modes/studio/business-chat/chatOutputs.test.ts:105</code> | Frontend declaration.            |
| <b>result</b>            | const | <code>ui/src/modes/studio/business-chat/chatOutputs.test.ts:122</code> | Frontend declaration.            |
| <b>renderer</b>          | const | <code>ui/src/modes/studio/business-chat/chatOutputs.test.ts:129</code> | Frontend declaration.            |
| <b>reference</b>         | const | <code>ui/src/modes/studio/business-chat/chatOutputs.test.ts:133</code> | Frontend declaration.            |
| <b>structured</b>        | const | <code>ui/src/modes/studio/business-chat/chatOutputs.test.ts:142</code> | Frontend declaration.            |
| <b>result</b>            | const | <code>ui/src/modes/studio/business-chat/chatOutputs.test.ts:153</code> | Frontend declaration.            |
| <b>result</b>            | const | <code>ui/src/modes/studio/business-chat/chatOutputs.test.ts:163</code> | Frontend declaration.            |
| <b>EMPTY_CHAT_RESULT</b> | const | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:2</code>        | Frontend declaration.            |
| <b>ChatArtifactKind</b>  | type  | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:4</code>        | Frontend declaration.            |
| <b>ChatArtifact</b>      | type  | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:6</code>        | Frontend declaration.            |
| <b>ChatOutput</b>        | type  | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:24</code>       | Documented frontend declaration. |
| <b>ChatOutputRun</b>     | type  | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:29</code>       | Frontend declaration.            |
| <b>IMAGE_EXTENSIONS</b>  | const |                                                                        | Frontend declaration.            |

| Symbol                         | Kind     | Location                                                     | Signature / summary   |
|--------------------------------|----------|--------------------------------------------------------------|-----------------------|
|                                |          | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:35  |                       |
| <b>ARTIFACT_EXTENSIONS</b>     | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:37  | Frontend declaration. |
| <b>ARTIFACT_FIELDS</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:38  | Frontend declaration. |
| <b>NON_VISIBLE_KEYS</b>        | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:39  | Frontend declaration. |
| <b>isWorkflowFileReference</b> | function | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:46  | Frontend declaration. |
| <b>record</b>                  | function | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:56  | Frontend declaration. |
| <b>extensionOf</b>             | function | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:62  | Frontend declaration. |
| <b>numberField</b>             | function | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:66  | Frontend declaration. |
| <b>titleFromKey</b>            | function | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:73  | Frontend declaration. |
| <b>basename</b>                | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:76  | Frontend declaration. |
| <b>artifactKind</b>            | function | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:79  | Frontend declaration. |
| <b>extension</b>               | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:82  | Frontend declaration. |
| <b>fromReference</b>           | function | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:88  | Frontend declaration. |
| <b>kind</b>                    | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:90  | Frontend declaration. |
| <b>artifactFromKey</b>         | function | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:102 | Frontend declaration. |
| <b>contentType</b>             | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:108 | Frontend declaration. |
| <b>kind</b>                    | const    |                                                              | Frontend declaration. |

| Symbol                                 | Kind     | Location                                                          | Signature / summary              |
|----------------------------------------|----------|-------------------------------------------------------------------|----------------------------------|
|                                        |          | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:109</code> |                                  |
| <b>title</b>                           | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:111</code> | Frontend declaration.            |
| <b>collectArtifacts</b>                | function | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:132</code> | Frontend declaration.            |
| <b>artifact</b>                        | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:135</code> | Frontend declaration.            |
| <b>object</b>                          | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:146</code> | Frontend declaration.            |
| <b>key</b>                             | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:151</code> | Frontend declaration.            |
| <b>artifact</b>                        | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:153</code> | Frontend declaration.            |
| <b>dedupeAndApplySiblingPrecedence</b> | function | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:166</code> | Frontend declaration.            |
| <b>unique</b>                          | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:168</code> | Frontend declaration.            |
| <b>previous</b>                        | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:170</code> | Frontend declaration.            |
| <b>values</b>                          | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:173</code> | Frontend declaration.            |
| <b>groupsWithPdf</b>                   | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:174</code> | Frontend declaration.            |
| <b>splitFencedCode</b>                 | function | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:179</code> | Documented frontend declaration. |
| <b>outputs</b>                         | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:180</code> | Documented frontend declaration. |
| <b>fence</b>                           | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:181</code> | Documented frontend declaration. |
| <b>index</b>                           | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:184</code> | Frontend declaration.            |
| <b>before</b>                          | const    |                                                                   | Frontend declaration.            |

| Symbol                       | Kind     | Location                                                          | Signature / summary                                                                                                  |
|------------------------------|----------|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                              |          | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:185</code> |                                                                                                                      |
| <b>info</b>                  | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:187</code> |  Frontend declaration.              |
| <b>after</b>                 | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:196</code> |  Frontend declaration.              |
| <b>humanize</b>              | function | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:200</code> |  Frontend declaration.              |
| <b>scalarText</b>            | function | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:204</code> |  Frontend declaration.              |
| <b>trimmed</b>               | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:207</code> |  Frontend declaration.              |
| <b>summarizeRows</b>         | function | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:214</code> |  Frontend declaration.              |
| <b>previews</b>              | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:217</code> |  Frontend declaration.             |
| <b>object</b>                | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:218</code> |  Frontend declaration.            |
| <b>fields</b>                | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:220</code> |  Frontend declaration.            |
| <b>remainder</b>             | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:225</code> |  Frontend declaration.            |
| <b>structuredValueAsText</b> | function | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:230</code> |  Documented frontend declaration. |
| <b>scalar</b>                | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:231</code> |  Documented frontend declaration. |
| <b>items</b>                 | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:236</code> |  Frontend declaration.            |
| <b>object</b>                | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:239</code> |  Frontend declaration.            |
| <b>rows</b>                  | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:242</code> |  Frontend declaration.            |
| <b>summary</b>               | const    |                                                                   |  Frontend declaration.            |



| Symbol                             | Kind     | Location                                                     | Signature / summary   |
|------------------------------------|----------|--------------------------------------------------------------|-----------------------|
|                                    |          | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:244 |                       |
| <b>lines</b>                       | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:248 | Frontend declaration. |
| <b>childScalar</b>                 | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:252 | Frontend declaration. |
| <b>appendText</b>                  | function | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:260 | Frontend declaration. |
| <b>answerFromTransformEnvelope</b> | function | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:264 | Frontend declaration. |
| <b>envelope</b>                    | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:266 | Frontend declaration. |
| <b>parsed</b>                      | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:268 | Frontend declaration. |
| <b>parsedAnswer</b>                | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:269 | Frontend declaration. |
| <b>raw</b>                         | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:273 | Frontend declaration. |
| <b>nonEmptyText</b>                | function | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:279 | Frontend declaration. |
| <b>projectedFinalAnswer</b>        | function | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:283 | Frontend declaration. |
| <b>outputs</b>                     | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:285 | Frontend declaration. |
| <b>direct</b>                      | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:286 | Frontend declaration. |
| <b>reply</b>                       | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:288 | Frontend declaration. |
| <b>replyResult</b>                 | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:290 | Frontend declaration. |
| <b>replyAnswer</b>                 | const    | ui/src/modes/studio/<br>business-chat/<br>chatOutputs.ts:291 | Frontend declaration. |
| <b>rag</b>                         | const    |                                                              | Frontend declaration. |

| Symbol                      | Kind     | Location                                                                | Signature / summary                                                                                                  |
|-----------------------------|----------|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                             |          | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:293</code>       |                                                                                                                      |
| <b>ragAnswer</b>            | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:295</code>       |  Frontend declaration.              |
| <b>answer</b>               | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:300</code>       |  Frontend declaration.              |
| <b>normalizeChatOutputs</b> | function | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:307</code>       |  Documented frontend declaration.   |
| <b>visible</b>              | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:308</code>       |  Documented frontend declaration.   |
| <b>artifacts</b>            | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:309</code>       |  Documented frontend declaration.   |
| <b>nodeRuns</b>             | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:310</code>       |  Frontend declaration.              |
| <b>chatMessages</b>         | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:311</code>       |  Frontend declaration.             |
| <b>message</b>              | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:314</code>       |  Frontend declaration.            |
| <b>normalizedMessage</b>    | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:315</code>       |  Frontend declaration.            |
| <b>projectedAnswer</b>      | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:327</code>       |  Documented frontend declaration. |
| <b>hasChatResponse</b>      | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:341</code>       |  Documented frontend declaration. |
| <b>structured</b>           | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:342</code>       |  Documented frontend declaration. |
| <b>hasArtifact</b>          | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:344</code>       |  Frontend declaration.            |
| <b>text</b>                 | const    | <code>ui/src/modes/studio/business-chat/chatOutputs.ts:347</code>       |  Frontend declaration.            |
| <b>summary</b>              | const    | <code>ui/src/modes/studio/business-chat/chatTranscript.test.ts:8</code> |  Frontend declaration.            |
| <b>local</b>                | const    |                                                                         |  Frontend declaration.            |

| Symbol                               | Kind     | Location                                                            | Signature / summary   |
|--------------------------------------|----------|---------------------------------------------------------------------|-----------------------|
|                                      |          | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.test.ts:20 |                       |
| <b>serialized</b>                    | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.test.ts:37 | Frontend declaration. |
| <b>restored</b>                      | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.test.ts:38 | Frontend declaration. |
| <b>local</b>                         | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.test.ts:48 | Frontend declaration. |
| <b>serialized</b>                    | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.test.ts:54 | Frontend declaration. |
| <b>malformed</b>                     | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.test.ts:62 | Frontend declaration. |
| <b>restored</b>                      | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.test.ts:70 | Frontend declaration. |
| <b>DurableChatMessage</b>            | type     | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:3       | Frontend declaration. |
| <b>SUMMARY_MAX_MESSAGES</b>          | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:16      | Frontend declaration. |
| <b>SUMMARY_MAX_MESSAGE_CHARS</b>     | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:18      | Frontend declaration. |
| <b>SUMMARY_MAX_CHARS</b>             | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:19      | Frontend declaration. |
| <b>boundedConversationSummary</b>    | function | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:20      | Frontend declaration. |
| <b>lines</b>                         | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:22      | Frontend declaration. |
| <b>answer</b>                        | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:25      | Frontend declaration. |
| <b>record</b>                        | function | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:33      | Frontend declaration. |
| <b>answerFromLegacyTechnicalText</b> | function | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:39      | Frontend declaration. |
| <b>trimmed</b>                       | const    |                                                                     | Frontend declaration. |

| Symbol                                     | Kind     | Location                                                        | Signature / summary                                                                                       |
|--------------------------------------------|----------|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                                            |          | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:41  |                                                                                                           |
| <b>match</b>                               | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:43  |  Frontend declaration.   |
| <b>raw</b>                                 | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:47  |  Frontend declaration.   |
| <b>parsed</b>                              | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:49  |  Frontend declaration.   |
| <b>object</b>                              | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:50  |  Frontend declaration.   |
| <b>isLegacyTechnicalText</b>               | function | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:58  |  Frontend declaration.   |
| <b>trimmed</b>                             | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:60  |  Frontend declaration.   |
| <b>normalizePersistedAssistantSegments</b> | function | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:64  |  Frontend declaration.  |
| <b>recoveredAnswers</b>                    | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:66  |  Frontend declaration. |
| <b>answer</b>                              | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:68  |  Frontend declaration. |
| <b>nonTechnical</b>                        | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:72  |  Frontend declaration. |
| <b>serializeDurableMessage</b>             | function | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:81  |  Frontend declaration. |
| <b>deserializeDurableMessage</b>           | function | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:113 |  Frontend declaration. |
| <b>content</b>                             | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:117 |  Frontend declaration. |
| <b>segments</b>                            | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:131 |  Frontend declaration. |
| <b>request</b>                             | const    | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:153 |  Frontend declaration. |
| <b>normalizedRequest</b>                   | const    |                                                                 |  Frontend declaration. |

| Symbol                     | Kind     | Location                                                            | Signature / summary                                                                                       |
|----------------------------|----------|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                            |          | ui/src/modes/studio/<br>business-chat/<br>chatTranscript.ts:155     |                                                                                                           |
| <b>WorkspaceSource</b>     | type     | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:4   |  Frontend declaration.   |
| <b>collectionAsSource</b>  | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:26  |  Frontend declaration.   |
| <b>WorkspaceNote</b>       | type     | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:40  |  Frontend declaration.   |
| <b>CitationTarget</b>      | type     | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:48  |  Frontend declaration.   |
| <b>CreateArtifactKind</b>  | type     | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:50  |  Frontend declaration.   |
| <b>CREATE_OPTIONS</b>      | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:52  |  Frontend declaration.   |
| <b>documentsAsSources</b>  | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:60  |  Frontend declaration.  |
| <b>uploadsAsSources</b>    | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:79  |  Frontend declaration. |
| <b>driveFilesAsSources</b> | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:91  |  Frontend declaration. |
| <b>cloudFile</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:98  |  Frontend declaration. |
| <b>httpUrlsInText</b>      | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:114 |  Frontend declaration. |
| <b>matches</b>             | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:116 |  Frontend declaration. |
| <b>normalized</b>          | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:117 |  Frontend declaration. |
| <b>candidate</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:118 |  Frontend declaration. |
| <b>url</b>                 | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:120 |  Frontend declaration. |
| <b>webSourcesFromText</b>  | function |                                                                     |  Frontend declaration. |

| Symbol                       | Kind     | Location                                                            | Signature / summary   |
|------------------------------|----------|---------------------------------------------------------------------|-----------------------|
|                              |          | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:128 |                       |
| url                          | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:131 | Frontend declaration. |
| path                         | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:132 | Frontend declaration. |
| selectedFiles                | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:144 | Frontend declaration. |
| selectedCollectionId         | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:148 | Frontend declaration. |
| selectedCollectionRows       | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:150 | Frontend declaration. |
| ids                          | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:153 | Frontend declaration. |
| selectedKnowledgeDocumentIds | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:158 | Frontend declaration. |
| selectedSourceCount          | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:164 | Frontend declaration. |
| sourceSelectable             | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:168 | Frontend declaration. |
| sourceStatusLabel            | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:172 | Frontend declaration. |
| labels                       | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:174 | Frontend declaration. |
| sourceKindLabel              | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:180 | Frontend declaration. |
| labels                       | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:182 | Frontend declaration. |
| activitySummary              | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:188 | Frontend declaration. |
| active                       | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:190 | Frontend declaration. |
| FriendlyError                | type     |                                                                     | Frontend declaration. |

| Symbol                | Kind     | Location                                                                  | Signature / summary                                                                                       |
|-----------------------|----------|---------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                       |          | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:200       |                                                                                                           |
| <b>friendlyError</b>  | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:206       |  Frontend declaration.   |
| <b>value</b>          | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:208       |  Frontend declaration.   |
| <b>artifactPrompt</b> | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:230       |  Frontend declaration.   |
| <b>label</b>          | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceModel.ts:232       |  Frontend declaration.   |
| <b>stubStorage</b>    | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.test.ts:19 |  Frontend declaration.   |
| <b>values</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.test.ts:21 |  Frontend declaration.   |
| <b>note</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.test.ts:47 |  Frontend declaration.  |
| <b>sources</b>        | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.test.ts:68 |  Frontend declaration. |
| <b>sources</b>        | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.test.ts:76 |  Frontend declaration. |
| <b>first</b>          | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.test.ts:83 |  Frontend declaration. |
| <b>second</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.test.ts:84 |  Frontend declaration. |
| <b>first</b>          | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.test.ts:95 |  Frontend declaration. |
| <b>second</b>         | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.test.ts:96 |  Frontend declaration. |

| Symbol                       | Kind     | Location                                                                  | Signature / summary   |
|------------------------------|----------|---------------------------------------------------------------------------|-----------------------|
| <b>PREFIX</b>                | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:2</code>  | Frontend declaration. |
| <b>PREFERENCES_KEY</b>       | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:4</code>  | Frontend declaration. |
| <b>SOURCE_HANDOFF_PREFIX</b> | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:5</code>  | Frontend declaration. |
| <b>SOURCES_PREFIX</b>        | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:6</code>  | Frontend declaration. |
| <b>CHAT_HISTORY_KEY</b>      | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:7</code>  | Frontend declaration. |
| <b>LocalChatRecord</b>       | type     | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:8</code>  | Frontend declaration. |
| <b>LocalChatHistory</b>      | type     | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:22</code> | Frontend declaration. |
| <b>emptyHistory</b>          | function | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:24</code> | Frontend declaration. |
| <b>loadLocalChatHistory</b>  | function | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:26</code> | Frontend declaration. |
| <b>value</b>                 | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:29</code> | Frontend declaration. |
| <b>parsed</b>                | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:31</code> | Frontend declaration. |
| <b>saveLocalChatHistory</b>  | function | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:38</code> | Frontend declaration. |
| <b>createLocalChat</b>       | function | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:42</code> | Frontend declaration. |
| <b>now</b>                   | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:44</code> | Frontend declaration. |
| <b>chat</b>                  | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:45</code> | Frontend declaration. |
| <b>history</b>               | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:50</code> | Frontend declaration. |
| <b>ensureLocalChat</b>       | function |                                                                           |                       |



| Symbol                          | Kind     | Location                                                                   | Signature / summary                                                                                                  |
|---------------------------------|----------|----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                 |          | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:54</code>  |  Frontend declaration.              |
| <b>history</b>                  | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:56</code>  |  Frontend declaration.              |
| <b>existing</b>                 | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:57</code>  |  Frontend declaration.              |
| <b>updateLocalChat</b>          | function | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:64</code>  |  Frontend declaration.              |
| <b>history</b>                  | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:66</code>  |  Frontend declaration.              |
| <b>chats</b>                    | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:68</code>  |  Frontend declaration.              |
| <b>deleteLocalChat</b>          | function | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:76</code>  |  Frontend declaration.              |
| <b>history</b>                  | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:78</code>  |  Frontend declaration.             |
| <b>chats</b>                    | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:79</code>  |  Frontend declaration.            |
| <b>next</b>                     | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:80</code>  |  Frontend declaration.            |
| <b>ChatWorkspacePreferences</b> | type     | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:84</code>  |  Frontend declaration.            |
| <b>loadNotes</b>                | function | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:92</code>  |  Frontend declaration.            |
| <b>value</b>                    | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:95</code>  |  Frontend declaration.            |
| <b>saveNotes</b>                | function | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:101</code> |  Frontend declaration.            |
| <b>loadWorkspacePreferences</b> | function | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:109</code> |  Documented frontend declaration. |
| <b>value</b>                    | const    | <code>ui/src/modes/studio/business-chat/chatWorkspaceStorage.ts:112</code> |  Frontend declaration.            |
| <b>parsed</b>                   | const    |                                                                            |  Frontend declaration.            |

| Symbol                          | Kind     | Location                                                              | Signature / summary                                                                                                |
|---------------------------------|----------|-----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                                 |          | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.ts:114 |                                                                                                                    |
| <b>saveWorkspacePreferences</b> | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.ts:126 |  Frontend declaration.            |
| <b>createNote</b>               | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.ts:134 |  Documented frontend declaration. |
| <b>now</b>                      | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.ts:136 |  Frontend declaration.            |
| <b>savePendingSources</b>       | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.ts:145 |  Frontend declaration.            |
| <b>consumePendingSources</b>    | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.ts:154 |  Documented frontend declaration. |
| <b>key</b>                      | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.ts:156 |  Frontend declaration.            |
| <b>value</b>                    | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.ts:158 |  Frontend declaration.           |
| <b>parsed</b>                   | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.ts:160 |  Frontend declaration.          |
| <b>loadWorkspaceSources</b>     | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.ts:168 |  Frontend declaration.          |
| <b>value</b>                    | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.ts:171 |  Frontend declaration.          |
| <b>parsed</b>                   | const    | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.ts:173 |  Frontend declaration.          |
| <b>saveWorkspaceSources</b>     | function | ui/src/modes/studio/<br>business-chat/<br>chatWorkspaceStorage.ts:179 |  Frontend declaration.          |
| <b>stream</b>                   | const    | ui/src/modes/studio/<br>business-chat/<br>observeChatRun.test.ts:7    |  Frontend declaration.          |
| <b>events</b>                   | const    | ui/src/modes/studio/<br>business-chat/<br>observeChatRun.test.ts:29   |  Frontend declaration.          |
| <b>ChatRunObserverOptions</b>   | type     | ui/src/modes/studio/<br>business-chat/<br>observeChatRun.ts:3         |  Frontend declaration.          |
| <b>observeChatRun</b>           | function |                                                                       |  Frontend declaration.          |

| Symbol                  | Kind     | Location                                                                   | Signature / summary   |
|-------------------------|----------|----------------------------------------------------------------------------|-----------------------|
|                         |          | ui/src/modes/studio/<br>business-chat/<br>observeChatRun.ts:16             |                       |
| <b>result</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>observeChatRun.ts:24             | Frontend declaration. |
| <b>error</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>observeChatRun.ts:41             | Frontend declaration. |
| <b>delay</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>observeChatRun.ts:44             | Frontend declaration. |
| <b>RunControlAction</b> | type     | ui/src/modes/studio/<br>business-chat/<br>runControls.ts:2                 | Frontend declaration. |
| <b>RunControlInput</b>  | type     | ui/src/modes/studio/<br>business-chat/<br>runControls.ts:4                 | Frontend declaration. |
| <b>RunControlState</b>  | type     | ui/src/modes/studio/<br>business-chat/<br>runControls.ts:12                | Frontend declaration. |
| <b>runControlState</b>  | function | ui/src/modes/studio/<br>business-chat/<br>runControls.ts:22                | Frontend declaration. |
| <b>busy</b>             | const    | ui/src/modes/studio/<br>business-chat/<br>runControls.ts:24                | Frontend declaration. |
| <b>needsReview</b>      | const    | ui/src/modes/studio/<br>business-chat/<br>runControls.ts:25                | Frontend declaration. |
| <b>attemptLabel</b>     | function | ui/src/modes/studio/<br>business-chat/<br>runControls.ts:86                | Frontend declaration. |
| <b>label</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>runControls.ts:88                | Frontend declaration. |
| <b>audit</b>            | const    | ui/src/modes/studio/<br>business-chat/<br>sessionProjection.test.ts:4      | Frontend declaration. |
| <b>source</b>           | const    | ui/src/modes/studio/<br>business-chat/<br>sessionProjection.test.ts:2<br>1 | Frontend declaration. |
| <b>activities</b>       | const    | ui/src/modes/studio/<br>business-chat/<br>sessionProjection.test.ts:2<br>2 | Frontend declaration. |
| <b>trace</b>            | const    | ui/src/modes/studio/<br>business-chat/                                     | Frontend declaration. |

| Symbol                         | Kind     | Location                                                               | Signature / summary   |
|--------------------------------|----------|------------------------------------------------------------------------|-----------------------|
|                                |          | <code>sessionProjection.test.ts:28</code>                              |                       |
| <b>AuditFilter</b>             | type     | <code>ui/src/modes/studio/business-chat/sessionProjection.ts:4</code>  | Frontend declaration. |
| <b>APPROVAL_EVENTS</b>         | const    | <code>ui/src/modes/studio/business-chat/sessionProjection.ts:6</code>  | Frontend declaration. |
| <b>auditEventLabel</b>         | function | <code>ui/src/modes/studio/business-chat/sessionProjection.ts:8</code>  | Frontend declaration. |
| <b>labels</b>                  | const    | <code>ui/src/modes/studio/business-chat/sessionProjection.ts:10</code> | Frontend declaration. |
| <b>filterAuditEvents</b>       | function | <code>ui/src/modes/studio/business-chat/sessionProjection.ts:16</code> | Frontend declaration. |
| <b>auditPayloadSummary</b>     | function | <code>ui/src/modes/studio/business-chat/sessionProjection.ts:24</code> | Frontend declaration. |
| <b>payload</b>                 | const    | <code>ui/src/modes/studio/business-chat/sessionProjection.ts:26</code> | Frontend declaration. |
| <b>baseActivitySourceTitle</b> | function | <code>ui/src/modes/studio/business-chat/sessionProjection.ts:37</code> | Frontend declaration. |
| <b>sourceActivityNodeIds</b>   | function | <code>ui/src/modes/studio/business-chat/sessionProjection.ts:41</code> | Frontend declaration. |
| <b>sourceTitle</b>             | const    | <code>ui/src/modes/studio/business-chat/sessionProjection.ts:43</code> | Frontend declaration. |
| <b>matches</b>                 | const    | <code>ui/src/modes/studio/business-chat/sessionProjection.ts:45</code> | Frontend declaration. |
| <b>buildSessionTrace</b>       | function | <code>ui/src/modes/studio/business-chat/sessionProjection.ts:52</code> | Frontend declaration. |
| <b>Recognition</b>             | class    | <code>ui/src/modes/studio/business-chat/speech.test.ts:14</code>       | Frontend declaration. |
| <b>standard</b>                | const    | <code>ui/src/modes/studio/business-chat/speech.test.ts:15</code>       | Frontend declaration. |
| <b>prefixed</b>                | const    | <code>ui/src/modes/studio/business-chat/speech.test.ts:16</code>       | Frontend declaration. |
| <b>speak</b>                   | const    | <code>ui/src/modes/studio/business-chat/speech.test.ts:33</code>       | Frontend declaration. |

| Symbol                            | Kind      | Location                                                         | Signature / summary   |
|-----------------------------------|-----------|------------------------------------------------------------------|-----------------------|
| <b>cancel</b>                     | const     | <code>ui/src/modes/studio/business-chat/speech.test.ts:34</code> | Frontend declaration. |
| <b>Utterance</b>                  | class     | <code>ui/src/modes/studio/business-chat/speech.test.ts:35</code> | Frontend declaration. |
| <b>scope</b>                      | const     | <code>ui/src/modes/studio/business-chat/speech.test.ts:41</code> | Frontend declaration. |
| <b>SpeechRecognitionResult</b>    | type      | <code>ui/src/modes/studio/business-chat/speech.ts:1</code>       | Frontend declaration. |
| <b>RecognitionAlternative</b>     | type      | <code>ui/src/modes/studio/business-chat/speech.ts:2</code>       | Frontend declaration. |
| <b>RecognitionResultLike</b>      | type      | <code>ui/src/modes/studio/business-chat/speech.ts:4</code>       | Frontend declaration. |
| <b>RecognitionEventLike</b>       | type      | <code>ui/src/modes/studio/business-chat/speech.ts:5</code>       | Frontend declaration. |
| <b>BrowserSpeechRecognition</b>   | interface | <code>ui/src/modes/studio/business-chat/speech.ts:6</code>       | Frontend declaration. |
| <b>RecognitionConstructor</b>     | type      | <code>ui/src/modes/studio/business-chat/speech.ts:18</code>      | Frontend declaration. |
| <b>recognitionConstructor</b>     | function  | <code>ui/src/modes/studio/business-chat/speech.ts:20</code>      | Frontend declaration. |
| <b>candidate</b>                  | const     | <code>ui/src/modes/studio/business-chat/speech.ts:22</code>      | Frontend declaration. |
| <b>speechRecognitionSupported</b> | function  | <code>ui/src/modes/studio/business-chat/speech.ts:28</code>      | Frontend declaration. |
| <b>speechSynthesisSupported</b>   | function  | <code>ui/src/modes/studio/business-chat/speech.ts:32</code>      | Frontend declaration. |
| <b>collectRecognitionText</b>     | function  | <code>ui/src/modes/studio/business-chat/speech.ts:36</code>      | Frontend declaration. |
| <b>result</b>                     | const     | <code>ui/src/modes/studio/business-chat/speech.ts:41</code>      | Frontend declaration. |
| <b>speakText</b>                  | function  | <code>ui/src/modes/studio/business-chat/speech.ts:47</code>      | Frontend declaration. |
| <b>Utterance</b>                  | const     | <code>ui/src/modes/studio/business-chat/speech.ts:51</code>      | Frontend declaration. |
| <b>utterance</b>                  | const     | <code>ui/src/modes/studio/business-chat/speech.ts:54</code>      | Frontend declaration. |
| <b>stopSpeaking</b>               | function  | <code>ui/src/modes/studio/business-chat/speech.ts:60</code>      | Frontend declaration. |
| <b>NodeStatus</b>                 | type      | <code>ui/src/modes/studio/cockpit-state.test.ts:8</code>         | Frontend declaration. |
| <b>state</b>                      | const     | <code>ui/src/modes/studio/cockpit-state.test.ts:13</code>        | Frontend declaration. |

| Symbol             | Kind  | Location                                                      | Signature / summary                                                                                       |
|--------------------|-------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>state</b>       | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:27</a>  |  Frontend declaration.   |
| <b>nodes</b>       | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:39</a>  |  Frontend declaration.   |
| <b>edges</b>       | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:42</a>  |  Frontend declaration.   |
| <b>states</b>      | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:46</a>  |  Frontend declaration.   |
| <b>result</b>      | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:47</a>  |  Frontend declaration.   |
| <b>edges</b>       | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:53</a>  |  Frontend declaration.   |
| <b>states</b>      | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:59</a>  |  Frontend declaration.   |
| <b>outputs</b>     | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:62</a>  |  Frontend declaration.   |
| <b>result</b>      | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:63</a>  |  Frontend declaration.   |
| <b>edges</b>       | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:72</a>  |  Frontend declaration.   |
| <b>states</b>      | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:76</a>  |  Frontend declaration. |
| <b>result</b>      | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:77</a>  |  Frontend declaration. |
| <b>chain</b>       | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:83</a>  |  Frontend declaration. |
| <b>edges</b>       | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:84</a>  |  Frontend declaration. |
| <b>states</b>      | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:89</a>  |  Frontend declaration. |
| <b>outputs</b>     | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:92</a>  |  Frontend declaration. |
| <b>result</b>      | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:93</a>  |  Frontend declaration. |
| <b>states</b>      | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:101</a> |  Frontend declaration. |
| <b>states</b>      | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:106</a> |  Frontend declaration. |
| <b>result</b>      | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:107</a> |  Frontend declaration. |
| <b>states</b>      | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:116</a> |  Frontend declaration. |
| <b>edges</b>       | const | <a href="#">ui/src/modes/studio/cockpit-state.test.ts:126</a> |  Frontend declaration. |
| <b>highlighted</b> | const |                                                               |                                                                                                           |

| Symbol                     | Kind     | Location                                                 | Signature / summary                                                                                                  |
|----------------------------|----------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                            |          | <a href="#">ui/src/modes/studio/cockpit-state.ts:137</a> |  Frontend declaration.              |
| <b>NodeStatus</b>          | type     | <a href="#">ui/src/modes/studio/cockpit-state.ts:9</a>   |  Documented frontend declaration.   |
| <b>RunStatus</b>           | type     | <a href="#">ui/src/modes/studio/cockpit-state.ts:18</a>  |  Frontend declaration.              |
| <b>CockpitState</b>        | type     | <a href="#">ui/src/modes/studio/cockpit-state.ts:19</a>  |  Frontend declaration.              |
| <b>initialCockpitState</b> | function | <a href="#">ui/src/modes/studio/cockpit-state.ts:27</a>  |  Frontend declaration.              |
| <b>nodeStates</b>          | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:29</a>  |  Frontend declaration.              |
| <b>deriveCockpitState</b>  | function | <a href="#">ui/src/modes/studio/cockpit-state.ts:39</a>  |  Frontend declaration.              |
| <b>s</b>                   | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:45</a>  |  Frontend declaration.              |
| <b>GraphNode</b>           | type     | <a href="#">ui/src/modes/studio/cockpit-state.ts:90</a>  |  Documented frontend declaration.   |
| <b>GraphEdge</b>           | type     | <a href="#">ui/src/modes/studio/cockpit-state.ts:91</a>  |  Documented frontend declaration.   |
| <b>TERMINAL_DEAD_END</b>   | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:92</a>  |  Documented frontend declaration. |
| <b>DECIDED</b>             | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:94</a>  |  Frontend declaration.            |
| <b>chosenRoute</b>         | function | <a href="#">ui/src/modes/studio/cockpit-state.ts:101</a> |  Frontend declaration.            |
| <b>route</b>               | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:103</a> |  Frontend declaration.            |
| <b>isEdgeDead</b>          | function | <a href="#">ui/src/modes/studio/cockpit-state.ts:117</a> |  Frontend declaration.            |
| <b>computeReachability</b> | function | <a href="#">ui/src/modes/studio/cockpit-state.ts:138</a> |  Frontend declaration.            |
| <b>result</b>              | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:144</a> |  Frontend declaration.            |
| <b>incoming</b>            | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:145</a> |  Frontend declaration.            |
| <b>list</b>                | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:147</a> |  Frontend declaration.            |
| <b>preds</b>               | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:158</a> |  Frontend declaration.            |
| <b>allDead</b>             | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:160</a> |  Documented frontend declaration. |
| <b>applyCancellation</b>   | function | <a href="#">ui/src/modes/studio/cockpit-state.ts:179</a> |  Frontend declaration.            |
| <b>result</b>              | const    |                                                          |                                                                                                                      |

| Symbol                      | Kind     | Location                                                    | Signature / summary                                                                                                  |
|-----------------------------|----------|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                             |          | <a href="#">ui/src/modes/studio/cockpit-state.ts:184</a>    |  Frontend declaration.              |
| <b>StatusCounts</b>         | type     | <a href="#">ui/src/modes/studio/cockpit-state.ts:190</a>    |  Frontend declaration.              |
| <b>computeStatusCounts</b>  | function | <a href="#">ui/src/modes/studio/cockpit-state.ts:203</a>    |  Documented frontend declaration.   |
| <b>counts</b>               | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:204</a>    |  Documented frontend declaration.   |
| <b>STATUS_LABEL</b>         | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:238</a>    |  Documented frontend declaration.   |
| <b>computePathHighlight</b> | function | <a href="#">ui/src/modes/studio/cockpit-state.ts:254</a>    |  Frontend declaration.              |
| <b>highlighted</b>          | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:258</a>    |  Frontend declaration.              |
| <b>downstream</b>           | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:261</a>    |  Frontend declaration.              |
| <b>upstream</b>             | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:263</a>    |  Frontend declaration.              |
| <b>walk</b>                 | function | <a href="#">ui/src/modes/studio/cockpit-state.ts:268</a>    |  Frontend declaration.              |
| <b>queue</b>                | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:270</a>    |  Frontend declaration.            |
| <b>current</b>              | const    | <a href="#">ui/src/modes/studio/cockpit-state.ts:272</a>    |  Frontend declaration.            |
| <b>JsonValue</b>            | type     | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:9</a>  |  Documented frontend declaration. |
| <b>valueMatches</b>         | function | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:11</a> |  Frontend declaration.            |
| <b>lower</b>                | const    | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:14</a> |  Frontend declaration.            |
| <b>Leaf</b>                 | function | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:28</a> |  Frontend declaration.            |
| <b>JsonNode</b>             | function | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:37</a> |  Frontend declaration.            |
| <b>isCollapsible</b>        | const    | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:47</a> |  Frontend declaration.            |
| <b>forcedOpen</b>           | const    | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:52</a> |  Documented frontend declaration. |
| <b>expanded</b>             | const    | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:53</a> |  Documented frontend declaration. |
| <b>entries</b>              | const    | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:64</a> |  Frontend declaration.            |
| <b>visibleEntries</b>       | const    | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:68</a> |  Frontend declaration.            |
| <b>isArray</b>              | const    |                                                             |                                                                                                                      |



| Symbol                       | Kind     | Location                                                          | Signature / summary                                                                                                  |
|------------------------------|----------|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                              |          | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:74</a>       |  Frontend declaration.              |
| <b>summary</b>               | const    | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:76</a>       |  Frontend declaration.              |
| <b>JsonTree</b>              | function | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:106</a>      |  Frontend declaration.              |
| <b>hasAnyMatch</b>           | const    | <a href="#">ui/src/modes/studio/cockpit/JsonTree.tsx:117</a>      |  Frontend declaration.              |
| <b>SelectedNodeInfo</b>      | type     | <a href="#">ui/src/modes/studio/cockpit/NodeInspector.tsx:12</a>  |  Frontend declaration.              |
| <b>TabKey</b>                | type     | <a href="#">ui/src/modes/studio/cockpit/NodeInspector.tsx:18</a>  |  Frontend declaration.              |
| <b>TABS</b>                  | const    | <a href="#">ui/src/modes/studio/cockpit/NodeInspector.tsx:20</a>  |  Frontend declaration.              |
| <b>durationLabel</b>         | function | <a href="#">ui/src/modes/studio/cockpit/NodeInspector.tsx:30</a>  |  Frontend declaration.              |
| <b>OverviewTabContent</b>    | function | <a href="#">ui/src/modes/studio/cockpit/NodeInspector.tsx:35</a>  |  Frontend declaration.              |
| <b>ts</b>                    | const    | <a href="#">ui/src/modes/studio/cockpit/NodeInspector.tsx:47</a>  |  Frontend declaration.            |
| <b>askAiAvailable</b>        | const    | <a href="#">ui/src/modes/studio/cockpit/NodeInspector.tsx:52</a>  |  Documented frontend declaration. |
| <b>InputTabContent</b>       | function | <a href="#">ui/src/modes/studio/cockpit/NodeInspector.tsx:110</a> |  Frontend declaration.            |
| <b>MetadataTabContent</b>    | function | <a href="#">ui/src/modes/studio/cockpit/NodeInspector.tsx:121</a> |  Frontend declaration.            |
| <b>selections</b>            | const    | <a href="#">ui/src/modes/studio/cockpit/NodeInspector.tsx:123</a> |  Frontend declaration.            |
| <b>costLabel</b>             | function | <a href="#">ui/src/modes/studio/cockpit/NodeInspector.tsx:149</a> |  Frontend declaration.            |
| <b>AICostCallCard</b>        | function | <a href="#">ui/src/modes/studio/cockpit/NodeInspector.tsx:153</a> |  Frontend declaration.            |
| <b>PerformanceTabContent</b> | function | <a href="#">ui/src/modes/studio/cockpit/NodeInspector.tsx:186</a> |  Frontend declaration.            |
| <b>totalCost</b>             | const    |                                                                   |  Frontend declaration.            |

| Symbol                  | Kind     | Location                                                  | Signature / summary                                                                                                |
|-------------------------|----------|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                         |          | ui/src/modes/studio/<br>cockpit/<br>NodeInspector.tsx:194 |                                                                                                                    |
| <b>NodeInspector</b>    | function | ui/src/modes/studio/<br>cockpit/<br>NodeInspector.tsx:227 |  Frontend declaration.            |
| <b>hasError</b>         | const    | ui/src/modes/studio/<br>cockpit/<br>NodeInspector.tsx:263 |  Frontend declaration.            |
| <b>OverviewNode</b>     | type     | ui/src/modes/studio/<br>cockpit/OverviewPanel.tsx:6       |  Frontend declaration.            |
| <b>FILTER_OPTIONS</b>   | const    | ui/src/modes/studio/<br>cockpit/<br>OverviewPanel.tsx:12  |  Frontend declaration.            |
| <b>STATUS_TO_FILTER</b> | const    | ui/src/modes/studio/<br>cockpit/<br>OverviewPanel.tsx:22  |  Frontend declaration.            |
| <b>costLabel</b>        | function | ui/src/modes/studio/<br>cockpit/<br>OverviewPanel.tsx:33  |  Frontend declaration.            |
| <b>AI CostSummary</b>   | function | ui/src/modes/studio/<br>cockpit/<br>OverviewPanel.tsx:41  |  Documented frontend declaration. |
| <b>nodeRows</b>         | const    | ui/src/modes/studio/<br>cockpit/<br>OverviewPanel.tsx:49  |  Frontend declaration.          |
| <b>stageRows</b>        | const    | ui/src/modes/studio/<br>cockpit/<br>OverviewPanel.tsx:53  |  Frontend declaration.          |
| <b>elapsedLabel</b>     | function | ui/src/modes/studio/<br>cockpit/<br>OverviewPanel.tsx:104 |  Frontend declaration.          |
| <b>end</b>              | const    | ui/src/modes/studio/<br>cockpit/<br>OverviewPanel.tsx:107 |  Frontend declaration.          |
| <b>seconds</b>          | const    | ui/src/modes/studio/<br>cockpit/<br>OverviewPanel.tsx:108 |  Frontend declaration.          |
| <b>minutes</b>          | const    | ui/src/modes/studio/<br>cockpit/<br>OverviewPanel.tsx:110 |  Frontend declaration.          |
| <b>remSeconds</b>       | const    | ui/src/modes/studio/<br>cockpit/<br>OverviewPanel.tsx:111 |  Frontend declaration.          |
| <b>OverviewPanel</b>    | function | ui/src/modes/studio/<br>cockpit/<br>OverviewPanel.tsx:114 |  Frontend declaration.          |
| <b>timer</b>            | const    | ui/src/modes/studio/<br>cockpit/<br>OverviewPanel.tsx:146 |  Frontend declaration.          |

| Symbol                      | Kind     | Location                                                | Signature / summary              |
|-----------------------------|----------|---------------------------------------------------------|----------------------------------|
| <b>counts</b>               | const    | ui/src/modes/studio/cockpit/OverviewPanel.tsx:149       | Frontend declaration.            |
| <b>filtered</b>             | const    | ui/src/modes/studio/cockpit/OverviewPanel.tsx:154       | Frontend declaration.            |
| <b>lowerQuery</b>           | const    | ui/src/modes/studio/cockpit/OverviewPanel.tsx:156       | Frontend declaration.            |
| <b>bucket</b>               | const    | ui/src/modes/studio/cockpit/OverviewPanel.tsx:162       | Frontend declaration.            |
| <b>toggleFilter</b>         | function | ui/src/modes/studio/cockpit/OverviewPanel.tsx:168       | Frontend declaration.            |
| <b>next</b>                 | const    | ui/src/modes/studio/cockpit/OverviewPanel.tsx:171       | Frontend declaration.            |
| <b>ts</b>                   | const    | ui/src/modes/studio/cockpit/OverviewPanel.tsx:261       | Frontend declaration.            |
| <b>on</b>                   | const    | ui/src/modes/studio/cockpit/OverviewPanel.tsx:262       | Frontend declaration.            |
| <b>ResizeHandle</b>         | function | ui/src/modes/studio/cockpit/ResizeHandle.tsx:2          | Frontend declaration.            |
| <b>STAGE_BAND_TYPE</b>      | const    | ui/src/modes/studio/cockpit/StageBandNode.tsx:2         | Frontend declaration.            |
| <b>StageBandData</b>        | type     | ui/src/modes/studio/cockpit/StageBandNode.tsx:4         | Frontend declaration.            |
| <b>StageBandNode</b>        | function | ui/src/modes/studio/cockpit/StageBandNode.tsx:18        | Frontend declaration.            |
| <b>StagePlaceholderNode</b> | function | ui/src/modes/studio/cockpit/StagePlaceholderNode.tsx:10 | Frontend declaration.            |
| <b>OVERSCAN</b>             | const    | ui/src/modes/studio/cockpit/VirtualList.tsx:7           | Documented frontend declaration. |
| <b>VirtualList</b>          | function | ui/src/modes/studio/cockpit/VirtualList.tsx:9           | Frontend declaration.            |
| <b>containerRef</b>         | const    | ui/src/modes/studio/cockpit/VirtualList.tsx:30          | Frontend declaration.            |
| <b>el</b>                   | const    | ui/src/modes/studio/cockpit/VirtualList.tsx:34          | Frontend declaration.            |
| <b>observer</b>             | const    | ui/src/modes/studio/cockpit/VirtualList.tsx:36          | Frontend declaration.            |
| <b>entry</b>                | const    | ui/src/modes/studio/cockpit/VirtualList.tsx:37          | Frontend declaration.            |

| Symbol                              | Kind     | Location                                                      | Signature / summary                                                                                                  |
|-------------------------------------|----------|---------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>effectiveHeight</b>              | const    | ui/src/modes/studio/<br>cockpit/VirtualList.tsx:43            |  Frontend declaration.              |
| <b>visibleCount</b>                 | const    | ui/src/modes/studio/<br>cockpit/VirtualList.tsx:49            |  Frontend declaration.              |
| <b>startIndex</b>                   | const    | ui/src/modes/studio/<br>cockpit/VirtualList.tsx:51            |  Frontend declaration.              |
| <b>endIndex</b>                     | const    | ui/src/modes/studio/<br>cockpit/VirtualList.tsx:52            |  Frontend declaration.              |
| <b>totalHeight</b>                  | const    | ui/src/modes/studio/<br>cockpit/VirtualList.tsx:53            |  Frontend declaration.              |
| <b>offsetY</b>                      | const    | ui/src/modes/studio/<br>cockpit/VirtualList.tsx:54            |  Frontend declaration.              |
| <b>innerStyle</b>                   | const    | ui/src/modes/studio/<br>cockpit/VirtualList.tsx:55            |  Frontend declaration.              |
| <b>windowStyle</b>                  | const    | ui/src/modes/studio/<br>cockpit/VirtualList.tsx:57            |  Frontend declaration.              |
| <b>node</b>                         | function | ui/src/modes/studio/<br>cockpit/graph-<br>collapse.test.ts:6  |  Frontend declaration.              |
| <b>nodes</b>                        | const    | ui/src/modes/studio/<br>cockpit/graph-<br>collapse.test.ts:19 |  Frontend declaration.              |
| <b>edges</b>                        | const    | ui/src/modes/studio/<br>cockpit/graph-<br>collapse.test.ts:20 |  Frontend declaration.            |
| <b>stages</b>                       | const    | ui/src/modes/studio/<br>cockpit/graph-<br>collapse.test.ts:26 |  Frontend declaration.            |
| <b>result</b>                       | const    | ui/src/modes/studio/<br>cockpit/graph-<br>collapse.test.ts:33 |  Frontend declaration.            |
| <b>result</b>                       | const    | ui/src/modes/studio/<br>cockpit/graph-<br>collapse.test.ts:39 |  Frontend declaration.            |
| <b>ids</b>                          | const    | ui/src/modes/studio/<br>cockpit/graph-<br>collapse.test.ts:40 |  Frontend declaration.            |
| <b>placeholder</b>                  | const    | ui/src/modes/studio/<br>cockpit/graph-<br>collapse.test.ts:43 |  Frontend declaration.            |
| <b>sources</b>                      | const    | ui/src/modes/studio/<br>cockpit/graph-<br>collapse.test.ts:51 |  Documented frontend declaration. |
| <b>STAGE_PLACEHOLDER_T<br/>TYPE</b> | const    | ui/src/modes/studio/<br>cockpit/graph-collapse.ts:7           |  Frontend declaration.            |
| <b>BAND_PADDING</b>                 | const    | ui/src/modes/studio/<br>cockpit/graph-collapse.ts:9           |  Frontend declaration.            |

| Symbol                      | Kind     | Location                                                         | Signature / summary   |
|-----------------------------|----------|------------------------------------------------------------------|-----------------------|
| <b>BAND_LABEL_HEADROOM</b>  | const    | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:11</a> | Frontend declaration. |
| <b>buildStageBandNodes</b>  | function | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:19</a> | Frontend declaration. |
| <b>width</b>                | const    | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:26</a> | Frontend declaration. |
| <b>height</b>               | const    | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:27</a> | Frontend declaration. |
| <b>StagePlaceholderData</b> | type     | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:41</a> | Frontend declaration. |
| <b>placeholderId</b>        | function | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:48</a> | Frontend declaration. |
| <b>applyStageCollapse</b>   | function | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:61</a> | Frontend declaration. |
| <b>nodeById</b>             | const    | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:68</a> | Frontend declaration. |
| <b>stageForNode</b>         | const    | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:70</a> | Frontend declaration. |
| <b>collapsedStages</b>      | const    | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:74</a> | Frontend declaration. |
| <b>hiddenIds</b>            | const    | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:76</a> | Frontend declaration. |
| <b>placeholders</b>         | const    | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:77</a> | Frontend declaration. |
| <b>statuses</b>             | const    | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:79</a> | Frontend declaration. |
| <b>status</b>               | const    | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:81</a> | Frontend declaration. |
| <b>width</b>                | const    | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:84</a> | Frontend declaration. |
| <b>height</b>               | const    | <a href="#">ui/src/modes/studio/cockpit/graph-collapse.ts:85</a> | Frontend declaration. |
| <b>data</b>                 | const    |                                                                  |                       |

| Symbol                     | Kind     | Location                                                        | Signature / summary              |
|----------------------------|----------|-----------------------------------------------------------------|----------------------------------|
|                            |          | <code>ui/src/modes/studio/cockpit/graph-collapse.ts:86</code>   | Frontend declaration.            |
| <b>visibleNodes</b>        | const    | <code>ui/src/modes/studio/cockpit/graph-collapse.ts:106</code>  | Frontend declaration.            |
| <b>resolveEndpoint</b>     | function | <code>ui/src/modes/studio/cockpit/graph-collapse.ts:108</code>  | Frontend declaration.            |
| <b>stageIndex</b>          | const    | <code>ui/src/modes/studio/cockpit/graph-collapse.ts:111</code>  | Frontend declaration.            |
| <b>seenEdgeKeys</b>        | const    | <code>ui/src/modes/studio/cockpit/graph-collapse.ts:114</code>  | Frontend declaration.            |
| <b>remappedEdges</b>       | const    | <code>ui/src/modes/studio/cockpit/graph-collapse.ts:116</code>  | Frontend declaration.            |
| <b>source</b>              | const    | <code>ui/src/modes/studio/cockpit/graph-collapse.ts:118</code>  | Frontend declaration.            |
| <b>target</b>              | const    | <code>ui/src/modes/studio/cockpit/graph-collapse.ts:119</code>  | Frontend declaration.            |
| <b>key</b>                 | const    | <code>ui/src/modes/studio/cockpit/graph-collapse.ts:121</code>  | Documented frontend declaration. |
| <b>makeNodeRun</b>         | function | <code>ui/src/modes/studio/cockpit/node-render.test.ts:6</code>  | Frontend declaration.            |
| <b>result</b>              | const    | <code>ui/src/modes/studio/cockpit/node-render.test.ts:78</code> | Frontend declaration.            |
| <b>result</b>              | const    | <code>ui/src/modes/studio/cockpit/node-render.test.ts:82</code> | Frontend declaration.            |
| <b>STATUS_PILL</b>         | const    | <code>ui/src/modes/studio/cockpit/node-render.tsx:20</code>     | Documented frontend declaration. |
| <b>StatusPill</b>          | function | <code>ui/src/modes/studio/cockpit/node-render.tsx:31</code>     | Frontend declaration.            |
| <b>TYPE_STYLE</b>          | const    | <code>ui/src/modes/studio/cockpit/node-render.tsx:46</code>     | Documented frontend declaration. |
| <b>TYPE_FALLBACK</b>       | const    | <code>ui/src/modes/studio/cockpit/node-render.tsx:56</code>     | Frontend declaration.            |
| <b>typeStyle</b>           | function | <code>ui/src/modes/studio/cockpit/node-render.tsx:57</code>     | Frontend declaration.            |
| <b>NODE_RUN_STATUS_MAP</b> | const    | <code>ui/src/modes/studio/cockpit/node-render.tsx:64</code>     | Documented frontend declaration. |

| Symbol                        | Kind     | Location                                                        | Signature / summary              |
|-------------------------------|----------|-----------------------------------------------------------------|----------------------------------|
| <b>historicalNodeStatus</b>   | function | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:80</a>  | Frontend declaration.            |
| <b>run</b>                    | const    | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:85</a>  | Frontend declaration.            |
| <b>shortDuration</b>          | function | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:91</a>  | Documented frontend declaration. |
| <b>clock</b>                  | function | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:95</a>  | Frontend declaration.            |
| <b>d</b>                      | const    | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:98</a>  | Frontend declaration.            |
| <b>renderValue</b>            | function | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:103</a> | Documented frontend declaration. |
| <b>t</b>                      | const    | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:106</a> | Frontend declaration.            |
| <b>readableOutput</b>         | function | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:114</a> | Frontend declaration.            |
| <b>obj</b>                    | const    | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:119</a> | Frontend declaration.            |
| <b>outputSummary</b>          | function | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:133</a> | Frontend declaration.            |
| <b>firstLine</b>              | const    | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:137</a> | Frontend declaration.            |
| <b>obj</b>                    | const    | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:141</a> | Frontend declaration.            |
| <b>text</b>                   | const    | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:142</a> | Frontend declaration.            |
| <b>firstLine</b>              | const    | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:147</a> | Frontend declaration.            |
| <b>keyCount</b>               | const    | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:150</a> | Frontend declaration.            |
| <b>IMAGE_EXTENSIONS</b>       | const    | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:155</a> | Frontend declaration.            |
| <b>ArtifactClassification</b> | type     | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:157</a> | Frontend declaration.            |
| <b>classifyArtifact</b>       | function | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:171</a> | Frontend declaration.            |
| <b>key</b>                    | const    | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:172</a> | Frontend declaration.            |
| <b>extension</b>              | const    | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:174</a> | Frontend declaration.            |
| <b>isImage</b>                | const    | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:175</a> | Frontend declaration.            |
| <b>workflowFileRefs</b>       | function | <a href="#">ui/src/modes/studio/cockpit/node-render.tsx:178</a> | Frontend declaration.            |
| <b>candidates</b>             | const    |                                                                 |                                  |

| Symbol                           | Kind     | Location                                                       | Signature / summary              |
|----------------------------------|----------|----------------------------------------------------------------|----------------------------------|
|                                  |          | <code>ui/src/modes/studio/cockpit/node-render.tsx:180</code>   | Frontend declaration.            |
| <b>FileInputValue</b>            | function | <code>ui/src/modes/studio/cockpit/node-render.tsx:188</code>   | Frontend declaration.            |
| <b>refs</b>                      | const    | <code>ui/src/modes/studio/cockpit/node-render.tsx:190</code>   | Frontend declaration.            |
| <b>rendered</b>                  | const    | <code>ui/src/modes/studio/cockpit/node-render.tsx:192</code>   | Frontend declaration.            |
| <b>SUGGESTION_RULES</b>          | const    | <code>ui/src/modes/studio/cockpit/node-render.tsx:240</code>   | Documented frontend declaration. |
| <b>suggestedCorrectiveAction</b> | function | <code>ui/src/modes/studio/cockpit/node-render.tsx:248</code>   | Frontend declaration.            |
| <b>rule</b>                      | const    | <code>ui/src/modes/studio/cockpit/node-render.tsx:251</code>   | Frontend declaration.            |
| <b>startRetryRun</b>             | function | <code>ui/src/modes/studio/cockpit/node-render.tsx:263</code>   | Frontend declaration.            |
| <b>retryRunId</b>                | const    | <code>ui/src/modes/studio/cockpit/node-render.tsx:280</code>   | Frontend declaration.            |
| <b>ErrorsTab</b>                 | function | <code>ui/src/modes/studio/cockpit/tabs/ErrorsTab.tsx:4</code>  | Frontend declaration.            |
| <b>suggestion</b>                | const    | <code>ui/src/modes/studio/cockpit/tabs/ErrorsTab.tsx:17</code> | Frontend declaration.            |
| <b>canRetry</b>                  | const    | <code>ui/src/modes/studio/cockpit/tabs/ErrorsTab.tsx:19</code> | Frontend declaration.            |
| <b>LogLine</b>                   | type     | <code>ui/src/modes/studio/cockpit/tabs/LogsTab.tsx:4</code>    | Frontend declaration.            |
| <b>buildLogLines</b>             | function | <code>ui/src/modes/studio/cockpit/tabs/LogsTab.tsx:6</code>    | Frontend declaration.            |
| <b>lines</b>                     | const    | <code>ui/src/modes/studio/cockpit/tabs/LogsTab.tsx:9</code>    | Frontend declaration.            |
| <b>LogsTab</b>                   | function | <code>ui/src/modes/studio/cockpit/tabs/LogsTab.tsx:28</code>   | Frontend declaration.            |
| <b>lines</b>                     | const    | <code>ui/src/modes/studio/cockpit/tabs/LogsTab.tsx:30</code>   | Frontend declaration.            |
| <b>RagAgentOutput</b>            | type     | <code>ui/src/modes/studio/cockpit/tabs/OutputTab.tsx:9</code>  | Frontend declaration.            |
| <b>download</b>                  | function | <code>ui/src/modes/studio/cockpit/tabs/OutputTab.tsx:18</code> | Frontend declaration.            |
| <b>blob</b>                      | const    | <code>ui/src/modes/studio/cockpit/tabs/OutputTab.tsx:20</code> | Frontend declaration.            |
| <b>url</b>                       | const    |                                                                |                                  |



| Symbol                   | Kind     | Location                                                       | Signature / summary              |
|--------------------------|----------|----------------------------------------------------------------|----------------------------------|
|                          |          | <code>ui/src/modes/studio/cockpit/tabs/OutputTab.tsx:21</code> | Frontend declaration.            |
| <b>a</b>                 | const    | <code>ui/src/modes/studio/cockpit/tabs/OutputTab.tsx:22</code> | Frontend declaration.            |
| <b>OutputTab</b>         | function | <code>ui/src/modes/studio/cockpit/tabs/OutputTab.tsx:28</code> | Frontend declaration.            |
| <b>artifact</b>          | const    | <code>ui/src/modes/studio/cockpit/tabs/OutputTab.tsx:43</code> | Frontend declaration.            |
| <b>key</b>               | const    | <code>ui/src/modes/studio/cockpit/tabs/OutputTab.tsx:44</code> | Frontend declaration.            |
| <b>isImage</b>           | const    | <code>ui/src/modes/studio/cockpit/tabs/OutputTab.tsx:45</code> | Frontend declaration.            |
| <b>isFile</b>            | const    | <code>ui/src/modes/studio/cockpit/tabs/OutputTab.tsx:46</code> | Frontend declaration.            |
| <b>text</b>              | const    | <code>ui/src/modes/studio/cockpit/tabs/OutputTab.tsx:75</code> | Frontend declaration.            |
| <b>isStructured</b>      | const    | <code>ui/src/modes/studio/cockpit/tabs/OutputTab.tsx:77</code> | Frontend declaration.            |
| <b>Gate</b>              | type     | <code>ui/src/modes/studio/cockpit/useCockpitRun.ts:19</code>   | Frontend declaration.            |
| <b>Finished</b>          | type     | <code>ui/src/modes/studio/cockpit/useCockpitRun.ts:29</code>   | Frontend declaration.            |
| <b>CockpitNavState</b>   | type     | <code>ui/src/modes/studio/cockpit/useCockpitRun.ts:38</code>   | Frontend declaration.            |
| <b>liveRunNodeStatus</b> | function | <code>ui/src/modes/studio/cockpit/useCockpitRun.ts:72</code>   | Documented frontend declaration. |
| <b>nodeRunStatus</b>     | const    | <code>ui/src/modes/studio/cockpit/useCockpitRun.ts:74</code>   | Documented frontend declaration. |
| <b>useCockpitRun</b>     | function | <code>ui/src/modes/studio/cockpit/useCockpitRun.ts:80</code>   | Frontend declaration.            |
| <b>location</b>          | const    | <code>ui/src/modes/studio/cockpit/useCockpitRun.ts:83</code>   | Frontend declaration.            |
| <b>navigate</b>          | const    | <code>ui/src/modes/studio/cockpit/useCockpitRun.ts:84</code>   | Frontend declaration.            |
| <b>setRunCost</b>        | const    | <code>ui/src/modes/studio/cockpit/useCockpitRun.ts:102</code>  | Documented frontend declaration. |
| <b>applyResumeResult</b> | function |                                                                | Documented frontend declaration. |

| Symbol                      | Kind     | Location                                           | Signature / summary                                                                                                  |
|-----------------------------|----------|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                             |          | ui/src/modes/studio/cockpit/useCockpitRun.ts:123   |                                                                                                                      |
| <b>interrupt</b>            | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:126   |  Frontend declaration.              |
| <b>v</b>                    | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:131   |  Frontend declaration.              |
| <b>request</b>              | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:185   |  Documented frontend declaration.   |
| <b>message</b>              | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:201   |  Frontend declaration.              |
| <b>load</b>                 | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:225   |  Frontend declaration.              |
| <b>timer</b>                | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:233   |  Frontend declaration.              |
| <b>result</b>               | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:252   |  Documented frontend declaration.  |
| <b>cockpit</b>              | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:313   |  Documented frontend declaration. |
| <b>nodeIds</b>              | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:314   |  Documented frontend declaration. |
| <b>activeNodeId</b>         | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:317   |  Frontend declaration.            |
| <b>event</b>                | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:320   |  Frontend declaration.            |
| <b>reusedNodeCount</b>      | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:330   |  Frontend declaration.            |
| <b>retryGateFetch</b>       | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:334   |  Frontend declaration.            |
| <b>getLiveRunNodeStatus</b> | const    | ui/src/modes/studio/cockpit/useCockpitRun.ts:345   |  Documented frontend declaration. |
| <b>useResizablePanel</b>    | function | ui/src/modes/studio/cockpit/useResizablePanel.ts:9 |  Frontend declaration.            |
| <b>stored</b>               | const    |                                                    |  Frontend declaration.            |

| Symbol                     | Kind     | Location                                                         | Signature / summary              |
|----------------------------|----------|------------------------------------------------------------------|----------------------------------|
|                            |          | <code>ui/src/modes/studio/cockpit/useResizablePanel.ts:23</code> |                                  |
| <b>dragStart</b>           | const    | <code>ui/src/modes/studio/cockpit/useResizablePanel.ts:29</code> | Frontend declaration.            |
| <b>onPointerDown</b>       | const    | <code>ui/src/modes/studio/cockpit/useResizablePanel.ts:34</code> | Frontend declaration.            |
| <b>onPointerMove</b>       | const    | <code>ui/src/modes/studio/cockpit/useResizablePanel.ts:40</code> | Frontend declaration.            |
| <b>delta</b>               | const    | <code>ui/src/modes/studio/cockpit/useResizablePanel.ts:43</code> | Frontend declaration.            |
| <b>signedDelta</b>         | const    | <code>ui/src/modes/studio/cockpit/useResizablePanel.ts:44</code> | Frontend declaration.            |
| <b>next</b>                | const    | <code>ui/src/modes/studio/cockpit/useResizablePanel.ts:45</code> | Frontend declaration.            |
| <b>onPointerUp</b>         | const    | <code>ui/src/modes/studio/cockpit/useResizablePanel.ts:48</code> | Frontend declaration.            |
| <b>fileKey</b>             | function | <code>ui/src/modes/studio/file-artifact.ts:4</code>              | Documented frontend declaration. |
| <b>obj</b>                 | const    | <code>ui/src/modes/studio/file-artifact.ts:10</code>             | Frontend declaration.            |
| <b>v</b>                   | const    | <code>ui/src/modes/studio/file-artifact.ts:12</code>             | Frontend declaration.            |
| <b>artifactLabel</b>       | function | <code>ui/src/modes/studio/file-artifact.ts:28</code>             | Documented frontend declaration. |
| <b>ext</b>                 | const    | <code>ui/src/modes/studio/file-artifact.ts:33</code>             | Frontend declaration.            |
| <b>obj</b>                 | const    | <code>ui/src/modes/studio/file-artifact.ts:34</code>             | Frontend declaration.            |
| <b>parts</b>               | const    | <code>ui/src/modes/studio/file-artifact.ts:35</code>             | Frontend declaration.            |
| <b>size</b>                | const    | <code>ui/src/modes/studio/file-artifact.ts:36</code>             | Frontend declaration.            |
| <b>pages</b>               | const    | <code>ui/src/modes/studio/file-artifact.ts:41</code>             | Frontend declaration.            |
| <b>estimated</b>           | const    | <code>ui/src/modes/studio/file-artifact.ts:44</code>             | Frontend declaration.            |
| <b>isFileReferenceLike</b> | function | <code>ui/src/modes/studio/fileInputUtils.ts:3</code>             | Frontend declaration.            |
| <b>fileReferencesFrom</b>  | function |                                                                  |                                  |

| Symbol                            | Kind     | Location                                                 | Signature / summary                                                                                                  |
|-----------------------------------|----------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                   |          | <a href="#">ui/src/modes/studio/fileInputUtils.ts:12</a> |  Frontend declaration.              |
| <b>FALLBACK_CATEGORIES</b>        | const    | <a href="#">ui/src/modes/studio/fileInputUtils.ts:20</a> |  Frontend declaration.              |
| <b>FALLBACK_FILE_CAPABILITIES</b> | const    | <a href="#">ui/src/modes/studio/fileInputUtils.ts:39</a> |  Frontend declaration.              |
| <b>extensionOf</b>                | function | <a href="#">ui/src/modes/studio/fileInputUtils.ts:51</a> |  Frontend declaration.              |
| <b>dot</b>                        | const    | <a href="#">ui/src/modes/studio/fileInputUtils.ts:53</a> |  Frontend declaration.              |
| <b>formatBytes</b>                | function | <a href="#">ui/src/modes/studio/fileInputUtils.ts:56</a> |  Frontend declaration.              |
| <b>acceptedExtensions</b>         | function | <a href="#">ui/src/modes/studio/fileInputUtils.ts:62</a> |  Frontend declaration.              |
| <b>accepts</b>                    | const    | <a href="#">ui/src/modes/studio/fileInputUtils.ts:67</a> |  Frontend declaration.              |
| <b>NODE_WIDTH</b>                 | const    | <a href="#">ui/src/modes/studio/flow-layout.ts:3</a>     |  Frontend declaration.              |
| <b>NODE_HEIGHT</b>                | const    | <a href="#">ui/src/modes/studio/flow-layout.ts:5</a>     |  Frontend declaration.              |
| <b>STAGE_TOLERANCE</b>            | const    | <a href="#">ui/src/modes/studio/flow-layout.ts:11</a>    |  Documented frontend declaration. |
| <b>Stage</b>                      | type     | <a href="#">ui/src/modes/studio/flow-layout.ts:12</a>    |  Documented frontend declaration. |
| <b>LayoutResult</b>               | type     | <a href="#">ui/src/modes/studio/flow-layout.ts:22</a>    |  Frontend declaration.            |
| <b>layoutFlow</b>                 | function | <a href="#">ui/src/modes/studio/flow-layout.ts:40</a>    |  Frontend declaration.            |
| <b>graph</b>                      | const    | <a href="#">ui/src/modes/studio/flow-layout.ts:45</a>    |  Frontend declaration.            |
| <b>laidOut</b>                    | const    | <a href="#">ui/src/modes/studio/flow-layout.ts:66</a>    |  Frontend declaration.            |
| <b>point</b>                      | const    | <a href="#">ui/src/modes/studio/flow-layout.ts:68</a>    |  Frontend declaration.            |
| <b>width</b>                      | const    | <a href="#">ui/src/modes/studio/flow-layout.ts:69</a>    |  Frontend declaration.            |
| <b>height</b>                     | const    | <a href="#">ui/src/modes/studio/flow-layout.ts:70</a>    |  Frontend declaration.            |
| <b>stageLabel</b>                 | function | <a href="#">ui/src/modes/studio/flow-layout.ts:88</a>    |  Documented frontend declaration. |
| <b>prefixes</b>                   | const    | <a href="#">ui/src/modes/studio/flow-layout.ts:89</a>    |  Documented frontend declaration. |
| <b>counts</b>                     | const    | <a href="#">ui/src/modes/studio/flow-layout.ts:90</a>    |  Documented frontend declaration. |
| <b>groupIntoStages</b>            | function |                                                          |                                                                                                                      |

| Symbol                    | Kind     | Location                                                  | Signature / summary              |
|---------------------------|----------|-----------------------------------------------------------|----------------------------------|
|                           |          | <code>ui/src/modes/studio/flow-layout.ts:111</code>       | Frontend declaration.            |
| <b>axis</b>               | const    | <code>ui/src/modes/studio/flow-layout.ts:115</code>       | Documented frontend declaration. |
| <b>columns</b>            | const    | <code>ui/src/modes/studio/flow-layout.ts:116</code>       | Documented frontend declaration. |
| <b>value</b>              | const    | <code>ui/src/modes/studio/flow-layout.ts:118</code>       | Frontend declaration.            |
| <b>xs</b>                 | const    | <code>ui/src/modes/studio/flow-layout.ts:128</code>       | Frontend declaration.            |
| <b>ys</b>                 | const    | <code>ui/src/modes/studio/flow-layout.ts:129</code>       | Frontend declaration.            |
| <b>widths</b>             | const    | <code>ui/src/modes/studio/flow-layout.ts:130</code>       | Frontend declaration.            |
| <b>heights</b>            | const    | <code>ui/src/modes/studio/flow-layout.ts:131</code>       | Frontend declaration.            |
| <b>nodeIds</b>            | const    | <code>ui/src/modes/studio/flow-layout.ts:132</code>       | Frontend declaration.            |
| <b>node</b>               | function | <code>ui/src/modes/studio/graph-export.test.ts:11</code>  | Frontend declaration.            |
| <b>nodes</b>              | const    | <code>ui/src/modes/studio/graph-export.test.ts:27</code>  | Frontend declaration.            |
| <b>edges</b>              | const    | <code>ui/src/modes/studio/graph-export.test.ts:38</code>  | Frontend declaration.            |
| <b>image</b>              | const    | <code>ui/src/modes/studio/graph-export.test.ts:44</code>  | Frontend declaration.            |
| <b>withExperience</b>     | const    | <code>ui/src/modes/studio/graph-export.test.ts:80</code>  | Frontend declaration.            |
| <b>banded</b>             | const    | <code>ui/src/modes/studio/graph-export.test.ts:92</code>  | Frontend declaration.            |
| <b>hostile</b>            | const    | <code>ui/src/modes/studio/graph-export.test.ts:107</code> | Frontend declaration.            |
| <b>box</b>                | const    | <code>ui/src/modes/studio/graph-export.test.ts:125</code> | Frontend declaration.            |
| <b>path</b>               | const    | <code>ui/src/modes/studio/graph-export.test.ts:132</code> | Frontend declaration.            |
| <b>across</b>             | const    | <code>ui/src/modes/studio/graph-export.test.ts:145</code> | Documented frontend declaration. |
| <b>stacked</b>            | const    | <code>ui/src/modes/studio/graph-export.test.ts:157</code> | Frontend declaration.            |
| <b>wide</b>               | const    | <code>ui/src/modes/studio/graph-export.test.ts:175</code> | Frontend declaration.            |
| <b>large</b>              | const    | <code>ui/src/modes/studio/graph-export.test.ts:178</code> | Frontend declaration.            |
| <b>DEFAULT_NODE_WIDTH</b> | const    |                                                           |                                  |

| Symbol                     | Kind     | Location                                                | Signature / summary                                                                                                  |
|----------------------------|----------|---------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                            |          | <a href="#">ui/src/modes/studio/graph-export.ts:23</a>  |  Frontend declaration.              |
| <b>DEFAULT_NODE_HEIGHT</b> | const    | <a href="#">ui/src/modes/studio/graph-export.ts:25</a>  |  Frontend declaration.              |
| <b>MIN_CARD_HEIGHT</b>     | const    | <a href="#">ui/src/modes/studio/graph-export.ts:26</a>  |  Frontend declaration.              |
| <b>PADDING</b>             | const    | <a href="#">ui/src/modes/studio/graph-export.ts:27</a>  |  Frontend declaration.              |
| <b>HEADER_HEIGHT</b>       | const    | <a href="#">ui/src/modes/studio/graph-export.ts:28</a>  |  Frontend declaration.              |
| <b>BAND_LABEL_HEADROOM</b> | const    | <a href="#">ui/src/modes/studio/graph-export.ts:29</a>  |  Frontend declaration.              |
| <b>COLORS</b>              | const    | <a href="#">ui/src/modes/studio/graph-export.ts:35</a>  |  Documented frontend declaration.   |
| <b>BadgeStyle</b>          | type     | <a href="#">ui/src/modes/studio/graph-export.ts:50</a>  |  Frontend declaration.              |
| <b>KIND_BADGES</b>         | const    | <a href="#">ui/src/modes/studio/graph-export.ts:52</a>  |  Frontend declaration.              |
| <b>NEUTRAL_BADGE</b>       | const    | <a href="#">ui/src/modes/studio/graph-export.ts:61</a>  |  Frontend declaration.              |
| <b>READ_BADGE</b>          | const    | <a href="#">ui/src/modes/studio/graph-export.ts:63</a>  |  Frontend declaration.            |
| <b>WRITE_BADGE</b>         | const    | <a href="#">ui/src/modes/studio/graph-export.ts:64</a>  |  Frontend declaration.            |
| <b>escapeXml</b>           | function | <a href="#">ui/src/modes/studio/graph-export.ts:65</a>  |  Frontend declaration.            |
| <b>truncate</b>            | function | <a href="#">ui/src/modes/studio/graph-export.ts:79</a>  |  Documented frontend declaration. |
| <b>charWidth</b>           | const    | <a href="#">ui/src/modes/studio/graph-export.ts:80</a>  |  Documented frontend declaration. |
| <b>maxChars</b>            | const    | <a href="#">ui/src/modes/studio/graph-export.ts:81</a>  |  Documented frontend declaration. |
| <b>badgeWidth</b>          | function | <a href="#">ui/src/modes/studio/graph-export.ts:85</a>  |  Frontend declaration.            |
| <b>nodeBadges</b>          | function | <a href="#">ui/src/modes/studio/graph-export.ts:89</a>  |  Frontend declaration.            |
| <b>badges</b>              | const    | <a href="#">ui/src/modes/studio/graph-export.ts:91</a>  |  Frontend declaration.            |
| <b>kind</b>                | const    | <a href="#">ui/src/modes/studio/graph-export.ts:92</a>  |  Frontend declaration.            |
| <b>requestedModel</b>      | const    | <a href="#">ui/src/modes/studio/graph-export.ts:96</a>  |  Frontend declaration.            |
| <b>Box</b>                 | type     | <a href="#">ui/src/modes/studio/graph-export.ts:105</a> |  Frontend declaration.            |
| <b>boxOf</b>               | function |                                                         |                                                                                                                      |

| Symbol                    | Kind     | Location                                                | Signature / summary              |
|---------------------------|----------|---------------------------------------------------------|----------------------------------|
|                           |          | <a href="#">ui/src/modes/studio/graph-export.ts:107</a> | Frontend declaration.            |
| <b>FlowDirection</b>      | type     | <a href="#">ui/src/modes/studio/graph-export.ts:116</a> | Frontend declaration.            |
| <b>edgePath</b>           | function | <a href="#">ui/src/modes/studio/graph-export.ts:130</a> | Frontend declaration.            |
| <b>vertical</b>           | const    | <a href="#">ui/src/modes/studio/graph-export.ts:133</a> | Documented frontend declaration. |
| <b>sa</b>                 | const    | <a href="#">ui/src/modes/studio/graph-export.ts:134</a> | Documented frontend declaration. |
| <b>sb</b>                 | const    | <a href="#">ui/src/modes/studio/graph-export.ts:135</a> | Documented frontend declaration. |
| <b>ta</b>                 | const    | <a href="#">ui/src/modes/studio/graph-export.ts:136</a> | Frontend declaration.            |
| <b>tb</b>                 | const    | <a href="#">ui/src/modes/studio/graph-export.ts:137</a> | Frontend declaration.            |
| <b>point</b>              | const    | <a href="#">ui/src/modes/studio/graph-export.ts:138</a> | Frontend declaration.            |
| <b>bow</b>                | const    | <a href="#">ui/src/modes/studio/graph-export.ts:141</a> | Frontend declaration.            |
| <b>mid</b>                | const    | <a href="#">ui/src/modes/studio/graph-export.ts:145</a> | Frontend declaration.            |
| <b>away</b>               | const    | <a href="#">ui/src/modes/studio/graph-export.ts:147</a> | Frontend declaration.            |
| <b>radius</b>             | const    | <a href="#">ui/src/modes/studio/graph-export.ts:148</a> | Frontend declaration.            |
| <b>WorkflowSvgOptions</b> | type     | <a href="#">ui/src/modes/studio/graph-export.ts:158</a> | Frontend declaration.            |
| <b>WorkflowSvg</b>        | type     | <a href="#">ui/src/modes/studio/graph-export.ts:169</a> | Documented frontend declaration. |
| <b>buildWorkflowSvg</b>   | function | <a href="#">ui/src/modes/studio/graph-export.ts:171</a> | Frontend declaration.            |
| <b>boxes</b>              | const    | <a href="#">ui/src/modes/studio/graph-export.ts:181</a> | Frontend declaration.            |
| <b>values</b>             | const    | <a href="#">ui/src/modes/studio/graph-export.ts:183</a> | Frontend declaration.            |
| <b>bandTop</b>            | const    | <a href="#">ui/src/modes/studio/graph-export.ts:184</a> | Frontend declaration.            |
| <b>minX</b>               | const    | <a href="#">ui/src/modes/studio/graph-export.ts:185</a> | Frontend declaration.            |
| <b>minY</b>               | const    | <a href="#">ui/src/modes/studio/graph-export.ts:186</a> | Frontend declaration.            |
| <b>maxX</b>               | const    | <a href="#">ui/src/modes/studio/graph-export.ts:187</a> | Frontend declaration.            |
| <b>maxY</b>               | const    |                                                         |                                  |

| Symbol               | Kind  | Location                                                | Signature / summary                                                                                       |
|----------------------|-------|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
|                      |       | <a href="#">ui/src/modes/studio/graph-export.ts:188</a> |  Frontend declaration.   |
| <b>width</b>         | const | <a href="#">ui/src/modes/studio/graph-export.ts:189</a> |  Frontend declaration.   |
| <b>height</b>        | const | <a href="#">ui/src/modes/studio/graph-export.ts:191</a> |  Frontend declaration.   |
| <b>offsetX</b>       | const | <a href="#">ui/src/modes/studio/graph-export.ts:192</a> |  Frontend declaration.   |
| <b>offsetY</b>       | const | <a href="#">ui/src/modes/studio/graph-export.ts:193</a> |  Frontend declaration.   |
| <b>bandMarkup</b>    | const | <a href="#">ui/src/modes/studio/graph-export.ts:194</a> |  Frontend declaration.   |
| <b>bandX</b>         | const | <a href="#">ui/src/modes/studio/graph-export.ts:196</a> |  Frontend declaration.   |
| <b>bandY</b>         | const | <a href="#">ui/src/modes/studio/graph-export.ts:197</a> |  Frontend declaration.   |
| <b>bandWidth</b>     | const | <a href="#">ui/src/modes/studio/graph-export.ts:198</a> |  Frontend declaration.   |
| <b>bandHeight</b>    | const | <a href="#">ui/src/modes/studio/graph-export.ts:199</a> |  Frontend declaration. |
| <b>edgeMarkup</b>    | const | <a href="#">ui/src/modes/studio/graph-export.ts:205</a> |  Frontend declaration. |
| <b>source</b>        | const | <a href="#">ui/src/modes/studio/graph-export.ts:207</a> |  Frontend declaration. |
| <b>target</b>        | const | <a href="#">ui/src/modes/studio/graph-export.ts:208</a> |  Frontend declaration. |
| <b>path</b>          | const | <a href="#">ui/src/modes/studio/graph-export.ts:210</a> |  Frontend declaration. |
| <b>label</b>         | const | <a href="#">ui/src/modes/studio/graph-export.ts:211</a> |  Frontend declaration. |
| <b>labelX</b>        | const | <a href="#">ui/src/modes/studio/graph-export.ts:213</a> |  Frontend declaration. |
| <b>labelY</b>        | const | <a href="#">ui/src/modes/studio/graph-export.ts:216</a> |  Frontend declaration. |
| <b>labelWidth</b>    | const | <a href="#">ui/src/modes/studio/graph-export.ts:219</a> |  Frontend declaration. |
| <b>nodeMarkup</b>    | const | <a href="#">ui/src/modes/studio/graph-export.ts:226</a> |  Frontend declaration. |
| <b>box</b>           | const | <a href="#">ui/src/modes/studio/graph-export.ts:228</a> |  Frontend declaration. |
| <b>businessLabel</b> | const | <a href="#">ui/src/modes/studio/graph-export.ts:229</a> |  Frontend declaration. |
| <b>heading</b>       | const | <a href="#">ui/src/modes/studio/graph-export.ts:230</a> |  Frontend declaration. |
| <b>subtitleText</b>  | const |                                                         |                                                                                                           |



| Symbol                      | Kind     | Location                                                | Signature / summary                                                                                                |
|-----------------------------|----------|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                             |          | <a href="#">ui/src/modes/studio/graph-export.ts:231</a> |  Frontend declaration.            |
| <b>inner</b>                | const    | <a href="#">ui/src/modes/studio/graph-export.ts:234</a> |  Frontend declaration.            |
| <b>badgeY</b>               | const    | <a href="#">ui/src/modes/studio/graph-export.ts:237</a> |  Frontend declaration.            |
| <b>badgeMarkup</b>          | const    | <a href="#">ui/src/modes/studio/graph-export.ts:238</a> |  Frontend declaration.            |
| <b>pillWidth</b>            | const    | <a href="#">ui/src/modes/studio/graph-export.ts:239</a> |  Frontend declaration.            |
| <b>markup</b>               | const    | <a href="#">ui/src/modes/studio/graph-export.ts:241</a> |  Frontend declaration.            |
| <b>svg</b>                  | const    | <a href="#">ui/src/modes/studio/graph-export.ts:256</a> |  Frontend declaration.            |
| <b>MAX_CANVAS_DIMENSION</b> | const    | <a href="#">ui/src/modes/studio/graph-export.ts:275</a> |  Documented frontend declaration. |
| <b>MAX_CANVAS_PIXELS</b>    | const    | <a href="#">ui/src/modes/studio/graph-export.ts:276</a> |  Documented frontend declaration. |
| <b>exportScale</b>          | function | <a href="#">ui/src/modes/studio/graph-export.ts:277</a> |  Documented frontend declaration. |
| <b>svgDataURL</b>           | function | <a href="#">ui/src/modes/studio/graph-export.ts:286</a> |  Frontend declaration.          |
| <b>DEFAULT_PNG_SCALE</b>    | const    | <a href="#">ui/src/modes/studio/graph-export.ts:297</a> |  Frontend declaration.          |
| <b>svgToPngBlob</b>         | function | <a href="#">ui/src/modes/studio/graph-export.ts:298</a> |  Frontend declaration.          |
| <b>scale</b>                | const    | <a href="#">ui/src/modes/studio/graph-export.ts:303</a> |  Frontend declaration.          |
| <b>image</b>                | const    | <a href="#">ui/src/modes/studio/graph-export.ts:304</a> |  Frontend declaration.          |
| <b>canvas</b>               | const    | <a href="#">ui/src/modes/studio/graph-export.ts:310</a> |  Frontend declaration.          |
| <b>context</b>              | const    | <a href="#">ui/src/modes/studio/graph-export.ts:314</a> |  Frontend declaration.          |
| <b>blob</b>                 | const    | <a href="#">ui/src/modes/studio/graph-export.ts:319</a> |  Frontend declaration.          |
| <b>downloadBlob</b>         | function | <a href="#">ui/src/modes/studio/graph-export.ts:324</a> |  Frontend declaration.          |
| <b>url</b>                  | const    | <a href="#">ui/src/modes/studio/graph-export.ts:326</a> |  Frontend declaration.          |
| <b>link</b>                 | const    | <a href="#">ui/src/modes/studio/graph-export.ts:327</a> |  Frontend declaration.          |
| <b>exportFileName</b>       | function | <a href="#">ui/src/modes/studio/graph-export.ts:335</a> |  Frontend declaration.          |
| <b>base</b>                 | const    |                                                         |                                                                                                                    |

| Symbol                       | Kind     | Location                                                        | Signature / summary              |
|------------------------------|----------|-----------------------------------------------------------------|----------------------------------|
|                              |          | <a href="#">ui/src/modes/studio/graph-export.ts:337</a>         | Frontend declaration.            |
| <b>node</b>                  | function | <a href="#">ui/src/modes/studio/graph-navigation.test.ts:5</a>  | Frontend declaration.            |
| <b>edge</b>                  | function | <a href="#">ui/src/modes/studio/graph-navigation.test.ts:16</a> | Frontend declaration.            |
| <b>nodes</b>                 | const    | <a href="#">ui/src/modes/studio/graph-navigation.test.ts:28</a> | Frontend declaration.            |
| <b>edges</b>                 | const    | <a href="#">ui/src/modes/studio/graph-navigation.test.ts:35</a> | Frontend declaration.            |
| <b>withNearbyOtherColumn</b> | const    | <a href="#">ui/src/modes/studio/graph-navigation.test.ts:60</a> | Frontend declaration.            |
| <b>orphaned</b>              | const    | <a href="#">ui/src/modes/studio/graph-navigation.test.ts:67</a> | Frontend declaration.            |
| <b>NavDirection</b>          | type     | <a href="#">ui/src/modes/studio/graph-navigation.ts:16</a>      | Frontend declaration.            |
| <b>ARROW_DIRECTIONS</b>      | const    | <a href="#">ui/src/modes/studio/graph-navigation.ts:18</a>      | Frontend declaration.            |
| <b>DEFAULT_NODE_WIDTH</b>    | const    | <a href="#">ui/src/modes/studio/graph-navigation.ts:25</a>      | Frontend declaration.            |
| <b>DEFAULT_NODE_HEIGHT</b>   | const    | <a href="#">ui/src/modes/studio/graph-navigation.ts:27</a>      | Frontend declaration.            |
| <b>COLUMN_TOLERANCE</b>      | const    | <a href="#">ui/src/modes/studio/graph-navigation.ts:33</a>      | Documented frontend declaration. |
| <b>OFF_AXIS_PENALTY</b>      | const    | <a href="#">ui/src/modes/studio/graph-navigation.ts:36</a>      | Documented frontend declaration. |
| <b>NodeCentre</b>            | type     | <a href="#">ui/src/modes/studio/graph-navigation.ts:37</a>      | Documented frontend declaration. |
| <b>nodeCentre</b>            | function | <a href="#">ui/src/modes/studio/graph-navigation.ts:39</a>      | Frontend declaration.            |
| <b>firstNodeId</b>           | function | <a href="#">ui/src/modes/studio/graph-navigation.ts:49</a>      | Documented frontend declaration. |
| <b>centres</b>               | const    | <a href="#">ui/src/modes/studio/graph-navigation.ts:50</a>      | Documented frontend declaration. |
| <b>connected</b>             | function | <a href="#">ui/src/modes/studio/graph-navigation.ts:56</a>      | Frontend declaration.            |
| <b>ids</b>                   | const    | <a href="#">ui/src/modes/studio/graph-navigation.ts:58</a>      | Frontend declaration.            |
| <b>resolveArrowTarget</b>    | function | <a href="#">ui/src/modes/studio/graph-navigation.ts:71</a>      | Frontend declaration.            |
| <b>centres</b>               | const    | <a href="#">ui/src/modes/studio/graph-navigation.ts:79</a>      | Frontend declaration.            |
| <b>current</b>               | const    | <a href="#">ui/src/modes/studio/graph-navigation.ts:81</a>      | Frontend declaration.            |
| <b>neighbours</b>            | const    |                                                                 |                                  |

| Symbol             | Kind     | Location                                                          | Signature / summary                                                                                                |
|--------------------|----------|-------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                    |          | <code>ui/src/modes/studio/graph-navigation.ts:86</code>           |  Documented frontend declaration. |
| <b>forward</b>     | const    | <code>ui/src/modes/studio/graph-navigation.ts:95</code>           |  Frontend declaration.            |
| <b>offAxis</b>     | const    | <code>ui/src/modes/studio/graph-navigation.ts:104</code>          |  Frontend declaration.            |
| <b>ahead</b>       | const    | <code>ui/src/modes/studio/graph-navigation.ts:109</code>          |  Frontend declaration.            |
| <b>sameColumn</b>  | const    | <code>ui/src/modes/studio/graph-navigation.ts:117</code>          |  Documented frontend declaration. |
| <b>score</b>       | const    | <code>ui/src/modes/studio/graph-navigation.ts:124</code>          |  Frontend declaration.            |
| <b>workflow</b>    | function | <code>ui/src/modes/studio/guided/runtime-model.test.ts:26</code>  |  Frontend declaration.            |
| <b>model</b>       | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:33</code>  |  Frontend declaration.            |
| <b>byId</b>        | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:41</code>  |  Frontend declaration.            |
| <b>model</b>       | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:47</code>  |  Frontend declaration.            |
| <b>model</b>       | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:62</code>  |  Frontend declaration.          |
| <b>createStage</b> | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:70</code>  |  Frontend declaration.          |
| <b>model</b>       | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:75</code>  |  Frontend declaration.          |
| <b>createStage</b> | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:82</code>  |  Frontend declaration.          |
| <b>model</b>       | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:88</code>  |  Frontend declaration.          |
| <b>model</b>       | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:102</code> |  Frontend declaration.          |
| <b>withGoal</b>    | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:118</code> |  Frontend declaration.          |
| <b>withoutGoal</b> | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:124</code> |  Frontend declaration.          |
| <b>artifacts</b>   | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:136</code> |  Frontend declaration.          |
| <b>wf</b>          | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:153</code> |  Frontend declaration.          |
| <b>liveRun</b>     | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:156</code> |  Frontend declaration.          |
| <b>statuses</b>    | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:160</code> |  Frontend declaration.          |
| <b>liveRun</b>     | const    |                                                                   |                                                                                                                    |

| Symbol                      | Kind     | Location                                                          | Signature / summary   |
|-----------------------------|----------|-------------------------------------------------------------------|-----------------------|
|                             |          | <code>ui/src/modes/studio/guided/runtime-model.test.ts:165</code> | Frontend declaration. |
| <b>statuses</b>             | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:166</code> | Frontend declaration. |
| <b>notFinished</b>          | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:172</code> | Frontend declaration. |
| <b>finished</b>             | const    | <code>ui/src/modes/studio/guided/runtime-model.test.ts:174</code> | Frontend declaration. |
| <b>GuidedStageState</b>     | type     | <code>ui/src/modes/studio/guided/runtime-model.ts:10</code>       | Frontend declaration. |
| <b>GuidedStep</b>           | type     | <code>ui/src/modes/studio/guided/runtime-model.ts:12</code>       | Frontend declaration. |
| <b>GuidedStage</b>          | type     | <code>ui/src/modes/studio/guided/runtime-model.ts:32</code>       | Frontend declaration. |
| <b>GuidedRuntimeModel</b>   | type     | <code>ui/src/modes/studio/guided/runtime-model.ts:46</code>       | Frontend declaration. |
| <b>GuidedArtifact</b>       | type     | <code>ui/src/modes/studio/guided/runtime-model.ts:56</code>       | Frontend declaration. |
| <b>DEFAULT_STAGES</b>       | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:63</code>       | Frontend declaration. |
| <b>TERMINAL_NODE_STATES</b> | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:108</code>      | Frontend declaration. |
| <b>GUIDED_STATUS_LABEL</b>  | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:112</code>      | Frontend declaration. |
| <b>humanizeIdentifier</b>   | function | <code>ui/src/modes/studio/guided/runtime-model.ts:123</code>      | Frontend declaration. |
| <b>spaced</b>               | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:125</code>      | Frontend declaration. |
| <b>compactText</b>          | function | <code>ui/src/modes/studio/guided/runtime-model.ts:134</code>      | Frontend declaration. |
| <b>text</b>                 | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:137</code>      | Frontend declaration. |
| <b>asRecord</b>             | function | <code>ui/src/modes/studio/guided/runtime-model.ts:141</code>      | Frontend declaration. |
| <b>keyPointsFromOutput</b>  | function | <code>ui/src/modes/studio/guided/runtime-model.ts:147</code>      | Frontend declaration. |
| <b>record</b>               | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:153</code>      | Frontend declaration. |
| <b>text</b>                 | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:155</code>      | Frontend declaration. |
| <b>points</b>               | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:158</code>      | Frontend declaration. |
| <b>text</b>                 | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:161</code>      | Frontend declaration. |
| <b>label</b>                | const    |                                                                   |                       |

| Symbol                         | Kind     | Location                                                        | Signature / summary                                                                                                  |
|--------------------------------|----------|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                |          | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:170</a> |  Frontend declaration.              |
| <b>fieldCount</b>              | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:180</a> |  Frontend declaration.              |
| <b>qualitySummary</b>          | function | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:185</a> |  Frontend declaration.              |
| <b>record</b>                  | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:187</a> |  Frontend declaration.              |
| <b>blocking</b>                | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:189</a> |  Frontend declaration.              |
| <b>warnings</b>                | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:190</a> |  Frontend declaration.              |
| <b>reviewItems</b>             | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:191</a> |  Frontend declaration.              |
| <b>count</b>                   | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:195</a> |  Frontend declaration.              |
| <b>inferredStageId</b>         | function | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:201</a> |  Frontend declaration.              |
| <b>searchable</b>              | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:203</a> |  Frontend declaration.              |
| <b>precedence</b>              | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:206</a> |  Documented frontend declaration.  |
| <b>stage</b>                   | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:208</a> |  Documented frontend declaration. |
| <b>fallbackIndex</b>           | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:211</a> |  Frontend declaration.            |
| <b>stageState</b>              | function | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:217</a> |  Frontend declaration.            |
| <b>values</b>                  | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:219</a> |  Frontend declaration.            |
| <b>stageForNode</b>            | function | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:229</a> |  Frontend declaration.            |
| <b>explicit</b>                | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:237</a> |  Frontend declaration.            |
| <b>fallbackExperience</b>      | function | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:240</a> |  Frontend declaration.            |
| <b>buildGuidedRuntimeModel</b> | function | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:254</a> |  Frontend declaration.            |
| <b>explicitStages</b>          | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:268</a> |  Frontend declaration.            |
| <b>stageDefinitions</b>        | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:269</a> |  Frontend declaration.            |
| <b>stageNodes</b>              | const    | <a href="#">ui/src/modes/studio/guided/runtime-model.ts:272</a> |  Frontend declaration.            |
| <b>nodeStage</b>               | const    |                                                                 |                                                                                                                      |

| Symbol                        | Kind     | Location                                                     | Signature / summary   |
|-------------------------------|----------|--------------------------------------------------------------|-----------------------|
|                               |          | <code>ui/src/modes/studio/guided/runtime-model.ts:274</code> | Frontend declaration. |
| <b>stageld</b>                | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:276</code> | Frontend declaration. |
| <b>orderedStagelds</b>        | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:287</code> | Frontend declaration. |
| <b>stages</b>                 | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:293</code> | Frontend declaration. |
| <b>definition</b>             | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:295</code> | Frontend declaration. |
| <b>nodeIds</b>                | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:296</code> | Frontend declaration. |
| <b>completedCount</b>         | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:297</code> | Frontend declaration. |
| <b>stageById</b>              | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:314</code> | Frontend declaration. |
| <b>steps</b>                  | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:316</code> | Frontend declaration. |
| <b>stageld</b>                | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:317</code> | Frontend declaration. |
| <b>stage</b>                  | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:318</code> | Frontend declaration. |
| <b>experience</b>             | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:319</code> | Frontend declaration. |
| <b>fallback</b>               | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:320</code> | Frontend declaration. |
| <b>output</b>                 | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:326</code> | Frontend declaration. |
| <b>points</b>                 | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:327</code> | Frontend declaration. |
| <b>currentStage</b>           | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:350</code> | Frontend declaration. |
| <b>visibleSteps</b>           | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:356</code> | Frontend declaration. |
| <b>currentStep</b>            | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:357</code> | Frontend declaration. |
| <b>contributions</b>          | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:362</code> | Frontend declaration. |
| <b>collectGuidedArtifacts</b> | function | <code>ui/src/modes/studio/guided/runtime-model.ts:374</code> | Frontend declaration. |
| <b>seen</b>                   | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:376</code> | Frontend declaration. |
| <b>artifacts</b>              | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:377</code> | Frontend declaration. |
| <b>record</b>                 | const    |                                                              |                       |

| Symbol                      | Kind     | Location                                                     | Signature / summary   |
|-----------------------------|----------|--------------------------------------------------------------|-----------------------|
|                             |          | <code>ui/src/modes/studio/guided/runtime-model.ts:379</code> | Frontend declaration. |
| <b>extension</b>            | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:384</code> | Frontend declaration. |
| <b>nodeStatusesFromRun</b>  | function | <code>ui/src/modes/studio/guided/runtime-model.ts:398</code> | Frontend declaration. |
| <b>liveStatus</b>           | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:406</code> | Frontend declaration. |
| <b>mappedLive</b>           | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:407</code> | Frontend declaration. |
| <b>eventStatus</b>          | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:413</code> | Frontend declaration. |
| <b>status</b>               | const    | <code>ui/src/modes/studio/guided/runtime-model.ts:414</code> | Frontend declaration. |
| <b>adapter</b>              | const    | <code>ui/src/modes/studio/hitl-plain-text.test.ts:7</code>   | Frontend declaration. |
| <b>adapter</b>              | const    | <code>ui/src/modes/studio/hitl-plain-text.test.ts:14</code>  | Frontend declaration. |
| <b>adapter</b>              | const    | <code>ui/src/modes/studio/hitl-plain-text.test.ts:29</code>  | Frontend declaration. |
| <b>adapter</b>              | const    | <code>ui/src/modes/studio/hitl-plain-text.test.ts:42</code>  | Frontend declaration. |
| <b>adapter</b>              | const    | <code>ui/src/modes/studio/hitl-plain-text.test.ts:55</code>  | Frontend declaration. |
| <b>JsonPathPart</b>         | type     | <code>ui/src/modes/studio/hitl-plain-text.ts:1</code>        | Frontend declaration. |
| <b>PlainTextJsonAdapter</b> | type     | <code>ui/src/modes/studio/hitl-plain-text.ts:2</code>        | Frontend declaration. |
| <b>PREFERRED_TEXT_KEYS</b>  | const    | <code>ui/src/modes/studio/hitl-plain-text.ts:7</code>        | Frontend declaration. |
| <b>cloneJson</b>            | function | <code>ui/src/modes/studio/hitl-plain-text.ts:18</code>       | Frontend declaration. |
| <b>valueAtPath</b>          | function | <code>ui/src/modes/studio/hitl-plain-text.ts:22</code>       | Frontend declaration. |
| <b>replaceAtPath</b>        | function | <code>ui/src/modes/studio/hitl-plain-text.ts:31</code>       | Frontend declaration. |
| <b>copy</b>                 | const    | <code>ui/src/modes/studio/hitl-plain-text.ts:34</code>       | Frontend declaration. |
| <b>stringPaths</b>          | function | <code>ui/src/modes/studio/hitl-plain-text.ts:42</code>       | Frontend declaration. |
| <b>preferredStringPath</b>  | function | <code>ui/src/modes/studio/hitl-plain-text.ts:51</code>       | Frontend declaration. |
| <b>paths</b>                | const    | <code>ui/src/modes/studio/hitl-plain-text.ts:53</code>       | Frontend declaration. |
| <b>match</b>                | const    |                                                              |                       |

| Symbol                       | Kind     | Location                                                             | Signature / summary   |
|------------------------------|----------|----------------------------------------------------------------------|-----------------------|
|                              |          | <code>ui/src/modes/studio/hitl-plain-text.ts:56</code>               | Frontend declaration. |
| <b>readableText</b>          | function | <code>ui/src/modes/studio/hitl-plain-text.ts:63</code>               | Frontend declaration. |
| <b>label</b>                 | const    | <code>ui/src/modes/studio/hitl-plain-text.ts:73</code>               | Frontend declaration. |
| <b>nested</b>                | const    | <code>ui/src/modes/studio/hitl-plain-text.ts:75</code>               | Frontend declaration. |
| <b>plainTextJsonAdapter</b>  | function | <code>ui/src/modes/studio/hitl-plain-text.ts:91</code>               | Frontend declaration. |
| <b>path</b>                  | const    | <code>ui/src/modes/studio/hitl-plain-text.ts:102</code>              | Frontend declaration. |
| <b>displayText</b>           | const    | <code>ui/src/modes/studio/hitl-plain-text.ts:105</code>              | Frontend declaration. |
| <b>LibraryNavSelection</b>   | type     | <code>ui/src/modes/studio/library/CategoryNav.tsx:2</code>           | Frontend declaration. |
| <b>CategoryNav</b>           | function | <code>ui/src/modes/studio/library/CategoryNav.tsx:4</code>           | Frontend declaration. |
| <b>count</b>                 | const    | <code>ui/src/modes/studio/library/CategoryNav.tsx:46</code>          | Frontend declaration. |
| <b>ConfirmDeleteDialog</b>   | function | <code>ui/src/modes/studio/library/ConfirmDeleteDialog.tsx:4</code>   | Frontend declaration. |
| <b>title</b>                 | const    | <code>ui/src/modes/studio/library/ConfirmDeleteDialog.tsx:16</code>  | Frontend declaration. |
| <b>confirm</b>               | function | <code>ui/src/modes/studio/library/ConfirmDeleteDialog.tsx:17</code>  | Frontend declaration. |
| <b>NAME_PATTERN</b>          | const    | <code>ui/src/modes/studio/library/ImportWorkflowDialog.tsx:3</code>  | Frontend declaration. |
| <b>ImportWorkflowDialog</b>  | function | <code>ui/src/modes/studio/library/ImportWorkflowDialog.tsx:5</code>  | Frontend declaration. |
| <b>nameValid</b>             | const    | <code>ui/src/modes/studio/library/ImportWorkflowDialog.tsx:17</code> | Frontend declaration. |
| <b>submit</b>                | function | <code>ui/src/modes/studio/library/ImportWorkflowDialog.tsx:19</code> | Frontend declaration. |
| <b>LibraryDurationBucket</b> | type     | <code>ui/src/modes/studio/library/LibraryToolbar.tsx:8</code>        | Frontend declaration. |
| <b>LibraryFilterState</b>    | type     | <code>ui/src/modes/studio/library/LibraryToolbar.tsx:9</code>        | Frontend declaration. |



| Symbol                    | Kind     | Location                                                              | Signature / summary                                                                                                  |
|---------------------------|----------|-----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>LibrarySortKey</b>     | type     | <a href="#">ui/src/modes/studio/library/LibraryToolbar.tsx:10</a>     |  Frontend declaration.              |
| <b>LibraryViewMode</b>    | type     | <a href="#">ui/src/modes/studio/library/LibraryToolbar.tsx:12</a>     |  Frontend declaration.              |
| <b>STATUS_OPTIONS</b>     | const    | <a href="#">ui/src/modes/studio/library/LibraryToolbar.tsx:14</a>     |  Frontend declaration.              |
| <b>STATUS_LABEL</b>       | const    | <a href="#">ui/src/modes/studio/library/LibraryToolbar.tsx:16</a>     |  Frontend declaration.              |
| <b>DURATION_OPTIONS</b>   | const    | <a href="#">ui/src/modes/studio/library/LibraryToolbar.tsx:23</a>     |  Frontend declaration.              |
| <b>toggleInSet</b>        | function | <a href="#">ui/src/modes/studio/library/LibraryToolbar.tsx:24</a>     |  Frontend declaration.              |
| <b>next</b>               | const    | <a href="#">ui/src/modes/studio/library/LibraryToolbar.tsx:26</a>     |  Frontend declaration.              |
| <b>LibraryToolbar</b>     | function | <a href="#">ui/src/modes/studio/library/LibraryToolbar.tsx:30</a>     |  Frontend declaration.            |
| <b>active</b>             | const    | <a href="#">ui/src/modes/studio/library/LibraryToolbar.tsx:57</a>     |  Frontend declaration.            |
| <b>Step</b>               | type     | <a href="#">ui/src/modes/studio/library/PrepareAndRunPanel.tsx:10</a> |  Frontend declaration.            |
| <b>PrepareAndRunPanel</b> | function | <a href="#">ui/src/modes/studio/library/PrepareAndRunPanel.tsx:12</a> |  Frontend declaration.            |
| <b>navigate</b>           | const    | <a href="#">ui/src/modes/studio/library/PrepareAndRunPanel.tsx:20</a> |  Frontend declaration.            |
| <b>checkReadinessNow</b>  | function | <a href="#">ui/src/modes/studio/library/PrepareAndRunPanel.tsx:40</a> |  Frontend declaration.            |
| <b>report</b>             | const    | <a href="#">ui/src/modes/studio/library/PrepareAndRunPanel.tsx:49</a> |  Documented frontend declaration. |
| <b>startNow</b>           | function | <a href="#">ui/src/modes/studio/library/PrepareAndRunPanel.tsx:57</a> |  Frontend declaration.            |
| <b>runId</b>              | const    | <a href="#">ui/src/modes/studio/library/PrepareAndRunPanel.tsx:63</a> |  Frontend declaration.            |
| <b>title</b>              | const    |                                                                       |                                                                                                                      |

| Symbol                      | Kind     | Location                                                                | Signature / summary                                                                                                |
|-----------------------------|----------|-------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|                             |          | <a href="#">ui/src/modes/studio/library/PrepareAndRunPanel.tsx:82</a>   |  Frontend declaration.            |
| <b>inputCount</b>           | const    | <a href="#">ui/src/modes/studio/library/PrepareAndRunPanel.tsx:84</a>   |  Frontend declaration.            |
| <b>needsInputsStep</b>      | const    | <a href="#">ui/src/modes/studio/library/PrepareAndRunPanel.tsx:91</a>   |  Documented frontend declaration. |
| <b>reviewCount</b>          | const    | <a href="#">ui/src/modes/studio/library/PrepareAndRunPanel.tsx:92</a>   |  Documented frontend declaration. |
| <b>blocked</b>              | const    | <a href="#">ui/src/modes/studio/library/PrepareAndRunPanel.tsx:93</a>   |  Documented frontend declaration. |
| <b>STATUS_LABEL</b>         | const    | <a href="#">ui/src/modes/studio/library/WorkflowCard.tsx:6</a>          |  Frontend declaration.            |
| <b>durationText</b>         | function | <a href="#">ui/src/modes/studio/library/WorkflowCard.tsx:14</a>         |  Frontend declaration.            |
| <b>duration</b>             | const    | <a href="#">ui/src/modes/studio/library/WorkflowCard.tsx:16</a>         |  Frontend declaration.            |
| <b>WorkflowCard</b>         | function | <a href="#">ui/src/modes/studio/library/WorkflowCard.tsx:24</a>         |  Frontend declaration.          |
| <b>title</b>                | const    | <a href="#">ui/src/modes/studio/library/WorkflowCard.tsx:44</a>         |  Frontend declaration.          |
| <b>summary</b>              | const    | <a href="#">ui/src/modes/studio/library/WorkflowCard.tsx:45</a>         |  Frontend declaration.          |
| <b>status</b>               | const    | <a href="#">ui/src/modes/studio/library/WorkflowCard.tsx:46</a>         |  Frontend declaration.          |
| <b>reviewCount</b>          | const    | <a href="#">ui/src/modes/studio/library/WorkflowCard.tsx:47</a>         |  Frontend declaration.          |
| <b>outputs</b>              | const    | <a href="#">ui/src/modes/studio/library/WorkflowCard.tsx:48</a>         |  Frontend declaration.          |
| <b>menuRef</b>              | const    | <a href="#">ui/src/modes/studio/library/WorkflowCard.tsx:50</a>         |  Frontend declaration.          |
| <b>onPointerDown</b>        | function | <a href="#">ui/src/modes/studio/library/WorkflowCard.tsx:54</a>         |  Frontend declaration.          |
| <b>DetailsTab</b>           | type     | <a href="#">ui/src/modes/studio/library/WorkflowDetailsPanel.tsx:16</a> |  Frontend declaration.          |
| <b>TABS</b>                 | const    | <a href="#">ui/src/modes/studio/library/WorkflowDetailsPanel.tsx:26</a> |  Frontend declaration.          |
| <b>WorkflowDetailsPanel</b> | function | <a href="#">ui/src/modes/studio/library/WorkflowDetailsPanel.tsx:37</a> |  Frontend declaration.          |
| <b>title</b>                | const    | <a href="#">ui/src/modes/studio/library/</a>                            |                                                                                                                    |

| Symbol                       | Kind     | Location                                                              | Signature / summary                                                                                                  |
|------------------------------|----------|-----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                              |          | <code>WorkflowDetailsPanel.tsx:100</code>                             |  Frontend declaration.              |
| <b>library</b>               | const    | <code>ui/src/modes/studio/library/WorkflowDetailsPanel.tsx:102</code> |  Frontend declaration.              |
| <b>readiness</b>             | const    | <code>ui/src/modes/studio/library/WorkflowDetailsPanel.tsx:103</code> |  Frontend declaration.              |
| <b>activeTabContent</b>      | const    | <code>ui/src/modes/studio/library/WorkflowDetailsPanel.tsx:104</code> |  Frontend declaration.              |
| <b>metadata</b>              | function | <code>ui/src/modes/studio/library/categories.test.ts:4</code>         |  Frontend declaration.              |
| <b>categories</b>            | const    | <code>ui/src/modes/studio/library/categories.test.ts:25</code>        |  Frontend declaration.              |
| <b>categories</b>            | const    | <code>ui/src/modes/studio/library/categories.test.ts:34</code>        |  Frontend declaration.              |
| <b>categories</b>            | const    | <code>ui/src/modes/studio/library/categories.test.ts:43</code>        |  Frontend declaration.            |
| <b>categories</b>            | const    | <code>ui/src/modes/studio/library/categories.test.ts:54</code>        |  Frontend declaration.            |
| <b>categories</b>            | const    | <code>ui/src/modes/studio/library/categories.test.ts:63</code>        |  Frontend declaration.            |
| <b>LibraryCategoryId</b>     | type     | <code>ui/src/modes/studio/library/categories.ts:9</code>              |  Documented frontend declaration. |
| <b>LibraryCategory</b>       | type     | <code>ui/src/modes/studio/library/categories.ts:24</code>             |  Frontend declaration.            |
| <b>LIBRARY_CATEGORIES</b>    | const    | <code>ui/src/modes/studio/library/categories.ts:32</code>             |  Documented frontend declaration. |
| <b>CATEGORY_LABEL</b>        | const    | <code>ui/src/modes/studio/library/categories.ts:49</code>             |  Frontend declaration.            |
| <b>slugTold</b>              | function | <code>ui/src/modes/studio/library/categories.ts:53</code>             |  Frontend declaration.            |
| <b>categoriesForWorkflow</b> | function | <code>ui/src/modes/studio/library/categories.ts:60</code>             |  Documented frontend declaration. |
| <b>declaredTags</b>          | const    | <code>ui/src/modes/studio/library/categories.ts:65</code>             |  Frontend declaration.            |
| <b>bySlug</b>                | const    | <code>ui/src/modes/studio/library/categories.ts:67</code>             |  Frontend declaration.            |

| Symbol               | Kind     | Location                                            | Signature / summary                                                                                       |
|----------------------|----------|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>matched</b>       | const    | ui/src/modes/studio/<br>library/categories.ts:68    |  Frontend declaration.   |
| <b>searchable</b>    | const    | ui/src/modes/studio/<br>library/categories.ts:74    |  Frontend declaration.   |
| <b>inferred</b>      | const    | ui/src/modes/studio/<br>library/categories.ts:76    |  Frontend declaration.   |
| <b>readiness</b>     | function | ui/src/modes/studio/<br>library/filters.test.ts:11  |  Frontend declaration.   |
| <b>library</b>       | function | ui/src/modes/studio/<br>library/filters.test.ts:15  |  Frontend declaration.   |
| <b>workflow</b>      | function | ui/src/modes/studio/<br>library/filters.test.ts:34  |  Frontend declaration.   |
| <b>wf</b>            | const    | ui/src/modes/studio/<br>library/filters.test.ts:51  |  Frontend declaration.   |
| <b>wf</b>            | const    | ui/src/modes/studio/<br>library/filters.test.ts:57  |  Frontend declaration.   |
| <b>wf</b>            | const    | ui/src/modes/studio/<br>library/filters.test.ts:63  |  Frontend declaration.   |
| <b>wf</b>            | const    | ui/src/modes/studio/<br>library/filters.test.ts:88  |  Frontend declaration.   |
| <b>filters</b>       | const    | ui/src/modes/studio/<br>library/filters.test.ts:89  |  Frontend declaration. |
| <b>wf</b>            | const    | ui/src/modes/studio/<br>library/filters.test.ts:95  |  Frontend declaration. |
| <b>filters</b>       | const    | ui/src/modes/studio/<br>library/filters.test.ts:96  |  Frontend declaration. |
| <b>wf</b>            | const    | ui/src/modes/studio/<br>library/filters.test.ts:102 |  Frontend declaration. |
| <b>filters</b>       | const    | ui/src/modes/studio/<br>library/filters.test.ts:103 |  Frontend declaration. |
| <b>withReview</b>    | const    | ui/src/modes/studio/<br>library/filters.test.ts:109 |  Frontend declaration. |
| <b>withoutReview</b> | const    | ui/src/modes/studio/<br>library/filters.test.ts:110 |  Frontend declaration. |
| <b>filters</b>       | const    | ui/src/modes/studio/<br>library/filters.test.ts:111 |  Frontend declaration. |
| <b>a</b>             | const    | ui/src/modes/studio/<br>library/filters.test.ts:130 |  Frontend declaration. |
| <b>b</b>             | const    | ui/src/modes/studio/<br>library/filters.test.ts:131 |  Frontend declaration. |
| <b>sorted</b>        | const    | ui/src/modes/studio/<br>library/filters.test.ts:132 |  Frontend declaration. |
| <b>old</b>           | const    | ui/src/modes/studio/<br>library/filters.test.ts:137 |  Frontend declaration. |
| <b>fresh</b>         | const    |                                                     |                                                                                                           |

| Symbol                       | Kind     | Location                                                     | Signature / summary   |
|------------------------------|----------|--------------------------------------------------------------|-----------------------|
|                              |          | <code>ui/src/modes/studio/library/filters.test.ts:138</code> | Frontend declaration. |
| <b>sorted</b>                | const    | <code>ui/src/modes/studio/library/filters.test.ts:139</code> | Frontend declaration. |
| <b>short</b>                 | const    | <code>ui/src/modes/studio/library/filters.test.ts:144</code> | Frontend declaration. |
| <b>long</b>                  | const    | <code>ui/src/modes/studio/library/filters.test.ts:145</code> | Frontend declaration. |
| <b>unknown</b>               | const    | <code>ui/src/modes/studio/library/filters.test.ts:146</code> | Frontend declaration. |
| <b>sorted</b>                | const    | <code>ui/src/modes/studio/library/filters.test.ts:147</code> | Frontend declaration. |
| <b>a</b>                     | const    | <code>ui/src/modes/studio/library/filters.test.ts:152</code> | Frontend declaration. |
| <b>b</b>                     | const    | <code>ui/src/modes/studio/library/filters.test.ts:153</code> | Frontend declaration. |
| <b>c</b>                     | const    | <code>ui/src/modes/studio/library/filters.test.ts:154</code> | Frontend declaration. |
| <b>sorted</b>                | const    | <code>ui/src/modes/studio/library/filters.test.ts:155</code> | Frontend declaration. |
| <b>good</b>                  | const    | <code>ui/src/modes/studio/library/filters.test.ts:160</code> | Frontend declaration. |
| <b>bad</b>                   | const    | <code>ui/src/modes/studio/library/filters.test.ts:161</code> | Frontend declaration. |
| <b>sorted</b>                | const    | <code>ui/src/modes/studio/library/filters.test.ts:162</code> | Frontend declaration. |
| <b>LibraryDurationBucket</b> | type     | <code>ui/src/modes/studio/library/filters.ts:3</code>        | Frontend declaration. |
| <b>DURATION_BUCKET_LABEL</b> | const    | <code>ui/src/modes/studio/library/filters.ts:5</code>        | Frontend declaration. |
| <b>LibraryFilterState</b>    | type     | <code>ui/src/modes/studio/library/filters.ts:12</code>       | Frontend declaration. |
| <b>emptyFilterState</b>      | function | <code>ui/src/modes/studio/library/filters.ts:21</code>       | Frontend declaration. |
| <b>hasActiveFilters</b>      | function | <code>ui/src/modes/studio/library/filters.ts:32</code>       | Frontend declaration. |
| <b>matchesSearch</b>         | function | <code>ui/src/modes/studio/library/filters.ts:43</code>       | Frontend declaration. |
| <b>trimmed</b>               | const    | <code>ui/src/modes/studio/library/filters.ts:45</code>       | Frontend declaration. |
| <b>haystack</b>              | const    | <code>ui/src/modes/studio/library/filters.ts:47</code>       | Frontend declaration. |
| <b>durationBucket</b>        | function | <code>ui/src/modes/studio/library/filters.ts:63</code>       | Frontend declaration. |
| <b>duration</b>              | const    |                                                              |                       |

| Symbol                 | Kind     | Location                                         | Signature / summary              |
|------------------------|----------|--------------------------------------------------|----------------------------------|
|                        |          | ui/src/modes/studio/library/filters.ts:65        | Frontend declaration.            |
| minutes                | const    | ui/src/modes/studio/library/filters.ts:66        | Frontend declaration.            |
| matchesFilters         | function | ui/src/modes/studio/library/filters.ts:73        | Frontend declaration.            |
| categories             | const    | ui/src/modes/studio/library/filters.ts:82        | Frontend declaration.            |
| outputs                | const    | ui/src/modes/studio/library/filters.ts:87        | Frontend declaration.            |
| status                 | const    | ui/src/modes/studio/library/filters.ts:92        | Frontend declaration.            |
| hasReview              | const    | ui/src/modes/studio/library/filters.ts:97        | Frontend declaration.            |
| bucket                 | const    | ui/src/modes/studio/library/filters.ts:102       | Frontend declaration.            |
| LibrarySortKey         | type     | ui/src/modes/studio/library/filters.ts:108       | Frontend declaration.            |
| SORT_LABEL             | const    | ui/src/modes/studio/library/filters.ts:115       | Frontend declaration.            |
| durationMinutesForSort | function | ui/src/modes/studio/library/filters.ts:123       | Frontend declaration.            |
| duration               | const    | ui/src/modes/studio/library/filters.ts:125       | Frontend declaration.            |
| minutes                | const    | ui/src/modes/studio/library/filters.ts:126       | Frontend declaration.            |
| recommendationScore    | function | ui/src/modes/studio/library/filters.ts:129       | Frontend declaration.            |
| sortWorkflows          | function | ui/src/modes/studio/library/filters.ts:137       | Frontend declaration.            |
| sorted                 | const    | ui/src/modes/studio/library/filters.ts:143       | Frontend declaration.            |
| rank                   | const    | ui/src/modes/studio/library/filters.ts:157       | Frontend declaration.            |
| stubLocalStorage       | function | ui/src/modes/studio/library/localState.test.ts:7 | Documented frontend declaration. |
| store                  | const    | ui/src/modes/studio/library/localState.test.ts:8 | Documented frontend declaration. |
| FAVORITES_KEY          | const    | ui/src/modes/studio/library/localState.ts:8      | Documented frontend declaration. |
| RECENT_KEY             | const    | ui/src/modes/studio/library/localState.ts:10     | Documented frontend declaration. |
| MAX_RECENT             | const    | ui/src/modes/studio/library/localState.ts:11     | Frontend declaration.            |

| Symbol                        | Kind     | Location                                                         | Signature / summary                                                                                                  |
|-------------------------------|----------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>readJSONArray</b>          | function | <a href="#">ui/src/modes/studio/library/localState.ts:12</a>     |  Frontend declaration.              |
| <b>raw</b>                    | const    | <a href="#">ui/src/modes/studio/library/localState.ts:15</a>     |  Frontend declaration.              |
| <b>parsed</b>                 | const    | <a href="#">ui/src/modes/studio/library/localState.ts:16</a>     |  Frontend declaration.              |
| <b>writeJSONArray</b>         | function | <a href="#">ui/src/modes/studio/library/localState.ts:22</a>     |  Frontend declaration.              |
| <b>getFavorites</b>           | function | <a href="#">ui/src/modes/studio/library/localState.ts:31</a>     |  Documented frontend declaration.   |
| <b>isFavorite</b>             | function | <a href="#">ui/src/modes/studio/library/localState.ts:35</a>     |  Frontend declaration.              |
| <b>toggleFavorite</b>         | function | <a href="#">ui/src/modes/studio/library/localState.ts:39</a>     |  Frontend declaration.              |
| <b>current</b>                | const    | <a href="#">ui/src/modes/studio/library/localState.ts:41</a>     |  Frontend declaration.              |
| <b>getRecentlyOpened</b>      | function | <a href="#">ui/src/modes/studio/library/localState.ts:52</a>     |  Documented frontend declaration.   |
| <b>recordOpened</b>           | function | <a href="#">ui/src/modes/studio/library/localState.ts:55</a>     |  Frontend declaration.              |
| <b>withoutName</b>            | const    | <a href="#">ui/src/modes/studio/library/localState.ts:57</a>     |  Frontend declaration.            |
| <b>next</b>                   | const    | <a href="#">ui/src/modes/studio/library/localState.ts:58</a>     |  Frontend declaration.            |
| <b>getLastOpened</b>          | function | <a href="#">ui/src/modes/studio/library/localState.ts:64</a>     |  Documented frontend declaration. |
| <b>forgetWorkflow</b>         | function | <a href="#">ui/src/modes/studio/library/localState.ts:72</a>     |  Frontend declaration.            |
| <b>report</b>                 | function | <a href="#">ui/src/modes/studio/library/readiness.test.ts:4</a>  |  Frontend declaration.            |
| <b>readiness</b>              | const    | <a href="#">ui/src/modes/studio/library/readiness.test.ts:19</a> |  Frontend declaration.            |
| <b>readiness</b>              | const    | <a href="#">ui/src/modes/studio/library/readiness.test.ts:24</a> |  Frontend declaration.            |
| <b>readiness</b>              | const    | <a href="#">ui/src/modes/studio/library/readiness.test.ts:33</a> |  Frontend declaration.            |
| <b>readiness</b>              | const    | <a href="#">ui/src/modes/studio/library/readiness.test.ts:40</a> |  Frontend declaration.            |
| <b>readinessFromPreflight</b> | function | <a href="#">ui/src/modes/studio/library/readiness.ts:13</a>      |  Documented frontend declaration. |
| <b>errors</b>                 | const    | <a href="#">ui/src/modes/studio/library/readiness.ts:14</a>      |  Documented frontend declaration. |

| Symbol                              | Kind     | Location                                                         | Signature / summary                                                                                                |
|-------------------------------------|----------|------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>warnings</b>                     | const    | <code>ui/src/modes/studio/library/readiness.ts:15</code>         |  Documented frontend declaration. |
| <b>level</b>                        | const    | <code>ui/src/modes/studio/library/readiness.ts:16</code>         |  Frontend declaration.            |
| <b>items</b>                        | const    | <code>ui/src/modes/studio/library/readiness.ts:21</code>         |  Frontend declaration.            |
| <b>READINESS_LABEL</b>              | const    | <code>ui/src/modes/studio/library/readiness.ts:29</code>         |  Frontend declaration.            |
| <b>EVIDENCE_SOURCE_BY_NODE_TYPE</b> | const    | <code>ui/src/modes/studio/library/tabs/EvidenceTab.tsx:8</code>  |  Documented frontend declaration. |
| <b>ALL_SOURCE_LABELS</b>            | const    | <code>ui/src/modes/studio/library/tabs/EvidenceTab.tsx:25</code> |  Frontend declaration.            |
| <b>EvidenceTab</b>                  | function | <code>ui/src/modes/studio/library/tabs/EvidenceTab.tsx:27</code> |  Frontend declaration.            |
| <b>presentTypes</b>                 | const    | <code>ui/src/modes/studio/library/tabs/EvidenceTab.tsx:35</code> |  Frontend declaration.            |
| <b>supported</b>                    | const    | <code>ui/src/modes/studio/library/tabs/EvidenceTab.tsx:36</code> |  Frontend declaration.            |
| <b>STATUS_LABEL</b>                 | const    | <code>ui/src/modes/studio/library/tabs/OverviewTab.tsx:5</code>  |  Frontend declaration.            |
| <b>durationText</b>                 | function | <code>ui/src/modes/studio/library/tabs/OverviewTab.tsx:13</code> |  Frontend declaration.          |
| <b>duration</b>                     | const    | <code>ui/src/modes/studio/library/tabs/OverviewTab.tsx:15</code> |  Frontend declaration.          |
| <b>OverviewTab</b>                  | function | <code>ui/src/modes/studio/library/tabs/OverviewTab.tsx:23</code> |  Frontend declaration.          |
| <b>model</b>                        | const    | <code>ui/src/modes/studio/library/tabs/OverviewTab.tsx:37</code> |  Frontend declaration.          |
| <b>formatDuration</b>               | function | <code>ui/src/modes/studio/library/tabs/RunsTab.tsx:3</code>      |  Frontend declaration.          |
| <b>minutes</b>                      | const    | <code>ui/src/modes/studio/library/tabs/RunsTab.tsx:6</code>      |  Frontend declaration.          |
| <b>remaining</b>                    | const    | <code>ui/src/modes/studio/library/tabs/RunsTab.tsx:7</code>      |  Frontend declaration.          |
| <b>relativeDate</b>                 | function | <code>ui/src/modes/studio/library/tabs/RunsTab.tsx:10</code>     |  Frontend declaration.          |
| <b>RunsTab</b>                      | function | <code>ui/src/modes/studio/library/tabs/RunsTab.tsx:15</code>     |  Frontend declaration.          |



| Symbol                   | Kind     | Location                                                               | Signature / summary                                                                                                |
|--------------------------|----------|------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>StagesTab</b>         | function | <code>ui/src/modes/studio/library/tabs/StagesTab.tsx:4</code>          |  Frontend declaration.            |
| <b>model</b>             | const    | <code>ui/src/modes/studio/library/tabs/StagesTab.tsx:9</code>          |  Documented frontend declaration. |
| <b>toggle</b>            | function | <code>ui/src/modes/studio/library/tabs/StagesTab.tsx:14</code>         |  Frontend declaration.            |
| <b>next</b>              | const    | <code>ui/src/modes/studio/library/tabs/StagesTab.tsx:17</code>         |  Frontend declaration.            |
| <b>steps</b>             | const    | <code>ui/src/modes/studio/library/tabs/StagesTab.tsx:31</code>         |  Frontend declaration.            |
| <b>reviewSteps</b>       | const    | <code>ui/src/modes/studio/library/tabs/StagesTab.tsx:32</code>         |  Frontend declaration.            |
| <b>isOpen</b>            | const    | <code>ui/src/modes/studio/library/tabs/StagesTab.tsx:33</code>         |  Frontend declaration.            |
| <b>TechnicalTab</b>      | function | <code>ui/src/modes/studio/library/tabs/TechnicalTab.tsx:3</code>       |  Frontend declaration.           |
| <b>VersionsTab</b>       | function | <code>ui/src/modes/studio/library/tabs/VersionsTab.tsx:3</code>        |  Frontend declaration.          |
| <b>OutputNodeRef</b>     | type     | <code>ui/src/modes/studio/library/tabs/WhatItProducesTab.tsx:4</code>  |  Frontend declaration.          |
| <b>outputNodeIds</b>     | function | <code>ui/src/modes/studio/library/tabs/WhatItProducesTab.tsx:6</code>  |  Frontend declaration.          |
| <b>output</b>            | const    | <code>ui/src/modes/studio/library/tabs/WhatItProducesTab.tsx:8</code>  |  Frontend declaration.          |
| <b>WhatItProducesTab</b> | function | <code>ui/src/modes/studio/library/tabs/WhatItProducesTab.tsx:11</code> |  Frontend declaration.          |
| <b>nodesById</b>         | const    | <code>ui/src/modes/studio/library/tabs/WhatItProducesTab.tsx:19</code> |  Frontend declaration.          |
| <b>finalOutputs</b>      | const    | <code>ui/src/modes/studio/library/tabs/WhatItProducesTab.tsx:20</code> |  Frontend declaration.          |
| <b>node</b>              | const    | <code>ui/src/modes/studio/library/tabs/WhatItProducesTab.tsx:51</code> |  Frontend declaration.          |
| <b>experience</b>        | const    |                                                                        |                                                                                                                    |

| Symbol                                  | Kind     | Location                                                          | Signature / summary              |
|-----------------------------------------|----------|-------------------------------------------------------------------|----------------------------------|
|                                         |          | ui/src/modes/studio/<br>library/tabs/<br>WhatItProducesTab.tsx:52 | Frontend declaration.            |
| <b>TYPE_LABEL</b>                       | const    | ui/src/modes/studio/<br>library/tabs/<br>WhatYouNeedTab.tsx:2     | Frontend declaration.            |
| <b>WhatYouNeedTab</b>                   | function | ui/src/modes/studio/<br>library/tabs/<br>WhatYouNeedTab.tsx:8     | Frontend declaration.            |
| <b>entries</b>                          | const    | ui/src/modes/studio/<br>library/tabs/<br>WhatYouNeedTab.tsx:10    | Frontend declaration.            |
| <b>required</b>                         | const    | ui/src/modes/studio/<br>library/tabs/<br>WhatYouNeedTab.tsx:11    | Frontend declaration.            |
| <b>optional</b>                         | const    | ui/src/modes/studio/<br>library/tabs/<br>WhatYouNeedTab.tsx:12    | Frontend declaration.            |
| <b>TYPE_LABELS</b>                      | const    | ui/src/modes/studio/node-<br>presentation.ts:12                   | Documented frontend declaration. |
| <b>INTEGRATION_PROVIDER<br/>_LABELS</b> | const    | ui/src/modes/studio/node-<br>presentation.ts:36                   | Frontend declaration.            |
| <b>humanizeToolName</b>                 | function | ui/src/modes/studio/node-<br>presentation.ts:40                   | Frontend declaration.            |
| <b>nodeTypeLabel</b>                    | function | ui/src/modes/studio/node-<br>presentation.ts:48                   | Frontend declaration.            |
| <b>base</b>                             | const    | ui/src/modes/studio/node-<br>presentation.ts:50                   | Frontend declaration.            |
| <b>serverId</b>                         | const    | ui/src/modes/studio/node-<br>presentation.ts:53                   | Frontend declaration.            |
| <b>tool</b>                             | const    | ui/src/modes/studio/node-<br>presentation.ts:55                   | Frontend declaration.            |
| <b>provider</b>                         | const    | ui/src/modes/studio/node-<br>presentation.ts:62                   | Frontend declaration.            |
| <b>count</b>                            | const    | ui/src/modes/studio/node-<br>presentation.ts:73                   | Frontend declaration.            |
| <b>fileCount</b>                        | const    | ui/src/modes/studio/node-<br>presentation.ts:74                   | Frontend declaration.            |
| <b>total</b>                            | const    | ui/src/modes/studio/node-<br>presentation.ts:75                   | Frontend declaration.            |
| <b>count</b>                            | const    | ui/src/modes/studio/node-<br>presentation.ts:81                   | Frontend declaration.            |
| <b>user</b>                             | const    | ui/src/modes/studio/run-<br>history/<br>AskAiPanel.test.tsx:51    | Frontend declaration.            |
| <b>formatTime</b>                       | function | ui/src/modes/studio/run-<br>history/AskAiPanel.tsx:4              | Frontend declaration.            |

| Symbol                       | Kind     | Location                                                             | Signature / summary                                                                                                |
|------------------------------|----------|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>Avatar</b>                | function | <a href="#">ui/src/modes/studio/run-history/AskAiPanel.tsx:8</a>     |  Frontend declaration.            |
| <b>AskAiPanel</b>            | function | <a href="#">ui/src/modes/studio/run-history/AskAiPanel.tsx:20</a>    |  Frontend declaration.            |
| <b>bottomRef</b>             | const    | <a href="#">ui/src/modes/studio/run-history/AskAiPanel.tsx:36</a>    |  Frontend declaration.            |
| <b>inputRef</b>              | const    | <a href="#">ui/src/modes/studio/run-history/AskAiPanel.tsx:37</a>    |  Frontend declaration.            |
| <b>ask</b>                   | function | <a href="#">ui/src/modes/studio/run-history/AskAiPanel.tsx:58</a>    |  Frontend declaration.            |
| <b>trimmed</b>               | const    | <a href="#">ui/src/modes/studio/run-history/AskAiPanel.tsx:60</a>    |  Frontend declaration.            |
| <b>result</b>                | const    | <a href="#">ui/src/modes/studio/run-history/AskAiPanel.tsx:69</a>    |  Documented frontend declaration. |
| <b>GroupBy</b>               | type     | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:7</a>   |  Frontend declaration.            |
| <b>ROW_HEIGHT</b>            | const    | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:9</a>   |  Frontend declaration.            |
| <b>MAX_GROUP_LIST_HEIGHT</b> | const    | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:11</a>  |  Frontend declaration.            |
| <b>STATUS_OPTIONS</b>        | const    | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:12</a>  |  Frontend declaration.          |
| <b>SORT_OPTIONS</b>          | const    | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:14</a>  |  Frontend declaration.          |
| <b>GROUP_OPTIONS</b>         | const    | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:22</a>  |  Frontend declaration.          |
| <b>shortRunId</b>            | function | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:28</a>  |  Frontend declaration.          |
| <b>progressFraction</b>      | function | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:32</a>  |  Frontend declaration.          |
| <b>RunRow</b>                | function | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:37</a>  |  Frontend declaration.          |
| <b>RunListPanel</b>          | function | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:99</a>  |  Frontend declaration.          |
| <b>filters</b>               | const    | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:124</a> |  Frontend declaration.          |
| <b>activeFilterCount</b>     | const    | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:128</a> |  Frontend declaration.          |
| <b>visibleRuns</b>           | const    | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:130</a> |  Frontend declaration.          |
| <b>groups</b>                | const    | <a href="#">ui/src/modes/studio/run-history/RunListPanel.tsx:135</a> |  Frontend declaration.          |

| Symbol                         | Kind     | Location                                             | Signature / summary                                                                                       |
|--------------------------------|----------|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>resetFilters</b>            | function | ui/src/modes/studio/run-history/RunListPanel.tsx:136 |  Frontend declaration.   |
| <b>toggleStatus</b>            | function | ui/src/modes/studio/run-history/RunListPanel.tsx:143 |  Frontend declaration.   |
| <b>next</b>                    | const    | ui/src/modes/studio/run-history/RunListPanel.tsx:146 |  Frontend declaration.   |
| <b>WorkspaceTab</b>            | type     | ui/src/modes/studio/run-history/RunWorkspace.tsx:7   |  Frontend declaration.   |
| <b>TABS</b>                    | const    | ui/src/modes/studio/run-history/RunWorkspace.tsx:9   |  Frontend declaration.   |
| <b>durationLabel</b>           | function | ui/src/modes/studio/run-history/RunWorkspace.tsx:19  |  Frontend declaration.   |
| <b>buildReusableInputsJson</b> | function | ui/src/modes/studio/run-history/RunWorkspace.tsx:27  |  Frontend declaration.   |
| <b>nodeRunById</b>             | const    | ui/src/modes/studio/run-history/RunWorkspace.tsx:29  |  Frontend declaration.   |
| <b>nodeIds</b>                 | const    | ui/src/modes/studio/run-history/RunWorkspace.tsx:32  |  Frontend declaration.   |
| <b>nodeOutputs</b>             | const    | ui/src/modes/studio/run-history/RunWorkspace.tsx:33  |  Frontend declaration. |
| <b>downloadJson</b>            | function | ui/src/modes/studio/run-history/RunWorkspace.tsx:40  |  Frontend declaration. |
| <b>blob</b>                    | const    | ui/src/modes/studio/run-history/RunWorkspace.tsx:42  |  Frontend declaration. |
| <b>url</b>                     | const    | ui/src/modes/studio/run-history/RunWorkspace.tsx:43  |  Frontend declaration. |
| <b>a</b>                       | const    | ui/src/modes/studio/run-history/RunWorkspace.tsx:44  |  Frontend declaration. |
| <b>RunWorkspace</b>            | function | ui/src/modes/studio/run-history/RunWorkspace.tsx:50  |  Frontend declaration. |
| <b>moreMenuRef</b>             | const    | ui/src/modes/studio/run-history/RunWorkspace.tsx:92  |  Frontend declaration. |
| <b>run</b>                     | const    | ui/src/modes/studio/run-history/RunWorkspace.tsx:93  |  Frontend declaration. |
| <b>deleteBlocked</b>           | const    | ui/src/modes/studio/run-history/RunWorkspace.tsx:94  |  Frontend declaration. |
| <b>onPointerDown</b>           | function | ui/src/modes/studio/run-history/RunWorkspace.tsx:98  |  Frontend declaration. |
| <b>isHitGatePause</b>          | const    | ui/src/modes/studio/run-history/RunWorkspace.tsx:106 |  Frontend declaration. |
| <b>makeRun</b>                 | function |                                                      |  Frontend declaration. |

| Symbol                  | Kind  | Location                                                   | Signature / summary              |
|-------------------------|-------|------------------------------------------------------------|----------------------------------|
|                         |       | ui/src/modes/studio/run-history/run-list-utils.test.ts:6   |                                  |
| <b>run</b>              | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:27  | Frontend declaration.            |
| <b>runs</b>             | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:45  | Frontend declaration.            |
| <b>result</b>           | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:52  | Frontend declaration.            |
| <b>result</b>           | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:57  | Frontend declaration.            |
| <b>result</b>           | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:62  | Frontend declaration.            |
| <b>result</b>           | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:67  | Frontend declaration.            |
| <b>runs</b>             | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:73  | Frontend declaration.            |
| <b>copy</b>             | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:93  | Frontend declaration.            |
| <b>now</b>              | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:101 | Documented frontend declaration. |
| <b>runs</b>             | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:102 | Documented frontend declaration. |
| <b>groups</b>           | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:107 | Frontend declaration.            |
| <b>runs</b>             | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:112 | Frontend declaration.            |
| <b>groups</b>           | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:117 | Frontend declaration.            |
| <b>now</b>              | const | ui/src/modes/studio/run-history/run-list-utils.test.ts:128 | Frontend declaration.            |
| <b>RUN_STATUS_LABEL</b> | const | ui/src/modes/studio/run-history/run-list-utils.ts:4        | Documented frontend declaration. |
| <b>SortKey</b>          | type  | ui/src/modes/studio/run-history/run-list-utils.ts:11       | Frontend declaration.            |

| Symbol                | Kind     | Location                                                              | Signature / summary                                                                                                |
|-----------------------|----------|-----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>GroupBy</b>        | type     | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:19</a>  |  Frontend declaration.            |
| <b>RunFilters</b>     | type     | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:21</a>  |  Frontend declaration.            |
| <b>runTimestamp</b>   | function | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:34</a>  |  Frontend declaration.            |
| <b>matchesSearch</b>  | function | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:40</a>  |  Documented frontend declaration. |
| <b>needle</b>         | const    | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:42</a>  |  Documented frontend declaration. |
| <b>haystack</b>       | const    | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:43</a>  |  Frontend declaration.            |
| <b>runHasErrors</b>   | function | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:54</a>  |  Frontend declaration.            |
| <b>filterRuns</b>     | function | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:58</a>  |  Frontend declaration.           |
| <b>ts</b>             | const    | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:64</a>  |  Frontend declaration.          |
| <b>sortRuns</b>       | function | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:74</a>  |  Frontend declaration.          |
| <b>sorted</b>         | const    | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:76</a>  |  Frontend declaration.          |
| <b>RunGroup</b>       | type     | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:100</a> |  Frontend declaration.          |
| <b>DAY_MS</b>         | const    | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:102</a> |  Frontend declaration.          |
| <b>dateGroupLabel</b> | function | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:104</a> |  Frontend declaration.          |
| <b>ts</b>             | const    | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:106</a> |  Frontend declaration.          |
| <b>ageMs</b>          | const    | <a href="#">ui/src/modes/studio/run-history/run-list-utils.ts:108</a> |  Frontend declaration.          |
| <b>ageDays</b>        | const    |                                                                       |                                                                                                                    |

| Symbol                  | Kind     | Location                                              | Signature / summary              |
|-------------------------|----------|-------------------------------------------------------|----------------------------------|
|                         |          | ui/src/modes/studio/run-history/run-list-utils.ts:110 | Frontend declaration.            |
| <b>DATE_GROUP_ORDER</b> | const    | ui/src/modes/studio/run-history/run-list-utils.ts:116 | Frontend declaration.            |
| <b>groupRuns</b>        | function | ui/src/modes/studio/run-history/run-list-utils.ts:118 | Frontend declaration.            |
| <b>groups</b>           | const    | ui/src/modes/studio/run-history/run-list-utils.ts:123 | Frontend declaration.            |
| <b>key</b>              | const    | ui/src/modes/studio/run-history/run-list-utils.ts:125 | Frontend declaration.            |
| <b>list</b>             | const    | ui/src/modes/studio/run-history/run-list-utils.ts:128 | Frontend declaration.            |
| <b>keys</b>             | const    | ui/src/modes/studio/run-history/run-list-utils.ts:132 | Frontend declaration.            |
| <b>relativeTime</b>     | function | ui/src/modes/studio/run-history/run-list-utils.ts:139 | Documented frontend declaration. |
| <b>ageMs</b>            | const    | ui/src/modes/studio/run-history/run-list-utils.ts:141 | Documented frontend declaration. |
| <b>minutes</b>          | const    | ui/src/modes/studio/run-history/run-list-utils.ts:143 | Frontend declaration.            |
| <b>hours</b>            | const    | ui/src/modes/studio/run-history/run-list-utils.ts:145 | Frontend declaration.            |
| <b>days</b>             | const    | ui/src/modes/studio/run-history/run-list-utils.ts:147 | Frontend declaration.            |
| <b>ErrorCard</b>        | function | ui/src/modes/studio/run-history/tabs/ErrorsTab.tsx:4  | Frontend declaration.            |
| <b>suggestion</b>       | const    | ui/src/modes/studio/run-history/tabs/ErrorsTab.tsx:17 | Frontend declaration.            |
| <b>ErrorsTab</b>        | function | ui/src/modes/studio/run-history/tabs/ErrorsTab.tsx:63 | Frontend declaration.            |
| <b>nodeRuns</b>         | const    | ui/src/modes/studio/run-history/tabs/ErrorsTab.tsx:71 | Frontend declaration.            |
| <b>failedNodes</b>      | const    |                                                       | Frontend declaration.            |

| Symbol                   | Kind     | Location                                              | Signature / summary   |
|--------------------------|----------|-------------------------------------------------------|-----------------------|
|                          |          | ui/src/modes/studio/run-history/tabs/ErrorsTab.tsx:72 |                       |
| <b>hasRunLevelError</b>  | const    | ui/src/modes/studio/run-history/tabs/ErrorsTab.tsx:73 | Frontend declaration. |
| <b>isEmptyValue</b>      | function | ui/src/modes/studio/run-history/tabs/InputsTab.tsx:5  | Frontend declaration. |
| <b>downloadJson</b>      | function | ui/src/modes/studio/run-history/tabs/InputsTab.tsx:13 | Frontend declaration. |
| <b>blob</b>              | const    | ui/src/modes/studio/run-history/tabs/InputsTab.tsx:15 | Frontend declaration. |
| <b>url</b>               | const    | ui/src/modes/studio/run-history/tabs/InputsTab.tsx:16 | Frontend declaration. |
| <b>a</b>                 | const    | ui/src/modes/studio/run-history/tabs/InputsTab.tsx:17 | Frontend declaration. |
| <b>InputsTab</b>         | function | ui/src/modes/studio/run-history/tabs/InputsTab.tsx:23 | Frontend declaration. |
| <b>entries</b>           | const    | ui/src/modes/studio/run-history/tabs/InputsTab.tsx:25 | Frontend declaration. |
| <b>toggleField</b>       | function | ui/src/modes/studio/run-history/tabs/InputsTab.tsx:32 | Frontend declaration. |
| <b>next</b>              | const    | ui/src/modes/studio/run-history/tabs/InputsTab.tsx:35 | Frontend declaration. |
| <b>expandAll</b>         | function | ui/src/modes/studio/run-history/tabs/InputsTab.tsx:40 | Frontend declaration. |
| <b>collapseAll</b>       | function | ui/src/modes/studio/run-history/tabs/InputsTab.tsx:45 | Frontend declaration. |
| <b>empty</b>             | const    | ui/src/modes/studio/run-history/tabs/InputsTab.tsx:79 | Frontend declaration. |
| <b>open</b>              | const    | ui/src/modes/studio/run-history/tabs/InputsTab.tsx:80 | Frontend declaration. |
| <b>Row</b>               | type     | ui/src/modes/studio/run-history/tabs/NodesTab.tsx:8   | Frontend declaration. |
| <b>TERMINAL_STATUSES</b> | const    | ui/src/modes/studio/run-history/tabs/NodesTab.tsx:15  | Frontend declaration. |



| Symbol                      | Kind     | Location                                                             | Signature / summary                                                                                                  |
|-----------------------------|----------|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>buildRows</b>            | function | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:17</a> |  Frontend declaration.              |
| <b>nodeRunById</b>          | const    | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:19</a> |  Frontend declaration.              |
| <b>isTerminal</b>           | const    | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:20</a> |  Frontend declaration.              |
| <b>extraIds</b>             | const    | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:27</a> |  Frontend declaration.              |
| <b>allIds</b>               | const    | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:28</a> |  Frontend declaration.              |
| <b>nodeRun</b>              | const    | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:30</a> |  Frontend declaration.              |
| <b>CONCURRENCY_WINDOW_S</b> | const    | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:42</a> |  Documented frontend declaration.   |
| <b>concurrentGroupKey</b>   | function | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:43</a> |  Documented frontend declaration. |
| <b>started</b>              | const    | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:45</a> |  Frontend declaration.            |
| <b>other</b>                | const    | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:48</a> |  Frontend declaration.            |
| <b>STATUS_FILTERS</b>       | const    | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:53</a> |  Frontend declaration.            |
| <b>NodesTab</b>             | function | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:59</a> |  Frontend declaration.            |
| <b>rows</b>                 | const    | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:73</a> |  Frontend declaration.            |
| <b>groupKeys</b>            | const    | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:75</a> |  Frontend declaration.            |
| <b>concurrentCount</b>      | const    | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:76</a> |  Frontend declaration.            |
| <b>counts</b>               | const    | <a href="#">ui/src/modes/studio/run-history/tabs/NodesTab.tsx:77</a> |  Frontend declaration.            |
| <b>filtered</b>             | const    |                                                                      |                                                                                                                      |

| Symbol                   | Kind     | Location                                                    | Signature / summary   |
|--------------------------|----------|-------------------------------------------------------------|-----------------------|
|                          |          | ui/src/modes/studio/run-history/tabs/<br>NodesTab.tsx:81    | Frontend declaration. |
| <b>ts</b>                | const    | ui/src/modes/studio/run-history/tabs/<br>NodesTab.tsx:128   | Frontend declaration. |
| <b>index</b>             | const    | ui/src/modes/studio/run-history/tabs/<br>NodesTab.tsx:129   | Frontend declaration. |
| <b>groupSize</b>         | const    | ui/src/modes/studio/run-history/tabs/<br>NodesTab.tsx:130   | Frontend declaration. |
| <b>OutputCard</b>        | type     | ui/src/modes/studio/run-history/tabs/<br>OutputsTab.tsx:7   | Frontend declaration. |
| <b>buildCards</b>        | function | ui/src/modes/studio/run-history/tabs/<br>OutputsTab.tsx:9   | Frontend declaration. |
| <b>nodeRunById</b>       | const    | ui/src/modes/studio/run-history/tabs/<br>OutputsTab.tsx:11  | Frontend declaration. |
| <b>ids</b>               | const    | ui/src/modes/studio/run-history/tabs/<br>OutputsTab.tsx:12  | Frontend declaration. |
| <b>OutputCardView</b>    | function | ui/src/modes/studio/run-history/tabs/<br>OutputsTab.tsx:21  | Frontend declaration. |
| <b>ts</b>                | const    | ui/src/modes/studio/run-history/tabs/<br>OutputsTab.tsx:29  | Frontend declaration. |
| <b>artifact</b>          | const    | ui/src/modes/studio/run-history/tabs/<br>OutputsTab.tsx:30  | Frontend declaration. |
| <b>preview</b>           | const    | ui/src/modes/studio/run-history/tabs/<br>OutputsTab.tsx:31  | Frontend declaration. |
| <b>OutputsTab</b>        | function | ui/src/modes/studio/run-history/tabs/<br>OutputsTab.tsx:95  | Frontend declaration. |
| <b>cards</b>             | const    | ui/src/modes/studio/run-history/tabs/<br>OutputsTab.tsx:105 | Frontend declaration. |
| <b>filtered</b>          | const    | ui/src/modes/studio/run-history/tabs/<br>OutputsTab.tsx:106 | Frontend declaration. |
| <b>key</b>               | const    | ui/src/modes/studio/run-history/tabs/<br>OutputsTab.tsx:134 | Frontend declaration. |
| <b>TERMINAL_STATUSES</b> | const    |                                                             | Frontend declaration. |

| Symbol                | Kind     | Location                                                 | Signature / summary   |
|-----------------------|----------|----------------------------------------------------------|-----------------------|
|                       |          | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:7   |                       |
| <b>allNodeIds</b>     | function | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:9   | Frontend declaration. |
| <b>FailureCard</b>    | function | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:18  | Frontend declaration. |
| <b>failedNode</b>     | const    | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:27  | Frontend declaration. |
| <b>totalCompleted</b> | const    | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:28  | Frontend declaration. |
| <b>total</b>          | const    | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:29  | Frontend declaration. |
| <b>reused</b>         | const    | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:30  | Frontend declaration. |
| <b>rawError</b>       | const    | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:32  | Frontend declaration. |
| <b>suggestion</b>     | const    | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:33  | Frontend declaration. |
| <b>OverviewTab</b>    | function | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:96  | Frontend declaration. |
| <b>isTerminal</b>     | const    | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:108 | Frontend declaration. |
| <b>nodeIds</b>        | const    | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:109 | Frontend declaration. |
| <b>nodeRunById</b>    | const    | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:110 | Frontend declaration. |
| <b>counts</b>         | const    | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:111 | Frontend declaration. |
| <b>latestEvent</b>    | const    | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:114 | Frontend declaration. |
| <b>outputCount</b>    | const    | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:116 | Frontend declaration. |
| <b>failedNodeRun</b>  | const    |                                                          | Frontend declaration. |

| Symbol                  | Kind     | Location                                                 | Signature / summary   |
|-------------------------|----------|----------------------------------------------------------|-----------------------|
|                         |          | ui/src/modes/studio/run-history/tabs/OverviewTab.tsx:117 |                       |
| <b>EVENT_TYPE_LABEL</b> | const    | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:5   | Frontend declaration. |
| <b>rowNodeId</b>        | function | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:15  | Frontend declaration. |
| <b>rowTs</b>            | function | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:19  | Frontend declaration. |
| <b>rowMatchesQuery</b>  | function | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:23  | Frontend declaration. |
| <b>needle</b>           | const    | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:26  | Frontend declaration. |
| <b>haystack</b>         | const    | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:27  | Frontend declaration. |
| <b>TimelineTab</b>      | function | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:35  | Frontend declaration. |
| <b>merged</b>           | const    | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:42  | Frontend declaration. |
| <b>filteredMerged</b>   | const    | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:43  | Frontend declaration. |
| <b>filteredRaw</b>      | const    | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:45  | Frontend declaration. |
| <b>filtered</b>         | const    | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:48  | Frontend declaration. |
| <b>isFailure</b>        | const    | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:80  | Frontend declaration. |
| <b>isHuman</b>          | const    | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:81  | Frontend declaration. |
| <b>nodeId</b>           | const    | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:82  | Frontend declaration. |
| <b>duration</b>         | const    | ui/src/modes/studio/run-history/tabs/TimelineTab.tsx:83  | Frontend declaration. |
| <b>ev</b>               | function |                                                          | Frontend declaration. |

| Symbol                        | Kind     | Location                                                      | Signature / summary   |
|-------------------------------|----------|---------------------------------------------------------------|-----------------------|
|                               |          | ui/src/modes/studio/run-history/timeline-<br>utils.test.ts:4  |                       |
| <b>rows</b>                   | const    | ui/src/modes/studio/run-history/timeline-<br>utils.test.ts:20 | Frontend declaration. |
| <b>rows</b>                   | const    | ui/src/modes/studio/run-history/timeline-<br>utils.test.ts:36 | Frontend declaration. |
| <b>rows</b>                   | const    | ui/src/modes/studio/run-history/timeline-<br>utils.test.ts:44 | Frontend declaration. |
| <b>rows</b>                   | const    | ui/src/modes/studio/run-history/timeline-<br>utils.test.ts:56 | Frontend declaration. |
| <b>rows</b>                   | const    | ui/src/modes/studio/run-history/timeline-<br>utils.test.ts:62 | Frontend declaration. |
| <b>rows</b>                   | const    | ui/src/modes/studio/run-history/timeline-<br>utils.test.ts:74 | Frontend declaration. |
| <b>TimelineRow</b>            | type     | ui/src/modes/studio/run-history/timeline-<br>utils.ts:12      | Frontend declaration. |
| <b>END_EVENT_TYPES</b>        | const    | ui/src/modes/studio/run-history/timeline-<br>utils.ts:30      | Frontend declaration. |
| <b>nodeStatusForEventType</b> | function | ui/src/modes/studio/run-history/timeline-<br>utils.ts:32      | Frontend declaration. |
| <b>mergeNodeEvents</b>        | function | ui/src/modes/studio/run-history/timeline-<br>utils.ts:47      | Frontend declaration. |
| <b>ordered</b>                | const    | ui/src/modes/studio/run-history/timeline-<br>utils.ts:48      | Frontend declaration. |
| <b>pendingStarts</b>          | const    | ui/src/modes/studio/run-history/timeline-<br>utils.ts:49      | Frontend declaration. |
| <b>rows</b>                   | const    | ui/src/modes/studio/run-history/timeline-<br>utils.ts:50      | Frontend declaration. |
| <b>list</b>                   | const    | ui/src/modes/studio/run-history/timeline-<br>utils.ts:54      | Frontend declaration. |
| <b>list</b>                   | const    | ui/src/modes/studio/run-history/timeline-<br>utils.ts:60      | Frontend declaration. |
| <b>start</b>                  | const    |                                                               | Frontend declaration. |

| Symbol                                     | Kind     | Location                                                              | Signature / summary              |
|--------------------------------------------|----------|-----------------------------------------------------------------------|----------------------------------|
|                                            |          | ui/src/modes/studio/run-history/timeline-<br>utils.ts:61              |                                  |
| <b>reason</b>                              | const    | ui/src/modes/studio/run-history/timeline-<br>utils.ts:62              | Frontend declaration.            |
| <b>reason</b>                              | const    | ui/src/modes/studio/run-history/timeline-<br>utils.ts:75              | Frontend declaration.            |
| <b>aTs</b>                                 | const    | ui/src/modes/studio/run-history/timeline-<br>utils.ts:98              | Frontend declaration.            |
| <b>bTs</b>                                 | const    | ui/src/modes/studio/run-history/timeline-<br>utils.ts:99              | Frontend declaration.            |
| <b>wrapper</b>                             | function | ui/src/modes/studio/run-history/<br>useRunHistoryData.test.tsx:<br>14 | Frontend declaration.            |
| <b>completedRun</b>                        | const    | ui/src/modes/studio/run-history/<br>useRunHistoryData.test.tsx:<br>89 | Frontend declaration.            |
| <b>DELETE_MIN_RUNNING_A<br/>GE_SECONDS</b> | const    | ui/src/modes/studio/run-history/<br>useRunHistoryData.ts:15           | Documented frontend declaration. |
| <b>deleteBlockedReason</b>                 | function | ui/src/modes/studio/run-history/<br>useRunHistoryData.ts:16           | Documented frontend declaration. |
| <b>ageSeconds</b>                          | const    | ui/src/modes/studio/run-history/<br>useRunHistoryData.ts:22           | Frontend declaration.            |
| <b>remaining</b>                           | const    | ui/src/modes/studio/run-history/<br>useRunHistoryData.ts:23           | Frontend declaration.            |
| <b>hoursLeft</b>                           | const    | ui/src/modes/studio/run-history/<br>useRunHistoryData.ts:25           | Frontend declaration.            |
| <b>TERMINAL_STATUSES</b>                   | const    | ui/src/modes/studio/run-history/<br>useRunHistoryData.ts:31           | Frontend declaration.            |
| <b>RUN_LIST_LIMIT</b>                      | const    | ui/src/modes/studio/run-history/<br>useRunHistoryData.ts:37           | Documented frontend declaration. |
| <b>useRunHistoryData</b>                   | function | ui/src/modes/studio/run-history/<br>useRunHistoryData.ts:38           | Documented frontend declaration. |
| <b>navigate</b>                            | const    | ui/src/modes/studio/run-history/<br>useRunHistoryData.ts:40           | Frontend declaration.            |

| Symbol                         | Kind     | Location                                                                 | Signature / summary                                                                                                |
|--------------------------------|----------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>schedule</b>                | const    | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:56</a>  |  Frontend declaration.            |
| <b>load</b>                    | const    | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:60</a>  |  Frontend declaration.            |
| <b>data</b>                    | const    | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:63</a>  |  Frontend declaration.            |
| <b>msg</b>                     | const    | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:71</a>  |  Frontend declaration.            |
| <b>user</b>                    | const    | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:75</a>  |  Documented frontend declaration. |
| <b>schedule</b>                | const    | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:104</a> |  Frontend declaration.            |
| <b>load</b>                    | const    | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:107</a> |  Frontend declaration.            |
| <b>data</b>                    | const    | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:110</a> |  Frontend declaration.           |
| <b>refresh</b>                 | function | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:127</a> |  Frontend declaration.          |
| <b>retryFailedRun</b>          | function | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:131</a> |  Frontend declaration.          |
| <b>error</b>                   | const    | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:134</a> |  Frontend declaration.          |
| <b>openInCockpit</b>           | function | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:137</a> |  Frontend declaration.          |
| <b>autofixAndOpenInBuilder</b> | function | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:149</a> |  Frontend declaration.          |
| <b>result</b>                  | const    | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:155</a> |  Frontend declaration.          |
| <b>pauseRun</b>                | function | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:163</a> |  Frontend declaration.          |
| <b>resumeRun</b>               | function | <a href="#">ui/src/modes/studio/run-history/useRunHistoryData.ts:176</a> |  Frontend declaration.          |
| <b>restartRun</b>              | function |                                                                          |                                                                                                                    |

| Symbol              | Kind     | Location                                                              | Signature / summary              |
|---------------------|----------|-----------------------------------------------------------------------|----------------------------------|
|                     |          | <code>ui/src/modes/studio/run-history/useRunHistoryData.ts:189</code> | Frontend declaration.            |
| <b>newRunId</b>     | const    | <code>ui/src/modes/studio/run-history/useRunHistoryData.ts:195</code> | Frontend declaration.            |
| <b>deleteRun</b>    | function | <code>ui/src/modes/studio/run-history/useRunHistoryData.ts:204</code> | Frontend declaration.            |
| <b>deletedRunId</b> | const    | <code>ui/src/modes/studio/run-history/useRunHistoryData.ts:210</code> | Frontend declaration.            |
| <b>slugify</b>      | function | <code>ui/src/modes/studio/workflow-naming.ts:1</code>                 | Frontend declaration.            |
| <b>isValidSlug</b>  | function | <code>ui/src/modes/studio/workflow-naming.ts:12</code>                | Documented frontend declaration. |
| <b>uniqueSlug</b>   | function | <code>ui/src/modes/studio/workflow-naming.ts:19</code>                | Documented frontend declaration. |
| <b>root</b>         | const    | <code>ui/src/modes/studio/workflow-naming.ts:20</code>                | Documented frontend declaration. |
| <b>YamlWorkflow</b> | type     | <code>ui/src/modes/studio/yaml-bridge.test.ts:7</code>                | Frontend declaration.            |
| <b>roundTrip</b>    | function | <code>ui/src/modes/studio/yaml-bridge.test.ts:9</code>                | Frontend declaration.            |
| <b>workflow</b>     | const    | <code>ui/src/modes/studio/yaml-bridge.test.ts:20</code>               | Frontend declaration.            |
| <b>result</b>       | const    | <code>ui/src/modes/studio/yaml-bridge.test.ts:36</code>               | Frontend declaration.            |
| <b>workflow</b>     | const    | <code>ui/src/modes/studio/yaml-bridge.test.ts:45</code>               | Frontend declaration.            |
| <b>result</b>       | const    | <code>ui/src/modes/studio/yaml-bridge.test.ts:55</code>               | Frontend declaration.            |
| <b>workflow</b>     | const    | <code>ui/src/modes/studio/yaml-bridge.test.ts:62</code>               | Frontend declaration.            |
| <b>result</b>       | const    | <code>ui/src/modes/studio/yaml-bridge.test.ts:77</code>               | Frontend declaration.            |
| <b>node</b>         | const    | <code>ui/src/modes/studio/yaml-bridge.test.ts:79</code>               | Frontend declaration.            |
| <b>workflow</b>     | const    | <code>ui/src/modes/studio/yaml-bridge.test.ts:86</code>               | Frontend declaration.            |
| <b>result</b>       | const    | <code>ui/src/modes/studio/yaml-bridge.test.ts:97</code>               | Frontend declaration.            |
| <b>workflow</b>     | const    | <code>ui/src/modes/studio/yaml-bridge.test.ts:104</code>              | Frontend declaration.            |
| <b>withNewEdge</b>  | const    | <code>ui/src/modes/studio/yaml-bridge.test.ts:115</code>              | Frontend declaration.            |



| Symbol                        | Kind     | Location                                                    | Signature / summary                                                                                                  |
|-------------------------------|----------|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>result</b>                 | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:122</a> |  Frontend declaration.              |
| <b>targets</b>                | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:124</a> |  Frontend declaration.              |
| <b>workflow</b>               | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:129</a> |  Frontend declaration.              |
| <b>result</b>                 | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:160</a> |  Frontend declaration.              |
| <b>workflow</b>               | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:180</a> |  Frontend declaration.              |
| <b>result</b>                 | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:194</a> |  Frontend declaration.              |
| <b>workflow</b>               | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:205</a> |  Documented frontend declaration.   |
| <b>result</b>                 | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:222</a> |  Frontend declaration.              |
| <b>workflow</b>               | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:228</a> |  Frontend declaration.              |
| <b>result</b>                 | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:245</a> |  Frontend declaration.              |
| <b>workflow</b>               | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:255</a> |  Frontend declaration.            |
| <b>result</b>                 | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:264</a> |  Frontend declaration.            |
| <b>workflow</b>               | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:270</a> |  Frontend declaration.            |
| <b>result</b>                 | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:286</a> |  Frontend declaration.            |
| <b>workflow</b>               | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:292</a> |  Frontend declaration.            |
| <b>result</b>                 | const    | <a href="#">ui/src/modes/studio/yaml-bridge.test.ts:298</a> |  Frontend declaration.            |
| <b>WorkflowInputSpec</b>      | type     | <a href="#">ui/src/modes/studio/yaml-bridge.ts:5</a>        |  Documented frontend declaration. |
| <b>FILE_CATEGORIES</b>        | const    | <a href="#">ui/src/modes/studio/yaml-bridge.ts:18</a>       |  Documented frontend declaration. |
| <b>valueForJsonInput</b>      | function | <a href="#">ui/src/modes/studio/yaml-bridge.ts:37</a>       |  Documented frontend declaration. |
| <b>ModelRoutingPolicy</b>     | type     | <a href="#">ui/src/modes/studio/yaml-bridge.ts:49</a>       |  Frontend declaration.            |
| <b>GuidedVisibility</b>       | type     | <a href="#">ui/src/modes/studio/yaml-bridge.ts:60</a>       |  Documented frontend declaration. |
| <b>GuidedStageSpec</b>        | type     | <a href="#">ui/src/modes/studio/yaml-bridge.ts:61</a>       |  Documented frontend declaration. |
| <b>WorkflowExperienceSpec</b> | type     |                                                             |                                                                                                                      |

| Symbol                    | Kind     | Location                                               | Signature / summary                                                                                                  |
|---------------------------|----------|--------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                           |          | <a href="#">ui/src/modes/studio/yaml-bridge.ts:74</a>  |  Frontend declaration.              |
| <b>NodeExperienceSpec</b> | type     | <a href="#">ui/src/modes/studio/yaml-bridge.ts:80</a>  |  Frontend declaration.              |
| <b>YamlWorkflowNode</b>   | type     | <a href="#">ui/src/modes/studio/yaml-bridge.ts:102</a> |  Frontend declaration.              |
| <b>NoteSpec</b>           | type     | <a href="#">ui/src/modes/studio/yaml-bridge.ts:124</a> |  Documented frontend declaration.   |
| <b>YamlWorkflow</b>       | type     | <a href="#">ui/src/modes/studio/yaml-bridge.ts:129</a> |  Frontend declaration.              |
| <b>WorkflowNodeData</b>   | type     | <a href="#">ui/src/modes/studio/yaml-bridge.ts:152</a> |  Documented frontend declaration.   |
| <b>WorkflowEdgeData</b>   | type     | <a href="#">ui/src/modes/studio/yaml-bridge.ts:200</a> |  Frontend declaration.              |
| <b>NODE_X</b>             | const    | <a href="#">ui/src/modes/studio/yaml-bridge.ts:207</a> |  Frontend declaration.              |
| <b>NODE_Y_GAP</b>         | const    | <a href="#">ui/src/modes/studio/yaml-bridge.ts:209</a> |  Frontend declaration.              |
| <b>parseYaml</b>          | function | <a href="#">ui/src/modes/studio/yaml-bridge.ts:210</a> |  Frontend declaration.              |
| <b>isChatbotStart</b>     | function | <a href="#">ui/src/modes/studio/yaml-bridge.ts:228</a> |  Frontend declaration.            |
| <b>node</b>               | const    | <a href="#">ui/src/modes/studio/yaml-bridge.ts:229</a> |  Frontend declaration.            |
| <b>config</b>             | const    | <a href="#">ui/src/modes/studio/yaml-bridge.ts:230</a> |  Frontend declaration.            |
| <b>dumpYaml</b>           | function | <a href="#">ui/src/modes/studio/yaml-bridge.ts:233</a> |  Frontend declaration.            |
| <b>yamlToReactFlow</b>    | function | <a href="#">ui/src/modes/studio/yaml-bridge.ts:239</a> |  Documented frontend declaration. |
| <b>nodes</b>              | const    | <a href="#">ui/src/modes/studio/yaml-bridge.ts:242</a> |  Frontend declaration.            |
| <b>edges</b>              | const    | <a href="#">ui/src/modes/studio/yaml-bridge.ts:257</a> |  Frontend declaration.            |
| <b>groupId</b>            | const    | <a href="#">ui/src/modes/studio/yaml-bridge.ts:260</a> |  Frontend declaration.            |
| <b>reactFlowToYaml</b>    | function | <a href="#">ui/src/modes/studio/yaml-bridge.ts:323</a> |  Documented frontend declaration. |
| <b>nodes</b>              | const    | <a href="#">ui/src/modes/studio/yaml-bridge.ts:328</a> |  Frontend declaration.            |
| <b>groups</b>             | const    | <a href="#">ui/src/modes/studio/yaml-bridge.ts:351</a> |  Documented frontend declaration. |
| <b>key</b>                | const    | <a href="#">ui/src/modes/studio/yaml-bridge.ts:353</a> |  Documented frontend declaration. |
| <b>group</b>              | const    |                                                        |                                                                                                                      |

| Symbol             | Kind  | Location                                            | Signature / summary                                                                                     |
|--------------------|-------|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------|
|                    |       | <code>ui/src/modes/studio/yaml-bridge.ts:354</code> |  Frontend declaration. |
| <b>edges</b>       | const | <code>ui/src/modes/studio/yaml-bridge.ts:358</code> |  Frontend declaration. |
| <b>first</b>       | const | <code>ui/src/modes/studio/yaml-bridge.ts:360</code> |  Frontend declaration. |
| <b>branchEdges</b> | const | <code>ui/src/modes/studio/yaml-bridge.ts:361</code> |  Frontend declaration. |
| <b>targets</b>     | const | <code>ui/src/modes/studio/yaml-bridge.ts:375</code> |  Frontend declaration. |