

Library Indian Institute of Science Education and Research Mohali



DSpace@IISERMohali (/jspui/)

- / Publications of IISER Mohali (/jspui/handle/123456789/4)
- / Research Articles (/jspui/handle/123456789/9)

Please use	this identifier to cite or link to this item: http://hdl.handle.net/123456789/2463
Title:	The subgroup determined by a certain ideal in a free group ring
Authors:	Mikhailov, R. (/jspui/browse?type=author&value=Mikhailov%2C+R.) Passi, I.B.S. (/jspui/browse?type=author&value=Passi%2C+I.B.S.)
Keywords:	Group ring Augmentation ideal Free group Derived functors of non-additive functors
Issue Date:	2016
Publisher:	Elsevier Ltd
Citation:	Journal of Algebra, 449, pp. 400-407
Abstract:	For normal subgroups R and S of a free group F, an identification of the subgroup $F\cap(1+rfs)$ is derived, and it is shown that the quotient. $F\cap(1+rfs)[R'\cap S',R\cap S][R'\cap S,R'\cap S][R\cap S',R\cap S']$ is, in general, non-trivial.
URI:	https://www.sciencedirect.com/science/article/pii/S0021869315005694 (https://www.sciencedirect.com/science/article/pii/S0021869315005694) http://hdl.handle.net/123456789/2463 (http://hdl.handle.net/123456789/2463)
Appears in Collections:	Research Articles (/jspui/handle/123456789/9)

Files	in	This	Item:

File	Description	Size	Format	
Need to add pdf.odt (/jspui/bitstream/123456789/2463/1/Need%20to%20add%20pdf.odt)		7.9 kB	OpenDocument Text	View/Open (/jspui/bitstream/12345

Show full item record (/jspui/handle/123456789/2463?mode=full)

. (/jspui/handle/123456789/2463/statistics)

Items in DSpace are protected by copyright, with all rights reserved, unless otherwise indicated.