

Library Indian Institute of Science Education and Research Mohali



DSpace@IISERMohali (/jspui/)

- / Publications of IISER Mohali (/jspui/handle/123456789/4)
- / Research Articles (/jspui/handle/123456789/9)

Please use this identifier to cite or link to this item: http://hdl.handle.net/123456789/4557

Title: Evolution of pathogen-specific improved survivorship post-infection in populations of Drosophila

melanogaster adapted to larval crowding

Authors: Kapila, Rohit (/jspui/browse?type=author&value=Kapila%2C+Rohit)

Kashyap, Mayank (/jspui/browse?type=author&value=Kashyap%2C+Mayank)
Poddar, Soumyadip (/jspui/browse?type=author&value=Poddar%2C+Soumyadip)
Gangwal, Shreya (/jspui/browse?type=author&value=Gangwal%2C+Shreya)

Prasad, Nagaraj Guru (/jspui/browse?type=author&value=Prasad%2C+Nagaraj+Guru)

Keywords: pathogen-specific

survivorship post-infection

populations

Drosophila melanogaster

adapted larval crowding

Issue Date: 2021

Plos One

Citation: PLoS ONE, 16(4).

Abstract:

Publisher:

The environment experienced by individuals during their juvenile stages has an impact on their adult stages. In holometabolous insects like Drosophila melanogaster, most of the resource acquisition for adult stages happens during the larval stages. Larval-crowding is a stressful environment, which exposes the larvae to scarcity of food and accumulation of toxic waste. Since adult traits are contingent upon larval stages, in larval-crowding like conditions, adult traits are prone to get affected. While the effect of resource limited, poor-developmental environment on adult immune response has been widely studied, the effect of adaptation to resource-limited developmental environment has not been studied, therefore in this study we assayed the evolution of ability to survive infection in adult stages as a correlated response to adaptation to larval crowding environments. Using four populations of Drosophila melanogaster adapted to larval crowding for 240 generations and their respective control populations, we show that populations adapted to larval crowding show an improved and evolved post-infection survivorship against a gram-negative bacteria Pseudomonas entomophila. Whereas, against a gram-positive bacteria Enterococcus faecalis, no difference in post-infection survivorship was observed across control and selected populations. In this study, we report the co-related evolution of pathogenspecific increased survivorship post-infection in populations of Drosophila melanogaster as a result of adaptation to larval crowding environment.

Description: Only IISER Mohali authors are available in the record

URI: https://doi.org/10.1371/journal.pone.0250055 (https://doi.org/10.1371/journal.pone.0250055)

http://hdl.handle.net/123456789/4557 (http://hdl.handle.net/123456789/4557)

Appears in Collections:

Research Articles (/jspui/handle/123456789/9)

Files in This Item:

File Description Size Format

Need To Add...Full Text_PDF..pdf (/jspui/bitstream/123456789/4557/1/Need%20To%20Add%e2%80%a6Full%20Text_PDF..pdf)

Only IISER Mohali authors are available in the record

Only IISER 15.36 Adobe Mohali kB PDF

View/Open (/jspu

Show full item record (/jspui/handle/123456789/4557?mode=full)

. I (/jspui/handle/123456789/4557/statistics)

Items in DSpace are protected by copyright, with all rights reserved, unless otherwise indicated.