

Library Indian Institute of Science Education and Research Mohali



DSpace@IISERMohali (/jspui/)

- / Publications of IISER Mohali (/jspui/handle/123456789/4)
- / Research Articles (/jspui/handle/123456789/9)

Please use this identifier to cite or link to this item: http://hdl.handle.net/123456789/1846

Title: A Gaia-PS1-SDSS (GPS1) Proper Motion Catalog Covering 3/4 of the Sky

Authors: Gupta, Prashansa (/jspui/browse?type=author&value=Gupta%2C+Prashansa)

Keywords: Gaia DR1, PS1

Sloan Digital Sky Survey (SDSS)

2MASS

Issue Date: 2017

Publisher: Institute of Physics Publishing

Citation: Astrophysical Journal, Supplement Series, 232 (1)

Abstract:

We combine Gaia DR1, PS1, Sloan Digital Sky Survey (SDSS), and 2MASS astrometry to measure proper motions for 350 million sources across three-fourths of the sky down to a magnitude of $m_{r}\simeq 20\$. Using positions of galaxies from PS1, we build a common reference frame for the multi-epoch PS1, single-epoch SDSS and 2MASS data, and calibrate the data in small angular patches to this frame. As the Gaia DR1 excludes resolved galaxy images, we choose a different approach to calibrate its positions to this reference frame: we exploit the fact that the proper motions of stars in these patches are linear. By simultaneously fitting the positions of stars at different epochs of-Gaia DR1, PS1, SDSS, and 2MASS-we construct an extensive catalog of proper motions dubbed GPS1. GPS1 has a characteristic systematic error of less than 0.3 $\mathrm{mathrm}\{yr\}^{-1}\$ and a typical precision of 1.5–2.0 $\mathrm{mas}\,{\mathrm{yr}}^{-1}\$. The proper motions have been validated using galaxies, open clusters, distant giant stars, and QSOs. In comparison with other published faint proper motion catalogs, GPS1's systematic error (\$\\t 0.3\,\mathrm{\mas}\,{\mathrm{\yr}}^{-1}\$) should be nearly an order of magnitude better than that of PPMXL and UCAC4 (\$\gt 2.0\,\mathrm{mas}\, ${\mathbf y}^{-1}\$). Similarly, its precision (~1.5 ${\mathbf y}^{-1}\$) is a fourfold improvement relative to PPMXL and UCAC4 (~6.0 \$\mathrm{mas}\,{\mathrm{yr}}^{-1}\$). For QSOs, the precision of GPS1 is found to be worse (~2.0-3.0 \$\mathrm{mas}\,{\mathrm{vr}}^{-1}\$), possibly due to their particular differential chromatic refraction. The GPS1 catalog will be released online and be available via the VizieR Service and VO Service.

Description: Only IISERM authors are available in the record.

URI: https://iopscience.iop.org/article/10.3847/1538-4365/aa826a (https://iopscience.iop.org/article/10.3847/1538-4365/aa826a)

http://hdl.handle.net/123456789/1846 (http://hdl.handle.net/123456789/1846)

Appears in Research Articles (/jspui/handle/123456789/9) Collections:

Files in This Item

Show full item record (/jspui/handle/123456789/1846?mode=full)

■ (/jspui/handle/123456789/1846/statistics)

Items in DSpace are protected by copyright, with all rights reserved, unless otherwise indicated.