



Library Indian Institute of Science Education and Research Mohali



DSpace@IISERMohali (/jspui/)
/ Publications of IISER Mohali (/jspui/handle/123456789/4)
/ Research Articles (/jspui/handle/123456789/9)

Please use this identifier to cite or link to this item: <http://hdl.handle.net/123456789/5105>

Title:	Ultrathin Twisty PdNi Alloy Nanowires as Highly Active ORR Electrocatalysts Exhibiting Morphology-Induced Durability over 200 K Cycles
Authors:	Sahoo, Lipipuspa (/jspui/browse?type=author&value=Sahoo%2C+Lipipuspa) Garg, Reeya (/jspui/browse?type=author&value=Garg%2C+Reeya) Kaur, Komalpreet (/jspui/browse?type=author&value=Kaur%2C+Komalpreet) Vinod, C. P. (/jspui/browse?type=author&value=Vinod%2C+C.+P.) Gautam, Ujjal K. (/jspui/browse?type=author&value=Gautam%2C+Ujjal+K.)
Keywords:	Ultrathin Twisty PdNi Alloy Nanowires ORR Electrocatalysts Exhibiting Morphology-Induced
Issue Date:	2022
Publisher:	ACS Publications
Citation:	Nano Letters, 22(1), 246-254.
Abstract:	Even though the anion exchange membrane fuel cells have many advantages, the stability of their electrocatalysts for oxygen reduction reaction (ORR) has remained remarkably poor. We report here on the ultrathin twisty PdNi-alloy nanowires (NWs) exhibiting a very low reaction overpotential with an $E_{1/2} \sim 0.95$ V versus RHE in alkaline media maintained over 200 K cycles, the highest ever recorded for an electrocatalyst. The mass activity of the used NWs is >10 times higher than fresh commercial Pt/C. Therein, Ni improves the Pd d-band center for a more efficient ORR, and its leaching continuously regenerates the surface active sites. The twisty nanowire morphology imparts multiple anchor points on the electrode surface to arrest their detachment or coalescence and extra stability from self-entanglement. The significance of the NW morphology was further confirmed from the high-temperature durability studies. The study demonstrates that tailoring the number of contact points to the electrode-surface may help realize commercial-grade stability in the highly active electrocatalysts.
Description:	Only IISER Mohali authors are available in the record.
URI:	https://doi.org/10.1021/acs.nanolett.1c03704 (https://doi.org/10.1021/acs.nanolett.1c03704) http://hdl.handle.net/123456789/5105 (http://hdl.handle.net/123456789/5105)
Appears in Collections:	Research Articles (/jspui/handle/123456789/9)

Files in This Item:

File	Description	Size	Format
Need To Add...Full Text_PDF. (/jspui/bitstream/123456789/5105/1/Need%20To%20Add%e2%80%a6Full%20Text_PDF.)		15.36 kB	Unknown

[View/Open \(/jspui/\)](#)

[Show full item record \(/jspui/handle/123456789/5105?mode=full\)](#)

[Statistics \(/jspui/handle/123456789/5105/statistics\)](#)

Items in DSpace are protected by copyright, with all rights reserved, unless otherwise indicated.