



Library Indian Institute of Science Education and Research Mohali



DSpace@IISERMohali (/jspui/)

/ Publications of IISER Mohali (/jspui/handle/123456789/4)

/ Research Articles (/jspui/handle/123456789/9)


Please use this identifier to cite or link to this item: <http://hdl.handle.net/123456789/3311>

Title:	In vitro anticancer activity of 4(3H)-quinazolinone derived Schiff base and its Cu(II), Zn(II) and Cd(II) complexes: Preparation, X-ray structural, spectral characterization and theoretical investigations
Authors:	Markad, D. (/jspui/browse?type=author&value=Markad%2C+D.)
Keywords:	3-quinolin-4(3H)-one Anticancer activity Conceptual DFT X-ray crystal structure
Issue Date:	2020
Publisher:	Elsevier B.V.
Citation:	Inorganica Chimica Acta, 511
Abstract:	<p>This work reports the synthesis of a novel quinolin-4(3H)-one based Schiff base ligand 3-[(E)-(2,5-dimethoxyphenyl)methylidene]amino-2-methylquinazolin-4(3H)-one (DMPAQ) and its coordination complexes of the type [M(DMPAQ)(phen)]X (1a-1c), where M = Cu(II), Zn(II) and Cd(II) ions, respectively, phen = 1,10-phenanthroline. All the synthesized compounds were characterized using UV-Visible, elemental analysis, FT-IR, ¹H NMR, Mass spectroscopy and TGA techniques. The triclinic structure of the DMPAQ is determined by employing single crystal X-ray crystallographic analysis. The characterization results suggested that the ligand, DMPAQ is bidentate and coordinate to the metal center through the lactum oxygen and the azomethine nitrogen. The synthesized DMPAQ ligand and complexes (1a-1c) were screened for their in vitro anticancer activity against the human breast adenocarcinoma cell line, MCF-7. The complexes 1a and 1b displayed significant anticancer activity against MCF-7 cells even at lower GI50 value (GI50 = 0.016 μM) than the standard drug doxorubicin (GI50 = 0.018 μM). Further, we have performed computational DFT studies on the chemical reactivity of the ligand and the three complexes by means of Conceptual Density Functional Theory (CDFT) through the "Koopmans in DFT" (KID) approximation to support the experimentally obtained results.</p>
Description:	Only IISERM authors are available in the record.
URI:	https://www.sciencedirect.com/science/article/pii/S0020169320310458 (https://www.sciencedirect.com/science/article/pii/S0020169320310458) http://hdl.handle.net/123456789/3311 (http://hdl.handle.net/123456789/3311)
Appears in Collections:	Research Articles (/jspui/handle/123456789/9)

Files in This Item:

File	Description	Size	Format	
Need to add pdf.odt (/jspui/bitstream/123456789/3311/1/Need%20to%20add%20pdf.odt)		8.63 kB	OpenDocument Text	View/Open (/jspui/bitstream/123456789/3311/1/Need%20to%20add%20pdf.odt)

Show full item record (</jspui/handle/123456789/3311?mode=full>)

 (</jspui/handle/123456789/3311/statistics>)

Items in DSpace are protected by copyright, with all rights reserved, unless otherwise indicated.