

Library Indian Institute of Science Education and Research Mohali



DSpace@IISERMohali (/jspui/)

/ Publications of IISER Mohali (/jspui/handle/123456789/4)

Please use this identifier to cite or link to this item: http://hdl.handle.net/123456789/2230

/ Research Articles (/jspui/handle/123456789/9)

Title: Salts of Amoxapine with Improved Solubility for Enhanced Pharmaceutical Applicability Authors: Joshi, Mayank (/jspui/browse?type=author&value=Joshi%2C+Mayank) Choudhury, A.R. (/jspui/browse?type=author&value=Choudhury%2C+A.R.) Kevwords: Mechanochemistry Crystal Engineering Salts Pharmaceutical Issue Date: 2018 Publisher: American Chemical Society Citation: ACS Omega, 3(2), pp. 2406-2416 Abstract: The objective of pharmaceutical cocrystallization is to create crystalline analogues that have vastly different properties, such as solubility, melting point, stability, and bioavailability from that observed in the pure active pharmaceutical ingredients (APIs). Amoxapine is a benzoxazepine derivative and exhibits antidepressant properties. Amoxapine has very low solubility in water, so it was cocrystallized with natural acids in a 1:1 ratio in appropriate solvents by the solvent-drop grinding method. Single crystals of cocrystals were grown by the solvent evaporation method in water, ethanol, and methanol. Crystal structures of API salts were determined by single-crystal X-ray

and exhibits antidepressant properties. Amoxapine has very low solubility in water, so it was cocrystallized with natural acids in a 1:1 ratio in appropriate solvents by the solvent-drop grinding method. Single crystals of cocrystals were grown by the solvent evaporation method in water, ethanol, and methanol. Crystal structures of API salts were determined by single-crystal X-ray diffraction. Salts were characterized by Fourier transform infrared spectroscopy, differential scanning calorimetry, and powder X-ray diffraction. Solubility of salts was determined in water by the shake-flask method at 37 °C using UV–vis spectroscopy. Salts of amoxapine with different acids were successfully developed, and their crystal structure was determined. Enhanced solubility was found in the salts of amoxapine for pharmaceutical application in drug formulation.

URI: http://hdl.handle.net/123456789/2230 (http://hdl.handle.net/123456789/2230)

Appears in Collections: Research Articles (/jspui/handle/123456789/9)

Files in This Item:

 File
 Description
 Size
 Format

 Need to add pdf.odt (/jspui/bitstream/123456789/2230/1/Need%20to%20add%20pdf.odt)
 8.63
 OpenDocument kB
 View/Open (/jspui/bitstream/123450789/2230/1/Need%20to%20add%20pdf.odt)

Show full item record (/jspui/handle/123456789/2230?mode=full)

. I (/jspui/handle/123456789/2230/statistics)

Items in DSpace are protected by copyright, with all rights reserved, unless otherwise indicated.