



# Library Indian Institute of Science Education and Research Mohali



**DSpace@IISERMohali (/jspui/)**  
**/ Publications of IISER Mohali (/jspui/handle/123456789/4)**  
**/ Research Articles (/jspui/handle/123456789/9)**

Please use this identifier to cite or link to this item: <http://hdl.handle.net/123456789/2817>


Title:	Direct evidence of strong local ferroelectric ordering in a thermoelectric semiconductor
Authors:	Aggarwal, L. (/jspui/browse?type=author&value=Aggarwal%2C+L.) Sekhon, J.S. (/jspui/browse?type=author&value=Sekhon%2C+J.S.) Arora, A. (/jspui/browse?type=author&value=Arora%2C+A.) Sheet, G. (/jspui/browse?type=author&value=Sheet%2C+G.)
Keywords:	Ferroelectric Thermoelectric Semiconductor
Issue Date:	2014
Publisher:	American Institute of Physics
Citation:	Applied Physics Letters, 105(11)
Abstract:	<p>It is thought that the proposed new family of multi-functional materials, namely, the ferroelectric thermoelectrics may exhibit enhanced functionalities due to the coupling of the thermoelectric parameters with ferroelectric polarization in solids. Therefore, the ferroelectric thermoelectrics are expected to be of immense technological and fundamental significance. As a first step towards this direction, it is most important to identify the existing high performance thermoelectric materials exhibiting ferroelectricity. Herein, through the direct measurement of local polarization switching, we show that the recently discovered thermoelectric semiconductor AgSbSe<sub>2</sub> has local ferroelectric ordering. Using piezo-response force microscopy, we demonstrate the existence of nanometer scale ferroelectric domains that can be switched by external electric field. These observations are intriguing as AgSbSe<sub>2</sub> crystalizes in cubic rock-salt structure with centro-symmetric space group (Fm-3m), and therefore, no ferroelectricity is expected. However, from high resolution transmission electron microscopy measurement, we found the evidence of local superstructure formation which, we believe, leads to local distortion of the centro-symmetric arrangement in AgSbSe<sub>2</sub> and gives rise to the observed ferroelectricity. Stereochemically active 5s<sup>2</sup> lone-pair of Sb may also give rise to local structural distortion thereby creating ferroelectricity in AgSbSe<sub>2</sub>.</p>
Description:	Only IISERM authors are available in the record.
URI:	<a href="https://aip.scitation.org/doi/10.1063/1.4895936">https://aip.scitation.org/doi/10.1063/1.4895936</a> ( <a href="https://aip.scitation.org/doi/10.1063/1.4895936">https://aip.scitation.org/doi/10.1063/1.4895936</a> ) <a href="http://hdl.handle.net/123456789/2817">http://hdl.handle.net/123456789/2817</a> ( <a href="http://hdl.handle.net/123456789/2817">http://hdl.handle.net/123456789/2817</a> )
Appears in Collections:	Research Articles (/jspui/handle/123456789/9)

## Files in This Item:

File	Description	Size	Format
need to add pdf....odt (/jspui/bitstream/123456789/2817/1/need%20to%20add%20pdf....odt)		8.12 kB	OpenDocument Text

[View/Open \(/jspui/bitstream/123456789/2817/1/need%20to%20add%20pdf....odt\)](#)

Show full item record (</jspui/handle/123456789/2817?mode=full>)

 (</jspui/handle/123456789/2817/statistics>)

Items in DSpace are protected by copyright, with all rights reserved, unless otherwise indicated.