

## Library Indian Institute of Science Education and Research Mohali



## DSpace@IISERMohali (/jspui/)

- / Thesis & Dissertation (/jspui/handle/123456789/1)
- / Master of Science (/jspui/handle/123456789/2)
- / MS-09 (/jspui/handle/123456789/393)

Please use this identifier to cite or link to this item: http://hdl.handle.net/123456789/421 The role of a TGF-beta family morphogen DAF-7 in modulating synaptic transmission at Title: Caenorhabditis elegans neuromuscular junction. Tomar, Kuldeep Singh (/jspui/browse?type=author&value=Tomar%2C+Kuldeep+Singh) Authors: Morphogens Keywords: Biology Issue Date: 31-Jul-2014 Publisher: **IISER M** Abstract: Morphogens are signalling molecules with prominent effects in the development of an organism. Morphogens form a long range concentration gradient by diffusing from their source (Tabata and Takei, 2004). Fate of a cell responding to a particular morphogen depends upon its localization along the concentration gradient (Charron and Tessier- Lavigne, 2007) . Recent findings suggest that along with their role in development, morphogens also play a role in axon development and guidance during developmentthe nervous system (Sanchez-Camacho and Bovolenta, 2009). This project aims to study and find out the role of DAF-7, a TGF-beta family morphogen in modulating synaptic transmission at C. elegans neuromuscular junction. of URI: http://hdl.handle.net/123456789/421 (http://hdl.handle.net/123456789/421) MS-09 (/jspui/handle/123456789/393) Appears in Collections:

Files in	This	Item
----------	------	------

 File
 Description
 Size
 Format

 MS09075[KULDEEP TOMAR].pdf
 941.76
 Adobe
 View/Open (/jspui/bitstream

kΒ

PDF

Show full item record (/jspui/handle/123456789/421/mode=full)

Items in DSpace are protected by copyright, with all rights reserved, unless otherwise indicated.

(/jspui/bitstream/123456789/421/3/MS09075%5bKULDEEP%20TOMAR%5d.pdf)