

## Library Indian Institute of Science Education and Research Mohali



## DSpace@IISERMohali (/jspui/)

Collections:

- / Publications of IISER Mohali (/jspui/handle/123456789/4)
- / Research Articles (/jspui/handle/123456789/9)

Please use	this identifier to cite or link to this item: http://hdl.handle.net/123456789/3335
Title:	Synthesis of $\beta$ -cyanoalanine and enantiomerically enriched aspartate derivatives via the Zn- or In mediated nucleophilic addition to $\alpha$ -imino esters
Authors:	Sudha, A.J. (/jspui/browse?type=author&value=Sudha%2C+A.J.) Aslam, N.A. (/jspui/browse?type=author&value=Aslam%2C+N.A.) Sandhu, Akshey (/jspui/browse?type=author&value=Sandhu%2C+Akshey) Babu, S.A. (/jspui/browse?type=author&value=Babu%2C+S.A.)
Keywords:	β-cyanoalanine Aspartic acid derivatives Stereoselective synthesis Unnatural amino acids Reformatsky/Barbier-type reaction
Issue Date:	2020
Publisher:	Elsevier
Citation:	Tetrahedron, 76(23)
Abstract:	We report the synthesis of $\beta$ -cyanoalanine derivatives and enantiomerically enriched aspartates. The zinc-mediated addition of $\alpha$ -bromoacetonitrile to $\alpha$ -imino esters afforded various $\beta$ -cyanoalanine derivatives 3a-l and 5a-d in satisfactory to good yields. The zinc- or indium-mediate addition of $\alpha$ -bromoacetonitrile or ethyl 2-bromoacetate to enantiopure N-tert-butanesulfinyl $\alpha$ -imino esters gave the corresponding products 3m-p in satisfactory yields and diastereoselectivity. Notably, the indium-mediated addition of alkyl 4-bromocrotonates to enantiopure N-tert-butanesulfinyl $\alpha$ -imino esters gave the corresponding enantiomerically enriched $\beta$ -vinyl aspartates 10c-e (aspartic acid derivatives) with high diastereoselectivity (syn isomers). The stereochemistry of the vicinal stereocenters of the compounds 10c-e (major isomers) were assigned based on the X-ray structure of a derivative 11d which was obtained from 10c. To show the utility of $\beta$ -cyanoalanine and $\beta$ -vinyl aspartate derivatives, representative $\beta$ -cyanoalanine compounds 3a/3b, 5d and aspartic acid derivative 10c were subjected to selected synthetic transformations.
Description:	Only IISERM authors are available in the record.
URI:	https://www.sciencedirect.com/science/article/pii/S0040402020303525?via%3Dihub (https://www.sciencedirect.com/science/article/pii/S0040402020303525?via%3Dihub) http://hdl.handle.net/123456789/3335 (http://hdl.handle.net/123456789/3335)
Appears in	Research Articles (/jspui/handle/123456789/9)

Files in This Item:				
File	Description	Size	Format	
need to add pdfodt (/ispui/bitstream/123456789/3335/1/need%20to%20add%20pdfodt)		8.12 kB	OpenDocument Text	View/Open (/jspui/bitstream/1234

Show full item record (/jspui/handle/123456789/3335?mode=full)

**. I** (/jspui/handle/123456789/3335/statistics)

Items in DSpace are protected by copyright, with all rights reserved, unless otherwise indicated.