



Library Indian Institute of Science Education and Research Mohali



DSpace@IISERMohali (/jspui/)

/ Publications of IISER Mohali (/jspui/handle/123456789/4)

/ Research Articles (/jspui/handle/123456789/9)


Please use this identifier to cite or link to this item: <http://hdl.handle.net/123456789/125>

Title:	Syntheses and structures of cobalt(II), nickel(II), and copper(II) complexes with N,N,N',N'-tetraalkylpyridine-2,6-dicarboxamides (O-daap) containing nitrate as the counter ion
Authors:	Kapoor, Ramesh (/jspui/browse?type=author&value=Kapoor%2C+Ramesh)
Keywords:	Counterion Crystal structure Square pyramidal
Issue Date:	2011
Publisher:	Taylor & Francis
Citation:	Journal of Coordination Chemistry, 64 (2), pp. 256-271
Abstract:	Reactions of $M(NO_3)_2 \cdot xH_2O$ [$M = Co(II)$, $Ni(II)$, and $Cu(II)$] with N,N,N',N'-tetraalkylpyridine-2,6-dicarboxamides (O-daap) in CH_3CN yield $[Co(O-dmap)(NO_3)_2]$ (1), $[Co(O-deap)(NO_3)_2]$ (2), $[Co(O-dpap)(NO_3)_2]$ (3), $[Ni(O-dmap)(H_2O)_3(NO_3)_2]$ (4), $[Ni(O-deap)(H_2O)_2(NO_3)_2]$ (5), $[Cu(O-deap)(NO_3)_2]$ (6), and $[Cu(O-dpap)(NO_3)_2]$ (7). X-ray crystal structures of 1, 2, 4, 5, and 7 reveal that O-daap ligands coordinate tridentate to each metal, O-N-O, with nitrate playing a vital role in molecular and crystal structures of all the complexes. The coordination geometry in the two $Co(II)$ complexes, 1 and 2, is approximately pentagonal bipyramidal with nitrate bonded in a slightly unsymmetrical bidentate chelating mode. $[Ni(dmap)(H_2O)_3(NO_3)_2]$ (4) and $[Ni(deap)(H_2O)_2(NO_3)_2]$ (5) exhibit octahedral geometry, the former containing uncoordinated nitrate while the latter has one nitrate coordinated unidentate and the other nitrate outside the coordination sphere. The $Cu(II)$ in $[Cu(dpap)(NO_3)_2]$ (7) occupies a distorted square pyramidal geometry and is linked to two unidentate nitrates, although one nitrate is also involved in a weak interaction with the metal through its other oxygen. IR spectra and other physical studies are consistent with their crystal structural data. O-dmap = N,N,N',N'-tetramethylpyridine-2,6-dicarboxamides; O-deap = N,N,N',N'-tetraethylpyridine-2,6-dicarboxamides; and O-dpap = N,N,N',N'-tetraisopropylpyridine-2,6-dicarboxamides.
Description:	Only IISERM authors are available in the record.
URI:	http://dx.doi.org/10.1080/00958972.2010.542237 (http://dx.doi.org/10.1080/00958972.2010.542237) http://www.tandfonline.com/doi/abs/10.1080/00958972.2010.542237 (http://www.tandfonline.com/doi/abs/10.1080/00958972.2010.542237) DOI:10.1080/00958972.2010.542237 (DOI:10.1080/00958972.2010.542237)
Appears in Collections:	Research Articles (/jspui/handle/123456789/9)

Files in This Item:

File	Description	Size	Format	
Need to add pdf.odt (/jspui/bitstream/123456789/125/3/Need%20to%20add%20pdf.odt)		8.63 kB	OpenDocument Text	View/Open (/jspui/bitstream/123456789/125/3/Need%20to%20add%20pdf.odt)

Show full item record (</jspui/handle/123456789/125?mode=full>)

 (</jspui/handle/123456789/125/statistics>)

Items in DSpace are protected by copyright, with all rights reserved, unless otherwise indicated.