

Library Indian Institute of Science Education and Research Mohali



DSpace@IISERMohali (/jspui/)

URI:

Appears in Collections:

- / Publications of IISER Mohali (/jspui/handle/123456789/4)
- / Research Articles (/jspui/handle/123456789/9)

 $https://pubs.acs.org/doi/10.1021/acsami.9b20743 \\ (https://pubs.acs.org/doi/10.1021/acsami.9b20743)$

Research Articles (/jspui/handle/123456789/9)

http://hdl.handle.net/123456789/3367 (http://hdl.handle.net/123456789/3367)

Please use	this identifier to cite or link to this item: http://hdl.handle.net/123456789/3367
Title:	Proton-Triggered Fluorescence Switching in Self-Exfoliated Ionic Covalent Organic Nanosheets for Applications in Selective Detection of Anions
Authors:	Singh, Harpreet (/jspui/browse?type=author&value=Singh%2C+Harpreet)
	Devi, M. (/jspui/browse?type=author&value=Devi%2C+M.)
	Iqbal, Mohamed Musthafa (/jspui/browse?type=author&value=Iqbal%2C+Mohamed+Musthafa)
	Nailwal, Y. (/jspui/browse?type=author&value=Nailwal%2C+Y.) Pal, S.K. (/jspui/browse?type=author&value=Pal%2C+S.K.)
	Pai, S.K. (/Jspul/blowse/type=author&value=Pai%2C+S.K.)
Keywords:	Covalent organic framework (COF)
	Exfoliation
	Anion sensor
	Nanosheets
	2D materials
	Guanidine
Issue Date:	2020
Publisher:	American Chemical Society
Citation:	ACS Applied Materials and Interfaces 12(11), pp. 13248-13255.
Abstract:	The exfoliation of covalent organic frameworks into covalent organic nanosheets (CONs) not only helps to reduce fluorescence turn-off phenomena but also provides well-exposed active sites for fast response and recovery for various applications. The present work is an example of rational designing of a structure constructed by condensing triaminoguanidinium chloride (TGCI), an intrinsic ionic linker, with a fluorophore, 2, 5-dimethoxyterephthalaldehyde (DA), to produce highly fluorescent self-exfoliable ionic CONs (DATGCI-iCONs). These fluorescent iCONs are able to sense fluoride ions selectively down to the ppb level via the fluorescence turn-off mechanism. A closer look at the quenching mechanism via NMR, zeta potential measurement, lifetime
	measurement, and density functional theory calculations reveals unique proton-triggered fluorescence switching behavior of newly synthesized DATGCI-iCONs.

Files in This Item:				
File	Description	Size	Format	
Need to add pdf.odt (/jspui/bitstream/123456789/3367/1/Need%20to%20add%20pdf.odt)		8.63 kB	OpenDocument Text	View/Open (/jspui/bitstream/12345

Show full item record (/jspui/handle/123456789/3367?mode=full)

■ (/jspui/handle/123456789/3367/statistics)

Items in DSpace are protected by copyright, with all rights reserved, unless otherwise indicated.