

## Library Indian Institute of Science Education and Research Mohali



## DSpace@IISERMohali (/jspui/)

- / Publications of IISER Mohali (/jspui/handle/123456789/4)
- / Research Articles (/jspui/handle/123456789/9)

| Please use              | this identifier to cite or link to this item: http://hdl.handle.net/123456789/4964  |  |  |  |  |
|-------------------------|---|--|--|--|--|
| Title:                  | Unravelling charge-transfer in Pd to pyrrolic-N bond for superior electrocatalytic performance  |  |  |  |  |
| Authors:                | Sahoo, Lipipuspa (/jspui/browse?type=author&value=Sahoo%2C+Lipipuspa)   |  |  |  |  |
|                         | Mondal, Sanjit (/jspui/browse?type=author&value=Mondal%2C+Sanjit)   |  |  |  |  |
|                         | Gloskovskii, A. (/jspui/browse?type=author&value=Gloskovskii%2C+A.)   |  |  |  |  |
|                         | Chutia, Arunabhiram (/jspui/browse?type=author&value=Chutia%2C+Arunabhiram)   |  |  |  |  |
|                         | Gautam, Ujjal K. (/jspui/browse?type=author&value=Gautam%2C+Ujjal+K.)   |  |  |  |  |
| Keywords:               | charge-transfer   |  |  |  |  |
|                         | pyrrolic-N  |  |  |  |  |
| Issue Date:             | 2021  |  |  |  |  |
| Publisher:              | Publishing  |  |  |  |  |
| Citation:               | Journal of Materials Chemistry A, 9(17), 10966–10978.   |  |  |  |  |
| Abstract:               | Fuel-cells require large quantities of Pt for oxygen reduction reaction (ORR) to subvert the activity loss during prolonged use. Pd can complement Pt in the near future by exhibiting a similar activity and stability in alkaline fuel-cells. Herein we show that by depositing Pd atom-by-atom on an N-doped reduced graphene oxide (NRGO), it is possible to create a strong bond between Pd and pyrrolic-fraction of the N-moieties. This bond further strengthens in the presence of an oxygen containing functional-group accompanied by a profound charge-transfer from the Pd 3d-orbitals to the 2p-orbitals of C, N and O, thereby lowering the Pd-3d binding-energy and the resulting Pd/NRGO exhibits a very high ORR activity (E1/2 = 0.93 V vs. RHE) and stability (ΔΕ1/2 = 0.013 V after 15 000 cycles). Usually pyridinic-N is considered for imparting high-performance while N-doping creates nearly as many pyrrolic-N in graphene-substrates, the role of which is evidenced in this study. |  |  |  |  |
| Description:            | Only IISERM authors are available in the record.  |  |  |  |  |
| URI:                    | https://pubs.rsc.org/en/content/articlelanding/2021/TA/D0TA12618G<br>(https://pubs.rsc.org/en/content/articlelanding/2021/TA/D0TA12618G)  |  |  |  |  |
|                         | (https://pubs.rsc.org/en/contenuarticlelanding/2021/174/201412618G)<br>http://hdl.handle.net/123456789/4964 (http://hdl.handle.net/123456789/4964)  |  |  |  |  |
| Appears in Collections: | Research Articles (/jspui/handle/123456789/9)   |  |  |  |  |

| his Item: |
|-----------|
|           |

| File  | Description | Size        | Format  |                     |
|---|-------------|-------------|---------|---------------------|
| Need To AddFull Text_PDF  (/ispui/bitstream/123456789/4964/1/Need%20To%20Add%e2%80%a6Full%20Text_PDF) |             | 15.36<br>kB | Unknown | View/Open (/jspui/t |

Show full item record (/jspui/handle/123456789/4964?mode=full)

**. (**/jspui/handle/123456789/4964/statistics)

Items in DSpace are protected by copyright, with all rights reserved, unless otherwise indicated.