



Library Indian Institute of Science Education and Research Mohali



DSpace@IISERMohali (/jspui/)
/ Publications of IISER Mohali (/jspui/handle/123456789/4)
/ Research Articles (/jspui/handle/123456789/9)

Please use this identifier to cite or link to this item: <http://hdl.handle.net/123456789/2118>

Title:	An ultra-stable glucanotransferase-cum-exoamylase from the hyperthermophile archaeon <i>Thermococcus onnurineus</i>
Authors:	Kaila, P. (/jspui/browse?type=author&value=Kaila%2C+P.) Guptasarma, P. (/jspui/browse?type=author&value=Guptasarma%2C+P.)
Keywords:	Exoamylase Glucanotransferase Smallest acceptor maltose Thermostability
Issue Date:	2019
Publisher:	Elsevier
Citation:	Archives of Biochemistry and Biophysics, 665, pp. 114-121.
Abstract:	<p>The genome of the hyperthermophile archaeon <i>Thermococcus onnurineus</i> (strain NA1) encodes a 652 residues-long putative 4-α-glucanotransferase of the GH 57 family which we have expressed in <i>Escherichia coli</i>. The enzyme (TonAmyGT) appears to remove glucose from the reducing end of a donor glucan and transfers it to the non-reducing end of an acceptor glucan, creating a pool of oligosaccharides through disproportionation of any substrate maltooligosaccharide, with maltose acting substantively as the smallest donor glucan as well as the smallest acceptor glucan. Additionally, glucose is also cleaved from maltooligosaccharides and released into solution without being transferred to an acceptor, causing the enzyme to function as an exo-amylase (which can digest starch) in addition to its activity as a glucanotransferase. TonAmyGT functions over a broad range of temperature (20–100 °C) and pH (4.0–9.0), and shows extreme resistance to chemical and thermal denaturation, displaying a melting temperature of 104 °C, at a pressure of 35 psi, in a differential scanning calorimeter. An interesting characteristic is that the glucanotransferase activity shows feedback inhibition through glucose (which the enzyme itself generates), indicating that the exo-amylase and glucanotransferase activities regulate each other.</p>
URI:	https://www.sciencedirect.com/science/article/pii/S0003986118310531 (https://www.sciencedirect.com/science/article/pii/S0003986118310531) http://hdl.handle.net/123456789/2118 (http://hdl.handle.net/123456789/2118)
Appears in Collections:	Research Articles (/jspui/handle/123456789/9)

Files in This Item:

File	Description	Size	Format
Need to add pdf.odt (/jspui/bitstream/123456789/2118/1/Need%20to%20add%20pdf.odt)		8.63 kB	OpenDocument Text

[View/Open \(/jspui/bitstream/123456789/2118/1/Need%20to%20add%20pdf.odt\)](#)

[Show full item record \(/jspui/handle/123456789/2118?mode=full\)](#)

[Statistics \(/jspui/handle/123456789/2118/statistics\)](#)

Items in DSpace are protected by copyright, with all rights reserved, unless otherwise indicated.