Published CAD + FEM: 169 additions

Collected from original web sources | 11 October 2026

169 downloaded source pairs across seven problem families. The 160 GeoPINONet instances are parameter variations in two families; they are not 160 different types of complex engineering problem.

Collection	CAD instances	Published FEM output
GeoPINONet: lug	80	Stress tensor + displacement CSV
GeoPINONet: holed plate	80	Stress tensor + displacement CSV
UCSM: four sheet-metal families	8	Major/minor true-strain JSON + mesh
Nonlinear tricuspid valve	1	Stress/strain, displacement, VTK, ODB

All original source CAD and result files are included in the accompanying package. CAD/result locators appear on each page and in catalog.json. Source licenses are CC BY 4.0; retain original author attribution.

The CAD pictures are inspection renders of downloaded CAD. They are not dimensioned engineering drawings. The valve case includes the original published dimensioned geometry figures.


No new certified benchmark admissions or frontier-model trials are claimed. Units, load mapping, mesh behavior, solver replay and numerical tolerances still require review.

Source discrepancy: GeoPINONet plate README says thickness 20 mm, while the downloaded CAD and corresponding FEM coordinate bounds agree on 10 mm. One UCSM mesh face is missing a strain row; no value was filled.

Sources: zenodo.org/records/21483341 | zenodo.org/records/15327950 | doi.org/10.1016/j.dib.2021.107664

001 / 169 | 3D lug

geopinonet-Lug_3D-model_train-1



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	36220	36220
Max displacement [m]	6.21707e-07	2.95171e-06
Max full 3D von Mises [Pa]	5.00504e+06	1.71909e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/1.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/1/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

002 / 169 | 3D lug

geopinonet-Lug_3D-model_train-10



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	46695	46695
Max displacement [m]	9.44922e-07	6.12417e-06
Max full 3D von Mises [Pa]	6.26989e+06	2.82729e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/10.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/10/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

003 / 169 | 3D lug

geopinonet-Lug_3D-model_train-11



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	57790	57790
Max displacement [m]	7.18018e-07	5.25447e-06
Max full 3D von Mises [Pa]	4.71107e+06	2.29071e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/11.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/11/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

004 / 169 | 3D lug

geopinonet-Lug_3D-model_train-12



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	82650	82650
Max displacement [m]	5.10153e-07	2.81961e-06
Max full 3D von Mises [Pa]	3.43239e+06	1.53209e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/12.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/12/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

005 / 169 | 3D lug

geopinonet-Lug_3D-model_train-13



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	40892	40892
Max displacement [m]	6.60934e-07	2.4335e-06
Max full 3D von Mises [Pa]	5.51359e+06	1.73052e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/13.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/13/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

006 / 169 | 3D lug

geopinonet-Lug_3D-model_train-14



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	49331	49331
Max displacement [m]	5.33335e-07	2.63395e-06
Max full 3D von Mises [Pa]	4.08532e+06	1.55251e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/14.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/14/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

007 / 169 | 3D lug

geopinonet-Lug_3D-model_train-15



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	66871	66871
Max displacement [m]	5.62929e-07	2.66687e-06
Max full 3D von Mises [Pa]	3.95708e+06	1.55049e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/15.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/15/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

008 / 169 | 3D lug

geopinonet-Lug_3D-model_train-16



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	39965	39965
Max displacement [m]	9.14285e-07	4.82112e-06
Max full 3D von Mises [Pa]	6.60618e+06	2.58287e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/16.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/16/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

009 / 169 | 3D lug

geopinonet-Lug_3D-model_train-17



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	64689	64689
Max displacement [m]	4.75915e-07	1.94226e-06
Max full 3D von Mises [Pa]	3.6739e+06	1.30646e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/17.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/17/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

010 / 169 | 3D lug

geopinonet-Lug_3D-model_train-18



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	29548	29548
Max displacement [m]	9.29399e-07	4.55944e-06
Max full 3D von Mises [Pa]	7.44462e+06	2.53268e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/18.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/18/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

011 / 169 | 3D lug

geopinonet-Lug_3D-model_train-19



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	52720	52720
Max displacement [m]	6.93766e-07	4.34865e-06
Max full 3D von Mises [Pa]	4.8216e+06	2.11776e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/19.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/19/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

012 / 169 | 3D lug

geopinonet-Lug_3D-model_train-2



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	60070	60070
Max displacement [m]	7.46225e-07	4.27038e-06
Max full 3D von Mises [Pa]	4.86456e+06	2.11528e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/2.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/2/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

013 / 169 | 3D lug

geopinonet-Lug_3D-model_train-20



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	36640	36640
Max displacement [m]	7.96127e-07	4.45018e-06
Max full 3D von Mises [Pa]	5.97319e+06	2.26795e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/20.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/20/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

014 / 169 | 3D lug

geopinonet-Lug_3D-model_train-21



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	44519	44519
Max displacement [m]	5.3544e-07	2.24242e-06
Max full 3D von Mises [Pa]	4.42423e+06	1.50235e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/21.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/21/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

015 / 169 | 3D lug

geopinonet-Lug_3D-model_train-22



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	49408	49408
Max displacement [m]	8.56933e-07	4.39298e-06
Max full 3D von Mises [Pa]	5.97569e+06	2.35098e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/22.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/22/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

016 / 169 | 3D lug

geopinonet-Lug_3D-model_train-23



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	40364	40364
Max displacement [m]	9.66734e-07	5.80482e-06
Max full 3D von Mises [Pa]	6.80924e+06	2.83806e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/23.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/23/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

017 / 169 | 3D lug

geopinonet-Lug_3D-model_train-24



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	63619	63619
Max displacement [m]	6.89431e-07	4.93101e-06
Max full 3D von Mises [Pa]	4.41014e+06	2.19647e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/24.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/24/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

018 / 169 | 3D lug

geopinonet-Lug_3D-model_train-25



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	31786	31786
Max displacement [m]	1.03127e-06	6.48833e-06
Max full 3D von Mises [Pa]	7.40829e+06	2.96431e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/25.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/25/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

019 / 169 | 3D lug

geopinonet-Lug_3D-model_train-26



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	60351	60351
Max displacement [m]	5.39825e-07	2.65264e-06
Max full 3D von Mises [Pa]	3.86716e+06	1.54254e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/26.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/26/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

020 / 169 | 3D lug

geopinonet-Lug_3D-model_train-27



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	37389	37389
Max displacement [m]	7.16183e-07	3.23158e-06
Max full 3D von Mises [Pa]	5.65766e+06	1.97129e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/27.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/27/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

021 / 169 | 3D lug

geopinonet-Lug_3D-model_train-28



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	38833	38833
Max displacement [m]	8.2579e-07	3.58467e-06
Max full 3D von Mises [Pa]	6.45876e+06	2.2222e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/28.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/28/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

022 / 169 | 3D lug

geopinonet-Lug_3D-model_train-29



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	53156	53156
Max displacement [m]	5.14647e-07	2.08699e-06
Max full 3D von Mises [Pa]	4.17002e+06	1.43587e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/29.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/29/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

023 / 169 | 3D lug

geopinonet-Lug_3D-model_train-3



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	67005	67005
Max displacement [m]	3.7857e-07	1.34829e-06
Max full 3D von Mises [Pa]	3.18422e+06	1.03574e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/3.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/3/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

024 / 169 | 3D lug

geopinonet-Lug_3D-model_train-30



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	87032	87032
Max displacement [m]	4.68346e-07	2.59039e-06
Max full 3D von Mises [Pa]	3.0599e+06	1.38184e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/30.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/30/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

025 / 169 | 3D lug

geopinonet-Lug_3D-model_train-31



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	63865	63865
Max displacement [m]	4.88439e-07	2.41348e-06
Max full 3D von Mises [Pa]	3.57451e+06	1.43852e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/31.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/31/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

026 / 169 | 3D lug

geopinonet-Lug_3D-model_train-32



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	62837	62837
Max displacement [m]	7.53741e-07	4.53847e-06
Max full 3D von Mises [Pa]	4.95545e+06	2.23329e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/32.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/32/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

027 / 169 | 3D lug

geopinonet-Lug_3D-model_train-33



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	51139	51139
Max displacement [m]	7.16585e-07	4.18092e-06
Max full 3D von Mises [Pa]	4.9092e+06	2.11296e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/33.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/33/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

028 / 169 | 3D lug

geopinonet-Lug_3D-model_train-34



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	72324	72324
Max displacement [m]	4.19647e-07	1.76248e-06
Max full 3D von Mises [Pa]	3.23399e+06	1.18877e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/34.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/34/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

029 / 169 | 3D lug

geopinonet-Lug_3D-model_train-35



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	51469	51469
Max displacement [m]	7.67778e-07	5.18038e-06
Max full 3D von Mises [Pa]	5.12979e+06	2.37997e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/35.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/35/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

030 / 169 | 3D lug

geopinonet-Lug_3D-model_train-36



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	38743	38743
Max displacement [m]	6.92543e-07	3.27463e-06
Max full 3D von Mises [Pa]	5.48694e+06	1.93958e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/36.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/36/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

031 / 169 | 3D lug

geopinonet-Lug_3D-model_train-37



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	38513	38513
Max displacement [m]	1.11318e-06	7.55324e-06
Max full 3D von Mises [Pa]	7.58292e+06	3.3392e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/37.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/37/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

032 / 169 | 3D lug

geopinonet-Lug_3D-model_train-38



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	63529	63529
Max displacement [m]	6.8003e-07	4.44841e-06
Max full 3D von Mises [Pa]	4.41314e+06	2.09134e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/38.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/38/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

033 / 169 | 3D lug

geopinonet-Lug_3D-model_train-39



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	85418	85418
Max displacement [m]	4.9962e-07	2.51774e-06
Max full 3D von Mises [Pa]	3.3767e+06	1.42295e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/39.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/39/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

034 / 169 | 3D lug

geopinonet-Lug_3D-model_train-4



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	32509	32509
Max displacement [m]	1.39621e-06	1.07129e-05
Max full 3D von Mises [Pa]	9.25752e+06	4.20724e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/4.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/4/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

035 / 169 | 3D lug

geopinonet-Lug_3D-model_train-40



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	49250	49250
Max displacement [m]	5.13955e-07	1.89719e-06
Max full 3D von Mises [Pa]	4.30858e+06	1.39485e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/40.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/40/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

036 / 169 | 3D lug

geopinonet-Lug_3D-model_train-41



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	46941	46941
Max displacement [m]	7.92406e-07	4.29228e-06
Max full 3D von Mises [Pa]	5.77693e+06	2.30935e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/41.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/41/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

037 / 169 | 3D lug

geopinonet-Lug_3D-model_train-42



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	47664	47664
Max displacement [m]	6.79809e-07	3.06814e-06
Max full 3D von Mises [Pa]	5.13266e+06	1.87073e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/42.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/42/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

038 / 169 | 3D lug

geopinonet-Lug_3D-model_train-43



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	63582	63582
Max displacement [m]	5.45752e-07	2.95509e-06
Max full 3D von Mises [Pa]	3.90653e+06	1.64135e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/43.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/43/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

039 / 169 | 3D lug

geopinonet-Lug_3D-model_train-44



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	71702	71702
Max displacement [m]	4.51027e-07	1.98365e-06
Max full 3D von Mises [Pa]	3.35864e+06	1.27318e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/44.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/44/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

040 / 169 | 3D lug

geopinonet-Lug_3D-model_train-45



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	65629	65629
Max displacement [m]	6.41566e-07	3.38768e-06
Max full 3D von Mises [Pa]	4.32046e+06	1.8179e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/45.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/45/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

041 / 169 | 3D lug

geopinonet-Lug_3D-model_train-46



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	37965	37965
Max displacement [m]	7.84769e-07	4.4144e-06
Max full 3D von Mises [Pa]	5.77675e+06	2.26173e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/46.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/46/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

042 / 169 | 3D lug

geopinonet-Lug_3D-model_train-47



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	55321	55321
Max displacement [m]	7.1075e-07	3.4464e-06
Max full 3D von Mises [Pa]	5.10192e+06	1.96583e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/47.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/47/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

043 / 169 | 3D lug

geopinonet-Lug_3D-model_train-48



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	33406	33406
Max displacement [m]	8.50895e-07	4.42848e-06
Max full 3D von Mises [Pa]	6.57831e+06	2.39726e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/48.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/48/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

044 / 169 | 3D lug

geopinonet-Lug_3D-model_train-49



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	55708	55708
Max displacement [m]	5.54585e-07	2.72155e-06
Max full 3D von Mises [Pa]	4.14838e+06	1.61525e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/49.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/49/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

045 / 169 | 3D lug

geopinonet-Lug_3D-model_train-5



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	67706	67706
Max displacement [m]	5.35262e-07	3.08785e-06
Max full 3D von Mises [Pa]	3.69099e+06	1.63096e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/5.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/5/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

046 / 169 | 3D lug

geopinonet-Lug_3D-model_train-50



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	32198	32198
Max displacement [m]	9.60219e-07	4.81165e-06
Max full 3D von Mises [Pa]	7.37746e+06	2.64669e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/50.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/50/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

047 / 169 | 3D lug

geopinonet-Lug_3D-model_train-51



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	42303	42303
Max displacement [m]	8.36174e-07	5.07527e-06
Max full 3D von Mises [Pa]	5.90722e+06	2.48129e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/51.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/51/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

048 / 169 | 3D lug

geopinonet-Lug_3D-model_train-52



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	46703	46703
Max displacement [m]	5.69249e-07	2.16791e-06
Max full 3D von Mises [Pa]	4.60506e+06	1.50679e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/52.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/52/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

049 / 169 | 3D lug

geopinonet-Lug_3D-model_train-53



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	37955	37955
Max displacement [m]	6.67596e-07	2.91173e-06
Max full 3D von Mises [Pa]	5.46234e+06	1.85116e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/53.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/53/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

050 / 169 | 3D lug

geopinonet-Lug_3D-model_train-54



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	72313	72313
Max displacement [m]	5.3834e-07	2.42358e-06
Max full 3D von Mises [Pa]	3.90452e+06	1.49559e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/54.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/54/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

051 / 169 | 3D lug

geopinonet-Lug_3D-model_train-55



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	61254	61254
Max displacement [m]	5.3211e-07	2.55975e-06
Max full 3D von Mises [Pa]	3.90275e+06	1.54189e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/55.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/55/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

052 / 169 | 3D lug

geopinonet-Lug_3D-model_train-56



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	43913	43913
Max displacement [m]	7.9449e-07	5.36786e-06
Max full 3D von Mises [Pa]	5.43539e+06	2.4209e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/56.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/56/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

053 / 169 | 3D lug

geopinonet-Lug_3D-model_train-57



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	57244	57244
Max displacement [m]	4.85216e-07	2.04627e-06
Max full 3D von Mises [Pa]	3.88431e+06	1.38294e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/57.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/57/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

054 / 169 | 3D lug

geopinonet-Lug_3D-model_train-58



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	63006	63006
Max displacement [m]	4.64824e-07	1.89333e-06
Max full 3D von Mises [Pa]	3.67276e+06	1.3013e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/58.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/58/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

055 / 169 | 3D lug

geopinonet-Lug_3D-model_train-59



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	51105	51105
Max displacement [m]	8.88108e-07	5.32179e-06
Max full 3D von Mises [Pa]	5.93322e+06	2.59498e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/59.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/59/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

056 / 169 | 3D lug

geopinonet-Lug_3D-model_train-6



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	30741	30741
Max displacement [m]	7.23723e-07	2.8694e-06
Max full 3D von Mises [Pa]	6.1292e+06	1.94264e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/6.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/6/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

057 / 169 | 3D lug

geopinonet-Lug_3D-model_train-60



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	69951	69951
Max displacement [m]	5.41329e-07	3.02006e-06
Max full 3D von Mises [Pa]	3.68473e+06	1.61617e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/60.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/60/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

058 / 169 | 3D lug

geopinonet-Lug_3D-model_train-61



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	55641	55641
Max displacement [m]	7.70458e-07	5.36964e-06
Max full 3D von Mises [Pa]	4.97581e+06	2.41111e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/61.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/61/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

059 / 169 | 3D lug

geopinonet-Lug_3D-model_train-62



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	42605	42605
Max displacement [m]	5.77961e-07	2.82882e-06
Max full 3D von Mises [Pa]	4.49294e+06	1.65103e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/62.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/62/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

060 / 169 | 3D lug

geopinonet-Lug_3D-model_train-63



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	66628	66628
Max displacement [m]	5.77864e-07	2.91843e-06
Max full 3D von Mises [Pa]	4.06486e+06	1.66194e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/63.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/63/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

061 / 169 | 3D lug

geopinonet-Lug_3D-model_train-64



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	54884	54884
Max displacement [m]	7.42279e-07	4.29332e-06
Max full 3D von Mises [Pa]	5.06494e+06	2.19739e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/64.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/64/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

062 / 169 | 3D lug

geopinonet-Lug_3D-model_train-7



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	48577	48577
Max displacement [m]	7.16942e-07	3.01936e-06
Max full 3D von Mises [Pa]	5.3995e+06	1.87199e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/7.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/7/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

063 / 169 | 3D lug

geopinonet-Lug_3D-model_train-8



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	35599	35599
Max displacement [m]	9.07051e-07	4.87879e-06
Max full 3D von Mises [Pa]	6.79336e+06	2.5744e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/8.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/8/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

064 / 169 | 3D lug

geopinonet-Lug_3D-model_train-9



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	54189	54189
Max displacement [m]	5.80807e-07	2.66711e-06
Max full 3D von Mises [Pa]	4.40293e+06	1.64901e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_train/9.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_train/9/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

065 / 169 | 3D lug

geopinonet-Lug_3D-model_val-1



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	18588	18588
Max displacement [m]	5.95996e-07	3.44111e-06
Max full 3D von Mises [Pa]	3.924e+06	1.47299e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/1.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/1/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

066 / 169 | 3D lug

geopinonet-Lug_3D-model_val-10



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	12959	12959
Max displacement [m]	7.31022e-07	3.76491e-06
Max full 3D von Mises [Pa]	5.29225e+06	1.75409e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/10.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/10/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

067 / 169 | 3D lug

geopinonet-Lug_3D-model_val-11



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	18532	18532
Max displacement [m]	4.49896e-07	2.1913e-06
Max full 3D von Mises [Pa]	3.20007e+06	1.09302e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/11.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/11/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

068 / 169 | 3D lug

geopinonet-Lug_3D-model_val-12



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	18997	18997
Max displacement [m]	5.78301e-07	3.70423e-06
Max full 3D von Mises [Pa]	3.81445e+06	1.51383e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/12.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/12/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

069 / 169 | 3D lug

geopinonet-Lug_3D-model_val-13



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	19795	19795
Max displacement [m]	5.41185e-07	3.381e-06
Max full 3D von Mises [Pa]	3.58476e+06	1.40919e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/13.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/13/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

070 / 169 | 3D lug

geopinonet-Lug_3D-model_val-14



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	9573	9573
Max displacement [m]	6.80337e-07	3.82101e-06
Max full 3D von Mises [Pa]	5.08748e+06	1.63761e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/14.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/14/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

071 / 169 | 3D lug

geopinonet-Lug_3D-model_val-15



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	13269	13269
Max displacement [m]	9.11251e-07	6.57187e-06
Max full 3D von Mises [Pa]	5.87695e+06	2.36022e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/15.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/15/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

072 / 169 | 3D lug

geopinonet-Lug_3D-model_val-16



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	14655	14655
Max displacement [m]	6.85255e-07	4.42658e-06
Max full 3D von Mises [Pa]	4.3428e+06	1.70447e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/16.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/16/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

073 / 169 | 3D lug

geopinonet-Lug_3D-model_val-2



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	10998	10998
Max displacement [m]	9.69928e-07	7.15147e-06
Max full 3D von Mises [Pa]	6.40078e+06	2.52366e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/2.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/2/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

074 / 169 | 3D lug

geopinonet-Lug_3D-model_val-3



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	12698	12698
Max displacement [m]	6.61501e-07	3.67884e-06
Max full 3D von Mises [Pa]	4.76166e+06	1.64301e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/3.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/3/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

075 / 169 | 3D lug

geopinonet-Lug_3D-model_val-4



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	13332	13332
Max displacement [m]	6.12468e-07	3.417e-06
Max full 3D von Mises [Pa]	4.29777e+06	1.52441e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/4.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/4/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

076 / 169 | 3D lug

geopinonet-Lug_3D-model_val-5



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	10329	10329
Max displacement [m]	6.49463e-07	2.62106e-06
Max full 3D von Mises [Pa]	5.36633e+06	1.45618e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/5.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/5/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

077 / 169 | 3D lug

geopinonet-Lug_3D-model_val-6



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	18278	18278
Max displacement [m]	4.57209e-07	2.20336e-06
Max full 3D von Mises [Pa]	3.20917e+06	1.08143e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/6.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/6/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

078 / 169 | 3D lug

geopinonet-Lug_3D-model_val-7



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	14775	14775
Max displacement [m]	5.73136e-07	2.37392e-06
Max full 3D von Mises [Pa]	4.37271e+06	1.28781e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/7.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/7/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

079 / 169 | 3D lug

geopinonet-Lug_3D-model_val-8



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	10876	10876
Max displacement [m]	6.3748e-07	3.48802e-06
Max full 3D von Mises [Pa]	4.76604e+06	1.56308e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/8.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/8/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

080 / 169 | 3D lug

geopinonet-Lug_3D-model_val-9



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	10021	10021
Max displacement [m]	1.0316e-06	7.24524e-06
Max full 3D von Mises [Pa]	7.03351e+06	2.62654e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Lug_3D/model_val/9.stp


FEM files: GeoPINONet_Lug_3D_dataset_v2.zip -> model_val/9/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

081 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-1



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	67028	67028
Max displacement [m]	1.14177e-06	1.65573e-05
Max full 3D von Mises [Pa]	2.83258e+06	1.55574e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/1.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/1/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

082 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-10



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	54104	54104
Max displacement [m]	9.8868e-07	1.68109e-05
Max full 3D von Mises [Pa]	2.92068e+06	1.8357e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/10.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/10/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

083 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-11



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	44830	44830
Max displacement [m]	1.39471e-06	2.34999e-05
Max full 3D von Mises [Pa]	4.10559e+06	2.10932e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/11.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/11/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

084 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-12



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	59925	59925
Max displacement [m]	8.58239e-07	1.06644e-05
Max full 3D von Mises [Pa]	2.47753e+06	1.35408e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/12.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/12/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

085 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-13



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	42784	42784
Max displacement [m]	1.43437e-06	1.50938e-05
Max full 3D von Mises [Pa]	4.04511e+06	1.47451e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/13.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/13/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

086 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-14



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	66950	66950
Max displacement [m]	9.93119e-07	1.20175e-05
Max full 3D von Mises [Pa]	2.54386e+06	1.31402e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/14.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/14/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

087 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-15



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	35341	35341
Max displacement [m]	8.04682e-07	8.39326e-06
Max full 3D von Mises [Pa]	3.20151e+06	1.46795e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/15.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/15/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

088 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-16



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	68714	68714
Max displacement [m]	9.07541e-07	8.65701e-06
Max full 3D von Mises [Pa]	2.36151e+06	1.07912e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/16.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/16/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

089 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-17



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	70887	70887
Max displacement [m]	7.86026e-07	7.08893e-06
Max full 3D von Mises [Pa]	2.16194e+06	9.92162e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/17.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/17/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

090 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-18



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	55891	55891
Max displacement [m]	7.95944e-07	5.11058e-06
Max full 3D von Mises [Pa]	2.29371e+06	8.39529e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/18.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/18/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

091 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-19



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	78954	78954
Max displacement [m]	8.75548e-07	7.30492e-06
Max full 3D von Mises [Pa]	2.11633e+06	9.14e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/19.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/19/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

092 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-2



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	59880	59880
Max displacement [m]	1.42875e-06	1.9538e-05
Max full 3D von Mises [Pa]	3.6604e+06	1.63488e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/2.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/2/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

093 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-20



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	32349	32349
Max displacement [m]	1.94536e-06	2.37666e-05
Max full 3D von Mises [Pa]	6.08975e+06	1.83569e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/20.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/20/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

094 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-21



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	45337	45337
Max displacement [m]	6.29993e-07	4.86451e-06
Max full 3D von Mises [Pa]	2.396e+06	9.74724e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/21.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/21/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

095 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-22



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	46327	46327
Max displacement [m]	1.09548e-06	8.18701e-06
Max full 3D von Mises [Pa]	3.02158e+06	1.07271e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/22.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/22/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

096 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-23



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	40005	40005
Max displacement [m]	1.03062e-06	1.04377e-05
Max full 3D von Mises [Pa]	3.32006e+06	1.41057e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/23.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/23/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

097 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-24



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	89111	89111
Max displacement [m]	6.91142e-07	7.40782e-06
Max full 3D von Mises [Pa]	1.81657e+06	9.77441e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/24.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/24/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

098 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-25



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	66885	66885
Max displacement [m]	7.5477e-07	9.27393e-06
Max full 3D von Mises [Pa]	2.27478e+06	1.25565e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/25.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/25/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

099 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-26



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	48363	48363
Max displacement [m]	1.25338e-06	1.81632e-05
Max full 3D von Mises [Pa]	3.76842e+06	1.86444e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/26.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/26/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

100 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-27



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	33771	33771
Max displacement [m]	1.00534e-06	1.11556e-05
Max full 3D von Mises [Pa]	3.63442e+06	1.6156e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/27.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/27/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

101 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-28



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	85996	85996
Max displacement [m]	7.95884e-07	1.05455e-05
Max full 3D von Mises [Pa]	2.07995e+06	1.24045e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/28.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/28/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

102 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-29



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	74472	74472
Max displacement [m]	1.00249e-06	1.32831e-05
Max full 3D von Mises [Pa]	2.50169e+06	1.38273e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/29.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/29/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

103 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-3



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	52454	52454
Max displacement [m]	6.92264e-07	6.32228e-06
Max full 3D von Mises [Pa]	2.3932e+06	1.0844e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/3.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/3/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

104 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-30



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	31056	31056
Max displacement [m]	1.52906e-06	1.22763e-05
Max full 3D von Mises [Pa]	4.7954e+06	1.43068e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/30.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/30/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

105 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-31



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	49228	49228
Max displacement [m]	1.43169e-06	1.6239e-05
Max full 3D von Mises [Pa]	3.9161e+06	1.51104e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/31.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/31/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

106 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-32



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	40990	40990
Max displacement [m]	8.59796e-07	6.52661e-06
Max full 3D von Mises [Pa]	2.91308e+06	1.10924e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/32.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/32/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

107 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-33



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	48354	48354
Max displacement [m]	9.28679e-07	1.4746e-05
Max full 3D von Mises [Pa]	2.95439e+06	1.79627e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/33.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/33/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

108 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-34



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	46732	46732
Max displacement [m]	1.15891e-06	1.10573e-05
Max full 3D von Mises [Pa]	3.27112e+06	1.29233e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/34.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/34/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

109 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-35



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	48095	48095
Max displacement [m]	8.46345e-07	7.97378e-06
Max full 3D von Mises [Pa]	2.68381e+06	1.19013e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/35.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/35/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

110 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-36



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	72020	72020
Max displacement [m]	1.07565e-06	1.39691e-05
Max full 3D von Mises [Pa]	2.64852e+06	1.39482e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/36.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/36/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

111 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-37



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	48513	48513
Max displacement [m]	5.68929e-07	3.81391e-06
Max full 3D von Mises [Pa]	2.10056e+06	8.04561e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/37.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/37/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

112 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-38



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	56996	56996
Max displacement [m]	1.12774e-06	1.27879e-05
Max full 3D von Mises [Pa]	3.13368e+06	1.41891e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/38.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/38/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

113 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-39



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	60089	60089
Max displacement [m]	1.16013e-06	1.52481e-05
Max full 3D von Mises [Pa]	3.04837e+06	1.52409e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/39.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/39/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

114 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-4



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	57061	57061
Max displacement [m]	6.57929e-07	5.18314e-06
Max full 3D von Mises [Pa]	2.17854e+06	9.18893e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/4.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/4/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

115 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-40



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	64104	64104
Max displacement [m]	9.05347e-07	1.45088e-05
Max full 3D von Mises [Pa]	2.50142e+06	1.58626e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/40.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/40/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

116 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-41



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	63749	63749
Max displacement [m]	8.01943e-07	1.03361e-05
Max full 3D von Mises [Pa]	2.42524e+06	1.36676e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/41.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/41/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

117 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-42



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	44759	44759
Max displacement [m]	9.55265e-07	1.00813e-05
Max full 3D von Mises [Pa]	3.04334e+06	1.38452e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/42.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/42/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

118 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-43



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	66566	66566
Max displacement [m]	5.93547e-07	4.58881e-06
Max full 3D von Mises [Pa]	1.94869e+06	8.31995e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/43.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/43/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

119 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-44



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	59066	59066
Max displacement [m]	8.36406e-07	1.03477e-05
Max full 3D von Mises [Pa]	2.5137e+06	1.36648e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/44.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/44/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

120 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-45



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	71427	71427
Max displacement [m]	1.32483e-06	1.70486e-05
Max full 3D von Mises [Pa]	3.18505e+06	1.46421e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/45.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/45/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

121 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-46



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	47326	47326
Max displacement [m]	1.06658e-06	7.40605e-06
Max full 3D von Mises [Pa]	3.08615e+06	1.0595e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/46.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/46/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

122 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-47



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	69716	69716
Max displacement [m]	1.00982e-06	1.4956e-05
Max full 3D von Mises [Pa]	2.60854e+06	1.54151e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/47.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/47/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

123 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-48



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	61053	61053
Max displacement [m]	6.26318e-07	5.78063e-06
Max full 3D von Mises [Pa]	2.15791e+06	1.00503e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/48.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/48/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

124 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-49



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	59661	59661
Max displacement [m]	5.9085e-07	5.29863e-06
Max full 3D von Mises [Pa]	2.1263e+06	9.66982e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/49.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/49/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

125 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-5



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	44746	44746
Max displacement [m]	1.55114e-06	2.82076e-05
Max full 3D von Mises [Pa]	4.51066e+06	2.25844e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/5.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/5/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

126 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-50



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	42689	42689
Max displacement [m]	7.32981e-07	8.22229e-06
Max full 3D von Mises [Pa]	2.80086e+06	1.3868e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/50.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/50/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

127 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-51



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	73412	73412
Max displacement [m]	7.53603e-07	6.74029e-06
Max full 3D von Mises [Pa]	2.08106e+06	9.61177e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/51.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/51/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

128 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-52



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	38776	38776
Max displacement [m]	1.01849e-06	1.05313e-05
Max full 3D von Mises [Pa]	3.4778e+06	1.49114e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/52.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/52/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

129 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-53



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	38223	38223
Max displacement [m]	1.88251e-06	2.47018e-05
Max full 3D von Mises [Pa]	5.74203e+06	1.86484e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/53.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/53/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

130 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-54



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	82306	82306
Max displacement [m]	8.55702e-07	8.83817e-06
Max full 3D von Mises [Pa]	2.10163e+06	1.05171e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/54.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/54/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

131 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-55



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	79781	79781
Max displacement [m]	9.73448e-07	1.14124e-05
Max full 3D von Mises [Pa]	2.33307e+06	1.21262e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/55.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/55/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

132 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-56



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	43601	43601
Max displacement [m]	7.97042e-07	1.01105e-05
Max full 3D von Mises [Pa]	3.01436e+06	1.59467e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/56.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/56/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

133 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-57



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	73059	73059
Max displacement [m]	7.22761e-07	8.25386e-06
Max full 3D von Mises [Pa]	2.13718e+06	1.15135e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/57.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/57/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

134 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-58



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	55716	55716
Max displacement [m]	8.25712e-07	5.09416e-06
Max full 3D von Mises [Pa]	2.39623e+06	8.51049e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/58.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/58/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

135 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-59



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	59137	59137
Max displacement [m]	7.24236e-07	5.03685e-06
Max full 3D von Mises [Pa]	2.1293e+06	8.35312e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/59.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/59/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

136 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-6



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	82679	82679
Max displacement [m]	7.96647e-07	8.52687e-06
Max full 3D von Mises [Pa]	2.02575e+06	1.05763e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/6.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/6/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

137 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-60



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	55558	55558
Max displacement [m]	8.68402e-07	7.42746e-06
Max full 3D von Mises [Pa]	2.51664e+06	1.06191e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/60.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/60/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

138 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-61



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	66761	66761
Max displacement [m]	9.35141e-07	1.43156e-05
Max full 3D von Mises [Pa]	2.58199e+06	1.58157e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/61.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/61/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

139 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-62



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	69583	69583
Max displacement [m]	1.03674e-06	1.1745e-05
Max full 3D von Mises [Pa]	2.58586e+06	1.2572e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/62.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/62/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

140 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-63



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	57736	57736
Max displacement [m]	1.19942e-06	1.40499e-05
Max full 3D von Mises [Pa]	3.12707e+06	1.41185e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/63.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/63/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

141 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-64



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	70531	70531
Max displacement [m]	8.83944e-07	1.30832e-05
Max full 3D von Mises [Pa]	2.33327e+06	1.44298e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/64.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/64/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

142 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-7



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	51414	51414
Max displacement [m]	1.4076e-06	1.85021e-05
Max full 3D von Mises [Pa]	3.86135e+06	1.67089e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/7.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/7/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

143 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-8



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	72927	72927
Max displacement [m]	7.8775e-07	6.79123e-06
Max full 3D von Mises [Pa]	2.10528e+06	9.43203e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/8.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/8/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

144 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_train-9



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	33755	33755
Max displacement [m]	1.13459e-06	9.45132e-06
Max full 3D von Mises [Pa]	3.74499e+06	1.33837e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_train/9.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_train/9/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

145 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-1



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	86138	86138
Max displacement [m]	4.39557e-07	3.03832e-06
Max full 3D von Mises [Pa]	1.77968e+06	7.24799e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/1.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/1/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

146 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-10



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	68325	68325
Max displacement [m]	2.15438e-06	4.02693e-05
Max full 3D von Mises [Pa]	6.28543e+06	2.45782e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/10.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/10/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

147 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-11



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	84524	84524
Max displacement [m]	4.6387e-07	3.13314e-06
Max full 3D von Mises [Pa]	1.78662e+06	7.26008e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/11.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/11/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

148 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-12



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	86645	86645
Max displacement [m]	1.16739e-06	2.69939e-05
Max full 3D von Mises [Pa]	3.01888e+06	2.36801e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/12.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/12/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

149 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-13



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	99877	99877
Max displacement [m]	6.1418e-07	5.92255e-06
Max full 3D von Mises [Pa]	2.00251e+06	1.01703e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/13.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/13/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

150 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-14



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	58916	58916
Max displacement [m]	1.18433e-06	1.66068e-05
Max full 3D von Mises [Pa]	3.9511e+06	2.02468e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/14.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/14/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

151 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-15



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	77762	77762
Max displacement [m]	1.66821e-06	3.42584e-05
Max full 3D von Mises [Pa]	4.57581e+06	2.5073e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/15.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/15/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

152 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-16



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	59433	59433
Max displacement [m]	1.04913e-06	6.02662e-06
Max full 3D von Mises [Pa]	2.98716e+06	1.00316e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/16.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/16/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

153 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-2



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	106125	106125
Max displacement [m]	5.43906e-07	4.62041e-06
Max full 3D von Mises [Pa]	1.78648e+06	8.5523e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/2.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/2/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

154 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-3



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	83092	83092
Max displacement [m]	1.34569e-06	3.05394e-05
Max full 3D von Mises [Pa]	3.5557e+06	2.51292e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/3.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/3/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

155 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-4



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	80036	80036
Max displacement [m]	4.50115e-07	3.15891e-06
Max full 3D von Mises [Pa]	1.86863e+06	7.6303e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/4.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/4/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

156 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-5



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	98800	98800
Max displacement [m]	4.89394e-07	3.7253e-06
Max full 3D von Mises [Pa]	1.77853e+06	7.84337e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/5.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/5/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

157 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-6



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	118872	118872
Max displacement [m]	5.92631e-07	5.43253e-06
Max full 3D von Mises [Pa]	1.8026e+06	9.17221e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/6.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/6/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

158 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-7



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	81835	81835
Max displacement [m]	1.25259e-06	3.02548e-05
Max full 3D von Mises [Pa]	3.24864e+06	2.5344e+07

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/7.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/7/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

159 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-8



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	116686	116686
Max displacement [m]	5.93726e-07	5.18255e-06
Max full 3D von Mises [Pa]	1.79145e+06	8.84912e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.

CAD file: geopinonet/cad/Plate_with_a_hole/model_val/8.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/8/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).


Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.

160 / 169 | Holed plate

geopinonet-Plate_with_a_hole-model_val-9



Inspection view of the original STEP CAD. No source dimensioned drawing verified.

Original ANSYS reference CSV	Compression	Lateral bending
Nodal rows	114789	114789
Max displacement [m]	6.41278e-07	5.85499e-06
Max full 3D von Mises [Pa]	1.87267e+06	9.45427e+06

Numeric fields: x, y, z, ux, uy, uz, sxx, syy, szz, sxy, syz, sxz. Summary maxima are calculated from the published reference fields. They are not model performance scores.


CAD file: geopinonet/cad/Plate_with_a_hole/model_val/9.stp

FEM files: GeoPINONet_Plate_with_a_hole_dataset_v2.zip -> model_val/9/*_compression.csv and *_lateral_bending.csv (full ZIP-member locators in catalog.json).

Source: https://zenodo.org/records/21483341

Status: collected source pair; not a certified benchmark task.

Source discrepancy: README thickness 20 mm; this CAD and FEM pair is 10 mm.



Original published dimensioned geometry and boundary conditions (article Fig. 1). Native IGES surface geometry and Rhino model included.

Final published frame 4	Value
Nodal result rows	19279
Stress / strain rows	151686 each
Max nodal displacement [mm]	14.8373
Max published von Mises stress [MPa]	5.66503

Five frames belong to one source simulation. Summary maxima are extracted from original ASCII results, not a new solver run.

CAD file: valve/Idealized_Geometry/Idealized_TV.igs


FEM archive: valve/original-supplement.zip -> Text_Files/ and ParaView_Visualization/

Source: https://pmc.ncbi.nlm.nih.gov/articles/PMC8668829/

Status: collected source pair; not a certified benchmark task.

162 / 169 | Sheet-metal inverse forming uc1

ucsm-0000_uc1



Inspection view of the original STEP CAD. LS-DYNA static implicit inverse forming results; no source dimensioned drawing verified.

Original strain JSON	Value
Strain rows / mesh faces	125801 / 125801
Minor true strain range	-0.00544947 to 0.002109
Major true strain range	-0.000132708 to 0.0186533
Missing face values	0

Strains are dimensionless. Original STEP, OFF mesh and strain JSON are provided together. Mesh IDs are in range; solver mapping is not independently replayed.

CAD file: ucsm/0000_uc1.step


FEM file: ucsm/0000_uc1_strains.json | mesh: ucsm/0000_uc1.off

Source: https://zenodo.org/records/15327950

Status: collected source pair; not a certified benchmark task.

163 / 169 | Sheet-metal inverse forming uc1

ucsm-0001_uc1



Inspection view of the original STEP CAD. LS-DYNA static implicit inverse forming results; no source dimensioned drawing verified.

Original strain JSON	Value
Strain rows / mesh faces	137768 / 137768
Minor true strain range	-0.0109735 to 0.00166046
Major true strain range	-2.83158e-05 to 0.011175
Missing face values	0

Strains are dimensionless. Original STEP, OFF mesh and strain JSON are provided together. Mesh IDs are in range; solver mapping is not independently replayed.

CAD file: ucsm/0001_uc1.step


FEM file: ucsm/0001_uc1_strains.json | mesh: ucsm/0001_uc1.off

Source: https://zenodo.org/records/15327950

Status: collected source pair; not a certified benchmark task.

164 / 169 | Sheet-metal inverse forming uc2

ucsm-0443_uc2



Inspection view of the original STEP CAD. LS-DYNA static implicit inverse forming results; no source dimensioned drawing verified.

Original strain JSON	Value
Strain rows / mesh faces	25960 / 25960
Minor true strain range	-0.150738 to 0.111832
Major true strain range	-0.0237735 to 0.143027
Missing face values	0

Strains are dimensionless. Original STEP, OFF mesh and strain JSON are provided together. Mesh IDs are in range; solver mapping is not independently replayed.

CAD file: ucsm/0443_uc2.step


FEM file: ucsm/0443_uc2_strains.json | mesh: ucsm/0443_uc2.off

Source: https://zenodo.org/records/15327950

Status: collected source pair; not a certified benchmark task.

165 / 169 | Sheet-metal inverse forming uc2

ucsm-0444_uc2



Inspection view of the original STEP CAD. LS-DYNA static implicit inverse forming results; no source dimensioned drawing verified.

Original strain JSON	Value
Strain rows / mesh faces	35957 / 35957
Minor true strain range	-0.0820382 to 0.0597081
Major true strain range	-0.0357306 to 0.0905356
Missing face values	0

Strains are dimensionless. Original STEP, OFF mesh and strain JSON are provided together. Mesh IDs are in range; solver mapping is not independently replayed.

CAD file: ucsm/0444_uc2.step


FEM file: ucsm/0444_uc2_strains.json | mesh: ucsm/0444_uc2.off

Source: https://zenodo.org/records/15327950

Status: collected source pair; not a certified benchmark task.

166 / 169 | Sheet-metal inverse forming uc3

ucsm-1119_uc3



Inspection view of the original STEP CAD. LS-DYNA static implicit inverse forming results; no source dimensioned drawing verified.

Original strain JSON	Value
Strain rows / mesh faces	21632 / 21633
Minor true strain range	-0.0758583 to 0.05307
Major true strain range	-0.0269251 to 0.141002
Missing face values	1

Strains are dimensionless. Original STEP, OFF mesh and strain JSON are provided together. Mesh IDs are in range; solver mapping is not independently replayed.

CAD file: ucsm/1119_uc3.step


FEM file: ucsm/1119_uc3_strains.json | mesh: ucsm/1119_uc3.off

Source: https://zenodo.org/records/15327950

Status: collected source pair; not a certified benchmark task.

167 / 169 | Sheet-metal inverse forming uc3

ucsm-1120_uc3



Inspection view of the original STEP CAD. LS-DYNA static implicit inverse forming results; no source dimensioned drawing verified.

Original strain JSON	Value
Strain rows / mesh faces	37322 / 37322
Minor true strain range	-0.107468 to 0.132324
Major true strain range	-0.0576312 to 0.220021
Missing face values	0

Strains are dimensionless. Original STEP, OFF mesh and strain JSON are provided together. Mesh IDs are in range; solver mapping is not independently replayed.

CAD file: ucsm/1120_uc3.step


FEM file: ucsm/1120_uc3_strains.json | mesh: ucsm/1120_uc3.off

Source: https://zenodo.org/records/15327950

Status: collected source pair; not a certified benchmark task.

168 / 169 | Sheet-metal inverse forming uc4

ucsm-1813_uc4



Inspection view of the original STEP CAD. LS-DYNA static implicit inverse forming results; no source dimensioned drawing verified.

Original strain JSON	Value
Strain rows / mesh faces	117103 / 117103
Minor true strain range	-0.292706 to 0.074328
Major true strain range	-0.249743 to 0.16604
Missing face values	0

Strains are dimensionless. Original STEP, OFF mesh and strain JSON are provided together. Mesh IDs are in range; solver mapping is not independently replayed.

CAD file: ucsm/1813_uc4.step


FEM file: ucsm/1813_uc4_strains.json | mesh: ucsm/1813_uc4.off

Source: https://zenodo.org/records/15327950

Status: collected source pair; not a certified benchmark task.

169 / 169 | Sheet-metal inverse forming uc4

ucsm-1814_uc4



Inspection view of the original STEP CAD. LS-DYNA static implicit inverse forming results; no source dimensioned drawing verified.

Original strain JSON	Value
Strain rows / mesh faces	87227 / 87227
Minor true strain range	-0.0611361 to 0.0328182
Major true strain range	-0.0393688 to 0.0765886
Missing face values	0

Strains are dimensionless. Original STEP, OFF mesh and strain JSON are provided together. Mesh IDs are in range; solver mapping is not independently replayed.

CAD file: ucsm/1814_uc4.step

FEM file: ucsm/1814_uc4_strains.json | mesh: ucsm/1814_uc4.off

Source: https://zenodo.org/records/15327950

Status: collected source pair; not a certified benchmark task.

Valve: original drawing and FEM view

Published article figures 2 and 4; source assets preserved

(a)

Chordae/Papillary Coordinates		
u	x (mm)	y (mm)
0.5	14.2	$-3.127083\overline{3}$
0.0	15.0	0.0
11.5	14.2	$3.127083\overline{3}$
4.0	−6.5	$8.983\overline{3}$
4.5	−9.5375	7.7375
5.0	−12.2	$5.81\overline{6}$
7.5	−9.5375	−7.7375
8.0	−6.5	$-8.983\overline{3}$
8.5	−3.2875	−9.71875




Figure 2: original geometry control points, chordae insertion coordinates and dimensions in millimeters.




Figure 4: published nonlinear closure result. Numerical stress, strain and displacement results are in the original supplement; this figure itself is a geometry visualization.

Source: https://pmc.ncbi.nlm.nih.gov/articles/PMC8668829/