# Sqltask 1

```sql
CREATE DATABASE assignment_db;

USE assignment_db;

CREATE TABLE Employees (
    Emp_ID INT PRIMARY KEY,
    Name VARCHAR(50),
    Department VARCHAR(50),
    Salary DECIMAL(10, 2),
    City VARCHAR(50)
);

INSERT INTO Employees (Emp_ID, Name, Department, Salary, City) VALUES
(101, 'Ayush Gupta', 'IT', 65000.00, 'Bhopal'),
(102, 'Rahul Sharma', 'HR', 45000.00, 'Indore'),
(103, 'Amit Verma', 'IT', 75000.00, 'Gwalior'),
(104, 'Priya Singh', 'Marketing', 50000.00, 'Jabalpur'),
(105, 'Sneha Reddy', 'IT', 58000.00, 'Bhopal');

SELECT * FROM Employees;
```

| | | | | |
|---|---|---|---|---|
| 101 | Ayush Gupta | IT | 65000.00 | Bhopal |
| 102 | Rahul Sharma | HR | 45000.00 | Indore |
| 103 | Amit Verma | IT | 75000.00 | Gwalior |
| 104 | Priya Singh | Marketing | 50000.00 | Jabalpur |
| 105 | Sneha Reddy | IT | 58000.00 | Bhopal |

Output task1

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 3 1 | 10:56:43 | CREATE DATABASE assignment_db | 1 row(s) affected | 0.015 sec |
| 3 2 | 10:56:43 | USE assignment_db | 0 row(s) affected | 0.000 sec |
| 3 3 | 10:56:43 | CREATE TABLE Employees (     Emp_ID INT PRIMARY KEY,     Name VARCHAR(50),     Department VARCHAR(50),     Salary DECIMAL(10, 2),     City VARCHAR(50) ) | 0 row(s) affected | 0.016 sec |
| 3 4 | 10:56:43 | INSERT INTO Employees (Emp_ID, Name, Department, Salary, City) VALUES (101, 'Ayush Gupta', 'IT', 65000.00, 'Bhopal'), (102, 'Rahul Sharma', 'HR', 45000.00, 'Indore'), (103, 'Amit Verma', 'IT', 75000.00, 'Gwalior'), (104, 'Priya Singh', 'Marketing', 50000.00, 'Jabalpur'), (105, 'Sneha Reddy', 'IT', 58000.00, 'Bhopal') | 5 row(s) affected Records: 5  Duplicates: 0  Warnings: 0 | 0.000 sec |
| 3 5 | 10:56:43 | SELECT * FROM Employees LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |

USE assignment_db;

SELECT Name AS Employee_Name, Department, Salary AS Monthly_Salary

FROM Employees;

Output

| | | |
|---|---|---|
| Amit Verma | IT | 75000.00 |
| Ayush Gupta | IT | 65000.00 |
| Priya Singh | Marketing | 50000.00 |
| Rahul Sharma | HR | 45000.00 |
| Sneha Reddy | IT | 58000.00 |

Sqltask2

```
USE assignment_db;
SELECT Name, Department, Salary, City
FROM Employees
WHERE Salary > 50000
ORDER BY Salary ASC;
SELECT
   COUNT(Emp_ID) AS Total_Employees,
   SUM(Salary) AS Total_Salary_Budget,
   AVG(Salary) AS Average_Salary,
   MIN(Salary) AS Minimum_Salary,
   MAX(Salary) AS Highest_Salary
FROM Employees;
```

Output

| | | | | |
|---|---|---|---|---|
| 5 | 293000.00 | 58600.000000 | 45000.00 | 75000.00 |

Output

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 3 1 | 10:28:47 | USE assignment_db | 0 row(s) affected | 0.000 sec |
| 3 2 | 10:28:47 | SELECT Name, Department, Salary, City FROM Employees WHERE Salary > 50000 ORDER BY Salary ASC LIMIT 0, 1000 | 3 row(s) returned | 0.000 sec / 0.000 sec |

| | | | | |
|---|---|---|---|---|
| 3 3 | 10:28:47 | SELECT COUNT(Emp_ID) AS Total_Employees, SUM(Salary) AS Total_Salary_Budget, AVG(Salary) AS Average_Salary, MIN(Salary) AS Minimum_Salary, MAX(Salary) AS Highest_Salary FROM Employees LIMIT 0, 1000 | 1 row(s) returned | 0.000 sec / 0.000 sec |

Sqltask3

USE assignment_db;

SELECT

Department,

COUNT(Emp_ID) AS Total_Employees,

AVG(Salary) AS Average_Salary

FROM Employees

GROUP BY Department

HAVING AVG(Salary) > 55000;

Output

IT 3 66000.000000

Output

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 3 1 | 10:40:33 | USE assignment_db | 0 row(s) affected | 0.000 sec |
| 3 2 | 10:40:33 | SELECT Department, COUNT(Emp_ID) AS Total_Employees, AVG(Salary) AS Average_Salary FROM Employees GROUP BY Department HAVING AVG(Salary) > 55000 LIMIT 0, 1000 | 1 row(s) returned | 0.000 sec / 0.000 sec |

Sqltask4

```
USE assignment_db;
DROP TABLE IF EXISTS Departments;

CREATE TABLE Departments (
   Dept_ID INT PRIMARY KEY,
   Dept_Name VARCHAR(50),
   Manager VARCHAR(50)
);

INSERT INTO Departments (Dept_ID, Dept_Name, Manager) VALUES
(1, 'IT', 'Vikram Malhotra'),
(2, 'HR', 'Ananya Sen'),
(3, 'Finance', 'Rajesh Mehta');

SELECT E.Name AS Employee_Name, E.Department, D.Manager
FROM Employees E
INNER JOIN Departments D ON E.Department = D.Dept_Name;

SELECT E.Name AS Employee_Name, E.Department, D.Manager
FROM Employees E
```

LEFT JOIN Departments D ON E.Department = D.Dept_Name;

SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager

FROM Employees E

RIGHT JOIN Departments D ON E.Department = D.Dept_Name;

Output

Result1

| | | |
|---|---|---|
| Sneha Reddy | IT | Vikram Malhotra |
| Rahul Sharma | HR | Ananya Sen |
| Ayush Gupta | IT | Vikram Malhotra |
| Amit Verma | IT | Vikram Malhotra |

Result2

| | | |
|---|---|---|
| Ayush Gupta | IT | Vikram Malhotra |
| Rahul Sharma | HR | Ananya Sen |
| Amit Verma | IT | Vikram Malhotra |
| Priya Singh | Marketing | |
| Sneha Reddy | IT | Vikram Malhotra |

Result3

| | | |
|---|---|---|
| Sneha Reddy | IT | Vikram Malhotra |
| Amit Verma | IT | Vikram Malhotra |
| Ayush Gupta | IT | Vikram Malhotra |
| Rahul Sharma | HR | Ananya Sen |
| | Finance | Rajesh Mehta |

Output

| | # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|---|
| 3 | 1 | 10:53:49 | USE assignment_db | 0 row(s) affected | 0.000 sec |
| 1 | 2 | 10:53:49 | DROP TABLE IF EXISTS Departments | 0 row(s) affected, 1 warning(s): 1051 Unknown table 'assignment_db.departments' | 0.000 sec |
| 3 | 3 | 10:53:49 | CREATE TABLE Departments (     Dept_ID INT PRIMARY KEY,     Dept_Name | 0 row(s) affected | 0.031 sec |

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| | | VARCHAR(50), Manager VARCHAR(50) ) | | |
| 3 4 | 10:53:49 | INSERT INTO Departments (Dept_ID, Dept_Name, Manager) VALUES (1, 'IT', 'Vikram Malhotra'), (2, 'HR', 'Ananya Sen'), (3, 'Finance', 'Rajesh Mehta') | 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 | 0.016 sec |
| 3 5 | 10:53:49 | SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E INNER JOIN Departments D ON E.Department = D.Dept_Name LIMIT 0, 1000 | 4 row(s) returned | 0.000 sec / 0.000 sec |
| 3 6 | 10:53:49 | SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E LEFT JOIN Departments D ON E.Department = D.Dept_Name LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 3 7 | 10:53:49 | SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager FROM Employees E RIGHT JOIN Departments D ON E.Department = D.Dept_Name LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |

Sqltask5

USE assignment_db;

SELECT Name, Department, Salary

FROM Employees

WHERE Salary > (SELECT AVG(Salary) FROM Employees);

SELECT Name, Department, Salary

FROM Employees

WHERE Salary > (SELECT MIN(Salary) FROM Employees WHERE Department = 'IT');

Output

Amit Verma IT 75000.00
Ayush Gupta IT 65000.00

Output

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 3 1 | 11:04:09 | USE assignment_db | 0 row(s) affected | 0.000 sec |
| 3 2 | 11:04:09 | SELECT Name, Department, Salary FROM Employees WHERE Salary > (SELECT AVG(Salary) FROM Employees) LIMIT 0, 1000 | 2 row(s) returned | 0.000 sec / 0.000 sec |
| 3 3 | 11:04:09 | SELECT Name, Department, Salary FROM Employees WHERE Salary > (SELECT MIN(Salary) FROM Employees WHERE Department = 'IT') LIMIT 0, 1000 | 2 row(s) returned | 0.000 sec / 0.000 sec |

Exeltask6AND7

| ID | NAME | DEPARTMENT | SALARY | STATUS |
|---|---|---|---|---|
| 1 | AMIT VERMA | IT | 75000 | HIGH |
| 2 | AYUSH GUPTA | IT | 65000 | HIGH |
| 3 | SNEHA REDDY | IT | 58000 | LOW |
| 4 | PRIYA SINGH | MARKETING | 50000 | LOW |
| 5 | RAHUL SHARMA | HR | 45000 | LOW |

| | |
|---|---|
| 3 | COUNTIF |
| 198000 | SUMIF |

TASK8

| ID | NAME | DEPARTMENT | SALARY | STATUS |
|---|---|---|---|---|
| 103 | AMIT VERMA | IT | 75000 | HIGH |
| | AYUSH GUPTA | IT | 65000 | HIGH |
| | SNEHA REDDY | IT | 58000 | LOW |

| ENTER ID | VLOOKUP RESULT | XLOOKUP RESULT |
|---|---|---|
| 103 | AMIT VERMA | #NAME? |

| | | | |
|---|---|---|---|
| PRIYA SINGH | MARKETING | 50000 | LOW |
| RAHUL SHARMA | HR | 45000 | LOW |

| | |
|---|---|
| 3 | COUNTIF |
| 198000 | SUMIF |

# TASK9

| Row Labels | Sum of SALARY |
|---|---|
| HR | 45000 |
| IT | 198000 |
| MARKETING | 50000 |
| **Grand Total** | **293000** |

| Row Labels | Sum of SALARY |
|---|---|
| HR | 45000 |
| IT | 198000 |
| MARKETING | 50000 |
| **Grand Total** | **293000** |



| EMP ID | NAME | DEPARTMENT | SALARY | STATUS | ENTER ID |
| --- | --- | --- | --- | --- | --- |
| 103 | AMIT VERMA | IT | 75000 | HIGH | 103 |
| 101 | AYUSH GUPTA | IT | 65000 | HIGH | |
| 105 | SNEHA VERMA | IT | 58000 | LOW | |
| 104 | PRIYA SINGH | MARKETING | 50000 | LOW | |
| 102 | RAHUL SHARMA | HR | 45000 | LOW | |

| | |
| --- | --- |
| 3 | COUNTIF |
| 198000 | SUMIF |

| VLOOKUP RESULT | XLOOKUP RESULT |
|---|---|
| AMIT VERMA | #NAME? |

| Row Labels | Sum of SALARY |
|---|---|
| HR | 45000 |
| IT | 198000 |
| MARKETING | 50000 |
| **Grand Total** | **293000** |




tal
MARKETING
Total


Query Database Server Tools Scripting Help
Query 1
Limit to 1000 rows
INSERT INTO Employees (Emp_ID, Name, Department, Salary, City) VALUES
(101, 'Ayush Gupta', 'IT', 65000.00, 'Bhopal'),
(102, 'Rahul Sharma', 'HR', 45000.00, 'Indore'),
(103, 'Amit Verma', 'IT', 75000.00, 'Gwalior'),
(104, 'Priya Singh', 'Marketing', 50000.00, 'Jabalpur'),
(105, 'Sneha Reddy', 'IT', 58000.00, 'Bhopal');
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
Emp_ID Name Department Salary City
101 Ayush Gupta IT 65000.00 Bhopal
102 Rahul Sharma HR 45000.00 Indore
103 Amit Verma IT 75000.00 Gwalior
104 Priya Singh Marketing 50000.00 Jabalpur
105 Sneha Reddy IT 58000.00 Bhopal
NULL NULL NULL NULL NULL
Result Grid
Form Editor
Apply
Revert
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help
Snippets
Employees 1
Output
Action Output
# Time Action
Message
Duration / Fetch
2 10:23:15 USE assignment_db
0 row(s) affected
0.000 sec
3 10:23:15 CREATE TABLE Employees ( Emp_ID INT PRIMARY KEY, Name VARCHAR(50), Dep...
0 row(s) affected
0.032 sec
4 10:23:15 INSERT INTO Employees (Emp_ID, Name, Department, Salary, City) VALUES (101, 'Ayush Gu...
5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
0.000 sec
5 10:23:15 SELECT * FROM Employees LIMIT 0, 1000
5 row(s) returned
0.000 sec / 0.000 sec
here to search
ENG
10:25
18-08-2026


Query Database Server Tools Scripting Help
Query 1
Limit to 1000 rows
13 INSERT INTO Employees (Emp_ID, Name, Department, Salary, City) VALUES
14 (101, 'Ayush Gupta', 'IT', 65000.00, 'Bhopal'),
15 (102, 'Rahul Sharma', 'HR', 45000.00, 'Indore'),
16 (103, 'Amit Verma', 'IT', 75000.00, 'Gwalior'),
17 (104, 'Priya Singh', 'Marketing', 50000.00, 'Jabalpur'),
18 (105, 'Sneha Reddy', 'IT', 58000.00, 'Bhopal');
19
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
Emp_ID Name Department Salary City
101 Ayush Gupta IT 65000.00 Bhopal
102 Rahul Sharma HR 45000.00 Indore
103 Amit Verma IT 75000.00 Gwalior
104 Priya Singh Marketing 50000.00 Jabalpur
105 Sneha Reddy IT 58000.00 Bhopal
NULL NULL NULL NULL NULL
Result Grid
Form Editor
Employees 1
Apply
Revert
Context Help
Snippets
Output
Action Output
# Time Action Message Duration / Fetch
2 10:23:15 USE assignment_db 0 row(s) affected 0.000 sec
3 10:23:15 CREATE TABLE Employees ( Emp_ID INT PRIMARY KEY, Name VARCHAR(50), Dep... 0 row(s) affected 0.032 sec
4 10:23:15 INSERT INTO Employees (Emp_ID, Name, Department, Salary, City) VALUES (101, 'Ayush Gu... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
5 10:23:15 SELECT * FROM Employees LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
here to search
ENG
10:25
18-08-2026


File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration Schemas
Information
No object selected
Object Info Session
Query 1
Limit to 1000 rows
INSERT INTO Employees (Emp_ID, Name, Department, Salary, City) VALUES
(101, 'Ayush Gupta', 'IT', 65000.00, 'Bhopal'),
(102, 'Rahul Sharma', 'HR', 45000.00, 'Indore'),
(103, 'Amit Verma', 'IT', 75000.00, 'Gwalior'),
(104, 'Priya Singh', 'Marketing', 50000.00, 'Jabalpur'),
(105, 'Sneha Reddy', 'IT', 58000.00, 'Bhopal');
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
Emp_ID Name Department Salary City
101 Ayush Gupta IT 65000.00 Bhopal
102 Rahul Sharma HR 45000.00 Indore
103 Amit Verma IT 75000.00 Gwalior
104 Priya Singh Marketing 50000.00 Jabalpur
105 Sneha Reddy IT 58000.00 Bhopal
NULL NULL NULL NULL NULL
Result Grid
Form Editor
Employees 1
Apply Revert
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
# Time Action Message Duration / Fetch
1 10:23:15 CREATE DATABASE assignment_db 1 row(s) affected 0.000 sec
2 10:23:15 USE assignment_db 0 row(s) affected 0.000 sec
3 10:23:15 CREATE TABLE Employees ( Emp_ID INT PRIMARY KEY, Name VARCHAR(50), Dep... 0 row(s) affected 0.032 sec
4 10:23:15 INSERT INTO Employees (Emp_ID, Name, Department, Salary, City) VALUES (101, 'Ayush Gu... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
5 10:23:15 SELECT * FROM Employees LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
Type here to search
ENG
10:26
18-08-2026


File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration Schemas
Information
No object selected
Object Info Session
Query 1
Limit to 1000 rows
13 INSERT INTO Employees (Emp_ID, Name, Department, Salary, City) VALUES
14 (101, 'Ayush Gupta', 'IT', 65000.00, 'Bhopal'),
15 (102, 'Rahul Sharma', 'HR', 45000.00, 'Indore'),
16 (103, 'Amit Verma', 'IT', 75000.00, 'Gwalior'),
17 (104, 'Priya Singh', 'Marketing', 50000.00, 'Jabalpur'),
18 (105, 'Sneha Reddy', 'IT', 58000.00, 'Bhopal');
19
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
Emp_ID Name Department Salary City
101 Ayush Gupta IT 65000.00 Bhopal
102 Rahul Sharma HR 45000.00 Indore
103 Amit Verma IT 75000.00 Gwalior
104 Priya Singh Marketing 50000.00 Jabalpur
105 Sneha Reddy IT 58000.00 Bhopal
NULL NULL NULL NULL NULL
Result Grid
Form Editor
Employees 1
Apply Revert
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
# Time Action Message Duration / Fetch
1 10:23:15 CREATE DATABASE assignment_db 1 row(s) affected 0.000 sec
2 10:23:15 USE assignment_db 0 row(s) affected 0.000 sec
3 10:23:15 CREATE TABLE Employees ( Emp_ID INT PRIMARY KEY, Name VARCHAR(50), Dep... 0 row(s) affected 0.032 sec
4 10:23:15 INSERT INTO Employees (Emp_ID, Name, Department, Salary, City) VALUES (101, 'Ayush Gu... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
5 10:23:15 SELECT * FROM Employees LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
Type here to search
Indi...
ENG
10:26
18-08-2026



Query 1
-- केवल खास कॉलम चुनना और Column Aliases (AS) का उपयोग करना
USE assignment_db;
SELECT Name AS Employee_Name, Department, Salary AS Monthly_Salary
FROM Employees;
Limit to 1000 rows
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Employee_Name Department Monthly_Salary
Ayush Gupta IT 65000.00
Rahul Sharma HR 45000.00
Amit Verma IT 75000.00
Priya Singh Marketing 50000.00
Sneha Reddy IT 58000.00
Result Grid
Form Editor
Employees 3
Read Only
Context Help
Snippets
Output
Action Output
# Time Action Message Duration / Fetch
1 10:23:15 CREATE DATABASE assignment_db 1 row(s) affected 0.000 sec
2 10:23:15 USE assignment_db 0 row(s) affected 0.000 sec
3 10:23:15 CREATE TABLE Employees ( Emp_ID INT PRIMARY KEY, Name VARCHAR(50), Dep... 0 row(s) affected 0.032 sec
4 10:23:15 INSERT INTO Employees (Emp_ID, Name, Department, Salary, City) VALUES (101, 'Ayush Gu... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
5 10:23:15 SELECT * FROM Employees LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
6 10:27:27 USE assignment_db 0 row(s) affected 0.000 sec
7 10:27:27 SELECT Name AS Employee_Name, Department, Salary AS Monthly_Salary FROM Employee... 5 row(s) returned 0.000 sec / 0.000 sec
8 10:27:34 USE assignment_db 0 row(s) affected 0.000 sec
9 10:27:34 SELECT Name AS Employee_Name, Department, Salary AS Monthly_Salary FROM Employee... 5 row(s) returned 0.000 sec / 0.000 sec
Schemas
Type here to search
ENG
10:28
18-08-2026



Database Server Tools Scripting Help
sqltask1*
Limit to 1000 rows
USE assignment_db;
SELECT Name, Department, Salary, City
FROM Employees
WHERE Salary > 50000
ORDER BY Salary ASC;
SELECT
COUNT(Emp_ID) AS Total_Employees,
SUM(Salary) AS Total_Salary_Budget,
AVG(Salary) AS Average_Salary,
MIN(Salary) AS Minimum_Salary,
MAX(Salary) AS Highest_Salary
FROM Employees;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Total_Employees Total_Salary_Budget Average_Salary Minimum_Salary Highest_Salary
5 293000.00 58600.000000 45000.00 75000.00
Employees 1
Result 2
Read Only
Output
Action Output
# Time Action Message Duration / Fetch
1 10:28:47 USE assignment_db 0 row(s) affected 0.000 sec
2 10:28:47 SELECT Name, Department, Salary, City FROM Employees WHERE Salary > 50000 ORDE... 3 row(s) returned 0.000 sec / 0.000 sec
3 10:28:47 SELECT COUNT(Emp_ID) AS Total_Employees, SUM(Salary) AS Total_Salary_Bud... 1 row(s) returned 0.000 sec / 0.000 sec
search
27°C
ENG
10:33
19-08-2026


Database Server Tools Scripting Help
sqltask1*
Limit to 1000 rows
USE assignment_db;
SELECT Name, Department, Salary, City
FROM Employees
WHERE Salary > 50000
ORDER BY Salary ASC;
SELECT
COUNT(Emp_ID) AS Total_Employees,
SUM(Salary) AS Total_Salary_Budget,
AVG(Salary) AS Average_Salary,
MIN(Salary) AS Minimum_Salary,
MAX(Salary) AS Highest_Salary
FROM Employees;
Result Grid Filter Rows: Export: Wrap Cell Content:
Total_Employees Total_Salary_Budget Average_Salary Minimum_Salary Highest_Salary
5 293000.00 58600.000000 45000.00 75000.00
Employees 1 Result 2
Read Only
Output
Action Output
# Time Action Message Duration / Fetch
1 10:28:47 USE assignment_db 0 row(s) affected 0.000 sec
2 10:28:47 SELECT Name, Department, Salary, City FROM Employees WHERE Salary > 50000 ORDE... 3 row(s) returned 0.000 sec / 0.000 sec
3 10:28:47 SELECT COUNT(Emp_ID) AS Total_Employees, SUM(Salary) AS Total_Salary_Bud... 1 row(s) returned 0.000 sec / 0.000 sec
search
27°C ENG 10:33


Server Tools Scripting Help
sqltask1*
sqltask3*
Limit to 1000 rows
USE assignment_db;
SELECT
Department,
COUNT(Emp_ID) AS Total_Employees,
AVG(Salary) AS Average_Salary
FROM Employees
GROUP BY Department
HAVING AVG(Salary) > 55000;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Department Total_Employees Average_Salary
IT 3 66000.000000
Result 1
Read Only
Output
Action Output
# Time Action Message Duration / Fetch
1 10:40:33 USE assignment_db 0 row(s) affected 0.000 sec
2 10:40:33 SELECT Department, COUNT(Emp_ID) AS Total_Employees, AVG(Salary) AS Averag... 1 row(s) returned 0.000 sec / 0.000 sec
search
Gold
ENG
10:41
19-08-2026

```sql

USE assignment_db;
SELECT
    Department,
    COUNT(Emp_ID) AS Total_Employees,
    AVG(Salary) AS Average_Salary
FROM Employees
GROUP BY Department
HAVING AVG(Salary) > 55000;
```

Result Grid

| Department | Total_Employees | Average_Salary |
|---|---|---|
| IT | 3 | 66000.000000 |

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 1 | 10:40:33 | USE assignment_db | 0 row(s) affected | 0.000 sec |
| 2 | 10:40:33 | SELECT Department, COUNT(Emp_ID) AS Total_Employees, AVG(Salary) AS Averag... | 1 row(s) returned | 0.000 sec / 0.000 sec |

sqltask1* sqltask3* SQL File 4*

Limit to 1000 rows

```sql
USE assignment_db;
DROP TABLE IF EXISTS Departments;

CREATE TABLE Departments (
    Dept_ID INT PRIMARY KEY,
    Dept_Name VARCHAR(50),
    Manager VARCHAR(50)
);

INSERT INTO Departments (Dept_ID, Dept_Name, Manager) VALUES
(1, 'IT', 'Vikram Malhotra'),
(2, 'HR', 'Ananya Sen'),
(3, 'Finance', 'Rajesh Mehta');

SELECT E.Name AS Employee_Name, E.Department, D.Manager
FROM Employees E
INNER JOIN Departments D ON E.Department = D.Dept_Name;

SELECT E.Name AS Employee_Name, E.Department, D.Manager
FROM Employees E
LEFT JOIN Departments D ON E.Department = D.Dept_Name;

SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager
FROM Employees E
RIGHT JOIN Departments D ON E.Department = D.Dept_Name;
```

sqltask1* sqltask3* SQL File 4*

Limit to 1000 rows

```sql
USE assignment_db;
DROP TABLE IF EXISTS Departments;

CREATE TABLE Departments (
    Dept_ID INT PRIMARY KEY,
    Dept_Name VARCHAR(50),
    Manager VARCHAR(50)
);

INSERT INTO Departments (Dept_ID, Dept_Name, Manager) VALUES
(1, 'IT', 'Vikram Malhotra'),
(2, 'HR', 'Ananya Sen'),
(3, 'Finance', 'Rajesh Mehta');

SELECT E.Name AS Employee_Name, E.Department, D.Manager
FROM Employees E
INNER JOIN Departments D ON E.Department = D.Dept_Name;

SELECT E.Name AS Employee_Name, E.Department, D.Manager
FROM Employees E
LEFT JOIN Departments D ON E.Department = D.Dept_Name;

SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager
FROM Employees E
RIGHT JOIN Departments D ON E.Department = D.Dept_Name;
```


sqltask1*
sqltask3*
SQL File 4*
Limit to 1000 rows
SELECT E.Name AS Employee_Name, E.Department, D.Manager
FROM Employees E
LEFT JOIN Departments D ON E.Department = D.Dept_Name;
SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager
FROM Employees E
RIGHT JOIN Departments D ON E.Department = D.Dept_Name;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Employee_Name Department Manager
Sneha Reddy IT Vikram Malhotra
Amit Verma IT Vikram Malhotra
Ayush Gupta IT Vikram Malhotra
Rahul Sharma HR Ananya Sen
NULL Finance Rajesh Mehta
Result 1
Result 2
Result 3
Output
Read Only
Action Output
# Time Action Message Duration / Fetch
1 10:53:49 USE assignment_db 0 row(s) affected 0.000 sec
2 10:53:49 DROP TABLE IF EXISTS Departments 0 row(s) affected, 1 warning(s): 1051 Unknown table 'assignment_db.departments' 0.000 sec
3 10:53:49 CREATE TABLE Departments ( Dept_ID INT PRIMARY KEY, Dept_Name VARCHAR(50... 0 row(s) affected 0.031 sec
4 10:53:49 INSERT INTO Departments (Dept_ID, Dept_Name, Manager) VALUES (1, 'IT', 'Vikram Malhotr... 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.016 sec
5 10:53:49 SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E INNER... 4 row(s) returned 0.000 sec / 0.000 sec
6 10:53:49 SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E LEFT J... 5 row(s) returned 0.000 sec / 0.000 sec
7 10:53:49 SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager FROM Em... 5 row(s) returned 0.000 sec / 0.000 sec
27°C
ENG
10:55
19-08-2026

sqltask1* sqltask3* SQL File 4*

Limit to 1000 rows

```sql
SELECT E.Name AS Employee_Name, E.Department, D.Manager
FROM Employees E
LEFT JOIN Departments D ON E.Department = D.Dept_Name;

SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager
FROM Employees E
RIGHT JOIN Departments D ON E.Department = D.Dept_Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

| Employee_Name | Department | Manager |
|---|---|---|
| Sneha Reddy | IT | Vikram Malhotra |
| Amit Verma | IT | Vikram Malhotra |
| Ayush Gupta | IT | Vikram Malhotra |
| Rahul Sharma | HR | Ananya Sen |
| NULL | Finance | Rajesh Mehta |

Result 1 Result 2 Result 3

Output Read Only

Action Output

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 1 | 10:53:49 | USE assignment_db | 0 row(s) affected | 0.000 sec |
| 2 | 10:53:49 | DROP TABLE IF EXISTS Departments | 0 row(s) affected, 1 warning(s): 1051 Unknown table 'assignment_db.departments' | 0.000 sec |
| 3 | 10:53:49 | CREATE TABLE Departments ( Dept_ID INT PRIMARY KEY, Dept_Name VARCHAR(50... | 0 row(s) affected | 0.031 sec |
| 4 | 10:53:49 | INSERT INTO Departments (Dept_ID, Dept_Name, Manager) VALUES (1, 'IT', 'Vikram Malhotr... | 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 | 0.016 sec |
| 5 | 10:53:49 | SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E INNER... | 4 row(s) returned | 0.000 sec / 0.000 sec |
| 6 | 10:53:49 | SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E LEFT J... | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 7 | 10:53:49 | SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager FROM Em... | 5 row(s) returned | 0.000 sec / 0.000 sec |

arch 27°C ENG 10:55 19-08-2026



Server Tools Scripting Help
sqltask1* sqltask3* SQL File 4*
Limit to 1000 rows
SELECT E.Name AS Employee_Name, E.Department, D.Manager
FROM Employees E
LEFT JOIN Departments D ON E.Department = D.Dept_Name;
SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager
FROM Employees E
RIGHT JOIN Departments D ON E.Department = D.Dept_Name;
Result Grid Filter Rows: Export: Wrap Cell Content:
Employee_Name Department Manager
Ayush Gupta IT Vikram Malhotra
Rahul Sharma HR Ananya Sen
Amit Verma IT Vikram Malhotra
Sneha Reddy IT Vikram Malhotra
Result 1 Result 2 Result 3
Output
Action Output
# Time Action Message
1 10:53:49 USE assignment_db 0 row(s) affected
2 10:53:49 DROP TABLE IF EXISTS Departments 0 row(s) affected, 1 warning(s): 1051 Unknown table 'assignment_db.departments'
3 10:53:49 CREATE TABLE Departments ( Dept_ID INT PRIMARY KEY, Dept_Name VARCHAR(50... 0 row(s) affected
4 10:53:49 INSERT INTO Departments (Dept_ID, Dept_Name, Manager) VALUES (1, 'IT', 'Vikram Malhotr... 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
5 10:53:49 SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E INNER... 4 row(s) returned
6 10:53:49 SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E LEFT J... 5 row(s) returned
7 10:53:49 SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager FROM Em... 5 row(s) returned

ase Server Tools Scripting Help

sqltask1* sqltask3* SQL File 4*

Limit to 1000 rows

```sql
SELECT E.Name AS Employee_Name, E.Department, D.Manager
FROM Employees E
LEFT JOIN Departments D ON E.Department = D.Dept_Name;

SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager
FROM Employees E
RIGHT JOIN Departments D ON E.Department = D.Dept_Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

| Employee_Name | Department | Manager |
|---|---|---|
| Ayush Gupta | IT | Vikram Malhotra |
| Rahul Sharma | HR | Ananya Sen |
| Amit Verma | IT | Vikram Malhotra |
| Sneha Reddy | IT | Vikram Malhotra |

Result 1 × Result 2 Result 3 Read Only

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 1 | 10:53:49 | USE assignment_db | 0 row(s) affected | 0.000 sec |
| 2 | 10:53:49 | DROP TABLE IF EXISTS Departments | 0 row(s) affected, 1 warning(s): 1051 Unknown table 'assignment_db.departments' | 0.000 sec |
| 3 | 10:53:49 | CREATE TABLE Departments ( Dept_ID INT PRIMARY KEY, Dept_Name VARCHAR(50... | 0 row(s) affected | 0.031 sec |
| 4 | 10:53:49 | INSERT INTO Departments (Dept_ID, Dept_Name, Manager) VALUES (1, 'IT', 'Vikram Malhotr... | 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 | 0.016 sec |
| 5 | 10:53:49 | SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E INNER... | 4 row(s) returned | 0.000 sec / 0.000 sec |
| 6 | 10:53:49 | SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E LEFT J... | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 7 | 10:53:49 | SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager FROM Em... | 5 row(s) returned | 0.000 sec / 0.000 sec |

rch AIRT... ENG 10:57 19-08-2026


sqltask1*
sqltask3*
SQL File 4*
Limit to 1000 rows
SELECT E.Name AS Employee_Name, E.Department, D.Manager
FROM Employees E
LEFT JOIN Departments D ON E.Department = D.Dept_Name;
SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager
FROM Employees E
RIGHT JOIN Departments D ON E.Department = D.Dept_Name;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Employee_Name
Department
Manager
Ayush Gupta
IT
Vikram Malhotra
Rahul Sharma
HR
Ananya Sen
Amit Verma
IT
Vikram Malhotra
Priya Singh
Marketing
NULL
Sneha Reddy
IT
Vikram Malhotra
Result 1
Result 2
Result 3
Output
Action Output
#
Time
Action
Message
1 10:53:49 USE assignment_db
0 row(s) affected
2 10:53:49 DROP TABLE IF EXISTS Departments
0 row(s) affected, 1 warning(s): 1051 Unknown table 'assignment_db.departments'
3 10:53:49 CREATE TABLE Departments ( Dept_ID INT PRIMARY KEY, Dept_Name VARCHAR(50...
0 row(s) affected
4 10:53:49 INSERT INTO Departments (Dept_ID, Dept_Name, Manager) VALUES (1, 'IT', 'Vikram Malhotr...
3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
5 10:53:49 SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E INNER...
4 row(s) returned
6 10:53:49 SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E LEFT J...
5 row(s) returned
7 10:53:49 SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager FROM Em...
5 row(s) returned
AIRT...
ENG


sqltask1*
sqltask3*
SQL File 4*
Limit to 1000 rows
SELECT E.Name AS Employee_Name, E.Department, D.Manager
FROM Employees E
LEFT JOIN Departments D ON E.Department = D.Dept_Name;
SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager
FROM Employees E
RIGHT JOIN Departments D ON E.Department = D.Dept_Name;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Employee_Name Department Manager
Ayush Gupta IT Vikram Malhotra
Rahul Sharma HR Ananya Sen
Amit Verma IT Vikram Malhotra
Priya Singh Marketing NULL
Sneha Reddy IT Vikram Malhotra
Result 1
Result 2
Result 3
Output
Action Output
# Time Action Message
1 10:53:49 USE assignment_db 0 row(s) affected
2 10:53:49 DROP TABLE IF EXISTS Departments 0 row(s) affected, 1 warning(s): 1051 Unknown table 'assignment_db.departments'
3 10:53:49 CREATE TABLE Departments ( Dept_ID INT PRIMARY KEY, Dept_Name VARCHAR(50... 0 row(s) affected
4 10:53:49 INSERT INTO Departments (Dept_ID, Dept_Name, Manager) VALUES (1, 'IT', 'Vikram Malhotr... 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
5 10:53:49 SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E INNER... 4 row(s) returned
6 10:53:49 SELECT E.Name AS Employee_Name, E.Department, D.Manager FROM Employees E LEFT J... 5 row(s) returned
7 10:53:49 SELECT E.Name AS Employee_Name, D.Dept_Name AS Department, D.Manager FROM Em... 5 row(s) returned
AIRT...
ENG
10:57
19-08-2026


Scripting
Help
sqltask1*
sqltask3*
SQL File 4*
sqltask5*
Limit to 1000 rows
USE assignment_db;
SELECT Name, Department, Salary
FROM Employees
WHERE Salary > (SELECT AVG(Salary) FROM Employees);
SELECT Name, Department, Salary
FROM Employees
WHERE Salary > (SELECT MIN(Salary) FROM Employees WHERE Department = 'IT');
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Name
Department
Salary
Amit Verma
IT
75000.00
Ayush Gupta
IT
65000.00
Employees 1
Employees 2
Read Only
Output
Action Output
#
Time
Action
Message
Duration / Fetch
1 11:04:09 USE assignment_db
0 row(s) affected
0.000 sec
2 11:04:09 SELECT Name, Department, Salary FROM Employees WHERE Salary > (SELECT AVG(Salar...
2 row(s) returned
0.000 sec / 0.000 sec
3 11:04:09 SELECT Name, Department, Salary FROM Employees WHERE Salary > (SELECT MIN(Salar...
2 row(s) returned
0.000 sec / 0.000 sec
27°C
ENG
search


sqltask1*
sqltask3*
SQL File 4*
sqltask5*
Limit to 1000 rows
USE assignment_db;
SELECT Name, Department, Salary
FROM Employees
WHERE Salary > (SELECT AVG(Salary) FROM Employees);
SELECT Name, Department, Salary
FROM Employees
WHERE Salary > (SELECT MIN(Salary) FROM Employees WHERE Department = 'IT');
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Name
Department
Salary
Amit Verma
IT
75000.00
Ayush Gupta
IT
65000.00
Employees 1
Employees 2
Output
Action Output
#
Time
Action
Message
Duration / Fetch
1 11:04:09 USE assignment_db
0 row(s) affected
0.000 sec
2 11:04:09 SELECT Name, Department, Salary FROM Employees WHERE Salary > (SELECT AVG(Salar...
2 row(s) returned
0.000 sec / 0.000 sec
3 11:04:09 SELECT Name, Department, Salary FROM Employees WHERE Salary > (SELECT MIN(Salar...
2 row(s) returned
0.000 sec / 0.000 sec
Search
27°C
ENG
11:05
19-08-2026



Book1 - Excel
File
Home
Insert
Page Layout
Formulas
Data
Review
View
Tell me what you want to do...
D6
58000
ID
NAME
DEPARTMENT
SALARY
AYUSH GUPTA
IT
65000
RAHUL SHARMA
HR
45000
AMIT VERMA
IT
75000
PRIYA SINGH
MARKETING
50000
SNEHA REDDY
IT
58000
Sheet1
Ready
Type here to search




| ID | NAME | DEPARTMENT | SALARY |
|---|---|---|---|
| | AMIT VERMA | IT | 75000 |
| | AYUSH GUPTA | IT | 65000 |
| | SNEHA REDDY | IT | 58000 |
| | PRIYA SINGH | MARKETING | 50000 |
| | RAHUL SHARMA | HR | 45000 |


File
Home
Insert
Page Layout
Formulas
Data
Review
View
Book1 - Excel
From Access
From Web
From Text
From Other Sources
Existing Connections
Get External Data
New Query
Show Queries
From Table
Recent Sources
Get & Transform
Refresh All
Connections
Properties
Edit Links
Connections
Sort
Filter
Clear
Reapply
Advanced
Sort & Filter
Text to Columns
Flash Fill
Remove Duplicates
Data Validation
A1
ID
ID
NAME
DEPARTME
SALARY
AMIT VERMA
IT
75000
AYUSH GUPTA
IT
65000
SNEHA REDDY
IT
58000



| ID | NAME | DEPARTMENT | SALARY | STATUS |
|---|---|---|---|---|
| | AMIT VERMA | IT | 75000 | HIGH |
| | AYUSH GUPTA | IT | 65000 | HIGH |
| | SNEHA REDDY | IT | 58000 | LOW |
| | PRIYA SINGH | MARKETING | 50000 | LOW |
| | RAHUL SHARMA | HR | 45000 | LOW |



| ID | NAME | DEPARTMENT | SALARY | STATUS |
|---|---|---|---|---|
| | AMIT VERMA | IT | 75000 | HIGH |
| | AYUSH GUPTA | IT | 65000 | HIGH |
| | SNEHA REDDY | IT | 58000 | LOW |
| | PRIYA SINGH | MARKETING | 50000 | LOW |
| | RAHUL SHARMA | HR | 45000 | LOW |
| | | | | |
| | | | | |
| | 3 | COUNTIF | | |
| | 198000 | SUMIF | | |


Book1 - Excel
File
Home
Insert
Page Layout
Formulas
Data
Review
View
Cut
Copy
Paste
Format Painter
Clipboard
Calibri
11
Font
Wrap Text
Merge & Center
Alignment
General
Number
Conditional Formatting
Format as Table
Cell Styles
Styles
Insert
Delete
Cells
D2
75000
ID
NAME
DEPARTMENT
SALARY
STATUS
AMIT VERMA
IT
75000
HIGH
AYUSH GUPTA
IT
65000
HIGH
SNEHA REDDY
IT
58000
LOW
PRIYA SINGH
MARKETING
50000
LOW
RAHUL SHARMA
HR
45000
LOW
3
COUNTIF
198000
SUMIF
Sheet1
Ready
28°C

Book1 - Excel

D2 | $f_x$ 75000

| | A | B | C | D | E |
|---|---|---|---|---|---|
| 1 | ID | NAME | DEPARTMENT | SALARY | STATUS |
| 2 | | AMIT VERMA | IT | 75000 | HIGH |
| 3 | | AYUSH GUPTA | IT | 65000 | HIGH |
| 4 | | SNEHA REDDY | IT | 58000 | LOW |
| 5 | | PRIYA SINGH | MARKETING | 50000 | LOW |
| 6 | | RAHUL SHARMA | HR | 45000 | LOW |
| 7 | | | | | |
| 8 | | | | | |
| 9 | | 3 | COUNTIF | | |
| 10 | | 198000 | SUMIF | | |

Sheet1

Ready

Average: 58600 Count: 5 Sum: 2930


File
Home
Insert
Page Layout
Formulas
Data
Review
View
Book1 - Excel
From Access
From Web
From Text
From Other Sources
Existing Connections
Get External Data
New Query
Show Queries
From Table
Recent Sources
Get & Transform
Refresh All
Connections
Properties
Edit Links
Connections
Sort
Filter
Clear
Reapply
Advanced
Sort & Filter
Text to Columns
A1
ID
ID
NAME
DEPARTM
SALA
STAT
AMIT VERMA
IT
75000
HIGH
AYUSH GUPTA
IT
65000
HIGH
SNEHA REDDY
IT
58000
LOW
3
COUNTIF
198000
SUMIF
Sheet1
3 of 5 records found


Book1 - Excel
File
Home
Insert
Page Layout
Formulas
Data
Review
View
From Access
From Web
From Text
From Other Sources
Existing Connections
Get External Data
New Query
Show Queries
From Table
Recent Sources
Get & Transform
Refresh All
Connections
Properties
Edit Links
Connections
Sort
Filter
Clear
Reapply
Advanced
Sort & Filter
Text to Columns
Flash Fill
Remove Duplicates
Data Validation
Consolidate
Relationships
Manage Data Model
Data Tools
A1
ID
NAM
DEPARTM
SALA
STAT
AMIT VERMA
IT
75000
HIGH
AYUSH GUPTA
IT
65000
HIGH
SNEHA REDDY
IT
58000
LOW
3
COUNTIF
198000
SUMIF
Sheet1



Book1 - Excel

| ID | NAME | DEPARTMENT | SALARY | STATUS | | ENTER ID | VLOOKUP RESULT | XLOOKUP RESULT |
|---|---|---|---|---|---|---|---|---|
| 103 | AMIT VERMA | IT | 75000 | HIGH | | 103 | AMIT VERMA | #NAME? |
| | AYUSH GUPTA | IT | 65000 | HIGH | | | | |
| | SNEHA REDDY | IT | 58000 | LOW | | | | |
| | PRIYA SINGH | MARKETING | 50000 | LOW | | | | |
| | RAHUL SHARMA | HR | 45000 | LOW | | | | |
| | 3 | COUNTIF | | | | | | |
| | 198000 | SUMIF | | | | | | |

Sheet1



Book1 - Excel
File
Home
Insert
Page Layout
Formulas
Data
Review
View
Tell me what you want to do...
From Access
From Web
From Text
From Other Sources
Existing Connections
Get External Data
New Query
Show Queries
From Table
Recent Sources
Get & Transform
Refresh All
Connections
Properties
Edit Links
Sort
Filter
Clear
Reapply
Advanced
Sort & Filter
Text to Columns
Flash Fill
Remove Duplicates
Data Validation
Consolidate
Relationships
Manage Data Model
Data Tools
What-If Analysis
Forecast Sheet
Forecast
Group
Ungroup
Subtotal
Outline
ID
NAME
DEPARTMENT
SALARY
STATUS
ENTER ID
VLOOKUP RESULT
XLOOKUP RESULT
103
AMIT VERMA
IT
75000
HIGH
103
AMIT VERMA
#NAME?
AYUSH GUPTA
IT
65000
HIGH
SNEHA REDDY
IT
58000
LOW
PRIYA SINGH
MARKETING
50000
LOW
RAHUL SHARMA
HR
45000
LOW
3
COUNTIF
198000
SUMIF
Sheet1
Type here to search
28°C
ENG
12:35
19-08-2026


Book1 - Excel
File
Home
Insert
Page Layout
Formulas
Data
Review
View
Analyze
Design
Format
Chart Name:
Chart 1
Options
PivotChart
Active Field:
Field Settings
Drill Down
Drill Up
Expand Field
Collapse Field
Active Field
Insert Slicer
Insert Timeline
Filter Connections
Filter
Refresh
Change Data Source
Data
Clear
Move Chart
Actions
Fields, Items, & Sets
OLAP Tools
Relationships
Calculations
Show/Hide
Chart 1
Row Labels
Sum of SALARY
HR
45000
IT
198000
MARKETING
50000
Grand Total
293000
Sum of SALARY
Total
250000
200000
150000
100000
50000
0
HR
IT
MARKETING
Total
DEPARTMENT
PivotChart Fields
Choose fields to add to report
Search
ID
NAME
DEPARTMENT
SALARY
FILTERS
AXIS (CATEGO...
DEPARTMENT
Defer Layout Update
Sheet2
Sheet1
Ready
Average: 198000
Count: 2
Sum: 198000
Type here to search
NIFTY
ENG


Book1 - Excel
File
Home
Insert
Page Layout
Formulas
Data
Review
View
Analyze
Design
Format
Chart Name:
Chart 1
Options
PivotChart
Active Field:
Field Settings
Drill Down
Drill Up
Expand Field
Collapse Field
Active Field
Insert Slicer
Insert Timeline
Filter Connections
Filter
Refresh
Change Data Source
Data
Clear
Move Chart
Actions
Fields, Items, & Sets
OLAP Tools
Relationships
Calculations
Show/Hide
Row Labels
Sum of SALARY
HR
45000
IT
198000
MARKETING
50000
Grand Total
293000
Sum of SALARY
Total
250000
200000
150000
100000
50000
0
HR
IT
MARKETING
Total
DEPARTMENT
PivotChart Fields
Search
ID
NAME
DEPARTMENT
SALARY
FILTERS
DEPARTMENT
Defer Layout Update
Sheet2
Sheet1
Ready
Average: 198000
Count: 2
Sum: 198000
Type here to search
NIFTY
ENG



| ID | NAME | DEPARTMENT | SALARY | STATUS | | ENTER ID | VLOOKUP RESULT | XLOOKUP RESULT |
|---|---|---|---|---|---|---|---|---|
| 103 | AMIT VERMA | IT | 75000 | GH | | 103 | AMIT VERMA | #NAME? |
| | AYUSH GUPTA | IT | 65000 | HIGH | | | | |
| | SNEHA REDDY | IT | 58000 | LOW | | | | |
| | PRIYA SINGH | MARKETING | 50000 | LOW | | | | |
| | RAHUL SHARMA | HR | 45000 | LOW | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | 3 | COUNTIF | | | | | | |
| | 198000 | SUMIF | | | | | | |



| | A | B | C | D | E | F | G | H | I |
|---|---|---|---|---|---|---|---|---|---|
| 1 | ID | NAME | DEPARTMENT | SALARY | STATUS | | ENTER ID | VLOOKUP RESULT | XLOOKUP RESULT |
| 2 | 103 | AMIT VERMA | IT | 75000 | GH | | 103 | AMIT VERMA | #NAME? |
| 3 | | AYUSH GUPTA | IT | 65000 | HIGH | | | | |
| 4 | | SNEHA REDDY | IT | 58000 | LOW | | | | |
| 5 | | PRIYA SINGH | MARKETING | 50000 | LOW | | | | |
| 6 | | RAHUL SHARMA | HR | 45000 | LOW | | | | |
| 7 | | | | | | | | | |
| 8 | | | | | | | | | |
| 9 | | 3 | COUNTIF | | | | | | |
| 10 | | 198000 | SUMIF | | | | | | |

Task 1: Introduction to Databases & SELECT Statement

इस टास्क में हमने डेटाबेस का बुनियादी नियम सीखा। सबसे पहले CREATE DATABASE कमांड से एक नया डेटाबेस बनाया और CREATE TABLE से कर्मचारियों (Employees) की एक टेबल तैयार की। इसके बाद INSERT INTO की मदद से उसमें 5 लोगों का रिकॉर्ड (आईडी, नाम, विभाग, सैलरी और शहर) भरा। पूरी टेबल को एक साथ देखने के लिए हमने SELECT * का उपयोग किया और अंत में AS कीवर्ड (Column Aliases) की मदद से कॉलम का नाम बदलकर केवल काम के कॉलम जैसे Employee_Name और Monthly_Salary को स्क्रीन पर डिस्प्ले किया।

Task 2: WHERE, ORDER BY & Aggregate Functions

इस टास्क में हमने डेटाबेस में शर्तों के आधार पर रिकॉर्ड को छाँटना और गणितीय गणनाएँ करना सीखा। सबसे पहले WHERE Salary > 50000 की शर्त लगाकर केवल अधिक सैलरी वाले कर्मचारियों को अलग किया और ORDER BY Salary ASC लिखकर पूरी लिस्ट को कम से ज़्यादा सैलरी के क्रम में व्यवस्थित किया। इसके बाद SQL के पाँच मुख्य एग्रीगेट शॉर्टकट्स—COUNT() से कुल संख्या, SUM() से कुल वेतन बजट, AVG() से औसत वेतन, MIN() से सबसे कम और MAX() से सबसे ज़्यादा वेतन की सटीक गणना एक सेकंड में निकाल कर स्क्रीन पर दिखाई।

Task 3: GROUP BY & HAVING Clause

इस टास्क में हमने पूरे डेटा को अलग-अलग समूहों में बाँटना सीखा। हमने GROUP BY Department कमांड का उपयोग करके पूरी टेबल के कर्मचारियों को उनके विभागों (जैसे IT, HR) के आधार पर अलग-अलग ग्रुप में कंबाइन कर दिया। इसके बाद ग्रुप बनने के बाद उसपर शर्त लगाने के लिए HAVING क्लॉज का उपयोग किया और HAVING AVG(Salary) > 55000 लिखकर केवल उसी विभाग (IT) को स्क्रीन पर दिखाया जिसकी औसत सैलरी 55,000 से अधिक थी।

Task 4: SQL Joins (INNER, LEFT & RIGHT JOINS)

इस टास्क में हमने दो अलग-अलग टेबल्स को आपस में जोड़कर डेटा देखना सीखा। इसके लिए हमने Departments नाम की एक दूसरी संबंधित टेबल बनाई जिसमें विभागों के मैनेजर्स के नाम थे। इसके बाद दोनों टेबल्स के बीच तीन मुख्य जोइन्स चलाए—INNER JOIN से केवल वही डेटा दिखाया जो दोनों जगह मैच था। LEFT JOIN से कर्मचारियों की पूरी लिस्ट के साथ उनके मैनेजर दिखाए। और RIGHT JOIN से विभागों के सभी मैनेजर्स को दिखाया, और जहाँ कोई कर्मचारी मैच नहीं हुआ वहाँ अपने आप NULL लिखा आ गया।

Task 5: SQL Subqueries

यह हमारे SQL हिस्से का अंतिम टास्क था, जिसमें हमने एक क्वेरी के अंदर दूसरी क्वेरी (Subquery) लिखना सीखा। हमने दो मुख्य समस्याओं को हल किया—पहली समस्या में सबक्वेरी की मदद से पहले पूरी कंपनी की औसत सैलरी निकाली और फिर मुख्य क्वेरी से उन कर्मचारियों को छाँटा जो उस औसत से ज़्यादा कमाते हैं। दूसरी समस्या में हमने सबक्वेरी से IT डिपार्टमेंट की सबसे कम सैलरी का पता लगाया और फिर उससे ज़्यादा सैलरी पाने वाले बाकी सभी कर्मचारियों के रिकॉर्ड को स्क्रीन पर डिस्प्ले किया।

Task 6: Excel Data Formatting, Sorting & Filtering

यहाँ से हमारा एक्सेल (Excel) का काम शुरू हुआ। हमने सबसे पहले वही 5 कर्मचारियों का डेटा एक्सेल शीट में साफ़-सुथरे तरीके से टाइप किया। इसके बाद पहली लाइन (Header Row) को माउस से सेलेक्ट करके बोल्ड (Bold) किया और बैकग्राउंड में हल्का रंग भरकर उसे सुंदर बनाया। फिर डेटा को व्यवस्थित करने के लिए सैलरी वाले कॉलम पर Sort Z to A (Largest to Smallest) बटन दबाकर सबसे ज़्यादा सैलरी वाले को सबसे ऊपर और कम वाले को सबसे नीचे लगाया। अंत में Filter बटन चालू करके DEPARTMENT में से सिर्फ 'IT' को चुनकर बाकी डेटा को हाइलाइट और फ़िल्टर करना सीखा।

Task 7: Conditional Formatting & Excel Functions

इस टास्क में हमने एक्सेल के तार्किक फॉर्मूले लगाना सीखा। सबसे पहले हमने =IF(D2>60000, "High", "Low") फॉर्मूले का उपयोग करके सभी कर्मचारियों के आगे उनकी सैलरी के हिसाब से उनका स्टेटस निकाला। इसके बाद नीचे

दो एडवांस फॉर्मूले लगाए—=COUNTIF() की मदद से IT विभाग के कुल कर्मचारियों की संख्या (3) गिनी और =SUMIF() की मदद से केवल IT विभाग का कुल सैलरी बजट (1,98,000) निकाला। अंत में Conditional Formatting की मदद से 60,000 से ऊपर की सैलरी वाले डिब्बों को स्वचालित रूप से रंगीन रंग से हाइलाइट किया।

Task 8: VLOOKUP & XLOOKUP Functions

इस टास्क में हमने एक्सेल के अंदर किसी खास रिकॉर्ड को खोजना (Search करना) सीखा। हमने एक सर्च बॉक्स बनाया और उसमें आईडी नंबर 103 टाइप करते ही कर्मचारी का नाम ढूंढने के लिए =VLOOKUP() फॉर्मूला लगाया जिससे तुरंत AMIT VERMA का नाम सामने आ गया। इसके साथ ही हमने आधुनिक =XLOOKUP() फॉर्मूला भी लगाया, पर हमारे सिस्टम में पुराना एक्सेल वर्ज़न होने के कारण उसने #NAME? एरर दिखाया, जो यह साबित करता है कि XLOOKUP केवल नए एक्सेल वर्शन्स में ही उपलब्ध होता है और दोनों के मुख्य अंतर को स्पष्ट करता है।

Task 9: Excel Pivot Table & Charts

यह इस पूरे असाइनमेंट का अंतिम और सबसे मुख्य टास्क था, जिसमें हमने डेटा की पूरी समरी (Summary) रिपोर्ट तैयार करना सीखा। हमने पूरी मुख्य टेबल को सेलेक्ट करके Insert > PivotTable की मदद से एक नई शीट पर डिपार्टमेंट के हिसाब से कुल सैलरी का जोड़ निकाला (जैसे HR: 45000, IT: 198000, Marketing: 50000) जिससे पूरी कंपनी का Grand Total 2,93,000 निकल कर आ गया। अंत में शिक्षक के निर्देशानुसार इस पूरी समरी रिपोर्ट को समझने के लिए इस पर एक सुंदर विज़ुअल कॉलम चार्ट (पाइवट ग्राफ़) तैयार किया, जो डेटा को खंभों के रूप में बेहतरीन तरीके से दर्शाता है।

इस पूरे असाइनमेंट को सफलतापूर्वक पूरा करने में मैंने अपनी व्यक्तिगत मेहनत के साथ-साथ AI टूल्स और इंटरनेट गाइड्स की भी मदद ली है। शुरुआत के बेसिक कमांड्स और डेटा एंट्री मैंने अपनी समझ से की, और बाकी के एडवांस विषयों (जैसे SQL Joins, Subqueries और Excel Pivot Table) को सही तरीके से समझने, उनके तार्किक नियमों को क्लियर करने और सॉफ्टवेयर कॉन्फ़िगरेशन के समय आने वाले एरर्स (Errors) को ठीक करने के लिए मैंने AI और टेक्निकल ट्यूटोरियल्स का सहारा लिया है।