



Fw: RFQ : Offer Details for LEVEL TUBE /M-26088

From Deepali Patharkar - Pune Techtrol <mktg3@punetechtrol.com>
Date Sat 11-Jul-26 2:57 PM
To Pune Techtrol Pvt Ltd <mktg@punetechtrol.com>

enq

Regards,

Deepali Patharkar



From: Lalit Koli <lalitkoli@prajhipurity.net>
Sent: Saturday, July 11, 2026 12:48 PM
To: Deepali Patharkar - Pune Techtrol <mktg3@punetechtrol.com>
Cc: Gokhalerajesh0@gmail.com <gokhalerajesh0@gmail.com>; Nitin Kulkarni - Pune Techtrol <nmk@punetechtrol.com>; Nishant Mistry <nishantmistry@prajhipurity.net>
Subject: RFQ : Offer Details for LEVEL TUBE /M-26088

Dear Deepali Madam,

Please Submit the lowest offer against the below inquiry.

PROJECT CODE	Material	Material Desc	UOM	PR Qty	Price
M-26088	5112906	LEVEL TUBE-VERTICAL-40KL-PUNE TECHTROL TYPE- VERTICAL LEVEL TUBE WITH GRADUATION MARKING, APPLICATION- NON SANITARY, SIZE- AS PER VESSEL, UNIT- MM, HOLDER MOC- SS 304, VIEW GLASS MOC- BOROSILICATE GLASS, END CONNECTION- TC END OR VTS, SEAL MOC- PTFE, MAX. OPERATING PRESSURE (BAR)- 6, MAX. OPERATING TEMPERATURE Â°C- 150, TANK TAN LENGTH- AS PER VESSEL GA DRAWING, SUITABLE FOR VESSEL CAPACITY: 40KL, MAKE - PUNE TECHTROL	EA	2.000	
M-26088	5112905	LEVEL TUBE-VERTICAL-20KL-PUNE TECHTROL TYPE- VERTICAL LEVEL TUBE WITH GRADUATION MARKING, APPLICATION- NON SANITARY, SIZE- AS PER VESSEL, UNIT- MM, HOLDER MOC- SS 304, VIEW GLASS MOC- BOROSILICATE GLASS, END CONNECTION- TC END OR VTS, SEAL MOC- PTFE, MAX. OPERATING PRESSURE (BAR)- 6, MAX. OPERATING TEMPERATURE Â°C- 150, TANK TAN LENGTH- AS PER VESSEL GA DRAWING, SUITABLE FOR VESSEL CAPACITY: 20KL, MAKE - PUNE TECHTROL	EA	1.000	
M-26088	5098131	LEVEL TUBE-VERTICAL-2000L-PUNE TECHTROL TYPE- VERTICAL LEVEL TUBE WITH GRADUATION MARKING, APPLICATION- NON SANITARY, SIZE- AS PER VESSEL, UNIT- MM, HOLDER MOC- SS 304, VIEW GLASS MOC- BOROSILICATE GLASS, END CONNECTION- TC END OR VTS, SEAL MOC- PTFE, MAX. OPERATING PRESSURE (BAR)- 6, MAX. OPERATING TEMPERATURE Â°C- 150, TANK TAN LENGTH- AS PER VESSEL GA DRAWING, SUITABLE FOR VESSEL CAPACITY: 2000L, MAKE - PUNE TECHTROL	EA	4.000	

M-26088	5112533	LEVEL TUBE-VERTICAL-1000L-PUNE TECHTROL TYPE- VERTICAL LEVEL TUBE WITH GRADUATION MARKING, APPLICATION- NON SANITARY, SIZE- AS PER VESSEL, UNIT- MM, HOLDER MOC- SS 304, VIEW GLASS MOC- BOROSILICATE GLASS, END CONNECTION- TC END OR VTS, SEAL MOC- PTFE, MAX. OPERATING PRESSURE (BAR)- 6, MAX. OPERATING TEMPERATURE Â°C- 150, TANK TAN LENGTH- AS PER VESSEL GA DRAWING, SUITABLE FOR VESSEL CAPACITY: 1000L, MAKE - PUNE TECHTROL	EA	9.000		
---------	---------	---	----	-------	--	--

Thanks and Regards,
Lalit Koli- SCM
Praj HiPurity Systems Limited
Mob: 9136956508

From: Lalit Koli <lalitkoli@prajhipurity.net>
Sent: Friday, June 19, 2026 15:14
To: Deepali Patharkar - Pune Techtrol <mktg3@punetechtrol.com>
Cc: Gokhalerajesh0@gmail.com <gokhalerajesh0@gmail.com>; Nitin Kulkarni - Pune Techtrol <nmk@punetechtrol.com>; Nishant Mistry <nishantmistry@prajhipurity.net>; Rakesh Soni <rakeshsoni@prajhipurity.net>
Subject: Re: RFQ : Offer Details for LS-LG / H-26266

Dear Deepali Madam,

REMINDER

Please Submit the lowest offer against the below inquiry

Note : Refer attached Drawing

-Liquid specific gravity- consider water gravity

Project	Material	Material Desc	UOM	PR Qty	TAG No.	Drawing
H-26266	5074298	LS-LG-SIDE MOUNT-FLANGE-PUNE TECH-4SP MAGNETIC TYPE LEVEL GUAGE WITH LEVEL SWITCH, INSTALLATION-SIDE MOUNTED, WETTED PART MOC- SS 316L, CHAMBER TYPE- TOP CAP WITH BOTTOM FLANGE,FLOAT CHAMBER MOC- SS 316, FLOAT MOC- SS 316, PROCESS CONNECTION- FLANGED END, FLANGE SIZE- 25 NB, VENT- 1/2" THREADED PLUG, DRAIN VALVE-1/2" THREADED BALL VALVE, INDICATOR: CORROSION RESISTANCE MAGNETICALLY ACTUATED BICOLOURED ROTOCYL INDICATION WITH DELRIN BEARING & NONFRAGILE PERSPEX PROTECTION, TEMPERATURE : UPTO 150 DEGREE C. ACCESSORIES- HERMETICALLY SEALED CORROSION PROOF RHODIUM-RUTHENIUM COATED CONTACTS, 1.5A RESISTIVE – 1 NO/NC, NO. OF SWITCHES- 4 NUMBERS WITHOUT LEVEL CONTROLLER, MAKE- PUNE TECHTROL,MODEL:MLG – SOAFW2WRW104W (REFER TANK GA FOR MORE DETAILS)	EA	1	121.2LS-01	H-26266-EL-INS-005-R0-300 LTR TANK LEVEL

Thanks and Regards,
Lalit Koli- SCM
Praj HiPurity Systems Limited
Mob: 9136956508

From: Lalit Koli <lalitkoli@prajhipurity.net>
Sent: Thursday, June 18, 2026 12:38 PM
To: Deepali Patharkar - Pune Techtrol <mktg3@punetechtrol.com>
Cc: Gokhalerajesh0@gmail.com <gokhalerajesh0@gmail.com>; Nitin Kulkarni - Pune Techtrol <nmk@punetechtrol.com>; Nishant Mistry <nishantmistry@prajhipurity.net>
Subject: RFQ : Offer Details for LS-LG / H-26266

Dear Deepali Madam,

Please Submit the lowest offer against the below inquiry

Note : Refer attached Drawing

-Liquid specific gravity- consider water gravity
-Gauge MOC- PP
(if PP MOC required, please confirm design temperature)

Note that PP MOC suitable for maximum 70°C

Project	Material	Material Desc	UOM	PR Qty	TAG No.	Drawing
H-26266	5074298	LS-LG-SIDE MOUNT-FLANGE-PUNE TECH-4SP MAGNETIC TYPE LEVEL GUAGE WITH LEVEL SWITCH, INSTALLATION-SIDE MOUNTED, WETTED PART MOC- SS 316L, CHAMBER TYPE- TOP CAP WITH BOTTOM FLANGE,FLOAT CHAMBER MOC- SS 316, FLOAT MOC- SS 316, PROCESS CONNECTION- FLANGED END, FLANGE SIZE- 25 NB, VENT- 1/2" THREADED PLUG, DRAIN VALVE-1/2" THREADED BALL VALVE, INDICATOR: CORROSION RESISTANCE MAGNETICALLY ACTUATED BICOLOURED ROTOCYL INDICATION WITH DELRIN BEARING & NONFRAGILE PERSPEX PROTECTION, TEMPERATURE : UPTO 150 DEGREE C. ACCESSORIES- HERMETICALLY SEALED CORROSION PROOFRHODIUM-RUTHENIUM COATED CONTACTS, 1.5A RESISTIVE – 1 NO/NC, NO. OF SWITCHES- 4 NUMBERS WITHOUT LEVEL CONTROLLER, MAKE- PUNE TECHTROL,MODEL:MLG – SOAFW2WRW104W (REFER TANK GA FOR MORE DETAILS)	EA	1	121.2LS-01	H-26266-EL-INS-005-R0-300 LTR TANK LEVEL

Thanks and Regards,
Lalit Koli- SCM
Praj HiPurity Systems Limited
Mob: 9136956508

----- Pune Techtrol Pvt Ltd Office : S-18, MIDC Bhosari, Pune-411026, India Works : J-52/7, MIDC Bhosari, Pune-411026, India
Phone : +91-20-66342900