

# AI1103-Assignment 9

Name : Ayush Jha

Roll Number: CS20BTECH11006

Download all python codes from

<https://github.com/ayushjha2612/AI11003/tree/main/Assignment9/Codes>

and latex-tikz codes from

<https://github.com/ayushjha2612/AI11003/tree/main/Assignment9>

CSIR UGC NET EXAM (JUNE 2017) Q. 103

Let  $c \in \mathbb{R}$  be a constant. Let  $X, Y$  be random variables with joint probability density function

$$f(x, y) = \begin{cases} cxy & , \text{ if } 0 < x < y < 1 \\ 0 & , \text{ otherwise} \end{cases}$$

Which of the following statements are correct ?

- 1)  $c = \frac{1}{8}$
- 2)  $c = 8$
- 3)  $X$  and  $Y$  are independent
- 4)  $\Pr(X = Y) = 0$

ANSWER

Option (2)  $c = 8$  and option (4)  $\Pr(X = Y) = 0$ .

SOLUTION

**Solving all options :**

- 1)
- 2)  $X$  and  $Y$  are two random variables with joint pdf

$$f(x, y) = \begin{cases} cxy & , \text{ if } 0 < x < y < 1 \\ 0 & , \text{ otherwise} \end{cases} \quad (0.0.1)$$

The marginal probability density functions are as follows :

$$f_X(x) = \int_{-\infty}^{\infty} f(x, y) dy \quad (0.0.2)$$

$$f_Y(y) = \int_{-\infty}^{\infty} f(x, y) dx \quad (0.0.3)$$

Calculating  $f_X(x)$

$$f_X(x) = \int_{-\infty}^{\infty} f(x, y) dy \quad (0.0.4)$$

$$= \int_x^1 cxy dy \quad (0.0.5)$$

$$= cx \left( \frac{y^2}{2} \right) \Big|_x^1 \quad (0.0.6)$$

$$= cx \left( \frac{1 - x^2}{2} \right) \quad (0.0.7)$$

$$f_X(x) = \begin{cases} cx \left( \frac{1 - x^2}{2} \right) & , \text{ if } 0 < x < 1 \\ 0 & , \text{ otherwise} \end{cases} \quad (0.0.8)$$

Calculating  $f_Y(y)$

$$f_Y(y) = \int_{-\infty}^{\infty} f(x, y) dx \quad (0.0.9)$$

$$= \int_0^y cxy dx \quad (0.0.10)$$

$$= cy \left( \frac{x^2}{2} \right) \Big|_0^y \quad (0.0.11)$$

$$= \frac{cy^3}{2} \quad (0.0.12)$$

$$f_Y(y) = \begin{cases} \frac{cy^3}{2} & , \text{ if } 0 < y < 1 \\ 0 & , \text{ otherwise} \end{cases} \quad (0.0.13)$$

Now by using property of pdf and equation 0.0.13 we have,

$$\int_{-\infty}^{\infty} f_Y(y) dy = 1 \quad (0.0.14)$$

$$\int_0^1 c \frac{y^3}{2} dy = 1 \quad (0.0.15)$$

$$\frac{c}{8} = 1 \quad (0.0.16)$$

$$c = 8 \quad (0.0.17)$$

Therefore option (2) is correct.

3) The pdf of X is

$$f_X(x) = \begin{cases} 4x(1-x^2) & , \text{ if } 0 < x < 1 \\ 0 & , \text{ otherwise} \end{cases} \quad (0.0.18)$$

The pdf of Y is

$$f_Y(y) = \begin{cases} 4y^3 & , \text{ if } 0 < y < 1 \\ 0 & , \text{ otherwise} \end{cases} \quad (0.0.19)$$

To check whether X and Y are independent, we calculate  $f_X(x) \times f_Y(y)$ . From 0.0.18 and 0.0.19

$$f_X(x) \times f_Y(y) = \begin{cases} 16xy^3(1-x^2) & , \text{ if } 0 < x, y < 1 \\ 0 & , \text{ otherwise} \end{cases} \quad (0.0.20)$$

$$\neq f(x, y) \quad (0.0.21)$$

Since  $f(x, y)$  and  $f_X(x) \times f_Y(y)$  are different, random variables X and Y are not independent. Therefore option (3) is not correct.

4) Since in the definition of joint pdf equation 0.0.1 it is mentioned  $0 < x < y < 1$  we have,

$$0 < x < y < 1 \iff x \neq y \iff X \neq Y \quad (0.0.22)$$

$$\Pr(X = Y) = 0 \quad (0.0.23)$$

**Therefore option (2) and (4) are correct.**

The marginal PDF of X and Y are shown at figure 4 and figure 4.




Fig. 4: The marginal PDF of X




Fig. 4: The marginal PDF of Y