

REPORT NO. 1 OF 2013

SAMPLE REGISTRATION SYSTEM STATISTICAL REPORT 2011



OFFICE OF THE REGISTRAR GENERAL, INDIA
MINISTRY OF HOME AFFAIRS
GOVERNMENT OF INDIA
NEW DELHI

SAMPLE REGISTRATION SYSTEM
STATISTICAL REPORT 2011

OFFICE OF THE REGISTRAR GENERAL, INDIA
MINISTRY OF HOME AFFAIRS
GOVERNMENT OF INDIA
NEW DELHI

P R E F A C E

The Sample Registration System (SRS) in India is the largest demographic survey in the world covering about 1.5 million households and 7.35 million population. It has continued to be the main source of information on fertility and mortality indicators both at the State and National levels. Apart from the large sample size and geographical spread in most of the Districts, the system has a unique feature of dual recording, which involves collection of data through two different procedures viz., continuous enumeration and retrospective half-yearly surveys. The continuous enumeration and retrospective surveys are followed by the process of matching of the two records and subsequent field verification of unmatched and partially matched events. The system provides a cross check on the correctness and completeness of the events of birth and death listed by the two independent functionaries.

2. Based on the dual record system, the SRS has been providing reliable estimates of fertility and mortality on a regular basis from 1971 onward. It includes data on population composition by broad age groups, sex and marital status, fertility and mortality levels, for India and bigger States (with population 10 million and above) separately for rural and urban areas. As per the recommendations of the Technical Committee, from 1990 onward tabulations on certain items of demographic interest such as mean age at effective marriage for females, interval between current and previous live birth and also distribution of live births by birth order have continued to form part of the SRS report. From 2000, the sex ratio at birth and from 2002, the sex ratio of child (age-group 0-4) have been included in this Report. Moreover, in order to facilitate effective tracking of Millennium Development Goals (MDGs) on under-five mortality, the estimates of under-five mortality for India and bigger States separately for rural and urban also by sex have been introduced in this Report since 2008.

3. The present Report is the eighth in the series that has been prepared based on data collected from new SRS sample units selected on the 2001 Census frame. Apart from the fertility and mortality indicators, this Report includes data on crude birth rate, crude death rate and infant mortality rates at Natural Division (group of contiguous districts) level for rural areas of a State. In the present Report, an executive summary containing important findings has been added to enhance its utility. For those who are interested in trend analysis, the National level trends for few core indicators have been presented since 2004 (the base year of new frame). Detailed State-level tables on these indicators for 2006-2011 have also been added to provide a glimpse of the trends. Henceforth, these additions would become a regular feature of the Report. With the modification of the system and consistent efforts of SRS Division and the Directorates of Census Operations, it has been our endeavor to release the report by year end. However, adhering to this timeline during the Census 2011 period was a big challenge. Nevertheless, we have succeeded in restricting the delay to a few months only.

4. The SRS has been a joint effort of the Central and State Governments. This study has been made possible with the active involvement of staff and officers of the Directorates of Economics & Statistics of Kerala and Maharashtra as well as the staff and officers of the Directorates of Census Operations, Map Division and the SRS Wing of the Vital Statistics Division at the headquarters. I am thankful to all of them. I must specially place on record my appreciation of the efforts put in by Shri S.S.A. Jafri and Shri Jaspal Singh, Deputy Directors, Smt Gracy James, Assistant Director, Shri Jagat Singh, S.I. Grade-I, Shri Brijesh Kumar and Shri Ravi Kant, S.I Grade- II, Smt. Prabha Agarwal and Shri R.S. Kar, Data Entry Operators, in the preparation of this Report supervised by Shri Rohit Bhardwaj, Deputy Registrar General under the overall guidance of Dr. Vijay P. Goel, Deputy Director General.

New Delhi **Dr. C. Chandramouli**
February, 2013 Registrar General & Census Commissioner, India

C O N T E N T S

	Page
List of statements	ix- xii
List of charts	xiii
Definitions	xv-xvi
Figures at a glance, India – 2011	xvii-xix
National level trends for few core indicators 2006-11	xxi
Executive Summary	xxiii-xxiv
Map - Birth rate by NSS Natural Division, 2011	xxv
Map - Death rate by NSS Natural Division, 2011	xxvii
Map - Infant mortality rate by NSS Natural Division, 2011	xxix
Chapter 1- Introduction	1-10
Chapter 2 - Population Composition	11-28
Chapter 3 - Estimates of Fertility Indicators	29-66
Chapter 4 - Estimates of Mortality Indicators	67-89

Detailed Tables

1.	Percentage distribution of estimated population by age-group, sex and residence, 2011	93-103
2.	Percentage distribution of population by sex, marital status and age-group, 2011	104-124
3.	Fertility Indicators, 2011	125-130
4.	Fertility indicators by level of education of women, 2011	131-151
5.	Percentage distribution of live births by order of birth, 2011	152-157
6.	Percentage distribution of current live births by birth interval, 2011	158-159
7.	Percentage distribution of current live births by birth interval and birth order, 2011	160-165
8.	Age-specific death rate by sex and residence, 2011	166-186
9.	Child (Aged 0-4 years) and infant mortality indicators, 2011	166-186
10.	Percentage distribution of deaths to total deaths by residence, sex and age-group, 2011	187-197
11.	Birth rate, death rate and infant mortality rate by NSSO natural division, 2011	198-200

Tables on Trend

12.	Annual estimates of Birth rate by residence, India and bigger States, 2006-11	203
13.	Annual estimates of Death rate by sex, India and bigger States, 2006-11	204
14.	Annual estimates of Infant mortality rate by sex, India and bigger States, 2006-11	205
15.	Annual estimates of Total Fertility rate by residence, India and bigger States, 2006-11	206
16.	Sex ratio at birth (female per 1000 male) by residence, India and bigger States, 2005-07 to 2009-11	207
17.	Sex ratio of child (age group 0-4) by residence, India and bigger States, 2005-07 to 2009-11	208
18.	Percent of live births where the mothers received medical attention at delivery either at Government hospitals or at Private hospitals, India and bigger States, 2006-11	209
19.	Percent of deaths where medical attention received before death was either at Government hospitals or at Private hospitals, India and bigger States, 2006-11	210

Annexure

I	Map of natural divisions	213
II	List of natural divisions along with their districts	215-224
III	List of officers associated with the Report	225

LIST OF STATEMENTS

		Page
General		
1	Number of sample units at different replacement period	2
2	Number of sample units and population covered, India, States and union territories, 2011	6
Population Composition		
3	Percentage distribution of population by broad age groups to total population by sex and residence, India, 2011	12
4	Percentage of population in the age group 0-4 years to total population by sex and residence, India and bigger States, 2011	14
5	Percentage of population in the age group 0-14 years to total population by sex and residence, India and bigger States, 2011	16
6	Percentage of population in the age group 15-59 years to total population by sex and residence, India and bigger States, 2011	18
7	Percentage of population in the age group 60 years and above to total population by sex and residence, India and bigger States, 2011	20
8	Percentage distribution of population by marital status and sex, India and bigger States, 2011	22
9	Percentage distribution of population age 10+ by marital status and sex, India and bigger States, 2011	23
10	Percentage distribution of female age 10+ by marital status and residence, India and bigger States, 2011	24
11	Percentage distribution of female age 15+ by marital status and residence, India and bigger States, 2011	25
12	Percentage of females by age at effective marriage and by residence, India and bigger States, 2011	26
13	Mean age at effective marriage of female by residence, India and bigger States, 2011	27

Fertility Indicators

		Page
14	CBR (Crude birth rate) by residence, India and bigger States, 2011	30
15	Percent change in average crude birth rate between 1999-01 and 2009-11 by residence, India and bigger States	32
16	Sex ratio (female per 1000 male) at birth by residence, India and bigger States 2009-11	34
17	Sex ratio of child (age group 0-4 years) during the period 2009-11, India and bigger States	36
18	GFR (General fertility rate) by residence, India and bigger States, 2011	37
19	Percentage change in average GFR (General fertility rate) between 1999-01 and 2009-11, by residence, India and bigger States	40
20	ASFRs (Age specific fertility rates) by residence, 2011	41
21	Percentage change in age specific fertility rates by residence between 1999-01 and 2009-11, India	43
22	ASFRs (Age specific fertility rates), India and bigger States, 2011	44
23	Percentage distribution of cumulative fertility by age group, India and bigger States, 2011	45
24	Mean age of fertility and associated standard deviation, India and bigger States, 2011	47
25	TFR (Total fertility rate) by residence, India and bigger States, 2011	48
26	Percentage change in average TFR (Total fertility rate) between 1999-01 and 2009-11 by residence, India and bigger States	51
27	GRR (Gross reproduction rate) by residence, India and bigger States, 2011	52
28	ASMFRs (Age specific marital fertility rates) by residence, India 2011	53
29	ASMFRs (Age specific marital fertility rates) India and bigger States, 2011	54
30	TMFRs (Total marital fertility rates) by residence, India and bigger States, 2011	55

		Page
31	Percentage change in average Total Marital Fertility rate (TMFR) between 1999-01 and 2009-11 by residence, India and bigger States	56
32	Percentage female population in the age group 15-49 by level of education, India and bigger States, 2011	57
33	GFR (General fertility rate) by level of education of women, India and bigger States, 2011	58
34	ASFR (Age specific fertility rate) by level of education of women and residence, India, 2011	59
35	TFR (Total fertility rate) by level of education of women, India and bigger States, 2011	60
36	Percentage distribution of current live births by birth order, India and bigger States, 2011	62
37	Percentage distribution of current live births by birth order and residence, India and bigger States, 2011	63
38	Percentage distribution of second and higher order live births by interval, India and bigger States, 2011	64
39	Percentage distribution of second and higher order live births by interval and residence, India and bigger States, 2011	65
40	Percentage distribution of live births by type of medical attention received by the mother at delivery by residence, India and bigger States, 2011	66

Mortality Indicators

41	CDR (Crude death rate) by residence, India and bigger States, 2011	68
42	Percentage change in average crude death rate between 1999-01 and 2009-11, by residence, India and bigger States	70
43	CDR (Crude death rate) by sex and residence, India, 2011	72
44	CDR (Crude death rate) by sex, India and bigger States, 2011	72
45	Percentage distribution of deaths by broad age groups, India and bigger States, 2011	73
46	Percentage of infant deaths to total deaths by residence, India and bigger States, 2011	74

Page

47	IMR (Infant mortality rate) by sex and residence, India and bigger States, 2011	75
48	Percentage change in average IMR (Infant mortality rate) between 1999-01 and 2009-11 by residence, India and bigger States	78
49	Neo-natal mortality rate and percentage share of neo-natal deaths to infant deaths by residence, India and bigger States, 2011	79
50	Early neo-natal mortality rate and percentage share of early neo-natal deaths to infant deaths by residence, India and bigger States, 2011	80
51	Peri-natal mortality rate and Still birth rates by residence, India and bigger States, 2011	81
52	Percentage of deaths in the age group 0-4 years to total deaths by residence, India and bigger States, 2011	82
53	Estimated death rate for children age 0-4 years by sex and residence, India and bigger States, 2011	83
54	Under-five Mortality Rate by sex and residence, India and bigger States, 2011	84
55	Death rates for children age 5-14 years by sex and residence, India and bigger States, 2011	86
56	Death rate for persons age 15-59 years by sex and residence, India and bigger States, 2011	87
57	Death rate for persons age 60 years and above by sex and residence, India and bigger States, 2011	88
58	Percentage distribution of deaths by type of medical attention received before death by residence, India and bigger States, 2011	89

LIST OF CHARTS

		Page
1.	Flow chart	9
2.	Percentage distribution of population by broad age-groups and residence, India, 2011	13
3.	Percentage of child population (0-4 years) to total population by residence, India and bigger States, 2011	15
4.	Percentage of population age 0-14 years to total population by residence, India and bigger States, 2011	17
5.	Percentage of population age 15-59 years to total population by residence, India and bigger States, 2011	19
6	Percentage of population age 60+ to total population by residence, India and bigger States, 2011	21
7.	Mean age at effective marriage of female by residence, India, 2011	28
8.	CBR (Crude birth rate) by residence, India and bigger States, 2011	31
9.	Distribution of bigger States by values of birth rate for rural and urban areas, 2011	33
10.	Sex ratio at birth by residence, India and bigger States, 2009-2011	35
11.	GFR (General fertility rate) by residence, India and bigger States, 2011	38
12.	Distribution of bigger States by values of GFR (General fertility rate) for rural and urban areas, 2011	39
13.	ASFRs (Age-specific fertility rates) by residence, India, 2011	42
14.	Percentage cumulative ASFRs by residence, India, 2011	46
15.	TFR (Total fertility rate) by residence, India and bigger States, 2011	49
16.	Distribution of bigger States by values of TFR (Total fertility rate) for rural and urban areas, 2011	50
17.	TFR (Total fertility rate) by level of education of women by residence, India, 2011	61
18.	CDR (Crude death rate) by residence, India and bigger States, 2011	69
19.	Distribution of bigger States by values of death rate for rural and urban areas, 2011	71
20.	IMR (Infant mortality rate) by residence, India and bigger States, 2011	76
21.	Distribution of bigger States by IMR (Infant mortality rate) for rural and urban areas, 2011	77
22	U5MR (Under-five Mortality Rate) by residence, India and bigger States, 2011	85

D E F I N I T I O N S

Crude birth rate (CBR) = Number of live births during the year / Mid-year population x 1000

Age-specific fertility rate (ASFR) = Number of live births in a particular age-group / Mid-year female population of the same age-group x 1000

General fertility rate (GFR) = Number of live births in a year / Mid-year female population in the age-group (15-49) years x 1000

Total fertility rate (TFR) = $\frac{5 \times \sum_{15-19}^{45-49} \text{ASFR}}{1000}$

Gross reproduction rate (GRR) = $\frac{5 \times \sum_{15-19}^{45-49} \text{ASFR for female live births}}{1000}$

Age-specific marital fertility rate (ASMFR) = Number of live births in a particular age-group / Mid-year married female population of the same age-group x 1000

General marital fertility rate (GMFR) = Number of live births in a year / Mid-year married female population in the age-group (15-49) year x 1000

Total marital fertility rate (TMFR) = $\frac{5 \times \sum_{15-19}^{45-49} \text{ASMFR}}{1000}$

Crude death rate (CDR) = Number of deaths during the year / Mid-year population x 1000

Age-specific mortality rate (ASMR) = Number of deaths in a particular age-group / Mid-year population of the same age-group x 1000

Under-five Mortality Rate = The under-five mortality is the probability (${}_5q_0$) that a child born in a specific year or time period will die before reaching the age of five, subject to current age specific mortality rates. It is expressed as a rate per 1,000 live births.

Infant mortality rate (IMR) = Number of infant deaths during the year / Number of live births during the year x 1000

Infant mortality rate comprises of two parts viz. Neo-natal mortality rate and Post neo-natal mortality rate. The neo-natal mortality rate also comprises of two parts viz. Early neo-natal mortality rate and late neo-natal mortality rate. These are defined as:

Neo-natal mortality rate (NMR) = Number of infant deaths of < than 29 days during the year / Number of live births during the year x 1000

Early neo-natal mortality rate = Number of infant deaths of < than 7 days during the year / Number of live births during the year x 1000

Late neo-natal mortality rate = Number of infant deaths of 7 days to < than 29 days during the year / Number of live births during the year x 1000

Post neo-natal mortality rate (PNMR) = Number of infant deaths of 29 days to < than one year during the year / Number of live births during the year x 1000

Peri-natal mortality rate (PMR) = Number of still births and infant deaths of < than 7 days during the year / Number of live births and still births during the year x 1000

Still birth rate (SBR) = Number of still births during the year / Number of live births and still births during the year x 1000

FIGURES AT A GLANCE, INDIA - 2011

	Item	Total	Rural	Urban
I.	**Percentage distribution of population by broad age groups**			
	0-14	29.5	30.9	25.5
	15-59	62.5	61.0	66.6
	60+	8.0	8.1	7.9
II.	**Fertility Indicators**			
	Crude Birth Rate	21.8	23.3	17.6
	General Fertility Rate	81.2	88.9	62.0
	Age-specific Fertility Rate			
	15-19	30.7	35.3	16.5
	20-24	196.7	216.8	143.8
	25-29	153.4	163.7	129.6
	30-34	69.8	74.6	58.8
	35-39	26.4	30.2	16.8
	40-44	8.7	10.9	3.6
	45-49	2.8	3.6	1.0
	Total Fertility Rate	2.4	2.7	1.9
	Gross Reproduction Rate	1.2	1.3	0.9
	General Marital Fertility Rate	114.4	123.7	90.0
	Total Marital Fertility Rate	4.3	4.4	3.8
	Mean age at effective marriage for females	21.2	20.7	22.7
III.	**Total Fertility Rate by level of education of the mother**			
	Illiterate	3.3	3.4	2.5
	Literate	2.1	2.3	1.8
	Without any formal education	3.1	3.2	2.9
	Below primary	3.0	3.2	2.3
	Primary	2.5	2.7	2.2
	Middle	2.2	2.3	1.9
	Class X	1.8	1.9	1.6
	Class XII	1.5	1.7	1.3
	Graduate and above	1.6	1.8	1.5
IV.	**Percentage distribution of live births by birth order**			
	1	41.0	39.5	46.6
	2	31.4	30.8	33.5
	3	14.6	15.4	11.8
	4+	13.0	14.3	8.0

FIGURES AT A GLANCE, INDIA - 2011

	Item		Total	Rural	Urban
V.	Percentage distribution of Current live births by birth interval (in months)				
		10-12	1.7	1.7	1.4
		12-18	10.8	11.1	9.6
		18-24	15.0	15.6	12.5
		24-30	18.0	18.7	14.9
		30-36	12.2	12.6	10.4
		36+	42.4	40.2	51.2
VI.	Mortality Indicators				
	Crude Death Rate		7.1	7.6	5.7
	Percentage of infant deaths to total deaths		13.6	14.8	9.0
	Percentage of deaths of less than one week to total infant deaths		54.1	55.6	45.0
	Under-five Mortality Rate		55	61	35
	Infant Mortality Rate		44	48	29
	Neo-natal mortality rate		31	34	17
	Early neo-natal mortality rate		24	27	13
	Late neo-natal mortality rate		7	7	4
	Post neo-natal mortality rate		14	14	12
	Peri-natal Mortality Rate		30	33	19
	Still Birth Rate		6	6	6
VII.	Percentage distribution of births by type of medical attention at delivery				
	Government Hospital		45.2	43.2	52.4
	Private Hospital		21.4	17.5	35.5
	Qualified Professional		13.7	15.1	9.0
	Untrained Functionary and Others		19.6	24.2	3.1
VIII.	Percentage distribution of deaths by type of medical attention before death				
	Government Hospital		21.7	19.5	29.7
	Private Hospital		12.5	10.5	19.6
	Qualified Professional		37.8	38.6	35.1
	Untrained Functionary and Others		28.1	31.5	15.6

FIGURES AT A GLANCE, NATURAL DIVISIONS (RURAL) - 2011


Indicators	State	Natural Division	Max./Min.	Values
Birth rate				
	Madhya Pradesh	Vindhya	Maximum	32.2
	Kerala	Southern	Minimum	13.6
Death rate				
	Madhya Pradesh	Central	Maximum	11.6
	Jammu & Kashmir	Outer Hills	Minimum	4.4
Infant mortality rate				
	Madhya Pradesh	Central	Maximum	75
	Kerala	Southern	Minimum	12

FIGURES AT A GLANCE, FOUR METRO CITIES - 2009-11

Cities	Birth rate	Death rate	Infant mortality rate
Chennai	15.5	5.1	21
Delhi	18.1	4.4	32
Kolkata	9.8	6.5	19
Mumbai	15.0	5.9	20

Note : Birth rate, Death rate and Infant mortality rate for metro cities are for the period 2009-11

Trend of Birth rate, Death rate, Infant Mortality rate, Total Fertility rate, Sex ratio at Birth and Sex ratio of children (0-4 age group), India



EXECUTIVE SUMMARY

The Sample Registration System(SRS) is the largest demographic survey in the country mandated to provide annual estimates of fertility as well as mortality indicators at the State and National level. The present Report contains data on fertility and mortality indicators for the year 2011 for India and bigger States. The estimates are segregated by residence and also by gender wherever required.

2. The salient findings of the report are summarized below.

- The Crude Birth Rate(CBR) at the National level during 2011 stands at 21.8 exhibiting a decline of 0.3 points over 2010. The maximum CBR has been reported in respect of Uttar Pradesh (27.8) and the minimum in respect of Kerala (15.2).

- There has been a decline of 1.7 points in the CBR for the country during 2006-11. The corresponding decline in rural CBR has been to the extent of 1.9 points against 1.2 points in urban CBR.

- The Crude Death Rate(CDR)for the countryhas marginally declined to 7.1 in 2011 from 7.2 in 2010.The maximum CDR has been reported for Orissa (8.5) and the minimum for Delhi(4.3).

- During last five years, the decline in National CDR has been to the tune of 0.4 points. The corresponding decline in female CDR has been by 0.7 points against 0.2 points in male CDR.

- The Infant Mortality Rate(IMR) has also registered 3 points decline to 44 in 2011from 47 in 2010 at the National level. The maximum IMR has been observed in Madhya Pradesh (59) and the minimum in Kerala (12).During the corresponding period, Neo-natal Mortality Rate(NNMR) has declined by 2 points.

- IMR for the country has come down to 44 in 2011 from 57 in 2006, a decline of 13 points over last 5 years and an annual average decline of about 2.6 points. The corresponding decline in rural IMR has been to the tune of 14 points (62 in 2006 to 48 in 2011) against a decline of 10 points in urban IMR (39 in 2006 to 29 in 2011). Both the gender have shown similar decline in 2006-11.

- Despite this decline, one in every 23infant at the National level, one in every 21infant in rural areas and one in every 34infant in urban areas still die within one year of life.

- During 2011, U5MR for the country has shown a decline of 4 points over 2010 (55 in 2011 against 59 in 2010). There has been decline of 4 points in male U5MR and 5 points in female U5MR during the corresponding period.

- Sex Ratio at Birth for the country has gone up by 1pointto 906 in 2009-2011from 905 in 2008-2010.Chhattisgarh has reported the highest Sex Ratio at Birth (991) while Punjab, the lowest (841).

- After exhibiting an increasing trend in 2006-08, there after the Sex ratio of child (age group 0-4)for the country has been observed as stable at 914 in 2009-2011, The highestand the lowest Child Sex Ratio havealso been reported in Chhattisgarh (1018) and Haryana (836) respectively.

- The proportion of females getting married before legal age of marriage has declined to 3.7 percent as against 9.1 percent reported in 2006 at National level.


- Total Fertility Rate (TFR) for the country has declined to 2.4in 2011as against 2.5 in 2010. During 2011, Bihar has reported the highest TFR (3.6) while Tamil Nadu and West Bengal, the lowest (1.7). It is noteworthy that the replacement level TFR, viz 2.1, has been attained by Andhra Pradesh (1.8), Delhi (1.8), Himachal Pradesh (1.8), Jammu & Kashmir (1.9) Karnataka (1.9), Kerala (1.8), Maharashtra (1.8), Punjab (1.8), Tamil Nadu (1.7)& West Bengal (1.7).

- At present, a rural woman (having a TFR of 2.7) at the National level would have about one child more than an urban woman (having a TFR of 1.9), on average.


- During 2006-2011, there has been a decline of 0.4 points in TFR at the National level. The corresponding decline in rural and urban TFRs has been to the extent of 0.4 and 0.1 points respectively.


- In case of about 67 percent live births,the mothers have received the medical attention at delivery either atGovernment hospital or at Private hospital in 2011against the 61 percent in 2010.

- There has been a marginal increase of 0.3 percent in case of deaths wherethe deceased have received medical attention before death either atGovernment hospital or at Private hospital in 2011(34.2) over 2010 (33.9). There has been just an increase of about 6 percent in deaths where the deceased had received medical attention before death in hospitals during 2006-2011.



© Government of India Copyright, 2011.


INDIA
DEATH RATE BY NSS NATURAL DIVISIONS 2011
BOUNDARY, INTERNATIONAL
BOUNDARY, STATE / U.T.
BOUNDARY, NATURAL DIVISIONS
KILOMETRES
100 0 100 200 300 400
AFGHANISTAN
PAKISTAN
CHINA
NEPAL
BHUTAN
BANGLADESH
MYANMAR
SRI LANKA
INDIAN OCEAN
ARABIAN SEA
BAY OF BENGAL
ANDAMAN SEA
LAKSHADWEEP SEA
JAMMU & KASHMIR
JHELAM VALLEY
OUTER HILLS
MOUNTAINOUS
HIMACHAL PRADESH
NORTHERN
PUNJAB
SOUTHERN
EASTERN
UTTARAKHAND
HARYANA
WESTERN
RAJASTHAN
WESTERN
NORTH EASTERN
CENTRAL
UTTAR PRADESH
WESTERN
NORTHERN
EASTERN
SOUTHERN
BIHAR
SOUTH EASTERN
CENTRAL
VINDHYA
RANN OF KACHCHH
DRY AREA
SOUTHERN
PLAIN NORTHERN
MALWA
CENTRAL
MADHYA PRADESH
JHARKHAND
EASTERN PLAINS
GUJARAT
SOURASHTRA
SOUTH EASTERN
SOUTH WESTERN
SOUTH
CHHATTISGARH
WEST BENGAL
WESTERN PLAINS
CENTRAL PLAINS
NORTHERN
DAMAN & DIU
DADRA & NAGAR HAVELI
INLAND NORTHERN
INLAND EASTERN
EASTERN
ODISHA
COASTAL
COASTAL
INLAND CENTRAL
SOUTHERN
MAHARASHTRA
INLAND WESTERN
INLAND NORTHERN
ANDHRA PRADESH
COASTAL
INLAND NORTHERN
GOA
KARNATAKA
SOUTH WESTERN
COASTAL & GHATS
INLAND EASTERN
INLAND SOUTHERN
INLAND SOUTHERN
COASTAL NORTHERN
PUDUCHERRY
INLAND
NORTHERN
TAMIL NADU
KERALA
COASTAL
SOUTHERN
SOUTHERN
SIKKIM
HIMALAYAN
PLAINS WESTERN
ARUNACHAL PRADESH
PLAINS EASTERN
ASSAM
NAGALAND
MEGHALAYA
MANIPUR
TRIPURA
MIZORAM
A
DELHI
KILOMETRES
0 2 4 6
LAKSHADWEEP (INDIA)
ANDAMAN AND NICOBAR ISLANDS (INDIA)
Coco Is. (MYANMAR)
Narcondam I. (INDIA)
Barren I. (INDIA)
INDIRA POINT
New Moore I. (INDIA)
DEATH RATE AT NATURAL DIVISION LEVEL
7.0 AND BELOW
7.1 - 8.0
8.1 - 9.0
9.1 AND ABOVE
P - PUDUCHERRY
CH - CHANDIGARH
DATA NOT AVAILABLE
68° 72° 76° 80° 84° 88° 92° 96°
36° 32° 28° 24° 20° 16° 12° 8°
72° East of Greenwich 76° 80° 84° 88° 92°


INDIA
INFANT MORTALITY RATE BY NSS NATURAL DIVISIONS 2011
BOUNDARY, INTERNATIONAL
BOUNDARY, NATURAL DIVISIONS
BOUNDARY, STATE / U.T.
KILOMETRES
100 0 100 200 300 400
AFGHANISTAN
PAKISTAN
CHINA
NEPAL
BHUTAN
BANGLADESH
MYANMAR
SRI LANKA
INDIAN OCEAN
ARABIAN SEA
BAY OF BENGAL
ANDAMAN SEA
LAKSHADWEEP SEA
JAMMU & KASHMIR
JHELAM VALLEY
OUTER HILLS
MOUNTAINOUS
HIMACHAL PRADESH
NORTHERN
PUNJAB
SOUTHERN
EASTERN
UTTARAKHAND
HARYANA
WESTERN
RAJASTHAN
WESTERN
NORTH EASTERN
CENTRAL
WESTERN
UTTAR PRADESH
NORTHERN
EASTERN
BIHAR
NORTHERN
SOUTHERN
SOUTH EASTERN
CENTRAL
VINDHYA
RANN OF KACHCHH
DRY AREA
SOUTHERN
PLAIN NORTHERN
MALWA
CENTRAL
MADHYA PRADESH
JHARKHAND
EASTERN PLAINS
WEST BENGAL
WESTERN PLAINS
CENTRAL PLAINS
GUJARAT
SOURASHTRA
SOUTH EASTERN
SOUTH WESTERN
SOUTH
CHHATTISGARH
NORTHERN
DAMAN & DIU
DADRA & NAGAR HAVELI
INLAND NORTHERN
INLAND EASTERN
EASTERN
ODISHA
COASTAL
COASTAL
INLAND CENTRAL
SOUTHERN
MAHARASHTRA
INLAND WESTERN
INLAND NORTHERN
ANDHRA PRADESH
INLAND NORTHERN
COASTAL
GOA
KARNATAKA
SOUTH WESTERN
COASTAL & GHATS
INLAND EASTERN
INLAND SOUTHERN
INLAND SOUTHERN
COASTAL NORTHERN
PUDUCHERRY
INLAND
NORTHERN
TAMIL NADU
KERALA
COASTAL
SOUTHERN
SOUTHERN
SIKKIM
HIMALAYAN
PLAINS WESTERN
PLAINS EASTERN
ASSAM
NAGALAND
MEGHALAYA
MANIPUR
TRIPURA
MIZORAM
ARUNACHAL PRADESH
A
DELHI
KILOMETRES
0 2 4 6
LAKSHADWEEP (INDIA)
ANDAMAN AND NICOBAR ISLANDS (INDIA)
Coco Is. (MYANMAR)
Narcondam I. (INDIA)
Barren I. (INDIA)
INDIRA POINT
New Moore I. (INDIA)
INFANT MORTALITY RATE AT NATURAL DIVISION LEVEL
40 AND BELOW
41 - 60
61 - 70
71 AND ABOVE
P - PUDUCHERRY
CH - CHANDIGARH
DATA NOT AVAILABLE
68 72 76 80 84 88 92 96
36 32 28 24 20 16 12 8
East of Greenwich

CHAPTER - 1

INTRODUCTION

Registration of births and deaths is an important source for demographic data for socio-economic development and population control in developing countries. The data on population growth, fertility and mortality serves as the prime constituent for population projections. Apart from these vital indicators, an adequate evaluation of a number of programs in the health sector, including family planning, maternal and reproductive health, immunization programs, is dependent upon the availability of accurate, up-to-date fertility and mortality data. In India, the need for dependable demographic data was felt soon after independence heralding the era of five year planning. The registration of births and deaths started on voluntary basis and there was no uniformity in statistical returns resulting in both under-registration and incomplete coverage. In order to unify the Civil Registration activities, the Registration of Births & Deaths Act, 1969 was enacted. Despite having the registration of birth & death compulsory under the statute, the level of registration of births and deaths under the Act has continued to be far from satisfactory in several States/UTs. With a view to generate reliable and continuous data on these indicators, the Office of Registrar General, India, initiated the scheme of sample registration of births and deaths in India popularly known as Sample Registration System (SRS) in 1964-65 on a pilot basis and on full scale from 1969-70. The SRS since then has been providing data on a regular basis.

1.2 The demographic scenario in the country has been undergoing a change since the inception of SRS; however, the profile and rate of change is not uniform across all the States/UTs. Overall, the crude birth rate in the country has come down from 36.9 per one thousand population in 1971 to 21.8 in 2011, whereas the crude death rate has declined from 14.9 to a low of 7.1 in the same period. The infant mortality rate, which is an important indicator of the health status of the country, has registered a significant decline from 129 per one thousand live births in 1971 to 44 in 2011. During the period, the total fertility rate of the country has declined from 5.2 to 2.4. To fulfill its objective of monitoring the changes in vital indicators, the SRS sampling units are retained for about ten years, making it a panel household survey.

1.3 Various methods based on the application of sampling techniques have been tried and tested in many developing countries. Such methods include single and multi-round retrospective surveys and the dual record system. The SRS in India is based on a dual record system. The field investigation under Sample Registration System consists of continuous enumeration of births and deaths in a sample of villages/urban blocks by a resident part-time enumerator, and an independent six monthly retrospective survey by a full-time supervisor. The data obtained through these two sources are matched. The unmatched and partially matched events are re-verified in the field to get an unduplicated count of correct events. The advantage of this procedure, in addition to elimination of errors of duplication, is that it leads to a quantitative assessment of the sources of distortion in the two sets of records making it a self-evaluating technique.

1.4 The revision of SRS sampling frame is undertaken every ten years based on the results of latest census. While changing the sample, modifications in the sampling design; wider representation of population; overcoming the limitations in the existing scheme; meeting the additional requirements etc. are taken into account. The first replacement was carried out in 1977-78 and the last being in 2004. Whereas the

replacement of samples in earlier years was undertaken in phases spread over 2-3 years, the replacement in 2004 was done in one go within a year. The following table provides the sample size in different replacement period.

Statement 1
Number of sample units at different replacement period

Residence	1969-70	1977-78	1983-85	1993-95	2004
Rural	2432	3684	4176	4436	4433
Urban	1290	1738	1846	2235	3164
Total	3722	5422	6022	6671	7597

1.5 The earlier sample was based on the reliability of birth rate at the State level, whereas the 2004 sample is estimated using IMR reliability at natural division level. The present report 'SRS Statistical Report, 2011' is the eighth report of the new sample based on Census 2001 frame.

1.6 The main objective of SRS is to provide reliable estimates of birth rate, death rate and infant mortality rate at the natural division level for rural areas and at the State level for urban areas. Natural divisions are National Sample Survey (NSS) classified group of contiguous administrative districts with distinct geographical and other natural characteristics. It also provides data for other measures of fertility and mortality including total fertility, infant and child mortality rate at higher geographical levels.

1.7 In order to give more impetus covering both rural and urban areas and wider representation of sample villages and urban blocks for Causes of Death; the Survey of Causes of Deaths (Rural) has been merged with Sample Registration System from 1st January 1999. The primary objective of the survey is to build up statistics on "Most Probable Causes of Death" for rural and urban areas using "lay diagnosis reporting (Post Death Verbal Autopsy)" method through post death enquiry based on symptoms, conditions, duration and anatomical site of the disease as observed by family members of the deceased at the time of death. As the collection of causes of death requires knowledge on medical terminologies, symptoms of disease and interview techniques, the supervisors of SRS have been trained by medical professionals in the art of collection of data on causes of deaths. A well-designed VA instrument has been developed and introduced in SRS. Supervisors of all States have been trained with the new VA instrument. To enhance the objectivity of the system, the role of SRS supervisor is restricted to faithfully collect data on sign and symptoms by interviewing the close relative of the deceased. Apart from recording the responses for closed questionnaire, the supervisor has to fill up the narrative portion of the VA instrument. A special bulletin on levels of Maternal Mortality in India 2007–09 has been released.

Structure of the Sample Registration System

1.8 The main components of SRS are:

(i) Base-line survey of the sample units to obtain demographic details of the usual resident population of the sample areas;

(ii) Continuous (longitudinal) enumeration of vital events pertaining to usual resident population by the enumerator;

(iii) Independent retrospective half-yearly surveys for recording births and deaths which occurred during the half-year under reference and up-dating the Houselist, Household schedule and the list of women in the reproductive age group along with their pregnancy status by the Supervisor;

(iv) Matching of events recorded during continuous enumeration and those listed in course of half- yearly survey;

(v) Field verification of unmatched and partially matched events; and

(vi) Filling of Verbal Autopsy Forms for finalized deaths.

1.9 **Baseline Survey:** The base-line survey is carried out prior to the start of continuous enumeration. This involves preparation of a notional map of the area to be surveyed, house numbering and house listing and filling-in of a household schedule. The supervisor prepares a notional map with the help of the enumerator showing important landmarks and location of the houses to be covered in the sample unit. Subsequently, a list of houses/households to be covered by the sample in the House List (Form-1) is prepared and the Household Schedule (Form-2) is filled in. In the Household Schedule (Form-2), the residential status and other demographic particulars of each individual residing in the household viz. identification code, name, sex, date of birth, age, educational/marital status and relation to head of household, etc. are recorded. The inmates of public institutions like hotels, inns, schools and hospitals are excluded, but households living permanently within the compound of such institutions are covered. A list of all women in the reproductive span along with their pregnancy status is also prepared in Form 3 at the time of the base line survey.

1.10 **Continuous enumeration:** The enumerator maintains a Birth Record (Form 4) and a Death Record (Form 5) in respect of his/her area. The enumerator is expected to record all births and deaths occurring within the sample unit, as well as those of the usual residents occurring outside the sample unit. The events in respect of visitors occurring within the sample unit are also listed, but these are not taken into account while calculating rates. Thus, the events to be netted by the enumerator are those pertaining to: (i) usual residents inside the sample unit; (ii) usual residents outside the sample unit; (iii) in-migrants present; (iv) in-migrants absent; and (v) visitors inside the sample unit.

1.11 For ensuring complete netting, the enumerator uses different sources to get information of the occurrence of vital events in the sample unit. These include the help of the village priest, barber, village headman, midwife and such other functionaries. The enumerators maintain contact with these informants at frequent intervals and collects information about the occurrence of births and deaths. On being informed about the occurrence of an event, the enumerator visits the concerned household and records the prescribed particulars. The enumerator also keeps in touch with other socially important persons and visits local or nearby hospitals, nursing homes, cremation or burial grounds, at frequent intervals to keep updated about the occurrence of events. Besides, enumerator maintains and updates a list of all women in the reproductive span along with their pregnancy status, which helps in better netting of all the births. Despite all these efforts, the enumerator may miss information about some of the events and is, therefore, required to visit all the households once a month so as to ensure that all the events have been recorded.

1.12 **Half-yearly survey:** Half-yearly survey is carried out independently in each sample unit by a full-time supervisor. The supervisor belonging to the statistical cadre of the State Census Directorates (either a Compiler or a Sr. Compiler or a Statistical Investigator or any suitable official) visits each household in the sample unit and records

the particulars of births and deaths in Forms 9 & 10 respectively in respect of all the usual residents and visitors (only those occurring within the sample unit) which had occurred during the half-yearly period (January-June or July-December) under reference. Simultaneously, the house-list, the household schedule and the pregnancy status of women is updated by making entries of changes, if any. While carrying out this survey the supervisor does not have access to the birth and death records of the enumerator for the same periods which are withdrawn from the field before the supervisor's visit for the half yearly survey.

1.13 **Matching:** On completion of the half-yearly survey, the events captured in the Forms 9 & 10 (filled-in by the supervisors) are compared with those in the Forms 4 & 5 (filled-in by the enumerators). This is done at the office of Directorate of Census Operations for all States except for rural areas of Kerala and Maharashtra, where it is done at the Directorate of Economics and Statistics of the respective States. Selected important entries in the enumerator's and supervisor's record are matched item by item and events are classified as fully matched, partially matched and unmatched. The items generally considered for matching for birth events are: Identification code of the head of Household and mother, Relationship of the mother to head, date of live birth, month in case of still birth/abortion, sex in case of live birth /still birth and the items considered for death events are: identification code of the head of household and mother in infant death, relationship of the deceased to head, date of death and sex of the deceased.

1.14 **Field verification of unmatched and partially matched events:** Every unmatched or partially matched event is verified by a visit to the concerned household. This is done either by a third person or jointly by the supervisor and the enumerator, depending upon the availability of staff.

Sample design

1.15 The Sample design adopted for SRS is a uni-stage stratified simple random sample without replacement except in stratum II (larger villages) of rural areas, where two stage stratification has been applied. In rural areas of bigger States (population with ten million or more as per Census 2001), the NSS natural division is the first level of geographical stratification. The overall stratification in rural areas has been done on size of villages with villages having population less than 2,000 forming Stratum I and villages with population 2,000 or more forming Stratum II. Smaller villages with population less than 200 were excluded from the sampling frame in such a manner that the total population of villages so excluded did not exceed 2 per cent of the total population of the State. The number of sample villages in each State was allocated to the substrata proportionally to their size (population). The villages within each size stratum were ordered by the female literacy rate based on the Census 2001 data, and three equal size substrata were established. The sample villages within each substratum were selected at random with equal probability. In the case of villages of Stratum II, each sample village with a population of 2,000 or more was subdivided into two or more segments in a way that none of the segments cut across the Census Enumeration Blocks (CEBs) and the population of each segment formed by grouping the contiguous CEBs was approximately equal and did not exceed 2000. A frame of segments was then prepared and the selection of segments was done at random at the second sampling stage for the SRS enumeration.

1.16 In urban areas, the categories of towns/cities have been divided into four strata based on the size classes in contrast to the six strata in the earlier sampling frame. Towns with population less than one lakh have been placed under stratum I, towns/cities with population one lakh or more but less than 5 lakhs under stratum II,

towns/cities with population 5 lakh or more under stratum III and four metro cities of Delhi, Mumbai, Chennai and Kolkata as separate strata viz. stratum IV. The sampling unit in urban area is a Census Enumeration Block. The Census Enumeration Blocks within each size stratum were ordered by the female literacy rate based on the Census 2001 data, and three equal size substrata were established. The sample Census Enumeration Block within each substratum was selected at random with equal probability. A simple random sample of these enumeration blocks have been selected within each sub-strata without replacement from each of the size classes of towns/cities in each State/Union Territory.

Sample size

1.17 The Infant Mortality is the decisive indicator for estimation of sample size at Natural Division, the ultimate level for estimation and dissemination of indicators for rural areas. The permissible level of error has been taken as 10 prse (percentage relative standard error) at Natural Division level for rural areas and 10 prse at State level for urban areas, in respect of major States having population more than 10 million as per Census 2001. For minor States, 15 prse has been fixed at the total State level. By and large the above criteria has been followed, however, there have been a few exceptions, on account of operational constraints. Based on the above criteria, the number of units has been increased from 6671 to 7597 (4433 in rural and 3164 in urban areas). Statement 2 shows the number of sample units and population covered in 2011, separately for rural and urban areas of all the States and Union Territories.

Statement 2
Number of sample units and population covered
India, States and Union Territories, 2011

India/States/ Union territories	Number of sample units			Population covered (in'000)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
India	**7,597**	**4,433**	**3,164**	**7352**	**5383**	**1968**
Bigger States						
Andhra Pradesh	375	235	140	410	320	91
Assam	300	90	210	223	97	125
Bihar	330	200	130	370	302	68
Chhattisgarh	130	40	90	109	46	64
Delhi	200	10	190	168	21	147
Gujarat	365	215	150	369	288	81
Haryana	210	100	110	216	137	79
Jammu & Kashmir	260	150	110	227	178	50
Jharkhand	170	60	110	120	65	56
Karnataka	480	330	150	440	357	83
Kerala	250	150	100	353	287	66
Madhya Pradesh	340	220	120	326	252	74
Maharashtra	485	250	235	415	280	135
Odisha	405	290	115	344	276	68
Punjab	250	150	100	248	180	68
Rajasthan	350	250	100	344	292	52
Tamil Nadu	465	250	215	476	336	140
Uttar Pradesh	500	350	150	584	482	102
West Bengal	555	310	245	610	443	167
Smaller States						
Arunachal Pradesh	60	45	15	36	23	13
Goa	85	43	42	82	58	24
Himachal Pradesh	190	140	50	98	71	28
Manipur	150	110	40	139	114	25
Meghalaya	120	90	30	71	53	18
Mizoram	40	20	20	32	18	14
Nagaland	45	33	12	37	29	8
Sikkim	60	45	15	66	55	12
Tripura	80	60	20	114	102	13
Uttarakhand	150	100	50	116	85	30
Union Territories						
Andaman & Nicobar Islands	50	34	16	40	30	11
Chandigarh	35	5	30	34	11	23
Dadra & Nagar Haveli	30	22	8	42	36	5
Daman & Diu	20	13	7	28	23	4
Lakshadweep	12	6	6	15	10	4
Puducherry	50	17	33	48	27	21

Note: 'Total' population may not add up to 'Rural' and 'Urban' population due to rounding.

Estimation procedure

1.18 Estimates of population, births, deaths and infant deaths for natural division in rural areas for bigger States and at State level for smaller States separately for rural/urban areas for all States/UTs are obtained using unbiased method of estimation. The estimates of birth, death and infant death rates are obtained as the ratios of the 'estimated births to estimated population', 'estimated deaths to estimated population' and 'estimated infant deaths to estimated births' respectively expressed in terms of per thousand.

Organization

1.19 From 1995, the SRS is being implemented mainly through the Directorates of Census Operations in both rural and urban areas. However, in the States of Kerala and Maharashtra the implementation of field work and their monitoring for rural units has been entrusted to the Directorate of Economics & Statistics of the respective State Government and the urban units to the Directorate of Census Operations.

1.20 For continuous enumeration, there is a resident part-time enumerator for each of the sample unit, who is usually an anganwadi worker/teacher and is paid honorarium for this work. The independent retrospective half-yearly surveys are carried out by the full-time supervisors who are the regular staff of the State Directorate of Census Operations. One supervisor is usually assigned a set of 10 to 12 sample units for conducting half-yearly surveys. Each State headquarters have a complement of staff necessary for planning and organizing various field operations, imparting training to the field staff, effecting proper supervision and control, ensuring regular flow of returns from the field, forwarding of various returns to the Office of the Registrar General, India and for undertaking certain minimum tabulations.

1.21 At the National level, the Vital Statistics Division of the office of the Registrar General, India coordinates the implementation work, formulates and prescribes necessary standards, provides necessary instructions and guidance, undertakes tabulation, analysis and dissemination of data.

Training and Supervision

1.22 Before the commencement of work, requisite training is imparted to the enumerators to make them understand their role and responsibility. This is followed by trainings at periodic intervals to clarify the doubts and also to keep the enumerators update with the improvements introduced in the system from time to time. Besides, they are also provided with a manual of instructions for day-to-day consultation to remove the difficulties in course of work. Supervisors are also given necessary training with a view to enabling them to carry out the half-yearly surveys properly and efficiently. They are also provided with a manual of instructions for this purpose. In addition, various State officials associated with the implementation of the SRS are also given necessary training. There is a manual for the staff of the State headquarters which provides detailed instructions and guidance with regard to the various stages of work involved at the State level. The manual is very comprehensive and covers all aspects of the system.

1.23 Supervision of the field work is an important component of SRS. The supervisory level officials such as the Investigator, Assistant Director, Deputy Director, Joint Director and Director undertake this. Officers at the State headquarters undertake visits to sample units and inspect the work at the field level. Officers of Vital Statistics Division in the headquarters also undertake surprise checks and visits in SRS units for control of the quality of work.

SRS Forms and their flow

1.24 For collecting information on population and vital events various forms/schedules have been prescribed under the SRS. Depending upon various operations under the system, the following 17 types of forms are in use:

A. Baseline Survey Forms

Form 1: House List
Form 2: Household Schedule
Form 3: Pregnancy Status of women

B. Continuous Enumeration Forms

Form 4: Outcome of Pregnancy recorded by Enumerator (January-June/July-December)
Form 5: Deaths recorded by Enumerator (January-June/July-December)
Form 6: Monthly report of Outcome of Pregnancy
Form 7: Monthly report of Deaths

C. Half yearly Survey Forms


Form 9: Outcome of Pregnancy recorded by Supervisor (January-June/July-December)
Form 10: Deaths recorded by Supervisor (January-June/July-December)
Form 15: Distribution of usual resident population by age, sex and marital status (as on 1st July/1st January)
Form 16: Distribution of Female population by broad age groups and levels of education (as on 1st July/1st January)
Form 17: Number of females who got married by age at effective marriage (January-June/July-December)

D. Compilation/Tabulation Forms

Form 8: Consolidated monthly report on births and deaths
Form 11: Finalised list of Outcome of Pregnancy (January-June/July-December)
Form 12: Finalised list of Deaths (January-June/July-December)
Form 13: Results of the HYS for Outcome of Pregnancy (January-June/July-December)
Form 14: Results of the HYS for Deaths (January-June/July-December)

1.25 The enumerator records the details of each birth and death event occurred during the reference period in Forms 4 and 5 respectively on a continuous basis. A monthly report on births and deaths (Forms 6 and 7) is required to be sent by the enumerators to the State headquarters in the first week of the following month. The relevant entries of birth and death records in monthly report are copied from six monthly records and sent to the State headquarter. On the basis of the monthly reports received from the sample units, the State headquarters are required to prepare a consolidated monthly report (Form 8) and forward the same to the Office of the Registrar General, India by the end of the following month. The monthly reports for the individual units remain at the State headquarters. The supervisor records the details of each birth and death event occurring during the six-month reference period in Forms 9 and 10 respectively. After matching of each birth and death event recorded in Forms 4 and 5 with those in Forms 9 and 10 and verification of partially and unmatched events in the field, finalized Forms 11 and 12 are prepared after necessary corrections and inclusion of additional events recorded during the survey. These forms are sent to the Office of the Registrar General, India along with the half-yearly survey results in Forms 13, 14, 15, 16 and 17. Flow chart of SRS returns is shown in Chart 1.

Chart 1: Flow chart



CHAPTER - 2

POPULATION COMPOSITION

The data on population by age and sex is vital for demographers, health administrators etc. for planning and evaluation of various developmental and health programs. The classification of rural/urban, sex and marital status by age unveils the characteristics of population composition and provides disaggregated data for target oriented projects. Being one of the most important demographic characteristics, data on age is collected and updated in both half-yearly surveys of SRS for all the members of the household covered in the sample units.

2.2 As per available data from SRS, there has been a gradual decline in the share of population in the age group 0-14 from 41.2 to 38.1 per cent during 1971 to 1981 and 36.3 to 29.5 percent during 1991 to 2011, whereas, the proportion of economically active population (15-59 years) has increased from 53.4 to 56.3 percent during 1971 to 1981 and 57.7 to 62.5 per cent during 1991 to 2011. On account of better education, health facilities and increase in life expectancy, the percentage of elderly population (60+) has gone up from 5.3 to 5.7 percent and 6.0 to 8.0 percent respectively during the periods under reference. Marital status and Female mean age at marriage are essential constituents to monitor fertility and population growth. The data on marital status has been included in SRS from 1991, whereas on Female mean age at marriage is from 1990. There is a marginal increase in the proportion of married Female from 45.7 in 1991 to 48.9 in 2011, whereas the proportion of widowed/divorced/separated female has remained stagnant at 8.2. The mean age at effective marriage for Female has improved from 19.3 years in 1990 to 21.2 years in 2011.

2.3 This chapter provides data on percentage distribution of population by age, sex and residence for all broad age groups from 0-4, 0-14, 15-59 and 60+ for India and bigger States. It also includes data on percentage distribution of population by marital status for total population, 10+ and 15+ ages by sex and residence. The state-wise variations in Female age at effective marriage and their corresponding proportions have also been presented in this chapter.

Age composition

2.4 Age composition by residence and broad age groups 0-14, 15-59 and 60+ for the year 2011 at the National level is shown below in Statement 3. The age group 0-14 is further sub-categorized into the age groups 0-4, 5-9 and 10-14. It is observed that for most of the age groups, Male-Female differences in the age distribution of population are negligible except in the combined age-group of 0-14, 15-59, 60+ & 65+. In the age-group 0-14, Male population is about one percent more than Female, whereas in the age-group 60+ as also 65+, percentage of Female is 0.7 percent more than Male. The proportion of young children in the age group 0-4 and also the proportion of population in the age group 0-14 are higher in rural areas than in urban areas both for Male and Female. A higher proportion of Male and Female in the working age group 15-59 live in urban areas as compared to rural areas. Chart 2 gives pictorial presentation of data shown in Statement 3. Table 1 gives percentage distribution of estimated population by quinquennial age groups, sex and residence for India and bigger States.


Statement 3

Percentage distribution of population by broad age groups to total population by sex and residence, India, 2011

Residence	Sex	Broad age groups (years)							
		0-4	5-9	10-14	0-14	15-59	60+	15-64	65+
Total	Total	9.7	9.2	10.5	29.5	62.5	8.0	65.2	5.3
	Male	9.9	9.4	10.7	30.0	62.2	7.7	65.0	5.0
	Female	9.5	9.0	10.3	28.8	62.8	8.4	65.5	5.7
Rural	Total	10.3	9.5	11.0	30.9	61.0	8.1	63.7	5.4
	Male	10.5	9.7	11.3	31.5	60.7	7.8	63.4	5.1
	Female	10.1	9.4	10.8	30.3	61.3	8.4	63.9	5.8
Urban	Total	8.2	8.3	9.0	25.5	66.6	7.9	69.4	5.1
	Male	8.3	8.6	9.2	26.1	66.2	7.6	69.1	4.8
	Female	8.0	8.1	8.8	24.9	66.9	8.2	69.7	5.5

Note: Total percentage may not add to 100 on account of rounding in broad age groups

Chart 2 : Percentage distribution of population by broad age groups and residence, India, 2011




2.5 Percentages share of population in the selected age groups for bigger States by residence and sex are given in Statements 4 to 7. Statement 4 gives the percentage of population below 5 years of age. At the National level, 8.2 percent population in urban areas constitutes below 5 years of age as against 10.3 percent for rural area. Sex differences in the share of child population are negligible both in rural and urban areas. The share of male child population is about 1 percent higher in rural area of Kerala. Among the bigger States, the percentage of child population in rural areas varies from 7.5 in Kerala to 13.5 in Bihar. In urban areas, such variation is from 5.7 in Jammu and Kashmir to 10.2 in Bihar. Chart 3 shows the pictorial presentation of percentage of child population for bigger States.

Statement 4

Percentage of population in the age group 0-4 years to total population by sex and residence, India and bigger States, 2011

India and bigger States	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	**9.7**	**9.9**	**9.5**	**10.3**	**10.5**	**10.1**	**8.2**	**8.3**	**8.0**
Andhra Pradesh	8.1	8.3	7.9	8.2	8.4	8.1	7.9	8.2	7.6
Assam	10.5	10.5	10.4	11.0	11.0	10.9	7.6	7.6	7.6
Bihar	13.2	13.2	13.1	13.5	13.6	13.4	10.2	10.3	10.1
Chhattisgarh	10.7	10.5	10.8	11.1	11.0	11.3	8.6	8.6	8.5
Delhi	9.0	8.9	9.0	10.5	10.6	10.5	8.7	8.6	8.8
Gujarat	8.9	9.1	8.7	9.4	9.7	9.2	8.0	8.2	7.8
Haryana	9.7	10.0	9.4	10.0	10.3	9.7	9.1	9.4	8.7
Himachal Pradesh	8.0	8.4	7.6	8.2	8.6	7.7	5.8	5.7	5.8
Jammu & Kashmir	7.7	8.0	7.3	8.2	8.5	7.8	5.7	6.0	5.5
Jharkhand	10.7	10.8	10.5	11.2	11.3	11.0	8.4	8.6	8.3
Karnataka	8.6	8.9	8.4	8.9	9.1	8.6	8.2	8.5	7.9
Kerala	7.5	8.0	7.1	7.5	8.0	7.1	7.5	8.0	7.0
Madhya Pradesh	10.6	10.6	10.6	11.0	11.0	11.0	9.1	9.2	8.9
Maharashtra	9.2	9.5	8.9	9.7	10.2	9.3	8.4	8.6	8.3
Odisha	9.1	9.4	8.9	9.4	9.7	9.1	7.5	7.6	7.3
Punjab	8.3	8.5	8.2	8.2	8.5	7.9	8.5	8.4	8.6
Rajasthan	10.9	11.2	10.6	11.5	11.8	11.2	9.0	9.2	8.7
Tamil Nadu	7.7	8.0	7.5	7.9	8.2	7.5	7.6	7.9	7.3
Uttar Pradesh	11.0	11.2	10.7	11.5	11.7	11.2	8.8	8.9	8.7
West Bengal	8.1	8.1	8.1	8.8	8.8	8.9	6.1	6.1	6.2

Chart 3 : Percentage of child population (0-4 years) to total population by residence, India and bigger States, 2011




2.6 Percentage of population of age less than 15 years for India and bigger States by sex and residence is given below in Statement 5. At the National level, 30.9 percent of rural population in the year 2011 is below 15 years of age against 25.5 percent for urban areas. Percentage of population below 15 years of age in rural areas varies from 23.3 in Kerala to 37.9 in Bihar. In urban areas, it varies from 20.2 in Jammu & Kashmir and West Bengal to 31.7 in Bihar. Chart 4 gives the pictorial presentation of percentage of persons below 15 years of age for bigger States by residence.

Statement 5

Percentage of population in the age group 0-14 years to total population by sex and residence, India and bigger States, 2011

India and bigger States	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	**29.5**	**30.0**	**28.8**	**30.9**	**31.5**	**30.3**	**25.5**	**26.1**	**24.9**
Andhra Pradesh	24.6	25.3	23.8	24.9	25.6	24.2	23.8	24.6	22.9
Assam	31.1	31.2	31.0	32.3	32.5	32.2	23.9	23.8	24.0
Bihar	37.3	37.4	37.1	37.9	38.0	37.8	31.7	31.7	31.7
Chhattisgarh	30.9	30.9	31.0	31.9	31.8	31.9	26.8	27.2	26.4
Delhi	27.9	27.9	28.0	31.1	31.6	30.6	27.4	27.2	27.5
Gujarat	27.8	28.6	27.0	29.2	30.1	28.4	25.5	26.2	24.7
Haryana	29.3	30.6	27.9	30.0	31.2	28.6	27.9	29.2	26.4
Himachal Pradesh	25.2	26.5	24.0	25.6	27.0	24.3	21.3	21.8	20.7
Jammu & Kashmir	25.6	26.4	24.9	27.1	27.8	26.3	20.2	21.0	19.3
Jharkhand	33.5	33.7	33.2	34.7	35.0	34.4	28.2	28.3	28.1
Karnataka	25.7	26.6	24.8	26.1	27.0	25.2	24.9	25.9	23.9
Kerala	23.2	24.8	21.7	23.3	24.9	21.8	22.8	24.4	21.4
Madhya Pradesh	32.1	32.2	31.9	33.1	33.2	33.1	28.3	28.8	27.7
Maharashtra	27.2	28.0	26.3	28.8	29.7	27.8	25.0	25.7	24.3
Odisha	27.7	28.4	27.0	28.3	29.0	27.5	24.3	24.7	23.9
Punjab	25.6	26.6	24.4	25.6	26.9	24.3	25.4	26.2	24.6
Rajasthan	32.5	33.2	31.8	33.9	34.5	33.1	28.3	28.9	27.6
Tamil Nadu	23.4	24.2	22.6	24.1	24.9	23.3	22.5	23.2	21.8
Uttar Pradesh	33.7	34.1	33.2	34.7	35.2	34.2	29.2	29.6	28.8
West Bengal	25.5	25.5	25.5	27.5	27.4	27.6	20.2	20.4	20.0

Chart 4: Percentage of population age 0-14 years to total population by residence, India and bigger States, 2011




2.7 Statement 6 given below provides percentage of population in the working age group 15-59 years for India and bigger States by sex and residence. At the National level, the age group 15-59 contributes 61.0 percent in rural areas and 66.6 percent population in urban areas. In rural areas the percentage varies from 55.2 in Bihar to 65.6 in Andhra Pradesh. In urban areas the same varies from 61.1 in Bihar to 70.0 percent in Jammu & Kashmir and Himachal Pradesh. Chart 5 gives the pictorial presentation of percentage of population in the age group 15-59 years by residence.

Statement 6

Percentage of population in the working age group 15-59 years by sex and residence, India and bigger States, 2011

India and bigger States	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	**62.5**	**62.2**	**62.8**	**61.0**	**60.7**	**61.3**	**66.6**	**66.2**	**66.9**
Andhra Pradesh	66.6	66.4	66.8	65.6	65.5	65.6	69.0	68.5	69.6
Assam	62.8	62.5	63.0	61.6	61.4	61.9	69.5	69.3	69.7
Bihar	55.8	55.4	56.2	55.2	54.8	55.6	61.1	61.2	61.1
Chhattisgarh	61.9	62.3	61.5	60.8	61.3	60.3	66.9	66.8	67.0
Delhi	66.2	66.5	65.8	63.5	63.2	63.7	66.6	67.0	66.2
Gujarat	63.9	63.9	64.0	62.2	62.0	62.3	66.7	66.6	66.8
Haryana	63.6	62.8	64.4	62.8	62.1	63.5	65.4	64.5	66.5
Himachal Pradesh	64.4	63.1	65.7	63.9	62.4	65.3	70.0	69.4	70.7
Jammu & Kashmir	65.9	65.1	66.8	64.9	64.0	65.8	70.0	69.2	70.8
Jharkhand	59.9	59.6	60.1	58.7	58.4	59.0	64.9	64.6	65.2
Karnataka	65.9	65.5	66.3	65.0	64.7	65.2	67.6	66.9	68.2
Kerala	64.3	63.4	65.0	64.1	63.3	64.9	64.7	63.8	65.6
Madhya Pradesh	60.8	61.0	60.7	59.7	60.0	59.4	64.8	64.5	65.1
Maharashtra	63.6	63.2	64.0	61.0	60.6	61.4	67.1	66.7	67.5
Odisha	63.0	62.5	63.5	62.2	61.6	62.8	67.6	67.5	67.7
Punjab	64.9	64.3	65.6	64.5	63.7	65.3	65.7	65.3	66.2
Rajasthan	60.2	60.2	60.3	58.9	58.9	59.0	64.4	64.4	64.4
Tamil Nadu	66.1	65.7	66.4	65.0	64.6	65.4	67.5	67.1	67.8
Uttar Pradesh	59.5	59.3	59.7	58.4	58.2	58.6	64.3	64.0	64.5
West Bengal	66.3	66.3	66.2	65.0	65.2	64.8	69.6	69.3	70.0

Chart 5: Percentage of population age 15-59 years to total population by residence, India and bigger States, 2011




2.8 Percentage of aged persons (60 years and above) for India and bigger States by sex and residence is given below in Statement 7. At the National level, percentage of aged (60+) population is 8.0. Composition of 60+ aged female population is higher in all of the bigger States except Assam, Bihar, Himachal Pradesh, Jammu & Kashmir and Jharkhand. In rural areas population in the age group 60+ constitutes 8.1 percent of the total population and variation in aged population ranges from 5.4 percent in Delhi to 12.6 percent in Kerala. The urban proportion of aged population in most of the States is lower than the corresponding rural share except for Assam, Bihar, Delhi, Jammu & Kashmir, Jharkhand, Rajasthan, and West Bengal. The Pictorial presentation of percentage of old age population by residence for bigger States is given in Chart 6.

Statement 7

Percentage of population in the age group 60 years and above to total population by sex and residence, India and bigger States, 2011

India and bigger States	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	**8.0**	**7.7**	**8.4**	**8.1**	**7.8**	**8.4**	**7.9**	**7.6**	**8.2**
Andhra Pradesh	8.8	8.3	9.4	9.5	8.9	10.2	7.2	6.9	7.5
Assam	6.1	6.2	6.0	6.0	6.1	5.9	6.6	6.8	6.4
Bihar	7.0	7.2	6.7	6.9	7.2	6.6	7.2	7.1	7.3
Chhattisgarh	7.2	6.8	7.6	7.4	7.0	7.8	6.3	6.0	6.6
Delhi	5.9	5.7	6.2	5.4	5.2	5.7	6.0	5.8	6.3
Gujarat	8.3	7.6	9.0	8.6	7.9	9.3	7.8	7.1	8.5
Haryana	7.1	6.6	7.6	7.3	6.7	7.9	6.7	6.4	7.1
Himachal Pradesh	10.4	10.4	10.3	10.5	10.6	10.5	8.7	8.8	8.6
Jammu & Kashmir	8.4	8.5	8.3	8.0	8.2	7.9	9.9	9.8	9.9
Jharkhand	6.7	6.7	6.6	6.6	6.6	6.6	6.9	7.1	6.8
Karnataka	8.4	7.9	8.9	8.9	8.3	9.5	7.5	7.2	7.9
Kerala	12.6	11.8	13.3	12.6	11.8	13.4	12.4	11.8	13.0
Madhya Pradesh	7.1	6.8	7.4	7.2	6.9	7.5	7.0	6.7	7.3
Maharashtra	9.3	8.8	9.7	10.3	9.7	10.9	7.9	7.6	8.2
Odisha	9.3	9.1	9.5	9.5	9.3	9.7	8.1	7.8	8.5
Punjab	9.5	9.1	10.0	9.9	9.4	10.5	8.8	8.5	9.2
Rajasthan	7.2	6.6	7.9	7.2	6.6	7.9	7.4	6.7	8.0
Tamil Nadu	10.5	10.2	10.9	10.9	10.5	11.3	10.1	9.7	10.5
Uttar Pradesh	6.8	6.6	7.1	6.9	6.7	7.2	6.5	6.3	6.7
West Bengal	8.2	8.2	8.2	7.5	7.4	7.6	10.1	10.3	10.0

Chart 6: Percentage of population aged 60+ to total population by residence, India and bigger States, 2011



Marital Status

2.9 Besides age, the other important demographic characteristic collected and subsequently updated during each half yearly survey of the SRS is the marital status. Distribution of the population by marital status is thus available from SRS.

2.10 Statement 8 given below shows the percentage distribution of population by sex and marital status for India and bigger States for the year 2011. During this year, 47.8 percent of the population at the National level is reported as never married. Married population constitutes 47.0 percent of the total population whereas widowed/divorced/separated constitutes 5.2 percent. The proportion of W/D/S female population is higher than males at the National level as well as in the bigger States. The gap is significantly wide in respect of Andhra Pradesh, Karnataka, Kerala, Maharashtra, West Bengal and Tamil Nadu. Andhra Pradesh (52.9) recorded the highest percentage of married population whereas the lowest was recorded for Uttar Pradesh (41.6). Married Females recorded a higher percentage as compared to Males at the National level and similarly for all of the bigger States. The percentage distribution of population by sex, marital status, residence and age-group for India and bigger States is detailed in Table-2.

Statement 8

Percentage distribution of population by marital status and sex, India and bigger States, 2011

India and bigger States	Never married			Married			W/D/S		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	**47.8**	**52.5**	**42.9**	**47.0**	**45.2**	**48.9**	**5.2**	**2.3**	**8.2**
Andhra Pradesh	40.1	45.3	34.8	52.9	52.1	53.7	7.0	2.6	11.5
Assam	52.9	57.5	48.2	42.2	40.8	43.6	4.9	1.7	8.2
Bihar	53.5	57.4	49.4	43.0	40.3	45.9	3.5	2.3	4.7
Chhattisgarh	46.4	49.8	43.0	47.9	47.6	48.3	5.6	2.6	8.7
Delhi	49.4	52.3	46.1	47.0	45.8	48.3	3.6	1.9	5.6
Gujarat	44.6	48.7	40.3	50.1	48.6	51.7	5.3	2.7	8.0
Haryana	47.6	52.6	41.9	48.1	45.2	51.2	4.4	2.2	6.8
Himachal Pradesh	45.4	51.1	40.0	48.7	46.4	50.9	5.9	2.5	9.2
Jammu & Kashmir	53.7	57.3	49.9	42.1	40.3	44.1	4.1	2.4	6.0
Jharkhand	52.0	55.8	47.9	44.0	42.3	45.8	4.0	1.9	6.3
Karnataka	44.9	51.2	38.6	48.1	47.1	49.1	7.0	1.6	12.3
Kerala	41.6	48.6	35.2	51.2	49.9	52.3	7.2	1.5	12.4
Madhya Pradesh	48.7	52.5	44.6	46.6	44.8	48.5	4.7	2.6	6.9
Maharashtra	43.8	49.0	38.3	50.5	49.0	52.2	5.7	2.0	9.5
Odisha	46.0	50.4	41.6	48.0	47.1	48.9	6.0	2.5	9.5
Punjab	46.8	51.8	41.3	48.4	45.5	51.6	4.8	2.7	7.1
Rajasthan	48.4	52.6	43.9	47.4	45.4	49.5	4.2	2.0	6.6
Tamil Nadu	41.9	47.5	36.3	50.5	50.0	51.0	7.6	2.5	12.6
Uttar Pradesh	54.3	58.5	49.6	41.6	38.7	44.7	4.1	2.8	5.7
West Bengal	43.7	48.6	38.5	50.8	49.7	51.9	5.5	1.6	9.6

W/D/S- Widowed/Divorced/Separated

Note: Total may not add to 100 due to rounding

2.11 Persons below 10 years of age, in the SRS, are being treated as unmarried. Marital distribution of population would be more meaningful if such percentages are worked out for persons of age 10 years and above. Statement 9 given below provides percentage distribution of population for age 10 years and above by marital status and sex for India and bigger States. At the National level, the percent share of married population is 58.0. Among the bigger States Jammu & Kashmir (50.1) recorded the lowest percentage of married population whereas the highest percentage was recorded for Andhra Pradesh (62.7).

Statement 9
Percentage distribution of population age 10+ by marital status and sex
India and bigger States, 2011

India and bigger States	Never married			Married			W/D/S		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	**35.6**	**41.1**	**29.9**	**58.0**	**56.0**	**60.0**	**6.4**	**2.8**	**10.1**
Andhra Pradesh	28.9	34.8	23.1	62.7	62.1	63.4	8.3	3.1	13.6
Assam	41.0	46.6	35.0	52.9	51.2	54.7	6.1	2.2	10.2
Bihar	38.6	43.7	33.2	56.8	53.2	60.6	4.6	3.1	6.2
Chhattisgarh	32.3	36.7	28.0	60.6	60.1	61.0	7.1	3.3	10.9
Delhi	38.1	41.7	34.0	57.5	56.0	59.2	4.4	2.3	6.9
Gujarat	32.4	37.0	27.6	61.1	59.7	62.6	6.5	3.4	9.8
Haryana	35.2	40.9	28.9	59.4	56.4	62.7	5.4	2.7	8.4
Himachal Pradesh	34.7	40.9	28.9	58.2	56.1	60.3	7.0	3.0	10.9
Jammu & Kashmir	45.0	48.9	40.9	50.1	48.2	52.0	4.9	2.9	7.1
Jharkhand	39.1	43.8	34.2	55.8	53.8	57.8	5.1	2.4	8.0
Karnataka	33.9	41.1	26.7	57.8	57.0	58.6	8.4	2.0	14.7
Kerala	31.3	38.8	24.6	60.2	59.4	60.9	8.5	1.8	14.5
Madhya Pradesh	35.3	40.1	30.2	58.7	56.6	61.1	5.9	3.3	8.7
Maharashtra	31.5	37.4	25.4	61.6	60.1	63.1	6.9	2.5	11.5
Odisha	34.3	39.3	29.4	58.3	57.6	59.1	7.3	3.1	11.5
Punjab	36.2	41.8	30.0	58.1	54.9	61.5	5.7	3.2	8.5
Rajasthan	34.9	39.8	29.7	59.8	57.6	62.1	5.3	2.6	8.3
Tamil Nadu	31.4	37.7	25.3	59.6	59.3	59.9	9.0	3.0	14.8
Uttar Pradesh	41.9	47.1	36.3	52.8	49.4	56.5	5.3	3.5	7.1
West Bengal	32.8	38.8	26.5	60.6	59.3	62.0	6.6	1.9	11.4

W/D/S- Widowed/Divorced/Separated

Note: Total may not add to 100 due to rounding

2.12 Statement 10 placed below shows the percentage distribution of Female age 10 years and more by marital status and residence. At the National level, 60.0 per cent of such females are married. The proportion of married female is higher in rural areas than that of urban areas in majority of the bigger states. However the trend in the States of Andhra Pradesh, Assam, Gujarat, Haryana, Jammu & Kashmir, Karnataka, Kerala, Punjab and Tamil Nadu is otherwise. Among the bigger States the lowest percentage of married female is found to be in Jammu & Kashmir (52.0) and the highest in Andhra Pradesh (63.4). Percentage of never married Female age 10+ in the bigger States varies from 23.1 in Andhra Pradesh to 40.9 in Jammu & Kashmir. The percentage of female in the category Widowed/Divorced/Separated varies from 6.2 in Bihar to 14.8 in Tamil Nadu.

Statement 10

Percentage distribution of Female age 10+ by marital status and residence India and bigger States, 2011

India and bigger States	Never married			Married			W/D/S		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
India	**29.9**	**29.9**	**29.9**	**60.0**	**60.0**	**59.9**	**10.1**	**10.1**	**10.2**
Andhra Pradesh	23.1	22.3	25.0	63.4	63.0	64.1	13.6	14.7	10.9
Assam	35.0	35.3	33.6	54.7	54.5	55.8	10.2	10.2	10.6
Bihar	33.2	33.1	34.4	60.6	60.8	58.2	6.2	6.1	7.4
Chhattisgarh	28.0	27.3	31.2	61.0	61.7	58.2	10.9	11.0	10.6
Delhi	34.0	33.5	34.1	59.2	60.1	59.0	6.9	6.3	7.0
Gujarat	27.6	28.0	27.0	62.6	61.9	63.9	9.8	10.2	9.1
Haryana	28.9	28.9	29.0	62.7	62.4	63.4	8.4	8.7	7.7
Himachal Pradesh	28.9	28.6	31.7	60.3	60.3	59.9	10.9	11.1	8.4
Jammu & Kashmir	40.9	41.5	38.5	52.0	51.7	53.2	7.1	6.7	8.3
Jharkhand	34.2	34.2	34.4	57.8	57.8	57.7	8.0	8.0	7.9
Karnataka	26.7	26.1	27.8	58.6	58.1	59.4	14.7	15.8	12.9
Kerala	24.6	24.6	24.5	60.9	60.8	61.5	14.5	14.6	14.0
Madhya Pradesh	30.2	29.6	32.2	61.1	61.8	58.4	8.7	8.6	9.4
Maharashtra	25.4	23.2	28.3	63.1	64.4	61.4	11.5	12.4	10.3
Odisha	29.4	29.2	30.7	59.1	59.2	58.4	11.5	11.6	10.9
Punjab	30.0	30.5	29.2	61.5	60.8	62.7	8.5	8.7	8.1
Rajasthan	29.7	29.9	29.1	62.1	62.1	61.9	8.3	8.0	8.9
Tamil Nadu	25.3	25.3	25.3	59.9	59.2	60.8	14.8	15.5	13.9
Uttar Pradesh	36.3	35.7	38.9	56.5	57.2	53.6	7.1	7.1	7.5
West Bengal	26.5	26.7	26.3	62.0	62.4	61.0	11.4	10.9	12.7

W/D/S- Widowed/Divorced/Separated

Note: Total may not add to 100 due to rounding

2.13 Statement 11 given below presents the marital distribution of female population age 15 years and above by residence. At the National level, 68.6 percent of married females exists in age 15+ and 69.3 percent comes under rural areas. Among the bigger States, percentage of such married female varies from 58.7 in Jammu & Kashmir to 73.0 in Bihar. The percentage of never married female varies from 14.5 in Andhra Pradesh to 33.3 in Jammu & Kashmir. The maximum percentage of Widowed/Divorced/Separated females is in Karnataka (16.4) and the minimum 7.5 in Bihar.

Statement 11

Percentage distribution of Female age 15+ by marital status and residence India and bigger States, 2011

India and bigger States	Never married			Married			W/D/S		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
India	**19.8**	**19.0**	**21.7**	**68.6**	**69.3**	**66.9**	**11.6**	**11.6**	**11.4**
Andhra Pradesh	14.5	13.2	17.3	70.5	70.4	70.7	15.1	16.4	12.0
Assam	24.9	24.7	26.2	63.2	63.5	62.0	11.8	11.9	11.8
Bihar	19.5	19.0	23.3	73.0	73.6	68.0	7.5	7.4	8.7
Chhattisgarh	17.5	16.3	22.6	70.0	71.0	65.6	12.5	12.7	11.9
Delhi	25.1	24.0	25.3	67.1	68.8	66.8	7.8	7.2	7.9
Gujarat	18.2	17.9	18.8	70.7	70.6	71.0	11.0	11.6	10.1
Haryana	19.4	19.0	20.4	71.1	71.1	71.0	9.5	9.9	8.6
Himachal Pradesh	21.0	20.6	25.0	66.9	67.0	65.8	12.1	12.3	9.3
Jammu & Kashmir	33.3	33.5	32.7	58.7	58.8	58.2	8.0	7.7	9.1
Jharkhand	22.0	21.2	24.9	68.6	69.2	66.1	9.4	9.6	9.0
Karnataka	18.3	17.4	20.0	65.3	65.0	65.7	16.4	17.6	14.2
Kerala	17.3	17.3	17.3	66.8	66.7	67.3	15.9	16.0	15.4
Madhya Pradesh	18.6	17.3	22.8	71.2	72.6	66.5	10.2	10.1	10.7
Maharashtra	16.3	13.0	20.7	70.8	73.0	68.0	12.9	14.0	11.4
Odisha	19.9	19.5	22.8	67.0	67.3	65.1	13.1	13.2	12.2
Punjab	22.4	22.8	21.7	68.2	67.6	69.3	9.4	9.7	9.0
Rajasthan	17.7	17.2	19.5	72.6	73.4	70.4	9.7	9.5	10.2
Tamil Nadu	17.7	17.4	18.1	65.9	65.4	66.6	16.3	17.2	15.3
Uttar Pradesh	24.6	23.4	29.5	67.0	68.2	61.9	8.5	8.4	8.7
West Bengal	17.4	16.5	19.7	69.8	71.1	66.5	12.8	12.4	13.9

W/D/S- Widowed/Divorced/Separated

Note: Total may not add to 100 due to rounding

2.14 In addition to the marital status of male and female, information on the number of females who got effectively married during the reference period of six months of each half yearly survey is also being collected in the SRS from 1990. Based on the information on the number of females, who got effectively married during the last one year, mean age at effective marriage for female has been worked out. Statement 12 given below presents percentage distribution of such females by age at effective marriage separately for rural and urban areas. The percentage of females who got effectively married before reaching 18 years of age is 3.7 at the National level and varies from 0.3 in Haryana and Jammu & Kashmir to 7.8 in West Bengal. Percentage of female marrying at 21 years and above is 52.2 at the National level and varies from 35.5 in Chhattisgarh to 85.3 in Jammu & Kashmir. About half of the rural female, at the National level, marry between 18 and 20 years of age compared to about one-third in urban areas.

Statement 12

Percentage of Female by age at effective marriage and by residence
India and bigger States, 2011

India and bigger States	Total				Rural				Urban			
	<18	18-20	21+	All ages	<18	18-20	21+	All ages	<18	18-20	21+	All ages
India	**3.7**	**44.2**	**52.2**	**100.0**	**4.4**	**49.5**	**46.1**	**100.0**	**1.7**	**29.6**	**68.7**	**100.0**
Andhra Pradesh	4.0	57.2	38.8	100.0	5.0	61.8	33.2	100.0	1.6	44.7	53.7	100.0
Assam	5.1	41.0	53.9	100.0	5.4	43.8	50.8	100.0	2.8	24.4	72.8	100.0
Bihar	5.8	48.1	46.1	100.0	6.2	51.2	42.5	100.0	3.5	32.1	64.4	100.0
Chhattisgarh	4.3	60.2	35.5	100.0	5.0	65.0	30.0	100.0	1.1	37.6	61.3	100.0
Delhi	0.6	26.3	73.2	100.0	0.9	32.0	67.2	100.0	0.5	25.2	74.3	100.0
Gujarat	4.2	40.6	55.2	100.0	5.2	48.0	46.8	100.0	2.7	29.0	68.3	100.0
Haryana	0.3	47.0	52.7	100.0	0.2	52.1	47.7	100.0	0.6	34.4	65.0	100.0
Himachal Pradesh	0.9	23.6	75.5	100.0	1.0	24.6	74.4	100.0	0.4	10.2	89.3	100.0
Jammu & Kashmir	0.3	14.5	85.3	100.0	0.3	16.1	83.6	100.0	0.2	8.3	91.4	100.0
Jharkhand	6.1	49.1	44.8	100.0	7.1	56.1	36.9	100.0	2.3	21.0	76.7	100.0
Karnataka	3.8	45.1	51.1	100.0	4.2	50.8	45.0	100.0	3.1	33.8	63.1	100.0
Kerala	2.7	22.5	74.9	100.0	3.0	23.0	74.0	100.0	1.2	20.4	78.4	100.0
Madhya Pradesh	3.1	53.4	43.5	100.0	3.5	59.7	36.8	100.0	1.9	32.8	65.2	100.0
Maharashtra	1.7	39.1	59.2	100.0	1.6	53.5	44.9	100.0	1.8	28.2	70.0	100.0
Odisha	3.0	42.3	54.7	100.0	3.1	44.2	52.7	100.0	2.1	28.8	69.1	100.0
Punjab	0.5	24.3	75.3	100.0	0.5	26.3	73.2	100.0	0.4	20.8	78.9	100.0
Rajasthan	4.3	49.0	46.7	100.0	5.4	53.5	41.1	100.0	1.1	36.0	62.9	100.0
Tamil Nadu	1.3	25.7	73.0	100.0	1.6	29.9	68.5	100.0	0.9	19.8	79.3	100.0
Uttar Pradesh	3.7	48.6	47.6	100.0	4.1	52.1	43.8	100.0	1.3	28.6	70.1	100.0
West Bengal	7.8	53.3	38.9	100.0	9.9	60.2	29.9	100.0	1.8	33.2	65.0	100.0


2.15 Statement 13 given below provides the mean age at effective marriage of female by residence for India and bigger States. At the National level, the mean age at effective marriage for female in the year 2011 is 21.2 years and varies from 20.7 years in rural areas to 22.7 years in urban areas. Among the bigger States, the mean age varies from 20.2 years in Chhattisgarh to 24.1 years in Jammu & Kashmir. Chart 7 shows the female mean age at effective marriage for India for the year 2011.

Statement 13

Mean age at effective marriage of Female by residence, India and bigger States, 2011

India and bigger States	Age at effective marriage											
	Total				Rural				Urban			
	< 18	18-20	21+	All Ages	< 18	18-20	21+	All Ages	< 18	18-20	21+	All Ages
India	**16.5**	**19.1**	**23.6**	**21.2**	**16.5**	**19.1**	**23.3**	**20.7**	**16.4**	**19.3**	**24.2**	**22.7**
Andhra Pradesh	16.5	19.1	23.0	21.6	16.6	19.1	22.7	20.0	16.0	19.3	23.5	27.7
Assam	16.3	19.0	24.7	21.5	16.3	19.0	24.5	21.2	16.5	19.1	25.6	23.3
Bihar	16.3	19.3	23.2	20.7	16.3	19.2	23.0	20.5	16.3	19.4	23.9	21.9
Chhattisgarh	16.5	19.1	23.2	20.2	16.5	19.1	22.9	19.9	16.6	19.3	24.1	21.9
Delhi	16.8	19.5	23.8	22.4	17.0	19.8	22.8	21.7	16.8	19.4	24.0	22.6
Gujarat	16.5	19.3	23.7	21.3	16.5	19.2	23.3	20.7	16.2	19.5	24.2	22.3
Haryana	16.4	19.4	22.7	21.0	16.5	19.4	22.4	20.7	16.4	19.2	23.3	21.7
Himachal Pradesh	17.0	19.4	23.6	22.4	17.0	19.4	23.5	22.2	17.0	19.5	24.9	24.1
Jammu & Kashmir	16.1	19.5	25.2	24.1	16.4	19.5	24.9	23.8	15.0	19.2	26.2	25.4
Jharkhand	16.2	19.2	23.7	20.7	16.2	19.2	23.5	20.3	16.2	19.2	24.2	22.7
Karnataka	16.5	19.1	23.6	21.0	16.6	19.0	23.2	20.6	16.5	19.7	24.2	21.9
Kerala	16.4	19.2	24.3	22.6	16.4	19.2	24.3	22.6	16.6	19.2	24.2	22.8
Madhya Pradesh	16.3	19.0	23.7	20.7	16.3	19.0	23.0	20.1	16.7	19.3	25.1	22.7
Maharashtra	16.6	19.2	23.9	21.7	16.9	19.3	23.0	20.7	16.4	19.1	24.4	22.5
Odisha	16.5	19.2	23.9	21.4	16.5	19.2	23.8	21.3	16.7	19.2	24.4	22.5
Punjab	16.9	19.4	23.7	22.4	16.8	19.4	23.4	22.2	17.0	19.4	24.0	22.8
Rajasthan	16.3	19.1	22.9	20.5	16.3	19.1	22.5	20.1	16.6	19.2	23.6	21.7
Tamil Nadu	16.7	19.4	23.9	22.4	16.7	19.4	23.6	22.0	16.7	19.3	24.4	23.1
Uttar Pradesh	16.5	19.1	23.3	20.8	16.5	19.1	23.2	20.6	16.7	19.3	23.7	22.1
West Bengal	16.5	18.9	23.7	20.3	16.5	18.9	23.2	19.7	16.3	19.2	24.5	22.3

Chart 7: Mean age at effective marriage of females by residence, India, 2011



CHAPTER - 3

ESTIMATES OF FERTILITY INDICATORS

Since inception, SRS has been providing data for estimating various fertility measures. The fertility indicators considered in this chapter are Crude Birth Rate, General Fertility Rate, Age Specific Fertility/Marital Fertility Rates, Total Fertility/Marital Fertility Rates and Gross Reproduction Rate. Apart from this, the chapter includes sex ratio at birth and for the age group 0-4. The data on the sex ratio should enable the readers to gauge the gender disparity at birth and to map the improvements in the age group 0-4. To examine the changes in the levels of fertility during the last decade, the average values of these fertility indicators for the years 2009-11 are compared with that for 1999-01.

3.2 The crude birth rate (CBR) at all India level had declined from 36.9 in 1971 to 33.9 in 1981, registering a fall of about 8 per cent. During 1991-2011, the decline has been about 26.1 per cent from 29.5 to 21.8. The rural-urban differential has also narrowed over these years. However, the CBR has continued to be higher in rural areas compared to urban areas in the last three decades. The total fertility rate (TFR) has declined from 5.2 to 4.5 during 1971 to 1981 and from 3.6 to 2.4 during 1991 to 2011. The TFR in rural areas has declined from 5.4 to 2.7 from 1971 to 2011 whereas the corresponding decline in urban areas has been from 4.1 to 1.9 during the same period. In 2011, around 67 per cent of the deliveries were institutional which includes Government as well as private hospitals. The percentage of institutional deliveries in urban areas is 87.9 as against about 60.7 percent recorded in rural areas.

3.3 The data on most of the fertility indicators has been presented by age, sex and residence for all India and bigger States. It also includes data on fertility by level of education, order of birth, birth interval and medical attention at birth.

3.4 Apart from the fertility indicators at State and national levels, the SRS sample from 2004 onwards also provides estimates of birth rates at sub-State, viz. NSS Natural Division Level in rural areas. NSS natural divisions have been formed taking into consideration the geography of the State and by grouping contiguous districts having similar topography, population density, cropping pattern and rainfall etc. The Table 11 of this report contains data on birth rate besides death and infant mortality rate for 56 Natural Divisions of 16 bigger States. The Table 11 also contains data on birth rate besides death and infant mortality rate for four metro mega cities viz. Chennai, Delhi, Kolkata and Mumbai.


3.5 Based on the figures in the Statement 14 given below, the graphical representation of birth rate of bigger States by residence is depicted in Chart 8 and the distribution of bigger States by levels of birth rate in rural and urban areas is presented in Chart 9. Andhra Pradesh, Delhi, Himachal Pradesh, Jammu & Kashmir, Karnataka, Kerala, Maharashtra, Punjab, Tamil Nadu and West Bengal are the major States having birth rate below 20 both in rural and urban areas. On the other hand, Madhya Pradesh and Uttar Pradesh both have the highest birth rate in rural areas (28.8) and Uttar Pradesh has the highest in urban areas (23.7) followed by Rajasthan (22.5). The lowest CBR in rural areas (15.4) in Kerala whereas it has been estimated (11.2) in urban areas of Himachal Pradesh.

Statement 14

CBR (Crude birth rate) by residence, India and bigger States, 2011

India and bigger States	Total	Rural	Urban
India	**21.8**	**23.3**	**17.6**
Andhra Pradesh	17.5	17.8	16.6
Assam	22.8	24.0	15.5
Bihar	27.7	28.4	21.7
Chhattisgarh	24.9	26.3	18.3
Delhi	17.5	19.3	17.2
Gujarat	21.3	22.9	19.0
Haryana	21.8	22.9	19.5
Himachal Pradesh	16.5	17.1	11.2
Jammu & Kashmir	17.8	19.1	13.1
Jharkhand	25.0	26.3	19.0
Karnataka	18.8	19.7	17.2
Kerala	15.2	15.4	14.4
Madhya Pradesh	26.9	28.8	20.1
Maharashtra	16.7	17.3	15.8
Odisha	20.1	21.0	14.7
Punjab	16.2	16.8	15.2
Rajasthan	26.2	27.4	22.5
Tamil Nadu	15.9	16.0	15.7
Uttar Pradesh	27.8	28.8	23.7
West Bengal	16.3	18.1	11.5

Chart 8 : Crude birth rate by residence, India and bigger States, 2011



3.6 Statement 15 below provides the percentage change in average crude birth rate between the periods 1999-01 and 2009-11 for India and bigger States separately for rural and urban areas. At the national level, the rate of decline in birth rate is 14.0 per cent. The rate of decline in average birth rate varies from 24.2 per cent in Himachal Pradesh to 13.3 per cent in Bihar. Such decline in rural areas is from 23.7 per cent in Himachal Pradesh to 12.5 per cent in Assam. In urban areas, the decline ranges from 32.5 per cent in Himachal Pradesh to 8.4 per cent in Rajasthan. In Kerala, the average crude birth rate in rural areas is nearly same as in the urban areas during 2009-11.


Statement 15

Percent change in average crude birth rate between 1999-01 and 2009-11 by residence, India and bigger States

India and bigger States	Total			Rural			Urban		
	1999-01	2009-11	% Change	1999-01	2009-11	% Change	1999-01	2009-11	% Change
India	**25.8**	**22.2**	**-14.0**	**27.4**	**23.7**	**-13.5**	**20.6**	**18.0**	**-12.6**
Andhra Pradesh	21.3	17.9	-16.0	21.7	18.3	-15.7	20.2	16.8	-16.8
Assam	27.0	23.2	-14.1	27.9	24.4	-12.5	18.7	15.8	-15.5
Bihar*	31.6	27.4	-13.3	32.5	28.3	-12.9	24.7	20.9	-15.4
Gujarat	25.2	21.8	-13.5	26.8	23.3	-13.1	21.8	19.4	-11.0
Haryana	26.8	22.3	-16.8	27.9	23.3	-16.5	23.1	19.8	-14.3
Himachal Pradesh	22.3	16.9	-24.2	22.8	17.4	-23.7	16.9	11.4	-32.5
Karnataka	22.2	19.2	-13.5	23.5	20.2	-14.0	19.1	17.4	-8.9
Kerala	17.7	14.9	-15.8	17.8	14.9	-16.3	17.3	14.7	-15.0
Madhya Pradesh*	31.2	26.8	-14.1	33.1	28.6	-13.6	23.4	20.0	-14.5
Maharashtra	21.0	17.1	-18.6	21.3	17.7	-16.9	20.3	16.4	-19.2
Odisha	24.0	20.5	-14.6	24.5	21.4	-12.7	20.1	15.2	-24.4
Punjab	21.4	16.6	-22.4	22.4	17.2	-23.2	18.6	15.5	-16.7
Rajasthan	31.2	26.7	-14.4	32.5	27.9	-14.2	24.9	22.8	-8.4
Tamil Nadu	19.2	16.0	-16.7	19.8	16.2	-18.2	18.0	15.8	-12.2
Uttar Pradesh*	32.5	27.8	-14.5	33.7	28.8	-14.5	27.2	23.7	-12.9
West Bengal	20.6	16.8	-18.4	22.9	18.6	-18.8	14.1	11.8	-16.3

***** Bihar, Madhya Pradesh and Uttar Pradesh include Jharkhand, Chhattisgarh, and Uttarakhand respectively.

Chart 9: Distribution of bigger states by values of birth rate for rural and urban areas, 2011




3.7 The Statement 16 below presents sex ratio at birth during the period 2009-11. The sex ratio at birth for the country for the period 2009-11 (3-years average) has been estimated as 906. At National level, it is 907 in rural area and 900 in urban area. Among the bigger States, the sex ratio at birth varies from 991 in Chhattisgarh to 841 in Punjab. In the rural areas, the highest and the lowest sex ratio at birth are in the States of Chhattisgarh (1001) and Punjab (829) respectively. The sex ratio in urban areas varies from 977 in Kerala to 844 in Jharkhand. Chart 10 depicts the variation in sex ratio by residence among bigger States in the country.

Statement 16

Sex ratio (female per 1000 male) at birth by residence, India and bigger States, 2009-2011

India and bigger States	Total	Rural	Urban
India	**906**	**907**	**900**
Andhra Pradesh	915	914	919
Assam	926	929	900
Bihar	910	912	884
Chhattisgarh	991	1001	930
Delhi	880	876	881
Gujarat	909	923	883
Haryana	854	856	848
Himachal Pradesh	938	940	909
Jammu & Kashmir	880	876	898
Jharkhand	915	928	844
Karnataka	945	948	939
Kerala	965	961	977
Madhya Pradesh	920	919	926
Maharashtra	893	881	911
Odisha	946	949	921
Punjab	841	829	863
Rajasthan	878	882	861
Tamil Nadu	926	933	918
Uttar Pradesh	875	874	881
West Bengal	941	938	955

Chart 10: Sex ratio at birth by residence, India and bigger States, 2009-2011



3.8 The Statement 17 below presents the sex ratio for the age group 0-4. The sex ratio for the age group 0-4 for all India is 914. It varies from 916 in rural areas to 908 in urban areas. The maximum sex ratio of 1018 has been estimated in Chhattisgarh and the minimum of 836 in Haryana. For rural areas, the minimum sex ratio of 833 has been observed in Punjab and the maximum, 1035 in Chhattisgarh. In the urban areas, the maximum sex ratio is observed in West Bengal (970) and the minimum, in Haryana (831).

Statement 17

Sex ratio of child (age group 0-4), India and bigger States, 2009-2011

India and bigger States	Total	Rural	Urban
India	**914**	**916**	**908**
Andhra Pradesh	943	951	926
Assam	935	933	955
Bihar	920	920	921
Chhattisgarh	1018	1035	928
Delhi	881	865	885
Gujarat	895	912	864
Haryana	836	837	831
Himachal Pradesh	942	942	938
Jammu & Kashmir	872	875	859
Jharkhand	915	920	891
Karnataka	946	951	938
Kerala	961	965	949
Madhya Pradesh	934	935	928
Maharashtra	900	898	904
Odisha	947	949	930
Punjab	850	833	879
Rajasthan	880	882	872
Tamil Nadu	943	940	946
Uttar Pradesh	878	877	886
West Bengal	971	971	970

3.9 Estimates of General Fertility Rate (GFR), a refined measure of fertility, defined as the number of live births per thousand women in the reproductive age-group 15-49 years, is a useful tool for measuring fertility. The GFR for all-India and bigger States are given below in Statement 18 separately for rural and urban areas. At the national level, 81.2 children were born to every thousand women aged 15-49 years. This number varies from 62.0 in urban areas to 88.9 in rural areas. Among the bigger States, GFR varies from 54.2 in Kerala to 114.4 in Bihar. Chart 11 gives a pictorial comparison of bigger States by level of GFR. The distribution of bigger States by residence and levels of GFR is presented in Chart 12 and from which it is observed that GFR in rural areas of Kerala is just higher than urban areas with the difference of 3.9.

Statement 18

GFR (General fertility rate) by residence, India and bigger States, 2011

India and bigger States	Total	Rural	Urban
India	**81.2**	**88.9**	**62.0**
Andhra Pradesh	60.7	63.6	54.4
Assam	82.8	88.8	51.3
Bihar	114.4	118.2	83.8
Chhattisgarh	91.9	99.1	62.3
Delhi	63.3	70.9	62.1
Gujarat	79.7	87.0	68.7
Haryana	80.7	85.7	69.9
Himachal Pradesh	57.3	59.3	37.8
Jammu & Kashmir	62.5	67.7	43.8
Jharkhand	96.1	102.9	69.2
Karnataka	65.8	70.3	58.2
Kerala	54.2	55.2	51.3
Madhya Pradesh	103.4	113.0	71.9
Maharashtra	61.6	66.6	55.5
Odisha	72.6	76.5	50.2
Punjab	59.9	62.2	56.2
Rajasthan	102.1	108.9	81.8
Tamil Nadu	56.4	58.2	54.2
Uttar Pradesh	109.3	115.1	86.6
West Bengal	57.9	65.0	39.4

Chart 11: GFR by residence, India and bigger States, 2011





Chart 12: Distribution of bigger states by values of General fertility rate(GFR) for rural and urban areas, 2011



3.10 Changes in the average level of GFR between 1999-2001 and 2009-2011 for India and bigger States are shown below in Statement 19. At the all India level, a decline of 17.7 per cent in GFR has been registered during the decade and it varies from 17.4 per cent in rural to 15.9 per cent in urban areas. Among the bigger States, the percentage decline in GFR varies from 25.8 in Himachal Pradesh to 12.4 in Kerala.

Statement 19

Percent change in average GFR (General fertility rate) between 1999-01 and 2009-11 by residence, India and bigger States

India and bigger States	Total			Rural			Urban		
	1999-01	2009-11	% Change	1999-01	2009-11	% Change	1999-01	2009-11	% Change
India	**101.9**	**83.9**	**-17.7**	**111.3**	**91.9**	**-17.4**	**76.1**	**64.0**	**-15.9**
Andhra Pradesh	80.2	62.5	-22.1	83.0	65.4	-21.2	72.0	56.1	-22.1
Assam	103.0	85.1	-17.4	107.9	91.3	-15.4	64.7	52.6	-18.7
Bihar	136.1	113.7	-16.5	141.0	118.9	-15.7	101.7	80.4	-20.9
Gujarat	95.8	82.3	-14.1	104.3	89.8	-13.9	78.7	71.2	-9.5
Haryana	107.9	83.1	-23.0	114.0	88.4	-22.5	87.0	71.7	-17.6
Himachal Pradesh	79.6	59.1	-25.8	81.2	61.2	-24.6	60.0	38.9	-35.2
Karnataka	81.4	67.8	-16.7	88.1	72.9	-17.3	66.9	59.3	-11.4
Kerala	60.6	53.1	-12.4	61.3	53.4	-12.9	58.4	52.1	-10.8
Madhya Pradesh	130.6	103.4	-20.8	143.1	112.6	-21.3	87.7	72.0	-17.9
Maharashtra	81.6	63.8	-21.8	85.9	68.8	-19.9	75.1	57.7	-23.2
Odisha	91.1	75.3	-17.3	93.9	79.4	-15.4	71.4	52.3	-26.8
Punjab	81.6	61.4	-24.8	86.3	64.2	-25.6	68.4	56.9	-16.8
Rajasthan	130.9	105.8	-19.2	138.9	113.2	-18.5	96.7	84.3	-12.8
Tamil Nadu	68.8	57.2	-16.9	72.2	59.2	-18.0	62.2	54.7	-12.1
Uttar Pradesh	143.9	111.9	-22.2	152.0	118.0	-22.4	109.8	88.5	-19.4
West Bengal	78.1	60.7	-22.3	88.4	68.2	-22.9	50.6	41.4	-18.2

Fertility by age of women

3.11 Age of women is an important factor affecting the fertility levels. On the basis of data on births to women by specific age groups in the reproductive span 15-49 years as available from SRS, age specific fertility rates have been calculated. Statement 20 below presents the age specific fertility rates for India by residence.


3.12 The data reveals that fertility in all the age groups is higher in rural areas than in urban areas. This distribution of age-specific fertility by residence is presented in chart 13. The fertility reaches the peak in the age group 20-24 and declines thereafter, irrespective of the place of residence. ASFR curve for urban areas falls under the ASFR curve of rural areas. Rural ASFR curve has declined very steeply after attaining peak for age 20-24 where as urban ASFR curve has gradually declined up to the age 25-29 after attaining peak at age 24.

Statement 20

ASFRs (Age specific fertility rates) by residence, India, 2011

Age Groups	Total	Rural	Urban
15-19	30.7	35.3	16.5
20-24	196.7	216.8	143.8
25-29	153.4	163.7	129.6
30-34	69.8	74.6	58.8
35-39	26.4	30.2	16.8
40-44	8.7	10.9	3.6
45-49	2.8	3.6	1.0

Chart 13 : Age-specific fertility rates by residence, India, 2011



3.13 The percentage change in age specific fertility rate during the last decade is presented below in Statement 21 separately for rural and urban areas. The data pertains to changes in the age specific fertility rates for the quinquennial age groups based on average value for three years period viz. 1999-01 and 2009-11 for all-India.

3.14 The data reveals that decline in fertility rates is more in urban areas compared to rural areas except in the age groups 25-29, 30-34 and 35-39. The decline is perceptible for the higher age groups 40-49 in urban areas. During the last decade, the fertility declined by 61.0 per cent in the age groups 40-44 in urban areas as compared to 54.1 per cent in rural areas. It is slower in the middle age groups 20-29 for both the areas. The minimum decline of 7.1 per cent has been noticed in the age group 20-24 at National level. The minimum decline of 6.1 percent and 10.2 percent in rural and urban areas respectively has also been noticed in the same age group.

Statement 21

Percent change in age specific fertility rates by residence between 1999-01 and 2009-11, India

Age group	Total			Rural			Urban		
	1999-01	2009-11	% Change	1999-01	2009-11	% Change	1999-01	2009-11	% Change
15-19	50.7	35.5	-30.0	58.5	40.9	-30.1	27.9	19.3	-30.8
20-24	215.9	200.6	-7.1	235.5	221.1	-6.1	165.2	148.3	-10.2
25-29	181.2	155.7	-14.1	192.3	165.8	-13.8	152.3	132.8	-12.8
30-34	101.0	70.3	-30.4	111.1	75.8	-31.8	73.1	57.3	-21.6
35-39	52.6	28.7	-45.4	61.2	33.2	-45.8	29.8	17.7	-40.6
40-44	22.2	9.8	-55.9	26.8	12.3	-54.1	10.0	3.9	-61.0
45-49	7.7	3.8	-50.6	9.5	5.1	-46.3	3.1	1.0	-67.7

3.15 The fertility pattern by age groups in different States is presented below in Statement 22. Except for Jammu & Kashmir and Uttar Pradesh where fertility reached its peak in the age group 25-29, the highest fertility in all the other bigger States has been attained in the age group 20-24. Fertility, however, declines after age 30 in all the bigger States. The ASFR in the younger age group 15-19 varies from 5.7 in Jammu & Kashmir to 55.4 in West Bengal. In the age group 30-34, the variation in the level of ASFR is from 25.9 in Andhra Pradesh to 128.8 in Bihar followed by 128.4 in Uttar Pradesh. The rural-urban levels in ASFR for bigger States are shown in Table 3.

Statement 22

ASFRs (Age specific fertility rates), India and bigger States, 2011

India and bigger States	15-19	20-24	25-29	30-34	35-39	40-44	45-49
India	**30.7**	**196.7**	**153.4**	**69.8**	**26.4**	**8.7**	**2.8**
Andhra Pradesh	38.8	199.1	95.5	25.9	6.0	0.8	0.0
Assam	45.8	163.2	146.0	82.7	27.6	17.3	2.9
Bihar	33.0	247.5	221.4	128.8	58.4	26.3	6.3
Chhattisgarh	39.8	230.4	168.0	67.1	29.8	5.3	0.7
Delhi	9.2	139.7	130.3	60.8	15.7	4.2	0.3
Gujarat	23.4	193.0	162.9	68.5	20.0	5.9	2.9
Haryana	17.0	223.8	147.1	43.6	16.5	4.8	0.0
Himachal Pradesh	12.3	162.6	122.7	40.3	10.5	1.5	1.1
Jammu & Kashmir	5.7	83.9	135.7	95.5	50.3	12.0	6.5
Jharkhand	37.8	193.4	189.1	100.3	44.1	14.7	6.7
Karnataka	35.8	192.7	110.8	32.2	8.8	0.9	0.4
Kerala	20.3	145.6	131.1	56.3	13.4	1.8	0.2
Madhya Pradesh	32.5	273.1	185.8	77.2	28.3	9.3	4.0
Maharashtra	28.6	179.5	107.5	34.8	9.1	1.6	0.4
Odisha	29.8	165.5	143.0	68.9	24.5	5.9	2.3
Punjab	10.4	150.5	132.9	47.1	11.7	2.5	0.6
Rajasthan	32.7	240.0	192.8	88.4	33.8	11.9	4.4
Tamil Nadu	19.4	151.6	121.2	38.4	9.4	0.9	0.3
Uttar Pradesh	26.1	220.3	223.1	128.4	51.9	22.4	7.2
West Bengal	55.4	154.8	85.3	35.0	11.2	3.1	1.3


3.16 The percentage distribution of cumulative fertility by woman's age is shown below in Statement 23 for India and bigger States for the year 2011. The cumulative fertility for a specific age group has been worked out by adding the ASFRs up to that age group. The percentage share of fertility by woman in the age group 15-19 varies from 1.6 in Jammu & Kashmir to 15.8 in West Bengal. By the age 34, the percentage share of cumulative fertility varies from 87.4 in Jammu & Kashmir to 98.5 in Andhra Pradesh. The percentage share in cumulative fertility for women by the age 39 years varies from 96.9 in Jammu & Kashmir to 99.8 in Andhra Pradesh and Karnataka. At the national level, less than 2 per cent fertility is from women aged 40 years and above. Chart 14 gives percentage cumulative age specific fertility rate for India by residence.

Statement 23

Percentage distribution of cumulative fertility by age group, India and bigger States, 2011

India and bigger States	15-19	15-24	15-29	15-34	15-39	15-44	15-49
India	**6.8**	**51.8**	**82.6**	**94.2**	**98.5**	**99.7**	**100.0**
Andhra Pradesh	9.4	67.1	92.5	98.5	99.8	100.0	100.0
Assam	10.1	48.2	79.1	93.4	97.7	99.7	100.0
Bihar	6.2	45.0	75.8	90.5	97.3	99.5	100.0
Chhattisgarh	7.3	56.1	85.4	95.0	99.2	99.9	100.0
Delhi	2.4	43.5	82.0	96.1	99.3	100.0	100.0
Gujarat	4.8	49.6	83.6	95.5	98.8	99.6	100.0
Haryana	3.9	61.3	89.7	96.7	99.3	100.0	100.0
Himachal Pradesh	3.5	52.3	86.7	96.9	99.5	99.8	100.0
Jammu & Kashmir	1.6	27.7	66.4	87.4	96.9	99.1	100.0
Jharkhand	7.8	45.7	78.3	92.0	97.8	99.3	100.0
Karnataka	8.8	63.0	91.2	97.9	99.8	99.9	100.0
Kerala	5.2	43.8	80.4	95.8	99.5	99.9	100.0
Madhya Pradesh	6.1	56.5	85.5	95.2	98.7	99.6	100.0
Maharashtra	7.6	60.9	89.6	97.7	99.6	99.9	100.0
Odisha	6.8	48.3	80.6	94.1	98.8	99.7	100.0
Punjab	2.8	48.7	85.8	96.8	99.4	99.9	100.0
Rajasthan	6.5	52.4	82.9	94.4	98.5	99.6	100.0
Tamil Nadu	4.6	49.6	87.2	97.5	99.7	99.9	100.0
Uttar Pradesh	5.3	46.2	77.6	91.6	97.6	99.4	100.0
West Bengal	15.8	64.0	88.0	96.5	99.2	99.8	100.0

Chart 14: Percentage cumulative age specific fertility rate, by residence, India 2011



	15-19	15-24	15-29	15-34	15-39	15-44	15-49
Total	6.8	51.8	82.6	94.2	98.5	99.7	100.0
Rural	7.5	53.5	82.7	93.9	98.3	99.6	100.0
Urban	4.1	45.8	82.0	95.6	99.2	99.8	100.0

3.17 The difference in the pattern of child bearing can be measured in term of the mean age of fertility, which describes the age pattern of fertility of synthetic cohort of hypothetical group of women viewed as having, in their lifetime, similar fertility experience recorded in a calendar year. The mean age of fertility has been calculated from the age specific fertility rates. The associated standard deviations are also shown. The States having lower values of standard deviation recorded higher concentration of fertility about the mean age as compared to those with higher values. Statement 24 below shows the mean age of fertility for India and bigger States. At the National level, the mean age of fertility is 26.5 years and varies from 24.3 in Andhra Pradesh to 29.6 years in Jammu & Kashmir with standard deviation 5.5, 4.2 and 5.9 respectively.

Statement 24

Mean age of fertility and associated standard deviation, India and bigger States, 2011

India and bigger States	Mean age of fertility			Standard deviation		
	Total	Rural	Urban	Total	Rural	Urban
India	**26.5**	**26.5**	**26.6**	**5.5**	**5.7**	**5.0**
Andhra Pradesh	24.3	24.0	25.1	4.2	4.1	4.3
Assam	27.0	27.0	26.9	6.2	6.2	5.7
Bihar	27.8	27.8	27.4	6.1	6.2	5.6
Chhattisgarh	26.0	25.9	26.7	5.2	5.2	4.9
Delhi	26.8	26.2	26.9	4.8	4.9	4.8
Gujarat	26.4	26.5	26.4	5.2	5.4	4.8
Haryana	25.7	25.5	26.1	4.6	4.6	4.5
Himachal Pradesh	25.8	25.7	28.1	4.5	4.4	5.3
Jammu & Kashmir	29.6	29.7	29.1	5.9	6.1	4.9
Jharkhand	27.4	27.5	27.1	6.1	6.2	5.1
Karnataka	24.7	24.4	25.5	4.5	4.4	4.5
Kerala	26.2	26.1	26.4	4.7	4.8	4.6
Madhya Pradesh	26.2	26.1	26.8	5.4	5.4	5.0
Maharashtra	25.0	24.3	26.2	4.5	4.3	4.7
Odisha	26.6	26.6	26.4	5.5	5.5	4.9
Punjab	26.2	26.2	26.4	4.6	4.7	4.2
Rajasthan	26.7	26.8	26.6	5.6	5.8	4.8
Tamil Nadu	25.6	25.3	26.0	4.4	4.3	4.6
Uttar Pradesh	27.9	27.8	28.3	6.0	6.0	5.6
West Bengal	24.7	24.6	25.5	5.3	5.4	5.3

3.18 The cumulative value of the age specific fertility rates at the end of the child bearing ages gives a measure of fertility known as Total Fertility Rate (TFR). TFR indicates the average number of children expected to be born per woman during her entire span of reproductive period assuming that the age specific fertility rates, to which she is exposed to, continue to be the same and that there is no mortality. The TFRs worked out on the basis of the ASFRs for the year 2011 are given below in Statement 25 for India and bigger States separately for rural and urban areas. The TFR for India in the year 2011 was 2.4 per woman and varies from 2.7 in rural areas to 1.9 in urban areas. Among the bigger States, it varies from 1.7 in Tamil Nadu and West Bengal to 3.6 in Bihar. For rural areas, it varies from 1.7 in Tamil Nadu to 3.7 in Bihar. For urban areas, such variation is from 1.2 in Himachal Pradesh to 2.6 in Bihar and Uttar Pradesh. Chart 15 presents levels of TFR by residence for India and bigger States, 2011. Distribution of bigger States by level of TFR in rural and urban areas is shown in Chart 16.

Statement 25

TFR (Total fertility rate) by residence, India and bigger States, 2011

India and bigger States	Total	Rural	Urban
India	**2.4**	**2.7**	**1.9**
Andhra Pradesh	1.8	1.9	1.7
Assam	2.4	2.6	1.5
Bihar	3.6	3.7	2.6
Chhattisgarh	2.7	2.9	1.9
Delhi	1.8	1.9	1.8
Gujarat	2.4	2.6	2.0
Haryana	2.3	2.4	2.0
Himachal Pradesh	1.8	1.8	1.2
Jammu & Kashmir	1.9	2.1	1.3
Jharkhand	2.9	3.2	2.1
Karnataka	1.9	2.0	1.7
Kerala	1.8	1.9	1.8
Madhya Pradesh	3.1	3.3	2.1
Maharashtra	1.8	1.9	1.6
Odisha	2.2	2.3	1.5
Punjab	1.8	1.8	1.7
Rajasthan	3.0	3.2	2.4
Tamil Nadu	1.7	1.7	1.7
Uttar Pradesh	3.4	3.6	2.6
West Bengal	1.7	1.9	1.3

Chart 15: Total fertility rate by residence, India and bigger States, 2011





Chart 16: Distribution of bigger states by values of TFR (total fertility rate) for rural and urban areas, 2011



3.19 Statement 26 below presents the percentage change in the average level of TFR between the periods 1999-01 and 2009-11 in India and bigger States. During the period TFR has declined by 21.9 percent at the National level. Among the bigger States, the decline varies from 25.5 percent in Uttar Pradesh to nil in Kerala. All bigger States have shown decline in both rural and urban areas.

3.20 Among bigger States, Andhra Pradesh, Himachal Pradesh, Karnataka, Kerala, Maharashtra, Punjab, Tamil Nadu and West Bengal has the average TFR 2.0 and below during 2009-11.

Statement 26

Percent change in average TFR (Total fertility rate) between 1999-01 and 2009-11 by residence, India and bigger States

India and bigger States	Total			Rural			Urban		
	1999-01	2009-11	% Change	1999-01	2009-11	% Change	1999-01	2009-11	% Change
India	**3.2**	**2.5**	**-21.9**	**3.5**	**2.8**	**-20.0**	**2.3**	**1.9**	**-17.4**
Andhra Pradesh	2.3	1.8	-21.7	2.5	1.9	-24.0	2.0	1.6	-20.0
Assam	3.1	2.5	-19.4	3.3	2.7	-18.2	1.8	1.6	-11.1
Bihar*	4.5	3.5	-22.2	4.7	3.7	-21.3	3.3	2.5	-24.2
Gujarat	2.9	2.5	-13.8	3.2	2.7	-15.6	2.3	2.1	-8.7
Haryana	3.2	2.4	-25.0	3.3	2.5	-24.2	2.6	2.1	-19.2
Himachal Pradesh	2.3	1.8	-21.7	2.3	1.9	-17.4	1.8	1.3	-27.8
Karnataka	2.4	2.0	-16.7	2.7	2.1	-22.2	2.0	1.7	-15.0
Kerala	1.8	1.8	0.0	1.9	1.8	-5.3	1.8	1.8	0.0
Madhya Pradesh*	4.0	3.1	-22.5	4.4	3.4	-22.7	2.6	2.1	-19.2
Maharashtra	2.5	1.9	-24.0	2.6	2.0	-23.1	2.2	1.7	-22.7
Odisha	2.7	2.3	-14.8	2.8	2.4	-14.3	2.1	1.6	-23.8
Punjab	2.4	1.8	-25.0	2.5	1.9	-24.0	2.1	1.7	-19.0
Rajasthan	4.1	3.1	-24.4	4.4	3.4	-22.7	2.9	2.4	-17.2
Tamil Nadu	2.0	1.7	-15.0	2.2	1.8	-18.2	1.8	1.7	-5.6
Uttar Pradesh*	4.7	3.5	-25.5	4.9	3.7	-24.5	3.5	2.7	-22.9
West Bengal	2.4	1.8	-25.0	2.7	2.0	-25.9	1.6	1.3	-18.8

***** Bihar, Madhya Pradesh and Uttar Pradesh include Jharkhand, Chhattisgarh, and Uttarakhand respectively.

3.21 Another refined measure of fertility which accounts for future mothers is the Gross Reproduction Rate (GRR). It measures the average number of female children a woman is expected to give birth during her entire reproductive span conforming to the age specific fertility rates (ASFRs) for a given year, if there is no mortality. The estimated value of GRR for India in the year 2011 is 1.2 and varies from 0.9 in urban areas to 1.3 in rural areas. Values of GRR by residence for India and bigger States for the year 2011 are presented below in Statement 27.

Statement 27

GRR (Gross reproduction rate) by residence, India and bigger States, 2011

India and bigger States	Total	Rural	Urban
India	**1.2**	**1.3**	**0.9**
Andhra Pradesh	0.9	0.9	0.8
Assam	1.1	1.2	0.8
Bihar	1.7	1.8	1.1
Chhattisgarh	1.3	1.4	0.9
Delhi	0.8	0.9	0.8
Gujarat	1.1	1.2	1.0
Haryana	1.0	1.1	0.9
Himachal Pradesh	0.9	0.9	0.6
Jammu & Kashmir	0.9	1.0	0.6
Jharkhand	1.3	1.4	0.9
Karnataka	0.9	1.0	0.8
Kerala	0.9	0.9	0.8
Madhya Pradesh	1.4	1.6	0.9
Maharashtra	0.8	0.9	0.8
Odisha	1.1	1.1	0.7
Punjab	0.8	0.9	0.8
Rajasthan	1.4	1.5	1.1
Tamil Nadu	0.8	0.8	0.8
Uttar Pradesh	1.6	1.7	1.2
West Bengal	0.8	0.9	0.6

Marital Fertility

3.22 Marriage is an important event in the social life of any population. In India, population censuses and large scale demographic sample surveys invariably collect data on the marital status of population separately for males and females. Age at effective marriage of females is a key factor that influences fertility. Marital distribution of the population enumerated through SRS and the age at effective marriage of females has been discussed in Chapter 2. Based on the distribution of live births by age of married females, age specific marital fertility rates (ASMFRs) are calculated. Statement 28 below provides the estimates of the ASMFRs for India separately for rural and urban areas for the year 2011. Marital fertility is higher in rural areas than in urban areas in all the age groups and its peak is in the age group 20-24 years. A perceptible decline in marital fertility is seen for female age 30 years and above both in rural areas and urban areas.

Statement 28

ASMFRs (Age specific marital fertility rates) by residence, India, 2011

(Per thousand)

Age group	Total	Rural	Urban
15-19	240.7	244.8	216.6
20-24	316.7	325.5	286.0
25-29	177.3	184.2	159.9
30-34	75.0	79.5	64.2
35-39	28.4	32.4	18.3
40-44	9.6	12.0	4.0
45-49	3.2	4.1	1.1

3.23 Values of the age specific marital fertility rates for the year 2011 in bigger States are given below in Statement 29. It is observed that the age pattern of marital fertility is almost similar to the pattern of age specific fertility. The marital fertility in the age group 15-19 is lesser in Andhra Pradesh, Bihar, Delhi, Gujarat, Haryana, Maharashtra and Rajasthan. ASMFR is at peak level in the age group 20-24 in all the bigger States except Assam, Himachal Pradesh, Jharkhand, Kerala, Tamil Nadu and West Bengal. There is significant decline in marital fertility for women aged 30 years onwards, for all major States.

Statement 29

ASMFRs (Age specific marital fertility rates), India and bigger States, 2011

India and bigger States	15-19	20-24	25-29	30-34	35-39	40-44	45-49
India	**240.7**	**316.7**	**177.3**	**75.0**	**28.4**	**9.6**	**3.2**
Andhra Pradesh	207.8	286.4	108.3	28.1	6.7	0.9	0.0
Assam	314.5	287.0	190.4	96.1	30.9	20.1	3.6
Bihar	235.3	344.6	235.8	132.4	60.4	27.7	6.8
Chhattisgarh	254.5	329.4	195.0	73.7	32.5	5.9	0.8
Delhi	166.1	315.7	163.6	65.1	16.5	4.6	0.4
Gujarat	179.4	300.2	184.0	72.8	21.4	6.5	3.3
Haryana	169.3	339.2	159.1	45.2	17.3	5.2	0.0
Himachal Pradesh	427.9	354.7	144.9	42.7	11.1	1.7	1.2
Jammu & Kashmir	339.0	362.9	238.2	111.9	53.7	12.7	7.1
Jharkhand	341.6	314.8	215.8	106.4	46.9	16.0	7.6
Karnataka	261.0	304.9	131.1	35.9	10.0	1.1	0.5
Kerala	319.9	279.0	157.3	61.9	14.7	2.0	0.3
Madhya Pradesh	244.6	382.0	200.0	80.5	30.0	10.1	4.5
Maharashtra	155.3	261.1	123.7	37.9	10.0	1.8	0.5
Odisha	273.3	278.3	173.7	76.2	26.9	6.6	2.7
Punjab	257.6	343.1	165.9	50.4	12.2	2.7	0.7
Rajasthan	173.0	332.6	204.1	90.8	35.2	12.8	4.9
Tamil Nadu	340.5	291.1	146.1	41.8	10.3	1.1	0.4
Uttar Pradesh	271.0	383.9	253.6	133.6	54.2	24.0	8.0
West Bengal	290.4	229.6	98.0	37.7	12.2	3.5	1.5

3.24 Like TFR, Total Marital Fertility Rate (TMFR) is the cumulative value of age specific marital fertility rates at the end of the reproductive period. It indicates the average number of children expected to be born per married woman during the entire span of her reproductive period, if the ASMFRs continue to be the same and if there is no mortality. The TMFRs worked out on the basis of ASMFRs for the year 2011 are given below in Statement 30 for India and bigger States separately for rural and urban areas. The TMFR for India is found to be 4.3 and varies from 3.8 in urban areas to 4.4 in rural areas. The TMFR is 5 and above in the States of Bihar, Jammu & Kashmir, Jharkhand and Uttar Pradesh.

Statement 30

TMFRs (Total marital fertility rates) by residence, India and bigger States, 2011

India and bigger States	Total	Rural	Urban
India	**4.3**	**4.4**	**3.8**
Andhra Pradesh	3.2	3.2	3.1
Assam	4.7	4.9	3.8
Bihar	5.2	5.3	4.6
Chhattisgarh	4.5	4.6	3.6
Delhi	3.7	3.3	3.8
Gujarat	3.8	4.0	3.6
Haryana	3.7	3.8	3.3
Himachal Pradesh	4.9	4.9	5.2
Jammu & Kashmir	5.6	5.8	4.8
Jharkhand	5.2	5.4	4.6
Karnataka	3.7	3.9	3.4
Kerala	4.2	4.3	3.7
Madhya Pradesh	4.8	4.9	4.1
Maharashtra	3.0	2.9	3.0
Odisha	4.2	4.3	3.7
Punjab	4.2	4.2	3.9
Rajasthan	4.3	4.4	3.8
Tamil Nadu	4.2	4.0	4.4
Uttar Pradesh	5.6	5.7	5.5
West Bengal	3.4	3.4	3.0

3.25 Statement 31 below presents the percentage change in the average level of TMFR between the period 1999-01 and 2009-11 in India and bigger States. During the period TMFR has declined by 8.5 per cent at the National level. Among the bigger States, the percentage varies from (-) 18.4 in Maharashtra to 8.3 in Kerala. Assam, Karnataka, Madhya Pradesh, Maharashtra, Punjab, Rajasthan and West Bengal have shown substantial decline in rural areas. In urban areas, Maharashtra has shown a decline of 20.0 percent followed by Haryana and Odisha with 19.6 percent and 17.8 percent, respectively.

Statement 31

Percentage change in average Total marital fertility rate (TMFR) between 1999-01 and 2009-11, by residence, India and bigger States

India and bigger States	Total			Rural			Urban		
	1999-01	2009-11	% Change	1999-01	2009-11	% Change	1999-01	2009-11	% Change
India	**4.7**	**4.3**	**-8.5**	**4.9**	**4.5**	**-8.2**	**4.2**	**3.8**	**-9.5**
Andhra Pradesh	3.6	3.3	-8.3	3.6	3.3	-8.3	3.6	3.1	-13.9
Assam	6.0	5.0	-16.7	6.2	5.1	-17.7	4.7	3.9	-17.0
Bihar	5.6	5.2	-7.1	5.7	5.3	-7.0	4.9	4.6	-6.1
Gujarat	4.2	4.0	-4.8	4.4	4.2	-4.5	3.6	3.6	0.0
Haryana	4.6	4.1	-10.9	4.6	4.2	-8.7	4.6	3.7	-19.6
Himachal Pradesh	4.4	4.6	4.5	4.4	4.6	4.5	4.2	4.3	2.4
Karnataka	4.3	3.8	-11.6	4.5	3.9	-13.3	4.1	3.4	-17.1
Kerala	3.6	3.9	8.3	3.6	4.0	11.1	3.7	3.7	0.0
Madhya Pradesh	5.3	4.7	-11.3	5.5	4.9	-10.9	4.4	4.0	-9.1
Maharashtra	3.8	3.1	-18.4	3.7	3.0	-18.9	4.0	3.2	-20.0
Odisha	4.5	4.3	-4.4	4.5	4.4	-2.2	4.5	3.7	-17.8
Punjab	4.8	4.2	-12.5	4.9	4.2	-14.3	4.4	4.0	-9.1
Rajasthan	5.0	4.4	-12.0	5.2	4.5	-13.5	4.0	4.0	0.0
Tamil Nadu	4.0	4.0	0.0	4.0	4.0	0.0	3.9	4.0	2.6
Uttar Pradesh	6.2	5.6	-9.7	6.3	5.7	-9.5	5.7	5.5	-3.5
West Bengal	4.0	3.4	-15.0	4.2	3.5	-16.7	3.4	3.1	-8.8

Fertility by level of education of the women

3.26 Education, more precisely the female education, has a direct impact on fertility. To ascertain levels of fertility by educational status of the women three indicators viz. general fertility rate, age-specific fertility rate and total fertility rate by educational status of the women have been worked out separately for rural and urban areas. These are discussed in the subsequent paragraphs.

3.27 Statement 32 below indicates the percentage of female population in the age group 15-49 by level of education, at the National level and for the bigger States. At the National level, 31.5 per cent of the female population is reported 'Illiterate' as against 68.5 per cent in the 'Literate' category. Of the literate women, about 81.7 per cent have education up to Class X, 10.5 per cent women have education level of Class XII, and only 7.4 per cent have reported education level of graduate and above. Among the illiterates, Kerala (1.3) has the lowest and Bihar (51.1) the highest percentage of illiterate women.

Statement 32

Percentage female population in the age group 15-49 by level of education, India and bigger States, 2011

India and bigger States	Educational level of women								
	Illiterate	Literate							
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
India	**31.5**	**68.5**	**2.1**	**8.8**	**12.1**	**19.3**	**13.7**	**7.2**	**5.1**
Andhra Pradesh	38.4	61.6	1.5	11.2	9.7	13.2	14.0	7.0	5.1
Assam	23.1	76.9	3.3	7.2	12.1	26.7	17.5	7.1	3.1
Bihar	51.1	48.9	5.6	7.8	8.0	13.4	9.4	3.4	1.4
Chhattisgarh	35.0	65.0	1.3	13.4	17.3	17.2	7.4	5.2	3.1
Delhi	19.4	80.6	0.7	6.6	11.9	15.4	16.6	13.2	16.2
Gujarat	30.6	69.4	0.2	11.9	15.6	16.4	11.5	7.7	6.1
Haryana	27.6	72.4	0.8	6.1	13.6	17.8	18.7	9.3	6.1
Himachal Pradesh	12.5	87.5	1.1	5.7	14.5	17.2	26.8	14.5	7.6
Jammu & Kashmir	33.9	66.1	0.2	3.3	7.0	19.4	18.8	11.5	5.8
Jharkhand	47.7	52.3	4.2	8.1	9.7	14.1	9.5	4.0	2.7
Karnataka	27.9	72.1	0.4	8.9	10.5	20.4	18.4	7.8	5.6
Kerala	1.3	98.7	0.6	3.7	9.2	34.5	25.4	14.7	10.5
Madhya Pradesh	38.1	61.9	1.6	12.4	13.3	16.8	10.3	4.3	3.0
Maharashtra	20.6	79.4	0.5	8.1	13.7	25.4	15.8	9.1	6.7
Odisha	34.3	65.7	2.0	11.6	10.0	24.5	9.7	4.2	3.7
Punjab	22.7	77.3	1.4	6.9	15.4	16.7	19.9	10.8	6.2
Rajasthan	47.4	52.6	3.8	7.6	11.1	13.0	8.1	4.9	4.0
Tamil Nadu	11.3	88.7	0.0	11.5	15.0	22.6	20.4	11.4	7.9
Uttar Pradesh	39.1	60.9	2.4	5.9	11.0	17.5	12.7	7.2	4.2
West Bengal	24.8	75.2	4.3	11.2	16.1	24.6	9.8	4.4	4.8

3.28 Statement 33 below presents the estimates of General Fertility Rate (GFR) by educational status of the women for India and bigger States. It is apparent from the Statement that there is a difference between the GFRs of the Illiterate and Literate women with the latter depicting substantially lower levels of GFR, both at the National and State level. Lower values of GFR for illiterate women as compared to literate for Andhra Pradesh, Chhattisgarh, Haryana, Himachal Pradesh, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Odisha, Punjab, Tamil Nadu and West Bengal are due to small sample size in illiterate category as literacy level is significantly high in all these States.

Statement 33

General fertility rate by level of education of women, India and bigger States, 2011

India and bigger States	Educational level of women								
	Illiterate	Literate							
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
India	**86.7**	**78.7**	**91.9**	**104.9**	**91.8**	**74.8**	**64.6**	**62.9**	**72.8**
Andhra Pradesh	43.4	71.5	23.2	82.2	75.2	74.3	75.1	45.9	73.4
Assam	103.0	76.8	48.9	104.2	110.6	77.0	56.8	60.1	58.9
Bihar	144.7	83.0	119.2	108.0	87.1	77.2	57.7	56.5	64.8
Chhattisgarh	62.9	107.8	76.4	132.4	140.1	92.9	74.3	64.8	69.3
Delhi	76.3	60.2	91.1	83.3	85.6	61.6	51.7	39.3	55.5
Gujarat	82.4	78.5	117.8	117.3	94.5	74.4	51.3	47.4	62.9
Haryana	61.7	87.9	60.9	88.7	94.2	95.5	79.9	79.1	92.8
Himachal Pradesh	18.4	62.8	36.2	32.6	45.6	42.6	78.1	81.7	78.1
Jammu & Kashmir	79.7	53.6	186.2	70.2	66.0	62.3	42.3	40.7	57.2
Jharkhand	109.7	83.7	100.0	121.7	73.1	74.5	71.6	70.6	92.0
Karnataka	41.5	75.2	86.8	81.9	91.8	79.0	66.0	52.5	80.1
Kerala	15.3	54.7	11.9	17.6	19.9	45.6	51.2	87.3	93.6
Madhya Pradesh	93.9	109.2	106.2	183.7	137.2	82.9	56.5	66.4	69.7
Maharashtra	34.0	68.8	68.4	43.5	66.1	83.4	70.7	60.6	55.5
Odisha	72.3	72.8	74.5	82.7	82.9	72.9	59.4	60.9	60.9
Punjab	52.4	62.2	65.9	46.4	55.3	61.6	66.5	70.6	69.2
Rajasthan	104.6	99.8	113.9	173.8	113.3	78.6	68.8	55.6	95.2
Tamil Nadu	11.1	62.2	0.0	28.6	51.4	71.1	71.0	64.6	79.2
Uttar Pradesh	115.4	105.4	141.4	175.2	138.4	91.7	72.9	81.9	96.9
West Bengal	46.9	61.4	40.0	94.3	74.6	54.3	46.8	43.0	43.1

3.29 Statement 34 below presents, at the National level, age specific fertility rates by level of education of women separately for rural and urban areas. The data reveals marked rural-urban differences with the rural areas generally reporting higher levels of fertility than the urban areas for all age groups. Fertility attains the peak in the age-group 20-24 years both in the rural and urban areas except for the women having education level 12th and above. 'Illiterate' women have higher levels of age-specific fertility rates both in the rural and urban areas than the 'Literate'. Within the 'Literate' group there is a general decline in the fertility rates with the increase in the educational status both in the rural and urban areas, barring a few exceptions.

Statement 34

Age specific fertility rate by level of education of women and residence, India, 2011

Age group	Educational level of women								
	Illiterate	Literate							
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
				Total					
15-19	67.7	25.9	90.3	93.3	43.2	19.8	13.0	12.2	0.0
20-24	256.6	181.5	245.6	265.8	239.5	196.4	148.1	97.0	101.0
25-29	180.5	142.2	159.6	158.4	153.2	144.4	136.5	116.8	132.1
30-34	92.2	57.2	75.3	56.3	50.9	53.7	53.5	59.5	72.8
35-39	37.8	17.5	34.1	22.1	17.2	14.7	12.6	15.0	18.6
40-44	14.1	3.9	10.4	4.6	4.0	3.3	2.8	3.1	2.1
45-49	4.2	1.3	6.5	1.3	1.6	0.6	0.3	1.1	0.1
				Rural					
15-19	72.4	29.7	97.2	103.4	46.7	21.6	14.7	14.5	0.0
20-24	264.7	201.8	246.2	279.3	249.4	204.5	158.4	116.5	120.9
25-29	185.2	151.7	163.5	166.1	158.0	150.9	145.0	126.5	143.8
30-34	96.3	57.4	71.3	57.4	53.0	56.8	52.9	62.8	69.9
35-39	39.9	19.4	33.7	23.5	18.2	16.7	13.1	17.4	22.6
40-44	15.1	5.4	12.0	5.6	4.3	4.8	4.7	7.1	4.0
45-49	4.7	1.8	7.1	1.5	1.9	1.0	0.7	1.2	0.3
				Urban					
15-19	39.4	14.8	49.0	46.3	28.9	13.4	9.1	9.2	0.0
20-24	209.4	135.9	242.3	206.2	203.9	172.4	127.7	73.9	88.1
25-29	152.5	126.1	142.0	131.9	139.8	130.2	124.1	106.8	126.6
30-34	67.7	57.0	92.3	52.5	45.4	47.7	54.3	56.6	74.0
35-39	24.9	14.6	35.9	17.9	14.8	11.2	12.0	13.2	17.3
40-44	8.9	1.8	4.8	2.0	3.4	1.3	1.1	0.8	1.7
45-49	1.9	0.6	4.4	0.7	1.0	0.1	0.1	1.1	0.1

3.30 Total fertility rates by education levels of the women for India and bigger States are presented below in Statement 35. At the National level, total fertility rate for the women having educational status 'Illiterate' for 2011 is 3.3. This is much higher than the 'Literate' group of women. Among the 'Literate' (2.1), there is a gradual decline of TFR with the increase in the level of education. Chart 17 presents, at the National level, total fertility rate by level of education of women separately for rural and urban areas for the year 2011. The TFR by levels of education of the women for India and bigger States by place of residence are given in Table-4.


Statement 35

Total fertility rate by level of education of women, India and bigger States, 2011

India and Bigger States	Educational level of women								
	Illiterate	Literate							
		Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
India	**3.3**	**2.1**	**3.1**	**3.0**	**2.5**	**2.2**	**1.8**	**1.5**	**1.6**
Andhra Pradesh	1.9	1.8	0.7	2.6	2.1	2.0	1.9	1.1	1.5
Assam	3.7	2.1	1.6	3.2	3.2	2.1	1.7	1.6	1.5
Bihar	4.7	2.5	3.5	3.1	2.8	2.6	1.9	1.4	1.6
Chhattisgarh	3.0	2.7	4.7	3.6	3.2	2.5	2.0	1.7	1.6
Delhi	2.7	1.7	2.9	2.3	2.4	1.8	1.5	1.0	1.3
Gujarat	3.2	2.1	4.3	3.1	2.5	2.1	1.6	1.4	1.4
Haryana	2.8	2.2	3.5	2.5	2.5	2.5	2.0	1.6	1.9
Himachal Pradesh	1.3	1.8	3.3	1.6	1.9	1.6	2.0	1.6	1.6
Jammu & Kashmir	2.8	1.6	6.6	2.1	2.1	1.9	1.6	1.3	1.3
Jharkhand	3.7	2.4	2.7	3.3	2.4	2.2	2.2	2.1	2.1
Karnataka	2.1	1.9	4.7	2.8	2.6	2.0	1.8	1.2	1.8
Kerala	1.4	1.8	0.8	1.6	1.5	1.8	1.7	2.1	2.1
Madhya Pradesh	3.7	2.8	4.6	4.5	3.3	2.5	1.9	1.6	1.6
Maharashtra	1.6	1.9	4.1	1.6	2.0	2.3	1.8	1.3	1.3
Odisha	2.9	2.0	2.9	2.5	2.3	2.0	1.6	1.5	1.3
Punjab	2.2	1.7	2.0	1.5	1.8	1.8	1.8	1.6	1.6
Rajasthan	3.6	2.6	3.7	3.9	2.9	2.5	2.0	1.5	1.9
Tamil Nadu	1.2	1.7	0.0	1.5	1.9	2.0	1.9	1.5	1.7
Uttar Pradesh	4.0	3.1	4.6	4.4	3.7	3.1	2.4	2.1	2.1
West Bengal	2.1	1.7	1.9	2.8	2.0	1.5	1.2	1.0	1.2

*Note: 0.0 denotes negligible

Chart 17: Total fertility rate by level of education of women and residence, India, 2011



Birth order

3.31 Information on order of the live birth and interval between current and previous live births are also collected in SRS from 1990 onwards. These provide useful information on spacing of children and level of fertility. The estimated percentages on order of live birth and birth interval for India and bigger States are given in Tables 5, 6 and 7. Based on these tables, two State-wise comparative Statements are presented below.

3.32 The percentage distribution of live births by birth order for India and bigger States for the year 2011 is presented below in Statement 36. It is observed 41 percent of the current live births in India are first order births, and 31.4 percent of total births are second order births. The fourth and higher order births account for 13 percent of the total births. Among the bigger States, the percentage share of first order birth varies from 32.0 percent in Bihar to 51.6 percent in Himachal Pradesh and West Bengal. On the other hand, the percentage share of fourth and higher order births varies from 1.6 percent in Andhra Pradesh and Tamil Nadu to 24.6 percent in Bihar.

Statement 36

Percentage distribution of current live births by birth order, India and bigger States, 2011

India and bigger States	Birth order			
	1st	2nd	3rd	4th & above
India	**41.0**	**31.4**	**14.6**	**13.0**
Andhra Pradesh	48.5	40.9	8.9	1.6
Assam	44.3	27.3	14.0	14.4
Bihar	32.0	25.0	18.4	24.6
Chhattisgarh	38.7	32.4	19.1	9.8
Delhi	47.0	28.4	14.7	9.9
Gujarat	41.1	33.3	14.9	10.7
Haryana	41.2	36.7	14.1	8.0
Himachal Pradesh	51.6	35.2	9.7	3.4
Jammu & Kashmir	40.1	30.8	16.2	12.9
Jharkhand	35.7	29.7	17.4	17.1
Karnataka	49.3	33.4	12.4	4.8
Kerala	49.7	38.5	9.7	2.1
Madhya Pradesh	39.3	31.9	15.6	13.3
Maharashtra	47.8	34.9	11.6	5.7
Odisha	43.5	32.0	14.4	10.2
Punjab	50.9	34.2	10.5	4.4
Rajasthan	34.5	30.6	16.8	18.0
Tamil Nadu	50.9	39.4	8.2	1.6
Uttar Pradesh	35.6	28.7	17.0	18.8
West Bengal	51.6	31.2	10.2	7.1

3.33 Statement 37 below presents the percentage distribution of current live birth by birth order and residence for India and bigger States. It may be observed that the percentage of current live births for 'first' and 'second' order taken together is generally higher for urban areas if compared to the rural areas for bigger States except for Andhra Pradesh. For 'third', 'fourth & above' order live births, the percentage contribution at National level is significantly higher in rural areas (29.7) compared to urban areas (19.8).

Statement 37

Percentage distribution of current live births by birth order and residence, India and bigger States, 2011

India and bigger States	Birth order							
	Rural				Urban			
	1st	2nd	3rd	4th & above	1st	2nd	3rd	4th & above
India	**39.5**	**30.8**	**15.4**	**14.3**	**46.6**	**33.5**	**11.8**	**8.0**
Andhra Pradesh	47.9	41.5	9.2	1.4	50.1	39.4	8.3	2.2
Assam	42.9	27.2	14.5	15.5	57.4	28.7	9.3	4.6
Bihar	31.4	25.0	18.5	25.1	38.8	25.1	17.9	18.2
Chhattisgarh	37.8	31.8	20.1	10.3	44.5	36.3	12.5	6.7
Delhi	46.7	27.5	16.2	9.5	47.1	28.5	14.4	10.0
Gujarat	38.6	32.4	16.3	12.7	46.0	34.9	12.3	6.8
Haryana	40.1	37.1	14.1	8.8	44.1	35.8	14.2	6.0
Himachal Pradesh	51.9	34.9	9.7	3.4	47.3	40.1	9.7	2.9
Jammu & Kashmir	38.5	30.0	16.9	14.6	48.8	35.3	12.3	3.6
Jharkhand	35.3	29.2	17.3	18.3	38.4	32.7	18.6	10.3
Karnataka	48.1	32.9	13.9	5.1	51.9	34.4	9.5	4.2
Kerala	50.0	37.9	10.0	2.1	48.7	40.3	9.0	2.0
Madhya Pradesh	38.7	31.3	16.0	14.0	42.1	34.7	13.4	9.9
Maharashtra	46.8	35.3	12.3	5.5	49.2	34.4	10.6	5.8
Odisha	42.5	32.1	14.8	10.7	52.3	31.2	11.0	5.4
Punjab	51.8	32.8	11.1	4.3	49.2	36.9	9.3	4.6
Rajasthan	32.5	30.0	17.4	20.0	42.4	33.0	14.4	10.2
Tamil Nadu	49.8	38.4	9.7	2.1	52.5	40.7	6.1	0.8
Uttar Pradesh	35.0	28.4	17.4	19.3	38.8	30.4	14.9	15.9
West Bengal	49.7	32.4	10.5	7.3	59.4	25.9	8.7	6.0

Birth interval

3.34 The percentage distribution of second and higher order live births by interval between current and previous live birth is shown below in Statement 38 for India and bigger States for the year 2011. At the National level, 1.7 per cent of the live births occur within one year from the previous live birth. Such percentage varies from 0.3 in Kerala to 2.4 in Madhya Pradesh and Uttar Pradesh. The percentage of births beyond three years of birth interval from the previous live birth for India is 42.4. It varies from 34.2 in Bihar to 65.8 in Kerala.

Statement 38

Percentage distribution of second and higher order live births by interval, India and bigger States, 2011

India and bigger States	Interval between current and previous live birth (in months)			
	10-12	12-24	24-36	36+
India	**1.7**	**25.8**	**30.1**	**42.4**
Andhra Pradesh	0.6	29.4	32.3	37.8
Assam	1.5	17.4	27.9	53.2
Bihar	1.7	30.5	33.6	34.2
Chhattisgarh	0.8	19.9	36.1	43.2
Delhi	1.2	19.0	25.0	54.9
Gujarat	2.0	26.3	31.6	40.1
Haryana	1.6	31.8	30.3	36.4
Himachal Pradesh	2.0	30.1	30.4	37.6
Jammu & Kashmir	1.6	20.7	28.5	49.3
Jharkhand	1.1	17.9	28.2	52.8
Karnataka	1.2	28.7	35.2	34.9
Kerala	0.3	14.7	19.2	65.8
Madhya Pradesh	2.4	28.6	33.0	35.9
Maharashtra	0.7	24.4	33.3	41.6
Odisha	1.3	14.0	28.0	56.7
Punjab	1.4	18.1	20.8	59.7
Rajasthan	2.0	30.9	31.5	35.7
Tamil Nadu	1.1	27.9	28.2	42.8
Uttar Pradesh	2.4	27.5	28.1	42.0
West Bengal	0.9	15.4	25.3	58.4

3.35 Statement 39 below presents the percentage distribution of second and higher order live births by interval between current and previous live birth separately for rural and urban areas. At the National level, 1.7 percent of live births have been reported within an interval of one year for rural and 1.4 percent in urban areas. The data reveals that so far as spacing of children is considered, there is marginal difference between the rural and urban areas indicate that about half of the birth have spacing 36 months and above in urban compared to about two fifth in rural areas. More than 70 percent of births have birth interval of 24 and more months both in rural and urban areas.

Statement 39

Percentage distribution of second and higher order live births by interval and residence, India and bigger States, 2011

India and bigger States	Interval between current and previous live birth (in months)							
	Rural				Urban			
	10-12	12-24	24-36	36+	10-12	12-24	24-36	36+
India	**1.7**	**26.7**	**31.3**	**40.2**	**1.4**	**22.1**	**25.4**	**51.2**
Andhra Pradesh	0.5	30.4	33.0	36.1	0.8	26.5	30.5	42.2
Assam	1.6	17.8	28.6	51.9	0.2	12.1	19.7	67.9
Bihar	1.7	30.5	33.8	34.0	2.0	30.8	31.0	36.2
Chhattisgarh	0.8	19.8	37.3	42.0	0.9	20.4	26.9	51.8
Delhi	1.1	22.7	26.2	50.0	1.2	18.2	24.7	55.9
Gujarat	2.3	28.6	34.3	34.7	1.2	21.2	25.5	52.0
Haryana	1.9	34.9	31.4	31.8	0.7	23.0	27.1	49.2
Himachal Pradesh	2.1	31.3	31.2	35.4	0.0	14.2	19.7	66.1
Jammu & Kashmir	1.7	20.7	29.0	48.6	1.3	20.4	24.5	53.7
Jharkhand	1.1	17.3	28.3	53.3	1.1	21.5	27.6	49.8
Karnataka	1.3	31.2	38.1	29.5	0.9	23.5	28.9	46.7
Kerala	0.3	14.7	19.5	65.6	0.6	14.7	18.3	66.4
Madhya Pradesh	2.6	29.6	34.3	33.5	1.2	23.5	25.9	49.4
Maharashtra	0.7	27.3	38.1	34.0	0.7	19.9	26.1	53.3
Odisha	1.3	14.0	28.6	56.1	1.5	14.3	21.3	63.0
Punjab	1.7	21.9	23.9	52.5	0.8	11.4	15.5	72.4
Rajasthan	2.3	31.7	32.8	33.2	0.6	27.1	25.4	46.9
Tamil Nadu	1.2	30.7	31.0	37.1	0.9	24.0	24.2	50.9
Uttar Pradesh	2.3	28.2	28.8	40.6	3.1	23.4	23.9	49.6
West Bengal	0.9	15.6	26.0	57.4	0.8	14.4	21.4	63.4

Medical attention at delivery

3.36 While recording details of every outcome of pregnancy during continuous enumeration and half yearly survey, the enumerators and supervisors are required to enquire about the type of medical attention received by the mother at the time of delivery/abortion of the new born. In the new sample from 2004, the options on types of medical attention received by the mother at delivery have been modified to capture the deliveries specifically at private hospital/nursing homes. The new options include 'Government Hospital', 'Private Hospital', 'Qualified professional', 'Untrained functionary and others' in comparison to 'Institutional'; 'Doctor, Nurse or trained midwife'; 'Traditional birth attendants'; and 'relatives or others' adopted in 1991 SRS sample. Statement 40 below gives the percentage distribution of live births recorded in the year 2011 by type of medical attention received by the mother at the time of delivery for India and bigger States separately by rural and urban areas. At the National level, 45.2 per cent births were attended by Government Hospitals and vary from 43.2 per cent in rural areas to 52.4 per cent in urban areas. Among the bigger States, it varies from 23.7 per cent in Jharkhand to 65.1 per cent in Rajasthan. About 21.4 per cent of birth occurred at Private Hospital. Medical attention by qualified professionals constitutes 13.7 per cent of total delivery whereas untrained and others constitute 19.6 per cent. More than three fourth of deliveries are occurring in institutional and by the qualified professional.

Statement 40

Percent distribution of live births by type of medical attention received by the mother at delivery by residence, India and bigger States, 2011

India and bigger States	Govt. Hospital			Private Hospital			Qualified professional			Untrained functionary and others		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
India	**45.2**	**43.2**	**52.4**	**21.4**	**17.5**	**35.5**	**13.7**	**15.1**	**9.0**	**19.6**	**24.2**	**3.1**
Andhra Pradesh	48.5	50.6	43.1	42.2	36.9	55.5	8.5	11.4	1.2	0.9	1.1	0.2
Assam	45.7	44.2	59.6	16.1	14.7	28.8	15.0	15.4	10.5	23.2	25.6	1.1
Bihar	34.5	33.4	47.8	13.9	12.1	35.8	10.3	10.2	11.8	41.2	44.4	4.7
Chhattisgarh	36.0	33.0	55.4	18.1	17.3	23.8	21.5	22.5	15.0	24.4	27.2	5.7
Delhi	59.1	56.3	59.7	26.5	25.0	26.8	9.2	7.2	9.6	5.1	11.5	3.9
Gujarat	40.5	40.9	39.8	43.9	37.7	55.8	10.6	14.1	3.8	4.9	7.3	0.5
Haryana	32.9	33.2	32.1	37.0	33.7	45.6	24.9	26.5	20.7	5.2	6.5	1.6
Himachal Pradesh	51.3	49.2	81.9	12.8	13.1	9.2	20.9	21.9	6.5	15.0	15.9	2.4
Jammu & Kashmir	63.6	59.9	83.7	10.5	10.2	11.9	9.3	10.4	3.1	16.6	19.4	1.3
Jharkhand	23.7	19.8	46.5	12.6	9.2	32.8	16.7	16.4	18.1	47.0	54.5	2.6
Karnataka	61.5	63.3	58.0	26.9	22.6	35.6	4.2	5.7	1.0	7.4	8.3	5.4
Kerala	45.5	48.2	36.2	54.2	51.4	63.3	0.2	0.2	0.3	0.2	0.2	0.2
Madhya Pradesh	47.1	43.3	67.0	19.5	18.7	24.0	13.1	14.7	5.0	20.2	23.3	4.0
Maharashtra	52.5	48.4	58.4	38.2	37.0	39.9	4.2	6.3	1.3	5.1	8.4	0.4
Odisha	51.4	49.5	68.5	11.2	10.3	19.0	11.0	11.3	8.2	26.4	28.9	4.3
Punjab	31.2	28.9	35.2	42.2	37.9	50.1	25.5	31.8	14.0	1.1	1.4	0.7
Rajasthan	65.1	63.7	70.6	11.5	10.3	16.3	15.5	16.3	12.3	7.9	9.7	0.8
Tamil Nadu	61.1	63.1	58.4	31.3	24.4	40.7	7.2	12.2	0.5	0.3	0.3	0.3
Uttar Pradesh	36.0	35.4	39.0	12.4	9.3	28.6	23.3	22.8	25.5	28.4	32.5	6.9
West Bengal	59.2	57.9	65.0	11.3	8.6	22.8	8.5	9.4	4.7	21.0	24.2	7.6

CHAPTER – 4

ESTIMATES OF MORTALITY INDICATORS

Mortality is one of the basic components of population change and related data is essential for demographic studies and public health administration. It is the principal ingredient for population projections and life tables. Information on death events recorded in SRS is used to estimate mortality indicators. The various measures of mortality published under SRS are Crude Death Rate (CDR), Under-five Mortality Rate (U5MR), Infant Mortality Rate (IMR) and its components, Age Specific Mortality Rates (ASMR), Still Birth Rate (SBR) and Peri-Natal Mortality Rate (PMR).

4.2 SRS has continued to provide data for estimating various mortality measures since its inception. The crude death rate at all India level has declined significantly from 14.9 to 12.5 during 1971 to 1981 and thereafter from 9.8 to 7.1 during 1991 to 2011. The decline has been steeper in rural areas as compared to urban areas. The infant mortality rate, which plays an important role in health planning, has shown a considerable decline from 129 per 1000 live births in 1971 to 110 in 1981 and from 80 in 1991 to 44 in 2011. The child mortality rate has depicted a perceptible decline from 51.9 in 1971 to 41.2 in 1981 and from 26.5 in 1991 to 12.2 in 2011. In 2011, about 34 percent of the deaths were institutional and 66 percent received medical attention other than institution.

4.3 Apart from the all India scenario, this chapter presents data on mortality indicators for bigger States by sex, residence and broad age groups. Besides Under-five mortality rate, it includes data on infant mortality and its component viz., neo-natal mortality and post neo-natal, peri-natal mortality and their changes over the last decade. It also includes data on medical attention before death. Chart 18 depicts crude death rate by residence, India and bigger States, 2011.

4.4 Apart from the mortality indicators at State and National levels, this report also includes estimates of death rates at sub-State, viz. NSS Natural Division Level in rural areas. The Table 11 in the annexure to this report contains data on death rate and infant mortality rate besides birth rate for 56 Natural Divisions of 16 bigger States. The Table 11 also contains data on death rate and infant mortality rate besides birth rate for four metro cities viz. Chennai, Delhi, Kolkata and Mumbai.


4.5 Crude Death Rate (Statement 41) at the National level for 2011 is 7.1 per thousand population and it varies from 7.6 in rural areas to 5.7 in urban areas. Among the bigger States, it varies from 4.3 in Delhi to 8.5 in Odisha. The States having death rate higher than or equal to the National level are Andhra Pradesh (7.5), Assam (8.0), Chhattisgarh (7.9), Karnataka (7.1), Madhya Pradesh (8.2), Odisha (8.5), Uttar Pradesh (7.9), and Tamil Nadu (7.4). Distribution of bigger States by level of CDR in rural and urban areas is shown in Chart 19. The estimated age-specific death rate by sex and residence for India and bigger States has been detailed in Table 8.

Statement 41

CDR (Crude death rates) by residence, India and bigger States, 2011

India and bigger States	Total	Rural	Urban
India	**7.1**	**7.6**	**5.7**
Andhra Pradesh	7.5	8.5	5.2
Assam	8.0	8.4	5.6
Bihar	6.7	6.9	5.5
Chhattisgarh	7.9	8.3	6.1
Delhi	4.3	4.7	4.3
Gujarat	6.7	7.4	5.7
Haryana	6.5	7.0	5.3
Himachal Pradesh	6.7	7.0	3.6
Jammu & Kashmir	5.5	5.7	4.7
Jharkhand	6.9	7.3	5.2
Karnataka	7.1	8.0	5.4
Kerala	7.0	7.1	6.6
Madhya Pradesh	8.2	8.7	6.1
Maharashtra	6.3	7.3	5.1
Odisha	8.5	8.8	6.5
Punjab	6.8	7.5	5.6
Rajasthan	6.7	7.0	5.8
Tamil Nadu	7.4	8.1	6.4
Uttar Pradesh	7.9	8.3	6.1
West Bengal	6.2	6.1	6.5

Chart 18: Crude death rate by residence, India and bigger States, 2011



4.6 Statement 42 given below shows the percentage change in the level of Crude Death Rate between the period 1999-01 and 2009-11 for India and bigger States. During this period CDR in India has declined by 15.3 per cent. Among the bigger States, decline in CDR varies from 22.3 per cent in Uttar Pradesh to 4.2 per cent in Himachal Pradesh. In Kerala, average CDR have shown marginal increase during 1999-01 to 2009-11 period, which could be possibly due to the changes in age structure of the population.


Statement 42

Percent change in average Crude Death Rate between 1999-01 and 2009-2011, by residence, India and bigger States

India and bigger States	Total			Rural			Urban		
	1999-01	2009-11	% Change	1999-01	2009-11	% Change	1999-01	2009-11	% Change
India	**8.5**	**7.2**	**-15.3**	**9.3**	**7.7**	**-17.2**	**6.3**	**5.8**	**-7.9**
Andhra Pradesh	8.2	7.6	-7.3	9.0	8.5	-5.6	5.7	5.4	-5.3
Assam	9.6	8.2	-14.6	10.0	8.6	-14.0	6.3	5.8	-7.9
Bihar*	8.6	6.9	-19.8	8.9	7.1	-20.2	6.8	5.6	-17.6
Gujarat	7.7	6.8	-11.7	8.7	7.5	-13.8	5.8	5.6	-3.4
Haryana	7.6	6.6	-13.2	7.9	7.0	-11.4	6.7	5.5	-17.9
Himachal Pradesh	7.2	6.9	-4.2	7.3	7.2	-1.4	5.3	4.2	-20.8
Karnataka	7.7	7.1	-7.8	8.5	8.1	-4.7	5.9	5.4	-8.5
Kerala	6.5	6.9	6.2	6.6	7.0	6.1	6.2	6.6	6.5
Madhya Pradesh*	10.3	8.3	-19.4	11.0	8.9	-19.1	7.4	6.1	-17.6
Maharashtra	7.5	6.5	-13.3	8.6	7.5	-12.8	5.8	5.3	-8.6
Odisha	10.5	8.6	-18.1	11.0	9.0	-18.2	7.0	6.6	-5.7
Punjab	7.3	6.9	-5.5	7.7	7.7	0.0	6.1	5.7	-6.6
Rajasthan	8.3	6.7	-19.3	8.7	6.9	-20.7	6.4	6.0	-6.3
Tamil Nadu	7.9	7.5	-5.1	8.6	8.3	-3.5	6.4	6.6	3.1
Uttar Pradesh*	10.3	8.0	-22.3	10.8	8.4	-22.2	8.0	6.3	-21.3
West Bengal	7.0	6.1	-12.9	7.2	6.1	-15.3	6.6	6.4	-3.0

* Bihar includes Jharkhand, Madhya Pradesh includes Chhattisgarh and Uttar Pradesh includes Uttarakhand.

Chart 19: Distribution of bigger states by values of death rate for rural and urban areas, 2011



4.7 Statement 43 given below presents the estimated Crude Death Rate for India by residence separately for males and females. It is observed that female death rate is lower than male death rate both in rural and urban areas.

Statement 43

Crude death rate by sex and residence, India, 2011

Residence	Total	Males	Females
Total	7.1	7.8	6.3
Rural	7.6	8.4	6.9
Urban	5.7	6.3	5.0

4.8 Crude death rates for males and females in the bigger States are shown below in Statement 44. It is observed that male death rate exceeds female death rate in all bigger States.

Statement 44

Crude death rate by sex, India and bigger States, 2011

India and bigger States	Total	Males	Females
India	**7.1**	**7.8**	**6.3**
Andhra Pradesh	7.5	8.7	6.3
Assam	8.0	8.9	7.1
Bihar	6.7	7.0	6.5
Chhattisgarh	7.9	8.6	7.2
Delhi	4.3	4.7	3.9
Gujarat	6.7	7.4	6.0
Haryana	6.5	7.2	5.6
Himachal Pradesh	6.7	7.7	5.7
Jammu & Kashmir	5.5	6.0	5.0
Jharkhand	6.9	7.0	6.8
Karnataka	7.1	8.2	5.9
Kerala	7.0	8.3	5.8
Madhya Pradesh	8.2	8.8	7.5
Maharashtra	6.3	7.1	5.5
Odisha	8.5	8.8	8.2
Punjab	6.8	7.6	5.8
Rajasthan	6.7	7.3	6.0
Tamil Nadu	7.4	8.3	6.4
Uttar Pradesh	7.9	8.6	7.0
West Bengal	6.2	6.7	5.6

4.9 Statement 45 given below provides the per cent distribution of deaths by broad age groups for India and bigger States. At the National level, 13.6 per cent of the deaths are of infant deaths (<1 year) whereas 50.9 percent of the deaths pertain to persons aged 60 years and above. Toddlers (1-4 years) accounts for 3.1 per cent of the deaths. The percentage of infant deaths to total deaths varies from a low 2.6 per cent in Kerala to a high of 20.3 per cent in Rajasthan. Percentage contribution of deaths from person's 60 years and above varies from 43.6 in Assam to 73.4 in Kerala. The percentage distribution of deaths to total deaths, by residence, sex and age-group at the National level and for the bigger States are given in Table 10.

Statement 45

Per cent distribution of deaths by broad age groups, India and bigger States, 2011

India and bigger States	Broad age-groups					
	<1	1-4	0-4	5-14	15-59	60+
India	**13.6**	**3.1**	**16.7**	**2.3**	**30.0**	**50.9**
Andhra Pradesh	10.0	0.5	10.5	1.5	38.1	49.9
Assam	15.8	6.5	22.2	2.2	32.0	43.6
Bihar	18.1	6.0	24.1	4.6	23.9	47.4
Chhattisgarh	15.2	2.5	17.7	2.2	30.0	50.1
Delhi	11.2	1.7	13.0	2.2	40.7	44.2
Gujarat	12.9	3.1	16.0	2.1	32.7	49.3
Haryana	15.0	2.0	16.9	1.5	33.4	48.2
Himachal Pradesh	8.9	2.1	11.0	1.1	24.5	63.4
Jammu & Kashmir	13.1	1.2	14.4	1.8	26.9	56.9
Jharkhand	14.2	4.7	18.9	3.5	29.1	48.5
Karnataka	9.2	1.4	10.5	1.3	35.4	52.8
Kerala	2.6	0.2	2.8	0.4	23.4	73.4
Madhya Pradesh	19.5	4.8	24.4	2.9	26.2	46.5
Maharashtra	6.5	0.9	7.4	1.1	29.5	62.0
Odisha	13.3	3.6	16.9	2.7	29.2	51.1
Punjab	7.3	1.8	9.0	1.5	31.7	57.8
Rajasthan	20.3	4.2	24.5	3.0	26.6	45.9
Tamil Nadu	4.7	0.6	5.3	1.1	33.2	60.5
Uttar Pradesh	20.1	4.9	25.0	2.9	28.5	43.7
West Bengal	8.4	1.7	10.1	2.0	31.1	56.8

Note: Total may not add upto 100 due to rounding.

4.10 The percentage share of infant deaths to total deaths by residence is shown below in Statement 46 for India and bigger States. At the National level, such share in the year 2011 is 13.6 per cent and varies from 14.8 per cent in rural areas to 9.0 per cent in urban areas. In rural areas, Kerala registered 2.8, the lowest per cent share of infant deaths as compared to 22.4 in Rajasthan. In urban areas, the variation is from 2.1 per cent in Kerala to 16.0 per cent in Uttar Pradesh.

Statement 46

Percentage of Infant deaths to total deaths by residence
India and bigger States, 2011

India and bigger States	Total	Rural	Urban
India	**13.6**	**14.8**	**9.0**
Andhra Pradesh	10.0	10.0	9.9
Assam	15.8	16.5	9.3
Bihar	18.1	18.5	13.5
Chhattisgarh	15.2	15.6	12.5
Delhi	11.2	14.9	10.6
Gujarat	12.9	14.8	8.9
Haryana	15.0	15.8	12.6
Himachal Pradesh	8.9	8.9	10.1
Jammu & Kashmir	13.1	14.3	7.9
Jharkhand	14.2	14.9	10.4
Karnataka	9.2	9.6	8.2
Kerala	2.6	2.8	2.1
Madhya Pradesh	19.5	20.8	12.9
Maharashtra	6.5	7.0	5.4
Odisha	13.3	13.9	9.1
Punjab	7.3	7.5	6.8
Rajasthan	20.3	22.4	12.3
Tamil Nadu	4.7	4.8	4.6
Uttar Pradesh	20.1	20.8	16.0
West Bengal	8.4	9.9	4.6

4.11 Statement 47 given below presents Infant Mortality Rate (IMR) by sex and residence for the year 2011 for India and bigger States. Infant Mortality Rate is defined as the infant deaths (less than one year) per thousand live births. At the National level, IMR is reported to be 44 and varies from 48 in rural areas to 29 in urban areas. Among the bigger States, it varies from 12 in Kerala to 59 in Madhya Pradesh. Female infants experienced a higher mortality than male infants in all States. Chart 20 provides the values of IMR by residence for India and bigger States. Distribution of bigger States by level of IMR in rural and urban areas is shown in Chart 21. The estimates on child and infant mortality indicators by residence have been detailed in Table 9.

Statement 47

Infant mortality rates by sex and residence, India and bigger States, 2011

India and bigger States	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
India	**44**	**43**	**46**	**48**	**47**	**50**	**29**	**27**	**31**
Andhra Pradesh	43	40	46	47	45	50	31	28	35
Assam	55	55	56	58	57	59	34	33	34
Bihar	44	44	45	45	44	45	34	34	35
Chhattisgarh	48	47	50	49	47	51	41	41	41
Delhi	28	25	31	36	21	53	26	26	27
Gujarat	41	39	42	48	47	49	27	23	30
Haryana	44	41	48	48	45	52	35	31	39
Himachal Pradesh	38	36	39	38	37	40	28	20	35
Jammu & Kashmir	41	40	41	43	42	44	28	28	29
Jharkhand	39	36	43	41	38	45	28	25	32
Karnataka	35	34	35	39	38	39	26	24	27
Kerala	12	11	13	13	12	14	9	8	12
Madhya Pradesh	59	57	62	63	61	66	39	38	41
Maharashtra	25	24	25	30	29	30	17	16	18
Odisha	57	55	58	58	57	60	40	40	41
Punjab	30	28	33	33	31	35	25	22	28
Rajasthan	52	50	53	57	56	58	32	29	35
Tamil Nadu	22	21	23	24	23	25	19	17	20
Uttar Pradesh	57	55	59	60	58	62	41	39	43
West Bengal	32	30	34	33	31	36	26	26	27

Chart 20: Infant mortality rate by residence, India and bigger States, 2011





Chart 21: Distribution of bigger states by Infant mortality rate for rural and urban areas, 2011



4.12 The percentage change in the average level of infant mortality between 1999-01 and 2009-11 is given below in Statement 48. During this period, IMR, at the National level, declined by 30.9 per cent. Among the bigger States, the decline varies from 51.3 per cent in Tamil Nadu to 5.4 per cent in Kerala. In the rural areas, decline in IMR varies from 53.3 per cent in Tamil Nadu to 2.3 per cent in Kerala. The decline in IMR varies from 43.6 per cent in Rajasthan to 12.5 per cent in Andhra Pradesh in urban areas. IMR in urban areas of Assam & Karnataka have shown an increase, which may be attributed to sampling fluctuation.

Statement 48

Per cent change in average Infant mortality rates between 1999-01 and 2009-2011 by residence, India and bigger States

India and Bigger States	Total			Rural			Urban		
	1999-01	2009-11	% Change	1999-01	2009-11	% Change	1999-01	2009-11	% Change
India	**68.0**	**47.0**	**-30.9**	**73.7**	**51.3**	**-30.4**	**43.3**	**31.3**	**-27.7**
Andhra Pradesh	65.7	46.0	-30.0	74.3	50.7	-31.8	37.7	33.0	-12.5
Assam	75.0	58.0	-22.7	78.0	60.7	-22.2	35.0	35.7	2.0
Bihar*	62.3	47.7	-23.4	63.3	48.7	-23.1	53.3	36.7	-31.1
Gujarat	61.7	44.3	-28.2	69.0	51.3	-25.7	44.0	30.0	-31.8
Haryana	67.0	47.7	-28.8	69.0	51.0	-26.1	56.7	38.0	-33.0
Himachal Pradesh	58.7	41.0	-30.2	60.3	41.7	-30.8	35.7	28.3	-20.7
Karnataka	57.7	38.0	-34.1	68.7	43.0	-37.4	24.7	28.3	14.6
Kerala	13.0	12.3	-5.4	13.3	13.0	-2.3	13.0	10.0	-23.1
Madhya Pradesh*	87.7	62.0	-29.3	93.7	66.3	-29.2	54.0	42.3	-21.7
Maharashtra	47.0	28.0	-40.4	56.3	33.7	-40.1	30.7	19.7	-35.8
Odisha	94.3	61.0	-35.3	97.7	63.0	-35.5	64.0	43.0	-32.8
Punjab	52.3	34.0	-35.0	56.0	37.3	-33.4	38.0	28.0	-26.3
Rajasthan	80.0	55.3	-30.9	83.7	61.0	-27.1	58.0	32.7	-43.6
Tamil Nadu	50.7	24.7	-51.3	56.3	26.3	-53.3	37.3	22.3	-40.2
Uttar Pradesh*	83.3	60.0	-28.0	87.0	63.0	-27.6	64.3	43.7	-32.0
West Bengal	51.3	32.0	-37.6	54.3	33.0	-39.2	38.0	26.0	-31.6

* Bihar includes Jharkhand, Madhya Pradesh includes Chhattisgarh and Uttar Pradesh includes Uttarakhand.

4.13 Statement 49 given below presents the neo-natal (less than 29 days) mortality rate and the percentage of neo-natal deaths to infant deaths for the year 2011 both at the National and State levels. At the National level, the neo-natal mortality rate is 31 and ranges from 17 in urban areas to 34 in rural areas. Among the bigger States, neo-natal mortality ranges from 41 in Madhya Pradesh to 7 in Kerala. The percentage of neo-natal deaths to total infant deaths is 69.1 per cent at the National level and varies from 58.2 per cent in urban areas to 70.9 per cent in rural areas. Among the bigger States, Punjab (79.9) registered the highest percentage of neo-natal deaths to infant deaths and the lowest in Assam (53.9).

Statement 49

Neo-natal mortality rates and percentage share of Neo-natal deaths to Infant deaths by residence, India and bigger States, 2011

India and Bigger States	Neo-natal mortality rate			Percentage of Neo-natal death to Infant deaths		
	Total	Rural	Urban	Total	Rural	Urban
India	**31**	**34**	**17**	**69.1**	**70.9**	**58.2**
Andhra Pradesh	28	34	13	65.0	71.4	41.0
Assam	30	32	10	53.9	55.5	30.3
Bihar	29	31	12	66.2	68.2	35.4
Chhattisgarh	34	34	31	70.1	69.4	75.7
Delhi	18	25	17	65.7	69.2	64.8
Gujarat	30	35	19	72.9	73.5	70.9
Haryana	28	32	18	64.0	67.0	52.9
Himachal Pradesh	28	29	15	74.7	75.8	53.7
Jammu & Kashmir	32	34	19	77.7	79.0	66.6
Jharkhand	29	31	13	72.8	75.9	46.5
Karnataka	24	31	12	70.9	79.1	45.9
Kerala	7	8	3	55.1	59.8	33.9
Madhya Pradesh	41	44	24	68.6	69.4	62.1
Maharashtra	18	22	13	74.0	73.4	75.5
Odisha	40	42	27	71.6	71.9	67.5
Punjab	24	26	21	79.9	77.9	84.7
Rajasthan	37	41	19	71.4	73.1	59.5
Tamil Nadu	15	18	12	70.4	73.8	64.6
Uttar Pradesh	40	43	23	70.2	72.2	55.1
West Bengal	22	23	17	69.3	70.3	64.1

4.14 Early neo-natal mortality rate i.e. number of infant deaths less than seven days of life per thousand live births forms an important component of infant mortality rate and more specifically of the neo-natal mortality rate. Statement 50 given below presents the early neo-natal mortality rate along with the percentage of early neo-natal deaths to the total infant deaths. At the National level, the early neo-natal mortality rate for the year 2011 has been estimated at 24 and ranges from 27 in rural areas to 13 in urban areas. Among the bigger States, Kerala (5) and Madhya Pradesh (32) are the two extremes. The percentage of early neo-natal deaths to the total infant deaths during the year 2011, at the National level, has been 54.1 and it varies from 55.6 in rural area to 45.0 in urban areas. In most of the States, rural proportion is relatively higher than the urban proportion except Delhi, Odisha, Gujarat and Chhattisgarh. Among the bigger States the percentage for total, varies from 37.3 in Kerala to 64.5 in Jammu & Kashmir.

Statement 50

Early neo-natal mortality rates and percentage share of Early neo-natal deaths to Infant deaths by residence, India and bigger States, 2011

India and Bigger States	Early neo-natal mortality rate			Percentage of Early neo-natal deaths to Infant deaths		
	Total	Rural	Urban	Total	Rural	Urban
India	**24**	**27**	**13**	**54.1**	**55.6**	**45.0**
Andhra Pradesh	24	30	10	56.5	62.7	32.9
Assam	25	27	10	45.4	46.5	28.7
Bihar	25	26	8	56.3	58.5	23.6
Chhattisgarh	25	25	26	51.5	50.0	62.7
Delhi	12	14	12	43.9	38.5	45.3
Gujarat	22	25	15	53.9	53.3	55.8
Haryana	24	27	14	53.1	56.7	39.7
Himachal Pradesh	23	23	14	60.8	61.3	49.7
Jammu & Kashmir	26	29	12	64.5	67.2	42.3
Jharkhand	25	27	12	63.4	65.7	43.1
Karnataka	20	24	11	57.9	62.7	43.2
Kerala	5	6	1	37.3	43.1	11.3
Madhya Pradesh	32	34	19	53.4	54.0	48.2
Maharashtra	15	18	10	60.1	60.6	59.1
Odisha	30	31	22	53.7	53.6	55.0
Punjab	18	20	14	58.9	60.9	54.0
Rajasthan	29	32	14	55.3	57.0	43.3
Tamil Nadu	11	13	8	51.7	55.8	44.6
Uttar Pradesh	30	32	17	52.2	53.5	42.7
West Bengal	18	19	14	56.7	57.2	54.1

4.15 Statement 51 given below presents the peri-natal mortality rate and still birth rate for the year 2011, by residence, for India and bigger States. Peri-natal mortality rate (PMR) is defined as the number of still births and infant deaths of less than 7 days per one thousand live births (LB) and still births (SB) taken together during the year. The still birth rate (SBR) is estimated as the ratio of the number of still births per one thousand live births (LB) and still births (SB) during the year. At the National level, peri-natal mortality rate has been estimated to be 30 and ranges from 33 in rural areas to 19 in urban areas. Among the bigger States, Kerala (10) and Madhya Pradesh alongwith Odisha (38) are the two extremes. The estimate of still birth rate for the year 2011, at the National level is 6. Among the bigger States, the highest level of still birth rate has been estimated for Karnataka (14) and the lowest for Jharkhand (1). Still births are extremely difficult to capture and there is a room for considerable improvement in netting the events.

Statement 51

Peri-natal mortality rates and Still birth rates by residence, India and bigger States, 2011

India and	Peri-natal mortality rate			Still birth rate		
Bigger States	Total	Rural	Urban	Total	Rural	Urban
India	**30**	**33**	**19**	**6**	**6**	**6**
Andhra Pradesh	30	36	14	6	7	3
Assam	34	36	18	9	9	9
Bihar	28	29	14	3	3	6
Chhattisgarh	36	36	36	12	12	10
Delhi	19	22	19	7	8	7
Gujarat	29	32	24	7	6	9
Haryana	32	37	20	9	10	6
Himachal Pradesh	33	33	32	10	10	19
Jammu & Kashmir	34	37	17	8	8	5
Jharkhand	26	28	13	1	1	1
Karnataka	33	40	21	14	16	10
Kerala	10	12	6	6	6	5
Madhya Pradesh	38	40	27	7	6	8
Maharashtra	21	23	18	6	5	8
Odisha	38	39	27	8	8	5
Punjab	25	26	22	7	6	9
Rajasthan	34	38	19	5	6	5
Tamil Nadu	20	25	14	9	12	5
Uttar Pradesh	35	37	21	5	6	4
West Bengal	24	25	19	6	6	5

4.16 Percent share of deaths to children below age five to total deaths by residence for India and bigger States is shown below in Statement 52. At the National level, such percentage is 16.7 and it varies from 18.4 in rural areas to 10.7 in urban areas. Among the bigger States, the variation is from 2.8 in Kerala to 25.0 in Uttar Pradesh. In rural areas, it varies from 3.0 in Kerala to 27.2 in Rajasthan, and in urban areas, it is 2.3 in Kerala to 19.9 in Uttar Pradesh.

Statement 52

Percentage of deaths in the age group 0-4 years to total deaths by residence, India and bigger States, 2011

India and bigger States	Total	Rural	Urban
India	16.7	18.4	10.7
Andhra Pradesh	10.5	10.4	10.8
Assam	22.2	23.5	10.8
Bihar	24.1	24.8	16.2
Chhattisgarh	17.7	18.3	14.0
Delhi	13.0	17.1	12.2
Gujarat	16.0	18.2	11.3
Haryana	16.9	17.5	15.5
Himachal Pradesh	11.0	10.9	13.1
Jammu & Kashmir	14.4	15.7	8.4
Jharkhand	18.9	20.1	11.7
Karnataka	10.5	10.6	10.4
Kerala	2.8	3.0	2.3
Madhya Pradesh	24.4	25.9	16.4
Maharashtra	7.4	8.0	6.1
Odisha	16.9	17.8	9.7
Punjab	9.0	9.7	7.6
Rajasthan	24.5	27.2	14.2
Tamil Nadu	5.3	5.5	5.0
Uttar Pradesh	25.0	25.8	19.9
West Bengal	10.1	12.1	5.2

4.17 The death rates for children below age 5 by residence are given below in Statement 53 separately for males and females. At the National level, child mortality rate is estimated at 12.2 and it varies from 13.6 in rural areas to 7.4 in urban areas. Among the bigger States, this varies from 2.6 in Kerala to 18.8 in Madhya Pradesh. The female children have higher death rates than male children in all States.

Statement 53

Estimated death rates for children aged 0-4 years by sex and residence India and bigger States, 2011

India and bigger States	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	12.2	11.5	13.0	13.6	12.7	14.5	7.4	7.1	7.8
Andhra Pradesh	9.7	9.1	10.3	10.7	10.2	11.2	7.1	6.3	8.1
Assam	17.0	16.5	17.5	18.1	17.5	18.7	7.9	8.0	7.9
Bihar	12.4	12.0	12.8	12.7	12.2	13.2	8.7	9.5	7.9
Chhattisgarh	13.1	11.8	14.4	13.6	12.3	15.0	9.9	9.1	10.7
Delhi	6.3	5.7	6.9	7.6	5.3	10.3	6.0	5.8	6.2
Gujarat	12.1	11.5	12.8	14.2	14.3	14.2	8.0	6.3	10.1
Haryana	11.3	10.3	12.5	12.2	11.3	13.3	9.1	7.9	10.5
Himachal Pradesh	9.3	8.9	9.7	9.4	9.2	9.5	8.1	4.8	11.5
Jammu & Kashmir	10.3	10.1	10.6	10.9	10.8	11.1	6.9	6.1	7.8
Jharkhand	12.2	10.8	13.8	13.1	11.5	14.8	7.2	6.7	7.7
Karnataka	8.6	8.2	9.1	9.6	9.3	9.9	6.9	6.2	7.7
Kerala	2.6	2.4	2.8	2.8	2.6	3.1	2.0	1.9	2.1
Madhya Pradesh	18.8	17.9	19.7	20.6	19.4	21.8	11.0	11.6	10.4
Maharashtra	5.1	5.0	5.2	6.0	6.0	6.0	3.7	3.5	3.8
Odisha	15.8	15.4	16.2	16.7	16.3	17.1	8.5	8.4	8.6
Punjab	7.4	6.3	8.5	8.8	7.3	10.6	5.0	4.6	5.4
Rajasthan	15.0	13.5	16.8	16.5	14.8	18.4	9.2	8.0	10.5
Tamil Nadu	5.0	4.7	5.4	5.6	5.2	6.1	4.2	4.0	4.5
Uttar Pradesh	17.9	16.4	19.5	18.6	16.9	20.6	13.8	13.7	13.8
West Bengal	7.8	7.5	8.1	8.4	8.0	8.7	5.5	5.4	5.6


4.18 The Under-five mortality rates by residence are given below in Statement 54 separately for males and females. At the National level, under-five mortality rate is estimated at 55 and it varies from 61 in rural areas to 35 in urban areas. Among the bigger States, it varies from 13 in Kerala to 78 in Assam. All the bigger States have higher Under-five mortality rates of female than that of male.

Statement 54

Under-five Mortality Rates (U5MR) by sex and residence, India and bigger States, 2011

India & bigger States	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	**55**	**51**	**59**	**61**	**56**	**66**	**35**	**32**	**37**
Andhra Pradesh	45	42	49	49	46	53	34	30	38
Assam	78	75	82	83	78	88	39	39	38
Bihar	59	56	62	61	57	64	41	42	41
Chhattisgarh	57	49	66	59	50	68	46	43	50
Delhi	32	29	35	41	29	55	30	29	32
Gujarat	52	49	54	60	60	60	35	27	42
Haryana	51	45	58	54	48	60	43	36	51
Himachal Pradesh	46	43	49	47	44	50	36	32	41
Jammu & Kashmir	45	45	45	47	48	47	30	28	33
Jharkhand	54	45	63	57	48	67	32	29	36
Karnataka	40	38	42	43	42	44	33	30	36
Kerala	13	12	14	14	13	15	10	9	12
Madhya Pradesh	77	72	82	82	77	89	50	48	48
Maharashtra	28	27	28	33	33	34	19	19	20
Odisha	72	70	74	76	74	77	43	41	45
Punjab	38	33	43	43	37	50	28	26	31
Rajasthan	64	57	72	70	63	79	38	32	44
Tamil Nadu	25	23	27	28	26	30	21	19	22
Uttar Pradesh	73	67	81	77	69	85	54	52	55
West Bengal	38	37	40	41	39	43	29	28	29

Chart 22: Under five mortality rate, India and bigger States, 2011



4.19 Death rates for children in the age group 5-14 are given below in Statement 55. As revealed by the data, at the National level, the death rate in this age group is estimated to be 0.8. Rural-urban differentials exist with the urban areas registering significantly lower death rates as compared to that in rural areas in majority of the States. Among the bigger States, the lowest death rate in this age group is registered in Kerala (0.2) and the highest in Bihar and Odisha (1.3).

Statement 55

Death rates for children age 5-14 years by sex and residence
India and bigger States, 2011

India and bigger States	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	**0.8**	**0.8**	**0.8**	**0.9**	**1.0**	**0.9**	**0.5**	**0.4**	**0.5**
Andhra Pradesh	0.7	0.6	0.8	0.8	0.7	0.9	0.4	0.3	0.6
Assam	0.8	1.0	0.7	0.9	1.1	0.7	0.4	0.3	0.5
Bihar	1.3	1.3	1.2	1.3	1.4	1.2	1.2	0.9	1.6
Chhattisgarh	0.8	0.5	1.2	0.9	0.5	1.3	0.6	0.7	0.6
Delhi	0.5	0.2	0.8	0.3	0.0	0.6	0.5	0.3	0.8
Gujarat	0.7	0.8	0.7	0.9	1.0	0.8	0.4	0.5	0.3
Haryana	0.5	0.5	0.5	0.4	0.4	0.4	0.7	0.7	0.6
Himachal Pradesh	0.4	0.6	0.2	0.4	0.6	0.2	0.2	0.0	0.5
Jammu & Kashmir	0.6	0.9	0.2	0.7	1.0	0.3	0.0	0.0	0.0
Jharkhand	1.1	1.3	0.8	1.2	1.4	0.8	0.5	0.5	0.6
Karnataka	0.5	0.7	0.3	0.7	1.0	0.5	0.1	0.1	0.2
Kerala	0.2	0.2	0.1	0.2	0.3	0.2	0.0	0.0	0.0
Madhya Pradesh	1.1	1.3	0.8	1.1	1.4	0.9	0.9	1.2	0.6
Maharashtra	0.4	0.4	0.4	0.4	0.6	0.3	0.3	0.2	0.5
Odisha	1.3	1.3	1.2	1.3	1.4	1.2	0.7	0.7	0.7
Punjab	0.6	0.7	0.5	0.8	0.8	0.7	0.3	0.5	0.0
Rajasthan	0.9	0.9	0.9	1.0	1.0	1.0	0.5	0.6	0.4
Tamil Nadu	0.5	0.5	0.5	0.7	0.6	0.7	0.3	0.4	0.1
Uttar Pradesh	1.0	0.9	1.1	1.1	1.0	1.2	0.6	0.4	0.8
West Bengal	0.7	0.7	0.7	0.8	0.8	0.8	0.3	0.2	0.4

4.20 Death rates in the age group 15-59, by sex and residence, are given below in Statement 56. At the National level, death rate in this age group is estimated to be 3.4 and it varies from 3.6 in rural areas to 2.9 in urban areas. The female death rate is lower than that of males in all States.

Statement 56

Death rates for persons age 15-59 years by sex and residence
India and bigger States, 2011

India and bigger States	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	**3.4**	**4.2**	**2.6**	**3.6**	**4.4**	**2.8**	**2.9**	**3.7**	**2.1**
Andhra Pradesh	4.3	5.6	2.9	4.9	6.4	3.4	3.0	4.0	2.0
Assam	4.1	4.6	3.5	4.2	4.6	3.8	3.4	4.4	2.3
Bihar	2.9	3.0	2.8	2.9	3.0	2.9	2.8	3.3	2.3
Chhattisgarh	3.8	4.3	3.3	3.9	4.3	3.5	3.6	4.6	2.5
Delhi	2.7	3.5	1.7	2.4	3.0	1.6	2.7	3.5	1.7
Gujarat	3.4	4.4	2.4	3.9	5.0	2.8	2.8	3.5	1.9
Haryana	3.4	4.4	2.3	3.7	4.8	2.5	2.8	3.6	1.8
Himachal Pradesh	2.6	3.3	1.8	2.6	3.4	1.9	2.0	2.5	1.5
Jammu & Kashmir	2.2	2.6	1.9	2.3	2.5	2.0	2.2	2.8	1.6
Jharkhand	3.3	3.8	2.9	3.5	4.1	3.0	2.5	2.8	2.3
Karnataka	3.8	5.1	2.5	4.1	5.6	2.7	3.2	4.3	2.1
Kerala	2.6	3.7	1.5	2.5	3.8	1.4	2.7	3.5	1.9
Madhya Pradesh	3.5	4.1	2.9	3.7	4.3	3.0	3.0	3.5	2.4
Maharashtra	2.9	3.8	2.0	3.3	4.4	2.3	2.5	3.2	1.8
Odisha	4.0	4.6	3.3	4.1	4.8	3.5	3.0	3.7	2.2
Punjab	3.3	4.6	1.9	3.5	4.9	2.0	3.0	4.1	1.7
Rajasthan	3.0	3.6	2.3	3.0	3.7	2.3	2.7	3.3	2.1
Tamil Nadu	3.7	4.7	2.7	4.0	5.0	3.0	3.3	4.4	2.2
Uttar Pradesh	3.8	4.5	3.0	3.8	4.6	3.0	3.5	4.0	2.9
West Bengal	2.9	3.5	2.3	2.9	3.3	2.4	3.0	4.0	2.1

4.21 Death rates for persons aged 60 years and above by sex and residence are given below in Statement 57. At the National level, death rate in this age group is estimated to be 44.9 and males have higher mortality rate (50.3) than females (39.6). This difference exists in both rural and urban areas. The death rate for this age group, among the bigger States varies from 32.3 in Delhi to 57.2 in Assam.

Statement 57

Death rates for persons age 60 years and above by Sex and residence, India and bigger States, 2011

India and bigger States	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
India	44.9	50.3	39.6	47.3	53.3	41.6	38.1	42.1	34.2
Andhra Pradesh	42.4	49.6	36.0	44.6	50.3	39.6	35.5	47.5	24.4
Assam	57.2	65.9	47.6	60.4	70.9	49.1	39.4	39.2	39.7
Bihar	45.8	47.6	43.8	46.8	48.1	45.4	37.1	42.7	31.2
Chhattisgarh	55.0	66.8	44.4	57.3	70.2	45.7	43.1	49.5	37.1
Delhi	32.3	31.9	32.6	43.2	45.5	40.8	30.6	29.8	31.4
Gujarat	40.0	45.3	35.2	39.8	44.2	35.9	40.4	47.2	34.0
Haryana	44.1	50.6	37.8	46.3	54.9	38.3	38.6	40.5	36.6
Himachal Pradesh	41.0	45.9	36.3	42.9	48.0	38.0	19.1	23.0	14.8
Jammu & Kashmir	37.2	39.2	34.9	40.1	43.2	36.6	28.1	26.2	30.0
Jharkhand	50.2	48.9	51.6	52.6	50.2	55.0	40.5	43.6	37.0
Karnataka	44.4	50.6	38.9	48.6	57.1	41.1	35.8	37.3	34.3
Kerala	41.0	48.8	34.7	42.0	51.2	34.5	38.0	41.5	35.1
Madhya Pradesh	53.4	59.7	47.2	56.3	63.4	49.3	42.8	46.0	39.7
Maharashtra	42.5	47.4	37.9	44.7	50.2	39.6	38.7	42.7	34.7
Odisha	46.8	46.5	47.0	46.8	46.3	47.3	46.2	47.6	44.9
Punjab	41.2	44.3	38.1	43.8	48.3	39.4	36.2	36.9	35.5
Rajasthan	42.3	51.4	34.0	42.2	50.7	34.5	42.6	53.6	32.7
Tamil Nadu	42.1	46.8	37.8	45.0	52.1	38.5	38.0	39.3	36.9
Uttar Pradesh	50.2	59.0	41.2	52.8	62.6	42.7	38.6	42.8	34.2
West Bengal	42.9	45.1	40.5	44.7	46.5	43.0	39.2	42.6	35.5

Medical attention before death

4.22 The type of medical attention received before death is also collected in the SRS. In the new sample from 2004, the options on types of medical attention received before death have been modified to capture the deaths occurred specifically at private hospital/nursing homes. The options include 'Government Hospital', 'Private Hospital', 'Qualified professional', 'Untrained functionary' and 'others'. The options for the sample based on 1991 sample were 'Institutional'; 'Medical attentions other than institution'; and 'No medical attention'**.** Statement 58 given below presents the percentage distribution of deaths by type of medical attention received before death for India and bigger States separately for rural and urban areas for the year 2011. At the National level, 21.7 per cent of the deaths occurred at Government Hospital and varies from 19.5 per cent in rural areas to 29.7 per cent in urban areas. Among the bigger States, Himachal Pradesh (48.1) has the highest percentage of deaths in Government Hospital and Jharkhand (12.6) the lowest. Deaths in private hospitals account for 12.5 per cent and it varies from 3.7 per cent in Odisha to 33.7 per cent in Kerala. About 28.1 per cent deaths were attended by untrained functionaries and others.

Statement 58

Percent distribution of deaths by type of medical attention received before death by residence, India and bigger States, 2011

India and bigger States	Government Hospital			Private Hospital			Qualified professional			Untrained functionary & others		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
India	**21.7**	**19.5**	**29.7**	**12.5**	**10.5**	**19.6**	**37.8**	**38.6**	**35.1**	**28.1**	**31.5**	**15.6**
Andhra Pradesh	16.9	15.4	22.6	16.0	15.2	19.2	33.1	32.6	34.8	34.0	36.8	23.4
Assam	15.3	14.4	22.9	10.6	10.5	11.9	55.8	56.1	53.6	18.3	19.0	11.6
Bihar	14.7	14.1	21.4	7.7	6.8	17.8	44.0	43.8	46.7	33.5	35.3	14.1
Chhattisgarh	17.1	14.1	35.9	9.1	8.1	15.0	30.0	28.5	39.0	43.9	49.3	10.1
Delhi	42.1	20.6	46.2	11.4	6.5	12.3	28.8	49.2	25.0	17.6	23.7	16.5
Gujarat	21.0	16.9	29.5	14.5	12.4	18.9	49.7	52.8	43.5	14.7	17.9	8.1
Haryana	15.0	14.3	16.9	11.3	10.9	12.6	56.0	57.1	52.9	17.7	17.7	17.6
Himachal Pradesh	48.1	48.7	36.6	10.7	10.0	23.2	33.3	33.8	24.6	7.9	7.5	15.6
Jammu & Kashmir	37.2	32.7	58.2	8.3	7.8	10.6	37.1	38.5	30.4	17.4	21.0	0.8
Jharkhand	12.6	9.7	29.9	9.8	7.9	21.1	36.2	35.8	38.7	41.4	46.6	10.3
Karnataka	25.2	21.5	34.9	14.8	11.7	23.0	18.9	21.6	12.0	41.0	45.2	30.1
Kerala	39.8	41.3	34.8	33.7	35.7	27.0	12.3	7.5	28.0	14.3	15.5	10.2
Madhya Pradesh	30.4	28.4	40.6	14.0	12.7	20.6	30.4	30.6	29.4	25.2	28.3	9.4
Maharashtra	25.5	22.0	32.2	15.5	12.5	21.3	42.3	45.0	37.1	16.7	20.5	9.4
Odisha	21.3	20.5	28.1	3.7	3.3	6.8	22.5	22.2	25.0	52.5	54.0	40.1
Punjab	14.9	14.5	15.9	30.4	25.8	40.5	53.0	57.5	43.0	1.7	2.2	0.6
Rajasthan	25.1	23.3	32.2	8.5	7.3	12.9	40.9	40.5	42.3	25.5	28.9	12.6
Tamil Nadu	19.1	15.5	25.0	15.4	10.8	23.0	22.2	20.1	25.6	43.3	53.6	26.4
Uttar Pradesh	18.5	18.0	21.5	11.2	9.2	22.9	46.5	47.5	40.6	23.8	25.3	15.0
West Bengal	25.2	20.9	36.3	6.6	4.0	13.3	46.1	46.9	44.0	22.0	28.2	6.4

DETAILED TABLES

Table 1

Percent distribution of estimated population by age-group, sex and residence, 2011

Age group	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
				India					
0-4	9.7	9.9	9.5	10.3	10.5	10.1	8.2	8.3	8.0
5-9	9.2	9.4	9.0	9.5	9.7	9.4	8.3	8.6	8.1
10-14	10.5	10.7	10.3	11.0	11.3	10.8	9.0	9.2	8.8
15-19	10.3	10.7	9.8	10.7	11.2	10.2	9.2	9.5	8.9
20-24	9.8	9.4	10.2	9.8	9.4	10.1	10.0	9.5	10.5
25-29	9.0	9.0	9.0	8.7	8.8	8.5	9.9	9.7	10.2
30-34	7.4	7.4	7.5	7.1	7.0	7.1	8.5	8.6	8.4
35-39	7.1	6.9	7.2	6.8	6.6	7.1	7.7	7.7	7.7
40-44	5.8	5.9	5.8	5.6	5.6	5.5	6.6	6.5	6.6
45-49	5.4	5.4	5.4	5.2	5.2	5.2	6.2	6.2	6.2
50-54	3.8	4.0	3.6	3.6	3.8	3.3	4.5	4.7	4.3
55-59	3.8	3.4	4.2	3.7	3.2	4.3	3.9	3.8	4.1
60-64	2.7	2.7	2.7	2.7	2.7	2.6	2.8	2.8	2.8
65-69	2.3	2.1	2.4	2.3	2.2	2.4	2.2	2.1	2.2
70-74	1.5	1.4	1.6	1.5	1.4	1.6	1.4	1.3	1.5
75-79	0.9	0.9	1.0	1.0	0.9	1.0	0.9	0.8	1.0
80-84	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5
85+	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Note : Total may not add up to 100 due to rounding.									
				Andhra Pradesh					
0-4	8.1	8.3	7.9	8.2	8.4	8.1	7.9	8.2	7.6
5-9	7.6	7.8	7.3	7.6	7.8	7.3	7.6	7.8	7.4
10-14	8.9	9.2	8.6	9.1	9.4	8.8	8.3	8.6	8.0
15-19	8.9	9.4	8.4	9.2	9.8	8.6	8.3	8.6	8.1
20-24	9.7	9.3	10.2	9.7	9.5	10.0	9.7	8.8	10.6
25-29	9.4	9.5	9.3	9.2	9.4	8.9	9.9	9.7	10.2
30-34	8.2	8.1	8.2	7.9	7.8	8.1	8.8	8.9	8.6
35-39	7.8	7.7	7.8	7.8	7.8	7.8	7.7	7.7	7.6
40-44	6.6	6.6	6.6	6.6	6.6	6.6	6.7	6.7	6.6
45-49	7.2	7.2	7.3	6.2	6.0	6.3	9.7	9.7	9.6
50-54	4.5	4.8	4.2	4.5	4.8	4.2	4.5	4.6	4.4
55-59	4.3	3.9	4.8	4.6	3.9	5.3	3.8	3.7	3.8
60-64	3.1	3.0	3.1	3.3	3.2	3.3	2.7	2.7	2.7
65-69	2.6	2.5	2.7	2.8	2.6	2.9	2.1	2.0	2.2
70-74	1.5	1.4	1.7	1.7	1.5	1.9	1.2	1.1	1.3
75-79	1.0	0.9	1.1	1.1	1.0	1.2	0.7	0.6	0.8
80-84	0.4	0.3	0.5	0.4	0.4	0.5	0.3	0.2	0.4
85+	0.2	0.2	0.3	0.3	0.2	0.3	0.1	0.1	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Assam					
0-4	10.5	10.5	10.4	11.0	11.0	10.9	7.6	7.6	7.6
5-9	9.8	9.8	9.9	10.2	10.1	10.2	7.8	7.7	7.9
10-14	10.8	10.9	10.7	11.2	11.3	11.1	8.5	8.6	8.4
15-19	10.4	10.6	10.2	10.7	10.9	10.4	8.8	8.8	8.7

20-24	9.9	9.0	10.8	9.9	9.1	10.8	9.8	8.7	10.9
25-29	9.5	9.1	10.0	9.4	9.1	9.8	10.4	9.5	11.3
30-34	8.0	7.9	8.1	7.7	7.6	7.8	9.6	9.4	9.7
35-39	7.3	7.3	7.2	7.0	7.0	7.0	9.0	9.2	8.9
40-44	5.9	6.3	5.5	5.6	6.0	5.3	7.3	7.7	6.9
45-49	5.0	5.4	4.5	4.7	5.2	4.3	6.4	6.9	5.8
50-54	3.4	3.8	3.0	3.2	3.6	2.8	4.5	5.1	3.9
55-59	3.4	3.1	3.7	3.4	3.0	3.8	3.8	4.0	3.7
60-64	2.1	2.2	2.0	2.1	2.1	2.0	2.5	2.7	2.2
65-69	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.9	1.7
70-74	1.0	1.0	1.0	1.0	1.0	0.9	1.1	1.1	1.1
75-79	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.7
80-84	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
85+	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Bihar

0-4	13.2	13.2	13.1	13.5	13.6	13.4	10.2	10.3	10.1
5-9	11.1	11.0	11.1	11.2	11.1	11.3	10.0	9.9	10.0
10-14	13.0	13.1	12.9	13.2	13.3	13.1	11.5	11.5	11.5
15-19	11.5	12.2	10.7	11.5	12.2	10.7	11.2	11.7	10.7
20-24	8.7	8.4	9.0	8.5	8.3	8.8	10.1	9.8	10.3
25-29	7.9	7.9	7.9	7.8	7.8	7.9	8.7	8.8	8.6
30-34	6.3	6.0	6.5	6.2	5.9	6.5	6.9	6.9	6.9
35-39	6.3	5.9	6.6	6.2	5.9	6.6	6.6	6.4	6.8
40-44	4.7	4.7	4.7	4.6	4.7	4.6	5.3	5.3	5.4
45-49	4.4	4.5	4.4	4.4	4.4	4.3	5.3	5.3	5.3
50-54	2.9	3.1	2.6	2.8	3.1	2.5	3.5	3.9	3.1
55-59	3.1	2.6	3.7	3.1	2.6	3.7	3.5	3.2	3.9
60-64	2.4	2.6	2.2	2.4	2.6	2.2	2.5	2.6	2.4
65-69	1.9	2.0	1.9	1.9	2.0	1.9	2.0	2.0	2.0
70-74	1.2	1.2	1.3	1.2	1.2	1.2	1.3	1.2	1.4
75-79	0.8	0.9	0.8	0.8	0.9	0.7	0.9	0.8	0.9
80-84	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
85+	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Chhattisgarh

0-4	10.7	10.5	10.8	11.1	11.0	11.3	8.6	8.6	8.5
5-9	10.2	10.3	10.1	10.5	10.5	10.4	8.9	9.2	8.6
10-14	10.1	10.1	10.1	10.3	10.3	10.3	9.3	9.4	9.3
15-19	9.5	10.0	9.1	9.4	9.9	9.0	10.0	10.4	9.6
20-24	10.6	10.6	10.5	10.5	10.6	10.4	10.8	10.5	11.2
25-29	8.7	8.8	8.7	8.5	8.6	8.4	9.6	9.5	9.8
30-34	7.2	7.3	7.1	7.0	7.1	6.9	8.0	7.9	8.1
35-39	7.1	7.0	7.3	7.0	6.8	7.2	7.8	7.6	8.0
40-44	5.9	5.9	6.0	5.8	5.7	5.8	6.8	6.6	6.9
45-49	5.6	5.7	5.5	5.5	5.5	5.4	6.2	6.4	6.0
50-54	3.7	4.0	3.4	3.6	3.9	3.3	4.3	4.7	3.8
55-59	3.5	3.0	3.9	3.5	3.0	4.0	3.4	3.2	3.7
60-64	2.6	2.8	2.4	2.6	2.9	2.3	2.4	2.3	2.4
65-69	2.2	1.9	2.4	2.2	1.9	2.5	1.9	1.8	2.0
70-74	1.4	1.2	1.6	1.4	1.2	1.7	1.1	1.0	1.1
75-79	0.7	0.6	0.7	0.7	0.6	0.8	0.6	0.5	0.6
80-84	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.3

85+	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Delhi

0-4	9.0	8.9	9.0	10.5	10.6	10.5	8.7	8.6	8.8
5-9	9.3	9.3	9.3	10.2	10.3	10.2	9.2	9.2	9.2
10-14	9.6	9.6	9.7	10.4	10.7	9.9	9.5	9.4	9.6
15-19	9.7	9.9	9.6	10.3	10.8	9.7	9.6	9.7	9.6
20-24	10.7	10.5	11.1	11.1	10.7	11.7	10.7	10.4	10.9
25-29	11.0	10.9	11.1	10.7	10.3	11.1	11.0	11.0	11.1
30-34	8.9	9.1	8.7	8.5	8.3	8.6	9.0	9.2	8.7
35-39	7.5	7.6	7.5	7.0	7.0	7.1	7.6	7.7	7.6
40-44	6.2	6.2	6.2	5.4	5.4	5.5	6.4	6.4	6.4
45-49	5.3	5.5	5.1	4.7	5.1	4.3	5.4	5.6	5.2
50-54	3.8	4.1	3.5	2.9	3.3	2.5	3.9	4.2	3.6
55-59	3.0	2.8	3.1	2.7	2.3	3.2	3.0	2.9	3.1
60-64	2.2	2.1	2.3	2.1	2.1	2.1	2.2	2.1	2.3
65-69	1.6	1.5	1.7	1.4	1.3	1.5	1.6	1.6	1.7
70-74	1.1	1.0	1.1	0.9	0.9	0.9	1.1	1.0	1.2
75-79	0.6	0.6	0.6	0.5	0.4	0.6	0.6	0.6	0.6
80-84	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3
85+	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Gujarat

0-4	8.9	9.1	8.7	9.4	9.7	9.2	8.0	8.2	7.8
5-9	9.2	9.4	8.9	9.4	9.6	9.1	8.8	9.1	8.4
10-14	9.7	10.0	9.4	10.4	10.7	10.1	8.7	8.9	8.4
15-19	9.5	9.9	9.0	9.9	10.4	9.3	8.8	9.2	8.5
20-24	9.8	9.4	10.2	9.8	9.3	10.4	9.8	9.6	10.0
25-29	9.4	9.6	9.2	8.7	9.0	8.4	10.5	10.5	10.6
30-34	7.8	8.1	7.6	7.2	7.4	7.0	8.9	9.1	8.6
35-39	7.2	7.1	7.4	7.0	6.8	7.2	7.7	7.6	7.8
40-44	6.2	6.3	6.1	5.9	6.1	5.7	6.7	6.7	6.7
45-49	5.6	5.5	5.8	5.5	5.3	5.7	5.8	5.7	5.9
50-54	4.4	4.5	4.3	4.2	4.3	4.1	4.7	4.7	4.7
55-59	3.9	3.5	4.3	4.0	3.5	4.5	3.8	3.6	4.1
60-64	2.9	2.9	2.9	3.1	3.0	3.1	2.8	2.8	2.7
65-69	2.2	2.0	2.5	2.4	2.2	2.5	2.0	1.8	2.3
70-74	1.5	1.3	1.7	1.5	1.4	1.7	1.4	1.2	1.5
75-79	1.0	0.8	1.1	1.0	0.8	1.1	0.9	0.8	1.1
80-84	0.4	0.3	0.5	0.4	0.3	0.5	0.4	0.4	0.5
85+	0.3	0.2	0.4	0.3	0.2	0.4	0.3	0.2	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Haryana

0-4	9.7	10.0	9.4	10.0	10.3	9.7	9.1	9.4	8.7
5-9	9.4	9.9	8.9	9.5	10.0	9.0	9.2	9.6	8.8
10-14	10.2	10.7	9.6	10.5	10.9	9.9	9.6	10.2	8.9
15-19	10.7	11.1	10.3	11.1	11.4	10.7	10.0	10.4	9.4
20-24	11.1	10.5	11.9	11.2	10.6	11.9	11.0	10.3	11.8
25-29	9.2	9.4	9.0	9.0	9.2	8.7	9.7	9.7	9.6
30-34	7.5	7.5	7.5	7.3	7.5	7.1	7.9	7.6	8.1

35-39	7.1	6.8	7.4	6.9	6.6	7.3	7.3	7.0	7.6
40-44	5.9	5.8	6.1	5.7	5.6	5.8	6.5	6.3	6.6
45-49	5.1	5.0	5.3	5.0	4.9	5.0	5.6	5.4	5.8
50-54	3.5	3.7	3.3	3.2	3.4	2.9	4.2	4.3	4.0
55-59	3.4	3.0	3.9	3.4	2.9	4.0	3.4	3.3	3.5
60-64	2.2	2.1	2.3	2.1	2.0	2.2	2.3	2.3	2.4
65-69	1.9	1.7	2.1	1.9	1.7	2.2	1.8	1.7	1.9
70-74	1.3	1.2	1.5	1.4	1.2	1.5	1.2	1.1	1.3
75-79	1.0	0.9	1.1	1.1	1.0	1.2	0.8	0.7	0.9
80-84	0.4	0.4	0.5	0.5	0.5	0.5	0.4	0.3	0.4
85+	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Himachal Pradesh

0-4	8.0	8.4	7.6	8.2	8.6	7.7	5.8	5.7	5.8
5-9	8.4	8.9	8.0	8.5	9.0	8.1	7.4	7.6	7.1
10-14	8.8	9.3	8.4	8.9	9.3	8.4	8.1	8.5	7.7
15-19	9.5	9.9	9.0	9.5	9.9	9.1	8.9	9.4	8.3
20-24	9.5	9.2	9.8	9.6	9.3	9.8	8.9	8.6	9.3
25-29	8.4	7.8	9.0	8.4	7.8	9.0	8.8	8.1	9.6
30-34	7.8	7.5	8.2	7.8	7.4	8.1	8.4	7.9	8.9
35-39	7.5	7.2	7.7	7.4	7.1	7.6	8.5	8.0	9.0
40-44	6.7	6.4	6.9	6.5	6.3	6.8	8.1	7.8	8.4
45-49	5.9	5.9	5.9	5.7	5.7	5.7	7.5	7.6	7.4
50-54	4.8	5.0	4.7	4.7	4.8	4.6	6.2	6.9	5.5
55-59	4.3	4.1	4.5	4.3	4.0	4.6	4.7	5.1	4.2
60-64	3.3	3.5	3.2	3.3	3.4	3.2	3.1	3.5	2.7
65-69	2.6	2.6	2.6	2.6	2.7	2.6	2.2	2.2	2.2
70-74	1.8	1.9	1.8	1.9	1.9	1.9	1.4	1.4	1.5
75-79	1.3	1.2	1.3	1.3	1.3	1.3	1.1	1.0	1.2
80-84	0.7	0.7	0.7	0.7	0.7	0.8	0.5	0.5	0.5
85+	0.6	0.6	0.7	0.7	0.6	0.7	0.4	0.3	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Jammu & Kashmir

0-4	7.7	8.0	7.3	8.2	8.5	7.8	5.7	6.0	5.5
5-9	8.2	8.5	7.9	8.6	8.9	8.4	6.6	6.9	6.3
10-14	9.8	9.9	9.6	10.3	10.4	10.1	7.8	8.1	7.6
15-19	10.4	10.5	10.3	10.9	10.9	10.8	8.7	8.8	8.6
20-24	11.3	11.0	11.6	11.5	11.1	11.8	10.4	10.4	10.5
25-29	9.9	9.4	10.5	9.7	9.2	10.2	10.9	10.3	11.5
30-34	8.1	8.1	8.1	7.9	7.9	7.8	9.1	8.9	9.3
35-39	6.9	6.8	7.0	6.6	6.5	6.8	7.8	7.9	7.6
40-44	6.2	6.1	6.2	6.0	5.9	6.0	7.0	6.9	7.1
45-49	5.4	5.4	5.4	5.0	5.1	5.0	6.5	6.4	6.6
50-54	4.0	4.4	3.6	3.7	4.1	3.3	5.1	5.3	4.8
55-59	3.9	3.5	4.2	3.7	3.3	4.1	4.5	4.3	4.7
60-64	2.9	3.1	2.8	2.8	2.9	2.6	3.4	3.7	3.2
65-69	2.1	2.2	2.1	2.0	2.0	2.0	2.6	2.6	2.7
70-74	1.5	1.4	1.5	1.4	1.4	1.4	1.8	1.6	1.9
75-79	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1	1.1
80-84	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6
85+	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Jharkhand

0-4	10.7	10.8	10.5	11.2	11.3	11.0	8.4	8.6	8.3
5-9	10.4	10.6	10.3	10.7	10.9	10.5	9.3	9.4	9.3
10-14	12.4	12.3	12.4	12.9	12.8	12.9	10.4	10.4	10.4
15-19	11.2	11.8	10.6	11.5	12.1	10.8	10.4	10.8	9.9
20-24	9.6	9.1	10.1	9.5	9.1	9.9	10.1	9.4	10.8
25-29	8.7	8.5	8.8	8.4	8.2	8.6	9.8	9.7	9.9
30-34	7.1	7.1	7.1	6.8	6.7	6.8	8.2	8.4	8.1
35-39	6.5	6.3	6.7	6.3	6.1	6.5	7.1	6.9	7.4
40-44	5.4	5.4	5.4	5.2	5.3	5.2	6.1	6.1	6.0
45-49	4.9	5.1	4.8	4.8	4.9	4.6	5.4	5.5	5.4
50-54	3.2	3.5	2.9	3.0	3.3	2.7	4.1	4.4	3.8
55-59	3.3	2.8	3.9	3.3	2.7	3.9	3.6	3.4	3.9
60-64	2.5	2.7	2.3	2.4	2.7	2.2	2.7	2.8	2.6
65-69	1.9	1.8	2.0	1.9	1.8	2.1	1.9	2.0	1.8
70-74	1.1	1.1	1.2	1.1	1.1	1.2	1.2	1.2	1.2
75-79	0.7	0.6	0.7	0.7	0.7	0.7	0.6	0.6	0.7
80-84	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
85+	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Karnataka

0-4	8.6	8.9	8.4	8.9	9.1	8.6	8.2	8.5	7.9
5-9	8.1	8.4	7.9	8.1	8.4	7.8	8.1	8.4	7.9
10-14	9.0	9.4	8.6	9.2	9.6	8.8	8.6	9.0	8.1
15-19	9.5	9.8	9.2	9.9	10.2	9.5	8.8	9.0	8.6
20-24	10.1	9.5	10.7	10.2	9.8	10.5	10.0	9.1	10.9
25-29	9.7	9.8	9.6	9.3	9.7	8.9	10.5	10.0	10.9
30-34	8.0	8.1	7.9	7.5	7.4	7.5	8.9	9.2	8.6
35-39	7.6	7.5	7.6	7.3	7.2	7.4	8.1	8.2	7.9
40-44	6.3	6.2	6.4	6.0	5.8	6.1	6.8	6.7	6.8
45-49	6.1	6.1	6.1	6.1	6.0	6.2	6.0	6.1	5.8
50-54	4.4	4.6	4.1	4.2	4.6	3.9	4.6	4.8	4.5
55-59	4.3	3.9	4.7	4.5	3.9	5.1	4.0	3.8	4.1
60-64	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.9	2.8
65-69	2.4	2.3	2.5	2.6	2.5	2.7	2.1	2.0	2.1
70-74	1.5	1.3	1.6	1.6	1.4	1.8	1.3	1.2	1.4
75-79	1.0	0.9	1.1	1.1	1.0	1.3	0.7	0.6	0.8
80-84	0.4	0.3	0.5	0.4	0.4	0.5	0.3	0.3	0.4
85+	0.3	0.2	0.4	0.3	0.3	0.4	0.3	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Kerala

0-4	7.5	8.0	7.1	7.5	8.0	7.1	7.5	8.0	7.0
5-9	7.5	8.0	7.1	7.6	8.1	7.1	7.3	7.9	6.9
10-14	8.1	8.8	7.6	8.2	8.8	7.6	8.0	8.6	7.5
15-19	7.6	8.0	7.2	7.6	8.0	7.2	7.5	7.9	7.1
20-24	7.8	7.9	7.7	7.9	7.9	7.8	7.5	7.6	7.5
25-29	7.9	7.5	8.2	7.9	7.6	8.2	7.7	7.1	8.1
30-34	7.7	7.4	7.9	7.6	7.4	7.9	7.9	7.5	8.2
35-39	7.6	7.3	7.8	7.5	7.3	7.8	7.8	7.6	8.0
40-44	7.5	7.2	7.7	7.4	7.1	7.7	7.7	7.5	7.9
45-49	6.9	6.8	7.1	6.9	6.7	7.0	7.2	7.1	7.2

50-54	5.8	5.9	5.8	5.8	5.8	5.7	6.0	6.0	5.9
55-59	5.5	5.5	5.6	5.5	5.4	5.5	5.6	5.5	5.6
60-64	4.2	4.3	4.2	4.2	4.2	4.1	4.4	4.5	4.2
65-69	3.0	2.9	3.1	3.0	2.9	3.1	3.0	2.9	3.1
70-74	2.4	2.1	2.6	2.4	2.1	2.7	2.3	2.1	2.5
75-79	1.5	1.3	1.7	1.5	1.3	1.7	1.5	1.3	1.7
80-84	0.9	0.7	1.0	0.9	0.8	1.1	0.7	0.6	0.9
85+	0.6	0.4	0.7	0.6	0.5	0.7	0.5	0.3	0.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Madhya Pradesh

0-4	10.6	10.6	10.6	11.0	11.0	11.0	9.1	9.2	8.9
5-9	10.1	10.1	10.0	10.4	10.3	10.4	9.0	9.3	8.7
10-14	11.4	11.5	11.3	11.7	11.8	11.7	10.1	10.3	10.0
15-19	10.9	11.3	10.5	11.1	11.6	10.6	10.2	10.3	10.0
20-24	10.0	9.7	10.3	9.9	9.7	10.1	10.3	9.7	10.9
25-29	8.9	9.1	8.7	8.6	8.9	8.3	10.0	9.9	10.2
30-34	7.1	7.2	7.0	6.8	6.9	6.7	8.0	8.3	7.8
35-39	6.8	6.6	7.0	6.7	6.5	7.0	7.2	7.2	7.3
40-44	5.5	5.6	5.4	5.4	5.5	5.2	6.0	6.0	6.0
45-49	5.0	5.0	5.1	4.9	4.9	4.9	5.6	5.4	5.7
50-54	3.3	3.6	2.9	3.0	3.3	2.7	4.1	4.4	3.7
55-59	3.3	2.9	3.8	3.3	2.8	3.9	3.4	3.3	3.5
60-64	2.4	2.5	2.3	2.4	2.5	2.3	2.4	2.4	2.4
65-69	2.0	1.9	2.2	2.1	1.9	2.3	1.9	1.8	2.1
70-74	1.3	1.2	1.4	1.3	1.2	1.4	1.3	1.3	1.3
75-79	0.8	0.8	0.9	0.8	0.8	0.9	0.8	0.7	0.8
80-84	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.3
85+	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Maharashtra

0-4	9.2	9.5	8.9	9.7	10.2	9.3	8.4	8.6	8.3
5-9	8.8	9.1	8.5	9.2	9.5	8.8	8.2	8.4	8.0
10-14	9.2	9.4	9.0	9.8	10.0	9.7	8.4	8.7	8.1
15-19	9.2	9.5	8.9	9.6	10.0	9.2	8.7	8.9	8.5
20-24	9.9	9.6	10.1	9.7	9.6	9.8	10.1	9.7	10.6
25-29	9.1	9.0	9.1	8.1	8.3	8.0	10.3	10.0	10.6
30-34	7.9	7.9	7.9	7.0	6.9	7.2	9.0	9.2	8.9
35-39	7.2	7.2	7.3	6.7	6.5	6.9	7.9	8.1	7.8
40-44	6.4	6.4	6.4	6.2	6.1	6.2	6.7	6.7	6.7
45-49	5.5	5.5	5.5	5.3	5.3	5.4	5.7	5.7	5.7
50-54	4.4	4.5	4.3	4.3	4.4	4.3	4.6	4.7	4.4
55-59	4.0	3.6	4.4	3.9	3.5	4.4	4.0	3.7	4.3
60-64	3.1	3.1	3.1	3.3	3.2	3.3	2.8	2.9	2.7
65-69	2.5	2.3	2.7	2.8	2.5	3.1	2.1	2.1	2.2
70-74	1.8	1.7	2.0	2.1	1.9	2.2	1.5	1.3	1.6
75-79	1.0	1.0	1.1	1.2	1.2	1.3	0.8	0.7	0.9
80-84	0.5	0.5	0.5	0.6	0.5	0.6	0.4	0.4	0.4
85+	0.3	0.3	0.4	0.4	0.4	0.4	0.2	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Odisha

0-4	9.1	9.4	8.9	9.4	9.7	9.1	7.5	7.6	7.3
5-9	8.6	8.8	8.3	8.7	9.0	8.4	7.9	8.0	7.8
10-14	10.0	10.2	9.8	10.2	10.4	10.0	8.9	9.1	8.7
15-19	9.7	10.2	9.2	9.8	10.3	9.3	9.2	9.5	8.9
20-24	9.3	8.4	10.1	9.2	8.3	10.1	9.6	9.1	10.2
25-29	8.7	8.4	9.1	8.6	8.3	9.0	9.5	8.9	10.0
30-34	7.7	7.7	7.8	7.6	7.5	7.6	8.9	8.7	9.1
35-39	7.5	7.4	7.5	7.3	7.3	7.4	8.2	8.2	8.2
40-44	6.1	6.3	6.0	6.0	6.1	5.8	7.2	7.3	7.0
45-49	5.8	6.0	5.5	5.7	5.9	5.5	6.4	6.8	6.0
50-54	4.0	4.3	3.7	3.9	4.3	3.6	4.6	4.9	4.3
55-59	4.1	3.7	4.5	4.1	3.6	4.6	4.0	4.0	4.0
60-64	3.0	3.0	2.9	3.0	3.1	2.9	2.7	2.7	2.8
65-69	2.7	2.6	2.7	2.7	2.7	2.8	2.3	2.3	2.4
70-74	1.7	1.6	1.8	1.8	1.6	1.9	1.4	1.3	1.4
75-79	1.2	1.1	1.3	1.2	1.1	1.3	1.0	0.9	1.1
80-84	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.3	0.5
85+	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Punjab

0-4	8.3	8.5	8.2	8.2	8.5	7.9	8.5	8.4	8.6
5-9	8.4	8.7	7.9	8.3	8.7	7.9	8.4	8.7	8.0
10-14	8.9	9.4	8.3	9.1	9.6	8.4	8.6	9.0	8.0
15-19	9.6	10.2	9.1	10.1	10.8	9.5	8.8	9.2	8.4
20-24	10.2	10.0	10.4	10.6	10.3	10.9	9.4	9.3	9.6
25-29	9.5	9.4	9.6	9.3	9.2	9.4	9.9	9.9	9.9
30-34	8.0	7.9	8.0	7.7	7.6	7.7	8.5	8.3	8.6
35-39	7.1	6.8	7.4	6.8	6.5	7.2	7.4	7.3	7.7
40-44	6.4	6.2	6.6	6.2	6.1	6.4	6.7	6.5	6.9
45-49	5.8	5.6	5.9	5.6	5.4	5.8	6.0	5.9	6.2
50-54	4.4	4.6	4.2	4.0	4.3	3.7	5.1	5.2	5.1
55-59	4.0	3.6	4.4	4.1	3.6	4.7	3.9	3.7	4.0
60-64	2.8	2.8	2.8	2.7	2.7	2.6	3.1	3.0	3.1
65-69	2.3	2.1	2.5	2.4	2.2	2.6	2.1	2.0	2.2
70-74	2.0	1.9	2.2	2.1	1.9	2.4	1.8	1.8	1.9
75-79	1.3	1.3	1.3	1.5	1.4	1.5	1.0	1.0	1.1
80-84	0.6	0.6	0.7	0.7	0.7	0.7	0.5	0.5	0.5
85+	0.5	0.4	0.5	0.6	0.5	0.6	0.3	0.2	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Rajasthan

0-4	10.9	11.2	10.6	11.5	11.8	11.2	9.0	9.2	8.7
5-9	9.9	10.1	9.6	10.1	10.4	9.8	9.1	9.2	9.0
10-14	11.8	11.9	11.6	12.3	12.4	12.1	10.2	10.4	9.9
15-19	11.3	11.7	10.8	11.6	12.0	11.2	10.3	10.8	9.7
20-24	10.2	9.9	10.4	10.0	9.8	10.2	10.7	10.2	11.3
25-29	8.8	9.0	8.6	8.6	8.8	8.4	9.6	9.7	9.5
30-34	7.1	7.2	7.1	6.9	6.9	6.8	7.9	8.0	7.8
35-39	6.5	6.4	6.7	6.4	6.2	6.6	7.1	7.1	7.1
40-44	5.1	5.2	5.1	4.9	5.0	4.9	5.8	5.8	5.7
45-49	4.6	4.6	4.7	4.4	4.4	4.4	5.3	5.0	5.6
50-54	3.2	3.4	3.0	2.9	3.1	2.7	4.2	4.4	3.9
55-59	3.3	2.9	3.8	3.3	2.7	3.9	3.5	3.4	3.6
60-64	2.4	2.4	2.4	2.4	2.4	2.4	2.5	2.5	2.4

65-69	2.0	1.8	2.2	2.0	1.8	2.2	1.9	1.7	2.2
70-74	1.3	1.1	1.5	1.3	1.1	1.5	1.3	1.1	1.5
75-79	0.9	0.8	1.0	0.9	0.8	1.0	1.0	0.8	1.1
80-84	0.4	0.3	0.5	0.4	0.3	0.4	0.4	0.4	0.5
85+	0.3	0.2	0.4	0.3	0.2	0.4	0.3	0.2	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Tamil Nadu

0-4	7.7	8.0	7.5	7.9	8.2	7.5	7.6	7.9	7.3
5-9	7.6	7.7	7.4	7.8	8.0	7.7	7.2	7.4	7.0
10-14	8.1	8.4	7.8	8.4	8.7	8.1	7.7	7.9	7.5
15-19	7.8	8.2	7.4	8.0	8.5	7.5	7.5	7.8	7.2
20-24	8.9	8.3	9.4	9.1	8.7	9.6	8.5	7.9	9.2
25-29	9.6	9.4	9.9	9.4	9.4	9.5	9.9	9.4	10.4
30-34	8.6	8.8	8.5	8.2	8.5	8.0	9.2	9.3	9.1
35-39	7.8	7.8	7.7	7.2	7.1	7.3	8.5	8.7	8.3
40-44	7.0	7.0	7.1	6.7	6.5	6.8	7.4	7.5	7.4
45-49	6.3	6.4	6.3	6.2	6.2	6.2	6.5	6.7	6.4
50-54	5.1	5.3	5.0	5.0	5.2	4.9	5.3	5.4	5.1
55-59	4.9	4.5	5.3	5.1	4.4	5.7	4.7	4.5	4.8
60-64	3.7	3.7	3.8	3.8	3.7	3.8	3.7	3.8	3.7
65-69	2.8	2.7	2.9	3.0	2.9	3.1	2.6	2.5	2.7
70-74	1.9	1.8	2.0	1.9	1.8	2.0	1.8	1.7	1.9
75-79	1.2	1.1	1.3	1.3	1.2	1.4	1.1	1.0	1.2
80-84	0.6	0.5	0.6	0.6	0.6	0.6	0.6	0.5	0.6
85+	0.4	0.3	0.4	0.4	0.3	0.5	0.3	0.3	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Uttar Pradesh

0-4	11.0	11.2	10.7	11.5	11.7	11.2	8.8	8.9	8.7
5-9	10.3	10.4	10.2	10.5	10.6	10.4	9.5	9.7	9.1
10-14	12.4	12.5	12.3	12.8	12.9	12.6	11.0	11.0	11.0
15-19	12.3	12.7	11.9	12.5	13.0	12.0	11.4	11.7	11.2
20-24	10.4	10.0	10.8	10.1	9.8	10.6	11.3	10.9	11.8
25-29	8.6	9.0	8.3	8.4	8.8	7.9	9.8	9.9	9.7
30-34	6.3	6.3	6.4	6.1	6.0	6.2	7.4	7.5	7.2
35-39	6.4	6.1	6.7	6.3	6.0	6.7	6.8	6.8	6.9
40-44	4.7	4.7	4.6	4.5	4.6	4.4	5.2	5.2	5.3
45-49	4.6	4.4	4.8	4.5	4.3	4.7	5.2	5.0	5.4
50-54	2.9	3.1	2.7	2.7	2.9	2.5	3.6	3.8	3.5
55-59	3.2	2.8	3.7	3.2	2.7	3.7	3.4	3.3	3.6
60-64	2.1	2.2	2.1	2.1	2.1	2.1	2.2	2.3	2.2
65-69	2.1	1.9	2.2	2.1	1.9	2.3	1.9	1.8	1.9
70-74	1.2	1.2	1.3	1.3	1.2	1.3	1.1	1.1	1.2
75-79	0.8	0.8	0.9	0.9	0.8	0.9	0.7	0.7	0.8
80-84	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
85+	0.2	0.2	0.3	0.3	0.2	0.3	0.2	0.2	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

West Bengal

0-4	8.1	8.1	8.1	8.8	8.8	8.9	6.1	6.1	6.2
5-9	8.1	8.0	8.1	8.6	8.5	8.6	6.7	6.8	6.7
10-14	9.3	9.4	9.3	10.1	10.1	10.0	7.4	7.6	7.2

15-19	9.7	9.9	9.5	10.3	10.5	10.0	8.0	8.0	8.0
20-24	9.9	9.4	10.4	10.2	9.8	10.6	9.1	8.5	9.8
25-29	9.3	9.1	9.4	9.1	9.1	9.2	9.6	9.4	9.9
30-34	8.1	8.0	8.1	7.8	7.8	7.9	8.7	8.7	8.7
35-39	8.0	7.9	8.1	7.7	7.6	7.7	8.9	8.7	9.0
40-44	6.7	6.8	6.6	6.4	6.6	6.2	7.6	7.6	7.6
45-49	6.1	6.5	5.7	5.7	6.1	5.3	7.2	7.6	6.7
50-54	4.1	4.7	3.4	3.7	4.3	3.0	5.2	5.8	4.5
55-59	4.4	3.8	5.0	4.1	3.4	4.8	5.3	5.0	5.7
60-64	2.9	3.0	2.7	2.6	2.8	2.5	3.4	3.7	3.2
65-69	2.4	2.4	2.3	2.2	2.2	2.1	2.9	3.0	2.8
70-74	1.4	1.3	1.5	1.3	1.1	1.4	1.8	1.8	1.7
75-79	0.9	0.9	1.0	0.9	0.8	1.0	1.2	1.1	1.2
80-84	0.4	0.4	0.5	0.4	0.3	0.4	0.6	0.5	0.6
85+	0.3	0.2	0.3	0.2	0.2	0.3	0.4	0.3	0.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

India

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	19.0	0.0	0.0	19.0	19.3	0.0	0.0	19.3	18.6	0.0	0.0	18.6
10-14	10.5	0.0	0.0	10.5	10.7	0.0	0.0	10.7	10.3	0.0	0.0	10.3
15-19	9.5	0.8	0.0	10.3	10.4	0.3	0.0	10.7	8.6	1.3	0.0	9.8
20-24	5.4	4.3	0.0	9.8	7.0	2.4	0.0	9.4	3.8	6.3	0.0	10.2
25-29	2.3	6.6	0.1	9.0	3.4	5.6	0.1	9.0	1.1	7.8	0.1	9.0
30-34	0.6	6.6	0.2	7.4	1.0	6.4	0.1	7.4	0.3	7.0	0.2	7.5
35-39	0.2	6.6	0.2	7.1	0.3	6.5	0.1	6.9	0.1	6.7	0.4	7.2
40-44	0.1	5.4	0.3	5.8	0.2	5.6	0.1	5.9	0.1	5.3	0.5	5.8
45-49	0.1	5.0	0.4	5.4	0.1	5.2	0.2	5.4	0.0	4.7	0.7	5.4
50-54	0.0	3.3	0.4	3.8	0.1	3.8	0.2	4.0	0.0	2.8	0.7	3.6
55-59	0.0	3.1	0.6	3.8	0.0	3.1	0.2	3.4	0.0	3.2	1.1	4.2
60-64	0.0	2.1	0.6	2.7	0.0	2.5	0.2	2.7	0.0	1.7	1.0	2.7
65-69	0.0	1.5	0.7	2.3	0.0	1.8	0.3	2.1	0.0	1.2	1.2	2.4
70-74	0.0	0.8	0.6	1.5	0.0	1.1	0.3	1.4	0.0	0.6	1.0	1.6
75-79	0.0	0.5	0.5	0.9	0.0	0.6	0.2	0.9	0.0	0.3	0.8	1.0
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.4	0.0	0.1	0.4	0.4
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.3
All ages	47.8	47.0	5.2	100.0	52.5	45.2	2.3	100.0	42.9	48.9	8.2	100.0
						Rural						
<10 Yrs	19.9	0.0	0.0	19.9	20.2	0.0	0.0	20.2	19.5	0.0	0.0	19.5
10-14	11.0	0.0	0.0	11.0	11.3	0.0	0.0	11.3	10.8	0.0	0.0	10.8
15-19	9.7	0.9	0.0	10.7	10.8	0.4	0.0	11.2	8.7	1.5	0.0	10.2
20-24	5.0	4.7	0.0	9.8	6.6	2.8	0.0	9.4	3.3	6.7	0.1	10.1
25-29	1.9	6.7	0.1	8.7	2.9	5.8	0.1	8.8	0.8	7.6	0.1	8.5
30-34	0.5	6.4	0.2	7.1	0.8	6.1	0.1	7.0	0.2	6.7	0.2	7.1
35-39	0.2	6.4	0.3	6.8	0.3	6.2	0.1	6.6	0.1	6.6	0.4	7.1
40-44	0.1	5.2	0.3	5.6	0.1	5.3	0.1	5.6	0.0	5.0	0.5	5.5
45-49	0.1	4.7	0.4	5.2	0.1	4.9	0.2	5.2	0.0	4.5	0.6	5.2
50-54	0.0	3.1	0.4	3.6	0.0	3.6	0.2	3.8	0.0	2.7	0.6	3.3
55-59	0.0	3.1	0.6	3.7	0.0	3.0	0.2	3.2	0.0	3.2	1.0	4.3
60-64	0.0	2.1	0.6	2.7	0.0	2.4	0.3	2.7	0.0	1.7	0.9	2.6
65-69	0.0	1.5	0.8	2.3	0.0	1.8	0.3	2.2	0.0	1.2	1.2	2.4
70-74	0.0	0.8	0.6	1.5	0.0	1.1	0.3	1.4	0.0	0.6	1.0	1.6
75-79	0.0	0.5	0.5	1.0	0.0	0.7	0.2	0.9	0.0	0.3	0.8	1.0
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.4	0.0	0.1	0.3	0.4
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.3	0.0	0.0	0.3	0.3
All ages	48.5	46.3	5.2	100.0	53.2	44.4	2.4	100.0	43.5	48.3	8.1	100.0
						Urban						
<10 Yrs	16.5	0.0	0.0	16.5	16.9	0.0	0.0	16.9	16.1	0.0	0.0	16.1
10-14	9.0	0.0	0.0	9.0	9.2	0.0	0.0	9.2	8.8	0.0	0.0	8.8
15-19	8.8	0.4	0.0	9.2	9.4	0.1	0.0	9.5	8.3	0.7	0.0	8.9
20-24	6.6	3.4	0.0	10.0	7.9	1.5	0.0	9.5	5.2	5.3	0.0	10.5
25-29	3.3	6.6	0.1	9.9	4.6	5.1	0.0	9.7	1.8	8.2	0.1	10.2
30-34	1.0	7.3	0.2	8.5	1.5	7.0	0.1	8.6	0.5	7.7	0.2	8.4
35-39	0.4	7.1	0.2	7.7	0.5	7.1	0.1	7.7	0.2	7.1	0.4	7.7
40-44	0.2	6.1	0.3	6.6	0.2	6.2	0.1	6.5	0.1	5.9	0.6	6.6
45-49	0.1	5.7	0.4	6.2	0.1	5.9	0.1	6.2	0.1	5.4	0.7	6.2
50-54	0.1	3.9	0.5	4.5	0.1	4.5	0.2	4.7	0.1	3.4	0.8	4.3
55-59	0.1	3.3	0.6	3.9	0.1	3.5	0.2	3.8	0.0	3.0	1.1	4.1
60-64	0.0	2.1	0.6	2.8	0.0	2.6	0.2	2.8	0.0	1.7	1.1	2.8
65-69	0.0	1.4	0.7	2.2	0.0	1.8	0.2	2.1	0.0	1.0	1.2	2.2
70-74	0.0	0.8	0.6	1.4	0.0	1.1	0.2	1.3	0.0	0.5	1.0	1.5
75-79	0.0	0.4	0.5	0.9	0.0	0.6	0.2	0.8	0.0	0.2	0.7	1.0
80-84	0.0	0.2	0.3	0.4	0.0	0.2	0.1	0.4	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.3
All ages	46.1	48.7	5.2	100.0	50.7	47.3	1.9	100.0	41.2	50.2	8.6	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Andhra Pradesh

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	15.7	0.0	0.0	15.7	16.1	0.0	0.0	16.1	15.3	0.0	0.0	15.3
10-14	8.9	0.0	0.0	8.9	9.2	0.0	0.0	9.2	8.6	0.0	0.0	8.6
15-19	8.0	0.9	0.0	8.9	9.2	0.3	0.0	9.4	6.8	1.6	0.0	8.4
20-24	4.9	4.8	0.1	9.7	6.7	2.5	0.0	9.3	3.0	7.1	0.1	10.2
25-29	2.0	7.2	0.2	9.4	3.2	6.2	0.0	9.5	0.9	8.2	0.3	9.3
30-34	0.4	7.5	0.3	8.2	0.7	7.4	0.1	8.1	0.2	7.6	0.5	8.2
35-39	0.1	7.2	0.4	7.8	0.2	7.5	0.1	7.7	0.1	7.0	0.7	7.8
40-44	0.1	6.1	0.5	6.6	0.1	6.4	0.2	6.6	0.0	5.7	0.8	6.6
45-49	0.0	6.6	0.6	7.2	0.0	7.0	0.2	7.2	0.0	6.3	1.0	7.3
50-54	0.0	3.8	0.7	4.5	0.0	4.5	0.2	4.8	0.0	3.1	1.1	4.2
55-59	0.0	3.4	0.9	4.3	0.0	3.6	0.3	3.9	0.0	3.3	1.6	4.8
60-64	0.0	2.3	0.8	3.1	0.0	2.7	0.3	3.0	0.0	1.8	1.3	3.1
65-69	0.0	1.6	1.0	2.6	0.0	2.1	0.4	2.5	0.0	1.1	1.6	2.7
70-74	0.0	0.8	0.7	1.5	0.0	1.1	0.3	1.4	0.0	0.5	1.2	1.7
75-79	0.0	0.4	0.5	1.0	0.0	0.6	0.2	0.9	0.0	0.3	0.8	1.1
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.3
All ages	40.1	52.9	7.0	100.0	45.3	52.1	2.6	100.0	34.8	53.7	11.5	100.0
						Rural						
<10 Yrs	15.8	0.0	0.0	15.8	16.2	0.0	0.0	16.2	15.4	0.0	0.0	15.4
10-14	9.1	0.0	0.0	9.1	9.4	0.0	0.0	9.4	8.8	0.0	0.0	8.8
15-19	8.1	1.1	0.0	9.2	9.5	0.3	0.0	9.8	6.7	1.8	0.0	8.6
20-24	4.5	5.1	0.1	9.7	6.6	2.9	0.0	9.5	2.5	7.4	0.1	10.0
25-29	1.7	7.3	0.2	9.2	2.8	6.5	0.1	9.4	0.6	8.0	0.3	8.9
30-34	0.3	7.3	0.3	7.9	0.5	7.2	0.1	7.8	0.1	7.4	0.5	8.1
35-39	0.1	7.3	0.4	7.8	0.1	7.5	0.1	7.8	0.0	7.0	0.7	7.8
40-44	0.1	6.0	0.5	6.6	0.1	6.3	0.2	6.6	0.0	5.7	0.9	6.6
45-49	0.0	5.5	0.6	6.2	0.0	5.8	0.2	6.0	0.0	5.2	1.0	6.3
50-54	0.0	3.8	0.7	4.5	0.0	4.6	0.2	4.8	0.0	3.1	1.1	4.2
55-59	0.0	3.6	1.0	4.6	0.0	3.6	0.3	3.9	0.0	3.6	1.7	5.3
60-64	0.0	2.4	0.9	3.3	0.0	2.8	0.3	3.2	0.0	1.9	1.4	3.3
65-69	0.0	1.7	1.1	2.8	0.0	2.2	0.4	2.6	0.0	1.2	1.7	2.9
70-74	0.0	0.9	0.8	1.7	0.0	1.2	0.3	1.5	0.0	0.6	1.3	1.9
75-79	0.0	0.5	0.6	1.1	0.0	0.7	0.3	1.0	0.0	0.3	1.0	1.2
80-84	0.0	0.2	0.3	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.3
All ages	39.7	52.7	7.6	100.0	45.2	52.0	2.8	100.0	34.3	53.3	12.4	100.0
						Urban						
<10 Yrs	15.5	0.0	0.0	15.5	16.0	0.0	0.0	16.0	14.9	0.0	0.0	14.9
10-14	8.3	0.0	0.0	8.3	8.6	0.0	0.0	8.6	8.0	0.0	0.0	8.0
15-19	7.8	0.6	0.0	8.3	8.4	0.1	0.0	8.6	7.1	1.0	0.0	8.1
20-24	5.7	4.0	0.0	9.7	7.1	1.7	0.0	8.8	4.3	6.3	0.0	10.6
25-29	2.7	7.1	0.1	9.9	4.1	5.6	0.0	9.7	1.4	8.7	0.2	10.2
30-34	0.7	7.9	0.2	8.8	1.1	7.8	0.1	8.9	0.3	7.9	0.4	8.6
35-39	0.2	7.1	0.3	7.7	0.2	7.4	0.1	7.7	0.2	6.9	0.5	7.6
40-44	0.1	6.2	0.4	6.7	0.1	6.6	0.1	6.7	0.0	5.9	0.7	6.6
45-49	0.0	9.2	0.5	9.7	0.0	9.6	0.1	9.7	0.0	8.8	0.8	9.6
50-54	0.0	3.9	0.6	4.5	0.0	4.4	0.2	4.6	0.0	3.3	1.0	4.4
55-59	0.0	3.0	0.7	3.8	0.0	3.5	0.3	3.7	0.0	2.6	1.2	3.8
60-64	0.0	2.0	0.7	2.7	0.0	2.4	0.3	2.7	0.0	1.5	1.1	2.7
65-69	0.0	1.3	0.8	2.1	0.0	1.8	0.3	2.0	0.0	0.9	1.3	2.2
70-74	0.0	0.7	0.5	1.2	0.0	0.9	0.2	1.1	0.0	0.4	0.9	1.3
75-79	0.0	0.3	0.4	0.7	0.0	0.5	0.2	0.6	0.0	0.2	0.6	0.8
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.2	0.0	0.1	0.3	0.4
85+	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.2
All ages	41.0	53.4	5.6	100.0	45.7	52.4	1.9	100.0	36.2	54.5	9.3	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Assam

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total

						Total						
<10 yrs	20.3	0.0	0.0	20.3	20.3	0.0	0.0	20.3	20.3	0.0	0.0	20.3
10-14	10.8	0.0	0.0	10.8	10.9	0.0	0.0	10.9	10.7	0.0	0.0	10.7
15-19	9.5	0.9	0.0	10.4	10.3	0.3	0.0	10.6	8.7	1.5	0.0	10.2
20-24	5.9	4.0	0.0	9.9	7.1	1.9	0.0	9.0	4.6	6.1	0.1	10.8
25-29	3.6	5.9	0.1	9.5	4.9	4.3	0.0	9.1	2.2	7.6	0.1	10.0
30-34	1.6	6.2	0.2	8.0	2.2	5.5	0.1	7.9	0.9	7.0	0.2	8.1
35-39	0.7	6.3	0.3	7.3	1.0	6.2	0.1	7.3	0.4	6.4	0.4	7.2
40-44	0.3	5.3	0.3	5.9	0.3	5.8	0.1	6.3	0.2	4.7	0.6	5.5
45-49	0.1	4.4	0.4	5.0	0.2	5.1	0.1	5.4	0.1	3.7	0.7	4.5
50-54	0.1	2.8	0.5	3.4	0.1	3.6	0.2	3.8	0.1	2.1	0.8	3.0
55-59	0.0	2.7	0.7	3.4	0.0	2.9	0.2	3.1	0.0	2.4	1.3	3.7
60-64	0.0	1.6	0.6	2.1	0.0	2.0	0.2	2.2	0.0	1.0	1.0	2.0
65-69	0.0	1.1	0.7	1.8	0.0	1.5	0.2	1.8	0.0	0.6	1.1	1.8
70-74	0.0	0.5	0.4	1.0	0.0	0.9	0.1	1.0	0.0	0.2	0.8	1.0
75-79	0.0	0.3	0.4	0.7	0.0	0.6	0.1	0.7	0.0	0.1	0.6	0.7
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.0	0.3	0.3
85+	0.0	0.1	0.2	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2
All ages	52.9	42.2	4.9	100.0	57.5	40.8	1.7	100.0	48.2	43.6	8.2	100.0
						Rural						
<10 Yrs	21.1	0.0	0.0	21.1	21.2	0.0	0.0	21.2	21.1	0.0	0.0	21.1
10-14	11.2	0.0	0.0	11.2	11.3	0.0	0.0	11.3	11.1	0.0	0.0	11.1
15-19	9.7	0.9	0.0	10.7	10.6	0.3	0.0	10.9	8.8	1.6	0.0	10.4
20-24	5.7	4.1	0.1	9.9	7.0	2.0	0.0	9.1	4.4	6.4	0.1	10.8
25-29	3.4	6.0	0.1	9.4	4.6	4.4	0.0	9.1	2.1	7.6	0.1	9.8
30-34	1.4	6.1	0.2	7.7	2.0	5.5	0.1	7.6	0.8	6.8	0.2	7.8
35-39	0.6	6.1	0.3	7.0	0.9	6.0	0.1	7.0	0.3	6.2	0.4	7.0
40-44	0.3	5.1	0.3	5.6	0.3	5.6	0.1	6.0	0.2	4.5	0.5	5.3
45-49	0.1	4.2	0.4	4.7	0.2	4.9	0.1	5.2	0.1	3.5	0.7	4.3
50-54	0.1	2.7	0.5	3.2	0.1	3.3	0.2	3.6	0.1	2.0	0.8	2.8
55-59	0.0	2.6	0.7	3.4	0.0	2.7	0.2	3.0	0.0	2.5	1.3	3.8
60-64	0.0	1.5	0.5	2.1	0.0	2.0	0.2	2.1	0.0	1.0	1.0	2.0
65-69	0.0	1.1	0.7	1.8	0.0	1.5	0.2	1.8	0.0	0.6	1.1	1.8
70-74	0.0	0.5	0.4	1.0	0.0	0.8	0.1	1.0	0.0	0.2	0.8	0.9
75-79	0.0	0.3	0.4	0.7	0.0	0.6	0.1	0.7	0.0	0.1	0.6	0.7
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.0	0.3	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2
All ages	53.7	41.4	4.8	100.0	58.3	39.9	1.8	100.0	48.9	43.0	8.0	100.0
						Urban						
<10 Yrs	15.4	0.0	0.0	15.4	15.3	0.0	0.0	15.3	15.6	0.0	0.0	15.6
10-14	8.5	0.0	0.0	8.5	8.6	0.0	0.0	8.6	8.4	0.0	0.0	8.4
15-19	8.4	0.4	0.0	8.8	8.8	0.1	0.0	8.8	8.1	0.7	0.0	8.7
20-24	6.8	2.9	0.0	9.8	7.7	1.0	0.0	8.7	5.9	4.9	0.1	10.9
25-29	4.7	5.6	0.1	10.4	6.2	3.4	0.0	9.5	3.2	7.9	0.1	11.3
30-34	2.4	7.0	0.1	9.6	3.4	6.0	0.0	9.4	1.4	8.1	0.3	9.7
35-39	1.1	7.7	0.3	9.0	1.6	7.6	0.1	9.2	0.6	7.8	0.5	8.9
40-44	0.4	6.5	0.4	7.3	0.5	7.1	0.1	7.7	0.3	5.9	0.7	6.9
45-49	0.2	5.6	0.5	6.4	0.2	6.5	0.1	6.9	0.2	4.7	1.0	5.8
50-54	0.1	3.8	0.6	4.5	0.1	4.8	0.1	5.1	0.1	2.8	1.0	3.9
55-59	0.1	3.0	0.7	3.8	0.1	3.7	0.2	4.0	0.1	2.3	1.3	3.7
60-64	0.0	1.8	0.6	2.5	0.0	2.4	0.2	2.7	0.0	1.1	1.1	2.2
65-69	0.0	1.2	0.6	1.8	0.0	1.6	0.2	1.9	0.0	0.6	1.1	1.7
70-74	0.0	0.6	0.5	1.1	0.0	1.0	0.2	1.1	0.0	0.3	0.8	1.1
75-79	0.0	0.3	0.3	0.7	0.0	0.5	0.1	0.6	0.0	0.1	0.6	0.7
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.0	0.3	0.3
85+	0.0	0.1	0.2	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.3
All ages	48.3	46.6	5.1	100.0	52.5	46.0	1.5	100.0	43.9	47.1	9.0	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Bihar

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	24.2	0.0	0.0	24.2	24.2	0.0	0.0	24.2	24.2	0.0	0.0	24.2
10-14	13.0	0.0	0.0	13.0	13.1	0.0	0.0	13.1	12.9	0.0	0.0	12.9
15-19	10.5	1.0	0.0	11.5	11.7	0.5	0.0	12.2	9.2	1.5	0.0	10.7

20-24	4.1	4.6	0.0	8.7	5.5	2.9	0.0	8.4	2.5	6.4	0.0	9.0
25-29	1.3	6.5	0.0	7.9	2.2	5.7	0.0	7.9	0.4	7.4	0.1	7.9
30-34	0.2	6.0	0.1	6.3	0.4	5.6	0.0	6.0	0.1	6.4	0.1	6.5
35-39	0.1	6.1	0.1	6.3	0.1	5.7	0.1	5.9	0.0	6.4	0.2	6.6
40-44	0.0	4.5	0.2	4.7	0.0	4.6	0.1	4.7	0.0	4.4	0.2	4.7
45-49	0.0	4.2	0.3	4.4	0.0	4.3	0.2	4.5	0.0	4.1	0.3	4.4
50-54	0.0	2.6	0.3	2.9	0.0	2.9	0.2	3.1	0.0	2.3	0.3	2.6
55-59	0.0	2.7	0.4	3.1	0.0	2.4	0.2	2.6	0.0	3.1	0.6	3.7
60-64	0.0	2.0	0.4	2.4	0.0	2.3	0.3	2.6	0.0	1.7	0.6	2.2
65-69	0.0	1.4	0.5	1.9	0.0	1.6	0.3	2.0	0.0	1.2	0.7	1.9
70-74	0.0	0.8	0.5	1.2	0.0	0.9	0.3	1.2	0.0	0.6	0.6	1.3
75-79	0.0	0.4	0.4	0.8	0.0	0.6	0.3	0.9	0.0	0.3	0.5	0.8
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2
All ages	53.5	43.0	3.5	100.0	57.4	40.3	2.3	100.0	49.4	45.9	4.7	100.0
					Rural							
<10 Yrs	24.7	0.0	0.0	24.7	24.7	0.0	0.0	24.7	24.7	0.0	0.0	24.7
10-14	13.2	0.0	0.0	13.2	13.3	0.0	0.0	13.3	13.1	0.0	0.0	13.1
15-19	10.5	1.0	0.0	11.5	11.7	0.5	0.0	12.2	9.2	1.6	0.0	10.7
20-24	3.8	4.7	0.0	8.5	5.3	2.9	0.0	8.3	2.3	6.5	0.0	8.8
25-29	1.2	6.6	0.0	7.8	2.0	5.8	0.0	7.8	0.3	7.5	0.1	7.9
30-34	0.2	5.9	0.1	6.2	0.3	5.6	0.0	5.9	0.0	6.3	0.1	6.5
35-39	0.1	6.0	0.1	6.2	0.1	5.7	0.1	5.9	0.0	6.4	0.2	6.6
40-44	0.0	4.4	0.2	4.6	0.0	4.5	0.1	4.7	0.0	4.4	0.2	4.6
45-49	0.0	4.1	0.2	4.4	0.0	4.2	0.2	4.4	0.0	4.0	0.3	4.3
50-54	0.0	2.5	0.2	2.8	0.0	2.9	0.2	3.1	0.0	2.2	0.3	2.5
55-59	0.0	2.7	0.4	3.1	0.0	2.4	0.2	2.6	0.0	3.1	0.6	3.7
60-64	0.0	2.0	0.4	2.4	0.0	2.3	0.3	2.6	0.0	1.7	0.5	2.2
65-69	0.0	1.4	0.5	1.9	0.0	1.6	0.3	2.0	0.0	1.2	0.7	1.9
70-74	0.0	0.8	0.5	1.2	0.0	0.9	0.3	1.2	0.0	0.6	0.6	1.2
75-79	0.0	0.4	0.4	0.8	0.0	0.6	0.3	0.9	0.0	0.3	0.5	0.7
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.2
All ages	53.6	42.9	3.4	100.0	57.5	40.2	2.3	100.0	49.6	45.8	4.6	100.0
					Urban							
<10 Yrs	20.2	0.0	0.0	20.2	20.2	0.0	0.0	20.2	20.1	0.0	0.0	20.1
10-14	11.5	0.0	0.0	11.5	11.5	0.0	0.0	11.5	11.5	0.0	0.0	11.5
15-19	10.5	0.7	0.0	11.2	11.3	0.3	0.0	11.7	9.7	1.1	0.0	10.7
20-24	6.2	3.8	0.0	10.1	7.7	2.1	0.0	9.8	4.7	5.6	0.0	10.3
25-29	2.7	6.0	0.0	8.7	4.0	4.8	0.0	8.8	1.3	7.2	0.1	8.6
30-34	0.7	6.2	0.1	6.9	1.1	5.8	0.0	6.9	0.2	6.6	0.1	6.9
35-39	0.2	6.3	0.2	6.6	0.3	6.0	0.1	6.4	0.1	6.5	0.2	6.8
40-44	0.0	5.1	0.2	5.3	0.1	5.1	0.1	5.3	0.0	5.0	0.3	5.4
45-49	0.0	5.0	0.3	5.3	0.0	5.1	0.2	5.3	0.0	4.9	0.4	5.3
50-54	0.0	3.2	0.3	3.5	0.0	3.7	0.2	3.9	0.0	2.6	0.5	3.1
55-59	0.0	3.0	0.5	3.5	0.0	2.9	0.2	3.2	0.0	3.0	0.8	3.9
60-64	0.0	2.0	0.5	2.5	0.0	2.3	0.3	2.6	0.0	1.7	0.7	2.4
65-69	0.0	1.4	0.6	2.0	0.0	1.6	0.3	2.0	0.0	1.2	0.9	2.0
70-74	0.0	0.8	0.5	1.3	0.0	0.9	0.3	1.2	0.0	0.6	0.7	1.4
75-79	0.0	0.5	0.4	0.9	0.0	0.6	0.3	0.8	0.0	0.3	0.6	0.9
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.3
85+	0.0	0.0	0.2	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2
All ages	52.1	43.9	4.0	100.0	56.2	41.6	2.2	100.0	47.6	46.5	5.9	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Chhattisgarh

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	20.8	0.0	0.0	20.8	20.8	0.0	0.0	20.8	20.9	0.0	0.0	20.9
10-14	10.1	0.0	0.0	10.1	10.1	0.0	0.0	10.1	10.1	0.0	0.0	10.1
15-19	8.6	0.9	0.0	9.5	9.6	0.4	0.0	10.0	7.7	1.4	0.0	9.1
20-24	4.8	5.7	0.1	10.6	6.5	4.0	0.0	10.6	3.1	7.4	0.1	10.5
25-29	1.4	7.1	0.2	8.7	1.9	6.8	0.1	8.8	1.0	7.5	0.2	8.7
30-34	0.4	6.5	0.2	7.2	0.6	6.5	0.1	7.3	0.3	6.5	0.4	7.1
35-39	0.1	6.7	0.3	7.1	0.1	6.7	0.1	7.0	0.1	6.7	0.5	7.3

40-44	0.0	5.5	0.4	5.9	0.1	5.7	0.2	5.9	0.0	5.3	0.6	6.0
45-49	0.0	5.1	0.5	5.6	0.0	5.4	0.2	5.7	0.0	4.8	0.7	5.5
50-54	0.0	3.3	0.4	3.7	0.0	3.8	0.2	4.0	0.0	2.7	0.6	3.4
55-59	0.0	2.8	0.7	3.5	0.0	2.8	0.3	3.0	0.0	2.8	1.1	3.9
60-64	0.0	2.0	0.6	2.6	0.0	2.5	0.3	2.8	0.0	1.5	0.8	2.4
65-69	0.0	1.3	0.9	2.2	0.0	1.5	0.4	1.9	0.0	1.1	1.4	2.4
70-74	0.0	0.7	0.7	1.4	0.0	0.9	0.3	1.2	0.0	0.4	1.2	1.6
75-79	0.0	0.3	0.4	0.7	0.0	0.4	0.2	0.6	0.0	0.2	0.6	0.7
80-84	0.0	0.1	0.1	0.2	0.0	0.2	0.1	0.2	0.0	0.0	0.2	0.2
85+	0.0	0.0	0.1	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.2	0.2
All ages	46.4	47.9	5.6	100.0	49.8	47.6	2.6	100.0	43.0	48.3	8.7	100.0
						Rural						
<10 Yrs	21.6	0.0	0.0	21.6	21.5	0.0	0.0	21.5	21.7	0.0	0.0	21.7
10-14	10.3	0.0	0.0	10.3	10.3	0.0	0.0	10.3	10.3	0.0	0.0	10.3
15-19	8.4	1.0	0.0	9.4	9.4	0.4	0.0	9.9	7.4	1.6	0.0	9.0
20-24	4.3	6.1	0.1	10.5	6.1	4.5	0.0	10.6	2.6	7.7	0.1	10.4
25-29	1.2	7.2	0.2	8.5	1.5	7.0	0.1	8.6	0.8	7.3	0.3	8.4
30-34	0.4	6.4	0.2	7.0	0.5	6.5	0.1	7.1	0.2	6.3	0.4	6.9
35-39	0.1	6.6	0.4	7.0	0.1	6.6	0.1	6.8	0.0	6.6	0.6	7.2
40-44	0.0	5.3	0.4	5.8	0.0	5.5	0.2	5.7	0.0	5.2	0.6	5.8
45-49	0.0	5.0	0.5	5.5	0.0	5.3	0.3	5.5	0.0	4.7	0.7	5.4
50-54	0.0	3.2	0.4	3.6	0.0	3.7	0.2	3.9	0.0	2.7	0.6	3.3
55-59	0.0	2.8	0.7	3.5	0.0	2.7	0.3	3.0	0.0	2.9	1.1	4.0
60-64	0.0	2.0	0.6	2.6	0.0	2.5	0.3	2.9	0.0	1.5	0.8	2.3
65-69	0.0	1.3	0.9	2.2	0.0	1.5	0.4	1.9	0.0	1.1	1.4	2.5
70-74	0.0	0.7	0.8	1.4	0.0	0.9	0.3	1.2	0.0	0.4	1.2	1.7
75-79	0.0	0.3	0.4	0.7	0.0	0.4	0.2	0.6	0.0	0.2	0.6	0.8
80-84	0.0	0.1	0.1	0.2	0.0	0.2	0.1	0.3	0.0	0.0	0.2	0.2
85+	0.0	0.0	0.1	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.2	0.2
All ages	46.2	48.1	5.7	100.0	49.5	47.8	2.7	100.0	43.0	48.3	8.6	100.0
						Urban						
<10 Yrs	17.5	0.0	0.0	17.5	17.8	0.0	0.0	17.8	17.1	0.0	0.0	17.1
10-14	9.3	0.0	0.0	9.3	9.4	0.0	0.0	9.4	9.3	0.0	0.0	9.3
15-19	9.7	0.3	0.0	10.0	10.4	0.1	0.0	10.4	9.0	0.5	0.0	9.6
20-24	6.9	3.9	0.1	10.8	8.6	1.9	0.0	10.5	5.2	5.9	0.1	11.2
25-29	2.6	6.8	0.1	9.6	3.7	5.7	0.1	9.5	1.5	8.1	0.2	9.8
30-34	0.8	7.0	0.2	8.0	1.1	6.7	0.1	7.9	0.5	7.3	0.3	8.1
35-39	0.3	7.2	0.3	7.8	0.3	7.2	0.1	7.6	0.2	7.3	0.5	8.0
40-44	0.1	6.3	0.4	6.8	0.1	6.4	0.1	6.6	0.1	6.2	0.7	6.9
45-49	0.1	5.6	0.5	6.2	0.1	6.2	0.2	6.4	0.1	5.0	0.9	6.0
50-54	0.0	3.8	0.5	4.3	0.0	4.5	0.2	4.7	0.0	3.0	0.8	3.8
55-59	0.0	2.7	0.7	3.4	0.0	2.9	0.2	3.2	0.0	2.4	1.2	3.7
60-64	0.0	1.7	0.6	2.4	0.0	2.1	0.2	2.3	0.0	1.3	1.1	2.4
65-69	0.0	1.1	0.8	1.9	0.0	1.5	0.3	1.8	0.0	0.8	1.2	2.0
70-74	0.0	0.5	0.5	1.1	0.0	0.8	0.2	1.0	0.0	0.3	0.9	1.1
75-79	0.0	0.2	0.4	0.6	0.0	0.3	0.2	0.5	0.0	0.1	0.5	0.6
80-84	0.0	0.1	0.2	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.3
85+	0.0	0.0	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.2
All ages	47.3	47.3	5.4	100.0	51.5	46.4	2.1	100.0	43.0	48.2	8.7	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Delhi

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	18.3	0.0	0.0	18.3	18.2	0.0	0.0	18.2	18.3	0.0	0.0	18.3
10-14	9.6	0.0	0.0	9.6	9.6	0.0	0.0	9.6	9.7	0.0	0.0	9.7
15-19	9.4	0.4	0.0	9.7	9.6	0.2	0.0	9.9	9.1	0.5	0.0	9.6
20-24	7.5	3.2	0.0	10.7	8.6	1.8	0.0	10.5	6.1	4.9	0.0	11.1
25-29	3.4	7.5	0.1	11.0	4.5	6.3	0.0	10.9	2.1	8.8	0.1	11.1
30-34	0.8	8.0	0.1	8.9	1.1	8.0	0.1	9.1	0.4	8.1	0.1	8.7
35-39	0.2	7.2	0.1	7.5	0.3	7.2	0.1	7.6	0.1	7.1	0.2	7.5
40-44	0.1	5.9	0.2	6.2	0.1	6.0	0.1	6.2	0.1	5.7	0.4	6.2
45-49	0.1	4.9	0.3	5.3	0.1	5.3	0.2	5.5	0.1	4.5	0.5	5.1
50-54	0.0	3.4	0.4	3.8	0.0	3.9	0.2	4.1	0.0	2.9	0.6	3.5
55-59	0.0	2.5	0.4	3.0	0.0	2.6	0.2	2.8	0.0	2.4	0.7	3.1

60-64	0.0	1.7	0.5	2.2	0.0	1.9	0.2	2.1	0.0	1.5	0.7	2.3
65-69	0.0	1.1	0.5	1.6	0.0	1.3	0.2	1.5	0.0	0.9	0.8	1.7
70-74	0.0	0.6	0.4	1.1	0.0	0.8	0.2	1.0	0.0	0.5	0.7	1.1
75-79	0.0	0.3	0.3	0.6	0.0	0.4	0.2	0.6	0.0	0.2	0.4	0.6
80-84	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.3	0.0	0.1	0.2	0.3
85+	0.0	0.0	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2
All ages	49.4	47.0	3.6	100.0	52.3	45.8	1.9	100.0	46.1	48.3	5.6	100.0
						Rural						
<10 Yrs	20.8	0.0	0.0	20.8	20.9	0.0	0.0	20.9	20.7	0.0	0.0	20.7
10-14	10.4	0.0	0.0	10.4	10.7	0.0	0.0	10.7	9.9	0.0	0.0	9.9
15-19	9.1	1.2	0.0	10.3	9.6	1.1	0.0	10.8	8.5	1.3	0.0	9.7
20-24	6.7	4.4	0.0	11.1	8.0	2.6	0.0	10.7	5.2	6.5	0.0	11.7
25-29	2.5	8.1	0.1	10.7	3.1	7.2	0.1	10.3	1.9	9.1	0.1	11.1
30-34	0.7	7.7	0.1	8.5	0.8	7.4	0.1	8.3	0.6	7.9	0.1	8.6
35-39	0.3	6.6	0.2	7.0	0.4	6.6	0.1	7.0	0.3	6.5	0.3	7.1
40-44	0.2	5.1	0.2	5.4	0.2	5.1	0.1	5.4	0.1	5.0	0.3	5.5
45-49	0.1	4.4	0.3	4.7	0.1	4.9	0.1	5.1	0.1	3.8	0.5	4.3
50-54	0.0	2.6	0.3	2.9	0.0	3.1	0.2	3.3	0.0	2.1	0.4	2.5
55-59	0.0	2.4	0.4	2.7	0.0	2.1	0.2	2.3	0.0	2.6	0.6	3.2
60-64	0.0	1.7	0.4	2.1	0.0	1.9	0.2	2.1	0.0	1.5	0.6	2.1
65-69	0.0	1.0	0.4	1.4	0.0	1.2	0.1	1.3	0.0	0.8	0.7	1.5
70-74	0.0	0.5	0.4	0.9	0.0	0.7	0.3	0.9	0.0	0.3	0.6	0.9
75-79	0.0	0.3	0.2	0.5	0.0	0.3	0.1	0.4	0.0	0.2	0.4	0.6
80-84	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2
All ages	50.8	45.9	3.2	100.0	54.0	44.4	1.7	100.0	47.3	47.7	5.0	100.0
						Urban						
<10 Yrs	17.9	0.0	0.0	17.9	17.8	0.0	0.0	17.8	17.9	0.0	0.0	17.9
10-14	9.5	0.0	0.0	9.5	9.4	0.0	0.0	9.4	9.6	0.0	0.0	9.6
15-19	9.4	0.2	0.0	9.6	9.7	0.1	0.0	9.7	9.2	0.4	0.0	9.6
20-24	7.6	3.0	0.0	10.7	8.7	1.7	0.0	10.4	6.3	4.6	0.0	10.9
25-29	3.5	7.4	0.1	11.0	4.7	6.2	0.0	11.0	2.2	8.8	0.1	11.1
30-34	0.8	8.1	0.1	9.0	1.1	8.0	0.1	9.2	0.4	8.1	0.2	8.7
35-39	0.2	7.3	0.1	7.6	0.3	7.3	0.1	7.7	0.1	7.2	0.2	7.6
40-44	0.1	6.0	0.3	6.4	0.1	6.1	0.1	6.4	0.1	5.9	0.4	6.4
45-49	0.1	5.0	0.3	5.4	0.1	5.4	0.2	5.6	0.0	4.6	0.5	5.2
50-54	0.0	3.5	0.4	3.9	0.0	4.0	0.2	4.2	0.0	3.0	0.6	3.6
55-59	0.0	2.6	0.4	3.0	0.0	2.7	0.2	2.9	0.0	2.4	0.7	3.1
60-64	0.0	1.7	0.5	2.2	0.0	1.9	0.2	2.1	0.0	1.5	0.8	2.3
65-69	0.0	1.2	0.5	1.6	0.0	1.3	0.2	1.6	0.0	1.0	0.8	1.7
70-74	0.0	0.6	0.4	1.1	0.0	0.8	0.2	1.0	0.0	0.5	0.7	1.2
75-79	0.0	0.3	0.3	0.6	0.0	0.4	0.2	0.6	0.0	0.2	0.4	0.6
80-84	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.3	0.0	0.1	0.2	0.3
85+	0.0	0.0	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2
All ages	49.2	47.2	3.7	100.0	52.0	46.1	1.9	100.0	45.9	48.4	5.7	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Gujarat

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	18.1	0.0	0.0	18.1	18.6	0.0	0.0	18.6	17.5	0.0	0.0	17.5
10-14	9.7	0.0	0.0	9.7	10.0	0.0	0.0	10.0	9.4	0.0	0.0	9.4
15-19	8.6	0.9	0.0	9.5	9.2	0.7	0.0	9.9	7.8	1.2	0.0	9.0
20-24	4.9	4.9	0.1	9.8	6.1	3.3	0.1	9.4	3.6	6.6	0.1	10.2
25-29	1.9	7.4	0.1	9.4	2.7	6.7	0.2	9.6	0.9	8.2	0.1	9.2
30-34	0.6	7.1	0.2	7.8	0.8	7.0	0.2	8.1	0.3	7.1	0.2	7.6
35-39	0.3	6.7	0.3	7.2	0.4	6.5	0.2	7.1	0.2	6.9	0.3	7.4
40-44	0.2	5.7	0.3	6.2	0.2	5.9	0.2	6.3	0.1	5.5	0.4	6.1
45-49	0.1	5.1	0.4	5.6	0.1	5.1	0.2	5.5	0.1	5.1	0.6	5.8
50-54	0.1	3.8	0.4	4.4	0.2	4.1	0.2	4.5	0.1	3.5	0.7	4.3
55-59	0.1	3.2	0.6	3.9	0.1	3.2	0.2	3.5	0.1	3.3	1.0	4.3
60-64	0.1	2.3	0.6	2.9	0.1	2.6	0.3	2.9	0.0	1.9	1.0	2.9
65-69	0.0	1.5	0.7	2.2	0.0	1.7	0.3	2.0	0.0	1.3	1.2	2.5
70-74	0.0	0.8	0.6	1.5	0.0	1.0	0.3	1.3	0.0	0.6	1.0	1.7
75-79	0.0	0.4	0.5	1.0	0.0	0.6	0.2	0.8	0.0	0.3	0.8	1.1

80-84	0.0	0.1	0.3	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.4
All ages	44.6	50.1	5.3	100.0	48.7	48.6	2.7	100.0	40.3	51.7	8.0	100.0
						Rural						
<10 Yrs	18.8	0.0	0.0	18.8	19.4	0.0	0.0	19.4	18.3	0.0	0.0	18.3
10-14	10.4	0.0	0.0	10.4	10.7	0.0	0.0	10.7	10.1	0.0	0.0	10.1
15-19	8.8	1.1	0.0	9.9	9.6	0.8	0.0	10.4	7.9	1.5	0.0	9.3
20-24	4.4	5.3	0.1	9.8	5.5	3.7	0.1	9.3	3.3	7.0	0.1	10.4
25-29	1.5	7.0	0.2	8.7	2.3	6.5	0.2	9.0	0.8	7.5	0.1	8.4
30-34	0.5	6.5	0.2	7.2	0.7	6.5	0.2	7.4	0.2	6.6	0.2	7.0
35-39	0.3	6.4	0.3	7.0	0.4	6.2	0.2	6.8	0.2	6.7	0.3	7.2
40-44	0.2	5.4	0.3	5.9	0.2	5.6	0.2	6.1	0.1	5.1	0.4	5.7
45-49	0.1	5.0	0.4	5.5	0.1	5.0	0.2	5.3	0.1	5.0	0.6	5.7
50-54	0.1	3.7	0.5	4.2	0.1	4.0	0.2	4.3	0.1	3.4	0.7	4.1
55-59	0.1	3.3	0.7	4.0	0.1	3.2	0.3	3.5	0.0	3.4	1.0	4.5
60-64	0.0	2.4	0.6	3.1	0.0	2.7	0.3	3.0	0.0	2.1	1.0	3.1
65-69	0.0	1.6	0.8	2.4	0.0	1.8	0.3	2.2	0.0	1.3	1.2	2.5
70-74	0.0	0.8	0.7	1.5	0.0	1.0	0.3	1.4	0.0	0.6	1.1	1.7
75-79	0.0	0.5	0.5	1.0	0.0	0.6	0.2	0.8	0.0	0.3	0.8	1.1
80-84	0.0	0.1	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.4
All ages	45.2	49.2	5.6	100.0	49.1	47.9	3.0	100.0	41.2	50.5	8.3	100.0
						Urban						
<10 Yrs	16.8	0.0	0.0	16.8	17.3	0.0	0.0	17.3	16.3	0.0	0.0	16.3
10-14	8.7	0.0	0.0	8.7	8.9	0.0	0.0	8.9	8.4	0.0	0.0	8.4
15-19	8.3	0.6	0.0	8.8	8.7	0.4	0.0	9.2	7.8	0.7	0.0	8.5
20-24	5.6	4.2	0.0	9.8	7.0	2.6	0.0	9.6	4.0	5.9	0.0	10.0
25-29	2.4	8.0	0.1	10.5	3.5	6.9	0.1	10.5	1.2	9.3	0.1	10.6
30-34	0.7	8.0	0.2	8.9	1.1	7.9	0.2	9.1	0.3	8.1	0.2	8.6
35-39	0.3	7.1	0.2	7.7	0.5	6.9	0.1	7.6	0.2	7.3	0.3	7.8
40-44	0.2	6.3	0.3	6.7	0.2	6.3	0.1	6.7	0.2	6.2	0.4	6.7
45-49	0.1	5.3	0.4	5.8	0.1	5.4	0.2	5.7	0.1	5.2	0.6	5.9
50-54	0.2	4.1	0.4	4.7	0.2	4.4	0.2	4.7	0.2	3.8	0.7	4.7
55-59	0.1	3.2	0.5	3.8	0.1	3.2	0.2	3.6	0.1	3.1	0.8	4.1
60-64	0.1	2.1	0.6	2.8	0.1	2.4	0.2	2.8	0.1	1.7	1.0	2.7
65-69	0.1	1.3	0.6	2.0	0.1	1.5	0.2	1.8	0.0	1.2	1.1	2.3
70-74	0.0	0.8	0.5	1.4	0.0	1.0	0.2	1.2	0.0	0.6	0.9	1.5
75-79	0.0	0.4	0.5	0.9	0.0	0.5	0.2	0.8	0.0	0.3	0.8	1.1
80-84	0.0	0.2	0.3	0.4	0.0	0.2	0.2	0.4	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.4
All ages	43.6	51.5	4.8	100.0	48.0	49.7	2.3	100.0	38.9	53.5	7.6	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Haryana

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	19.1	0.0	0.0	19.1	19.9	0.0	0.0	19.9	18.3	0.0	0.0	18.3
10-14	10.2	0.0	0.0	10.2	10.7	0.0	0.0	10.7	9.6	0.0	0.0	9.6
15-19	10.1	0.6	0.0	10.7	10.9	0.2	0.0	11.1	9.3	1.0	0.0	10.3
20-24	5.8	5.3	0.0	11.1	7.3	3.1	0.0	10.5	4.0	7.8	0.0	11.9
25-29	1.6	7.5	0.1	9.2	2.6	6.8	0.1	9.4	0.6	8.3	0.1	9.0
30-34	0.4	7.0	0.1	7.5	0.7	6.8	0.1	7.5	0.1	7.2	0.2	7.5
35-39	0.1	6.7	0.2	7.1	0.3	6.4	0.1	6.8	0.0	7.0	0.3	7.4
40-44	0.1	5.6	0.3	5.9	0.1	5.6	0.1	5.8	0.0	5.6	0.5	6.1
45-49	0.0	4.7	0.4	5.1	0.1	4.8	0.2	5.0	0.0	4.7	0.6	5.3
50-54	0.0	3.1	0.4	3.5	0.0	3.5	0.2	3.7	0.0	2.7	0.6	3.3
55-59	0.0	2.9	0.5	3.4	0.0	2.8	0.2	3.0	0.0	3.0	0.9	3.9
60-64	0.0	1.8	0.4	2.2	0.0	1.9	0.2	2.1	0.0	1.6	0.7	2.3
65-69	0.0	1.3	0.5	1.9	0.0	1.4	0.2	1.7	0.0	1.2	0.9	2.1
70-74	0.0	0.8	0.5	1.3	0.0	0.9	0.2	1.2	0.0	0.7	0.8	1.5
75-79	0.0	0.5	0.5	1.0	0.0	0.6	0.3	0.9	0.0	0.3	0.7	1.1
80-84	0.0	0.2	0.2	0.4	0.0	0.3	0.2	0.4	0.0	0.1	0.3	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.2	0.3	0.0	0.0	0.3	0.3
All ages	47.6	48.1	4.4	100.0	52.6	45.2	2.2	100.0	41.9	51.2	6.8	100.0
						Rural						

<10 Yrs	19.5	0.0	0.0	19.5	20.3	0.0	0.0	20.3	18.7	0.0	0.0	18.7
10-14	10.5	0.0	0.0	10.5	10.9	0.0	0.0	10.9	9.9	0.0	0.0	9.9
15-19	10.4	0.6	0.0	11.1	11.2	0.2	0.0	11.4	9.6	1.1	0.0	10.7
20-24	5.4	5.7	0.0	11.2	7.1	3.4	0.0	10.6	3.6	8.3	0.0	11.9
25-29	1.4	7.5	0.1	9.0	2.4	6.8	0.1	9.2	0.4	8.2	0.1	8.7
30-34	0.4	6.8	0.1	7.3	0.7	6.8	0.1	7.5	0.0	6.9	0.2	7.1
35-39	0.2	6.5	0.2	6.9	0.3	6.2	0.1	6.6	0.0	6.9	0.4	7.3
40-44	0.1	5.3	0.3	5.7	0.1	5.3	0.1	5.6	0.0	5.4	0.5	5.8
45-49	0.0	4.5	0.4	5.0	0.1	4.6	0.2	4.9	0.0	4.4	0.6	5.0
50-54	0.0	2.8	0.3	3.2	0.0	3.2	0.2	3.4	0.0	2.4	0.5	2.9
55-59	0.0	2.9	0.5	3.4	0.0	2.7	0.2	2.9	0.0	3.1	0.9	4.0
60-64	0.0	1.7	0.4	2.1	0.0	1.8	0.2	2.0	0.0	1.5	0.7	2.2
65-69	0.0	1.3	0.5	1.9	0.0	1.4	0.2	1.7	0.0	1.2	0.9	2.2
70-74	0.0	0.8	0.5	1.4	0.0	1.0	0.2	1.2	0.0	0.7	0.8	1.5
75-79	0.0	0.5	0.5	1.1	0.0	0.7	0.3	1.0	0.0	0.4	0.8	1.2
80-84	0.0	0.2	0.3	0.5	0.0	0.3	0.2	0.5	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.3	0.3
All ages	48.0	47.5	4.5	100.0	53.2	44.6	2.3	100.0	42.2	50.8	7.0	100.0
						Urban						
<10 Yrs	18.3	0.0	0.0	18.3	19.0	0.0	0.0	19.0	17.5	0.0	0.0	17.5
10-14	9.6	0.0	0.0	9.6	10.2	0.0	0.0	10.2	8.9	0.0	0.0	8.9
15-19	9.4	0.5	0.0	10.0	10.2	0.2	0.0	10.4	8.6	0.9	0.0	9.4
20-24	6.5	4.5	0.0	11.0	7.8	2.4	0.0	10.3	5.0	6.8	0.0	11.8
25-29	2.1	7.5	0.1	9.7	3.0	6.7	0.0	9.7	1.1	8.4	0.1	9.6
30-34	0.5	7.3	0.1	7.9	0.7	6.9	0.1	7.6	0.2	7.8	0.2	8.1
35-39	0.1	7.0	0.2	7.3	0.2	6.8	0.1	7.0	0.0	7.3	0.3	7.6
40-44	0.1	6.1	0.3	6.5	0.1	6.1	0.1	6.3	0.0	6.2	0.4	6.6
45-49	0.0	5.2	0.3	5.6	0.1	5.2	0.1	5.4	0.0	5.2	0.6	5.8
50-54	0.0	3.7	0.4	4.2	0.0	4.1	0.2	4.3	0.0	3.3	0.7	4.0
55-59	0.0	2.9	0.5	3.4	0.0	3.0	0.2	3.3	0.0	2.8	0.7	3.5
60-64	0.0	1.9	0.4	2.3	0.0	2.1	0.2	2.3	0.0	1.7	0.7	2.4
65-69	0.0	1.3	0.5	1.8	0.0	1.5	0.2	1.7	0.0	1.1	0.8	1.9
70-74	0.0	0.7	0.5	1.2	0.0	0.9	0.2	1.1	0.0	0.5	0.8	1.3
75-79	0.0	0.4	0.4	0.8	0.0	0.5	0.2	0.7	0.0	0.2	0.7	0.9
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.4
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2
All ages	46.7	49.3	4.0	100.0	51.4	46.7	1.9	100.0	41.4	52.3	6.3	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Himachal Pradesh

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	16.4	0.0	0.0	16.4	17.2	0.0	0.0	17.2	15.6	0.0	0.0	15.6
10-14	8.8	0.0	0.0	8.8	9.3	0.0	0.0	9.3	8.4	0.0	0.0	8.4
15-19	9.3	0.2	0.0	9.5	9.9	0.0	0.0	9.9	8.8	0.3	0.0	9.0
20-24	6.8	2.7	0.0	9.5	8.3	0.9	0.0	9.2	5.3	4.5	0.0	9.8
25-29	2.6	5.7	0.1	8.4	4.0	3.8	0.0	7.8	1.3	7.6	0.1	9.0
30-34	0.7	7.0	0.1	7.8	1.2	6.3	0.1	7.5	0.3	7.7	0.1	8.2
35-39	0.3	7.0	0.2	7.5	0.4	6.8	0.1	7.2	0.1	7.3	0.3	7.7
40-44	0.1	6.3	0.3	6.7	0.2	6.2	0.1	6.4	0.0	6.4	0.5	6.9
45-49	0.1	5.4	0.3	5.9	0.2	5.6	0.1	5.9	0.0	5.3	0.6	5.9
50-54	0.1	4.3	0.5	4.8	0.1	4.7	0.2	5.0	0.0	3.9	0.8	4.7
55-59	0.0	3.6	0.7	4.3	0.1	3.8	0.2	4.1	0.0	3.5	1.1	4.5
60-64	0.1	2.5	0.7	3.3	0.1	3.0	0.3	3.5	0.0	2.0	1.2	3.2
65-69	0.0	1.8	0.8	2.6	0.1	2.3	0.3	2.6	0.0	1.3	1.2	2.6
70-74	0.0	1.1	0.7	1.8	0.1	1.5	0.3	1.9	0.0	0.7	1.2	1.8
75-79	0.0	0.6	0.7	1.3	0.0	0.9	0.3	1.2	0.0	0.3	1.0	1.3
80-84	0.0	0.3	0.5	0.7	0.0	0.4	0.3	0.7	0.0	0.1	0.6	0.7
85+	0.0	0.2	0.5	0.6	0.0	0.3	0.3	0.6	0.0	0.0	0.6	0.7
All ages	45.4	48.7	5.9	100.0	51.1	46.4	2.5	100.0	40.0	50.9	9.2	100.0
						Rural						
<10 Yrs	16.7	0.0	0.0	16.7	17.7	0.0	0.0	17.7	15.8	0.0	0.0	15.8
10-14	8.9	0.0	0.0	8.9	9.3	0.0	0.0	9.3	8.4	0.0	0.0	8.4
15-19	9.4	0.2	0.0	9.5	9.9	0.0	0.0	9.9	8.8	0.3	0.0	9.1
20-24	6.7	2.9	0.0	9.6	8.3	1.0	0.0	9.3	5.1	4.7	0.0	9.8

25-29	2.5	5.9	0.1	8.4	3.9	3.9	0.0	7.8	1.2	7.7	0.1	9.0
30-34	0.7	7.0	0.1	7.8	1.1	6.3	0.1	7.4	0.3	7.7	0.1	8.1
35-39	0.2	6.9	0.2	7.4	0.4	6.7	0.1	7.1	0.1	7.2	0.3	7.6
40-44	0.1	6.2	0.3	6.5	0.1	6.1	0.1	6.3	0.0	6.3	0.4	6.8
45-49	0.1	5.3	0.3	5.7	0.2	5.4	0.1	5.7	0.0	5.1	0.6	5.7
50-54	0.1	4.1	0.5	4.7	0.1	4.5	0.2	4.8	0.0	3.8	0.8	4.6
55-59	0.0	3.6	0.7	4.3	0.1	3.6	0.2	4.0	0.0	3.5	1.1	4.6
60-64	0.1	2.5	0.8	3.3	0.1	3.0	0.3	3.4	0.0	2.0	1.2	3.2
65-69	0.0	1.8	0.8	2.6	0.1	2.3	0.3	2.7	0.0	1.3	1.2	2.6
70-74	0.0	1.1	0.8	1.9	0.1	1.5	0.3	1.9	0.0	0.7	1.2	1.9
75-79	0.0	0.6	0.7	1.3	0.0	0.9	0.3	1.3	0.0	0.3	1.0	1.3
80-84	0.0	0.3	0.5	0.7	0.0	0.4	0.3	0.7	0.0	0.1	0.7	0.8
85+	0.0	0.2	0.5	0.7	0.0	0.3	0.3	0.6	0.0	0.0	0.7	0.7
All ages	45.5	48.4	6.0	100.0	51.5	46.0	2.5	100.0	39.9	50.7	9.3	100.0
						Urban						
<10 Yrs	13.2	0.0	0.0	13.2	13.3	0.0	0.0	13.3	13.0	0.0	0.0	13.0
10-14	8.1	0.0	0.0	8.1	8.5	0.0	0.0	8.5	7.7	0.0	0.0	7.7
15-19	8.8	0.1	0.0	8.9	9.3	0.0	0.0	9.4	8.2	0.1	0.0	8.3
20-24	7.7	1.3	0.0	8.9	8.2	0.4	0.0	8.6	7.1	2.2	0.0	9.3
25-29	4.2	4.6	0.0	8.8	5.4	2.7	0.0	8.1	3.0	6.6	0.1	9.6
30-34	1.4	6.9	0.1	8.4	2.0	5.9	0.0	7.9	0.8	8.0	0.1	8.9
35-39	0.4	7.9	0.2	8.5	0.5	7.4	0.0	8.0	0.3	8.5	0.3	9.0
40-44	0.2	7.6	0.3	8.1	0.3	7.4	0.0	7.8	0.1	7.8	0.5	8.4
45-49	0.1	7.1	0.3	7.5	0.1	7.4	0.1	7.6	0.1	6.8	0.5	7.4
50-54	0.1	5.8	0.4	6.2	0.1	6.6	0.1	6.9	0.1	4.8	0.6	5.5
55-59	0.0	4.2	0.5	4.7	0.1	4.9	0.2	5.1	0.0	3.4	0.8	4.2
60-64	0.1	2.5	0.5	3.1	0.0	3.3	0.2	3.5	0.1	1.8	0.9	2.7
65-69	0.0	1.6	0.6	2.2	0.0	1.9	0.2	2.2	0.0	1.2	1.0	2.2
70-74	0.0	1.0	0.5	1.4	0.0	1.2	0.2	1.4	0.0	0.7	0.7	1.5
75-79	0.0	0.5	0.6	1.1	0.0	0.8	0.2	1.0	0.0	0.2	0.9	1.2
80-84	0.0	0.2	0.3	0.5	0.0	0.3	0.2	0.5	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.3	0.4	0.0	0.2	0.1	0.3	0.0	0.0	0.4	0.4
All ages	44.3	51.3	4.4	100.0	47.9	50.5	1.6	100.0	40.5	52.1	7.3	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Jammu & Kashmir

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	15.9	0.0	0.0	15.9	16.4	0.0	0.0	16.4	15.3	0.0	0.0	15.3
10-14	9.8	0.0	0.0	9.8	9.9	0.0	0.0	9.9	9.6	0.0	0.0	9.6
15-19	10.3	0.1	0.0	10.4	10.5	0.0	0.0	10.5	10.2	0.2	0.0	10.3
20-24	9.5	1.7	0.0	11.3	10.2	0.8	0.0	11.0	8.9	2.7	0.0	11.6
25-29	5.5	4.4	0.0	9.9	6.4	3.0	0.0	9.4	4.4	6.0	0.1	10.5
30-34	1.9	6.1	0.1	8.1	2.7	5.4	0.0	8.1	1.1	6.9	0.1	8.1
35-39	0.5	6.2	0.1	6.9	0.7	6.0	0.1	6.8	0.3	6.5	0.2	7.0
40-44	0.2	5.8	0.2	6.2	0.2	5.8	0.1	6.1	0.1	5.9	0.3	6.2
45-49	0.1	5.0	0.2	5.4	0.1	5.1	0.1	5.4	0.0	4.9	0.4	5.4
50-54	0.0	3.7	0.3	4.0	0.1	4.1	0.2	4.4	0.0	3.2	0.4	3.6
55-59	0.0	3.4	0.5	3.9	0.0	3.2	0.2	3.5	0.0	3.5	0.7	4.2
60-64	0.0	2.4	0.5	2.9	0.0	2.8	0.3	3.1	0.0	2.0	0.7	2.8
65-69	0.0	1.5	0.6	2.1	0.0	1.8	0.3	2.2	0.0	1.2	0.9	2.1
70-74	0.0	0.9	0.6	1.5	0.0	1.1	0.3	1.4	0.0	0.7	0.8	1.5
75-79	0.0	0.5	0.5	1.0	0.0	0.7	0.3	1.0	0.0	0.3	0.7	1.0
80-84	0.0	0.2	0.3	0.5	0.0	0.3	0.2	0.5	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.4	0.0	0.2	0.2	0.4	0.0	0.0	0.3	0.4
All ages	53.7	42.1	4.1	100.0	57.3	40.3	2.4	100.0	49.9	44.1	6.0	100.0
						Rural						
<10 Yrs	16.8	0.0	0.0	16.8	17.4	0.0	0.0	17.4	16.2	0.0	0.0	16.2
10-14	10.3	0.0	0.0	10.3	10.4	0.0	0.0	10.4	10.1	0.0	0.0	10.1
15-19	10.8	0.1	0.0	10.9	10.9	0.0	0.0	10.9	10.6	0.2	0.0	10.8
20-24	9.6	1.9	0.0	11.5	10.2	0.9	0.0	11.1	8.8	3.0	0.0	11.8
25-29	5.0	4.6	0.0	9.7	6.0	3.1	0.0	9.2	4.0	6.2	0.1	10.2
30-34	1.6	6.2	0.1	7.9	2.3	5.5	0.0	7.9	0.9	6.9	0.1	7.8
35-39	0.4	6.1	0.1	6.6	0.6	5.9	0.1	6.5	0.2	6.4	0.2	6.8
40-44	0.1	5.6	0.2	6.0	0.2	5.6	0.1	5.9	0.1	5.7	0.2	6.0

45-49	0.1	4.7	0.2	5.0	0.1	4.8	0.1	5.1	0.0	4.6	0.3	5.0
50-54	0.0	3.4	0.3	3.7	0.1	3.9	0.2	4.1	0.0	2.9	0.3	3.3
55-59	0.0	3.2	0.5	3.7	0.0	3.0	0.3	3.3	0.0	3.4	0.7	4.1
60-64	0.0	2.3	0.5	2.8	0.0	2.6	0.3	2.9	0.0	1.9	0.7	2.6
65-69	0.0	1.4	0.6	2.0	0.0	1.7	0.3	2.0	0.0	1.1	0.8	2.0
70-74	0.0	0.8	0.5	1.4	0.0	1.0	0.3	1.4	0.0	0.6	0.8	1.4
75-79	0.0	0.5	0.5	1.0	0.0	0.7	0.3	1.0	0.0	0.3	0.7	1.0
80-84	0.0	0.2	0.3	0.5	0.0	0.3	0.2	0.5	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.4	0.0	0.2	0.2	0.4	0.0	0.0	0.3	0.4
All ages	54.8	41.2	4.0	100.0	58.3	39.2	2.5	100.0	51.0	43.3	5.6	100.0
						Urban						
<10 Yrs	12.3	0.0	0.0	12.3	12.9	0.0	0.0	12.9	11.7	0.0	0.0	11.7
10-14	7.8	0.0	0.0	7.8	8.1	0.0	0.0	8.1	7.6	0.0	0.0	7.6
15-19	8.6	0.1	0.0	8.7	8.8	0.0	0.0	8.8	8.5	0.1	0.0	8.6
20-24	9.5	1.0	0.0	10.4	9.9	0.5	0.0	10.4	9.0	1.5	0.0	10.5
25-29	7.0	3.8	0.0	10.9	7.8	2.4	0.0	10.3	6.2	5.2	0.0	11.5
30-34	3.0	6.0	0.1	9.1	3.9	4.9	0.1	8.9	2.0	7.2	0.1	9.3
35-39	0.9	6.7	0.1	7.8	1.3	6.5	0.1	7.9	0.5	6.9	0.2	7.6
40-44	0.3	6.5	0.2	7.0	0.4	6.4	0.1	6.9	0.1	6.7	0.3	7.1
45-49	0.1	6.1	0.3	6.5	0.1	6.2	0.1	6.4	0.1	6.1	0.5	6.6
50-54	0.1	4.7	0.4	5.1	0.1	5.0	0.2	5.3	0.0	4.3	0.5	4.8
55-59	0.0	4.0	0.5	4.5	0.1	4.1	0.2	4.3	0.0	3.9	0.8	4.7
60-64	0.0	2.9	0.5	3.4	0.0	3.4	0.2	3.7	0.0	2.3	0.9	3.2
65-69	0.0	1.8	0.8	2.6	0.1	2.2	0.3	2.6	0.0	1.4	1.2	2.7
70-74	0.0	1.1	0.6	1.8	0.0	1.4	0.2	1.6	0.0	0.8	1.1	1.9
75-79	0.0	0.6	0.5	1.1	0.0	0.8	0.3	1.1	0.0	0.3	0.8	1.1
80-84	0.0	0.2	0.3	0.5	0.0	0.3	0.1	0.5	0.0	0.1	0.5	0.6
85+	0.0	0.1	0.3	0.3	0.0	0.1	0.1	0.3	0.0	0.0	0.4	0.4
All ages	49.7	45.6	4.7	100.0	53.5	44.3	2.2	100.0	45.7	46.9	7.3	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Jharkhand

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	21.1	0.0	0.0	21.1	21.4	0.0	0.0	21.4	20.8	0.0	0.0	20.8
10-14	12.4	0.0	0.0	12.4	12.3	0.0	0.0	12.3	12.4	0.0	0.0	12.4
15-19	10.5	0.8	0.0	11.2	11.5	0.4	0.0	11.8	9.4	1.2	0.0	10.6
20-24	5.3	4.3	0.0	9.6	6.6	2.5	0.0	9.1	3.8	6.2	0.0	10.1
25-29	2.0	6.6	0.1	8.7	2.9	5.6	0.0	8.5	1.0	7.7	0.1	8.8
30-34	0.5	6.4	0.1	7.1	0.8	6.2	0.0	7.1	0.2	6.6	0.2	7.1
35-39	0.1	6.1	0.2	6.5	0.2	6.0	0.1	6.3	0.1	6.3	0.3	6.7
40-44	0.1	5.1	0.3	5.4	0.1	5.2	0.1	5.4	0.0	4.9	0.4	5.4
45-49	0.0	4.6	0.3	4.9	0.0	4.9	0.1	5.1	0.0	4.2	0.5	4.8
50-54	0.0	2.8	0.4	3.2	0.0	3.3	0.2	3.5	0.0	2.4	0.5	2.9
55-59	0.0	2.8	0.5	3.3	0.0	2.6	0.2	2.8	0.0	3.0	0.9	3.9
60-64	0.0	2.0	0.5	2.5	0.0	2.5	0.2	2.7	0.0	1.5	0.8	2.3
65-69	0.0	1.3	0.6	1.9	0.0	1.6	0.3	1.8	0.0	1.1	0.9	2.0
70-74	0.0	0.7	0.5	1.1	0.0	0.9	0.2	1.1	0.0	0.4	0.7	1.2
75-79	0.0	0.3	0.3	0.7	0.0	0.5	0.2	0.6	0.0	0.2	0.5	0.7
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.2
All ages	52.0	44.0	4.0	100.0	55.8	42.3	1.9	100.0	47.9	45.8	6.3	100.0
						Rural						
<10 Yrs	21.9	0.0	0.0	21.9	22.2	0.0	0.0	22.2	21.5	0.0	0.0	21.5
10-14	12.9	0.0	0.0	12.9	12.8	0.0	0.0	12.8	12.9	0.0	0.0	12.9
15-19	10.6	0.9	0.0	11.5	11.6	0.5	0.0	12.1	9.5	1.3	0.0	10.8
20-24	4.9	4.6	0.0	9.5	6.3	2.8	0.0	9.1	3.4	6.5	0.0	9.9
25-29	1.6	6.8	0.1	8.4	2.3	5.9	0.0	8.2	0.8	7.7	0.1	8.6
30-34	0.4	6.3	0.1	6.8	0.5	6.1	0.0	6.7	0.2	6.5	0.2	6.8
35-39	0.1	6.0	0.2	6.3	0.1	5.9	0.1	6.1	0.1	6.1	0.3	6.5
40-44	0.0	4.9	0.3	5.2	0.1	5.1	0.1	5.3	0.0	4.8	0.4	5.2
45-49	0.0	4.4	0.3	4.8	0.0	4.8	0.1	4.9	0.0	4.1	0.5	4.6
50-54	0.0	2.6	0.3	3.0	0.0	3.1	0.2	3.3	0.0	2.2	0.5	2.7
55-59	0.0	2.7	0.5	3.3	0.0	2.4	0.2	2.7	0.0	3.0	0.9	3.9
60-64	0.0	1.9	0.5	2.4	0.0	2.5	0.2	2.7	0.0	1.4	0.8	2.2

65-69	0.0	1.3	0.6	1.9	0.0	1.5	0.3	1.8	0.0	1.1	0.9	2.1
70-74	0.0	0.7	0.5	1.1	0.0	0.9	0.2	1.1	0.0	0.5	0.7	1.2
75-79	0.0	0.3	0.3	0.7	0.0	0.5	0.2	0.7	0.0	0.2	0.5	0.7
80-84	0.0	0.1	0.1	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.2
All ages	52.3	43.7	4.0	100.0	56.1	42.1	1.8	100.0	48.3	45.4	6.3	100.0
						Urban						
<10 Yrs	17.8	0.0	0.0	17.8	17.9	0.0	0.0	17.9	17.6	0.0	0.0	17.6
10-14	10.4	0.0	0.0	10.4	10.4	0.0	0.0	10.4	10.4	0.0	0.0	10.4
15-19	10.1	0.3	0.0	10.4	10.7	0.1	0.0	10.8	9.4	0.5	0.0	9.9
20-24	7.0	3.1	0.0	10.1	8.0	1.4	0.0	9.4	5.8	5.0	0.0	10.8
25-29	3.7	6.1	0.0	9.8	5.3	4.4	0.0	9.7	2.0	7.8	0.1	9.9
30-34	1.1	7.0	0.1	8.2	1.8	6.6	0.1	8.4	0.5	7.4	0.2	8.1
35-39	0.3	6.7	0.2	7.1	0.4	6.4	0.1	6.9	0.1	7.0	0.2	7.4
40-44	0.1	5.7	0.3	6.1	0.2	5.8	0.1	6.1	0.0	5.5	0.4	6.0
45-49	0.0	5.1	0.3	5.4	0.1	5.3	0.1	5.5	0.0	4.8	0.6	5.4
50-54	0.0	3.7	0.4	4.1	0.1	4.2	0.2	4.4	0.0	3.1	0.6	3.8
55-59	0.0	3.1	0.6	3.6	0.0	3.2	0.2	3.4	0.0	2.9	0.9	3.9
60-64	0.0	2.2	0.5	2.7	0.0	2.5	0.2	2.8	0.0	1.8	0.8	2.6
65-69	0.0	1.4	0.6	1.9	0.0	1.7	0.3	2.0	0.0	0.9	0.9	1.8
70-74	0.0	0.7	0.5	1.2	0.0	0.9	0.3	1.2	0.0	0.4	0.8	1.2
75-79	0.0	0.3	0.3	0.6	0.0	0.4	0.2	0.6	0.0	0.2	0.5	0.7
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.0	0.3	0.3
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2
All ages	50.6	45.3	4.1	100.0	54.8	43.2	1.9	100.0	45.9	47.6	6.5	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Karnataka

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	16.7	0.0	0.0	16.7	17.3	0.0	0.0	17.3	16.2	0.0	0.0	16.2
10-14	9.0	0.0	0.0	9.0	9.4	0.0	0.0	9.4	8.6	0.0	0.0	8.6
15-19	8.8	0.7	0.0	9.5	9.7	0.1	0.0	9.8	7.9	1.3	0.0	9.2
20-24	6.0	4.0	0.0	10.1	8.2	1.3	0.0	9.5	3.8	6.7	0.1	10.7
25-29	3.0	6.6	0.1	9.7	4.7	5.1	0.0	9.8	1.2	8.1	0.2	9.6
30-34	0.8	6.9	0.3	8.0	1.3	6.7	0.1	8.1	0.3	7.1	0.5	7.9
35-39	0.3	6.9	0.4	7.6	0.4	7.1	0.1	7.5	0.2	6.7	0.7	7.6
40-44	0.1	5.7	0.5	6.3	0.1	5.9	0.1	6.2	0.1	5.4	0.9	6.4
45-49	0.1	5.4	0.6	6.1	0.1	5.9	0.1	6.1	0.1	4.8	1.2	6.1
50-54	0.0	3.7	0.6	4.4	0.0	4.5	0.1	4.6	0.0	3.0	1.1	4.1
55-59	0.0	3.4	0.9	4.3	0.0	3.7	0.2	3.9	0.0	3.1	1.6	4.7
60-64	0.0	2.0	0.8	2.8	0.0	2.6	0.2	2.8	0.0	1.4	1.4	2.8
65-69	0.0	1.5	0.9	2.4	0.0	2.1	0.2	2.3	0.0	0.9	1.6	2.5
70-74	0.0	0.7	0.7	1.5	0.0	1.1	0.2	1.3	0.0	0.3	1.3	1.6
75-79	0.0	0.4	0.6	1.0	0.0	0.7	0.2	0.9	0.0	0.1	1.0	1.1
80-84	0.0	0.1	0.3	0.4	0.0	0.2	0.1	0.3	0.0	0.0	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.4	0.4
All ages	44.9	48.1	7.0	100.0	51.2	47.1	1.6	100.0	38.6	49.1	12.3	100.0
						Rural						
<10 Yrs	17.0	0.0	0.0	17.0	17.5	0.0	0.0	17.5	16.5	0.0	0.0	16.5
10-14	9.2	0.0	0.0	9.2	9.6	0.0	0.0	9.6	8.8	0.0	0.0	8.8
15-19	9.1	0.8	0.0	9.9	10.1	0.1	0.0	10.2	8.0	1.5	0.0	9.5
20-24	5.8	4.3	0.0	10.2	8.2	1.5	0.0	9.8	3.3	7.1	0.1	10.5
25-29	2.7	6.4	0.2	9.3	4.4	5.3	0.0	9.7	1.1	7.6	0.3	8.9
30-34	0.7	6.5	0.3	7.5	1.1	6.2	0.1	7.4	0.3	6.7	0.5	7.5
35-39	0.2	6.7	0.4	7.3	0.3	6.8	0.1	7.2	0.1	6.6	0.7	7.4
40-44	0.1	5.4	0.5	6.0	0.1	5.6	0.1	5.8	0.1	5.2	0.9	6.1
45-49	0.1	5.4	0.7	6.1	0.1	5.8	0.1	6.0	0.0	4.9	1.2	6.2
50-54	0.0	3.6	0.6	4.2	0.0	4.4	0.2	4.6	0.0	2.8	1.1	3.9
55-59	0.0	3.5	1.0	4.5	0.0	3.7	0.2	3.9	0.0	3.3	1.8	5.1
60-64	0.0	2.0	0.8	2.8	0.0	2.6	0.2	2.8	0.0	1.4	1.4	2.8
65-69	0.0	1.6	1.0	2.6	0.0	2.3	0.3	2.5	0.0	0.9	1.8	2.7
70-74	0.0	0.8	0.8	1.6	0.0	1.2	0.2	1.4	0.0	0.4	1.4	1.8
75-79	0.0	0.5	0.7	1.1	0.0	0.8	0.2	1.0	0.0	0.2	1.1	1.3
80-84	0.0	0.2	0.3	0.4	0.0	0.3	0.1	0.4	0.0	0.0	0.5	0.5

85+	0.0	0.1	0.3	0.3	0.0	0.2	0.1	0.3	0.0	0.0	0.4	0.4
All ages	44.9	47.6	7.5	100.0	51.5	46.7	1.8	100.0	38.2	48.6	13.2	100.0
						Urban						
<10 Yrs	16.3	0.0	0.0	16.3	16.9	0.0	0.0	16.9	15.8	0.0	0.0	15.8
10-14	8.6	0.0	0.0	8.6	9.0	0.0	0.0	9.0	8.1	0.0	0.0	8.1
15-19	8.4	0.5	0.0	8.8	8.9	0.1	0.0	9.0	7.8	0.9	0.0	8.6
20-24	6.4	3.5	0.1	10.0	8.1	1.0	0.0	9.1	4.7	6.1	0.1	10.9
25-29	3.4	6.9	0.1	10.5	5.2	4.8	0.0	10.0	1.6	9.1	0.2	10.9
30-34	1.0	7.6	0.2	8.9	1.6	7.5	0.1	9.2	0.5	7.7	0.4	8.6
35-39	0.4	7.3	0.3	8.1	0.6	7.6	0.1	8.2	0.3	7.1	0.6	7.9
40-44	0.2	6.2	0.5	6.8	0.2	6.5	0.1	6.7	0.1	5.9	0.8	6.8
45-49	0.1	5.3	0.5	6.0	0.1	5.9	0.1	6.1	0.1	4.7	1.0	5.8
50-54	0.1	3.9	0.6	4.6	0.1	4.6	0.1	4.8	0.1	3.3	1.2	4.5
55-59	0.1	3.2	0.7	4.0	0.1	3.7	0.1	3.8	0.1	2.7	1.3	4.1
60-64	0.0	2.0	0.7	2.8	0.0	2.7	0.2	2.9	0.0	1.4	1.3	2.8
65-69	0.0	1.3	0.8	2.1	0.0	1.8	0.2	2.0	0.0	0.7	1.4	2.1
70-74	0.0	0.7	0.6	1.3	0.0	1.1	0.1	1.2	0.0	0.3	1.0	1.4
75-79	0.0	0.3	0.4	0.7	0.0	0.5	0.1	0.6	0.0	0.1	0.7	0.8
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.0	0.4	0.4
85+	0.0	0.0	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.3
All ages	45.0	49.0	6.0	100.0	50.8	47.9	1.3	100.0	39.2	50.0	10.8	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Kerala

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	15.0	0.0	0.0	15.0	16.0	0.0	0.0	16.0	14.1	0.0	0.0	14.1
10-14	8.1	0.0	0.0	8.1	8.8	0.0	0.0	8.8	7.6	0.0	0.0	7.6
15-19	7.3	0.3	0.0	7.6	8.0	0.0	0.0	8.0	6.7	0.5	0.0	7.2
20-24	5.5	2.3	0.0	7.8	7.5	0.4	0.0	7.9	3.7	4.0	0.0	7.7
25-29	3.0	4.7	0.1	7.9	5.0	2.5	0.0	7.5	1.2	6.8	0.1	8.2
30-34	1.2	6.4	0.1	7.7	2.0	5.4	0.0	7.4	0.5	7.2	0.2	7.9
35-39	0.5	6.9	0.2	7.6	0.7	6.6	0.1	7.3	0.3	7.2	0.4	7.8
40-44	0.3	6.9	0.3	7.5	0.3	6.9	0.1	7.2	0.2	6.9	0.6	7.7
45-49	0.2	6.3	0.5	6.9	0.2	6.5	0.1	6.8	0.2	6.0	0.9	7.1
50-54	0.1	5.1	0.6	5.8	0.1	5.7	0.1	5.9	0.2	4.6	1.0	5.8
55-59	0.1	4.6	0.8	5.5	0.1	5.3	0.1	5.5	0.2	3.9	1.5	5.6
60-64	0.1	3.2	0.9	4.2	0.0	4.1	0.1	4.3	0.1	2.4	1.6	4.2
65-69	0.1	2.0	0.9	3.0	0.0	2.7	0.2	2.9	0.1	1.4	1.6	3.1
70-74	0.0	1.3	1.0	2.4	0.0	1.9	0.2	2.1	0.1	0.8	1.7	2.6
75-79	0.0	0.7	0.8	1.5	0.0	1.1	0.2	1.3	0.0	0.4	1.3	1.7
80-84	0.0	0.3	0.5	0.9	0.0	0.5	0.2	0.7	0.0	0.1	0.9	1.0
85+	0.0	0.1	0.4	0.6	0.0	0.3	0.2	0.4	0.0	0.0	0.6	0.7
All ages	41.6	51.2	7.2	100.0	48.6	49.9	1.5	100.0	35.2	52.3	12.4	100.0
						Rural						
<10 Yrs	15.1	0.0	0.0	15.1	16.1	0.0	0.0	16.1	14.2	0.0	0.0	14.2
10-14	8.2	0.0	0.0	8.2	8.8	0.0	0.0	8.8	7.6	0.0	0.0	7.6
15-19	7.3	0.3	0.0	7.6	8.0	0.0	0.0	8.0	6.7	0.5	0.0	7.2
20-24	5.5	2.3	0.0	7.9	7.5	0.4	0.0	7.9	3.7	4.1	0.0	7.8
25-29	3.2	4.7	0.1	7.9	5.2	2.5	0.0	7.6	1.3	6.8	0.1	8.2
30-34	1.2	6.3	0.1	7.6	2.0	5.4	0.0	7.4	0.5	7.1	0.2	7.9
35-39	0.5	6.8	0.2	7.5	0.7	6.5	0.1	7.3	0.3	7.1	0.4	7.8
40-44	0.2	6.8	0.4	7.4	0.3	6.8	0.1	7.1	0.2	6.8	0.6	7.7
45-49	0.2	6.2	0.5	6.9	0.1	6.5	0.1	6.7	0.2	6.0	0.9	7.0
50-54	0.1	5.1	0.6	5.8	0.1	5.7	0.1	5.8	0.1	4.6	1.0	5.7
55-59	0.1	4.6	0.8	5.5	0.1	5.3	0.1	5.4	0.1	3.9	1.5	5.5
60-64	0.1	3.2	0.9	4.2	0.0	4.0	0.1	4.2	0.1	2.5	1.6	4.1
65-69	0.1	2.0	0.9	3.0	0.0	2.7	0.2	2.9	0.1	1.4	1.6	3.1
70-74	0.0	1.4	1.0	2.4	0.0	1.9	0.2	2.1	0.1	0.9	1.7	2.7
75-79	0.0	0.7	0.8	1.5	0.0	1.1	0.2	1.3	0.0	0.4	1.3	1.7
80-84	0.0	0.3	0.5	0.9	0.0	0.6	0.2	0.8	0.0	0.1	0.9	1.1
85+	0.0	0.2	0.4	0.6	0.0	0.3	0.2	0.5	0.0	0.1	0.7	0.7
All ages	41.8	50.9	7.3	100.0	49.0	49.5	1.5	100.0	35.3	52.1	12.6	100.0
						Urban						
<10 Yrs	14.8	0.0	0.0	14.8	15.9	0.0	0.0	15.9	13.9	0.0	0.0	13.9

10-14	8.0	0.0	0.0	8.0	8.6	0.0	0.0	8.6	7.5	0.0	0.0	7.5
15-19	7.3	0.2	0.0	7.5	7.9	0.0	0.0	7.9	6.7	0.4	0.0	7.1
20-24	5.4	2.1	0.0	7.5	7.3	0.3	0.0	7.6	3.6	3.9	0.0	7.5
25-29	2.7	4.9	0.1	7.7	4.5	2.6	0.0	7.1	1.0	7.0	0.1	8.1
30-34	1.1	6.6	0.1	7.9	1.8	5.7	0.0	7.5	0.4	7.5	0.2	8.2
35-39	0.5	7.1	0.2	7.8	0.7	6.9	0.1	7.6	0.3	7.3	0.3	8.0
40-44	0.3	7.1	0.3	7.7	0.3	7.1	0.1	7.5	0.3	7.2	0.4	7.9
45-49	0.3	6.5	0.4	7.2	0.2	6.8	0.1	7.1	0.3	6.2	0.8	7.2
50-54	0.2	5.2	0.6	6.0	0.1	5.8	0.1	6.0	0.3	4.6	1.0	5.9
55-59	0.2	4.6	0.8	5.6	0.1	5.3	0.1	5.5	0.3	4.0	1.4	5.6
60-64	0.1	3.3	1.0	4.4	0.1	4.3	0.2	4.5	0.2	2.4	1.7	4.2
65-69	0.1	2.0	1.0	3.0	0.0	2.7	0.1	2.9	0.1	1.3	1.7	3.1
70-74	0.1	1.2	1.0	2.3	0.0	1.8	0.2	2.1	0.1	0.7	1.7	2.5
75-79	0.0	0.7	0.8	1.5	0.0	1.1	0.2	1.3	0.0	0.3	1.3	1.7
80-84	0.0	0.3	0.5	0.7	0.0	0.5	0.1	0.6	0.0	0.1	0.7	0.9
85+	0.0	0.1	0.3	0.5	0.0	0.2	0.1	0.3	0.0	0.0	0.6	0.6
All ages	41.0	52.0	7.0	100.0	47.5	51.1	1.4	100.0	35.0	52.9	12.1	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Madhya Pradesh

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	20.7	0.0	0.0	20.7	20.7	0.0	0.0	20.7	20.6	0.0	0.0	20.6
10-14	11.4	0.0	0.0	11.4	11.5	0.0	0.0	11.5	11.3	0.0	0.0	11.3
15-19	10.0	0.9	0.0	10.9	10.8	0.4	0.0	11.3	9.1	1.4	0.0	10.5
20-24	4.5	5.4	0.0	10.0	6.1	3.6	0.0	9.7	2.9	7.3	0.0	10.3
25-29	1.4	7.4	0.1	8.9	2.3	6.7	0.1	9.1	0.5	8.1	0.1	8.7
30-34	0.3	6.6	0.2	7.1	0.6	6.5	0.1	7.2	0.1	6.7	0.2	7.0
35-39	0.1	6.4	0.3	6.8	0.2	6.2	0.2	6.6	0.0	6.6	0.4	7.0
40-44	0.1	5.2	0.3	5.5	0.1	5.3	0.2	5.6	0.0	4.9	0.4	5.4
45-49	0.0	4.6	0.4	5.0	0.1	4.7	0.2	5.0	0.0	4.5	0.6	5.1
50-54	0.0	2.9	0.4	3.3	0.1	3.3	0.2	3.6	0.0	2.4	0.5	2.9
55-59	0.0	2.8	0.5	3.3	0.0	2.6	0.3	2.9	0.0	3.0	0.8	3.8
60-64	0.0	1.9	0.5	2.4	0.0	2.2	0.3	2.5	0.0	1.6	0.8	2.3
65-69	0.0	1.3	0.7	2.0	0.0	1.5	0.3	1.9	0.0	1.1	1.1	2.2
70-74	0.0	0.7	0.6	1.3	0.0	0.9	0.3	1.2	0.0	0.5	0.8	1.4
75-79	0.0	0.4	0.4	0.8	0.0	0.5	0.2	0.8	0.0	0.2	0.7	0.9
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.4
85+	0.0	0.1	0.2	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.3
All ages	48.7	46.6	4.7	100.0	52.5	44.8	2.6	100.0	44.6	48.5	6.9	100.0
						Rural						
<10 Yrs	21.4	0.0	0.0	21.4	21.4	0.0	0.0	21.4	21.4	0.0	0.0	21.4
10-14	11.7	0.0	0.0	11.7	11.8	0.0	0.0	11.8	11.7	0.0	0.0	11.7
15-19	10.0	1.0	0.0	11.1	11.0	0.5	0.0	11.6	9.0	1.6	0.0	10.6
20-24	4.0	5.9	0.0	9.9	5.6	4.1	0.0	9.7	2.3	7.8	0.0	10.1
25-29	1.1	7.5	0.1	8.6	1.8	7.0	0.1	8.9	0.3	8.0	0.1	8.3
30-34	0.2	6.4	0.1	6.8	0.4	6.3	0.1	6.9	0.0	6.5	0.2	6.7
35-39	0.1	6.3	0.3	6.7	0.2	6.1	0.2	6.5	0.0	6.6	0.4	7.0
40-44	0.0	5.0	0.3	5.4	0.1	5.2	0.2	5.5	0.0	4.8	0.4	5.2
45-49	0.0	4.5	0.4	4.9	0.1	4.6	0.3	4.9	0.0	4.4	0.5	4.9
50-54	0.0	2.7	0.3	3.0	0.0	3.0	0.2	3.3	0.0	2.3	0.4	2.7
55-59	0.0	2.8	0.5	3.3	0.0	2.5	0.3	2.8	0.0	3.1	0.8	3.9
60-64	0.0	1.9	0.5	2.4	0.0	2.2	0.3	2.5	0.0	1.6	0.7	2.3
65-69	0.0	1.4	0.7	2.1	0.0	1.6	0.3	1.9	0.0	1.2	1.1	2.3
70-74	0.0	0.7	0.6	1.3	0.0	0.9	0.3	1.2	0.0	0.6	0.8	1.4
75-79	0.0	0.4	0.5	0.8	0.0	0.5	0.2	0.8	0.0	0.2	0.7	0.9
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.4
85+	0.0	0.1	0.2	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.3
All ages	48.7	46.7	4.6	100.0	52.4	44.9	2.7	100.0	44.7	48.6	6.7	100.0
						Urban						
<10 Yrs	18.1	0.0	0.0	18.1	18.5	0.0	0.0	18.5	17.7	0.0	0.0	17.7
10-14	10.1	0.0	0.0	10.1	10.3	0.0	0.0	10.3	10.0	0.0	0.0	10.0
15-19	9.8	0.4	0.0	10.2	10.2	0.1	0.0	10.3	9.4	0.6	0.0	10.0
20-24	6.5	3.7	0.0	10.3	7.8	1.8	0.0	9.7	5.1	5.7	0.0	10.9
25-29	2.8	7.1	0.1	10.0	4.2	5.6	0.1	9.9	1.3	8.7	0.1	10.2

30-34	0.8	7.1	0.2	8.0	1.2	7.0	0.1	8.3	0.3	7.2	0.3	7.8
35-39	0.3	6.7	0.2	7.2	0.4	6.6	0.1	7.2	0.1	6.8	0.4	7.3
40-44	0.1	5.6	0.3	6.0	0.1	5.7	0.1	6.0	0.1	5.4	0.5	6.0
45-49	0.1	5.0	0.5	5.6	0.1	5.1	0.2	5.4	0.1	4.8	0.7	5.7
50-54	0.1	3.6	0.4	4.1	0.1	4.2	0.2	4.4	0.0	3.0	0.7	3.7
55-59	0.0	2.8	0.6	3.4	0.0	3.0	0.2	3.3	0.0	2.5	0.9	3.5
60-64	0.0	1.8	0.6	2.4	0.0	2.1	0.3	2.4	0.0	1.6	0.9	2.4
65-69	0.0	1.2	0.7	1.9	0.0	1.5	0.3	1.8	0.0	1.0	1.1	2.1
70-74	0.0	0.7	0.6	1.3	0.0	1.0	0.3	1.3	0.0	0.4	0.9	1.3
75-79	0.0	0.4	0.4	0.8	0.0	0.5	0.2	0.7	0.0	0.2	0.6	0.8
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.0	0.3	0.3
85+	0.0	0.0	0.2	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.3
All ages	48.8	46.3	4.9	100.0	53.1	44.6	2.3	100.0	44.1	48.1	7.8	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Maharashtra

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	18.0	0.0	0.0	18.0	18.6	0.0	0.0	18.6	17.3	0.0	0.0	17.3
10-14	9.2	0.0	0.0	9.2	9.4	0.0	0.0	9.4	9.0	0.0	0.0	9.0
15-19	8.3	0.9	0.0	9.2	9.4	0.2	0.0	9.5	7.3	1.6	0.0	8.9
20-24	5.2	4.7	0.0	9.9	7.1	2.5	0.0	9.6	3.1	7.0	0.1	10.1
25-29	2.1	6.9	0.1	9.1	3.1	5.9	0.0	9.0	1.0	7.9	0.2	9.1
30-34	0.6	7.1	0.2	7.9	0.9	7.0	0.1	7.9	0.3	7.2	0.3	7.9
35-39	0.2	6.8	0.3	7.2	0.3	6.8	0.1	7.2	0.2	6.7	0.5	7.3
40-44	0.1	5.9	0.4	6.4	0.1	6.1	0.1	6.4	0.1	5.7	0.6	6.4
45-49	0.1	5.0	0.4	5.5	0.1	5.3	0.1	5.5	0.1	4.7	0.7	5.5
50-54	0.0	3.9	0.5	4.4	0.0	4.3	0.2	4.5	0.0	3.5	0.8	4.3
55-59	0.0	3.3	0.6	4.0	0.0	3.4	0.2	3.6	0.0	3.3	1.1	4.4
60-64	0.0	2.4	0.7	3.1	0.0	2.8	0.2	3.1	0.0	2.0	1.1	3.1
65-69	0.0	1.7	0.8	2.5	0.0	2.1	0.3	2.3	0.0	1.3	1.3	2.7
70-74	0.0	1.0	0.8	1.8	0.0	1.4	0.3	1.7	0.0	0.7	1.3	2.0
75-79	0.0	0.6	0.5	1.0	0.0	0.8	0.2	1.0	0.0	0.4	0.8	1.1
80-84	0.0	0.2	0.3	0.5	0.0	0.3	0.1	0.5	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.4
All ages	43.8	50.5	5.7	100.0	49.0	49.0	2.0	100.0	38.3	52.2	9.5	100.0
						Rural						
<10 Yrs	18.9	0.0	0.0	18.9	19.7	0.0	0.0	19.7	18.1	0.0	0.0	18.1
10-14	9.8	0.0	0.0	9.8	10.0	0.0	0.0	10.0	9.7	0.0	0.0	9.7
15-19	8.3	1.2	0.0	9.6	9.7	0.3	0.0	10.0	6.9	2.3	0.0	9.2
20-24	4.2	5.4	0.0	9.7	6.5	3.1	0.0	9.6	1.9	7.9	0.1	9.8
25-29	1.2	6.8	0.1	8.1	2.0	6.2	0.0	8.3	0.4	7.4	0.2	8.0
30-34	0.3	6.6	0.2	7.0	0.4	6.4	0.1	6.9	0.1	6.7	0.4	7.2
35-39	0.1	6.3	0.3	6.7	0.1	6.3	0.1	6.5	0.0	6.4	0.5	6.9
40-44	0.0	5.7	0.4	6.2	0.0	5.9	0.1	6.1	0.0	5.5	0.7	6.2
45-49	0.0	4.9	0.4	5.3	0.0	5.1	0.1	5.3	0.0	4.6	0.7	5.4
50-54	0.0	3.8	0.5	4.3	0.0	4.2	0.2	4.4	0.0	3.5	0.8	4.3
55-59	0.0	3.3	0.6	3.9	0.0	3.3	0.2	3.5	0.0	3.3	1.1	4.4
60-64	0.0	2.6	0.7	3.3	0.0	2.9	0.3	3.2	0.0	2.2	1.2	3.3
65-69	0.0	1.9	0.9	2.8	0.0	2.2	0.3	2.5	0.0	1.6	1.5	3.1
70-74	0.0	1.2	0.9	2.1	0.0	1.6	0.3	1.9	0.0	0.8	1.4	2.2
75-79	0.0	0.7	0.5	1.2	0.0	0.9	0.3	1.2	0.0	0.4	0.8	1.3
80-84	0.0	0.3	0.3	0.6	0.0	0.4	0.2	0.5	0.0	0.2	0.4	0.6
85+	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.4	0.0	0.1	0.3	0.4
All ages	42.9	50.9	6.2	100.0	48.6	49.1	2.3	100.0	37.1	52.7	10.1	100.0
						Urban						
<10 Yrs	16.6	0.0	0.0	16.6	17.0	0.0	0.0	17.0	16.3	0.0	0.0	16.3
10-14	8.4	0.0	0.0	8.4	8.7	0.0	0.0	8.7	8.1	0.0	0.0	8.1
15-19	8.3	0.4	0.0	8.7	8.9	0.1	0.0	8.9	7.7	0.8	0.0	8.5
20-24	6.4	3.7	0.0	10.1	8.0	1.7	0.0	9.7	4.8	5.7	0.0	10.6
25-29	3.2	7.0	0.1	10.3	4.6	5.4	0.0	10.0	1.8	8.6	0.2	10.6
30-34	1.0	7.8	0.2	9.0	1.5	7.7	0.1	9.2	0.6	8.0	0.3	8.9
35-39	0.4	7.3	0.2	7.9	0.5	7.5	0.1	8.1	0.3	7.1	0.4	7.8
40-44	0.2	6.2	0.3	6.7	0.3	6.4	0.1	6.7	0.1	6.0	0.6	6.7
45-49	0.1	5.2	0.4	5.7	0.1	5.5	0.1	5.7	0.1	4.8	0.7	5.7

50-54	0.1	4.0	0.5	4.6	0.1	4.5	0.1	4.7	0.1	3.5	0.8	4.4
55-59	0.0	3.4	0.6	4.0	0.0	3.5	0.2	3.7	0.0	3.2	1.1	4.3
60-64	0.0	2.2	0.6	2.8	0.0	2.7	0.2	2.9	0.0	1.7	1.0	2.7
65-69	0.0	1.4	0.7	2.1	0.0	1.8	0.2	2.1	0.0	1.0	1.1	2.2
70-74	0.0	0.8	0.6	1.5	0.0	1.1	0.2	1.3	0.0	0.6	1.1	1.6
75-79	0.0	0.4	0.4	0.8	0.0	0.6	0.2	0.7	0.0	0.2	0.7	0.9
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.4	0.0	0.1	0.3	0.4
85+	0.0	0.1	0.2	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.3
All ages	44.9	50.1	5.0	100.0	49.6	48.8	1.6	100.0	40.0	51.4	8.6	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Odisha

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	17.7	0.0	0.0	17.7	18.2	0.0	0.0	18.2	17.2	0.0	0.0	17.2
10-14	10.0	0.0	0.0	10.0	10.2	0.0	0.0	10.2	9.8	0.0	0.0	9.8
15-19	9.1	0.6	0.0	9.7	10.0	0.3	0.0	10.2	8.2	1.0	0.0	9.2
20-24	5.3	3.9	0.0	9.3	6.6	1.8	0.0	8.4	4.0	6.0	0.1	10.1
25-29	2.6	6.0	0.1	8.7	3.8	4.6	0.0	8.4	1.4	7.5	0.2	9.1
30-34	0.8	6.8	0.2	7.7	1.2	6.4	0.1	7.7	0.4	7.1	0.3	7.8
35-39	0.2	6.9	0.3	7.5	0.3	7.0	0.1	7.4	0.2	6.9	0.5	7.5
40-44	0.1	5.7	0.3	6.1	0.1	6.1	0.1	6.3	0.1	5.3	0.6	6.0
45-49	0.1	5.3	0.5	5.8	0.0	5.8	0.2	6.0	0.1	4.7	0.7	5.5
50-54	0.0	3.5	0.4	4.0	0.0	4.2	0.2	4.3	0.0	2.9	0.7	3.7
55-59	0.0	3.4	0.7	4.1	0.0	3.4	0.2	3.7	0.0	3.4	1.1	4.5
60-64	0.0	2.3	0.7	3.0	0.0	2.7	0.3	3.0	0.0	1.8	1.1	2.9
65-69	0.0	1.8	0.9	2.7	0.0	2.3	0.4	2.6	0.0	1.3	1.4	2.7
70-74	0.0	0.9	0.8	1.7	0.0	1.3	0.3	1.6	0.0	0.6	1.2	1.8
75-79	0.0	0.5	0.7	1.2	0.0	0.8	0.3	1.1	0.0	0.3	1.0	1.3
80-84	0.0	0.2	0.3	0.5	0.0	0.3	0.2	0.5	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.0	0.3	0.3
All ages	46.0	48.0	6.0	100.0	50.4	47.1	2.5	100.0	41.6	48.9	9.5	100.0
						Rural						
<10 Yrs	18.1	0.0	0.0	18.1	18.6	0.0	0.0	18.6	17.6	0.0	0.0	17.6
10-14	10.2	0.0	0.0	10.2	10.4	0.0	0.0	10.4	10.0	0.0	0.0	10.0
15-19	9.1	0.7	0.0	9.8	10.1	0.3	0.0	10.3	8.2	1.1	0.0	9.3
20-24	5.0	4.1	0.0	9.2	6.3	2.0	0.0	8.3	3.8	6.2	0.1	10.1
25-29	2.4	6.1	0.1	8.6	3.5	4.7	0.1	8.3	1.3	7.4	0.2	9.0
30-34	0.7	6.7	0.2	7.6	1.0	6.4	0.1	7.5	0.4	6.9	0.3	7.6
35-39	0.2	6.9	0.3	7.3	0.2	7.0	0.1	7.3	0.2	6.8	0.5	7.4
40-44	0.1	5.6	0.3	6.0	0.1	5.9	0.1	6.1	0.1	5.2	0.5	5.8
45-49	0.1	5.2	0.5	5.7	0.0	5.7	0.2	5.9	0.1	4.7	0.7	5.5
50-54	0.0	3.5	0.4	3.9	0.0	4.1	0.2	4.3	0.0	2.9	0.7	3.6
55-59	0.0	3.4	0.7	4.1	0.0	3.3	0.3	3.6	0.0	3.5	1.1	4.6
60-64	0.0	2.3	0.7	3.0	0.0	2.8	0.3	3.1	0.0	1.9	1.1	2.9
65-69	0.0	1.8	0.9	2.7	0.0	2.3	0.4	2.7	0.0	1.3	1.5	2.8
70-74	0.0	1.0	0.8	1.8	0.0	1.3	0.3	1.6	0.0	0.6	1.2	1.9
75-79	0.0	0.5	0.7	1.2	0.0	0.8	0.3	1.1	0.0	0.3	1.0	1.3
80-84	0.0	0.2	0.3	0.5	0.0	0.3	0.2	0.5	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.0	0.2	0.3
All ages	46.0	47.9	6.1	100.0	50.3	47.0	2.6	100.0	41.6	48.8	9.6	100.0
						Urban						
<10 Yrs	15.4	0.0	0.0	15.4	15.6	0.0	0.0	15.6	15.1	0.0	0.0	15.1
10-14	8.9	0.0	0.0	8.9	9.1	0.0	0.0	9.1	8.7	0.0	0.0	8.7
15-19	8.9	0.3	0.0	9.2	9.4	0.1	0.0	9.5	8.3	0.6	0.0	8.9
20-24	6.8	2.8	0.0	9.6	8.1	1.0	0.0	9.1	5.5	4.6	0.1	10.2
25-29	3.7	5.7	0.1	9.5	5.3	3.6	0.0	8.9	2.0	7.8	0.2	10.0
30-34	1.4	7.3	0.2	8.9	2.1	6.5	0.0	8.7	0.7	8.0	0.3	9.1
35-39	0.5	7.5	0.3	8.2	0.6	7.5	0.1	8.2	0.3	7.4	0.5	8.2
40-44	0.2	6.7	0.3	7.2	0.2	7.1	0.1	7.3	0.2	6.3	0.6	7.0
45-49	0.1	5.9	0.5	6.4	0.1	6.6	0.1	6.8	0.1	5.1	0.8	6.0
50-54	0.1	4.1	0.5	4.6	0.0	4.8	0.1	4.9	0.1	3.3	0.8	4.3
55-59	0.0	3.3	0.6	4.0	0.0	3.8	0.2	4.0	0.0	2.9	1.1	4.0
60-64	0.0	2.1	0.6	2.7	0.0	2.5	0.1	2.7	0.0	1.7	1.0	2.8
65-69	0.0	1.5	0.8	2.3	0.0	2.0	0.3	2.3	0.0	1.1	1.3	2.4

70-74	0.0	0.8	0.6	1.4	0.0	1.1	0.2	1.3	0.0	0.4	1.0	1.4
75-79	0.0	0.5	0.5	1.0	0.0	0.8	0.2	0.9	0.0	0.2	0.9	1.1
80-84	0.0	0.1	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.3
All ages	46.0	48.5	5.4	100.0	50.8	47.5	1.7	100.0	41.2	49.5	9.3	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Punjab

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	16.7	0.0	0.0	16.7	17.2	0.0	0.0	17.2	16.1	0.0	0.0	16.1
10-14	8.9	0.0	0.0	8.9	9.4	0.0	0.0	9.4	8.3	0.0	0.0	8.3
15-19	9.4	0.2	0.0	9.6	10.1	0.1	0.0	10.2	8.7	0.4	0.0	9.1
20-24	7.2	3.0	0.0	10.2	8.4	1.6	0.0	10.0	5.8	4.6	0.0	10.4
25-29	3.1	6.3	0.1	9.5	4.3	5.1	0.0	9.4	1.8	7.7	0.1	9.6
30-34	0.8	7.0	0.1	8.0	1.2	6.6	0.1	7.9	0.4	7.5	0.1	8.0
35-39	0.3	6.7	0.2	7.1	0.4	6.3	0.1	6.8	0.1	7.1	0.2	7.4
40-44	0.2	6.0	0.3	6.4	0.3	5.9	0.1	6.2	0.1	6.1	0.4	6.6
45-49	0.1	5.3	0.3	5.8	0.2	5.3	0.2	5.6	0.0	5.4	0.5	5.9
50-54	0.1	4.0	0.4	4.4	0.1	4.3	0.2	4.6	0.0	3.6	0.6	4.2
55-59	0.0	3.4	0.5	4.0	0.1	3.3	0.3	3.6	0.0	3.6	0.8	4.4
60-64	0.0	2.3	0.5	2.8	0.1	2.5	0.3	2.8	0.0	2.1	0.7	2.8
65-69	0.0	1.7	0.6	2.3	0.0	1.7	0.3	2.1	0.0	1.6	0.9	2.5
70-74	0.0	1.3	0.7	2.0	0.0	1.4	0.4	1.9	0.0	1.1	1.0	2.2
75-79	0.0	0.7	0.5	1.3	0.0	0.9	0.3	1.3	0.0	0.6	0.8	1.3
80-84	0.0	0.3	0.3	0.6	0.0	0.4	0.2	0.6	0.0	0.2	0.4	0.7
85+	0.0	0.1	0.3	0.5	0.0	0.2	0.2	0.4	0.0	0.1	0.4	0.5
All ages	46.8	48.4	4.8	100.0	51.8	45.5	2.7	100.0	41.3	51.6	7.1	100.0
						Rural						
<10 Yrs	16.5	0.0	0.0	16.5	17.2	0.0	0.0	17.2	15.8	0.0	0.0	15.8
10-14	9.1	0.0	0.0	9.1	9.6	0.0	0.0	9.6	8.4	0.0	0.0	8.4
15-19	9.9	0.3	0.0	10.1	10.6	0.1	0.0	10.8	9.1	0.4	0.0	9.5
20-24	7.3	3.3	0.0	10.6	8.6	1.8	0.0	10.3	5.9	4.9	0.0	10.9
25-29	2.9	6.3	0.1	9.3	4.0	5.1	0.0	9.2	1.7	7.6	0.1	9.4
30-34	0.8	6.8	0.1	7.7	1.2	6.4	0.1	7.6	0.3	7.2	0.1	7.7
35-39	0.2	6.4	0.2	6.8	0.4	6.0	0.1	6.5	0.1	6.9	0.3	7.2
40-44	0.2	5.8	0.3	6.2	0.3	5.7	0.1	6.1	0.1	5.9	0.4	6.4
45-49	0.1	5.2	0.3	5.6	0.2	5.1	0.2	5.4	0.0	5.3	0.5	5.8
50-54	0.1	3.6	0.4	4.0	0.1	3.9	0.2	4.3	0.0	3.1	0.6	3.7
55-59	0.1	3.5	0.5	4.1	0.1	3.2	0.3	3.6	0.0	3.8	0.8	4.7
60-64	0.0	2.2	0.5	2.7	0.1	2.4	0.3	2.7	0.0	2.0	0.7	2.6
65-69	0.0	1.8	0.6	2.4	0.1	1.8	0.3	2.2	0.0	1.7	0.9	2.6
70-74	0.0	1.4	0.7	2.1	0.0	1.5	0.4	1.9	0.0	1.3	1.1	2.4
75-79	0.0	0.8	0.6	1.5	0.0	1.0	0.4	1.4	0.0	0.6	0.8	1.5
80-84	0.0	0.3	0.4	0.7	0.0	0.4	0.3	0.7	0.0	0.2	0.5	0.7
85+	0.0	0.2	0.4	0.6	0.0	0.2	0.2	0.5	0.0	0.1	0.5	0.6
All ages	47.3	47.7	5.0	100.0	52.6	44.5	2.9	100.0	41.5	51.2	7.3	100.0
						Urban						
<10 Yrs	16.9	0.0	0.0	16.9	17.2	0.0	0.0	17.2	16.6	0.0	0.0	16.6
10-14	8.6	0.0	0.0	8.6	9.0	0.0	0.0	9.0	8.0	0.0	0.0	8.0
15-19	8.6	0.2	0.0	8.8	9.1	0.1	0.0	9.2	8.1	0.3	0.0	8.4
20-24	6.9	2.5	0.0	9.4	8.1	1.2	0.0	9.3	5.7	3.9	0.0	9.6
25-29	3.5	6.3	0.1	9.9	4.8	5.0	0.0	9.9	2.0	7.8	0.1	9.9
30-34	0.9	7.5	0.1	8.5	1.3	7.0	0.0	8.3	0.4	8.0	0.2	8.6
35-39	0.3	7.0	0.1	7.4	0.5	6.7	0.1	7.3	0.1	7.4	0.2	7.7
40-44	0.1	6.3	0.2	6.7	0.2	6.2	0.1	6.5	0.0	6.5	0.4	6.9
45-49	0.1	5.6	0.4	6.0	0.1	5.6	0.2	5.9	0.0	5.6	0.6	6.2
50-54	0.1	4.6	0.4	5.1	0.1	4.9	0.2	5.2	0.0	4.3	0.7	5.1
55-59	0.0	3.4	0.5	3.9	0.0	3.5	0.2	3.7	0.0	3.3	0.7	4.0
60-64	0.0	2.5	0.6	3.1	0.0	2.7	0.3	3.0	0.0	2.2	0.9	3.1
65-69	0.0	1.6	0.5	2.1	0.0	1.7	0.3	2.0	0.0	1.4	0.8	2.2
70-74	0.0	1.2	0.6	1.8	0.0	1.4	0.4	1.8	0.0	0.9	1.0	1.9
75-79	0.0	0.6	0.5	1.0	0.0	0.7	0.3	1.0	0.0	0.4	0.7	1.1
80-84	0.0	0.2	0.3	0.5	0.0	0.3	0.2	0.5	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.3	0.4

All ages	46.0	49.5	4.5	100.0	50.5	47.1	2.4	100.0	41.0	52.2	6.8	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Rajasthan

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	20.8	0.0	0.0	20.8	21.2	0.0	0.0	21.2	20.2	0.0	0.0	20.2
10-14	11.8	0.0	0.0	11.8	11.9	0.0	0.0	11.9	11.6	0.0	0.0	11.6
15-19	9.8	1.5	0.0	11.3	10.7	1.0	0.0	11.7	8.8	2.0	0.0	10.8
20-24	4.5	5.7	0.0	10.2	5.9	4.0	0.0	9.9	2.9	7.5	0.0	10.4
25-29	1.2	7.5	0.1	8.8	2.0	6.9	0.1	9.0	0.4	8.2	0.1	8.6
30-34	0.2	6.8	0.1	7.1	0.4	6.6	0.1	7.2	0.0	6.9	0.2	7.1
35-39	0.1	6.3	0.2	6.5	0.2	6.1	0.1	6.4	0.0	6.5	0.3	6.7
40-44	0.0	4.9	0.2	5.1	0.1	5.0	0.1	5.2	0.0	4.7	0.3	5.1
45-49	0.0	4.3	0.3	4.6	0.0	4.4	0.2	4.6	0.0	4.2	0.5	4.7
50-54	0.0	2.9	0.3	3.2	0.0	3.2	0.2	3.4	0.0	2.5	0.5	3.0
55-59	0.0	2.9	0.5	3.3	0.0	2.7	0.2	2.9	0.0	3.1	0.8	3.8
60-64	0.0	1.9	0.5	2.4	0.0	2.2	0.2	2.4	0.0	1.6	0.7	2.4
65-69	0.0	1.4	0.6	2.0	0.0	1.6	0.2	1.8	0.0	1.1	1.0	2.2
70-74	0.0	0.8	0.5	1.3	0.0	0.9	0.2	1.1	0.0	0.6	0.9	1.5
75-79	0.0	0.5	0.4	0.9	0.0	0.6	0.2	0.8	0.0	0.3	0.7	1.0
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.4
All ages	48.4	47.4	4.2	100.0	52.6	45.4	2.0	100.0	43.9	49.5	6.6	100.0
						Rural						
<10 Yrs	21.6	0.0	0.0	21.6	22.1	0.0	0.0	22.1	21.0	0.0	0.0	21.0
10-14	12.3	0.0	0.0	12.3	12.4	0.0	0.0	12.4	12.1	0.0	0.0	12.1
15-19	9.9	1.7	0.0	11.6	10.8	1.2	0.0	12.0	8.8	2.3	0.0	11.2
20-24	4.0	6.0	0.0	10.0	5.5	4.3	0.0	9.8	2.4	7.7	0.0	10.2
25-29	1.0	7.5	0.1	8.6	1.7	7.0	0.1	8.8	0.2	8.0	0.1	8.4
30-34	0.2	6.6	0.1	6.9	0.4	6.5	0.1	6.9	0.0	6.7	0.1	6.8
35-39	0.1	6.1	0.2	6.4	0.1	5.9	0.1	6.2	0.0	6.3	0.2	6.6
40-44	0.0	4.7	0.2	4.9	0.1	4.8	0.1	5.0	0.0	4.5	0.3	4.9
45-49	0.0	4.1	0.3	4.4	0.0	4.2	0.2	4.4	0.0	4.0	0.4	4.4
50-54	0.0	2.6	0.3	2.9	0.0	2.9	0.2	3.1	0.0	2.3	0.4	2.7
55-59	0.0	2.8	0.5	3.3	0.0	2.5	0.2	2.7	0.0	3.2	0.7	3.9
60-64	0.0	1.9	0.5	2.4	0.0	2.2	0.2	2.4	0.0	1.6	0.8	2.4
65-69	0.0	1.4	0.6	2.0	0.0	1.6	0.3	1.8	0.0	1.2	1.0	2.2
70-74	0.0	0.7	0.5	1.3	0.0	0.8	0.2	1.1	0.0	0.6	0.9	1.5
75-79	0.0	0.5	0.4	0.9	0.0	0.6	0.2	0.8	0.0	0.3	0.7	1.0
80-84	0.0	0.2	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.4
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.1	0.3	0.4
All ages	49.0	46.8	4.1	100.0	53.1	44.8	2.1	100.0	44.6	49.0	6.3	100.0
						Urban						
<10 Yrs	18.1	0.0	0.0	18.1	18.4	0.0	0.0	18.4	17.7	0.0	0.0	17.7
10-14	10.2	0.0	0.0	10.2	10.4	0.0	0.0	10.4	9.9	0.0	0.0	9.9
15-19	9.5	0.7	0.0	10.3	10.4	0.4	0.0	10.8	8.6	1.1	0.0	9.7
20-24	6.0	4.8	0.0	10.7	7.4	2.8	0.0	10.2	4.4	6.8	0.0	11.3
25-29	2.0	7.5	0.1	9.6	3.0	6.6	0.1	9.7	0.9	8.5	0.1	9.5
30-34	0.4	7.4	0.1	7.9	0.7	7.2	0.1	8.0	0.1	7.6	0.2	7.8
35-39	0.1	6.8	0.2	7.1	0.2	6.8	0.1	7.1	0.0	6.8	0.3	7.1
40-44	0.1	5.5	0.3	5.8	0.1	5.6	0.1	5.8	0.0	5.3	0.4	5.7
45-49	0.0	4.9	0.4	5.3	0.0	4.9	0.1	5.0	0.0	5.0	0.6	5.6
50-54	0.0	3.8	0.4	4.2	0.0	4.2	0.1	4.4	0.0	3.3	0.6	3.9
55-59	0.0	3.0	0.5	3.5	0.0	3.2	0.2	3.4	0.0	2.8	0.8	3.6
60-64	0.0	2.0	0.5	2.5	0.0	2.3	0.2	2.5	0.0	1.7	0.7	2.4
65-69	0.0	1.3	0.6	1.9	0.0	1.6	0.1	1.7	0.0	1.1	1.1	2.2
70-74	0.0	0.8	0.5	1.3	0.0	0.9	0.2	1.1	0.0	0.6	0.9	1.5
75-79	0.0	0.5	0.5	1.0	0.0	0.6	0.2	0.8	0.0	0.3	0.8	1.1
80-84	0.0	0.2	0.3	0.4	0.0	0.2	0.1	0.4	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.3
All ages	46.4	49.1	4.5	100.0	50.8	47.3	1.8	100.0	41.7	51.0	7.4	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Tamil Nadu

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	15.3	0.0	0.0	15.3	15.8	0.0	0.0	15.8	14.8	0.0	0.0	14.8
10-14	8.1	0.0	0.0	8.1	8.4	0.0	0.0	8.4	7.8	0.0	0.0	7.8
15-19	7.6	0.2	0.0	7.8	8.2	0.0	0.0	8.2	7.0	0.4	0.0	7.4
20-24	6.0	2.9	0.0	8.9	7.5	0.8	0.0	8.3	4.5	4.9	0.1	9.4
25-29	3.3	6.2	0.1	9.6	5.1	4.3	0.0	9.4	1.5	8.2	0.2	9.9
30-34	1.0	7.4	0.2	8.6	1.7	7.1	0.1	8.8	0.4	7.8	0.3	8.5
35-39	0.3	7.1	0.3	7.8	0.5	7.2	0.1	7.8	0.1	7.0	0.5	7.7
40-44	0.1	6.4	0.5	7.0	0.2	6.6	0.1	7.0	0.1	6.2	0.8	7.1
45-49	0.1	5.7	0.6	6.3	0.1	6.1	0.2	6.4	0.1	5.2	1.0	6.3
50-54	0.0	4.4	0.7	5.1	0.1	5.1	0.2	5.3	0.0	3.8	1.2	5.0
55-59	0.0	3.9	1.0	4.9	0.0	4.2	0.3	4.5	0.0	3.6	1.7	5.3
60-64	0.0	2.7	1.0	3.7	0.0	3.4	0.3	3.7	0.0	2.0	1.7	3.8
65-69	0.0	1.8	1.1	2.8	0.0	2.4	0.3	2.7	0.0	1.2	1.8	2.9
70-74	0.0	1.0	0.9	1.9	0.0	1.4	0.3	1.8	0.0	0.5	1.4	2.0
75-79	0.0	0.5	0.7	1.2	0.0	0.8	0.3	1.1	0.0	0.2	1.1	1.3
80-84	0.0	0.2	0.3	0.6	0.0	0.4	0.2	0.5	0.0	0.1	0.5	0.6
85+	0.0	0.1	0.3	0.4	0.0	0.2	0.1	0.3	0.0	0.0	0.4	0.4
All ages	41.9	50.5	7.6	100.0	47.5	50.0	2.5	100.0	36.3	51.0	12.6	100.0
						Rural						
<10 Yrs	15.7	0.0	0.0	15.7	16.2	0.0	0.0	16.2	15.2	0.0	0.0	15.2
10-14	8.4	0.0	0.0	8.4	8.7	0.0	0.0	8.7	8.1	0.0	0.0	8.1
15-19	7.8	0.3	0.0	8.0	8.5	0.0	0.0	8.5	7.0	0.5	0.0	7.5
20-24	6.0	3.1	0.0	9.1	7.7	1.0	0.0	8.7	4.3	5.2	0.1	9.6
25-29	3.2	6.1	0.1	9.4	5.0	4.4	0.0	9.4	1.4	7.9	0.2	9.5
30-34	0.9	7.0	0.2	8.2	1.6	6.8	0.1	8.5	0.3	7.3	0.4	8.0
35-39	0.3	6.6	0.3	7.2	0.4	6.6	0.1	7.1	0.1	6.6	0.6	7.3
40-44	0.1	6.1	0.5	6.7	0.1	6.3	0.1	6.5	0.1	5.9	0.8	6.8
45-49	0.1	5.5	0.6	6.2	0.1	5.9	0.2	6.2	0.1	5.2	1.0	6.2
50-54	0.0	4.3	0.7	5.0	0.0	5.0	0.2	5.2	0.0	3.6	1.2	4.9
55-59	0.0	4.0	1.1	5.1	0.0	4.1	0.3	4.4	0.0	3.8	1.8	5.7
60-64	0.0	2.7	1.0	3.8	0.0	3.4	0.3	3.7	0.0	2.0	1.8	3.8
65-69	0.0	1.9	1.1	3.0	0.0	2.5	0.4	2.9	0.0	1.2	1.9	3.1
70-74	0.0	1.0	0.9	1.9	0.0	1.5	0.4	1.8	0.0	0.5	1.4	2.0
75-79	0.0	0.5	0.7	1.3	0.0	0.9	0.3	1.2	0.0	0.2	1.1	1.4
80-84	0.0	0.2	0.3	0.6	0.0	0.4	0.2	0.6	0.0	0.1	0.5	0.6
85+	0.0	0.1	0.3	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.4	0.5
All ages	42.5	49.5	8.0	100.0	48.4	48.8	2.8	100.0	36.6	50.2	13.2	100.0
						Urban						
<10 Yrs	14.8	0.0	0.0	14.8	15.3	0.0	0.0	15.3	14.3	0.0	0.0	14.3
10-14	7.7	0.0	0.0	7.7	7.9	0.0	0.0	7.9	7.5	0.0	0.0	7.5
15-19	7.3	0.2	0.0	7.5	7.8	0.0	0.0	7.8	6.9	0.3	0.0	7.2
20-24	6.0	2.5	0.0	8.5	7.3	0.6	0.0	7.9	4.7	4.4	0.0	9.2
25-29	3.5	6.3	0.1	9.9	5.2	4.1	0.0	9.4	1.7	8.6	0.1	10.4
30-34	1.1	7.9	0.1	9.2	1.8	7.4	0.1	9.3	0.4	8.4	0.2	9.1
35-39	0.4	7.8	0.3	8.5	0.6	8.0	0.1	8.7	0.2	7.6	0.5	8.3
40-44	0.2	6.8	0.4	7.4	0.2	7.2	0.1	7.5	0.1	6.5	0.8	7.4
45-49	0.1	5.9	0.6	6.5	0.1	6.4	0.1	6.7	0.1	5.3	1.0	6.4
50-54	0.1	4.6	0.7	5.3	0.1	5.2	0.1	5.4	0.1	3.9	1.2	5.1
55-59	0.0	3.8	0.9	4.7	0.0	4.3	0.2	4.5	0.0	3.2	1.5	4.8
60-64	0.0	2.7	1.0	3.7	0.0	3.5	0.3	3.8	0.0	1.9	1.7	3.7
65-69	0.0	1.6	0.9	2.6	0.0	2.2	0.3	2.5	0.0	1.1	1.6	2.7
70-74	0.0	1.0	0.8	1.8	0.0	1.4	0.3	1.7	0.0	0.5	1.4	1.9
75-79	0.0	0.5	0.6	1.1	0.0	0.7	0.2	1.0	0.0	0.2	1.0	1.2
80-84	0.0	0.2	0.4	0.6	0.0	0.3	0.2	0.5	0.0	0.1	0.6	0.6
85+	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.0	0.3	0.4
All ages	41.2	51.8	7.0	100.0	46.4	51.4	2.1	100.0	36.0	52.1	11.9	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

Uttar Pradesh

Age	Total				Males				Females			

group	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	21.3	0.0	0.0	21.3	21.6	0.0	0.0	21.6	20.9	0.0	0.0	20.9
10-14	12.4	0.0	0.0	12.4	12.5	0.0	0.0	12.5	12.3	0.0	0.0	12.3
15-19	11.6	0.7	0.0	12.3	12.4	0.3	0.0	12.7	10.7	1.1	0.0	11.9
20-24	6.0	4.3	0.0	10.4	7.3	2.6	0.0	10.0	4.6	6.2	0.0	10.8
25-29	2.1	6.5	0.1	8.6	3.1	5.8	0.1	9.0	0.9	7.3	0.1	8.3
30-34	0.4	5.8	0.1	6.3	0.7	5.5	0.1	6.3	0.1	6.1	0.1	6.4
35-39	0.2	6.0	0.2	6.4	0.3	5.7	0.2	6.1	0.0	6.4	0.2	6.7
40-44	0.1	4.4	0.2	4.7	0.2	4.4	0.2	4.7	0.0	4.3	0.3	4.6
45-49	0.1	4.2	0.3	4.6	0.1	4.1	0.2	4.4	0.0	4.3	0.4	4.8
50-54	0.0	2.5	0.3	2.9	0.1	2.8	0.2	3.1	0.0	2.3	0.4	2.7
55-59	0.0	2.7	0.5	3.2	0.1	2.5	0.3	2.8	0.0	3.0	0.7	3.7
60-64	0.0	1.7	0.4	2.1	0.0	1.9	0.3	2.2	0.0	1.5	0.6	2.1
65-69	0.0	1.4	0.7	2.1	0.0	1.5	0.4	1.9	0.0	1.3	1.0	2.2
70-74	0.0	0.7	0.5	1.2	0.0	0.9	0.3	1.2	0.0	0.6	0.7	1.3
75-79	0.0	0.4	0.4	0.8	0.0	0.5	0.3	0.8	0.0	0.3	0.6	0.9
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
85+	0.0	0.1	0.2	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.3
All ages	54.3	41.6	4.1	100.0	58.5	38.7	2.8	100.0	49.6	44.7	5.7	100.0
						Rural						
<10 Yrs	22.0	0.0	0.0	22.0	22.3	0.0	0.0	22.3	21.6	0.0	0.0	21.6
10-14	12.8	0.0	0.0	12.8	12.9	0.0	0.0	12.9	12.6	0.0	0.0	12.6
15-19	11.7	0.8	0.0	12.5	12.6	0.4	0.0	13.0	10.7	1.3	0.0	12.0
20-24	5.5	4.7	0.0	10.1	6.8	2.9	0.0	9.8	4.0	6.6	0.0	10.6
25-29	1.6	6.7	0.1	8.4	2.6	6.1	0.1	8.8	0.6	7.3	0.1	7.9
30-34	0.3	5.7	0.1	6.1	0.5	5.4	0.1	6.0	0.0	6.0	0.1	6.2
35-39	0.1	6.0	0.2	6.3	0.3	5.5	0.2	6.0	0.0	6.4	0.2	6.7
40-44	0.1	4.2	0.2	4.5	0.1	4.3	0.2	4.6	0.0	4.2	0.3	4.4
45-49	0.1	4.1	0.3	4.5	0.1	4.0	0.3	4.3	0.0	4.2	0.4	4.7
50-54	0.0	2.4	0.3	2.7	0.1	2.6	0.2	2.9	0.0	2.1	0.4	2.5
55-59	0.0	2.7	0.5	3.2	0.1	2.4	0.3	2.7	0.0	3.0	0.7	3.7
60-64	0.0	1.7	0.4	2.1	0.0	1.8	0.3	2.1	0.0	1.5	0.6	2.1
65-69	0.0	1.4	0.7	2.1	0.0	1.5	0.4	1.9	0.0	1.3	1.0	2.3
70-74	0.0	0.7	0.5	1.3	0.0	0.9	0.3	1.2	0.0	0.6	0.7	1.3
75-79	0.0	0.4	0.4	0.9	0.0	0.5	0.3	0.8	0.0	0.3	0.6	0.9
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.2	0.3
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.3
All ages	54.2	41.6	4.2	100.0	58.5	38.6	2.9	100.0	49.6	44.9	5.5	100.0
						Urban						
<10 Yrs	18.2	0.0	0.0	18.2	18.6	0.0	0.0	18.6	17.8	0.0	0.0	17.8
10-14	11.0	0.0	0.0	11.0	11.0	0.0	0.0	11.0	11.0	0.0	0.0	11.0
15-19	11.1	0.3	0.0	11.4	11.6	0.1	0.0	11.7	10.6	0.6	0.0	11.2
20-24	8.4	2.9	0.0	11.3	9.4	1.4	0.0	10.9	7.2	4.6	0.0	11.8
25-29	4.0	5.8	0.1	9.8	5.3	4.5	0.1	9.9	2.5	7.2	0.1	9.7
30-34	1.0	6.2	0.1	7.4	1.5	5.9	0.1	7.5	0.4	6.6	0.2	7.2
35-39	0.3	6.4	0.2	6.8	0.5	6.2	0.1	6.8	0.1	6.5	0.2	6.9
40-44	0.1	4.9	0.2	5.2	0.2	4.8	0.1	5.2	0.1	4.9	0.3	5.3
45-49	0.1	4.7	0.3	5.2	0.1	4.7	0.1	5.0	0.0	4.8	0.5	5.4
50-54	0.1	3.2	0.4	3.6	0.1	3.5	0.2	3.8	0.0	2.8	0.6	3.5
55-59	0.0	2.9	0.5	3.4	0.1	3.0	0.2	3.3	0.0	2.8	0.8	3.6
60-64	0.0	1.7	0.5	2.2	0.1	2.0	0.3	2.3	0.0	1.5	0.7	2.2
65-69	0.0	1.3	0.6	1.9	0.1	1.5	0.3	1.8	0.0	1.1	0.9	1.9
70-74	0.0	0.7	0.5	1.1	0.0	0.8	0.2	1.1	0.0	0.5	0.7	1.2
75-79	0.0	0.3	0.4	0.7	0.0	0.4	0.2	0.7	0.0	0.2	0.6	0.8
80-84	0.0	0.1	0.2	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.3
85+	0.0	0.0	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.2
All ages	54.4	41.5	4.1	100.0	58.7	39.1	2.1	100.0	49.8	44.1	6.2	100.0

W/D/S - Widowed/Divorced/Separated.

Table 2

Percent distribution of population by sex, marital status and age-group, 2011

West Bengal

Age group	Total				Males				Females			
	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total	Never Married	Married	W/D/S	Total
						Total						
<10 yrs	16.2	0.0	0.0	16.2	16.1	0.0	0.0	16.1	16.3	0.0	0.0	16.3

10-14	9.3	0.0	0.0	9.3	9.4	0.0	0.0	9.4	9.3	0.0	0.0	9.3
15-19	8.7	1.0	0.0	9.7	9.6	0.2	0.0	9.9	7.7	1.8	0.0	9.5
20-24	5.2	4.7	0.0	9.9	6.9	2.5	0.0	9.4	3.3	7.0	0.1	10.4
25-29	2.4	6.7	0.1	9.3	3.8	5.3	0.0	9.1	1.0	8.2	0.2	9.4
30-34	0.9	7.0	0.1	8.1	1.4	6.5	0.1	8.0	0.3	7.5	0.2	8.1
35-39	0.4	7.4	0.2	8.0	0.6	7.3	0.1	7.9	0.2	7.4	0.4	8.1
40-44	0.2	6.2	0.3	6.7	0.3	6.5	0.1	6.8	0.1	5.9	0.6	6.6
45-49	0.1	5.6	0.4	6.1	0.2	6.2	0.1	6.5	0.1	4.9	0.7	5.7
50-54	0.1	3.6	0.4	4.1	0.1	4.5	0.1	4.7	0.1	2.6	0.7	3.4
55-59	0.1	3.6	0.8	4.4	0.1	3.6	0.2	3.8	0.1	3.6	1.4	5.0
60-64	0.0	2.2	0.6	2.9	0.0	2.8	0.2	3.0	0.0	1.5	1.1	2.7
65-69	0.0	1.5	0.8	2.4	0.0	2.2	0.2	2.4	0.0	0.8	1.4	2.3
70-74	0.0	0.8	0.6	1.4	0.0	1.1	0.2	1.3	0.0	0.4	1.1	1.5
75-79	0.0	0.4	0.5	0.9	0.0	0.7	0.2	0.9	0.0	0.2	0.9	1.0
80-84	0.0	0.2	0.3	0.4	0.0	0.3	0.1	0.4	0.0	0.1	0.4	0.5
85+	0.0	0.1	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.0	0.3	0.3
All ages	43.7	50.8	5.5	100.0	48.6	49.7	1.6	100.0	38.5	51.9	9.6	100.0
						Rural						
<10 Yrs	17.4	0.0	0.0	17.4	17.3	0.0	0.0	17.3	17.5	0.0	0.0	17.5
10-14	10.1	0.0	0.0	10.1	10.1	0.0	0.0	10.1	10.0	0.0	0.0	10.0
15-19	9.1	1.2	0.0	10.3	10.3	0.3	0.0	10.5	7.9	2.2	0.0	10.0
20-24	4.9	5.2	0.0	10.2	6.9	2.8	0.0	9.8	2.9	7.7	0.1	10.6
25-29	2.0	7.0	0.1	9.1	3.3	5.7	0.0	9.1	0.7	8.3	0.2	9.2
30-34	0.6	7.0	0.1	7.8	1.1	6.6	0.1	7.8	0.2	7.5	0.2	7.9
35-39	0.2	7.2	0.2	7.7	0.4	7.2	0.1	7.6	0.1	7.2	0.4	7.7
40-44	0.1	6.0	0.3	6.4	0.2	6.3	0.1	6.6	0.1	5.6	0.5	6.2
45-49	0.1	5.3	0.4	5.7	0.1	5.9	0.1	6.1	0.1	4.6	0.7	5.3
50-54	0.0	3.3	0.4	3.7	0.1	4.2	0.1	4.3	0.0	2.3	0.7	3.0
55-59	0.0	3.3	0.7	4.1	0.0	3.2	0.1	3.4	0.0	3.4	1.3	4.8
60-64	0.0	2.0	0.6	2.6	0.0	2.6	0.2	2.8	0.0	1.4	1.1	2.5
65-69	0.0	1.4	0.8	2.2	0.0	2.0	0.2	2.2	0.0	0.8	1.4	2.1
70-74	0.0	0.7	0.6	1.3	0.0	1.0	0.2	1.1	0.0	0.3	1.0	1.4
75-79	0.0	0.4	0.5	0.9	0.0	0.6	0.2	0.8	0.0	0.1	0.8	1.0
80-84	0.0	0.1	0.2	0.4	0.0	0.2	0.1	0.3	0.0	0.1	0.4	0.4
85+	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.2	0.3
All ages	44.7	50.1	5.2	100.0	49.8	48.8	1.5	100.0	39.5	51.5	9.0	100.0
						Urban						
<10 Yrs	12.9	0.0	0.0	12.9	12.9	0.0	0.0	12.9	12.9	0.0	0.0	12.9
10-14	7.4	0.0	0.0	7.4	7.6	0.0	0.0	7.6	7.2	0.0	0.0	7.2
15-19	7.5	0.5	0.0	8.0	7.9	0.1	0.0	8.0	7.1	0.9	0.0	8.0
20-24	5.8	3.3	0.0	9.1	7.0	1.5	0.0	8.5	4.5	5.2	0.1	9.8
25-29	3.5	6.0	0.1	9.6	5.1	4.2	0.0	9.4	1.9	7.9	0.2	9.9
30-34	1.6	7.0	0.2	8.7	2.4	6.3	0.1	8.7	0.7	7.7	0.2	8.7
35-39	0.8	7.7	0.3	8.9	1.2	7.4	0.1	8.7	0.5	8.1	0.5	9.0
40-44	0.4	6.8	0.4	7.6	0.6	6.9	0.1	7.6	0.3	6.7	0.7	7.6
45-49	0.3	6.4	0.5	7.2	0.4	7.1	0.1	7.6	0.2	5.7	0.9	6.7
50-54	0.2	4.4	0.5	5.2	0.2	5.4	0.2	5.8	0.2	3.4	0.9	4.5
55-59	0.1	4.3	0.9	5.3	0.2	4.6	0.2	5.0	0.1	4.0	1.6	5.7
60-64	0.1	2.6	0.7	3.4	0.1	3.4	0.2	3.7	0.1	1.8	1.3	3.2
65-69	0.1	1.9	0.9	2.9	0.1	2.6	0.2	3.0	0.1	1.1	1.6	2.8
70-74	0.0	1.0	0.7	1.8	0.0	1.5	0.2	1.8	0.0	0.5	1.2	1.7
75-79	0.0	0.5	0.6	1.2	0.0	0.9	0.2	1.1	0.0	0.2	1.0	1.2
80-84	0.0	0.2	0.3	0.6	0.0	0.3	0.2	0.5	0.0	0.1	0.5	0.6
85+	0.0	0.1	0.3	0.4	0.0	0.2	0.1	0.3	0.0	0.0	0.4	0.5
All ages	40.8	52.8	6.4	100.0	45.6	52.4	2.0	100.0	35.8	53.2	11.1	100.0

W/D/S - Widowed/Divorced/Separated.

Table 3

Fertility Indicators, 2011

Indicators	Age group	Total	Rural	Urban
		India		
Age specific fertility rates	15-19	30.7	35.3	16.5
	20-24	196.7	216.8	143.8
	25-29	153.4	163.7	129.6
	30-34	69.8	74.6	58.8
	35-39	26.4	30.2	16.8
	40-44	8.7	10.9	3.6
	45-49	2.8	3.6	1.0
Age specific marital fertility rates	15-19	240.7	244.8	216.6
	20-24	316.7	325.5	286.0
	25-29	177.3	184.2	159.9
	30-34	75.0	79.5	64.2
	35-39	28.4	32.4	18.3
	40-44	9.6	12.0	4.0
	45-49	3.2	4.1	1.1
Crude birth rate		21.8	23.3	17.6
General fertility rate		81.2	88.9	62.0
Total fertility rate		2.4	2.7	1.9
Gross reproduction rate		1.2	1.3	0.9
General marital fertility rate		114.4	123.7	90.0
Total marital fertility rate		4.3	4.4	3.8

Table 3

Fertility Indicators, 2011

Indicators	Age group	Total	Rural	Urban	Total	Rural	Urban
		Andhra Pradesh			**Bihar**		
Age specific fertility rates	15-19	38.8	46.0	21.2	33.0	34.0	24.2
	20-24	199.1	213.7	166.8	247.5	257.4	172.2
	25-29	95.5	91.2	104.2	221.4	226.4	180.3
	30-34	25.9	24.0	30.2	128.8	133.2	91.7
	35-39	6.0	4.6	9.5	58.4	61.3	33.1
	40-44	0.8	1.0	0.3	26.3	28.1	12.5
	45-49	0.0	0.0	0.0	6.3	6.8	2.9
Age specific marital fertility rates	15-19	207.8	216.2	171.6	235.3	234.7	244.2
	20-24	286.4	288.6	280.4	344.6	347.5	315.3
	25-29	108.3	101.7	122.6	235.8	238.1	214.1
	30-34	28.1	26.0	32.8	132.4	136.6	96.0
	35-39	6.7	5.1	10.5	60.4	63.4	34.6
	40-44	0.9	1.2	0.4	27.7	29.6	13.4
	45-49	0.0	0.0	0.0	6.8	7.3	3.1
Crude birth rate		17.5	17.8	16.6	27.7	28.4	21.7
General fertility rate		60.7	63.6	54.4	114.4	118.2	83.8
Total fertility rate		1.8	1.9	1.7	3.6	3.7	2.6
Gross reproduction rate		0.9	0.9	0.8	1.7	1.8	1.1
General marital fertility rate		80.6	83.9	73.4	155.6	159.4	122.7
Total marital fertility rate		3.2	3.2	3.1	5.2	5.3	4.6
		Assam			**Chhattisgarh**		
Age specific fertility rates	15-19	45.8	49.1	22.1	39.8	46.4	11.3
	20-24	163.2	172.7	106.9	230.4	250.5	143.8
	25-29	146.0	155.3	98.1	168.0	175.3	139.4
	30-34	82.7	88.9	53.4	67.1	69.4	58.3
	35-39	27.6	29.6	17.9	29.8	33.1	15.9
	40-44	17.3	20.0	4.8	5.3	5.9	2.9
	45-49	2.9	3.0	2.5	0.7	0.5	1.7
Age specific marital fertility rates	15-19	314.5	316.4	287.0	254.5	258.7	197.9
	20-24	287.0	293.4	237.8	329.4	338.6	273.4
	25-29	190.4	199.4	139.1	195.0	201.2	169.3
	30-34	96.1	102.4	64.5	73.7	75.9	64.7
	35-39	30.9	33.1	20.4	32.5	36.1	17.4
	40-44	20.1	23.2	5.6	5.9	6.6	3.2
	45-49	3.6	3.7	3.1	0.8	0.6	2.0
Crude birth rate		22.8	24.0	15.5	24.9	26.3	18.3
General fertility rate		82.8	88.8	51.3	91.9	99.1	62.3
Total fertility rate		2.4	2.6	1.5	2.7	2.9	1.9
Gross reproduction rate		1.1	1.2	0.8	1.3	1.4	0.9
General marital fertility rate		125.7	134.1	79.9	125.9	133.4	92.1
Total marital fertility rate		4.7	4.9	3.8	4.5	4.6	3.6
		Delhi			**Haryana**		
Age specific fertility rates	15-19	9.2	15.3	8.2	17.0	19.5	10.8

	20-24	139.7	167.7	134.5	223.8	244.1	178.1
	25-29	130.3	128.5	130.7	147.1	146.9	147.5
	30-34	60.8	51.4	62.4	43.6	42.8	45.2
	35-39	15.7	18.0	15.3	16.5	17.6	14.1
	40-44	4.2	0.0	4.9	4.8	5.4	3.6
	45-49	0.3	2.7	0.0	0.0	0.0	0.0
Age specific marital fertility rates	15-19	166.1	118.2	191.5	169.3	186.2	119.4
	20-24	315.7	301.5	319.2	339.2	349.5	310.9
	25-29	163.6	156.9	164.7	159.1	155.2	167.8
	30-34	65.1	55.9	66.6	45.2	44.3	47.0
	35-39	16.5	19.5	16.0	17.3	18.6	14.7
	40-44	4.6	0.0	5.3	5.2	5.9	3.9
	45-49	0.4	3.0	0.0	0.0	0.0	0.0
Crude birth rate		17.5	19.3	17.2	21.8	22.9	19.5
General fertility rate		63.3	70.9	62.1	80.7	85.7	69.9
Total fertility rate		1.8	1.9	1.8	2.3	2.4	2.0
Gross reproduction rate		0.8	0.9	0.8	1.0	1.1	0.9
General marital fertility rate		94.4	102.6	92.9	111.1	117.6	96.9
Total marital fertility rate		3.7	3.3	3.8	3.7	3.8	3.3
		Gujarat			**Himachal Pradesh**		
Age specific fertility rates	15-19	23.4	27.1	16.9	12.3	12.8	7.2
	20-24	193.0	211.1	162.5	162.6	171.5	67.3
	25-29	162.9	174.6	147.6	122.7	125.8	93.5
	30-34	68.5	74.3	60.9	40.3	38.8	53.6
	35-39	20.0	23.3	14.9	10.5	9.0	23.2
	40-44	5.9	8.6	2.3	1.5	1.2	4.4
	45-49	2.9	3.6	1.9	1.1	1.3	0.0
Age specific marital fertility rates	15-19	179.4	174.6	194.7	427.9	423.7	533.9
	20-24	300.2	314.3	273.3	354.7	357.8	286.4
	25-29	184.0	195.8	168.3	144.9	145.6	136.4
	30-34	72.8	78.9	64.8	42.7	41.0	59.6
	35-39	21.4	25.1	15.9	11.1	9.5	24.7
	40-44	6.5	9.5	2.5	1.7	1.3	4.8
	45-49	3.3	4.1	2.1	1.2	1.4	0.0
Crude birth rate		21.3	22.9	19.0	16.5	17.1	11.2
General fertility rate		79.7	87.0	68.7	57.3	59.3	37.8
Total fertility rate		2.4	2.6	2.0	1.8	1.8	1.2
Gross reproduction rate		1.1	1.2	1.0	0.9	0.9	0.6
General marital fertility rate		108.7	118.8	93.5	82.7	85.2	57.8
Total marital fertility rate		3.8	4.0	3.6	4.9	4.9	5.2
		Jammu & Kashmir			**Karnataka**		
Age specific fertility rates	15-19	5.7	6.1	3.6	35.8	43.1	21.6
	20-24	83.9	92.6	47.1	192.7	216.1	152.5
	25-29	135.7	144.6	106.2	110.8	110.5	111.2
	30-34	95.5	100.9	78.2	32.2	30.0	35.7
	35-39	50.3	58.1	24.3	8.8	6.6	12.5
	40-44	12.0	14.9	3.0	0.9	1.3	0.4
	45-49	6.5	8.4	1.2	0.4	0.6	0.0

Age specific marital fertility rates	15-19	339.0	350.5	268.5	261.0	276.4	214.2
	20-24	362.9	366.8	333.0	304.9	320.3	273.0
	25-29	238.2	239.2	233.6	131.1	130.1	132.6
	30-34	111.9	115.0	100.8	35.9	33.6	39.5
	35-39	53.7	61.5	26.7	10.0	7.5	14.1
	40-44	12.7	15.7	3.2	1.1	1.5	0.4
	45-49	7.1	9.1	1.2	0.5	0.8	0.0
Crude birth rate		17.8	19.1	13.1	18.8	19.7	17.2
General fertility rate		62.5	67.7	43.8	65.8	70.3	58.2
Total fertility rate		1.9	2.1	1.3	1.9	2.0	1.7
Gross reproduction rate		0.9	1.0	0.6	0.9	1.0	0.8
General marital fertility rate		111.4	120.1	79.6	93.9	99.9	83.7
Total marital fertility rate		5.6	5.8	4.8	3.7	3.9	3.4
		Jharkhand			**Kerala**		
Age specific fertility rates	15-19	37.8	42.3	16.4	20.3	21.9	15.1
	20-24	193.4	207.0	139.0	145.6	148.5	136.1
	25-29	189.1	199.2	151.4	131.1	132.4	127.1
	30-34	100.3	107.1	75.1	56.3	54.1	63.0
	35-39	44.1	49.5	23.3	13.4	14.1	11.3
	40-44	14.7	17.5	4.3	1.8	2.1	0.7
	45-49	6.7	8.1	1.4	0.2	0.3	0.0
Age specific marital fertility rates	15-19	341.6	343.5	320.3	319.9	339.8	253.8
	20-24	314.8	316.9	303.1	279.0	283.8	263.5
	25-29	215.8	221.4	191.9	157.3	160.4	147.9
	30-34	106.4	113.0	81.5	61.9	59.5	68.7
	35-39	46.9	52.8	24.5	14.7	15.5	12.2
	40-44	16.0	18.9	4.7	2.0	2.4	0.8
	45-49	7.6	9.2	1.6	0.3	0.4	0.0
Crude birth rate		25.0	26.3	19.0	15.2	15.4	14.4
General fertility rate		96.1	102.9	69.2	54.2	55.2	51.3
Total fertility rate		2.9	3.2	2.1	1.8	1.9	1.8
Gross reproduction rate		1.3	1.4	0.9	0.9	0.9	0.8
General marital fertility rate		137.9	145.9	104.4	75.4	77.1	70.2
Total marital fertility rate		5.2	5.4	4.6	4.2	4.3	3.7
		Madhya Pradesh			**Odisha**		
Age specific fertility rates	15-19	32.5	37.1	14.9	29.8	31.6	18.2
	20-24	273.1	306.4	162.1	165.5	173.3	116.9
	25-29	185.8	199.0	146.9	143.0	149.7	105.2
	30-34	77.2	78.4	73.6	68.9	72.4	50.8
	35-39	28.3	30.7	20.1	24.5	26.7	12.0
	40-44	9.3	10.8	4.7	5.9	6.7	2.1
	45-49	4.0	4.9	1.0	2.3	2.6	0.5
Age specific marital fertility rates	15-19	244.6	245.8	234.2	273.3	272.8	278.5
	20-24	382.0	397.2	307.9	278.3	280.6	258.5
	25-29	200.0	208.8	171.0	173.7	180.3	134.4
	30-34	80.5	80.9	79.2	76.2	79.7	57.6
	35-39	30.0	32.5	21.5	26.9	29.2	13.3
	40-44	10.1	11.7	5.2	6.6	7.5	2.4

	45-49	4.5	5.6	1.2	2.7	3.0	0.6
Crude birth rate		26.9	28.8	20.1	20.1	21.0	14.7
General fertility rate		103.4	113.0	71.9	72.6	76.5	50.2
Total fertility rate		3.1	3.3	2.1	2.2	2.3	1.5
Gross reproduction rate		1.4	1.6	0.9	1.1	1.1	0.7
General marital fertility rate		140.9	150.6	105.6	104.3	109.2	74.9
Total marital fertility rate		4.8	4.9	4.1	4.2	4.3	3.7
		Maharashtra			**Punjab**		
Age specific fertility rates	15-19	28.6	38.8	13.6	10.4	12.0	7.4
	20-24	179.5	213.8	136.2	150.5	159.5	133.2
	25-29	107.5	104.0	111.1	132.9	129.4	138.4
	30-34	34.8	23.2	47.5	47.1	46.0	48.7
	35-39	9.1	6.4	12.3	11.7	12.7	10.1
	40-44	1.6	1.8	1.4	2.5	3.5	0.9
	45-49	0.4	0.5	0.3	0.6	1.0	0.0
Age specific marital fertility rates	15-19	155.3	157.8	145.6	257.6	271.7	222.1
	20-24	261.1	266.1	251.7	343.1	350.1	328.2
	25-29	123.7	112.5	136.6	165.9	160.2	175.0
	30-34	37.9	24.9	52.5	50.4	49.1	52.3
	35-39	10.0	7.0	13.5	12.2	13.3	10.5
	40-44	1.8	2.0	1.6	2.7	3.8	1.0
	45-49	0.5	0.6	0.3	0.7	1.1	0.0
Crude birth rate		16.7	17.3	15.8	16.2	16.8	15.2
General fertility rate		61.6	66.6	55.5	59.9	62.2	56.2
Total fertility rate		1.8	1.9	1.6	1.8	1.8	1.7
Gross reproduction rate		0.8	0.9	0.8	0.8	0.9	0.8
General marital fertility rate		83.3	86.1	79.4	88.2	92.4	81.4
Total marital fertility rate		3.0	2.9	3.0	4.2	4.2	3.9
		Rajasthan			**Uttar Pradesh**		
Age specific fertility rates	15-19	32.7	36.2	19.6	26.1	28.9	13.1
	20-24	240.0	260.8	180.1	220.3	238.5	150.3
	25-29	192.8	200.1	172.5	223.1	233.8	185.8
	30-34	88.4	93.0	75.6	128.4	130.3	121.6
	35-39	33.8	36.6	25.7	51.9	55.3	38.0
	40-44	11.9	15.8	1.4	22.4	24.4	15.1
	45-49	4.4	6.1	0.0	7.2	7.9	4.8
Age specific marital fertility rates	15-19	173.0	173.6	169.1	271.0	271.6	264.6
	20-24	332.6	342.2	297.7	383.9	383.7	385.3
	25-29	204.1	207.9	192.6	253.6	254.0	251.5
	30-34	90.8	95.2	78.3	133.6	133.8	132.8
	35-39	35.2	38.0	27.0	54.2	57.5	40.1
	40-44	12.8	17.0	1.5	24.0	26.0	16.3
	45-49	4.9	6.8	0.0	8.0	8.7	5.3
Crude birth rate		26.2	27.4	22.5	27.8	28.8	23.7
General fertility rate		102.1	108.9	81.8	109.3	115.1	86.6
Total fertility rate		3.0	3.2	2.4	3.4	3.6	2.6
Gross reproduction rate		1.4	1.5	1.1	1.6	1.7	1.2
General marital fertility rate		136.3	143.8	113.0	163.0	167.9	141.4

Total marital fertility rate		4.3	4.4	3.8	5.6	5.7	5.5
		Tamil Nadu			**West Bengal**		
Age specific fertility rates	15-19	19.4	20.1	18.5	55.4	63.6	27.8
	20-24	151.6	164.1	134.4	154.8	171.2	106.5
	25-29	121.2	120.3	122.2	85.3	91.6	69.7
	30-34	38.4	32.9	44.7	35.0	35.3	34.2
	35-39	9.4	8.4	10.6	11.2	12.2	9.0
	40-44	0.9	1.1	0.8	3.1	3.3	2.6
	45-49	0.3	0.4	0.2	1.3	1.7	0.4
Age specific marital fertility rates	15-19	340.5	308.7	402.1	290.4	295.2	258.2
	20-24	291.1	299.3	278.3	229.6	236.8	200.7
	25-29	146.1	144.4	148.2	98.0	101.6	87.7
	30-34	41.8	36.1	48.2	37.7	37.4	38.3
	35-39	10.3	9.3	11.6	12.2	13.0	10.0
	40-44	1.1	1.2	0.9	3.5	3.7	2.9
	45-49	0.4	0.5	0.3	1.5	2.0	0.4
Crude birth rate		15.9	16.0	15.7	16.3	18.1	11.5
General fertility rate		56.4	58.2	54.2	57.9	65.0	39.4
Total fertility rate		1.7	1.7	1.7	1.7	1.9	1.3
Gross reproduction rate		0.8	0.8	0.8	0.8	0.9	0.6
General marital fertility rate		79.9	82.9	76.2	78.1	86.1	56.0
Total marital fertility rate		4.2	4.0	4.4	3.4	3.4	3.0

Table 4

Fertility indicators by level of education of women, 2011

India

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	67.7	25.9	90.3	93.3	43.2	19.8	13.0	12.2	0.0
	20-24	256.6	181.5	245.6	265.8	239.5	196.4	148.1	97.0	101.0
	25-29	180.5	142.2	159.6	158.4	153.2	144.4	136.5	116.8	132.1
	30-34	92.2	57.2	75.3	56.3	50.9	53.7	53.5	59.5	72.8
	35-39	37.8	17.5	34.1	22.1	17.2	14.7	12.6	15.0	18.6
	40-44	14.1	3.9	10.4	4.6	4.0	3.3	2.8	3.1	2.1
	45-49	4.2	1.3	6.5	1.3	1.6	0.6	0.3	1.1	0.1
General fertility rate		86.7	78.7	91.9	104.9	91.8	74.8	64.6	62.9	72.8
Total fertility rate		3.3	2.1	3.1	3.0	2.5	2.2	1.8	1.5	1.6
Rural										
Age specific fertility rates	15-19	72.4	29.7	97.2	103.4	46.7	21.6	14.7	14.5	0.0
	20-24	264.7	201.8	246.2	279.3	249.4	204.5	158.4	116.5	120.9
	25-29	185.2	151.7	163.5	166.1	158.0	150.9	145.0	126.5	143.8
	30-34	96.3	57.4	71.3	57.4	53.0	56.8	52.9	62.8	69.9
	35-39	39.9	19.4	33.7	23.5	18.2	16.7	13.1	17.4	22.6
	40-44	15.1	5.4	12.0	5.6	4.3	4.8	4.7	7.1	4.0
	45-49	4.7	1.8	7.1	1.5	1.9	1.0	0.7	1.2	0.3
General fertility rate		90.8	87.8	94.7	114.9	98.9	80.2	70.3	74.5	91.7
Total fertility rate		3.4	2.3	3.2	3.2	2.7	2.3	1.9	1.7	1.8
Urban										
Age specific fertility rates	15-19	39.4	14.8	49.0	46.3	28.9	13.4	9.1	9.2	0.0
	20-24	209.4	135.9	242.3	206.2	203.9	172.4	127.7	73.9	88.1
	25-29	152.5	126.1	142.0	131.9	139.8	130.2	124.1	106.8	126.6
	30-34	67.7	57.0	92.3	52.5	45.4	47.7	54.3	56.6	74.0
	35-39	24.9	14.6	35.9	17.9	14.8	11.2	12.0	13.2	17.3
	40-44	8.9	1.8	4.8	2.0	3.4	1.3	1.1	0.8	1.7
	45-49	1.9	0.6	4.4	0.7	1.0	0.1	0.1	1.1	0.1
General fertility rate		63.8	61.6	79.6	71.5	71.5	61.7	55.2	51.2	65.1
Total fertility rate		2.5	1.8	2.9	2.3	2.2	1.9	1.6	1.3	1.5

Andhra Pradesh

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										

Age specific fertility rates	15-19	59.8	35.0	15.9	115.2	48.6	37.5	21.3	12.1	0.0
	20-24	208.6	196.6	103.3	267.3	256.0	239.7	197.8	87.4	101.6
	25-29	84.8	100.8	19.4	102.7	85.5	93.6	117.6	87.3	126.5
	30-34	26.4	25.6	5.9	22.3	18.1	23.2	28.8	14.9	59.9
	35-39	6.3	5.7	5.2	5.0	6.7	1.7	6.0	11.4	8.3
	40-44	1.1	0.5	0.0	1.8	0.0	0.0	0.0	0.0	0.6
	45-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		43.4	71.5	23.2	82.2	75.2	74.3	75.1	45.9	73.4
Total fertility rate		1.9	1.8	0.7	2.6	2.1	2.0	1.9	1.1	1.5

Rural

Age specific fertility rates	15-19	69.6	41.3	17.7	131.9	60.6	43.4	24.0	11.9	0.0
	20-24	232.4	207.8	63.6	274.0	253.5	244.0	195.7	89.4	124.2
	25-29	84.9	95.6	18.7	97.8	79.0	91.0	119.7	84.5	129.0
	30-34	27.5	20.7	7.6	22.2	16.7	19.3	22.1	10.2	56.1
	35-39	5.5	3.4	0.0	3.9	1.7	1.3	7.9	0.0	11.7
	40-44	1.1	0.9	0.0	2.6	0.0	0.0	0.0	0.0	2.4
	45-49	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		47.5	76.0	16.8	87.5	76.9	80.1	77.1	46.8	90.3
Total fertility rate		2.1	1.8	0.5	2.7	2.1	2.0	1.8	1.0	1.6

Urban

Age specific fertility rates	15-19	28.9	20.0	0.0	56.2	16.1	23.7	14.6	12.5	0.0
	20-24	130.3	174.9	309.9	243.1	263.5	229.4	201.6	85.0	83.2
	25-29	84.4	108.7	21.7	119.5	103.0	98.1	115.2	89.7	125.2
	30-34	21.4	33.0	0.0	22.4	21.9	29.9	35.5	18.3	61.4
	35-39	10.5	9.1	28.4	7.9	19.1	2.3	4.1	18.8	7.1
	40-44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	45-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		29.5	64.0	51.3	66.7	70.9	63.3	72.1	45.0	65.0
Total fertility rate		1.4	1.7	1.8	2.2	2.1	1.9	1.9	1.1	1.4

Assam

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above

Total

Age specific fertility rates	15-19	127.3	37.3	26.4	133.4	79.1	36.0	14.8	24.6	0.0
	20-24	242.8	148.1	92.4	200.5	243.0	168.5	93.3	71.4	72.9
	25-29	178.4	136.1	85.5	168.4	188.5	131.0	131.4	93.2	100.4
	30-34	108.2	74.1	51.9	93.8	79.8	71.5	66.1	81.4	65.5
	35-39	42.0	21.0	37.7	26.1	37.0	9.2	13.3	23.2	17.1
	40-44	26.3	12.4	17.0	9.7	7.3	7.4	15.5	17.4	34.7
	45-49	6.6	0.7	2.0	0.0	1.4	0.0	0.0	0.0	3.4
General fertility rate		103.0	76.8	48.9	104.2	110.6	77.0	56.8	60.1	58.9
Total fertility rate		3.7	2.1	1.6	3.2	3.2	2.1	1.7	1.6	1.5

Rural

Age specific fertility rates	15-19	131.9	39.8	24.5	146.8	80.7	38.0	14.5	33.8	0.0
	20-24	247.2	156.8	90.6	206.8	250.1	171.4	98.5	76.9	75.4
	25-29	179.9	146.4	83.9	181.3	200.3	138.4	138.4	96.2	115.9
	30-34	110.8	80.0	51.2	102.4	85.4	76.7	69.8	96.3	55.5
	35-39	42.4	22.5	37.6	27.2	40.7	9.6	11.9	26.8	8.3
	40-44	27.8	14.9	18.0	9.9	8.4	8.7	19.9	28.2	86.5
	45-49	6.5	0.5	0.0	0.0	1.6	0.0	0.0	0.0	0.0
General fertility rate		105.5	83.0	48.7	111.8	116.8	81.1	59.8	69.2	71.3
Total fertility rate		3.7	2.3	1.5	3.4	3.3	2.2	1.8	1.8	1.7

Urban

Age specific fertility rates	15-19	54.5	20.6	41.9	29.2	65.3	18.7	16.3	5.7	0.0
	20-24	169.3	102.8	115.1	130.4	169.4	150.2	72.9	57.4	69.5
	25-29	152.8	93.6	101.9	58.2	102.9	96.6	106.3	85.8	81.7
	30-34	68.0	52.0	57.2	19.9	39.8	51.4	52.8	45.2	74.6
	35-39	35.4	15.8	37.9	17.3	11.8	7.9	17.7	17.5	22.4
	40-44	6.8	4.4	8.2	8.4	0.0	3.1	3.6	1.9	10.7
	45-49	8.9	1.3	13.8	0.0	0.0	0.0	0.0	0.0	4.4
General fertility rate		66.7	49.8	51.1	40.3	62.3	55.6	46.0	41.1	48.6
Total fertility rate		2.5	1.5	1.9	1.3	1.9	1.6	1.3	1.1	1.3

Bihar

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above

Total

Age specific fertility rates	15-19	67.6	19.2	72.9	35.4	20.9	13.4	8.2	7.9	0.0
	20-24	325.9	185.7	254.8	253.8	199.3	191.0	117.5	113.4	92.6
	25-29	263.1	172.5	186.5	188.2	204.2	182.9	159.8	91.1	119.7
	30-34	160.2	84.5	108.4	93.6	96.0	88.1	66.1	40.0	73.6
	35-39	75.4	28.7	53.5	30.0	20.9	25.9	19.9	16.0	24.8
	40-44	35.3	10.5	19.0	13.1	11.6	8.9	3.0	9.3	0.0
	45-49	7.8	3.0	3.3	4.3	6.1	2.5	0.0	0.0	0.0
General fertility rate		144.7	83.0	119.2	108.0	87.1	77.2	57.7	56.5	64.8
Total fertility rate		4.7	2.5	3.5	3.1	2.8	2.6	1.9	1.4	1.6

Rural

Age specific fertility rates	15-19	68.2	19.5	73.3	34.4	21.1	13.3	8.2	8.2	0.0
	20-24	328.8	195.0	250.7	250.9	201.6	197.4	125.2	145.9	92.9
	25-29	265.0	175.0	180.8	192.0	208.0	181.2	161.7	84.7	98.2
	30-34	164.4	83.2	107.9	90.8	96.4	83.0	63.4	37.6	55.8
	35-39	77.2	29.4	56.3	30.7	20.0	23.3	19.6	13.3	34.9
	40-44	36.0	12.1	21.0	14.0	12.5	11.2	2.4	9.8	0.0
	45-49	7.8	3.8	3.8	5.1	7.2	3.2	0.0	0.0	0.0
General fertility rate		146.9	85.1	119.5	107.4	88.4	77.9	58.9	60.9	61.1
Total fertility rate		4.7	2.6	3.5	3.1	2.8	2.6	1.9	1.5	1.4

Urban

Age specific fertility rates	15-19	58.5	16.7	68.2	48.0	18.6	14.3	8.0	6.9	0.0
	20-24	285.0	134.9	302.7	278.1	179.7	145.0	86.6	56.6	92.3
	25-29	231.8	160.6	248.3	163.0	173.0	193.0	152.0	104.9	140.9
	30-34	94.3	90.8	114.4	120.2	93.4	116.1	76.1	45.6	89.0
	35-39	46.5	25.4	29.7	24.5	26.0	38.1	20.8	23.0	14.1
	40-44	26.2	4.5	7.5	7.0	7.3	0.0	5.0	8.4	0.0
	45-49	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		112.8	71.7	116.5	113.1	75.9	72.9	52.8	46.9	68.1
Total fertility rate		3.7	2.2	3.9	3.2	2.5	2.5	1.7	1.2	1.7

Chhattisgarh

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	76.8	36.7	0.0	154.3	46.0	26.9	14.3	2.7	0.0
	20-24	229.6	230.5	700.0	271.4	297.4	224.8	185.0	91.0	61.9
	25-29	186.0	161.2	143.7	183.3	191.1	122.5	151.4	132.6	134.0
	30-34	73.4	65.0	101.0	65.6	55.7	80.7	41.3	50.1	84.2
	35-39	24.9	35.7	0.0	39.2	46.6	33.3	12.4	46.3	28.4
	40-44	7.3	2.0	0.0	1.7	0.9	0.0	0.0	20.2	3.2
	45-49	0.9	0.3	0.0	0.0	0.0	2.5	0.0	0.0	0.0
General fertility rate		62.9	107.8	76.4	132.4	140.1	92.9	74.3	64.8	69.3
Total fertility rate		3.0	2.7	4.7	3.6	3.2	2.5	2.0	1.7	1.6
Rural										
Age specific fertility rates	15-19	83.8	42.8	0.0	164.8	45.6	31.2	17.6	0.0	0.0
	20-24	235.5	253.5	761.0	282.3	310.8	226.7	189.6	108.6	131.5
	25-29	189.8	168.4	147.9	189.4	201.2	128.7	151.2	113.2	66.8
	30-34	74.4	67.9	97.8	67.1	60.5	90.8	34.1	38.4	95.8
	35-39	26.3	44.1	0.0	43.8	53.8	41.6	19.3	118.0	0.0
	40-44	7.9	1.5	0.0	0.0	0.0	0.0	0.0	71.7	0.0
	45-49	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		65.7	121.1	78.9	143.2	150.0	99.4	82.0	77.2	74.2
Total fertility rate		3.1	2.9	5.0	3.7	3.4	2.6	2.1	2.2	1.5
Urban										
Age specific fertility rates	15-19	0.0	11.7	0.0	24.0	49.4	4.9	7.0	5.8	0.0
	20-24	162.6	142.5	190.5	162.7	207.5	215.4	174.2	62.7	42.7
	25-29	136.7	139.7	117.5	143.1	143.2	98.1	151.6	157.4	153.0
	30-34	62.9	57.3	135.4	57.2	32.2	50.0	49.2	59.0	82.3
	35-39	11.9	17.3	0.0	19.4	21.4	12.1	7.1	4.1	32.9
	40-44	2.8	2.9	0.0	7.9	3.8	0.0	0.0	0.0	3.6
	45-49	2.9	0.9	0.0	0.0	0.0	5.3	0.0	0.0	0.0
General fertility rate		36.2	67.7	50.7	67.2	89.2	67.3	62.0	50.9	68.3

Total fertility rate		1.9	1.9	2.2	2.1	2.3	1.9	1.9	1.4	1.6

Delhi

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	34.5	7.6	71.7	26.2	13.9	4.9	4.2	3.3	0.0
	20-24	254.9	122.8	125.5	186.8	219.6	162.4	111.0	61.3	59.4
	25-29	160.3	123.9	183.8	144.8	169.7	136.5	114.1	90.7	111.7
	30-34	69.3	58.5	131.9	65.7	64.8	43.0	56.4	35.5	73.0
	35-39	16.9	15.2	70.9	27.5	10.6	13.9	10.5	4.8	20.4
	40-44	8.4	2.3	0.0	6.5	5.6	0.0	3.3	0.0	1.0
	45-49	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		76.3	60.2	91.1	83.3	85.6	61.6	51.7	39.3	55.5
Total fertility rate		2.7	1.7	2.9	2.3	2.4	1.8	1.5	1.0	1.3
Rural										
Age specific fertility rates	15-19	50.6	13.6	0.0	57.1	17.0	18.1	0.0	0.0	0.0
	20-24	237.9	158.5	0.0	110.0	220.4	178.1	208.7	88.5	80.5
	25-29	109.6	133.3	332.6	151.0	113.5	212.9	115.2	130.1	86.9
	30-34	70.8	44.5	0.0	31.9	30.9	31.2	45.0	54.9	69.6
	35-39	25.7	14.5	1000.0	0.0	12.2	0.0	0.0	0.0	54.6
	40-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	45-49	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		62.0	73.5	214.4	60.1	79.4	83.3	71.6	63.0	67.5
Total fertility rate		2.5	1.8	6.7	1.7	2.0	2.2	1.8	1.4	1.5
Urban										
Age specific fertility rates	15-19	32.5	6.5	71.7	20.2	13.2	2.2	4.9	3.6	0.0
	20-24	257.6	116.2	139.3	205.3	219.3	158.4	94.7	57.5	57.0
	25-29	170.5	122.3	174.1	143.7	181.6	122.6	113.9	84.9	114.6
	30-34	69.0	60.7	136.1	72.4	72.2	45.2	58.4	32.6	73.3
	35-39	15.2	15.3	0.0	35.1	10.2	16.8	12.1	5.3	18.0
	40-44	10.3	2.6	0.0	7.9	6.6	0.0	3.7	0.0	1.1
	45-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		79.2	58.1	83.2	88.2	87.1	57.3	48.2	36.3	54.4
Total fertility rate		2.8	1.6	2.6	2.4	2.5	1.7	1.4	0.9	1.3

Gujarat

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	68.5	17.8	313.2	60.5	31.1	11.5	6.7	6.7	0.0

	20-24	268.0	174.6	153.7	265.4	225.8	184.4	127.5	64.5	72.1
	25-29	185.9	155.0	138.0	200.4	172.1	155.5	114.5	115.7	133.6
	30-34	83.3	61.1	177.5	79.9	51.3	61.3	55.7	60.0	53.3
	35-39	29.2	13.3	27.3	8.0	10.2	13.6	18.8	15.3	18.7
	40-44	11.3	1.2	0.0	0.9	3.5	0.7	0.0	0.0	0.0
	45-49	3.7	2.0	40.6	1.6	1.5	1.8	0.0	9.1	0.0
General fertility rate		82.4	78.5	117.8	117.3	94.5	74.4	51.3	47.4	62.9
Total fertility rate		3.2	2.1	4.3	3.1	2.5	2.1	1.6	1.4	1.4

Rural

Age specific fertility rates	15-19	76.9	19.5	274.0	58.3	33.9	12.0	4.0	6.9	0.0
	20-24	274.6	191.8	123.4	283.4	229.5	172.3	133.5	73.9	83.9
	25-29	198.5	162.5	72.2	216.5	174.9	138.8	120.7	105.0	163.2
	30-34	90.3	61.5	88.0	70.1	59.0	73.2	42.0	52.8	52.2
	35-39	32.7	12.4	29.2	10.4	10.4	10.5	12.3	18.4	35.9
	40-44	12.6	2.2	0.0	1.5	4.9	1.7	0.0	0.0	0.0
	45-49	4.8	1.1	49.1	0.0	0.0	4.5	0.0	0.0	0.0
General fertility rate		86.2	87.5	81.1	128.7	101.4	71.6	53.2	51.2	87.2
Total fertility rate		3.5	2.3	3.2	3.2	2.6	2.1	1.6	1.3	1.7

Urban

Age specific fertility rates	15-19	41.4	14.9	442.2	69.0	24.8	10.6	10.5	6.6	0.0
	20-24	249.0	148.8	320.7	212.9	218.8	204.0	118.1	56.5	67.1
	25-29	149.8	147.3	1130.8	170.8	168.0	172.4	108.8	124.6	125.8
	30-34	61.9	60.6	754.9	97.0	40.0	51.5	65.6	64.6	53.5
	35-39	17.3	14.2	0.0	3.2	9.9	16.4	23.8	13.6	15.7
	40-44	7.3	0.5	0.0	0.0	2.1	0.0	0.0	0.0	0.0
	45-49	0.0	2.7	0.0	3.9	3.1	0.0	0.0	11.6	0.0
General fertility rate		70.5	68.3	345.2	93.8	83.8	77.9	49.3	44.8	57.1
Total fertility rate		2.6	1.9	13.2	2.8	2.3	2.3	1.6	1.4	1.3

Haryana

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above

Total

Age specific fertility rates	15-19	47.9	14.5	157.9	54.9	22.3	14.6	8.4	6.3	0.0
	20-24	286.9	214.1	442.3	237.5	272.9	272.4	196.5	142.1	140.2
	25-29	146.2	147.3	81.7	134.3	157.6	162.9	140.8	116.8	159.1
	30-34	55.5	38.3	0.0	41.8	30.9	32.7	32.3	52.3	62.2
	35-39	18.2	15.2	26.4	17.0	12.9	19.6	13.2	10.5	16.0
	40-44	7.3	2.3	0.0	6.8	5.1	0.0	0.0	0.0	0.0
	45-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		61.7	87.9	60.9	88.7	94.2	95.5	79.9	79.1	92.8
Total fertility rate		2.8	2.2	3.5	2.5	2.5	2.5	2.0	1.6	1.9

Rural

Age specific fertility rates	15-19	48.7	17.1	343.0	84.4	27.4	17.2	8.9	7.8	0.0
	20-24	292.1	236.6	570.3	264.2	272.7	287.2	208.1	164.7	195.2
	25-29	139.6	149.2	72.9	148.6	160.2	158.9	145.1	104.9	171.5
	30-34	56.0	35.6	0.0	40.4	31.7	30.6	38.4	45.1	61.0
	35-39	18.2	17.1	33.8	16.0	14.0	22.4	17.1	13.6	0.0
	40-44	7.7	1.8	0.0	10.5	0.0	0.0	0.0	0.0	0.0
	45-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		58.2	98.3	68.4	101.2	98.9	102.8	92.0	89.3	143.5
Total fertility rate		2.8	2.3	5.1	2.8	2.5	2.6	2.1	1.7	2.1

Urban

Age specific fertility rates	15-19	46.2	7.5	0.0	19.8	9.5	5.3	7.4	3.7	0.0
	20-24	274.6	163.8	236.8	172.3	273.4	223.9	162.7	108.5	111.0
	25-29	167.1	143.9	106.0	95.7	148.9	176.3	131.4	130.1	154.4
	30-34	54.0	42.8	0.0	45.5	28.2	38.5	22.5	58.3	62.5
	35-39	18.3	12.5	0.0	20.0	9.5	14.3	8.2	8.1	18.1
	40-44	5.5	2.9	0.0	0.0	16.9	0.0	0.0	0.0	0.0
	45-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		73.6	68.9	40.6	60.7	80.4	74.9	56.1	66.8	78.3
Total fertility rate		2.8	1.9	1.7	1.8	2.4	2.3	1.7	1.5	1.7

Himachal Pradesh

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above

Total

Age specific fertility rates	15-19	0.0	12.4	0.0	5.3	26.6	5.8	14.4	15.0	0.0
	20-24	106.8	163.9	420.9	185.0	223.7	185.6	181.4	119.8	110.2
	25-29	82.4	124.7	116.3	108.8	91.7	86.1	149.3	129.8	135.1
	30-34	53.4	38.6	83.8	16.7	26.7	34.4	35.6	43.2	62.9
	35-39	10.7	10.5	32.9	6.3	11.1	1.2	11.6	15.6	19.0
	40-44	0.3	2.0	0.0	0.0	3.9	3.5	0.6	2.6	0.0
	45-49	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		18.4	62.8	36.2	32.6	45.6	42.6	78.1	81.7	78.1
Total fertility rate		1.3	1.8	3.3	1.6	1.9	1.6	2.0	1.6	1.6

Rural

Age specific fertility rates	15-19	0.0	12.9	0.0	0.0	27.6	5.5	15.5	15.9	0.0
	20-24	111.3	172.9	475.3	180.8	223.4	190.6	187.3	130.5	134.0
	25-29	83.5	128.0	109.3	110.7	94.4	86.9	152.3	129.5	155.1
	30-34	54.1	36.7	83.7	14.5	27.7	33.8	37.1	40.5	56.1
	35-39	11.2	8.5	36.3	6.6	11.6	0.7	9.9	10.2	8.9
	40-44	0.0	1.7	0.0	0.0	3.1	3.8	0.0	0.0	0.0
	45-49	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		18.6	65.6	36.3	32.2	46.4	43.9	83.2	86.6	92.5
Total fertility rate		1.3	1.8	3.5	1.6	1.9	1.6	2.0	1.6	1.8

Urban

Age specific fertility rates	15-19	0.0	7.2	0.0	92.7	0.0	9.0	4.1	8.8	0.0
	20-24	46.3	67.7	0.0	295.3	229.9	79.8	89.9	37.9	42.8
	25-29	62.0	94.3	169.1	59.0	30.4	70.0	106.0	132.5	81.3
	30-34	36.8	54.4	84.9	59.5	0.0	45.6	21.8	61.4	82.2
	35-39	0.0	24.9	0.0	0.0	0.0	10.0	24.6	34.3	33.6
	40-44	8.2	4.0	0.0	0.0	19.4	0.0	3.0	8.3	0.0
	45-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		13.7	39.2	34.4	38.6	29.9	22.8	32.1	49.3	48.7
Total fertility rate		0.8	1.3	1.3	2.5	1.4	1.1	1.2	1.4	1.2

Jammu & Kashmir

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	28.3	4.1	66.4	21.5	8.7	4.9	1.6	0.0	0.0
	20-24	158.8	66.2	262.1	113.4	139.6	115.7	50.1	29.1	36.4
	25-29	181.6	116.9	367.8	163.5	119.1	162.0	118.0	72.9	75.2
	30-34	113.1	82.8	177.1	83.8	94.8	61.8	97.6	79.1	96.9
	35-39	59.3	41.2	299.4	21.5	44.9	42.9	41.8	29.6	50.1
	40-44	14.1	8.8	149.3	3.2	18.5	1.6	7.8	10.8	8.9
	45-49	7.8	4.2	0.0	5.0	0.0	0.0	1.8	32.1	0.0
General fertility rate		79.7	53.6	186.2	70.2	66.0	62.3	42.3	40.7	57.2
Total fertility rate		2.8	1.6	6.6	2.1	2.1	1.9	1.6	1.3	1.3
Rural										
Age specific fertility rates	15-19	26.5	4.6	66.4	23.3	10.1	4.7	2.0	0.0	0.0
	20-24	160.2	74.0	262.1	115.2	151.2	126.4	52.8	32.1	31.7
	25-29	188.9	122.7	395.2	166.6	113.9	161.1	112.5	77.8	83.3
	30-34	122.3	82.8	157.9	90.0	98.0	64.2	99.1	73.3	96.0
	35-39	65.3	49.2	498.8	26.3	49.9	50.2	46.8	34.0	91.9
	40-44	16.8	11.2	165.1	4.0	23.4	2.2	10.0	5.8	19.1
	45-49	9.4	5.9	0.0	0.0	0.0	0.0	0.0	70.0	0.0
General fertility rate		85.8	57.1	210.1	74.5	69.6	66.6	42.4	42.7	64.6
Total fertility rate		2.9	1.8	7.7	2.1	2.2	2.0	1.6	1.5	1.6
Urban										
Age specific fertility rates	15-19	44.2	2.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0
	20-24	144.8	37.4	0.0	88.5	57.7	57.1	39.4	21.1	42.8
	25-29	131.9	101.2	0.0	137.5	149.3	166.3	134.0	63.0	68.6
	30-34	66.1	83.0	308.8	52.8	77.2	52.4	93.8	88.8	97.4
	35-39	27.2	22.8	0.0	0.0	20.4	15.8	31.2	21.8	26.5
	40-44	1.5	4.2	0.0	0.0	0.0	0.0	3.9	16.4	3.8
	45-49	0.0	2.0	0.0	27.5	0.0	0.0	3.9	0.0	0.0
General fertility rate		45.2	43.4	42.4	42.0	46.9	43.5	41.9	36.4	51.9
Total fertility rate		2.1	1.3	1.5	1.5	1.5	1.5	1.5	1.1	1.2

Jharkhand

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	89.4	22.8	115.1	48.1	17.1	18.3	8.0	30.5	0.0
	20-24	245.5	161.7	183.1	269.4	158.6	150.9	139.7	66.6	120.1
	25-29	209.0	171.2	154.2	193.8	170.1	173.6	178.6	121.3	178.3
	30-34	117.9	79.0	44.7	106.2	69.7	70.6	60.3	129.4	87.6
	35-39	54.9	26.7	37.6	28.8	27.2	23.1	33.9	6.1	26.1
	40-44	16.9	10.0	0.0	1.9	11.3	2.0	23.1	70.2	0.0
	45-49	6.9	6.2	0.0	11.4	22.5	0.0	0.0	0.0	0.0
General fertility rate		109.7	83.7	100.0	121.7	73.1	74.5	71.6	70.6	92.0
Total fertility rate		3.7	2.4	2.7	3.3	2.4	2.2	2.2	2.1	2.1
Rural										
Age specific fertility rates	15-19	93.3	25.2	122.1	54.4	16.3	21.7	8.7	34.1	0.0
	20-24	249.4	174.1	174.0	280.0	144.5	160.8	157.8	70.7	174.1
	25-29	216.3	178.3	137.5	202.0	171.6	173.8	191.3	99.5	343.0
	30-34	123.3	79.5	36.5	108.9	69.3	73.0	59.7	138.4	133.7
	35-39	58.3	28.9	37.2	34.7	26.6	28.5	38.3	0.0	0.0
	40-44	18.2	14.8	0.0	0.0	13.4	0.0	55.3	170.6	0.0
	45-49	7.3	11.3	0.0	16.1	34.2	0.0	0.0	0.0	0.0
General fertility rate		114.5	89.2	98.3	131.0	71.6	79.6	75.4	69.0	166.2
Total fertility rate		3.8	2.6	2.5	3.5	2.4	2.3	2.6	2.6	3.3
Urban										
Age specific fertility rates	15-19	43.0	13.5	69.1	17.8	21.9	6.6	5.2	22.7	0.0
	20-24	199.0	129.1	274.8	215.2	234.7	121.4	109.5	63.4	99.1
	25-29	131.6	156.4	249.1	152.2	163.3	173.0	161.9	140.2	125.5
	30-34	67.7	77.9	89.2	91.7	71.0	65.2	61.0	121.8	74.0
	35-39	24.2	23.0	38.9	6.9	28.8	13.5	30.1	12.6	33.1
	40-44	5.3	3.8	0.0	8.1	7.8	4.4	0.0	10.9	0.0
	45-49	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		63.7	70.9	109.1	80.9	79.5	61.3	65.4	72.2	70.2
Total fertility rate		2.4	2.0	3.6	2.5	2.6	1.9	1.8	1.9	1.7

Karnataka

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	70.3	33.2	523.3	140.5	110.5	27.8	18.3	12.7	0.0
	20-24	241.1	184.9	306.1	246.2	246.6	223.1	162.8	87.4	120.3
	25-29	83.3	118.7	100.8	121.8	120.7	116.4	115.3	89.6	153.3

	30-34	25.6	35.2	2.0	36.0	23.3	26.7	44.6	34.4	55.5
	35-39	7.8	9.5	1.5	5.1	9.4	5.8	11.4	10.8	21.1
	40-44	0.6	1.2	0.0	3.4	0.5	1.2	0.6	0.2	0.0
	45-49	0.4	0.4	1.6	0.2	1.6	0.0	0.0	0.0	0.0
General fertility rate		41.5	75.2	86.8	81.9	91.8	79.0	66.0	52.5	80.1
Total fertility rate		2.1	1.9	4.7	2.8	2.6	2.0	1.8	1.2	1.8

Rural

Age specific fertility rates	15-19	77.1	39.9	378.4	165.5	110.4	32.7	21.9	10.1	0.0
	20-24	253.0	208.2	255.4	258.5	267.2	235.3	169.3	101.7	108.6
	25-29	80.0	123.8	94.0	132.5	110.6	128.8	137.5	72.2	157.8
	30-34	27.0	32.1	2.3	35.3	26.4	28.5	38.3	43.6	38.0
	35-39	5.7	7.6	1.8	6.8	9.6	4.8	7.9	8.5	22.8
	40-44	0.8	2.0	0.0	4.8	0.8	0.2	1.9	1.2	0.0
	45-49	0.5	0.9	1.8	0.3	2.7	0.0	0.0	0.0	0.0
General fertility rate		42.4	86.0	70.6	89.9	99.3	90.3	76.6	57.6	88.9
Total fertility rate		2.2	2.1	3.7	3.0	2.6	2.2	1.9	1.2	1.6

Urban

Age specific fertility rates	15-19	42.1	20.7	998.6	65.0	111.0	15.8	12.7	14.8	0.0
	20-24	190.8	149.6	573.3	208.0	196.2	196.1	153.1	77.1	124.2
	25-29	96.9	112.9	124.7	91.1	141.5	98.7	93.3	100.1	152.2
	30-34	19.3	38.5	0.0	38.4	17.0	24.4	49.4	29.9	58.7
	35-39	17.4	11.3	0.0	0.0	8.9	6.8	13.6	11.8	20.9
	40-44	0.0	0.5	0.0	0.0	0.0	2.0	0.0	0.0	0.0
	45-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		37.9	61.6	160.3	59.7	76.3	60.4	54.7	49.5	78.2
Total fertility rate		1.8	1.7	8.5	2.0	2.4	1.7	1.6	1.2	1.8

Kerala

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above

Total

Age specific fertility rates	15-19	58.6	20.2	0.0	60.0	9.4	15.0	16.8	35.6	0.0
	20-24	114.5	145.6	73.2	147.4	131.1	161.5	140.5	140.0	144.5
	25-29	65.5	131.4	29.4	96.2	107.5	118.3	113.3	149.7	171.8
	30-34	17.1	56.7	46.8	15.5	27.6	45.7	61.9	80.4	84.0
	35-39	10.8	13.5	7.7	6.0	13.8	11.8	13.4	19.7	16.6
	40-44	7.4	1.7	10.4	3.3	2.0	0.8	1.8	4.2	0.6
	45-49	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		15.3	54.7	11.9	17.6	19.9	45.6	51.2	87.3	93.6
Total fertility rate		1.4	1.8	0.8	1.6	1.5	1.8	1.7	2.1	2.1

Rural

Age specific fertility rates	15-19	0.0	22.0	0.0	71.3	12.5	13.3	19.3	41.2	0.0
	20-24	151.1	148.5	84.3	195.4	130.3	155.1	141.4	147.6	153.2

	25-29	71.5	132.8	34.8	107.7	111.0	118.7	111.6	155.1	183.7
	30-34	19.8	54.4	56.3	20.1	29.2	44.9	56.7	79.5	83.4
	35-39	11.6	14.2	8.3	4.7	14.8	12.4	14.2	17.6	22.9
	40-44	8.7	2.0	11.9	4.3	2.5	0.7	2.4	4.2	1.2
	45-49	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		16.3	55.8	14.1	21.1	20.0	45.7	52.2	92.9	104.3
Total fertility rate		1.3	1.9	1.0	2.0	1.5	1.7	1.7	2.2	2.2

Urban

Age specific fertility rates	15-19	962.4	14.8	0.0	0.0	0.0	20.2	8.4	21.1	0.0
	20-24	0.0	136.4	0.0	26.3	134.2	186.0	137.0	118.5	124.8
	25-29	0.0	127.3	0.0	33.5	98.0	116.7	119.4	131.8	151.3
	30-34	0.0	63.3	0.0	0.0	22.7	48.3	79.7	82.6	85.1
	35-39	0.0	11.3	0.0	10.6	10.5	9.6	11.0	25.7	7.8
	40-44	0.0	0.8	0.0	0.0	0.0	1.0	0.0	4.1	0.0
	45-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		8.3	51.6	0.0	5.0	19.5	45.4	47.8	72.0	76.1
Total fertility rate		4.8	1.8	0.0	0.4	1.3	1.9	1.8	1.9	1.8

Madhya Pradesh

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above

Total

Age specific fertility rates	15-19	91.4	26.6	278.7	176.7	43.0	12.5	3.5	4.7	0.0
	20-24	325.7	258.3	315.6	390.8	323.7	228.3	138.6	97.0	92.6
	25-29	194.2	180.7	195.6	204.2	201.9	181.2	157.3	135.9	118.8
	30-34	83.8	71.2	96.7	83.5	61.0	60.9	67.9	43.6	97.5
	35-39	32.0	23.3	39.6	36.0	19.2	3.4	19.9	38.8	12.7
	40-44	12.3	4.6	0.0	9.0	4.9	6.0	0.0	0.0	0.0
	45-49	4.9	2.2	0.0	1.4	4.8	4.3	0.0	0.0	0.0
General fertility rate		93.9	109.2	106.2	183.7	137.2	82.9	56.5	66.4	69.7
Total fertility rate		3.7	2.8	4.6	4.5	3.3	2.5	1.9	1.6	1.6

Rural

Age specific fertility rates	15-19	95.1	30.6	295.9	186.2	45.9	12.7	4.0	0.0	0.0
	20-24	336.3	296.1	299.9	405.8	345.9	244.9	152.2	139.3	88.2
	25-29	201.2	197.2	187.6	214.5	210.4	188.5	162.7	134.7	178.0
	30-34	85.7	69.3	96.4	86.2	54.8	63.6	56.0	53.7	56.7
	35-39	33.7	25.1	29.1	38.7	19.0	3.8	15.6	38.6	19.3
	40-44	13.4	4.9	0.0	10.0	0.0	7.4	0.0	0.0	0.0
	45-49	5.7	2.5	0.0	0.0	5.0	8.2	0.0	0.0	0.0
General fertility rate		98.7	123.9	101.4	197.5	148.5	86.2	57.4	81.2	89.7
Total fertility rate		3.9	3.1	4.5	4.7	3.4	2.6	2.0	1.8	1.7

Urban

Age specific fertility rates	15-19	66.2	11.9	161.3	94.1	25.0	11.2	2.3	8.6	0.0

	20-24	235.2	154.1	397.6	282.9	220.6	178.3	113.9	67.3	93.9
	25-29	139.8	148.3	247.1	153.3	174.6	166.4	151.2	136.6	103.3
	30-34	69.8	74.8	98.7	71.2	79.2	56.5	82.0	38.1	107.7
	35-39	19.6	20.3	126.3	24.9	19.8	2.8	23.6	38.9	11.6
	40-44	5.3	4.3	0.0	5.2	14.6	4.2	0.0	0.0	0.0
	45-49	0.0	1.7	0.0	5.8	4.4	0.0	0.0	0.0	0.0
General fertility rate		60.2	75.0	134.7	112.8	97.1	73.4	55.1	56.9	65.2
Total fertility rate		2.7	2.1	5.2	3.2	2.7	2.1	1.9	1.4	1.6

Maharashtra

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	58.1	26.5	262.6	48.0	45.1	27.6	15.6	12.5	0.0
	20-24	153.6	182.8	349.4	150.4	218.3	240.9	180.6	104.5	82.0
	25-29	80.4	112.7	160.3	83.8	107.3	136.5	118.4	89.3	96.8
	30-34	26.0	37.2	38.2	23.0	28.8	32.0	39.5	47.6	64.8
	35-39	5.7	10.5	0.0	11.2	6.9	12.4	9.2	8.0	16.5
	40-44	1.2	1.8	0.0	0.6	3.3	2.4	2.1	0.0	0.0
	45-49	0.9	0.1	0.0	0.8	0.0	0.0	0.0	0.0	0.0
General fertility rate		34.0	68.8	68.4	43.5	66.1	83.4	70.7	60.6	55.5
Total fertility rate		1.6	1.9	4.1	1.6	2.0	2.3	1.8	1.3	1.3
Rural										
Age specific fertility rates	15-19	60.6	36.5	750.0	54.7	50.4	37.5	22.4	18.4	0.0
	20-24	138.1	229.2	483.4	151.4	220.7	287.5	239.6	157.7	66.2
	25-29	74.9	113.8	162.6	71.8	94.9	140.5	135.3	90.9	82.3
	30-34	20.4	24.6	0.0	15.9	22.2	24.7	37.0	27.7	33.5
	35-39	4.8	7.6	0.0	9.0	4.6	9.0	6.5	10.3	14.2
	40-44	1.5	2.0	0.0	0.9	0.8	4.2	3.6	0.0	0.0
	45-49	0.8	0.3	0.0	1.2	0.0	0.0	0.0	0.0	0.0
General fertility rate		32.0	81.2	71.2	42.6	67.6	100.2	95.1	82.1	54.5
Total fertility rate		1.5	2.1	7.0	1.5	2.0	2.5	2.2	1.5	1.0
Urban										
Age specific fertility rates	15-19	41.5	13.0	0.0	25.7	34.6	11.6	9.2	8.2	0.0
	20-24	233.6	132.1	307.1	147.8	213.4	171.3	128.5	73.6	87.0
	25-29	102.0	111.7	159.4	107.6	127.6	132.1	107.6	88.6	100.1
	30-34	46.0	47.7	56.3	37.5	39.2	39.5	41.0	55.6	69.7
	35-39	9.1	12.8	0.0	15.7	10.1	15.8	10.4	7.3	16.8
	40-44	0.0	1.7	0.0	0.0	6.9	1.0	1.5	0.0	0.0
	45-49	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		41.6	57.0	66.6	45.5	63.5	63.2	53.7	50.2	55.7
Total fertility rate		2.2	1.6	2.6	1.7	2.2	1.9	1.5	1.2	1.4

Odisha

Indicators	Age	Educational level

	group	Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	95.7	20.5	68.5	86.5	37.4	11.9	8.7	6.6	0.0
	20-24	211.5	152.3	234.5	204.6	192.7	153.6	116.3	67.9	79.3
	25-29	150.3	140.1	151.0	134.2	154.8	151.1	131.3	128.6	107.1
	30-34	78.8	62.7	89.5	53.3	62.1	73.1	47.9	63.2	60.8
	35-39	31.6	17.9	16.9	19.2	19.4	17.8	14.1	28.1	10.5
	40-44	7.7	4.0	16.5	5.7	3.4	2.3	0.0	0.0	2.3
	45-49	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		72.3	72.8	74.5	82.7	82.9	72.9	59.4	60.9	60.9
Total fertility rate		2.9	2.0	2.9	2.5	2.3	2.0	1.6	1.5	1.3
Rural										
Age specific fertility rates	15-19	98.6	21.2	67.6	86.9	36.7	11.5	8.8	10.2	0.0
	20-24	215.1	160.1	236.1	210.5	192.5	157.7	115.4	77.4	99.6
	25-29	154.0	147.8	155.4	139.1	162.5	154.7	139.7	147.3	113.0
	30-34	81.3	65.8	84.4	52.3	68.8	78.0	54.6	64.0	57.0
	35-39	33.1	19.5	18.4	19.0	20.1	20.3	18.6	26.2	10.7
	40-44	8.1	4.8	17.9	6.6	4.1	1.5	0.0	0.0	0.0
	45-49	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		74.3	77.8	74.2	86.2	85.9	76.1	65.3	71.7	74.1
Total fertility rate		3.0	2.1	2.9	2.6	2.4	2.1	1.7	1.6	1.4
Urban										
Age specific fertility rates	15-19	49.1	16.4	76.4	82.0	45.9	14.8	8.4	0.0	0.0
	20-24	161.3	111.6	221.9	149.7	194.3	124.5	119.9	47.1	56.2
	25-29	103.2	105.5	107.8	94.7	101.4	130.1	97.6	82.6	100.2
	30-34	48.0	51.4	156.5	61.3	21.1	49.0	29.2	61.7	64.1
	35-39	10.6	12.4	0.0	20.3	15.3	7.6	5.2	31.3	10.4
	40-44	3.3	1.7	0.0	0.0	0.0	4.9	0.0	0.0	3.2
	45-49	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		45.6	51.1	76.9	56.5	62.2	55.1	41.8	40.2	50.0
Total fertility rate		1.9	1.5	2.8	2.0	1.9	1.7	1.3	1.1	1.2

Punjab

Indicators	Age group	Illiterate	Educational level: Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	34.2	8.2	4.9	6.6	7.2	9.5	9.0	5.9	0.0
	20-24	226.8	138.9	238.8	120.0	177.8	159.4	138.5	94.1	98.9
	25-29	131.0	133.3	99.1	127.7	121.0	129.4	142.2	131.7	147.8
	30-34	41.8	48.8	47.3	22.3	39.1	45.7	49.6	72.9	53.8
	35-39	7.3	13.7	0.0	23.4	9.7	17.6	12.9	8.8	17.4

	40-44	2.7	2.4	10.6	2.4	2.1	2.1	2.8	2.6	0.0
	45-49	1.3	0.1	0.0	0.0	0.0	0.8	0.0	0.0	0.0
General fertility rate		52.4	62.2	65.9	46.4	55.3	61.6	66.5	70.6	69.2
Total fertility rate		2.2	1.7	2.0	1.5	1.8	1.8	1.8	1.6	1.6

Rural

Age specific fertility rates	15-19	33.9	9.8	9.5	10.6	6.7	12.1	10.0	6.9	0.0
	20-24	208.9	150.4	223.4	129.0	191.4	181.2	155.0	83.1	77.9
	25-29	130.7	129.0	62.7	122.9	122.6	140.4	136.6	111.5	155.1
	30-34	44.6	46.6	41.0	27.2	43.9	54.3	39.6	61.8	61.5
	35-39	7.8	15.6	0.0	31.9	7.8	18.2	16.2	13.6	26.0
	40-44	3.1	3.8	18.8	3.9	3.0	3.4	3.2	7.9	0.0
	45-49	1.8	0.3	0.0	0.0	0.0	1.4	0.0	0.0	0.0
General fertility rate		51.7	66.0	62.8	51.2	57.4	71.1	72.1	65.6	83.0
Total fertility rate		2.2	1.8	1.8	1.6	1.9	2.1	1.8	1.4	1.6

Urban

Age specific fertility rates	15-19	35.0	5.3	0.0	0.0	8.1	4.8	6.8	4.4	0.0
	20-24	291.6	119.0	284.0	100.4	150.2	119.1	107.6	110.0	116.8
	25-29	131.9	139.5	192.9	135.3	117.6	107.8	152.3	153.6	143.8
	30-34	35.1	51.8	57.6	13.2	29.9	29.4	65.3	82.5	50.8
	35-39	5.8	11.3	0.0	7.5	14.5	16.6	8.5	5.8	15.1
	40-44	1.8	0.6	0.0	0.0	0.0	0.0	2.4	0.0	0.0
	45-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		54.2	56.6	71.6	38.0	50.7	44.8	57.7	75.7	63.2
Total fertility rate		2.5	1.6	2.7	1.3	1.6	1.4	1.7	1.8	1.6

Rajasthan

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above

Total

Age specific fertility rates	15-19	61.7	26.8	127.2	89.6	42.8	12.4	10.1	10.0	0.0
	20-24	284.1	217.8	308.1	337.8	258.9	217.6	181.0	82.6	101.5
	25-29	202.8	182.9	196.6	223.3	171.8	185.9	157.1	147.5	179.1
	30-34	101.7	69.4	69.0	78.2	75.0	64.8	43.4	61.1	83.4
	35-39	39.1	23.4	28.7	51.5	31.1	7.6	7.8	7.6	11.3
	40-44	15.5	3.5	8.1	2.5	4.5	3.1	1.0	0.0	0.0
	45-49	5.3	1.7	5.7	2.3	0.0	0.0	2.8	0.0	0.0
General fertility rate		104.6	99.8	113.9	173.8	113.3	78.6	68.8	55.6	95.2
Total fertility rate		3.6	2.6	3.7	3.9	2.9	2.5	2.0	1.5	1.9

Rural

Age specific fertility rates	15-19	65.1	29.4	145.9	97.4	42.9	13.2	8.8	7.7	0.0
	20-24	290.9	241.3	319.8	350.1	269.5	227.3	183.2	85.5	125.5
	25-29	205.8	191.9	214.7	221.8	191.5	185.7	162.1	133.0	175.2
	30-34	105.0	65.5	54.3	73.6	83.1	54.4	36.9	64.6	73.5

	35-39	39.1	27.9	27.6	47.2	25.6	16.2	23.7	4.8	26.0
	40-44	18.0	6.3	11.2	4.0	2.7	8.0	4.0	0.0	0.0
	45-49	6.4	4.4	8.4	4.4	0.0	0.0	16.0	0.0	0.0
General fertility rate		108.3	109.8	122.5	186.7	121.7	80.7	72.1	52.5	120.4
Total fertility rate		3.7	2.8	3.9	4.0	3.1	2.5	2.2	1.5	2.0

Urban

Age specific fertility rates	15-19	33.6	18.3	47.6	44.9	42.3	9.2	12.8	13.6	0.0
	20-24	237.8	168.5	267.9	285.7	228.5	192.9	177.1	79.3	84.5
	25-29	183.1	168.9	124.4	227.7	128.9	186.2	150.9	157.8	180.6
	30-34	79.4	74.0	107.9	88.4	61.8	77.7	48.2	59.3	86.5
	35-39	38.7	18.7	32.0	58.9	39.5	0.0	0.0	8.8	8.7
	40-44	1.7	1.2	0.0	0.0	6.3	0.0	0.0	0.0	0.0
	45-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		81.7	81.8	88.2	134.7	92.4	73.8	64.2	58.6	85.7
Total fertility rate		2.9	2.2	2.9	3.5	2.5	2.3	1.9	1.6	1.8

Tamil Nadu

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above

Total

Age specific fertility rates	15-19	52.5	19.2	0.0	51.9	40.9	21.8	14.9	14.9	0.0
	20-24	103.7	152.7	0.0	137.9	184.3	206.1	159.7	97.1	94.8
	25-29	55.2	124.4	0.0	75.6	117.3	125.7	140.6	120.0	146.0
	30-34	14.9	40.7	0.0	21.7	29.7	34.1	43.9	64.9	72.2
	35-39	5.7	10.1	0.0	10.1	5.8	8.8	11.8	10.9	20.7
	40-44	0.8	1.0	0.0	0.4	1.3	1.9	0.3	0.0	1.4
	45-49	0.3	0.3	0.0	0.0	0.8	0.5	0.0	0.0	0.0
General fertility rate		11.1	62.2	0.0	28.6	51.4	71.1	71.0	64.6	79.2
Total fertility rate		1.2	1.7	0.0	1.5	1.9	2.0	1.9	1.5	1.7

Rural

Age specific fertility rates	15-19	46.0	19.9	0.0	59.1	39.3	20.5	15.8	17.7	0.0
	20-24	95.6	166.0	0.0	143.3	190.8	208.1	159.0	116.8	95.9
	25-29	58.4	124.5	0.0	88.3	114.0	132.3	145.0	118.3	150.5
	30-34	13.2	35.8	0.0	23.0	27.6	38.2	34.8	73.5	73.5
	35-39	4.8	9.4	0.0	11.8	7.2	9.1	8.4	13.1	9.7
	40-44	0.6	1.3	0.0	0.6	2.1	1.6	0.9	0.0	0.0
	45-49	0.4	0.4	0.0	0.0	0.5	1.1	0.0	0.0	0.0
General fertility rate		10.3	66.9	0.0	33.6	54.9	79.9	77.1	76.9	91.1
Total fertility rate		1.1	1.8	0.0	1.6	1.9	2.1	1.8	1.7	1.6

Urban

Age specific fertility rates	15-19	62.1	18.2	0.0	38.1	44.1	24.1	13.8	12.6	0.0
	20-24	123.4	134.6	0.0	124.8	169.4	201.8	160.7	80.7	94.3
	25-29	46.6	124.3	0.0	44.5	124.7	116.0	136.0	121.3	144.7

	30-34	20.4	45.9	0.0	18.9	33.5	28.7	51.4	60.2	71.9
	35-39	8.4	10.8	0.0	7.0	3.4	8.5	13.9	9.9	22.7
	40-44	1.5	0.7	0.0	0.0	0.0	2.1	0.0	0.0	1.6
	45-49	0.0	0.3	0.0	0.0	1.4	0.0	0.0	0.0	0.0
General fertility rate		13.5	57.0	0.0	19.0	45.1	58.9	64.5	56.2	76.2
Total fertility rate		1.3	1.7	0.0	1.2	1.9	1.9	1.9	1.4	1.7

Uttar Pradesh

Indicators	Age group	Educational level								
		Illiterate	Literate							
			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	55.6	22.3	107.2	99.0	40.5	16.1	13.0	10.8	0.0
	20-24	263.3	205.8	332.4	326.6	290.4	202.9	148.9	119.4	128.9
	25-29	229.8	218.6	243.3	255.2	247.5	236.1	211.1	176.0	150.6
	30-34	143.9	111.8	130.8	113.7	107.4	125.8	99.0	92.3	112.8
	35-39	61.9	37.2	59.2	66.5	45.1	33.6	7.0	18.7	26.3
	40-44	29.2	11.0	21.1	18.1	10.7	11.8	5.5	2.2	7.1
	45-49	8.4	4.8	27.0	3.9	4.7	1.6	0.0	0.0	0.0
General fertility rate		115.4	105.4	141.4	175.2	138.4	91.7	72.9	81.9	96.9
Total fertility rate		4.0	3.1	4.6	4.4	3.7	3.1	2.4	2.1	2.1
Rural										
Age specific fertility rates	15-19	62.5	24.7	136.1	110.1	44.9	16.4	14.8	13.1	0.0
	20-24	273.1	225.6	365.5	340.2	305.8	206.6	164.0	138.3	152.5
	25-29	229.4	237.4	276.0	265.9	255.8	243.7	213.1	211.6	165.3
	30-34	143.4	111.9	121.9	111.5	111.2	123.5	101.0	93.4	107.0
	35-39	62.7	41.1	54.7	66.3	45.8	39.8	5.7	21.7	27.6
	40-44	28.6	15.1	26.1	18.9	13.6	17.2	9.4	4.6	4.4
	45-49	8.4	6.5	29.7	5.0	4.8	2.4	0.0	0.0	0.0
General fertility rate		116.8	113.8	155.4	184.9	147.1	93.4	76.3	95.9	118.6
Total fertility rate		4.0	3.3	5.1	4.6	3.9	3.2	2.5	2.4	2.3
Urban										
Age specific fertility rates	15-19	24.4	11.6	0.0	48.0	15.1	14.2	5.6	5.2	0.0
	20-24	205.9	138.3	204.2	246.8	206.7	184.5	101.4	81.1	104.8
	25-29	231.9	171.4	128.6	207.5	208.5	207.0	206.8	117.8	140.7
	30-34	147.6	111.6	161.3	124.5	92.9	133.8	95.5	91.0	115.7
	35-39	55.2	28.5	74.9	67.6	42.6	14.0	9.2	15.5	25.7
	40-44	33.2	3.8	8.6	15.1	0.0	0.0	0.0	0.0	8.0
	45-49	8.7	2.1	19.3	0.0	4.5	0.0	0.0	0.0	0.0
General fertility rate		106.0	80.1	95.3	129.0	97.8	83.9	62.9	57.3	84.1
Total fertility rate		3.5	2.3	3.0	3.5	2.9	2.8	2.1	1.6	2.0

West Bengal

Indicators	Age group	Educational level	
		Illiterate	Literate

			Total literate	Without any formal education	Below primary	Primary	Middle	Class X	Class XII	Graduate and above
Total										
Age specific fertility rates	15-19	78.6	53.4	116.6	201.7	91.9	29.1	24.3	16.9	0.0
	20-24	178.2	151.0	158.1	214.3	182.1	146.4	102.2	74.9	85.4
	25-29	92.6	83.2	68.4	106.2	79.7	80.5	73.2	67.5	92.8
	30-34	39.0	33.4	23.2	31.6	33.7	29.5	38.3	39.0	44.7
	35-39	18.2	7.6	9.3	7.8	5.0	8.8	4.8	6.3	12.6
	40-44	5.4	1.7	3.7	0.9	1.0	2.2	2.8	0.0	0.8
	45-49	2.0	0.8	2.0	1.2	0.5	0.0	2.1	0.0	0.0
General fertility rate		46.9	61.4	40.0	94.3	74.6	54.3	46.8	43.0	43.1
Total fertility rate		2.1	1.7	1.9	2.8	2.0	1.5	1.2	1.0	1.2
Rural										
Age specific fertility rates	15-19	79.3	62.1	136.3	218.5	101.9	32.8	31.0	23.4	0.0
	20-24	183.8	169.0	160.8	226.0	189.6	156.7	119.6	97.5	109.3
	25-29	94.6	90.5	73.4	111.2	82.2	87.7	89.3	81.4	106.5
	30-34	39.8	32.9	21.0	33.9	33.1	30.7	38.4	43.5	50.2
	35-39	18.4	7.8	9.8	6.9	5.5	9.6	4.1	4.8	24.1
	40-44	4.8	2.0	3.6	1.1	0.9	2.6	4.9	0.0	0.0
	45-49	2.0	1.3	2.7	1.7	0.6	0.0	5.8	0.0	0.0
General fertility rate		47.7	72.1	42.8	103.7	81.3	61.4	59.7	58.4	63.7
Total fertility rate		2.1	1.8	2.0	3.0	2.1	1.6	1.5	1.3	1.5
Urban										
Age specific fertility rates	15-19	75.4	24.7	31.9	109.5	52.0	15.9	9.6	10.1	0.0
	20-24	152.1	101.6	142.0	157.7	147.9	112.4	70.5	55.8	71.5
	25-29	81.1	68.2	46.3	87.1	70.5	62.3	51.5	57.4	87.6
	30-34	34.4	34.2	32.7	23.7	35.7	26.9	38.3	36.2	43.0
	35-39	17.0	7.4	7.2	10.8	3.5	7.4	5.3	7.1	10.1
	40-44	8.1	1.2	4.4	0.0	1.3	1.6	1.3	0.0	1.0
	45-49	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
General fertility rate		43.1	38.9	28.0	58.7	51.3	36.1	29.3	32.6	37.0
Total fertility rate		1.8	1.2	1.3	1.9	1.6	1.1	0.9	0.8	1.1

Table 5

Percentage distribution of live births by order of birth, 2011

Birth order	Total			Rural			Urban		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
				India					
1	41.0	40.5	41.6	39.5	39.0	39.9	46.6	45.8	47.6
2	31.4	31.3	31.5	30.8	30.6	31.0	33.5	33.7	33.4
3	14.6	15.0	14.1	15.4	15.8	14.9	11.8	12.3	11.3
4	6.7	6.9	6.5	7.3	7.5	7.1	4.5	4.8	4.2
5+	6.3	6.3	6.3	7.0	7.1	7.0	3.5	3.4	3.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Note : Total may not add up to 100 due to rounding.									
				Andhra Pradesh					
1	48.5	48.3	48.7	47.9	47.8	48.0	50.1	49.7	50.5
2	40.9	40.6	41.2	41.5	41.5	41.5	39.4	38.3	40.6
3	8.9	9.2	8.7	9.2	9.4	9.0	8.3	8.7	7.8
4	1.3	1.4	1.2	1.1	1.0	1.3	1.7	2.3	1.0
5+	0.4	0.5	0.2	0.3	0.4	0.2	0.5	0.9	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Assam					
1	44.3	42.4	46.4	42.9	40.9	45.1	57.4	57.6	57.1
2	27.3	28.6	25.9	27.2	28.7	25.5	28.7	27.8	29.6
3	14.0	15.1	12.7	14.5	15.7	13.1	9.3	9.4	9.2
4	7.8	6.9	8.9	8.4	7.3	9.7	2.7	3.2	2.3
5+	6.5	6.9	6.2	7.1	7.4	6.7	1.9	2.0	1.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Bihar					
1	32.0	32.4	31.6	31.4	31.7	31.1	38.8	39.7	37.7
2	25.0	24.2	25.8	25.0	24.2	25.8	25.1	24.2	26.2
3	18.4	18.6	18.2	18.5	18.8	18.2	17.9	16.7	19.4
4	11.9	12.6	11.0	12.1	12.8	11.3	9.0	10.4	7.0
5+	12.7	12.2	13.3	13.0	12.5	13.6	9.2	8.9	9.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Chhattisgarh					
1	38.7	38.2	39.2	37.8	37.4	38.2	44.5	43.6	45.5
2	32.4	30.2	34.8	31.8	29.6	34.3	36.3	34.4	38.3
3	19.1	21.5	16.5	20.1	22.5	17.5	12.5	14.8	10.0
4	6.0	6.5	5.5	6.4	6.8	5.9	3.7	4.6	2.8

5+	3.8	3.6	4.0	3.9	3.8	4.0	3.0	2.6	3.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Delhi

1	47.0	45.6	48.6	46.7	45.8	47.8	47.1	45.6	48.8
2	28.4	30.1	26.4	27.5	29.3	25.6	28.5	30.3	26.5
3	14.7	14.5	14.9	16.2	15.3	17.2	14.4	14.3	14.5
4	5.5	5.4	5.7	6.8	7.0	6.5	5.3	5.1	5.5
5+	4.4	4.4	4.4	2.8	2.6	2.9	4.8	4.8	4.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Gujarat

1	41.1	40.1	42.2	38.6	37.8	39.5	46.0	44.8	47.2
2	33.3	33.5	33.0	32.4	32.5	32.3	34.9	35.5	34.4
3	14.9	15.3	14.5	16.3	16.5	16.1	12.3	12.9	11.6
4	5.7	6.3	5.2	6.4	6.9	5.9	4.5	5.0	3.9
5+	4.9	4.8	5.1	6.3	6.2	6.3	2.3	1.8	2.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Haryana

1	41.2	40.0	42.7	40.1	38.4	42.1	44.1	44.0	44.2
2	36.7	36.6	36.9	37.1	37.2	37.0	35.8	34.9	36.9
3	14.1	15.2	12.8	14.1	15.5	12.3	14.2	14.3	14.0
4	4.5	4.5	4.6	4.8	4.5	5.1	3.7	4.3	3.0
5+	3.5	3.8	3.1	4.0	4.3	3.5	2.3	2.5	1.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Himachal Pradesh

1	51.6	53.0	50.2	51.9	53.7	50.1	47.3	44.0	51.1
2	35.2	33.3	37.3	34.9	33.1	36.8	40.1	36.7	44.1
3	9.7	10.5	8.9	9.7	10.2	9.2	9.7	13.9	4.9
4	2.0	2.3	1.6	1.9	2.1	1.8	2.6	4.8	0.0
5+	1.4	0.9	2.0	1.5	1.0	2.1	0.3	0.6	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Jammu & Kashmir

1	40.1	40.7	39.3	38.5	39.4	37.4	48.8	48.0	49.7
2	30.8	29.9	31.8	30.0	28.9	31.1	35.3	35.2	35.3
3	16.2	15.8	16.8	16.9	16.3	17.7	12.3	12.5	12.1
4	6.8	7.4	6.2	7.7	8.4	7.1	1.8	2.1	1.5
5+	6.1	6.2	5.9	6.9	7.0	6.8	1.8	2.2	1.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Jharkhand

1	35.7	37.5	33.6	35.3	37.0	33.2	38.4	40.4	35.9
2	29.7	28.3	31.4	29.2	27.7	31.1	32.7	31.8	33.7
3	17.4	17.8	17.1	17.3	17.9	16.5	18.6	17.2	20.3
4	8.7	8.5	9.0	9.1	8.9	9.4	6.3	6.2	6.5
5+	8.4	7.9	8.9	9.1	8.6	9.8	4.0	4.3	3.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Karnataka

1	49.3	48.3	50.4	48.1	47.6	48.6	51.9	49.8	54.1
2	33.4	34.7	32.1	32.9	33.7	32.1	34.4	36.6	32.1
3	12.4	12.0	12.9	13.9	13.4	14.4	9.5	9.1	9.9
4	3.2	3.4	3.0	3.4	3.6	3.3	2.8	3.1	2.5
5+	1.6	1.6	1.6	1.7	1.7	1.7	1.4	1.4	1.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Kerala

1	49.7	49.4	50.0	50.0	49.6	50.3	48.7	48.7	48.7
2	38.5	38.8	38.2	37.9	38.4	37.4	40.3	40.0	40.8
3	9.7	9.7	9.8	10.0	9.8	10.2	9.0	9.4	8.4
4	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.7	1.4
5+	0.5	0.5	0.5	0.5	0.6	0.4	0.4	0.2	0.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Madhya Pradesh

1	39.3	39.8	38.7	38.7	39.2	38.2	42.1	42.3	41.9
2	31.9	31.5	32.3	31.3	31.2	31.5	34.7	33.0	36.7
3	15.6	15.8	15.3	16.0	16.2	15.7	13.4	13.8	12.9
4	7.2	7.2	7.1	7.4	7.4	7.5	5.8	6.7	4.7
5+	6.2	5.7	6.6	6.6	6.0	7.2	4.1	4.3	3.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Maharashtra

1	47.8	46.3	49.5	46.8	46.3	47.5	49.2	46.3	52.2
2	34.9	36.1	33.6	35.3	35.8	34.7	34.4	36.7	32.0
3	11.6	11.8	11.4	12.3	12.3	12.3	10.6	11.0	10.1
4	3.9	4.2	3.6	3.7	3.7	3.6	4.3	4.8	3.7
5+	1.8	1.6	2.0	1.9	1.9	1.9	1.6	1.2	2.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Odisha

1	43.5	42.9	44.1	42.5	41.7	43.3	52.3	53.0	51.6

2	32.0	32.7	31.2	32.1	33.1	31.0	31.2	29.9	32.8
3	14.4	13.9	14.8	14.8	14.3	15.3	11.0	11.3	10.7
4	5.6	6.1	5.1	5.8	6.2	5.3	4.0	4.9	3.0
5+	4.6	4.4	4.8	4.9	4.8	5.1	1.4	0.9	1.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Punjab

1	50.9	49.6	52.3	51.8	50.7	53.0	49.2	47.6	51.0
2	34.2	34.9	33.4	32.8	32.8	32.7	36.9	38.9	34.7
3	10.5	10.8	10.2	11.1	11.8	10.5	9.3	9.0	9.7
4	3.1	3.6	2.5	3.1	3.8	2.4	2.9	3.2	2.6
5+	1.3	1.1	1.6	1.2	0.9	1.4	1.7	1.3	2.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Rajasthan

1	34.5	33.2	36.0	32.5	31.5	33.7	42.4	39.9	45.4
2	30.6	31.2	30.0	30.0	30.6	29.4	33.0	33.7	32.2
3	16.8	17.8	15.7	17.4	18.2	16.6	14.4	16.5	12.0
4	9.5	9.3	9.6	10.3	10.1	10.5	6.3	6.3	6.3
5+	8.5	8.4	8.6	9.7	9.7	9.8	3.9	3.7	4.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Tamil Nadu

1	50.9	50.7	51.1	49.8	49.1	50.5	52.5	52.9	52.0
2	39.4	38.9	39.9	38.4	38.3	38.4	40.7	39.7	41.8
3	8.2	8.7	7.6	9.7	10.2	9.2	6.1	6.6	5.4
4	1.2	1.2	1.1	1.6	1.8	1.3	0.7	0.5	0.8
5+	0.4	0.4	0.3	0.6	0.6	0.6	0.1	0.2	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Uttar Pradesh

1	35.6	34.8	36.5	35.0	34.0	36.1	38.8	39.0	38.6
2	28.7	28.5	28.9	28.4	28.2	28.6	30.4	30.4	30.3
3	17.0	17.6	16.2	17.4	18.0	16.7	14.9	15.8	13.9
4	9.0	8.9	9.1	9.3	9.4	9.2	7.4	6.6	8.4
5+	9.8	10.1	9.3	10.0	10.5	9.4	8.5	8.1	8.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

West Bengal

1	51.6	52.2	51.0	49.7	50.4	49.0	59.4	59.5	59.4
2	31.2	30.2	32.2	32.4	31.5	33.5	25.9	24.8	27.0
3	10.2	10.2	10.1	10.5	10.6	10.5	8.7	8.7	8.6
4	3.8	4.2	3.4	4.0	4.3	3.6	3.3	3.8	2.8

5+	3.2	3.2	3.2	3.3	3.2	3.5	2.8	3.3	2.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Table 6

Percentage distribution of current live births by birth interval, 2011

Birth interval in months	India			Andhra Pradesh			Assam		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	1.7	1.7	1.4	0.6	0.5	0.8	1.5	1.6	0.2
12-18	10.8	11.1	9.6	12.7	12.8	12.5	7.1	7.3	5.2
18-24	15.0	15.6	12.5	16.7	17.7	14.0	10.3	10.6	7.0
24-30	18.0	18.7	14.9	19.8	21.0	16.7	14.8	15.0	12.0
30-36	12.2	12.6	10.4	12.5	11.9	13.8	13.1	13.6	7.7
36+	42.4	40.2	51.2	37.8	36.1	42.2	53.2	51.9	67.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval in months	Bihar			Chhattisgarh			Delhi		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	1.7	1.7	2.0	0.8	0.8	0.9	1.2	1.1	1.2
12-18	13.0	12.9	14.2	10.8	11.0	9.2	9.0	12.4	8.3
18-24	17.5	17.6	16.6	9.2	8.9	11.2	10.0	10.3	9.9
24-30	19.9	20.0	19.0	28.2	29.5	18.9	15.6	17.4	15.3
30-36	13.7	13.8	12.0	7.8	7.8	8.0	9.4	8.8	9.5
36+	34.2	34.0	36.2	43.2	42.0	51.8	54.9	50.0	55.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval in months	Gujarat			Haryana			Himachal Pradesh		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	2.0	2.3	1.2	1.6	1.9	0.7	2.0	2.1	0.0
12-18	10.1	10.5	9.2	15.1	16.4	11.2	11.7	12.3	3.7
18-24	16.2	18.1	12.0	16.7	18.4	11.8	18.4	19.0	10.5
24-30	18.7	20.5	14.9	20.4	21.8	16.4	15.9	16.1	13.6
30-36	12.8	13.9	10.6	9.9	9.6	10.7	14.4	15.1	6.2
36+	40.1	34.7	52.0	36.4	31.8	49.2	37.6	35.4	66.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval in months	Jammu & Kashmir			Jharkhand			Karnataka		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	1.6	1.7	1.3	1.1	1.1	1.1	1.2	1.3	0.9
12-18	9.4	9.5	8.6	8.4	8.2	9.7	9.9	10.0	9.7
18-24	11.3	11.2	11.9	9.5	9.2	11.8	18.8	21.1	13.8
24-30	15.7	15.8	14.7	16.4	16.8	13.9	21.0	22.2	18.3
30-36	12.8	13.2	9.9	11.8	11.5	13.8	14.2	15.9	10.6
36+	49.3	48.6	53.7	52.8	53.3	49.8	34.9	29.5	46.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Birth interval in months	Kerala			Madhya Pradesh			Maharashtra		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
10-12	0.3	0.3	0.6	2.4	2.6	1.2	0.7	0.7	0.7

12-18	5.2	5.2	5.3	12.3	12.4	11.3	8.7	9.4	7.7
18-24	9.5	9.5	9.4	16.4	17.1	12.2	15.6	17.8	12.2
24-30	10.6	10.5	10.7	22.2	22.6	19.6	20.0	23.8	14.2
30-36	8.6	8.9	7.6	10.9	11.7	6.3	13.3	14.3	11.9
36+	65.8	65.6	66.4	35.9	33.5	49.4	41.6	34.0	53.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval	**Odisha**			**Punjab**			**Rajasthan**		
in months	**Total**	**Rural**	**Urban**	**Total**	**Rural**	**Urban**	**Total**	**Rural**	**Urban**
10-12	1.3	1.3	1.5	1.4	1.7	0.8	2.0	2.3	0.6
12-18	4.7	4.8	4.3	9.1	10.8	6.1	12.8	12.7	13.3
18-24	9.3	9.2	10.0	9.0	11.1	5.2	18.1	19.0	13.8
24-30	14.1	14.4	10.6	10.2	12.8	5.8	19.1	19.9	15.3
30-36	13.9	14.2	10.6	10.6	11.1	9.7	12.4	12.9	10.1
36+	56.7	56.1	63.0	59.7	52.5	72.4	35.7	33.2	46.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval	**Tamil Nadu**			**Uttar Pradesh**			**West Bengal**		
in months	**Total**	**Rural**	**Urban**	**Total**	**Rural**	**Urban**	**Total**	**Rural**	**Urban**
10-12	1.1	1.2	0.9	2.4	2.3	3.1	0.9	0.9	0.8
12-18	10.7	11.9	8.9	12.1	12.4	10.3	5.5	5.6	4.8
18-24	17.2	18.7	15.1	15.4	15.8	13.0	9.9	10.0	9.6
24-30	16.8	18.4	14.4	15.6	16.1	13.2	15.5	15.9	13.3
30-36	11.4	12.6	9.8	12.5	12.8	10.8	9.8	10.1	8.1
36+	42.8	37.1	50.9	42.0	40.6	49.6	58.4	57.4	63.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Birth interval in months	Punjab			Chandigarh		
	Total	Rural	Urban	Total	Rural	Urban
10-12	1.4	1.7	0.8	0.5	0.0	0.6
12-18	9.1	10.8	6.1	6.3	8.0	6.0
18-24	9.0	11.1	5.2	11.1	17.0	10.2
24-30	10.2	12.8	5.8	18.4	8.0	19.9
30-36	10.6	11.1	9.7	14.0	15.2	13.9
36+	59.7	52.5	72.4	49.7	51.8	49.4
Total	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval in months	Haryana			Delhi		
	Total	Rural	Urban	Total	Rural	Urban

10-12	1.6	1.9	0.7	1.2	1.1	1.2
12-18	15.1	16.4	11.2	9.0	12.4	8.3
18-24	16.7	18.4	11.8	10.0	10.3	9.9
24-30	20.4	21.8	16.4	15.6	17.4	15.3
30-36	9.9	9.6	10.7	9.4	8.8	9.5
36+	36.4	31.8	49.2	54.9	50.0	55.9
Total	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Birth interval	**Rajasthan**			**Bihar**		
in months	**Total**	**Rural**	**Urban**	**Total**	**Rural**	**Urban**
10-12	2.0	2.3	0.6	1.7	1.7	2.0
12-18	12.8	12.7	13.3	13.0	12.9	14.2
18-24	18.1	19.0	13.8	17.5	17.6	16.6
24-30	19.1	19.9	15.3	19.9	20.0	19.0
30-36	12.4	12.9	10.1	13.7	13.8	12.0
36+	35.7	33.2	46.9	34.2	34.0	36.2
Total	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval	**Sikkim**			**Arunachal Pradesh**		
in months	**Total**	**Rural**	**Urban**	**Total**	**Rural**	**Urban**
10-12	1.8	1.3	4.6	0.3	0.0	1.7
12-18	6.9	8.3	0.0	7.0	7.0	6.8
18-24	6.9	8.0	1.5	10.6	11.1	7.7
24-30	10.1	10.3	9.2	16.6	15.7	21.4
30-36	11.9	12.7	7.7	10.0	10.9	5.1
36+	62.3	59.5	76.9	55.6	55.3	57.2
Total	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval	**Nagaland**			**Assam**		
in months	**Total**	**Rural**	**Urban**	**Total**	**Rural**	**Urban**
10-12	0.6	0.0	3.0	1.5	1.6	0.2
12-18	5.6	5.1	7.5	7.1	7.3	5.2
18-24	12.6	12.8	11.9	10.3	10.6	7.0
24-30	18.7	19.7	14.9	14.8	15.0	12.0
30-36	10.4	12.4	3.0	13.1	13.6	7.7
36+	52.0	49.9	59.7	53.2	51.9	67.9
Total	100.0	100.0	100.0	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Birth interval	**West Bengal**			**Jharkhand**		
in months	**Total**	**Rural**	**Urban**	**Total**	**Rural**	**Urban**
10-12	0.9	0.9	0.8	1.1	1.1	1.1
12-18	5.5	5.6	4.8	8.4	8.2	9.7
18-24	9.9	10.0	9.6	9.5	9.2	11.8

24-30	15.5	15.9	13.3	16.4	16.8	13.9
30-36	9.8	10.1	8.1	11.8	11.5	13.8
36+	58.4	57.4	63.4	52.8	53.3	49.8
Total	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval	**Chhattisgarh**			**Gujarat**		
in months	**Total**	**Rural**	**Urban**	**Total**	**Rural**	**Urban**
10-12	0.8	0.8	0.9	2.0	2.3	1.2
12-18	10.8	11.0	9.2	10.1	10.5	9.2
18-24	9.2	8.9	11.2	16.2	18.1	12.0
24-30	28.2	29.5	18.9	18.7	20.5	14.9
30-36	7.8	7.8	8.0	12.8	13.9	10.6
36+	43.2	42.0	51.8	40.1	34.7	52.0
Total	100.0	100.0	100.0	100.0	100.0	100.0

Birth interval	**Daman & Diu**		
in months	**Total**	**Rural**	**Urban**
10-12	2.1	3.6	0.0
12-18	5.2	5.8	4.3
18-24	17.3	20.8	12.4
24-30	11.9	14.4	8.3
30-36	12.4	10.9	14.6
36+	51.1	44.5	60.5
Total	100.0	100.0	100.0

Note : Total may not add up to 100 due to rounding.

Table 7

Percentage distribution of current live births by birth interval and birth order, 2011

Birth interval in months	Birth order														
	Total					Rural					Urban				
	2	3	4	5+	Total	2	3	4	5+	Total	2	3	4	5+	Total
India															
10-12	0.9	0.4	0.2	0.2	1.7	0.9	0.5	0.2	0.2	1.7	0.9	0.2	0.1	0.1	1.4
12-18	6.4	2.4	1.0	1.0	10.8	6.5	2.4	1.1	1.1	11.1	6.3	2.1	0.6	0.6	9.6
18-24	8.4	3.5	1.6	1.5	15.0	8.5	3.7	1.7	1.7	15.6	8.0	2.7	0.9	0.9	12.5
24-30	9.3	4.5	2.1	2.0	18.0	9.4	4.8	2.3	2.3	18.7	9.2	3.3	1.5	1.0	14.9
30-36	6.2	3.1	1.4	1.4	12.2	6.2	3.3	1.5	1.6	12.6	6.3	2.4	1.0	0.7	10.4
36+	22.1	10.8	5.1	4.4	42.4	19.7	10.6	5.3	4.7	40.2	32.1	11.6	4.4	3.2	51.2
Total	53.3	24.7	11.4	10.6	100.0	51.0	25.4	12.1	11.6	100.0	62.8	22.2	8.5	6.5	100.0
Note : Total may not add up to 100 due to rounding.															
Andhra Pradesh															
10-12	0.4	0.1	0.1	0.0	0.6	0.3	0.1	0.1	0.0	0.5	0.5	0.1	0.1	0.0	0.8
12-18	11.0	1.5	0.2	0.0	12.7	11.3	1.3	0.2	0.0	12.8	10.2	1.9	0.4	0.0	12.5
18-24	13.4	2.8	0.2	0.2	16.7	14.0	3.2	0.3	0.2	17.7	11.9	1.7	0.1	0.3	14.0
24-30	15.7	3.4	0.6	0.1	19.8	16.7	3.7	0.5	0.1	21.0	13.0	2.6	1.1	0.0	16.7
30-36	10.2	2.0	0.3	0.1	12.5	9.6	2.0	0.3	0.0	11.9	11.7	1.9	0.1	0.1	13.8
36+	29.0	7.4	1.0	0.3	37.8	28.0	7.0	0.9	0.2	36.1	31.8	8.3	1.5	0.7	42.2
Total	79.7	17.1	2.5	0.7	100.0	79.9	17.4	2.2	0.6	100.0	79.1	16.4	3.4	1.1	100.0
Assam															
10-12	0.8	0.2	0.3	0.2	1.5	0.9	0.2	0.3	0.2	1.6	0.1	0.1	0.0	0.0	0.2
12-18	4.3	1.4	0.8	0.6	7.1	4.3	1.4	0.9	0.7	7.3	3.8	1.1	0.1	0.1	5.2
18-24	5.3	2.4	1.1	1.4	10.3	5.3	2.5	1.2	1.5	10.6	4.5	1.5	0.6	0.4	7.0
24-30	7.5	3.6	2.0	1.7	14.8	7.5	3.7	2.0	1.8	15.0	7.2	3.4	1.1	0.2	12.0
30-36	6.6	2.8	1.9	1.9	13.1	6.6	2.9	2.0	2.0	13.6	5.6	1.2	0.4	0.5	7.7
36+	24.9	14.4	7.9	6.0	53.2	23.2	14.4	8.2	6.2	51.9	46.3	14.4	4.0	3.2	67.9
Total	49.3	24.9	14.0	11.8	100.0	47.8	25.1	14.6	12.4	100.0	67.6	21.8	6.3	4.4	100.0
Bihar															
10-12	0.7	0.4	0.4	0.2	1.7	0.6	0.5	0.4	0.2	1.7	1.3	0.2	0.2	0.2	2.0
12-18	5.7	3.1	1.9	2.2	13.0	5.7	3.1	1.9	2.2	12.9	6.0	3.4	2.1	2.7	14.2
18-24	7.3	4.5	2.9	2.9	17.5	7.3	4.5	2.9	2.9	17.6	7.3	4.8	2.3	2.2	16.6
24-30	6.6	5.6	3.6	4.1	19.9	6.5	5.6	3.7	4.2	20.0	7.9	5.6	2.8	2.8	19.0
30-36	4.6	3.8	2.5	2.8	13.7	4.6	3.7	2.6	2.9	13.8	4.9	4.4	1.3	1.3	12.0
36+	11.8	9.6	6.3	6.5	34.2	11.7	9.5	6.3	6.5	34.0	13.5	10.8	5.9	6.0	36.2
Total	36.7	27.1	17.5	18.7	100.0	36.4	26.9	17.7	19.0	100.0	40.9	29.3	14.6	15.2	100.0
Chhattisgarh															
10-12	0.1	0.4	0.1	0.1	0.8	0.1	0.4	0.2	0.2	0.8	0.4	0.5	0.0	0.0	0.9
12-18	6.9	2.1	0.6	1.2	10.8	7.2	2.0	0.6	1.2	11.0	5.2	2.6	0.6	0.8	9.2

18-24	5.9	2.5	0.4	0.4	9.2	5.5	2.6	0.4	0.4	8.9	8.8	1.5	0.6	0.3	11.2
24-30	14.5	9.6	2.0	2.1	28.2	14.9	10.3	2.1	2.2	29.5	12.0	4.2	1.2	1.4	18.9
30-36	3.0	3.5	0.9	0.4	7.8	2.8	3.7	0.9	0.4	7.8	5.0	2.0	0.6	0.3	8.0
36+	22.8	12.5	5.7	2.2	43.2	21.2	12.7	6.0	2.1	42.0	34.3	11.3	3.6	2.6	51.8
Total	53.3	30.6	9.7	6.4	100.0	51.6	31.8	10.2	6.5	100.0	65.7	22.1	6.7	5.4	100.0

Note : Total may not add up to 100 due to rounding.

Delhi

10-12	0.8	0.4	0.0	0.0	1.2	1.1	0.0	0.0	0.0	1.1	0.7	0.5	0.0	0.0	1.2
12-18	5.3	2.6	0.7	0.4	9.0	8.1	4.2	0.0	0.0	12.4	4.7	2.3	0.8	0.5	8.3
18-24	5.9	2.7	0.9	0.5	10.0	5.0	3.2	1.6	0.5	10.3	6.0	2.7	0.7	0.5	9.9
24-30	7.6	4.4	1.9	1.7	15.6	9.9	3.7	2.7	1.1	17.4	7.2	4.5	1.7	1.9	15.3
30-36	5.1	2.3	1.4	0.5	9.4	3.8	2.8	2.2	0.0	8.8	5.4	2.2	1.2	0.6	9.5
36+	29.5	15.3	5.6	4.5	54.9	24.0	16.4	6.4	3.2	50.0	30.6	15.1	5.5	4.7	55.9
Total	54.1	27.7	10.5	7.7	100.0	52.0	30.3	12.9	4.8	100.0	54.5	27.2	10.0	8.2	100.0

Gujarat

10-12	1.0	0.3	0.3	0.3	2.0	1.0	0.5	0.4	0.5	2.3	1.1	0.0	0.1	0.0	1.2
12-18	6.3	2.2	0.9	0.8	10.1	6.1	2.7	0.9	0.9	10.5	6.8	1.1	0.8	0.5	9.2
18-24	8.3	4.6	1.8	1.4	16.2	8.9	5.2	2.0	2.0	18.1	7.1	3.4	1.3	0.3	12.0
24-30	10.1	4.7	2.1	1.8	18.7	10.3	5.3	2.5	2.4	20.5	9.7	3.4	1.4	0.5	14.9
30-36	7.1	3.6	1.1	1.0	12.8	7.3	4.0	1.3	1.3	13.9	6.7	2.8	0.8	0.4	10.6
36+	23.6	10.0	3.5	3.0	40.1	19.2	9.0	3.4	3.1	34.7	33.1	12.2	3.9	2.8	52.0
Total	56.4	25.5	9.8	8.4	100.0	52.7	26.6	10.5	10.2	100.0	64.5	22.9	8.3	4.4	100.0

Haryana

10-12	1.1	0.3	0.0	0.1	1.6	1.3	0.4	0.0	0.2	1.9	0.7	0.0	0.0	0.0	0.7
12-18	10.4	2.8	1.0	1.0	15.1	11.9	2.8	1.0	0.8	16.4	6.2	2.7	1.1	1.3	11.2
18-24	10.8	4.4	0.9	0.6	16.7	12.0	4.7	1.1	0.7	18.4	7.7	3.5	0.4	0.2	11.8
24-30	12.9	4.7	1.8	1.0	20.4	13.7	4.8	2.1	1.3	21.8	10.5	4.4	1.2	0.4	16.4
30-36	5.3	3.0	0.9	0.6	9.9	4.9	3.1	0.9	0.7	9.6	6.7	2.7	0.9	0.4	10.7
36+	22.2	8.8	2.9	2.4	36.4	18.6	7.7	2.9	2.6	31.8	32.4	11.9	2.9	1.9	49.2
Total	62.7	23.9	7.6	5.8	100.0	62.2	23.4	7.9	6.4	100.0	64.1	25.3	6.5	4.1	100.0

Himachal Pradesh

10-12	1.3	0.6	0.0	0.0	2.0	1.4	0.7	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0
12-18	9.8	1.7	0.2	0.0	11.7	10.4	1.7	0.2	0.0	12.3	1.9	1.2	0.0	0.6	3.7
18-24	13.9	3.3	0.6	0.6	18.4	14.3	3.4	0.6	0.7	19.0	9.3	1.3	0.0	0.0	10.5
24-30	11.6	3.4	0.7	0.2	15.9	11.8	3.4	0.7	0.2	16.1	9.2	3.7	0.6	0.0	13.6
30-36	10.4	3.2	0.6	0.3	14.4	10.7	3.5	0.6	0.3	15.1	5.6	0.0	0.6	0.0	6.2
36+	25.5	8.2	2.1	1.9	37.6	23.6	7.9	1.9	2.0	35.4	50.7	11.7	3.7	0.0	66.1
Total	72.5	20.4	4.1	3.0	100.0	72.2	20.6	4.1	3.2	100.0	76.5	17.9	4.9	0.6	100.0

Note : Total may not add up to 100 due to rounding.

Jammu & Kashmir

10-12	0.9	0.5	0.2	0.1	1.6	0.8	0.5	0.2	0.1	1.7	1.0	0.0	0.3	0.0	1.3
12-18	6.0	1.8	0.9	0.6	9.4	6.0	1.9	1.0	0.6	9.5	6.5	0.9	0.6	0.6	8.6
18-24	6.6	2.8	1.0	0.9	11.3	6.2	2.9	1.2	0.9	11.2	8.9	2.0	0.0	0.9	11.9
24-30	8.9	4.0	1.8	1.0	15.7	8.9	3.8	2.0	1.1	15.8	8.7	5.3	0.6	0.0	14.7

30-36	7.0	3.5	1.1	1.2	12.8	6.8	3.8	1.2	1.4	13.2	8.5	1.3	0.0	0.0	9.9
36+	22.0	14.7	6.4	6.1	49.3	20.1	14.7	7.1	6.7	48.6	34.6	14.9	2.2	2.0	53.7
Total	51.4	27.2	11.5	9.9	100.0	48.9	27.7	12.7	10.8	100.0	68.3	24.5	3.7	3.6	100.0

Jharkhand

10-12	0.8	0.3	0.0	0.0	1.1	0.8	0.2	0.0	0.0	1.1	0.3	0.5	0.3	0.0	1.1
12-18	4.8	1.7	1.2	0.7	8.4	4.6	1.7	1.2	0.6	8.2	6.1	1.7	0.9	0.9	9.7
18-24	4.2	2.9	1.0	1.5	9.5	4.0	2.7	0.9	1.5	9.2	5.0	3.8	1.4	1.5	11.8
24-30	7.5	3.8	3.0	2.1	16.4	7.7	3.7	3.1	2.3	16.8	6.6	4.3	1.9	1.1	13.9
30-36	5.0	3.6	1.8	1.3	11.8	4.6	3.5	1.9	1.5	11.5	7.7	4.4	1.4	0.3	13.8
36+	24.0	14.7	6.6	7.5	52.8	23.4	14.6	7.0	8.3	53.3	27.3	15.5	4.3	2.6	49.8
Total	46.3	27.0	13.6	13.1	100.0	45.2	26.5	14.2	14.2	100.0	53.1	30.3	10.2	6.5	100.0

Karnataka

10-12	0.8	0.3	0.0	0.0	1.2	0.8	0.4	0.1	0.0	1.3	0.9	0.0	0.0	0.0	0.9
12-18	6.9	2.5	0.3	0.2	9.9	6.8	2.5	0.4	0.2	10.0	6.9	2.5	0.1	0.1	9.7
18-24	12.6	4.7	1.2	0.3	18.8	14.1	5.4	1.4	0.2	21.1	9.4	3.1	0.9	0.4	13.8
24-30	13.3	5.5	1.4	0.8	21.0	14.0	6.0	1.3	0.8	22.2	11.7	4.4	1.5	0.7	18.3
30-36	8.9	4.0	0.9	0.5	14.2	9.3	4.9	1.0	0.7	15.9	7.9	1.9	0.6	0.1	10.6
36+	23.3	7.7	2.5	1.3	34.9	18.2	7.6	2.4	1.2	29.5	34.5	7.9	2.8	1.5	46.7
Total	65.8	24.7	6.4	3.1	100.0	63.3	26.9	6.6	3.2	100.0	71.3	19.8	5.9	2.9	100.0

Kerala

10-12	0.2	0.0	0.1	0.0	0.3	0.1	0.0	0.1	0.0	0.3	0.4	0.0	0.2	0.0	0.6
12-18	4.0	1.1	0.2	0.0	5.2	3.9	1.2	0.1	0.0	5.2	4.2	0.6	0.4	0.0	5.3
18-24	7.5	1.6	0.4	0.1	9.5	7.4	1.6	0.5	0.1	9.5	7.8	1.5	0.2	0.0	9.4
24-30	8.3	2.1	0.1	0.1	10.6	7.9	2.4	0.1	0.1	10.5	9.4	1.3	0.0	0.0	10.7
30-36	7.2	1.3	0.2	0.0	8.6	7.4	1.4	0.1	0.0	8.9	6.5	0.8	0.2	0.0	7.6
36+	49.7	13.2	2.3	0.6	65.8	49.4	13.1	2.3	0.7	65.6	50.6	13.3	2.1	0.4	66.4
Total	76.8	19.3	3.2	0.8	100.0	76.1	19.8	3.2	0.9	100.0	78.9	17.5	3.1	0.4	100.0

Note : Total may not add up to 100 due to rounding.

Madhya Pradesh

10-12	1.4	0.6	0.2	0.2	2.4	1.6	0.6	0.2	0.3	2.6	0.7	0.5	0.0	0.0	1.2
12-18	7.3	3.0	1.0	0.9	12.3	7.4	3.1	1.0	0.9	12.4	6.9	2.6	0.9	0.8	11.3
18-24	9.0	4.0	1.7	1.6	16.4	9.4	4.1	1.8	1.8	17.1	7.0	3.5	1.1	0.6	12.2
24-30	11.7	5.5	2.7	2.4	22.2	11.7	5.8	2.7	2.5	22.6	11.7	3.8	2.3	1.8	19.6
30-36	5.7	3.2	1.1	0.9	10.9	6.0	3.4	1.2	1.1	11.7	3.7	1.9	0.6	0.1	6.3
36+	17.3	9.4	5.2	4.1	35.9	15.0	9.1	5.3	4.1	33.5	29.8	10.9	5.2	3.5	49.4
Total	52.4	25.6	11.8	10.1	100.0	51.1	26.1	12.2	10.7	100.0	59.9	23.1	10.1	6.8	100.0

Maharashtra

10-12	0.5	0.1	0.1	0.0	0.7	0.4	0.2	0.0	0.0	0.7	0.6	0.0	0.2	0.0	0.7
12-18	5.9	1.9	0.6	0.3	8.7	6.5	2.1	0.5	0.3	9.4	5.1	1.7	0.7	0.2	7.7
18-24	10.7	3.4	1.0	0.5	15.6	12.4	4.0	0.9	0.5	17.8	8.1	2.4	1.2	0.5	12.2
24-30	13.2	4.8	1.4	0.6	20.0	15.5	5.7	1.7	0.9	23.8	9.7	3.5	0.8	0.3	14.2
30-36	8.5	3.0	1.2	0.6	13.3	9.3	3.5	0.9	0.7	14.3	7.2	2.3	1.7	0.5	11.9
36+	28.2	9.0	3.2	1.3	41.6	22.5	7.6	2.8	1.1	34.0	36.8	11.1	3.9	1.5	53.3

Total	67.0	22.2	7.5	3.3	100.0	66.7	23.0	6.8	3.5	100.0	67.5	21.0	8.5	3.0	100.0

Odisha

10-12	0.6	0.4	0.1	0.1	1.3	0.6	0.4	0.1	0.1	1.3	1.1	0.4	0.0	0.0	1.5
12-18	3.2	0.9	0.3	0.3	4.7	3.2	0.9	0.4	0.3	4.8	3.0	1.1	0.2	0.0	4.3
18-24	5.5	2.3	0.8	0.7	9.3	5.3	2.4	0.8	0.7	9.2	7.2	1.9	0.2	0.6	10.0
24-30	7.4	3.6	1.7	1.5	14.1	7.5	3.6	1.7	1.6	14.4	6.0	3.4	0.9	0.4	10.6
30-36	7.0	4.0	1.7	1.3	13.9	7.2	4.1	1.7	1.3	14.2	5.3	3.0	1.5	0.9	10.6
36+	33.2	14.2	5.1	4.1	56.7	32.3	14.3	5.0	4.4	56.1	43.0	13.2	5.8	1.1	63.0
Total	56.8	25.5	9.7	8.0	100.0	56.0	25.7	9.8	8.5	100.0	65.5	23.0	8.5	3.0	100.0

Punjab

10-12	0.8	0.4	0.0	0.1	1.4	1.1	0.6	0.1	0.0	1.7	0.4	0.0	0.0	0.4	0.8
12-18	6.7	1.6	0.8	0.1	9.1	7.7	1.9	1.1	0.1	10.8	5.0	1.0	0.2	0.0	6.1
18-24	6.4	1.6	0.6	0.3	9.0	7.7	2.1	1.0	0.2	11.1	4.1	0.8	0.0	0.4	5.2
24-30	7.6	1.7	0.6	0.3	10.2	9.5	2.3	0.7	0.3	12.8	4.2	0.8	0.4	0.4	5.8
30-36	7.0	2.7	0.7	0.2	10.6	7.3	2.7	0.9	0.2	11.1	6.5	2.7	0.4	0.2	9.7
36+	41.1	13.5	3.5	1.7	59.7	34.6	13.6	2.8	1.5	52.5	52.4	13.2	4.8	1.9	72.4
Total	69.6	21.5	6.2	2.7	100.0	67.8	23.2	6.5	2.4	100.0	72.6	18.4	5.7	3.3	100.0

Note : Total may not add up to 100 due to rounding.

Rajasthan

10-12	0.6	0.8	0.2	0.3	2.0	0.7	0.9	0.2	0.4	2.3	0.3	0.2	0.2	0.0	0.6
12-18	6.8	2.7	1.8	1.5	12.8	6.4	2.6	1.9	1.7	12.7	8.5	2.9	1.2	0.8	13.3
18-24	8.7	4.4	2.5	2.5	18.1	9.0	4.5	2.7	2.8	19.0	7.4	3.6	1.7	1.1	13.8
24-30	8.9	4.7	3.0	2.5	19.1	9.0	5.2	3.1	2.7	19.9	8.6	2.4	2.4	1.8	15.3
30-36	5.2	3.6	1.8	1.8	12.4	5.0	3.8	2.0	2.0	12.9	6.1	2.6	0.9	0.6	10.1
36+	16.5	9.7	5.1	4.3	35.7	14.4	8.8	5.2	4.7	33.2	26.3	13.6	4.5	2.4	46.9
Total	46.8	25.8	14.4	13.0	100.0	44.6	25.9	15.2	14.3	100.0	57.2	25.3	10.9	6.7	100.0

Tamil Nadu

10-12	0.9	0.2	0.0	0.0	1.1	1.0	0.2	0.0	0.0	1.2	0.6	0.3	0.0	0.0	0.9
12-18	8.9	1.5	0.2	0.1	10.7	9.9	1.6	0.4	0.1	11.9	7.5	1.4	0.0	0.0	8.9
18-24	13.9	2.8	0.4	0.1	17.2	14.5	3.6	0.4	0.2	18.7	13.0	1.7	0.4	0.0	15.1
24-30	13.7	2.7	0.4	0.0	16.8	14.3	3.7	0.3	0.1	18.4	12.8	1.3	0.4	0.0	14.4
30-36	8.6	2.3	0.4	0.1	11.4	9.3	2.4	0.6	0.2	12.6	7.6	2.1	0.0	0.0	9.8
36+	34.2	7.3	1.0	0.3	42.8	27.3	8.0	1.3	0.5	37.1	44.0	6.2	0.6	0.1	50.9
Total	80.1	16.8	2.4	0.7	100.0	76.3	19.5	3.0	1.1	100.0	85.5	13.0	1.4	0.1	100.0

Uttar Pradesh

10-12	1.2	0.7	0.2	0.3	2.4	1.1	0.7	0.2	0.3	2.3	1.9	0.6	0.3	0.4	3.1
12-18	6.6	2.9	1.1	1.5	12.1	6.7	2.9	1.3	1.5	12.4	6.0	2.9	0.3	1.1	10.3
18-24	7.9	3.6	1.9	2.0	15.4	8.0	3.8	2.1	2.0	15.8	7.3	2.7	1.0	2.0	13.0
24-30	6.8	4.1	2.2	2.5	15.6	6.7	4.4	2.2	2.7	16.1	7.1	2.8	1.9	1.4	13.2
30-36	5.6	3.0	1.7	2.1	12.5	5.8	3.2	1.7	2.1	12.8	4.8	2.2	1.7	2.2	10.8
36+	16.7	12.0	6.8	6.5	42.0	15.6	11.8	6.8	6.4	40.6	22.8	13.1	7.0	6.7	49.6
Total	44.8	26.3	14.0	14.9	100.0	43.9	26.7	14.3	15.1	100.0	49.7	24.2	12.2	13.8	100.0

West Bengal

10-12	0.6	0.2	0.0	0.1	0.9	0.6	0.2	0.0	0.1	0.9	0.5	0.0	0.0	0.3	0.8
12-18	3.6	1.1	0.4	0.4	5.5	3.7	1.2	0.4	0.3	5.6	3.3	0.6	0.4	0.5	4.8
18-24	6.5	1.8	0.7	0.9	9.9	6.5	1.9	0.7	0.9	10.0	6.1	1.8	0.4	1.3	9.6
24-30	9.5	3.2	1.4	1.3	15.5	10.1	3.1	1.5	1.3	15.9	6.5	3.9	1.3	1.7	13.3
30-36	6.0	2.3	0.7	0.7	9.8	6.4	2.2	0.7	0.8	10.1	4.0	2.6	0.9	0.5	8.1
36+	38.4	12.3	4.5	3.2	58.4	37.4	12.3	4.4	3.3	57.4	43.5	12.2	5.2	2.5	63.4
Total	64.6	20.9	7.9	6.6	100.0	64.8	20.9	7.8	6.6	100.0	63.9	21.1	8.2	6.7	100.0

Note : Total may not add up to 100 due to rounding.

Table 8

Age-specific death rate by sex and residence, 2011

India

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	48.2	46.9	49.7	53.6	52.4	55.0	30.1	28.4	32.0
1-4	2.9	2.2	3.6	3.3	2.5	4.2	1.5	1.4	1.5
0-4	12.2	11.5	13.0	13.6	12.7	14.5	7.4	7.1	7.8
5-9	1.0	1.0	1.0	1.1	1.1	1.1	0.5	0.5	0.5
10-14	0.7	0.7	0.7	0.8	0.9	0.7	0.4	0.3	0.5
15-19	1.3	1.2	1.4	1.4	1.3	1.5	1.2	1.0	1.3
20-24	1.6	1.7	1.6	1.8	1.8	1.8	1.2	1.4	1.0
25-29	1.8	2.1	1.5	1.9	2.3	1.6	1.5	1.8	1.3
30-34	2.3	2.9	1.6	2.5	3.2	1.9	1.7	2.4	0.9
35-39	2.7	3.7	1.7	3.0	4.1	1.9	2.0	3.0	1.0
40-44	4.0	5.3	2.5	4.2	5.7	2.7	3.3	4.4	2.1
45-49	5.5	7.2	3.7	5.7	7.6	3.9	4.9	6.4	3.3
50-54	8.3	10.3	6.0	8.6	10.6	6.2	7.8	9.6	5.6
55-59	12.2	15.7	9.3	12.9	16.8	9.7	10.6	13.2	8.1
60-64	20.1	23.8	16.1	21.4	25.2	17.4	16.5	20.2	12.5
65-69	33.2	40.1	26.7	36.1	43.8	28.8	24.9	29.4	20.5
70-74	49.9	58.1	42.5	52.2	61.1	44.1	43.7	49.8	38.0
75-79	73.6	81.5	66.4	77.1	85.7	69.4	62.8	68.6	57.7
80-84	104.8	115.9	95.1	107.0	115.8	99.0	99.1	115.9	84.7
85+	167.6	183.6	154.8	165.9	182.4	152.3	172.8	187.6	162.3
All ages (Crude death rate)	7.1	7.8	6.3	7.6	8.4	6.9	5.7	6.3	5.0

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

India

Indicators	Total	Rural	Urban
Child mortality rate	12	14	7
Under-five mortality rate	55	61	35
Infant mortality rate	44	48	29
Neo-natal mortality rate	31	34	17
Early neo-natal mortality rate	24	27	13
Late neo-natal mortality rate	7	7	4
Post neo-natal mortality rate	14	14	12
Peri-natal mortality rate	30	33	19
Still birth rate	6	6	6

Table 8

Age-specific death rate by sex and residence, 2011

Andhra Pradesh

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	47.1	44.9	49.4	54.6	53.3	56.0	30.9	27.2	34.8
1-4	0.6	0.4	0.8	0.5	0.2	0.8	0.7	0.7	0.8
0-4	9.7	9.1	10.3	10.7	10.2	11.2	7.1	6.3	8.1
5-9	0.8	0.7	0.9	0.9	0.8	1.0	0.6	0.5	0.6
10-14	0.6	0.5	0.7	0.7	0.7	0.8	0.3	0.0	0.6
15-19	1.4	1.4	1.5	2.0	1.9	2.1	0.1	0.2	0.0
20-24	1.9	1.8	1.9	2.2	1.9	2.4	1.1	1.5	0.8
25-29	2.4	3.1	1.7	3.1	4.1	2.1	0.9	0.9	0.9
30-34	3.1	4.6	1.6	3.8	5.7	2.0	1.6	2.5	0.8
35-39	3.4	4.9	1.9	3.5	4.7	2.3	3.2	5.5	0.9
40-44	4.6	6.3	2.9	5.0	6.6	3.4	3.6	5.5	1.7
45-49	5.6	8.0	3.2	6.8	10.3	3.4	3.8	4.7	2.8
50-54	10.9	14.5	6.9	11.5	15.8	6.4	9.7	11.4	7.8
55-59	14.1	18.5	10.5	15.1	20.9	10.8	11.0	12.9	9.2
60-64	22.8	27.3	18.5	23.6	26.2	21.2	20.7	30.5	10.8
65-69	34.3	45.4	24.2	37.6	48.5	27.6	24.4	36.0	13.4
70-74	53.3	65.1	43.7	55.7	66.9	46.9	45.5	59.9	33.2
75-79	68.1	69.9	66.6	69.0	67.9	69.8	64.7	77.0	54.6
80-84	90.7	104.7	80.2	97.4	105.1	91.4	67.5	103.0	43.8
85+	125.2	148.0	107.8	113.9	127.7	103.1	173.1	239.4	126.8
All ages (Crude death rate)	7.5	8.7	6.3	8.5	9.6	7.3	5.2	6.5	3.9

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Andhra Pradesh

Indicators	Total	Rural	Urban
Child mortality rate	10	11	7
Under-five mortality rate	45	49	34
Infant mortality rate	43	47	31
Neo-natal mortality rate	28	34	13
Early neo-natal mortality rate	24	30	10
Late neo-natal mortality rate	4	4	3
Post neo-natal mortality rate	15	14	18
Peri-natal mortality rate	30	36	14
Still birth rate	6	7	3

Table 8

Age-specific death rate by sex and residence, 2011

Assam

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	61.8	62.9	60.7	64.7	65.8	63.5	36.4	36.5	36.3
1-4	6.1	5.3	7.1	6.7	5.7	7.8	1.3	1.5	1.1
0-4	17.0	16.5	17.5	18.1	17.5	18.7	7.9	8.0	7.9
5-9	0.8	0.9	0.8	0.9	0.9	0.9	0.4	0.6	0.2
10-14	0.9	1.1	0.6	0.9	1.2	0.6	0.4	0.0	0.8
15-19	1.6	1.7	1.5	1.7	1.8	1.7	1.0	1.4	0.6
20-24	1.8	1.3	2.2	1.8	1.2	2.3	1.5	1.6	1.3
25-29	2.1	3.0	1.3	2.3	3.3	1.4	1.2	1.5	0.9
30-34	2.8	3.4	2.2	2.8	3.3	2.3	2.8	3.8	1.7
35-39	2.5	3.2	1.7	2.3	3.0	1.6	3.2	4.2	2.0
40-44	4.5	5.7	3.0	4.6	5.9	3.1	3.7	4.6	2.6
45-49	6.6	6.5	6.8	6.9	6.3	7.6	5.5	7.2	3.4
50-54	10.4	8.6	12.7	10.9	8.4	14.3	8.3	9.8	6.3
55-59	19.5	24.7	15.0	21.1	27.1	16.1	11.5	14.2	8.5
60-64	21.7	28.6	13.8	22.4	30.2	13.7	18.3	21.1	14.7
65-69	46.6	44.2	49.1	49.1	46.0	52.4	31.9	34.2	29.2
70-74	70.7	99.9	38.8	75.7	109.3	39.1	45.3	52.5	37.4
75-79	101.1	110.2	91.0	107.1	118.5	94.3	63.4	55.5	71.4
80-84	122.9	149.2	96.7	128.3	159.0	97.9	91.3	93.0	89.5
85+	201.9	222.4	182.9	211.4	239.7	183.8	153.2	115.8	179.1
All ages (Crude death rate)	8.0	8.9	7.1	8.4	9.4	7.4	5.6	6.4	4.8

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Assam

Indicators	Total	Rural	Urban
Child mortality rate	17	18	8
Under-five mortality rate	78	83	39
Infant mortality rate	55	58	34
Neo-natal mortality rate	30	32	10
Early neo-natal mortality rate	25	27	10
Late neo-natal mortality rate	5	5	1
Post neo-natal mortality rate	26	26	24
Peri-natal mortality rate	34	36	18

Still birth rate	9	9	9

Table 8

Age-specific death rate by sex and residence, 2011

Bihar

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	40.7	41.8	39.6	41.4	42.6	40.3	32.5	33.6	31.1
1-4	4.0	3.3	4.7	4.2	3.4	5.0	1.8	2.1	1.5
0-4	12.4	12.0	12.8	12.7	12.2	13.2	8.7	9.5	7.9
5-9	1.4	1.3	1.6	1.4	1.4	1.5	1.3	0.8	1.8
10-14	1.2	1.3	0.9	1.2	1.4	0.9	1.1	1.0	1.3
15-19	1.4	1.2	1.6	1.4	1.3	1.6	1.2	0.7	1.7
20-24	1.6	1.4	1.9	1.7	1.4	1.9	1.5	1.1	1.8
25-29	1.7	1.6	1.7	1.7	1.5	1.8	1.7	2.2	1.1
30-34	2.1	2.9	1.4	2.1	2.6	1.5	2.5	4.9	0.0
35-39	2.3	2.8	1.8	2.4	3.0	1.9	0.9	1.3	0.4
40-44	3.6	3.9	3.3	3.7	3.9	3.4	3.3	3.7	2.9
45-49	3.3	3.6	3.1	3.1	3.5	2.8	4.7	4.3	5.2
50-54	6.7	6.5	6.9	6.8	6.6	7.2	5.4	5.7	4.9
55-59	12.4	14.1	11.2	12.5	13.7	11.5	12.1	16.9	7.9
60-64	20.4	20.6	20.1	20.8	20.5	21.1	17.0	21.7	11.5
65-69	33.9	36.5	31.0	34.8	37.4	32.0	25.6	28.5	22.6
70-74	56.8	58.3	55.2	57.4	59.5	55.2	51.6	47.2	55.7
75-79	73.6	74.7	72.4	75.8	75.9	75.6	56.2	63.2	49.3
80-84	106.9	106.8	107.1	110.2	104.4	116.8	79.3	127.0	27.5
85+	168.8	195.3	139.8	170.1	193.5	144.0	155.9	216.1	99.9
All ages (Crude death rate)	6.7	7.0	6.5	6.9	7.1	6.7	5.5	6.2	4.8

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Bihar

Indicators	Total	Rural	Urban
Child mortality rate	12	13	9
Under-five mortality rate	59	61	41
Infant mortality rate	44	45	34
Neo-natal mortality rate	29	31	12
Early neo-natal mortality rate	25	26	8
Late neo-natal mortality rate	4	4	4
Post neo-natal mortality rate	15	14	22

Peri-natal mortality rate	28	29	14
Still birth rate	3	3	6

Table 8

Age-specific death rate by sex and residence, 2011

Chhattisgarh

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	47.5	47.9	47.1	48.2	48.5	48.0	42.4	43.4	41.5
1-4	2.5	0.6	4.3	2.7	0.6	4.6	1.4	0.5	2.3
0-4	13.1	11.8	14.4	13.6	12.3	15.0	9.9	9.1	10.7
5-9	1.0	0.5	1.5	1.0	0.5	1.5	0.7	0.4	1.2
10-14	0.7	0.6	0.9	0.8	0.5	1.0	0.5	1.0	0.0
15-19	1.8	1.5	2.0	1.7	1.6	1.8	2.1	1.2	3.0
20-24	2.0	2.3	1.8	2.1	2.2	2.0	1.6	2.7	0.6
25-29	1.7	1.3	2.1	1.4	0.9	1.9	3.0	3.0	3.0
30-34	4.1	4.9	3.3	4.7	5.6	3.8	1.8	2.4	1.2
35-39	4.3	4.3	4.3	4.5	4.2	4.8	3.4	4.5	2.4
40-44	3.2	3.5	2.9	3.2	3.2	3.2	3.2	4.5	1.9
45-49	7.3	7.9	6.7	7.7	7.6	7.9	5.7	8.9	2.1
50-54	7.2	8.7	5.5	7.4	8.9	5.6	6.6	7.9	5.0
55-59	10.3	17.1	5.1	9.8	16.7	4.6	12.9	18.7	7.6
60-64	19.6	25.2	13.0	19.2	24.9	12.4	21.4	27.0	15.7
65-69	39.7	51.0	31.0	42.4	55.0	33.1	25.6	32.6	19.1
70-74	62.0	97.1	35.5	64.3	104.5	35.0	48.3	58.1	39.2
75-79	130.7	137.4	125.4	135.4	139.7	132.2	105.6	126.4	86.8
80-84	142.0	167.8	115.8	148.2	183.8	109.9	112.8	77.2	139.4
85+	296.4	360.4	251.6	315.4	381.4	268.9	201.0	252.4	166.6
All ages (Crude death rate)	7.9	8.6	7.2	8.3	9.0	7.6	6.1	7.0	5.1

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Chhattisgarh

Indicators	Total	Rural	Urban
Child mortality rate	13	14	10
Under-five mortality rate	57	59	46
Infant mortality rate	48	49	41
Neo-natal mortality rate	34	34	31
Early neo-natal mortality rate	25	25	26
Late neo-natal mortality rate	9	10	5

Post neo-natal mortality rate	14	15	10
Peri-natal mortality rate	36	36	36
Still birth rate	12	12	10

Table 8

Age-specific death rate by sex and residence, 2011

Delhi

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	25.9	23.9	28.1	26.7	15.2	40.2	25.7	26.2	25.1
1-4	1.1	1.0	1.1	1.3	2.0	0.6	1.0	0.8	1.2
0-4	6.3	5.7	6.9	7.6	5.3	10.3	6.0	5.8	6.2
5-9	0.5	0.5	0.5	0.0	0.0	0.0	0.6	0.6	0.6
10-14	0.5	0.0	1.1	0.5	0.0	1.2	0.5	0.0	1.0
15-19	1.0	1.4	0.5	0.7	1.1	0.2	1.1	1.5	0.6
20-24	1.7	2.2	1.3	3.4	2.8	3.9	1.4	2.0	0.8
25-29	1.5	2.2	0.7	1.0	2.0	0.0	1.6	2.3	0.8
30-34	1.4	1.7	1.0	1.3	2.4	0.0	1.4	1.6	1.2
35-39	2.2	3.3	0.9	3.9	6.0	1.6	1.9	2.9	0.8
40-44	2.8	4.2	1.3	3.1	4.0	2.1	2.8	4.2	1.1
45-49	4.5	6.2	2.3	3.6	4.2	2.7	4.6	6.5	2.2
50-54	7.4	8.5	5.9	6.0	7.0	4.5	7.6	8.7	6.0
55-59	11.1	12.0	10.1	2.0	0.0	3.6	12.5	13.7	11.3
60-64	17.0	20.3	13.5	28.0	19.1	38.1	15.2	20.5	9.6
65-69	25.2	31.9	18.3	34.2	46.9	22.2	23.9	29.8	17.8
70-74	33.3	27.9	38.7	46.2	21.8	73.6	31.4	28.9	33.9
75-79	51.9	37.8	68.1	43.6	93.1	0.0	53.1	31.1	79.2
80-84	78.4	75.0	81.9	155.5	257.2	79.8	67.0	52.9	82.3
85+	134.6	107.6	162.8	108.8	103.5	115.0	139.5	108.4	171.3
All ages (Crude death rate)	4.3	4.7	3.9	4.7	4.8	4.5	4.3	4.6	3.8

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Delhi

Indicators	Total	Rural	Urban
Child mortality rate	6	8	6
Under-five mortality rate	32	41	30
Infant mortality rate	28	36	26
Neo-natal mortality rate	18	25	17
Early neo-natal mortality rate	12	14	12

Late neo-natal mortality rate	6	11	5
Post neo-natal mortality rate	10	11	9
Peri-natal mortality rate	19	22	19
Still birth rate	7	8	7

Table 8

Age-specific death rate by sex and residence, 2011

Gujarat

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	50.1	48.1	52.4	60.4	59.3	61.6	31.7	27.3	36.5
1-4	2.9	2.7	3.1	3.3	3.5	3.1	2.2	1.3	3.2
0-4	12.1	11.5	12.8	14.2	14.3	14.2	8.0	6.3	10.1
5-9	0.9	0.9	0.8	1.2	1.3	1.2	0.3	0.2	0.3
10-14	0.6	0.7	0.5	0.6	0.7	0.6	0.6	0.8	0.3
15-19	1.2	1.3	1.2	1.3	1.4	1.2	1.1	1.0	1.2
20-24	1.8	1.8	1.9	2.3	2.3	2.2	1.1	0.9	1.3
25-29	1.8	2.2	1.3	1.9	2.5	1.3	1.6	1.8	1.4
30-34	1.9	2.5	1.3	2.1	2.6	1.6	1.7	2.3	0.9
35-39	2.5	3.7	1.3	3.2	4.7	1.7	1.6	2.4	0.7
40-44	4.4	5.7	3.0	5.1	6.5	3.5	3.5	4.4	2.4
45-49	5.9	8.1	3.6	6.1	8.8	3.4	5.6	7.1	3.9
50-54	9.4	12.0	6.5	10.4	13.0	7.6	7.9	10.5	4.9
55-59	9.8	14.0	6.2	11.5	15.8	7.9	7.1	11.2	3.2
60-64	18.7	21.1	16.2	21.3	23.9	18.7	14.1	16.3	11.6
65-69	29.8	34.0	26.1	32.0	37.5	27.0	25.7	27.4	24.3
70-74	50.5	65.2	38.3	49.9	57.4	43.8	51.6	78.3	28.2
75-79	54.8	67.1	45.3	53.4	64.6	44.9	57.1	71.2	46.0
80-84	98.3	119.7	82.5	84.6	107.3	69.9	117.3	134.0	102.6
85+	150.4	173.5	137.4	135.9	151.6	126.9	175.0	212.1	155.0
All ages (Crude death rate)	6.7	7.4	6.0	7.4	8.2	6.6	5.7	6.3	5.0

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Gujarat

Indicators	Total	Rural	Urban
Child mortality rate	12	14	8
Under-five mortality rate	52	60	35
Infant mortality rate	41	48	27
Neo-natal mortality rate	30	35	19

Early neo-natal mortality rate	22	25	15
Late neo-natal mortality rate	8	10	4
Post neo-natal mortality rate	11	13	8
Peri-natal mortality rate	29	32	24
Still birth rate	7	6	9

Table 8

Age-specific death rate by sex and residence, 2011

Haryana

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	51.1	48.0	55.0	56.1	53.0	60.0	38.5	35.4	42.4
1-4	1.6	1.0	2.5	1.5	0.8	2.2	2.1	1.3	3.0
0-4	11.3	10.3	12.5	12.2	11.3	13.3	9.1	7.9	10.5
5-9	0.5	0.2	0.7	0.3	0.1	0.5	0.8	0.5	1.2
10-14	0.5	0.7	0.3	0.5	0.6	0.4	0.5	0.9	0.0
15-19	0.9	0.7	1.1	0.9	0.7	1.0	0.9	0.5	1.4
20-24	2.3	2.6	2.1	2.8	3.1	2.4	1.4	1.2	1.6
25-29	1.9	2.0	1.6	2.3	2.5	2.0	0.9	1.0	0.8
30-34	2.3	3.6	0.7	2.5	4.0	0.7	1.8	2.8	0.7
35-39	2.1	3.2	0.9	1.3	1.7	0.9	3.8	6.5	1.0
40-44	3.5	5.4	1.5	3.9	5.6	2.0	2.7	4.9	0.4
45-49	5.8	7.9	3.5	6.4	8.3	4.3	4.6	7.1	1.9
50-54	10.7	13.7	6.9	13.4	16.4	9.4	6.1	8.9	2.7
55-59	13.1	17.6	9.2	14.1	21.6	8.0	10.9	9.6	12.3
60-64	19.2	27.4	10.6	19.3	30.1	8.1	19.1	22.0	16.0
65-69	32.3	34.9	29.9	33.9	38.3	30.1	28.7	27.8	29.6
70-74	47.0	50.5	43.8	46.5	53.7	40.2	48.2	42.4	53.5
75-79	59.7	65.0	54.8	62.2	64.2	60.3	52.0	67.7	38.9
80-84	70.3	82.0	58.5	75.2	90.2	59.3	56.6	56.8	56.5
85+	198.9	217.9	177.3	200.0	220.0	177.6	195.3	211.1	176.2
All ages (Crude death rate)	6.5	7.2	5.6	7.0	7.9	6.0	5.3	5.8	4.8

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Haryana

Indicators	Total	Rural	Urban
Child mortality rate	11	12	9
Under-five mortality rate	51	54	43
Infant mortality rate	44	48	35

Neo-natal mortality rate	28	32	18
Early neo-natal mortality rate	24	27	14
Late neo-natal mortality rate	5	5	5
Post neo-natal mortality rate	16	16	16
Peri-natal mortality rate	32	37	20
Still birth rate	9	10	6

Table 8

Age-specific death rate by sex and residence, 2011

Himachal Pradesh

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	37.4	37.7	37.0	37.5	39.1	35.9	35.3	15.1	52.8
1-4	2.2	1.9	2.6	2.2	1.8	2.6	2.3	2.9	1.6
0-4	9.3	8.9	9.7	9.4	9.2	9.5	8.1	4.8	11.5
5-9	0.2	0.4	0.0	0.2	0.4	0.0	0.0	0.0	0.0
10-14	0.6	0.7	0.5	0.6	0.8	0.4	0.5	0.0	1.0
15-19	0.8	1.1	0.4	0.6	0.9	0.4	2.1	3.0	0.9
20-24	1.3	1.4	1.2	1.4	1.5	1.3	0.0	0.0	0.0
25-29	2.4	3.3	1.6	2.5	3.4	1.7	1.6	2.6	0.8
30-34	1.4	1.7	1.2	1.5	1.7	1.3	0.9	1.8	0.0
35-39	2.5	2.7	2.3	2.8	3.0	2.5	0.4	0.0	0.8
40-44	3.1	5.3	1.0	3.3	5.8	1.1	1.4	1.8	0.9
45-49	3.0	3.6	2.4	2.9	3.3	2.5	3.9	5.6	2.1
50-54	5.9	8.3	3.5	6.1	8.9	3.3	4.6	4.0	5.4
55-59	6.6	7.8	5.6	6.7	8.1	5.5	6.2	5.4	7.2
60-64	14.5	17.5	11.4	15.0	18.3	11.6	9.4	10.1	8.3
65-69	28.6	36.7	20.7	30.0	39.1	21.3	11.5	9.7	13.4
70-74	37.8	45.6	30.3	39.4	48.0	31.1	17.6	15.4	19.6
75-79	66.7	71.0	62.8	69.7	74.2	65.6	33.0	34.9	31.4
80-84	105.8	118.7	94.1	110.4	121.1	100.8	42.2	86.3	0.0
85+	116.2	116.9	115.6	118.3	114.8	121.3	79.2	155.1	18.2
All ages (Crude death rate)	6.7	7.7	5.7	7.0	8.1	6.0	3.6	4.1	3.1

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Himachal Pradesh

Indicators	Total	Rural	Urban
Child mortality rate	9	9	8
Under-five mortality rate	46	47	36

Infant mortality rate	38	38	28
Neo-natal mortality rate	28	29	15
Early neo-natal mortality rate	23	23	14
Late neo-natal mortality rate	5	6	1
Post neo-natal mortality rate	9	9	13
Peri-natal mortality rate	33	33	32
Still birth rate	10	10	19

Table 8

Age-specific death rate by sex and residence, 2011

Jammu & Kashmir

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	50.2	47.5	53.4	52.1	48.9	55.9	38.4	37.8	39.2
1-4	1.1	1.2	0.9	1.2	1.5	0.9	0.5	0.0	1.0
0-4	10.3	10.1	10.6	10.9	10.8	11.1	6.9	6.1	7.8
5-9	0.7	0.9	0.5	0.8	1.0	0.6	0.0	0.0	0.0
10-14	0.4	0.9	0.0	0.5	1.0	0.0	0.0	0.0	0.0
15-19	0.9	0.9	1.0	0.9	0.8	1.0	0.9	0.9	1.0
20-24	0.8	0.9	0.6	0.7	0.8	0.5	1.2	1.4	0.9
25-29	0.9	1.2	0.6	0.8	1.2	0.4	1.3	1.1	1.4
30-34	1.4	2.0	0.7	1.6	2.2	0.9	0.6	1.2	0.0
35-39	1.2	1.2	1.2	1.3	1.3	1.3	1.0	0.9	1.0
40-44	2.9	3.1	2.7	2.8	3.0	2.6	3.2	3.4	2.9
45-49	2.5	2.8	2.1	2.4	2.9	1.8	2.8	2.5	3.0
50-54	4.9	4.9	5.0	5.5	4.9	6.2	3.3	4.7	1.8
55-59	13.1	16.6	10.1	13.8	16.0	11.9	11.0	18.1	4.2
60-64	15.5	11.8	19.9	16.5	12.8	21.0	12.2	8.6	16.5
65-69	27.1	32.7	21.1	31.2	37.4	24.3	15.4	18.8	12.0
70-74	45.1	44.2	46.0	48.4	49.5	47.2	35.4	27.1	42.8
75-79	66.5	79.2	52.5	73.8	92.3	53.2	42.2	34.4	50.4
80-84	61.7	86.6	38.1	62.0	88.5	35.9	60.8	79.4	45.2
85+	122.0	115.7	128.4	115.3	100.6	131.4	150.4	193.7	117.9
All ages (Crude death rate)	5.5	6.0	5.0	5.7	6.3	5.1	4.7	4.9	4.5

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Jammu & kashmir

Indicators	Total	Rural	Urban
Child mortality rate	10	11	7

Under-five mortality rate	45	47	30
Infant mortality rate	41	43	28
Neo-natal mortality rate	32	34	19
Early neo-natal mortality rate	26	29	12
Late neo-natal mortality rate	5	5	7
Post neo-natal mortality rate	9	9	9
Peri-natal mortality rate	34	37	17
Still birth rate	8	8	5

Table 8

Age-specific death rate by sex and residence, 2011

Jharkhand

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	46.1	42.9	49.7	50.0	46.2	54.5	27.5	26.6	28.6
1-4	3.8	2.4	5.3	4.2	2.6	5.9	1.1	1.0	1.2
0-4	12.2	10.8	13.8	13.1	11.5	14.8	7.2	6.7	7.7
5-9	1.3	2.0	0.6	1.4	2.2	0.6	0.9	1.1	0.8
10-14	0.8	0.7	0.9	0.9	0.8	1.0	0.2	0.0	0.4
15-19	0.8	0.9	0.8	0.8	0.9	0.6	1.2	1.0	1.5
20-24	0.8	1.4	0.3	0.9	1.6	0.2	0.5	0.7	0.4
25-29	2.0	2.3	1.7	1.6	2.0	1.2	3.3	3.2	3.4
30-34	2.1	2.1	2.2	2.4	2.4	2.4	1.3	1.2	1.4
35-39	3.7	5.7	1.8	4.3	6.7	2.0	1.5	2.0	1.0
40-44	4.6	4.6	4.7	5.2	4.8	5.6	2.7	3.9	1.2
45-49	5.1	6.8	3.2	5.9	7.8	3.6	2.3	3.1	1.4
50-54	7.7	10.2	4.6	7.9	11.2	3.8	7.0	7.0	6.9
55-59	15.3	13.4	16.8	16.8	14.4	18.4	9.8	10.0	9.7
60-64	22.8	21.0	25.0	22.8	18.8	27.9	22.7	29.6	14.5
65-69	43.7	39.9	47.4	47.5	43.5	51.0	27.9	26.9	29.2
70-74	69.5	71.8	67.2	73.9	77.8	70.0	52.2	48.9	55.6
75-79	71.6	69.1	74.0	73.4	67.7	78.9	63.0	75.6	50.6
80-84	99.4	114.8	82.9	96.3	110.9	80.6	110.5	128.9	91.1
85+	234.6	288.5	190.9	251.7	318.9	198.8	166.2	175.9	157.5
All ages (Crude death rate)	6.9	7.0	6.8	7.3	7.3	7.2	5.2	5.6	4.8

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Jharkhand

Indicators	Total	Rural	Urban

Child mortality rate	12	13	7
Under-five mortality rate	54	57	32
Infant mortality rate	39	41	28
Neo-natal mortality rate	29	31	13
Early neo-natal mortality rate	25	27	12
Late neo-natal mortality rate	4	4	1
Post neo-natal mortality rate	11	10	15
Peri-natal mortality rate	26	28	13
Still birth rate	1	1	1

Table 8

Age-specific death rate by sex and residence, 2011

Karnataka

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	38.7	37.2	40.2	46.0	46.4	45.6	26.0	22.9	29.8
1-4	1.4	1.2	1.6	1.1	1.0	1.3	1.8	1.4	2.3
0-4	8.6	8.2	9.1	9.6	9.3	9.9	6.9	6.2	7.7
5-9	0.6	0.8	0.3	0.7	1.1	0.3	0.3	0.3	0.3
10-14	0.5	0.6	0.4	0.7	0.9	0.6	0.0	0.0	0.0
15-19	1.2	1.0	1.4	1.4	1.2	1.5	0.8	0.5	1.1
20-24	1.6	1.4	1.7	2.0	1.8	2.3	0.7	0.8	0.7
25-29	1.3	1.9	0.8	1.7	2.4	1.0	0.7	0.9	0.4
30-34	2.9	5.1	0.7	3.3	6.0	0.6	2.4	3.9	0.9
35-39	3.4	5.5	1.3	3.5	5.7	1.4	3.3	5.2	1.2
40-44	3.6	6.1	1.3	4.1	7.1	1.1	3.0	4.6	1.4
45-49	7.1	9.6	4.5	6.9	9.6	4.3	7.4	9.7	5.0
50-54	8.1	10.9	5.0	8.9	13.0	4.0	7.0	7.5	6.5
55-59	13.6	16.3	11.4	14.2	16.7	12.2	12.5	15.5	9.5
60-64	18.8	24.1	13.4	21.9	27.0	16.9	13.2	19.1	7.0
65-69	31.8	38.3	25.7	34.2	40.8	28.0	26.6	32.9	20.5
70-74	44.8	57.1	34.8	46.2	59.4	36.1	41.9	52.8	32.0
75-79	83.0	101.0	69.1	87.9	117.5	65.0	69.8	56.2	80.1
80-84	108.1	100.8	113.6	114.8	117.3	113.1	93.2	64.2	114.8
85+	169.0	205.6	148.0	175.7	217.6	150.3	153.0	173.5	142.9
All ages (Crude death rate)	7.1	8.2	5.9	8.0	9.4	6.6	5.4	6.1	4.8

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Karnataka

Indicators	Total	Rural	Urban

Child mortality rate	9	10	7
Under-five mortality rate	40	43	33
Infant mortality rate	35	39	26
Neo-natal mortality rate	24	31	12
Early neo-natal mortality rate	20	24	11
Late neo-natal mortality rate	5	6	1
Post neo-natal mortality rate	10	8	14
Peri-natal mortality rate	33	40	21
Still birth rate	14	16	10

Table 8

Age-specific death rate by sex and residence, 2011

Kerala

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	12.3	11.4	13.2	13.2	12.4	13.9	9.4	8.2	10.8
1-4	0.2	0.2	0.3	0.2	0.1	0.4	0.2	0.5	0.0
0-4	2.6	2.4	2.8	2.8	2.6	3.1	2.0	1.9	2.1
5-9	0.2	0.2	0.2	0.3	0.3	0.2	0.0	0.0	0.0
10-14	0.2	0.2	0.1	0.2	0.3	0.1	0.0	0.0	0.0
15-19	0.5	0.6	0.5	0.5	0.4	0.7	0.6	1.2	0.0
20-24	0.8	1.5	0.1	0.9	1.7	0.1	0.4	0.8	0.0
25-29	0.7	1.2	0.2	0.9	1.5	0.3	0.0	0.0	0.0
30-34	1.1	1.3	0.9	1.2	1.3	1.1	0.6	1.3	0.0
35-39	1.9	2.5	1.3	1.9	2.7	1.2	1.8	2.1	1.5
40-44	2.1	4.0	0.5	2.0	4.1	0.3	2.3	3.8	1.1
45-49	3.5	4.4	2.8	3.4	4.9	2.1	4.0	3.1	4.8
50-54	5.5	8.1	3.2	4.8	7.1	2.8	7.6	11.1	4.4
55-59	9.8	13.7	6.2	9.7	14.3	5.5	10.0	12.0	8.2
60-64	15.1	22.2	8.4	15.2	22.8	8.2	14.7	20.8	8.8
65-69	21.2	29.4	14.0	21.6	30.5	13.8	19.9	26.0	14.7
70-74	36.0	52.2	23.9	35.1	51.8	22.8	38.8	53.3	27.7
75-79	67.1	78.7	59.2	66.0	81.3	55.6	70.4	70.8	70.2
80-84	97.6	116.9	85.0	100.5	125.3	84.4	86.8	85.9	87.4
85+	202.7	226.2	189.3	207.1	237.1	189.9	185.3	181.9	187.2
All ages (Crude death rate)	7.0	8.3	5.8	7.1	8.7	5.8	6.6	7.3	6.0

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Kerala

Indicators	Total	Rural	Urban
Child mortality rate	3	3	2
Under-five mortality rate	13	14	10
Infant mortality rate	12	13	9
Neo-natal mortality rate	7	8	3
Early neo-natal mortality rate	5	6	1
Late neo-natal mortality rate	2	2	2
Post neo-natal mortality rate	5	5	6
Peri-natal mortality rate	10	12	6
Still birth rate	6	6	5

Table 8

Age-specific death rate by sex and residence, 2011

Madhya Pradesh

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	70.4	67.3	73.8	75.6	72.3	79.3	44.5	43.5	45.7
1-4	4.8	4.1	5.5	5.2	4.2	6.2	3.0	3.6	2.3
0-4	18.8	17.9	19.7	20.6	19.4	21.8	11.0	11.6	10.4
5-9	1.6	2.0	1.2	1.8	2.2	1.4	0.9	1.1	0.6
10-14	0.6	0.8	0.5	0.6	0.7	0.5	0.9	1.3	0.6
15-19	2.2	1.6	2.8	2.2	1.5	3.0	2.0	1.8	2.2
20-24	2.1	1.9	2.3	2.5	2.2	2.9	0.6	0.8	0.5
25-29	1.9	2.4	1.4	2.1	2.5	1.8	1.3	2.1	0.5
30-34	1.9	1.8	2.0	2.1	1.9	2.4	1.3	1.6	1.1
35-39	2.7	3.7	1.7	2.9	4.0	1.8	2.0	2.5	1.5
40-44	3.8	5.7	1.7	3.5	5.1	1.7	5.0	7.9	1.9
45-49	6.6	8.9	4.3	7.5	10.3	4.5	3.9	4.4	3.4
50-54	9.4	11.7	6.4	9.1	12.8	4.2	10.3	8.8	12.1
55-59	10.4	12.6	8.6	10.4	12.8	8.5	10.4	12.0	8.7
60-64	24.6	27.7	21.1	27.0	30.2	23.2	16.0	18.2	13.6
65-69	35.6	40.5	31.2	37.9	43.4	32.9	26.6	29.1	24.3
70-74	71.7	81.5	62.3	74.3	86.9	62.4	62.2	62.7	61.6
75-79	87.0	96.9	78.0	89.8	101.2	79.4	76.1	80.3	72.2
80-84	146.3	176.0	119.7	161.2	200.5	128.0	97.0	104.7	88.8
85+	159.3	197.7	130.9	157.3	190.1	132.4	167.0	227.7	125.6
All ages (Crude death rate)	8.2	8.8	7.5	8.7	9.4	8.1	6.1	6.7	5.5

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Madhya Pradesh

Indicators	Total	Rural	Urban
Child mortality rate	19	21	11
Under-five mortality rate	77	82	50
Infant mortality rate	59	63	39
Neo-natal mortality rate	41	44	24
Early neo-natal mortality rate	32	34	19
Late neo-natal mortality rate	9	10	5
Post neo-natal mortality rate	19	19	15
Peri-natal mortality rate	38	40	27
Still birth rate	7	6	8

Table 8

Age-specific death rate by sex and residence, 2011

Maharashtra

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	22.2	21.8	22.7	27.4	27.5	27.4	15.0	13.8	16.3
1-4	0.8	0.8	0.8	1.0	0.8	1.1	0.6	0.7	0.4
0-4	5.1	5.0	5.2	6.0	6.0	6.0	3.7	3.5	3.8
5-9	0.4	0.5	0.3	0.4	0.6	0.2	0.4	0.3	0.4
10-14	0.4	0.3	0.4	0.4	0.5	0.3	0.3	0.0	0.5
15-19	1.0	0.7	1.3	0.9	0.7	1.1	1.2	0.8	1.6
20-24	1.3	1.5	1.1	1.6	1.7	1.5	0.9	1.2	0.6
25-29	1.8	2.2	1.3	2.2	3.2	1.2	1.2	1.0	1.4
30-34	2.3	3.2	1.4	2.9	4.0	1.8	1.7	2.4	1.0
35-39	2.6	3.8	1.4	3.0	4.4	1.6	2.2	3.1	1.2
40-44	3.1	4.5	1.6	4.2	6.0	2.4	1.6	2.6	0.7
45-49	4.8	5.9	3.7	4.8	6.1	3.5	4.8	5.6	4.0
50-54	6.1	8.4	3.5	5.8	7.9	3.6	6.4	9.1	3.3
55-59	9.9	13.9	6.5	11.0	15.8	6.9	8.5	11.5	5.9
60-64	20.5	25.6	15.3	23.5	30.0	17.1	15.8	19.0	12.2
65-69	28.4	32.8	24.4	30.4	37.7	24.2	24.9	25.0	24.9
70-74	45.2	49.1	41.8	46.0	48.9	43.4	43.7	49.3	38.9
75-79	73.1	85.4	61.7	80.5	92.0	69.6	58.4	71.7	46.7
80-84	98.4	116.5	81.9	88.7	93.2	84.4	116.7	163.2	77.4
85+	159.1	145.7	170.4	142.9	125.7	157.7	193.3	189.7	196.2
All ages (Crude death rate)	6.3	7.1	5.5	7.3	8.2	6.3	5.1	5.7	4.4

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Maharashtra

Indicators	Total	Rural	Urban
Child mortality rate	5	6	4
Under-five mortality rate	28	33	19
Infant mortality rate	25	30	17
Neo-natal mortality rate	18	22	13
Early neo-natal mortality rate	15	18	10
Late neo-natal mortality rate	3	4	3
Post neo-natal mortality rate	6	8	4
Peri-natal mortality rate	21	23	18
Still birth rate	6	5	8

Table 8

Age-specific death rate by sex and residence, 2011

Odisha

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	61.7	60.5	63.0	64.0	62.5	65.6	42.5	43.7	41.2
1-4	4.2	4.0	4.3	4.6	4.5	4.7	0.7	0.5	1.0
0-4	15.8	15.4	16.2	16.7	16.3	17.1	8.5	8.4	8.6
5-9	1.4	1.4	1.4	1.5	1.4	1.6	0.7	1.1	0.4
10-14	1.1	1.2	1.0	1.2	1.4	1.0	0.7	0.3	1.0
15-19	1.6	1.4	1.8	1.7	1.3	2.1	1.0	1.8	0.0
20-24	2.1	2.3	2.0	2.4	2.5	2.3	0.8	1.6	0.0
25-29	2.1	2.9	1.4	2.3	3.2	1.5	1.1	1.6	0.6
30-34	2.7	2.8	2.6	2.8	2.9	2.8	2.0	2.7	1.3
35-39	2.8	3.5	2.0	2.8	3.3	2.3	2.5	4.6	0.4
40-44	4.9	6.0	3.8	5.3	6.7	3.8	3.3	2.8	3.8
45-49	6.5	6.7	6.2	6.5	6.7	6.3	5.9	6.4	5.5
50-54	9.2	10.8	7.3	9.6	11.6	7.4	7.0	7.0	7.0
55-59	12.0	15.5	9.2	12.3	16.2	9.3	10.4	11.6	9.1
60-64	22.0	23.7	20.2	21.7	23.1	20.2	24.2	27.9	20.5
65-69	32.2	34.2	30.3	32.9	34.8	31.0	27.3	29.4	25.2
70-74	50.6	44.4	55.9	51.0	43.6	57.3	47.2	50.1	44.3
75-79	74.2	74.7	73.8	75.9	75.0	76.7	61.9	72.5	53.0
80-84	115.5	114.6	116.3	113.6	109.9	117.1	130.0	155.0	111.1
85+	186.5	187.6	185.3	178.6	189.1	167.0	237.1	176.7	286.0
All ages (Crude death rate)	8.5	8.8	8.2	8.8	9.1	8.6	6.5	7.0	6.0

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Odisha

Indicators	Total	Rural	Urban
Child mortality rate	16	17	8
Under-five mortality rate	72	76	43
Infant mortality rate	57	58	40
Neo-natal mortality rate	40	42	27
Early neo-natal mortality rate	30	31	22
Late neo-natal mortality rate	10	11	5
Post neo-natal mortality rate	16	16	13
Peri-natal mortality rate	38	39	27
Still birth rate	8	8	5

Table 8

Age-specific death rate by sex and residence, 2011

Punjab

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	23.6	22.3	25.1	31.3	28.4	34.8	14.8	14.3	15.3
1-4	1.9	1.3	2.7	2.6	1.5	3.9	0.7	0.9	0.5
0-4	7.4	6.3	8.5	8.8	7.3	10.6	5.0	4.6	5.4
5-9	0.4	0.4	0.5	0.6	0.6	0.7	0.0	0.0	0.0
10-14	0.8	1.0	0.5	0.9	1.0	0.7	0.5	1.0	0.0
15-19	0.9	1.1	0.7	1.1	1.3	0.8	0.5	0.6	0.4
20-24	1.6	2.4	0.9	1.4	2.4	0.5	2.0	2.4	1.6
25-29	1.6	2.4	0.7	1.6	2.5	0.5	1.7	2.3	1.0
30-34	2.6	3.9	1.2	2.8	4.0	1.5	2.3	3.7	0.7
35-39	2.9	4.2	1.5	3.7	6.0	1.4	1.6	1.5	1.6
40-44	4.3	6.9	1.7	4.4	6.9	1.8	4.2	6.9	1.4
45-49	6.0	8.3	3.6	6.6	9.8	3.3	5.1	6.1	4.1
50-54	7.2	9.0	5.0	9.2	10.0	8.1	4.6	7.5	1.3
55-59	9.8	13.1	6.8	9.3	11.9	7.0	10.7	15.0	6.3
60-64	16.5	22.8	9.5	17.7	24.2	10.4	14.6	20.6	8.1
65-69	22.7	29.6	16.2	22.0	30.3	14.5	23.8	28.3	19.5
70-74	39.8	38.1	41.5	41.6	42.9	40.5	36.4	29.5	43.8
75-79	58.8	55.4	62.4	59.9	58.1	61.8	56.3	48.9	63.6
80-84	91.2	104.7	77.4	94.2	113.0	75.7	83.9	85.8	81.8
85+	169.3	173.2	166.0	162.5	160.9	163.9	189.7	214.9	171.5
All ages (Crude death rate)	6.8	7.6	5.8	7.5	8.4	6.4	5.6	6.3	4.9

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Punjab

Indicators	Total	Rural	Urban
Child mortality rate	7	9	5
Under-five mortality rate	38	43	28
Infant mortality rate	30	33	25
Neo-natal mortality rate	24	26	21
Early neo-natal mortality rate	18	20	14
Late neo-natal mortality rate	6	6	8
Post neo-natal mortality rate	6	7	4
Peri-natal mortality rate	25	26	22
Still birth rate	7	6	9

Table 8

Age-specific death rate by sex and residence, 2011

Rajasthan

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	63.4	61.0	66.1	68.8	66.5	71.6	40.7	37.7	43.9
1-4	3.2	1.7	4.9	3.6	1.9	5.6	1.6	1.0	2.3
0-4	15.0	13.5	16.8	16.5	14.8	18.4	9.2	8.0	10.5
5-9	1.3	1.3	1.2	1.5	1.6	1.5	0.4	0.4	0.4
10-14	0.6	0.6	0.6	0.6	0.5	0.7	0.6	0.7	0.4
15-19	1.3	1.2	1.3	1.3	1.3	1.4	1.1	1.0	1.2
20-24	1.6	1.3	1.8	1.7	1.6	1.7	1.3	0.4	2.1
25-29	2.1	2.8	1.4	2.2	2.8	1.6	1.8	2.7	0.8
30-34	2.2	2.6	1.8	2.4	2.8	1.9	1.7	1.9	1.5
35-39	2.4	3.5	1.3	2.9	4.0	1.8	1.1	2.1	0.0
40-44	3.9	4.7	3.0	3.8	4.3	3.3	4.0	5.8	2.1
45-49	4.7	6.4	2.8	4.8	6.6	2.8	4.3	5.9	2.8
50-54	7.9	10.9	4.3	8.2	11.7	3.9	7.4	9.3	5.1
55-59	9.3	10.9	7.9	9.0	10.9	7.6	9.9	11.0	8.8
60-64	17.1	22.0	11.8	16.4	20.0	12.5	19.5	28.1	9.9
65-69	29.1	41.0	18.4	30.1	45.3	16.1	25.9	26.0	25.9
70-74	45.9	66.1	30.2	45.3	63.3	31.4	47.8	74.4	26.3
75-79	62.8	69.0	57.7	61.7	66.3	57.9	66.2	77.4	57.4
80-84	101.2	124.0	84.6	102.7	117.1	92.5	97.1	141.8	62.5
85+	187.2	228.6	160.2	188.9	222.0	166.4	181.0	256.2	139.8
All ages (Crude death rate)	6.7	7.3	6.0	7.0	7.5	6.4	5.8	6.6	5.0

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Rajasthan

Indicators	Total	Rural	Urban
Child mortality rate	15	16	9
Under-five mortality rate	64	70	38
Infant mortality rate	52	57	32
Neo-natal mortality rate	37	41	19
Early neo-natal mortality rate	29	32	14
Late neo-natal mortality rate	8	9	5
Post neo-natal mortality rate	15	15	13
Peri-natal mortality rate	34	38	19
Still birth rate	5	6	5

Table 8

Age-specific death rate by sex and residence, 2011

Tamil Nadu

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	22.3	21.3	23.4	25.0	24.4	25.7	18.9	17.4	20.5
1-4	0.7	0.5	0.9	0.9	0.6	1.2	0.5	0.4	0.5
0-4	5.0	4.7	5.4	5.6	5.2	6.1	4.2	4.0	4.5
5-9	0.5	0.6	0.5	0.7	0.7	0.7	0.3	0.4	0.2
10-14	0.5	0.5	0.5	0.6	0.5	0.8	0.2	0.4	0.0
15-19	1.4	1.3	1.5	1.3	1.0	1.6	1.5	1.6	1.4
20-24	1.7	2.0	1.5	1.9	1.8	2.0	1.4	2.2	0.8
25-29	1.9	2.2	1.6	2.0	2.3	1.7	1.7	2.2	1.4
30-34	1.9	2.2	1.7	2.4	2.6	2.2	1.4	1.7	1.1
35-39	2.1	3.0	1.3	2.9	4.4	1.5	1.2	1.4	1.0
40-44	4.2	5.1	3.4	4.5	5.4	3.7	3.9	4.8	2.9
45-49	5.6	8.3	2.9	6.4	8.7	4.2	4.7	7.9	1.3
50-54	8.1	11.5	4.6	8.3	11.9	4.5	7.9	10.9	4.8
55-59	12.1	15.8	9.0	12.1	16.3	8.9	12.1	15.2	9.2
60-64	19.0	22.5	15.5	20.8	27.0	14.8	16.6	16.8	16.4
65-69	31.8	38.7	25.4	38.4	45.7	31.7	21.6	28.0	15.7
70-74	48.3	57.9	39.7	52.6	64.2	41.9	42.4	48.9	36.9
75-79	69.6	75.0	65.0	69.4	78.1	62.0	69.9	70.2	69.7
80-84	97.2	98.5	96.2	97.1	105.2	89.4	97.4	88.8	104.3
85+	155.6	162.1	150.9	137.1	141.8	133.8	186.0	194.6	179.5
All ages (Crude death rate)	7.4	8.3	6.4	8.1	9.2	6.9	6.4	7.1	5.7

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Tamil Nadu

Indicators	Total	Rural	Urban
Child mortality rate	5	6	4
Under-five mortality rate	25	28	21
Infant mortality rate	22	24	19
Neo-natal mortality rate	15	18	12
Early neo-natal mortality rate	11	13	8
Late neo-natal mortality rate	4	4	4
Post neo-natal mortality rate	6	6	7
Peri-natal mortality rate	20	25	14
Still birth rate	9	12	5

Table 8

Age-specific death rate by sex and residence, 2011

Uttar Pradesh

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	69.3	67.1	72.0	72.5	70.3	75.1	52.0	49.4	55.0
1-4	4.4	3.1	5.9	4.6	3.0	6.4	3.5	3.9	3.0
0-4	17.9	16.4	19.5	18.6	16.9	20.6	13.8	13.7	13.8
5-9	1.3	1.0	1.7	1.4	1.1	1.9	0.7	0.8	0.7
10-14	0.7	0.8	0.7	0.8	0.9	0.6	0.5	0.0	1.0
15-19	1.5	1.5	1.4	1.5	1.6	1.3	1.5	0.9	2.2
20-24	1.8	1.9	1.6	1.8	1.8	1.7	1.8	2.4	1.2
25-29	1.9	1.7	2.1	1.8	1.6	2.1	2.2	2.1	2.4
30-34	2.4	2.8	2.1	2.8	3.1	2.5	1.1	1.5	0.6
35-39	3.0	4.2	1.9	3.4	4.6	2.1	1.7	2.5	0.9
40-44	5.2	6.9	3.3	5.4	7.6	2.8	4.7	4.3	5.0
45-49	6.8	9.6	3.9	6.9	9.8	3.9	6.4	8.6	4.2
50-54	10.5	11.4	9.2	9.8	10.5	9.0	12.5	14.6	10.0
55-59	15.4	20.8	10.9	16.4	22.5	11.3	11.7	14.4	9.1
60-64	22.4	27.3	16.9	23.8	29.0	17.9	16.9	20.4	13.1
65-69	41.4	55.8	27.9	43.5	59.2	29.1	31.4	40.8	21.8
70-74	48.7	56.1	40.8	51.6	60.7	41.9	34.8	33.7	35.9
75-79	83.1	98.9	67.8	88.3	104.4	72.7	55.8	69.6	42.9
80-84	124.2	123.1	125.4	121.6	117.2	126.2	135.5	150.0	122.1
85+	167.2	182.6	153.0	169.2	191.4	148.5	156.6	133.7	176.6
All ages	7.9	8.6	7.0	8.3	9.1	7.4	6.1	6.6	5.6

(Crude death rate)

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

Uttar Pradesh

Indicators	Total	Rural	Urban
Child mortality rate	18	19	14
Under-five mortality rate	73	77	54
Infant mortality rate	57	60	41
Neo-natal mortality rate	40	43	23
Early neo-natal mortality rate	30	32	17
Late neo-natal mortality rate	10	11	5
Post neo-natal mortality rate	17	17	18
Peri-natal mortality rate	35	37	21
Still birth rate	5	6	4

Table 8

Age-specific death rate by sex and residence, 2011

West Bengal

Age-group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Below 1	34.6	32.1	37.4	36.4	33.3	39.8	27.4	27.0	27.9
1-4	1.6	1.8	1.5	1.9	2.1	1.7	0.7	0.7	0.7
0-4	7.8	7.5	8.1	8.4	8.0	8.7	5.5	5.4	5.6
5-9	0.5	0.7	0.3	0.6	0.8	0.3	0.3	0.5	0.0
10-14	0.9	0.6	1.1	1.0	0.8	1.2	0.4	0.0	0.9
15-19	1.0	0.9	1.1	1.0	0.8	1.2	1.1	1.2	1.1
20-24	1.2	1.3	1.2	1.4	1.6	1.3	0.7	0.3	1.1
25-29	1.5	1.8	1.3	1.5	1.6	1.3	1.7	2.2	1.1
30-34	1.8	2.4	1.2	1.7	2.2	1.3	2.1	2.9	1.1
35-39	2.0	2.5	1.6	2.2	2.6	1.8	1.6	2.3	1.0
40-44	3.1	4.1	2.1	3.3	4.2	2.2	2.8	3.9	1.8
45-49	4.2	5.3	3.0	4.0	4.7	3.2	4.7	6.5	2.6
50-54	7.4	8.6	5.7	7.9	8.5	7.0	6.5	8.8	3.3
55-59	11.0	13.7	8.9	11.1	14.0	9.0	10.8	13.1	8.7
60-64	19.3	20.9	17.4	21.0	23.2	18.3	15.8	16.2	15.3
65-69	32.0	34.7	29.0	37.4	40.3	34.4	20.9	23.7	17.8
70-74	48.6	54.6	43.0	49.1	56.5	42.7	47.8	51.5	43.9
75-79	70.3	76.5	64.9	72.6	76.1	69.6	65.9	77.2	55.1
80-84	101.9	121.7	84.3	101.9	110.4	94.5	101.8	142.0	65.8
85+	172.4	177.7	168.5	168.6	158.7	176.7	178.7	213.7	156.2

All ages (Crude death rate)	6.2	6.7	5.6	6.1	6.5	5.7	6.5	7.5	5.4

Table 9

Child (Aged 0-4 years) and infant mortality indicators, 2011

West Bengal

Indicators	Total	Rural	Urban
Child mortality rate	8	8	5
Under-five mortality rate	38	41	29
Infant mortality rate	32	33	26
Neo-natal mortality rate	22	23	17
Early neo-natal mortality rate	18	19	14
Late neo-natal mortality rate	4	4	3
Post neo-natal mortality rate	10	10	9
Peri-natal mortality rate	24	25	19
Still birth rate	6	6	5

Average 2009, 2010, 2011

15
14

Table 10

Percentage distribution of deaths to total deaths by residence, sex and age-group, 2011

Age group	Total			Rural			Urban		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
				India					
Below 1	13.6	12.3	15.2	14.8	13.6	16.5	9.0	7.8	10.7
1-4	3.1	2.3	4.3	3.5	2.5	4.9	1.7	1.5	2.0
0-4	16.7	14.6	19.5	18.4	16.1	21.3	10.7	9.3	12.7
5-9	1.3	1.2	1.4	1.4	1.3	1.6	0.7	0.7	0.8
10-14	1.0	1.0	1.1	1.1	1.2	1.1	0.7	0.5	1.0
15-19	1.9	1.7	2.2	1.9	1.8	2.2	1.9	1.5	2.4
20-24	2.3	2.1	2.5	2.3	2.1	2.7	2.1	2.1	2.1
25-29	2.3	2.4	2.1	2.2	2.4	1.9	2.7	2.7	2.6
30-34	2.4	2.8	1.9	2.4	2.7	2.0	2.5	3.2	1.6
35-39	2.7	3.3	1.9	2.7	3.2	2.0	2.8	3.6	1.6
40-44	3.2	4.0	2.3	3.1	3.8	2.2	3.8	4.6	2.7
45-49	4.2	5.0	3.2	3.9	4.7	2.9	5.4	6.3	4.1
50-54	4.5	5.4	3.4	4.0	4.8	3.0	6.2	7.2	4.8
55-59	6.5	6.8	6.2	6.3	6.5	6.1	7.4	7.9	6.8
60-64	7.6	8.4	6.7	7.5	8.2	6.7	8.2	9.1	7.0
65-69	10.5	11.0	10.0	10.8	11.4	10.2	9.5	9.6	9.2
70-74	10.2	10.1	10.4	10.0	10.0	10.1	10.9	10.4	11.6
75-79	9.8	9.1	10.7	9.8	9.3	10.6	9.7	8.6	11.1
80-84	6.1	5.6	6.7	5.7	5.3	6.4	7.2	6.7	7.8
85+	6.6	5.7	7.8	6.3	5.6	7.2	7.8	6.1	10.0
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Andhra Pradesh					
Below 1	10.0	8.4	12.2	10.0	8.7	11.7	9.9	7.2	14.4
1-4	0.5	0.3	0.8	0.4	0.2	0.8	0.9	0.7	1.2
0-4	10.5	8.7	13.0	10.4	8.9	12.4	10.8	7.9	15.6
5-9	0.8	0.6	1.0	0.8	0.6	1.0	0.8	0.7	1.1
10-14	0.7	0.5	1.0	0.8	0.6	1.0	0.4	0.0	1.2
15-19	1.7	1.5	2.0	2.1	1.9	2.4	0.2	0.3	0.0
20-24	2.4	1.9	3.0	2.5	1.9	3.2	2.1	2.0	2.2
25-29	3.0	3.4	2.5	3.4	4.0	2.6	1.7	1.4	2.3
30-34	3.4	4.3	2.1	3.6	4.6	2.2	2.8	3.4	1.7
35-39	3.5	4.4	2.3	3.2	3.8	2.4	4.7	6.5	1.7
40-44	4.0	4.8	3.0	3.9	4.5	3.1	4.6	5.7	2.9
45-49	5.4	6.6	3.7	4.9	6.4	2.9	6.9	6.9	7.0
50-54	6.5	7.9	4.6	6.1	7.9	3.7	8.3	8.0	8.7
55-59	8.1	8.2	8.0	8.2	8.5	7.8	7.9	7.4	8.9
60-64	9.4	9.5	9.3	9.1	8.6	9.7	10.6	12.5	7.4
65-69	11.8	12.8	10.3	12.3	13.3	11.0	9.8	11.2	7.5
70-74	11.0	10.3	11.9	11.1	10.3	12.1	10.7	10.4	11.3
75-79	8.9	7.0	11.7	9.0	6.8	11.9	8.7	7.4	10.8
80-84	4.9	4.2	5.9	5.2	4.3	6.3	3.9	3.8	4.0
85+	3.9	3.4	4.6	3.6	3.1	4.3	4.9	4.4	5.7
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Assam					

Below 1	15.8	14.5	17.5	16.5	15.2	18.2	9.3	8.0	11.2
1-4	6.5	5.0	8.4	7.0	5.4	9.2	1.4	1.5	1.4
0-4	22.2	19.5	25.9	23.5	20.6	27.3	10.8	9.5	12.6
5-9	1.0	1.0	1.1	1.1	1.0	1.2	0.6	0.7	0.3
10-14	1.2	1.3	0.9	1.2	1.5	0.9	0.6	0.0	1.4
15-19	2.1	2.1	2.2	2.2	2.1	2.3	1.6	2.0	1.0
20-24	2.2	1.3	3.4	2.1	1.2	3.4	2.6	2.2	3.1
25-29	2.5	3.1	1.8	2.6	3.2	1.8	2.1	2.2	2.1
30-34	2.8	3.0	2.6	2.6	2.7	2.5	4.7	5.6	3.4
35-39	2.2	2.6	1.7	1.9	2.2	1.5	5.1	6.1	3.8
40-44	3.3	4.0	2.3	3.1	3.8	2.2	4.8	5.6	3.8
45-49	4.1	3.9	4.4	3.9	3.5	4.4	6.2	7.8	4.1
50-54	4.4	3.7	5.3	4.1	3.2	5.4	6.7	7.8	5.1
55-59	8.3	8.6	8.0	8.4	8.6	8.1	7.9	8.8	6.5
60-64	5.8	7.1	4.0	5.5	6.9	3.7	8.0	8.8	6.9
65-69	10.4	8.9	12.3	10.4	8.8	12.5	10.3	10.0	10.7
70-74	8.7	11.3	5.3	8.7	11.5	5.0	9.1	9.5	8.6
75-79	8.6	8.7	8.6	8.8	9.0	8.5	7.4	5.6	9.9
80-84	4.9	5.2	4.5	4.9	5.3	4.3	5.3	4.6	6.1
85+	5.2	4.8	5.7	5.1	5.0	5.1	6.4	3.4	10.6
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Bihar					
Below 1	18.1	17.8	18.5	18.5	18.3	18.8	13.5	13.1	14.1
1-4	6.0	4.9	7.3	6.3	5.1	7.7	2.6	2.7	2.6
0-4	24.1	22.7	25.8	24.8	23.4	26.5	16.2	15.8	16.7
5-9	2.3	2.0	2.7	2.3	2.1	2.6	2.4	1.4	3.9
10-14	2.2	2.5	1.9	2.2	2.6	1.8	2.4	1.8	3.2
15-19	2.4	2.2	2.7	2.4	2.2	2.6	2.4	1.4	3.8
20-24	2.1	1.7	2.6	2.1	1.7	2.5	2.7	1.8	3.8
25-29	2.0	1.8	2.1	1.9	1.7	2.1	2.7	3.2	1.9
30-34	2.0	2.5	1.4	1.9	2.2	1.5	3.2	5.4	0.0
35-39	2.1	2.4	1.8	2.2	2.5	1.9	1.1	1.4	0.6
40-44	2.5	2.6	2.4	2.5	2.6	2.3	3.2	3.2	3.2
45-49	2.2	2.3	2.1	2.0	2.1	1.8	4.5	3.6	5.8
50-54	2.8	2.9	2.8	2.8	2.8	2.7	3.4	3.6	3.2
55-59	5.8	5.3	6.3	5.6	5.0	6.3	7.7	8.6	6.4
60-64	7.3	7.6	6.9	7.3	7.5	7.0	7.7	9.0	5.8
65-69	9.8	10.3	9.2	9.8	10.4	9.1	9.3	9.1	9.6
70-74	10.4	10.1	10.7	10.3	10.2	10.3	11.9	9.0	16.0
75-79	9.1	9.5	8.6	9.1	9.5	8.5	9.0	8.6	9.6
80-84	5.1	5.0	5.1	5.1	4.9	5.4	4.8	6.8	1.9
85+	5.8	6.5	4.9	5.8	6.6	4.9	5.6	6.4	4.5
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Chhattisgarh					
Below 1	15.2	13.9	16.7	15.6	14.5	16.9	12.5	10.9	14.7
1-4	2.5	0.6	4.9	2.7	0.6	5.2	1.5	0.5	3.0
0-4	17.7	14.5	21.6	18.3	15.0	22.1	14.0	11.3	17.7
5-9	1.2	0.6	2.1	1.3	0.6	2.1	1.1	0.5	1.9
10-14	0.9	0.7	1.2	1.0	0.6	1.4	0.8	1.4	0.0
15-19	2.1	1.8	2.5	1.9	1.8	2.1	3.4	1.8	5.7
20-24	2.7	2.9	2.6	2.7	2.7	2.8	2.9	4.1	1.3

25-29	1.9	1.4	2.5	1.4	0.9	2.1	4.7	4.1	5.7
30-34	3.8	4.2	3.3	4.0	4.4	3.5	2.4	2.7	1.9
35-39	3.9	3.5	4.4	3.8	3.2	4.5	4.4	4.9	3.8
40-44	2.4	2.4	2.4	2.2	2.1	2.4	3.6	4.3	2.6
45-49	5.2	5.2	5.1	5.1	4.7	5.5	5.8	8.2	2.4
50-54	3.4	4.1	2.6	3.2	3.8	2.4	4.7	5.4	3.7
55-59	4.6	6.0	2.8	4.1	5.6	2.4	7.3	8.5	5.5
60-64	6.4	8.1	4.3	6.1	8.0	3.8	8.3	9.0	7.4
65-69	10.9	11.1	10.6	11.3	11.5	11.1	8.0	8.5	7.4
70-74	10.8	13.3	7.8	11.1	14.1	7.6	8.6	8.5	8.7
75-79	11.2	9.5	13.1	11.3	9.4	13.5	10.2	10.0	10.6
80-84	4.5	4.9	4.0	4.5	5.3	3.5	4.5	2.3	7.6
85+	6.5	6.0	7.1	6.7	6.2	7.3	5.3	4.6	6.3
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Delhi					
Below 1	11.2	9.4	13.8	14.9	8.4	22.7	10.6	9.5	12.0
1-4	1.7	1.5	2.1	2.3	3.3	1.0	1.6	1.2	2.3
0-4	13.0	10.9	15.8	17.1	11.6	23.7	12.2	10.7	14.2
5-9	1.1	1.0	1.2	0.0	0.0	0.0	1.3	1.1	1.5
10-14	1.1	0.0	2.6	1.1	0.0	2.5	1.1	0.0	2.6
15-19	2.3	3.0	1.3	1.5	2.4	0.3	2.5	3.1	1.5
20-24	4.3	4.8	3.6	8.0	6.3	10.1	3.6	4.6	2.3
25-29	3.8	5.2	1.9	2.3	4.2	0.0	4.1	5.4	2.3
30-34	2.8	3.3	2.2	2.3	4.2	0.0	3.0	3.2	2.6
35-39	3.8	5.4	1.7	5.9	8.7	2.5	3.5	4.8	1.6
40-44	4.0	5.5	2.0	3.6	4.5	2.5	4.1	5.7	1.9
45-49	5.5	7.4	2.9	3.6	4.5	2.5	5.9	7.9	3.0
50-54	6.5	7.4	5.2	3.8	4.8	2.5	7.0	7.9	5.7
55-59	7.6	7.2	8.0	1.1	0.0	2.5	8.8	8.5	9.2
60-64	8.6	9.2	7.8	12.6	8.4	17.6	7.9	9.3	5.8
65-69	9.4	10.5	8.0	10.3	12.6	7.6	9.2	10.1	8.0
70-74	8.2	6.0	11.2	9.2	4.2	15.1	8.0	6.3	10.4
75-79	7.0	4.7	10.2	4.6	8.4	0.0	7.5	4.1	12.3
80-84	5.2	4.4	6.3	8.3	10.8	5.4	4.6	3.2	6.5
85+	5.8	4.1	8.1	4.7	4.5	5.0	6.0	4.0	8.7
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Gujarat					
Below 1	12.9	11.4	14.9	14.8	13.7	16.3	8.9	6.7	11.9
1-4	3.1	2.7	3.7	3.4	3.3	3.5	2.5	1.4	3.9
0-4	16.0	14.0	18.5	18.2	17.0	19.8	11.3	8.1	15.8
5-9	1.2	1.1	1.3	1.6	1.5	1.6	0.4	0.4	0.5
10-14	0.9	1.0	0.8	0.9	0.9	0.9	0.9	1.1	0.6
15-19	1.7	1.7	1.8	1.7	1.8	1.7	1.7	1.5	2.1
20-24	2.7	2.2	3.2	3.0	2.7	3.5	1.9	1.4	2.6
25-29	2.5	2.8	2.1	2.2	2.7	1.6	3.0	2.9	3.0
30-34	2.2	2.7	1.7	2.1	2.4	1.7	2.6	3.3	1.6
35-39	2.7	3.6	1.6	3.0	3.9	1.9	2.1	2.9	1.0
40-44	4.1	4.8	3.1	4.1	4.9	3.0	4.1	4.7	3.2
45-49	4.9	5.9	3.5	4.5	5.7	3.0	5.6	6.3	4.7
50-54	6.2	7.2	4.7	6.0	6.9	4.8	6.5	7.9	4.6
55-59	5.7	6.6	4.5	6.2	6.8	5.4	4.7	6.3	2.6

60-64	8.2	8.3	8.0	8.8	8.9	8.8	6.8	7.1	6.3
65-69	9.9	9.2	10.7	10.2	10.0	10.5	9.1	7.7	11.2
70-74	11.1	11.4	10.6	10.4	9.5	11.5	12.4	15.2	8.6
75-79	7.8	7.3	8.4	7.1	6.5	7.8	9.2	8.7	9.9
80-84	5.9	5.3	6.7	4.4	3.9	5.1	9.0	8.3	10.0
85+	6.5	4.7	8.9	5.5	4.0	7.6	8.5	6.2	11.8
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Haryana					
Below 1	15.0	13.2	17.5	15.8	13.8	18.6	12.6	11.2	14.5
1-4	2.0	1.1	3.3	1.7	0.9	2.9	2.9	1.7	4.4
0-4	16.9	14.2	20.8	17.5	14.7	21.5	15.5	12.8	18.9
5-9	0.7	0.3	1.2	0.4	0.1	0.8	1.4	0.8	2.2
10-14	0.8	1.1	0.4	0.8	0.9	0.6	1.0	1.7	0.0
15-19	1.4	1.0	2.0	1.4	1.1	1.8	1.7	0.8	2.8
20-24	4.0	3.7	4.5	4.4	4.2	4.7	2.8	2.1	3.9
25-29	2.6	2.6	2.6	3.0	3.0	3.0	1.7	1.7	1.7
30-34	2.6	3.8	0.9	2.6	3.8	0.9	2.6	3.7	1.1
35-39	2.3	3.0	1.2	1.3	1.4	1.1	5.2	7.9	1.7
40-44	3.2	4.3	1.6	3.2	4.0	1.9	3.3	5.4	0.6
45-49	4.6	5.5	3.2	4.5	5.1	3.6	4.8	6.7	2.2
50-54	5.7	7.0	4.0	6.1	7.1	4.6	4.7	6.6	2.2
55-59	6.9	7.4	6.3	6.9	8.0	5.3	6.9	5.4	8.9
60-64	6.5	8.0	4.2	5.9	7.8	3.0	8.3	8.7	7.8
65-69	9.3	8.2	11.0	9.2	8.1	10.8	9.7	8.3	11.7
70-74	9.5	8.2	11.4	9.1	8.3	10.3	10.7	7.9	14.4
75-79	9.0	7.9	10.5	9.4	7.9	11.7	7.6	7.9	7.2
80-84	4.8	4.8	4.9	5.1	5.3	4.8	4.0	3.3	5.0
85+	9.1	9.0	9.2	9.4	9.2	9.7	8.1	8.3	7.7
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Himachal Pradesh					
Below 1	8.9	8.0	10.1	8.9	8.3	9.6	10.1	3.4	19.4
1-4	2.1	1.6	2.7	2.0	1.5	2.7	3.0	3.4	2.5
0-4	11.0	9.6	12.8	10.9	9.8	12.3	13.1	6.8	21.9
5-9	0.3	0.4	0.0	0.3	0.5	0.0	0.0	0.0	0.0
10-14	0.8	0.9	0.7	0.8	0.9	0.6	1.0	0.0	2.5
15-19	1.1	1.4	0.7	0.9	1.0	0.6	5.1	6.9	2.5
20-24	1.8	1.6	2.0	1.9	1.7	2.1	0.0	0.0	0.0
25-29	3.0	3.4	2.6	3.0	3.3	2.6	4.0	5.2	2.5
30-34	1.7	1.6	1.7	1.6	1.5	1.8	2.0	3.5	0.0
35-39	2.8	2.5	3.1	2.9	2.7	3.2	1.0	0.0	2.5
40-44	3.1	4.5	1.3	3.1	4.5	1.2	3.1	3.5	2.5
45-49	2.6	2.7	2.5	2.3	2.3	2.4	8.2	10.4	5.0
50-54	4.2	5.3	2.9	4.0	5.2	2.5	8.0	6.8	9.7
55-59	4.3	4.1	4.5	4.1	4.0	4.2	8.1	6.8	9.8
60-64	7.2	7.8	6.3	7.1	7.8	6.2	8.1	8.7	7.3
65-69	11.0	12.4	9.3	11.3	12.8	9.3	7.1	5.2	9.8
70-74	10.4	10.9	9.8	10.6	11.2	9.8	7.0	5.2	9.7
75-79	12.7	11.4	14.3	12.8	11.5	14.4	10.1	8.7	12.1
80-84	11.2	10.6	12.0	11.5	10.6	12.7	6.0	10.3	0.0
85+	10.9	8.8	13.6	11.0	8.6	14.1	8.1	12.0	2.5
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Jammu & Kashmir

Below 1	13.1	12.1	14.5	14.3	13.0	15.9	7.9	7.5	8.4
1-4	1.2	1.3	1.1	1.4	1.6	1.1	0.5	0.0	1.0
0-4	14.4	13.4	15.6	15.7	14.6	17.1	8.4	7.5	9.4
5-9	1.0	1.2	0.8	1.2	1.5	0.9	0.0	0.0	0.0
10-14	0.8	1.4	0.0	1.0	1.7	0.0	0.0	0.0	0.0
15-19	1.7	1.5	2.0	1.7	1.5	2.1	1.7	1.6	1.9
20-24	1.6	1.7	1.4	1.4	1.5	1.2	2.6	3.0	2.1
25-29	1.6	1.9	1.3	1.3	1.8	0.7	2.9	2.4	3.6
30-34	2.0	2.6	1.2	2.2	2.7	1.4	1.2	2.2	0.0
35-39	1.5	1.4	1.7	1.5	1.3	1.7	1.6	1.5	1.7
40-44	3.3	3.2	3.4	2.9	2.8	3.1	4.7	4.8	4.6
45-49	2.4	2.5	2.3	2.1	2.4	1.8	3.8	3.3	4.4
50-54	3.6	3.6	3.6	3.6	3.2	4.0	3.6	5.1	1.9
55-59	9.2	9.7	8.6	8.9	8.4	9.6	10.6	16.1	4.4
60-64	8.2	6.0	11.0	8.1	6.0	10.8	8.9	6.4	11.8
65-69	10.6	11.8	9.0	11.0	12.2	9.5	8.7	10.0	7.2
70-74	12.0	10.6	13.7	11.7	10.9	12.7	13.3	9.1	18.1
75-79	12.3	13.6	10.6	12.8	14.8	10.2	10.1	7.9	12.6
80-84	5.6	6.9	4.1	5.3	6.6	3.6	7.1	7.9	6.1
85+	8.2	6.9	9.8	7.6	6.1	9.6	10.8	11.2	10.4
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Jharkhand

Below 1	14.2	13.7	14.8	14.9	14.5	15.2	10.4	9.1	11.9
1-4	4.7	2.9	6.6	5.2	3.2	7.4	1.3	1.2	1.5
0-4	18.9	16.6	21.4	20.1	17.8	22.6	11.7	10.3	13.5
5-9	2.0	3.0	1.0	2.1	3.2	0.9	1.7	1.9	1.5
10-14	1.5	1.2	1.7	1.6	1.4	1.8	0.4	0.0	0.8
15-19	1.4	1.5	1.3	1.2	1.4	1.0	2.5	1.9	3.2
20-24	1.1	1.9	0.4	1.2	2.0	0.3	1.0	1.2	0.8
25-29	2.5	2.8	2.2	1.9	2.3	1.4	6.2	5.6	7.0
30-34	2.2	2.1	2.3	2.2	2.2	2.2	2.1	1.9	2.3
35-39	3.5	5.1	1.7	3.7	5.6	1.8	2.1	2.5	1.6
40-44	3.6	3.6	3.7	3.7	3.5	4.0	3.1	4.3	1.6
45-49	3.6	4.9	2.2	3.8	5.3	2.3	2.4	3.1	1.6
50-54	3.6	5.1	2.0	3.3	5.0	1.4	5.5	5.6	5.5
55-59	7.5	5.4	9.7	7.5	5.2	10.0	6.9	6.2	7.9
60-64	8.2	8.1	8.4	7.7	6.9	8.5	11.8	14.8	7.9
65-69	12.1	10.3	14.1	12.4	10.4	14.6	10.4	9.9	11.0
70-74	11.5	11.3	11.7	11.4	11.5	11.3	12.1	10.5	14.2
75-79	7.0	6.3	7.7	6.9	6.0	7.8	7.5	7.9	6.9
80-84	4.1	4.7	3.4	3.6	4.2	3.0	6.9	7.4	6.3
85+	5.6	5.9	5.3	5.6	6.1	5.1	5.6	5.0	6.3
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Karnataka

Below 1	9.2	7.9	11.0	9.6	8.2	11.6	8.2	7.0	9.6
1-4	1.4	1.0	1.8	1.0	0.8	1.3	2.2	1.6	3.0
0-4	10.5	8.9	12.9	10.6	9.0	12.9	10.4	8.6	12.7
5-9	0.7	0.8	0.4	0.7	1.0	0.4	0.4	0.4	0.5
10-14	0.6	0.6	0.5	0.8	0.9	0.7	0.0	0.0	0.0
15-19	1.6	1.2	2.2	1.7	1.3	2.2	1.3	0.8	2.0

20-24	2.2	1.7	3.0	2.6	1.9	3.6	1.3	1.2	1.5
25-29	1.8	2.3	1.3	2.0	2.5	1.4	1.3	1.6	1.0
30-34	3.3	5.1	0.9	3.1	4.8	0.7	4.0	5.9	1.5
35-39	3.7	5.1	1.7	3.2	4.4	1.6	4.9	7.0	2.0
40-44	3.2	4.6	1.3	3.0	4.4	1.1	3.8	5.1	2.0
45-49	6.1	7.1	4.7	5.3	6.2	4.1	8.2	9.8	6.1
50-54	5.1	6.2	3.5	4.7	6.3	2.4	6.0	5.9	6.1
55-59	8.3	7.8	9.1	8.0	7.0	9.4	9.1	9.8	8.1
60-64	7.5	8.3	6.3	7.7	8.0	7.2	6.8	9.0	4.1
65-69	10.9	11.0	10.9	11.2	11.0	11.6	10.2	10.9	9.2
70-74	9.3	9.1	9.6	9.1	8.6	9.7	9.9	10.5	9.1
75-79	11.6	10.5	13.1	12.4	12.3	12.6	9.5	5.9	14.2
80-84	6.2	4.2	9.0	6.4	4.7	8.8	6.0	3.1	9.7
85+	7.3	5.5	9.7	7.3	5.8	9.5	7.1	4.7	10.2
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Kerala					
Below 1	2.6	2.2	3.2	2.8	2.3	3.4	2.1	1.7	2.4
1-4	0.2	0.1	0.3	0.2	0.1	0.4	0.2	0.4	0.0
0-4	2.8	2.3	3.4	3.0	2.4	3.8	2.3	2.1	2.4
5-9	0.2	0.2	0.2	0.3	0.3	0.3	0.0	0.0	0.0
10-14	0.2	0.2	0.1	0.2	0.3	0.2	0.0	0.0	0.0
15-19	0.6	0.5	0.6	0.5	0.3	0.8	0.7	1.3	0.0
20-24	0.8	1.4	0.1	1.0	1.6	0.1	0.4	0.8	0.0
25-29	0.7	1.0	0.3	1.0	1.3	0.5	0.0	0.0	0.0
30-34	1.2	1.2	1.2	1.3	1.1	1.6	0.7	1.3	0.0
35-39	2.0	2.2	1.7	2.0	2.3	1.7	2.1	2.2	2.0
40-44	2.2	3.5	0.6	2.1	3.3	0.4	2.7	3.9	1.4
45-49	3.5	3.6	3.4	3.3	3.7	2.6	4.3	3.0	5.8
50-54	4.6	5.7	3.2	3.9	4.7	2.8	6.9	9.1	4.4
55-59	7.7	9.0	5.9	7.4	9.0	5.3	8.5	9.1	7.7
60-64	9.1	11.5	6.0	8.9	11.1	5.9	9.8	12.9	6.2
65-69	9.1	10.4	7.5	9.1	10.4	7.4	9.1	10.4	7.7
70-74	12.2	13.3	10.8	11.8	12.8	10.5	13.5	15.2	11.6
75-79	14.2	11.9	17.2	13.7	11.8	16.3	16.0	12.5	19.8
80-84	12.1	10.1	14.8	12.8	10.9	15.5	9.8	7.3	12.6
85+	16.6	11.8	23.0	17.7	12.7	24.5	13.3	8.7	18.3
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Madhya Pradesh					
Below 1	19.5	17.9	21.6	20.8	19.0	23.1	12.9	12.1	13.8
1-4	4.8	3.8	6.1	5.1	3.8	6.7	3.5	3.9	3.0
0-4	24.4	21.7	27.7	25.9	22.9	29.8	16.4	16.1	16.8
5-9	2.0	2.3	1.6	2.1	2.4	1.8	1.3	1.6	1.0
10-14	0.9	1.0	0.7	0.8	0.8	0.7	1.5	2.0	1.0
15-19	2.9	2.0	3.9	2.8	1.9	3.9	3.3	2.7	4.0
20-24	2.6	2.1	3.2	2.9	2.3	3.6	1.1	1.2	1.0
25-29	2.1	2.5	1.7	2.1	2.4	1.8	2.2	3.1	1.0
30-34	1.7	1.5	1.9	1.7	1.4	2.0	1.8	1.9	1.5
35-39	2.3	2.8	1.6	2.2	2.8	1.5	2.4	2.7	2.0
40-44	2.6	3.7	1.2	2.1	3.0	1.1	4.9	7.1	2.0
45-49	4.1	5.1	2.9	4.2	5.4	2.8	3.6	3.6	3.6
50-54	3.8	4.8	2.5	3.1	4.5	1.4	6.9	5.9	8.2

55-59	4.2	4.1	4.3	3.9	3.8	4.1	5.8	5.9	5.5
60-64	7.2	7.8	6.5	7.4	8.1	6.6	6.3	6.6	6.0
65-69	8.9	8.7	9.2	9.0	8.9	9.2	8.4	7.9	9.2
70-74	11.3	11.4	11.2	11.0	11.3	10.7	12.9	11.9	14.3
75-79	8.9	8.5	9.4	8.7	8.4	9.1	9.7	8.6	11.1
80-84	5.8	5.9	5.6	5.9	6.0	5.6	5.5	5.5	5.6
85+	4.4	4.2	4.7	4.1	3.9	4.4	6.0	5.9	6.2
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Maharashtra					
Below 1	6.5	5.9	7.2	7.0	6.6	7.6	5.4	4.6	6.5
1-4	0.9	0.8	1.1	1.0	0.8	1.3	0.7	0.8	0.7
0-4	7.4	6.7	8.3	8.0	7.4	8.9	6.1	5.3	7.1
5-9	0.5	0.6	0.5	0.5	0.7	0.3	0.6	0.5	0.7
10-14	0.5	0.4	0.7	0.6	0.7	0.5	0.4	0.0	1.0
15-19	1.5	1.0	2.1	1.2	0.8	1.7	2.0	1.2	3.1
20-24	2.0	2.0	2.1	2.2	2.0	2.4	1.7	2.0	1.4
25-29	2.5	2.7	2.2	2.5	3.2	1.5	2.5	1.8	3.5
30-34	2.9	3.5	2.0	2.8	3.3	2.0	3.1	3.8	2.1
35-39	3.0	3.8	1.9	2.8	3.5	1.8	3.4	4.5	2.0
40-44	3.1	4.0	1.9	3.6	4.5	2.4	2.2	3.1	1.0
45-49	4.2	4.5	3.7	3.5	3.9	3.0	5.4	5.7	5.2
50-54	4.2	5.4	2.7	3.4	4.2	2.5	5.8	7.6	3.2
55-59	6.2	7.0	5.1	5.9	6.8	4.8	6.8	7.4	5.8
60-64	9.9	10.9	8.5	10.5	11.6	9.0	8.7	9.6	7.5
65-69	11.2	10.8	11.9	11.6	11.6	11.7	10.5	9.2	12.2
70-74	12.9	11.4	14.9	13.0	11.4	15.2	12.7	11.5	14.5
75-79	12.1	11.8	12.4	13.4	13.0	14.0	9.4	9.4	9.5
80-84	7.7	7.6	7.9	6.9	6.1	7.9	9.3	10.3	7.9
85+	8.2	6.0	11.2	7.6	5.4	10.5	9.4	7.1	12.5
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Odisha					
Below 1	13.3	12.9	13.8	13.9	13.5	14.3	9.1	8.7	9.5
1-4	3.6	3.4	3.7	3.9	3.8	4.0	0.7	0.4	1.0
0-4	16.9	16.4	17.5	17.8	17.3	18.3	9.7	9.1	10.5
5-9	1.4	1.4	1.5	1.5	1.4	1.6	0.9	1.2	0.5
10-14	1.3	1.5	1.2	1.4	1.6	1.1	0.9	0.4	1.5
15-19	1.8	1.6	2.0	1.9	1.5	2.3	1.4	2.5	0.0
20-24	2.3	2.2	2.4	2.5	2.2	2.7	1.1	2.1	0.0
25-29	2.2	2.8	1.5	2.2	2.9	1.6	1.6	2.1	1.0
30-34	2.4	2.5	2.4	2.4	2.4	2.5	2.7	3.3	2.0
35-39	2.4	3.0	1.8	2.3	2.7	2.0	3.2	5.4	0.5
40-44	3.6	4.3	2.8	3.6	4.5	2.6	3.6	2.9	4.5
45-49	4.4	4.6	4.2	4.2	4.4	4.0	5.9	6.2	5.5
50-54	4.3	5.4	3.3	4.3	5.4	3.1	5.0	5.0	5.0
55-59	5.8	6.4	5.1	5.7	6.4	5.0	6.3	6.7	6.0
60-64	7.7	8.1	7.2	7.4	7.8	6.9	10.2	10.8	9.5
65-69	10.1	10.2	9.9	10.1	10.3	9.9	9.7	9.5	9.9
70-74	10.1	8.0	12.4	10.2	7.8	12.7	9.9	9.5	10.4
75-79	10.4	9.5	11.5	10.5	9.5	11.7	9.7	9.6	10.0
80-84	6.5	6.0	7.0	6.3	5.8	6.8	7.9	7.5	8.4
85+	6.3	6.3	6.3	5.9	6.3	5.4	10.2	6.2	14.9

All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Punjab					
Below 1	7.3	5.9	9.2	7.5	6.2	9.2	6.8	5.3	9.0
1-4	1.8	1.1	2.8	2.2	1.1	3.8	0.8	0.9	0.6
0-4	9.0	7.0	12.0	9.7	7.4	13.0	7.6	6.2	9.6
5-9	0.5	0.4	0.6	0.7	0.6	0.9	0.0	0.0	0.0
10-14	1.0	1.2	0.6	1.1	1.2	0.9	0.8	1.4	0.0
15-19	1.3	1.4	1.0	1.5	1.7	1.2	0.8	0.9	0.7
20-24	2.5	3.1	1.5	2.0	2.9	0.8	3.4	3.5	3.2
25-29	2.3	3.0	1.2	2.0	2.8	0.8	2.9	3.6	2.0
30-34	3.0	4.0	1.6	2.9	3.6	1.7	3.4	4.9	1.3
35-39	3.0	3.7	1.9	3.4	4.6	1.6	2.1	1.8	2.6
40-44	4.1	5.6	1.9	3.7	5.0	1.8	5.0	7.1	1.9
45-49	5.1	6.1	3.7	5.0	6.3	3.0	5.5	5.7	5.2
50-54	4.7	5.4	3.7	4.9	5.1	4.7	4.2	6.2	1.3
55-59	5.8	6.3	5.1	5.1	5.1	5.1	7.4	8.9	5.2
60-64	6.8	8.4	4.5	6.3	7.8	4.3	8.0	9.9	5.2
65-69	7.7	8.2	6.9	7.1	7.8	6.0	8.9	8.9	9.0
70-74	11.8	9.3	15.5	11.8	9.7	14.9	11.8	8.4	16.8
75-79	11.2	9.2	14.2	11.7	9.9	14.2	10.2	7.5	14.1
80-84	8.4	8.3	8.7	8.9	9.0	8.8	7.4	6.7	8.4
85+	11.8	9.3	15.4	12.4	9.7	16.2	10.6	8.5	13.6
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Rajasthan					
Below 1	20.3	18.5	22.5	22.4	20.8	24.3	12.3	10.2	15.2
1-4	4.2	2.1	7.0	4.8	2.4	7.9	2.0	1.1	3.2
0-4	24.5	20.7	29.5	27.2	23.2	32.2	14.2	11.3	18.4
5-9	1.9	1.8	2.0	2.2	2.2	2.3	0.7	0.6	0.8
10-14	1.1	0.9	1.2	1.1	0.9	1.3	1.0	1.1	0.8
15-19	2.2	2.0	2.4	2.2	2.1	2.4	2.0	1.7	2.4
20-24	2.4	1.8	3.1	2.4	2.1	2.7	2.3	0.6	4.8
25-29	2.8	3.4	2.0	2.7	3.3	2.1	3.0	3.9	1.6
30-34	2.3	2.5	2.1	2.3	2.6	2.0	2.3	2.3	2.4
35-39	2.4	3.1	1.5	2.6	3.3	1.8	1.3	2.3	0.0
40-44	3.0	3.3	2.5	2.7	2.9	2.5	4.0	5.1	2.4
45-49	3.2	4.0	2.2	3.1	3.9	2.0	4.0	4.5	3.2
50-54	3.8	5.1	2.1	3.4	4.8	1.6	5.3	6.2	4.0
55-59	4.6	4.3	5.0	4.3	4.0	4.7	6.0	5.7	6.4
60-64	6.2	7.3	4.7	5.6	6.4	4.6	8.3	10.7	4.8
65-69	8.6	10.2	6.6	8.6	11.1	5.4	8.6	6.8	11.2
70-74	8.9	9.9	7.6	8.4	9.1	7.5	10.9	13.0	8.0
75-79	8.6	7.5	9.9	7.9	6.9	9.2	10.9	9.6	12.8
80-84	5.8	5.3	6.4	5.4	4.6	6.4	7.3	7.9	6.4
85+	7.9	6.7	9.4	7.8	6.7	9.3	8.0	6.8	9.6
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Tamil Nadu					
Below 1	4.7	4.1	5.5	4.8	4.2	5.5	4.6	4.0	5.4
1-4	0.6	0.4	0.9	0.7	0.4	1.1	0.4	0.4	0.5
0-4	5.3	4.5	6.3	5.5	4.6	6.6	5.0	4.4	5.9
5-9	0.6	0.6	0.6	0.7	0.6	0.8	0.4	0.4	0.3
10-14	0.5	0.5	0.6	0.7	0.5	0.9	0.2	0.4	0.0

15-19	1.5	1.3	1.8	1.3	1.0	1.7	1.8	1.8	1.8
20-24	2.1	2.0	2.2	2.2	1.7	2.7	1.9	2.5	1.2
25-29	2.5	2.5	2.4	2.4	2.4	2.4	2.7	2.9	2.5
30-34	2.3	2.3	2.2	2.4	2.4	2.5	2.0	2.2	1.8
35-39	2.2	2.8	1.6	2.6	3.4	1.6	1.7	1.8	1.5
40-44	4.0	4.3	3.7	3.8	3.8	3.7	4.5	5.0	3.8
45-49	4.9	6.4	2.9	4.9	5.8	3.7	4.8	7.4	1.5
50-54	5.7	7.3	3.6	5.2	6.7	3.2	6.5	8.2	4.3
55-59	8.0	8.5	7.4	7.6	7.8	7.3	8.8	9.6	7.7
60-64	9.7	10.1	9.1	9.7	10.9	8.2	9.7	8.9	10.6
65-69	12.2	12.7	11.7	14.4	14.4	14.3	8.7	9.8	7.4
70-74	12.3	12.3	12.2	12.4	12.8	12.0	12.0	11.5	12.6
75-79	11.2	9.7	13.0	10.9	9.9	12.2	11.7	9.6	14.3
80-84	7.4	6.3	8.9	6.7	6.3	7.4	8.5	6.3	11.4
85+	7.7	6.0	9.9	6.8	5.1	8.9	9.2	7.4	11.4
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				Uttar Pradesh					
Below 1	20.1	18.2	22.6	20.8	18.8	23.5	16.0	14.5	17.9
1-4	4.9	3.2	7.1	5.0	3.1	7.7	3.9	4.1	3.7
0-4	25.0	21.4	29.8	25.8	21.9	31.2	19.9	18.6	21.6
5-9	1.7	1.2	2.4	1.8	1.2	2.6	1.1	1.2	1.1
10-14	1.1	1.1	1.2	1.2	1.3	1.1	0.8	0.0	1.9
15-19	2.3	2.2	2.4	2.2	2.3	2.1	2.8	1.5	4.4
20-24	2.3	2.2	2.5	2.2	1.9	2.5	3.4	4.0	2.6
25-29	2.1	1.7	2.5	1.8	1.5	2.2	3.6	3.1	4.2
30-34	2.0	2.0	1.9	2.1	2.1	2.1	1.3	1.7	0.8
35-39	2.5	3.0	1.8	2.6	3.0	1.9	1.9	2.6	1.1
40-44	3.1	3.8	2.2	2.9	3.9	1.7	4.0	3.4	4.7
45-49	4.0	5.0	2.7	3.7	4.7	2.4	5.5	6.6	4.0
50-54	3.9	4.1	3.5	3.2	3.4	3.0	7.5	8.5	6.2
55-59	6.4	6.9	5.7	6.3	6.8	5.6	6.7	7.2	5.9
60-64	6.1	6.9	5.1	6.1	6.8	5.0	6.3	7.1	5.2
65-69	10.9	12.4	8.9	11.1	12.6	9.1	9.8	11.4	7.7
70-74	7.6	7.9	7.3	7.8	8.3	7.2	6.6	5.6	7.7
75-79	8.9	9.1	8.6	9.3	9.4	9.1	6.6	7.1	6.0
80-84	5.0	4.3	5.9	4.7	4.0	5.6	7.1	6.6	7.6
85+	5.1	4.7	5.7	5.1	4.9	5.5	5.2	3.6	7.1
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
				West Bengal					
Below 1	8.4	7.2	9.9	9.9	8.7	11.3	4.6	3.9	5.7
1-4	1.7	1.7	1.8	2.2	2.3	2.2	0.6	0.5	0.7
0-4	10.1	9.0	11.6	12.1	10.9	13.5	5.2	4.4	6.4
5-9	0.6	0.9	0.4	0.8	1.0	0.5	0.3	0.5	0.0
10-14	1.3	0.9	1.9	1.7	1.3	2.1	0.5	0.0	1.1
15-19	1.6	1.3	1.9	1.7	1.3	2.0	1.4	1.2	1.6
20-24	2.0	1.8	2.3	2.4	2.4	2.3	1.0	0.3	2.0
25-29	2.3	2.4	2.1	2.2	2.3	2.1	2.5	2.8	2.1
30-34	2.4	2.9	1.8	2.2	2.6	1.7	2.8	3.4	1.8
35-39	2.6	2.9	2.2	2.8	3.0	2.5	2.2	2.6	1.6
40-44	3.4	4.2	2.4	3.4	4.3	2.4	3.3	3.9	2.5
45-49	4.2	5.1	3.0	3.7	4.4	3.0	5.2	6.6	3.2

50-54	4.9	6.0	3.5	4.8	5.7	3.7	5.2	6.9	2.7
55-59	7.8	7.8	7.9	7.4	7.4	7.5	8.9	8.8	9.2
60-64	8.8	9.3	8.2	9.0	9.9	8.0	8.4	8.0	9.0
65-69	12.1	12.4	11.8	13.2	13.7	12.7	9.3	9.3	9.2
70-74	10.9	10.6	11.2	10.1	10.0	10.2	13.0	12.2	14.2
75-79	10.7	9.8	11.8	10.2	9.1	11.5	12.0	11.5	12.7
80-84	6.9	7.0	6.8	6.2	5.8	6.7	8.7	9.7	7.4
85+	7.3	5.8	9.2	6.2	4.8	7.7	10.1	7.9	13.3
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 11

Birth rate, Death rate and Infant mortality rate by NSSO natural division, 2011

Bigger States	Name of the natural division	**Number of ND**	Number of units	Estimated vital rates		
				Birth rate	Death rate	Infant mortality rate
Andhra Pradesh	Inland Northern	4	58	17.9	8.7	50
	Coastal	1	63	17.0	8.6	47
	Inland Southern	2	59	18.2	8.4	46
	South Western	3	55	20.6	7.1	42
	Total		**235**	**17.8**	**8.5**	**47**
Assam	Plain Western	1	44	25.2	8.2	57
	Plain Eastern	2	46	22.4	8.7	59
	Total		**90**	**24.0**	**8.4**	**58**
Bihar	Northern	1	104	29.8	6.9	48
	Central	2	96	26.2	6.8	40
	Total		**200**	**28.4**	**6.9**	**45**
Gujarat	Dry Area	1	38	25.6	6.2	58
	Plain Northern	3	46	22.0	8.3	54
	South Eastern	2	58	24.1	8.0	45
	Sourashtra	4	73	19.9	5.8	34
	Total		**215**	**22.9**	**7.4**	**48**
Haryana	Eastern	1	48	22.0	7.1	44
	Western	2	52	24.5	6.9	54
	Total		**100**	**22.9**	**7.0**	**48**
Jammu & Kashmir	Jhelam Valley	1	44	18.5	6.1	52
	Outer Hills	2	63	20.9	4.4	32
	Mountainous	3	43	18.3	6.2	31
	Total		**150**	**19.1**	**5.7**	**43**
Karnataka	Inland Northern	3	50	22.5	7.6	41
	Inland Southern	4	63	17.5	9.2	42
	Inland Eastern	2	97	14.4	7.7	31
	Coastal & Ghats	1	120	14.2	6.3	15
	Total		**330**	**19.7**	**8.0**	**39**
Kerala	Northern	1	36	18.0	6.1	14
	Southern	2	114	13.6	7.9	12
	Total		**150**	**15.4**	**7.1**	**13**
Madhya Pradesh	Malwa	2	41	27.2	8.1	62
	Vindhya	6	28	32.2	8.6	72
	Central	1	29	28.3	11.6	75
	Northern	3	36	29.6	8.5	63
	South	4	41	27.8	8.7	50
	South Western	5	45	25.9	7.3	46

	Total		**220**	**28.8**	**8.7**	**63**
Maharashtra	Inland Eastern	4	37	16.7	7.4	53
	Eastern	2	29	14.7	9.5	40
	Inland Central	6	28	20.2	5.9	25
	Inland Northern	3	43	22.2	7.5	23
	Coastal	1	60	15.1	9.4	24
	Inland Western	5	53	14.6	6.8	26
	Total		**250**	**17.3**	**7.3**	**30**
Odisha	Southern	3	67	26.3	10.2	73
	Northern	2	112	19.7	8.8	58
	Coastal	1	111	18.6	8.0	45
	Total		**290**	**21.0**	**8.8**	**58**
Punjab	Northern	1	85	16.7	8.2	38
	Southern	2	65	17.0	6.4	26
	Total		**150**	**16.8**	**7.5**	**33**
Rajasthan	Southern	3	61	29.7	7.9	70
	South Eastern	2	65	24.6	7.6	71
	Western	4	68	28.4	7.3	54
	North Eastern	1	56	26.8	6.1	51
	Total		**250**	**27.4**	**7.0**	**57**
Tamil Nadu	Inland	3	47	14.0	6.9	22
	Southern	4	71	16.6	8.5	30
	Coastal Northern	2	67	16.9	8.2	25
	Coastal	1	65	15.9	8.4	19
	Total		**250**	**16.0**	**8.1**	**24**
Uttar Pradesh	Central	1	80	25.9	9.5	72
	Eastern	4	100	28.6	8.2	56
	Western	3	95	30.4	7.9	59
	Southern	2	75	25.1	7.8	72
	Total		**350**	**28.8**	**8.3**	**60**
West Bengal	Himalayan	3	77	18.1	6.5	31
	Eastern Plains	2	60	20.9	6.1	38
	Western Plains	4	76	17.7	6.0	32
	Central Plains	1	97	16.3	6.1	30
	Total		**310**	**18.1**	**6.1**	**33**

Birth rate, Death rate and Infant mortality rates for metro cities Chennai, Delhi, Kolkata and Mumbai, 2009-11

	Birth rate	Death rate	Infant mortality rate
Chennai	15.5	5.1	21
Delhi	18.1	4.4	32
Kolkata	9.8	6.5	19
Mumbai	15.0	5.9	20

Tables on Trend

Table 12: Annual estimates of Birth rate by residence, India and bigger States, 2006-11

India & Bigger States	Total						Rural						Urban					
	2006	2007	2008	2009	2010	2011	2006	2007	2008	2009	2010	2011	2006	2007	2008	2009	2010	2011
India	**23.5**	**23.1**	**22.8**	**22.5**	**22.1**	**21.8**	**25.2**	**24.7**	**24.4**	**24.1**	**23.7**	**23.3**	**18.8**	**18.6**	**18.5**	**18.3**	**18.0**	**17.6**
Andhra Pradesh	18.9	18.7	18.4	18.3	17.9	17.5	19.8	19.5	19.1	18.8	18.3	17.8	16.5	16.7	16.8	17.0	16.7	16.6
Assam	24.6	24.3	23.9	23.6	23.2	22.8	26.1	25.7	25.3	24.9	24.4	24.0	15.4	15.5	15.7	15.9	15.8	15.5
Bihar	29.9	29.4	28.9	28.5	28.1	27.7	30.7	30.2	29.7	29.3	28.8	28.4	23.0	22.9	22.5	22.2	22.0	21.7
Chhatisgarh	26.9	26.5	26.1	25.7	25.3	24.9	28.5	28.0	27.6	27.2	26.8	26.3	19.9	19.6	19.3	19.0	18.6	18.3
Delhi	18.4	18.1	18.4	18.1	17.8	17.5	19.5	20.0	20.2	19.9	19.7	19.3	18.2	17.8	18.1	17.8	17.5	17.2
Gujarat	23.5	23.0	22.6	22.3	21.8	21.3	25.0	24.5	24.1	23.8	23.3	22.9	21.1	20.7	20.3	19.9	19.4	19.0
Haryana	23.9	23.4	23.0	22.7	22.3	21.8	25.1	24.5	24.2	23.8	23.3	22.9	21.1	20.8	20.4	20.1	19.8	19.5
Himachal Pradesh	18.8	17.4	17.7	17.2	16.9	16.5	19.5	17.9	18.2	17.8	17.5	17.1	12.4	12.6	12.1	11.7	11.5	11.2
Jammu & Kashmir	18.7	19.0	18.8	18.6	18.3	17.8	20.0	20.4	20.2	19.9	19.5	19.1	14.2	14.1	14.0	13.7	13.5	13.1
Jharkhand	26.2	26.1	25.8	25.6	25.3	25.0	28.0	27.8	27.5	27.1	26.7	26.3	18.8	19.0	18.9	19.2	19.3	19.0
Karnataka	20.1	19.9	19.8	19.5	19.2	18.8	21.5	21.2	20.9	20.6	20.2	19.7	17.7	17.5	17.9	17.6	17.5	17.2
Kerala	14.9	14.7	14.6	14.7	14.8	15.2	15.0	14.8	14.6	14.6	14.8	15.4	14.6	14.5	14.6	14.9	14.8	14.4
Madhya Pradesh	29.1	28.5	28.0	27.7	27.3	26.9	31.2	30.5	30.0	29.7	29.2	28.8	21.9	21.5	21.1	20.8	20.5	20.1
Maharashtra	18.5	18.1	17.9	17.6	17.1	16.7	19.2	18.7	18.4	18.1	17.6	17.3	17.5	17.3	17.2	16.9	16.4	15.8
Odisha	21.9	21.5	21.4	21.0	20.5	20.1	22.8	22.4	22.2	21.9	21.4	21.0	16.2	16.1	16.0	15.7	15.2	14.7
Punjab	17.8	17.6	17.3	17.0	16.6	16.2	18.4	18.3	18.0	17.7	17.2	16.8	16.8	16.4	16.1	15.8	15.6	15.2
Rajasthan	28.3	27.9	27.5	27.2	26.7	26.2	29.7	29.2	28.8	28.4	27.9	27.4	23.9	23.7	23.5	23.2	22.9	22.5
Tamil Nadu	16.2	15.8	16.0	16.3	15.9	15.9	16.5	16.0	16.2	16.5	16.0	16.0	15.9	15.5	15.8	16.0	15.8	15.7
Uttar Pradesh	30.1	29.5	29.1	28.7	28.3	27.8	31.0	30.5	30.0	29.7	29.2	28.8	26.0	25.5	25.1	24.7	24.2	23.7
West Bengal	18.4	17.9	17.5	17.2	16.8	16.3	20.7	19.8	19.4	19.1	18.6	18.1	12.3	12.7	12.4	12.1	11.9	11.5

Table 13: Annual estimates of Death rate by sex, India and bigger States, 2006-11

India & Bigger State	Total						Male						Female					
	2006	2007	2008	2009	2010	2011	2006	2007	2008	2009	2010	2011	2006	2007	2008	2009	2010	2011
India	**7.5**	**7.4**	**7.4**	**7.3**	**7.2**	**7.1**	**8.0**	**8.0**	**8.0**	**7.8**	**7.7**	**7.8**	**7.0**	**6.9**	**6.8**	**6.7**	**6.7**	**6.3**
Andhra Pradesh	7.3	7.4	7.5	7.6	7.6	7.5	8.5	8.1	8.3	8.4	8.3	8.7	6.1	6.6	6.7	6.9	7.0	6.3
Assam	8.7	8.6	8.6	8.4	8.2	8.0	9.2	8.7	9.5	9.3	8.7	8.9	8.1	8.5	7.6	7.4	7.7	7.1
Bihar	7.7	7.5	7.3	7.0	6.8	6.7	7.4	7.6	7.6	7.2	7.1	7.0	7.9	7.4	6.9	6.8	6.6	6.5
Chhatisgarh	8.1	8.1	8.1	8.1	8.0	7.9	8.7	8.2	9.1	9.0	8.2	8.6	7.5	8.0	7.0	7.2	7.8	7.2
Delhi	4.7	4.8	4.8	4.4	4.2	4.3	5.0	5.0	5.3	4.7	4.5	4.7	4.3	4.5	4.1	4.0	3.9	3.9
Gujarat	7.3	7.2	6.9	6.9	6.7	6.7	7.8	7.6	7.5	7.3	7.1	7.4	6.8	6.7	6.3	6.4	6.3	6.0
Haryana	6.5	6.6	6.9	6.6	6.6	6.5	7.3	7.6	7.6	7.4	7.1	7.2	5.6	5.5	6.1	5.7	6.0	5.6
Himachal Pradesh	6.8	7.1	7.4	7.2	6.9	6.7	8.4	8.1	8.7	8.4	7.8	7.7	5.4	6.1	6.1	6.0	6.1	5.7
Jammu & Kashmir	5.9	5.8	5.8	5.7	5.7	5.5	6.4	6.2	6.4	6.3	5.6	6.0	5.2	5.3	5.1	5.2	5.7	5.0
Jharkhand	7.5	7.3	7.1	7.0	7.0	6.9	7.0	8.0	7.4	7.0	7.2	7.0	8.1	6.6	6.7	6.9	6.9	6.8
Karnataka	7.1	7.3	7.4	7.2	7.1	7.1	8.0	8.2	8.3	8.1	7.7	8.2	6.3	6.4	6.6	6.4	6.6	5.9
Kerala	6.7	6.8	6.6	6.8	7.0	7.0	7.5	7.8	7.7	7.8	7.7	8.3	5.9	5.9	5.6	5.8	6.3	5.8
Madhya Pradesh	8.9	8.7	8.6	8.5	8.3	8.2	9.1	9.2	9.2	8.5	9.1	8.8	8.6	8.1	8.0	8.4	7.6	7.5
Maharashtra	6.7	6.6	6.6	6.7	6.5	6.3	7.3	7.2	7.2	7.5	7.0	7.1	6.1	6.1	6.1	5.8	6.0	5.5
Odisha	9.3	9.2	9.0	8.8	8.6	8.5	9.8	9.5	9.5	9.4	9.3	8.8	8.8	8.8	8.5	8.3	8.0	8.2
Punjab	6.8	7.0	7.2	7.0	7.0	6.8	7.4	7.7	8.1	7.6	7.6	7.6	6.1	6.3	6.3	6.4	6.4	5.8
Rajasthan	6.9	6.8	6.8	6.6	6.7	6.7	7.4	7.1	7.0	7.1	7.2	7.3	6.5	6.4	6.6	6.0	6.2	6.0
Tamil Nadu	7.5	7.2	7.4	7.6	7.6	7.4	8.4	7.9	8.3	8.5	8.4	8.3	6.6	6.6	6.5	6.8	6.8	6.4
Uttar Pradesh	8.6	8.5	8.4	8.2	8.1	7.9	8.8	8.9	8.7	8.5	8.6	8.6	8.5	8.0	8.2	7.8	7.5	7.0
West Bengal	6.2	6.3	6.2	6.2	6.0	6.2	6.8	6.9	6.9	6.7	6.5	6.7	5.6	5.6	5.5	5.6	5.6	5.6

Table 14: Annual estimates of Infant mortality rate by sex, India and bigger States, 2006-11

India & Bigger States	Total						Male						Female					
	2006	2007	2008	2009	2010	2011	2006	2007	2008	2009	2010	2011	2006	2007	2008	2009	2010	2011
India	**57**	**55**	**53**	**50**	**47**	**44**	**56**	**55**	**52**	**49**	**46**	**43**	**59**	**56**	**55**	**52**	**49**	**46**
Andhra Pradesh	56	54	52	49	46	43	55	54	51	48	44	40	58	55	54	50	47	46
Assam	67	66	64	61	58	55	67	64	62	58	56	55	68	67	65	64	60	56
Bihar	60	58	56	52	48	44	58	57	53	52	46	44	63	58	58	52	50	45
Chhatisgarh	61	59	57	54	51	48	59	58	57	50	48	47	62	61	58	57	54	50
Delhi	37	36	35	33	30	28	36	36	34	31	29	25	39	36	37	34	31	31
Gujarat	53	52	50	48	44	41	52	50	49	47	41	39	54	54	51	48	47	42
Haryana	57	55	54	51	48	44	57	55	51	48	46	41	58	56	57	53	49	48
Himachal Pradesh	50	47	44	45	40	38	45	45	43	44	35	36	55	49	45	45	47	39
Jammu & Kashmir	52	51	49	45	43	41	51	49	48	41	41	40	53	52	51	51	45	41
Jharkhand	49	48	46	44	42	39	46	47	45	42	41	36	52	49	48	46	44	43
Karnataka	48	47	45	41	38	35	46	46	44	41	37	34	50	47	46	42	39	35
Kerala	15	13	12	12	13	12	14	12	10	10	13	11	16	13	13	13	14	13
Madhya Pradesh	74	72	70	67	62	59	72	72	68	66	62	57	77	72	72	68	63	62
Maharashtra	35	34	33	31	28	25	35	33	33	28	27	24	36	35	33	33	29	25
Odisha	73	71	69	65	61	57	73	70	68	65	60	55	74	72	70	66	61	58
Punjab	44	43	41	38	34	30	39	42	39	37	33	28	50	45	43	39	35	33
Rajasthan	67	65	63	59	55	52	65	63	60	58	52	50	69	67	65	61	57	53
Tamil Nadu	37	35	31	28	24	22	36	34	30	27	23	21	37	36	33	29	24	23
Uttar Pradesh	71	69	67	63	61	57	70	67	64	62	58	55	73	70	70	65	63	59
West Bengal	38	37	35	33	31	32	37	36	34	33	29	30	40	37	37	33	32	34

Table 15: Annual estimates of Total Fertility rate by residence, India and bigger States, 2006-11

India & Bigger States	Total						Rural						Urban					
	2006	2007	2008	2009	2010	2011	2006	2007	2008	2009	2010	2011	2006	2007	2008	2009	2010	2011
India	**2.8**	**2.7**	**2.6**	**2.6**	**2.5**	**2.4**	**3.1**	**3.0**	**2.9**	**2.9**	**2.8**	**2.7**	**2.0**	**2.0**	**2.0**	**2.0**	**1.9**	**1.9**
Andhra Pradesh	2.0	1.9	1.8	1.9	1.8	1.8	2.1	2.0	2.0	2.0	1.9	1.9	1.6	1.6	1.6	1.6	1.6	1.7
Assam	2.7	2.7	2.6	2.6	2.5	2.4	3.0	2.9	2.8	2.8	2.7	2.6	1.6	1.5	1.5	1.6	1.6	1.5
Bihar	4.2	3.9	3.9	3.9	3.7	3.6	4.3	4.1	4.0	4.0	3.8	3.7	3.0	2.9	2.8	2.8	2.7	2.6
Chhatisgarh	3.3	3.1	3.0	3.0	2.8	2.7	3.6	3.4	3.2	3.2	3.0	2.9	2.2	2.1	2.0	2.0	1.9	1.9
Delhi	2.1	2.0	2.0	1.9	1.9	1.8	2.1	2.1	2.1	2.0	2.1	1.9	2.1	2.0	1.9	1.9	1.9	1.8
Gujarat	2.7	2.6	2.5	2.5	2.5	2.4	3.0	2.9	2.8	2.8	2.7	2.6	2.3	2.2	2.2	2.1	2.1	2.0
Haryana	2.7	2.6	2.5	2.5	2.3	2.3	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.0	2.0
Himachal Pradesh	2.0	1.9	1.9	1.9	1.8	1.8	2.1	1.9	2.0	1.9	1.9	1.8	1.4	1.4	1.4	1.3	1.3	1.2
Jammu & Kashmir	2.3	2.3	2.2	2.2	2.0	1.9	2.5	2.5	2.4	2.4	2.2	2.1	1.6	1.5	1.5	1.4	1.4	1.3
Jharkhand	3.4	3.2	3.2	3.2	3.0	2.9	3.7	3.5	3.5	3.4	3.2	3.2	2.2	2.2	2.1	2.2	2.1	2.1
Karnataka	2.1	2.1	2.0	2.0	2.0	1.9	2.3	2.3	2.2	2.2	2.1	2.0	1.7	1.7	1.8	1.7	1.7	1.7
Kerala	1.7	1.7	1.7	1.7	1.8	1.8	1.7	1.7	1.7	1.7	1.8	1.9	1.7	1.7	1.7	1.8	1.8	1.8
Madhya Pradesh	3.5	3.4	3.3	3.3	3.2	3.1	3.9	3.7	3.6	3.6	3.5	3.3	2.4	2.3	2.2	2.3	2.2	2.1
Maharashtra	2.1	2.0	2.0	1.9	1.9	1.8	2.3	2.2	2.1	2.1	2.0	1.9	1.8	1.8	1.7	1.8	1.7	1.6
Odisha	2.5	2.4	2.4	2.4	2.3	2.2	2.6	2.5	2.5	2.5	2.4	2.3	1.7	1.7	1.6	1.6	1.6	1.5
Punjab	2.1	2.0	1.9	1.9	1.8	1.8	2.1	2.1	2.0	1.9	1.8	1.8	1.9	1.8	1.8	1.7	1.7	1.7
Rajasthan	3.5	3.4	3.3	3.3	3.1	3.0	3.8	3.7	3.6	3.6	3.3	3.2	2.7	2.6	2.5	2.5	2.4	2.4
Tamil Nadu	1.7	1.6	1.7	1.7	1.7	1.7	1.8	1.7	1.7	1.8	1.8	1.7	1.6	1.5	1.6	1.7	1.6	1.7
Uttar Pradesh	4.2	3.9	3.8	3.7	3.5	3.4	4.4	4.2	4.0	3.9	3.7	3.6	3.2	3.1	3.0	3.0	2.7	2.6
West Bengal	2.0	1.9	1.9	1.9	1.8	1.7	2.2	2.1	2.1	2.1	2.0	1.9	1.3	1.4	1.3	1.3	1.3	1.3

Table 16: Sex ratio at birth (female per 1000 male) by residence, India and bigger States, 2005-07 to 2009-11

India & Bigger States	Total					Rural					Urban				
	2005-07	2006-08	2007-09	2008-10	2009-11	2005-07	2006-08	2007-09	2008-10	2009-11	2005-07	2006-08	2007-09	2008-10	2009-11
India	**901**	**904**	**906**	**905**	**906**	**904**	**907**	**909**	**907**	**907**	**891**	**894**	**897**	**898**	**900**
Andhra Pradesh	915	917	919	920	915	911	913	915	921	914	928	930	932	919	919
Assam	939	933	931	928	926	942	936	936	933	929	911	900	891	889	900
Bihar	909	914	917	912	910	912	917	920	914	912	876	880	886	890	884
Chhattisgarh	969	975	980	985	991	978	985	990	995	1001	913	914	915	922	930
Delhi	871	877	882	884	880	867	873	878	879	876	871	877	882	885	881
Gujarat	891	898	904	903	909	915	922	929	920	923	848	856	859	873	883
Haryana	843	847	849	848	854	851	853	855	853	856	822	829	834	836	848
Himachal Pradesh	931	938	944	942	938	931	939	947	944	940	926	916	906	915	909
Jammu & Kashmir	854	862	870	873	880	851	859	867	870	876	866	879	886	888	898
Jharkhand	927	922	921	919	915	937	935	935	932	928	867	846	843	851	844
Karnataka	926	935	944	943	945	924	935	944	948	948	932	937	942	934	939
Kerala	958	964	968	966	965	957	962	966	963	961	962	970	975	974	977
Madhya Pradesh	913	919	926	921	920	913	919	926	920	919	912	921	928	927	926
Maharashtra	871	884	896	895	893	866	878	889	888	881	879	893	908	906	911
Odisha	933	937	941	938	946	934	939	944	940	949	919	917	913	918	921
Punjab	837	836	836	831	841	827	827	828	820	829	855	852	851	852	863
Rajasthan	865	870	875	877	878	868	875	882	884	882	852	849	846	850	861
Tamil Nadu	944	936	929	927	926	940	935	932	930	933	950	937	925	923	918
Uttar Pradesh	881	877	874	870	875	883	878	874	869	874	871	875	877	878	881
West Bengal	936	941	944	938	941	932	938	943	935	938	951	950	949	951	955

Table 17: Sex ratio of child (age group 0-4) by residence, India and bigger States, 2005-07 to 2009-11

India & Bigger States	Total					Rural					Urban				
	2005-07	2006-08	2007-09	2008-10	2009-11	2005-07	2006-08	2007-09	2008-10	2009-11	2005-07	2006-08	2007-09	2008-10	2009-11
India	**914**	**915**	**914**	**914**	**914**	**917**	**918**	**915**	**916**	**916**	**904**	**905**	**908**	**908**	**908**
Andhra Pradesh	942	937	937	937	943	941	937	940	940	951	943	938	930	932	926
Assam	950	947	942	939	935	950	948	941	938	933	951	939	945	950	955
Bihar	940	932	910	914	920	942	935	910	913	920	918	910	913	922	921
Chhattisgarh	954	976	997	1007	1018	961	989	1015	1026	1035	922	908	905	907	928
Delhi	861	870	873	883	881	858	858	860	866	865	862	873	875	886	885
Gujarat	877	883	894	897	895	906	908	915	917	912	830	841	858	862	864
Haryana	820	824	829	828	836	813	823	830	830	837	838	824	826	821	831
Himachal Pradesh	945	954	948	946	942	951	957	950	946	942	875	908	924	949	938
Jammu & Kashmir	874	885	884	887	872	874	883	885	889	875	874	890	878	873	859
Jharkhand	926	938	923	919	915	930	949	931	926	920	902	879	884	881	891
Karnataka	925	942	951	955	946	925	943	950	957	951	926	940	954	950	938
Kerala	962	970	970	965	961	963	971	974	970	965	960	969	958	949	949
Madhya Pradesh	935	930	933	936	934	943	936	936	937	935	905	905	921	933	928
Maharashtra	889	899	904	907	900	881	893	903	909	898	901	908	905	905	904
Odisha	952	949	946	946	947	952	950	949	948	949	946	947	930	932	930
Punjab	838	841	843	843	850	821	825	826	829	833	867	868	873	867	879
Rajasthan	876	876	869	879	880	871	877	870	883	882	892	873	868	865	872
Tamil Nadu	950	947	946	946	943	949	943	943	944	940	952	954	951	947	946
Uttar Pradesh	887	884	883	879	878	887	884	882	878	877	889	885	892	881	886
West Bengal	964	970	971	971	971	966	972	970	970	971	954	963	974	975	970

Table 18: Percent of live births where the mothers received medical attention at delivery either at Government hospitals or at Private hospitals, India and bigger States, 2006-11

India & Bigger States	Total						Rural						Urban					
	2006	2007	2008	2009	2010	2011	2006	2007	2008	2009	2010	2011	2006	2007	2008	2009	2010	2011
India	**34.9**	**38.6**	**47.1**	**58.2**	**60.5**	**66.6**	**24.9**	**28.7**	**38.3**	**49.2**	**53.9**	**60.7**	**71.0**	**74.5**	**78.5**	**87.3**	**84.2**	**87.9**
Andhra Pradesh	56.2	63.7	70.9	74.4	88.1	90.7	44.1	53.5	62.6	66.5	84.4	87.5	91.8	92.7	93.7	95.5	98.1	98.6
Assam	25.1	28.0	40.2	46.1	54.0	61.8	21.4	24.1	36.7	42.9	51.1	58.9	62.5	66.5	73.8	75.7	80.9	88.4
Bihar	22.4	23.5	27.0	32.4	41.4	48.4	20.7	21.3	23.5	29.0	38.2	45.5	41.4	47.9	66.9	70.0	77.9	83.6
Chhattisgarh	24.1	26.2	35.2	40.3	47.4	54.1	18.9	21.4	30.7	35.9	43.0	50.3	56.3	57.0	65.6	68.9	76.9	79.2
Delhi	62.6	65.4	69.5	73.7	78.3	85.6	51.5	59.2	63.6	69.0	77.6	81.3	64.6	66.6	70.7	74.6	78.4	86.5
Gujarat	53.2	59.1	71.3	73.2	79.8	84.4	36.7	42.3	60.8	63.1	72.1	78.6	83.9	90.2	90.4	91.7	94.1	95.6
Haryana	33.7	38.9	48.2	51.6	63.0	69.9	25.6	31.0	40.4	44.2	58.9	66.9	56.2	60.3	69.0	71.7	74.0	77.7
Himachal Pradesh	34.2	35.8	46.4	49.6	57.9	64.1	31.1	32.4	43.9	47.1	55.7	62.3	80.3	82.4	83.7	84.9	89.6	91.1
Jammu & Kashmir	48.6	52.0	61.5	64.2	69.7	74.1	41.1	45.1	56.4	59.4	65.3	70.1	85.5	87.2	87.9	89.9	93.0	95.6
Jharkhand	12.8	13.9	16.2	20.4	28.9	36.3	5.4	6.0	7.2	11.4	21.9	29.0	56.6	61.0	69.9	73.1	69.7	79.3
Karnataka	60.4	64.2	73.4	76.1	85.7	88.4	45.7	50.6	63.3	66.7	83.1	85.9	93.0	94.1	94.4	95.5	90.9	93.6
Kerala	99.2	99.2	99.2	99.5	99.5	99.7	98.9	99.0	98.9	99.4	99.5	99.6	100.0	99.8	99.8	99.7	99.6	99.5
Madhya Pradesh	22.8	31.2	44.7	49.7	60.0	66.6	13.9	22.8	37.4	42.7	54.8	62.0	66.0	71.8	81.0	84.6	86.9	91.0
Maharashtra	58.1	63.9	73.3	77.2	86.3	90.7	36.8	42.8	57.5	63.5	78.4	85.4	89.8	94.8	96.0	96.7	97.8	98.3
Odisha	26.6	32.7	45.2	48.5	57.6	62.6	21.9	28.6	42.0	45.2	54.6	59.8	67.9	68.4	73.5	78.1	82.6	87.5
Punjab	42.7	46.0	56.3	58.5	67.6	73.4	30.3	35.4	48.9	51.5	59.9	66.8	65.3	65.9	69.8	71.4	81.4	85.3
Rajasthan	24.1	30.3	50.2	53.3	68.0	76.6	16.9	21.6	43.4	46.9	63.5	74.0	52.1	63.7	76.1	78.7	85.4	86.9
Tamil Nadu	76.0	82.8	87.5	88.6	91.2	92.4	59.4	70.9	78.7	80.8	85.8	87.5	99.0	99.4	99.3	99.6	98.5	99.1
Uttar Pradesh	15.0	16.0	22.5	29.8	40.1	48.4	10.0	10.7	18.2	26.0	36.6	44.7	40.2	42.4	44.5	52.8	58.2	67.6
West Bengal	44.8	48.4	55.9	62.4	66.1	70.5	37.2	40.7	49.4	56.6	61.8	66.5	78.6	80.6	82.6	87.1	84.3	87.8

Table 19: Percent of deaths where medical attention received before death was either at Government hospitals or at Private hospitals, India and bigger States, 2006-11

India & Bigger States	Total						Rural						Urban					
	2006	2007	2008	2009	2010	2011	2006	2007	2008	2009	2010	2011	2006	2007	2008	2009	2010	2011
India	**28.1**	**28.4**	**29.5**	**30.0**	**33.9**	**34.2**	**23.0**	**23.4**	**24.5**	**25.1**	**29.7**	**30.0**	**46.3**	**46.6**	**47.4**	**47.7**	**48.9**	**49.3**
Andhra Pradesh	28.2	28.4	28.7	28.9	32.6	32.9	24.5	24.9	25.1	25.4	30.3	30.6	40.1	40.3	40.8	41.3	41.5	41.8
Assam	21.2	21.7	21.9	22.4	25.5	25.9	20.0	20.5	20.8	21.2	24.5	24.9	32.3	32.7	33.1	33.3	34.4	34.8
Bihar	18.0	18.4	18.7	19.1	22.1	22.4	16.3	16.7	17.0	17.4	20.6	20.9	35.7	35.9	36.4	36.6	38.9	39.2
Chhattisgarh	24.7	25.0	25.1	25.7	25.8	26.2	20.4	20.7	20.9	21.5	21.7	22.2	49.1	49.4	50.1	50.3	50.6	50.9
Delhi	50.0	50.5	51.0	51.2	53.3	53.5	22.6	22.9	23.2	23.6	26.9	27.1	55.5	55.7	56.2	56.4	58.3	58.5
Gujarat	32.7	32.9	33.2	33.8	34.9	35.5	26.8	27.0	27.4	27.7	28.8	29.3	45.7	45.9	46.5	46.7	48.0	48.4
Haryana	24.7	24.9	25.1	25.5	25.9	26.3	23.6	23.8	24.0	24.4	24.8	25.2	27.9	28.1	28.5	28.7	29.3	29.5
Himachal Pradesh	52.5	52.8	53.0	53.4	58.5	58.8	52.5	52.8	53.1	53.5	58.4	58.7	51.6	51.8	52.1	52.2	59.6	59.8
Jammu & Kashmir	42.9	43.0	43.6	44.2	45.3	45.5	37.4	37.5	38.2	39.1	40.3	40.5	67.1	67.3	67.9	68.2	68.6	68.8
Jharkhand	19.7	19.9	19.8	20.3	22.2	22.4	14.2	14.4	14.7	15.2	17.3	17.6	49.5	49.7	50.2	50.4	50.7	51.0
Karnataka	37.2	37.3	38.1	38.5	39.6	40.0	30.5	30.7	31.5	31.9	33.0	33.2	55.4	55.7	56.3	56.5	57.7	57.9
Kerala	69.4	69.7	71.4	72.0	73.2	73.5	73.0	73.2	74.8	75.7	76.8	77.0	57.8	58.1	60.2	60.4	61.6	61.8
Madhya Pradesh	27.8	28.0	33.6	34.0	44.2	44.4	23.7	23.9	30.1	30.5	41.0	41.1	49.1	49.4	52.4	52.6	60.9	61.2
Maharashtra	37.8	37.9	38.2	38.7	40.8	41.0	30.5	30.7	31.2	31.8	34.3	34.5	50.1	50.3	51.0	51.2	53.2	53.5
Odisha	19.1	19.5	20.0	20.4	24.7	25.0	17.4	17.8	18.3	18.7	23.5	23.8	33.0	33.3	34.0	34.2	34.6	34.9
Punjab	42.3	42.3	42.8	42.9	45.1	45.3	36.6	36.7	37.1	37.5	40.1	40.3	54.4	54.5	54.9	55.1	56.1	56.4
Rajasthan	23.3	23.5	28.3	28.7	33.3	33.6	18.7	19.0	24.0	24.4	30.2	30.6	40.2	40.4	44.2	44.4	44.7	45.1
Tamil Nadu	30.5	31.0	31.7	32.0	34.3	34.5	22.1	22.4	23.2	23.6	25.7	26.3	45.3	45.5	46.1	46.3	47.5	48.0
Uttar Pradesh	20.8	20.9	21.6	21.9	29.5	29.7	16.9	17.1	17.6	18.1	27.0	27.2	43.1	43.1	43.7	43.9	44.2	44.4
West Bengal	28.4	28.6	29.7	29.8	31.6	31.8	20.9	21.2	21.9	22.3	24.6	24.9	47.8	48.0	48.7	48.9	49.3	49.6

CENSUS OF INDIA 2011



ANNEXURE

Annexure II

List of natural divisions alongwith their districts

Sl. No.	State	Region		Districts
1	ANDHRA PRADESH	1.1 COASTAL	1.1.1	SRIKAKULAM
			1.1.2	VIZIANAGARAM
			1.1.3	VISAKHAPATNAM
			1.1.4	EAST GODAVARI
			1.1.5	WEST GODAVARI
			1.1.6	KRISHNA
			1.1.7	GUNTUR
			1.1.8	PRAKASAM
			1.1.9	NELLORE
		1.2 INLAND SOUTHERN	1.2.1	CUDDAPAH
			1.2.2	CHITTOOR
		1.3 SOUTH WESTERN	1.3.1	KURNOOL
			1.3.2	ANANTAPUR
		1.4 INLAND NORTHERN	1.4.1	ADILABAD
			1.4.2	NIZAMABAD
			1.4.3	KARIMNAGAR
			1.4.4	MEDAK
			1.4.5	HYDERABAD
			1.4.6	RANGAREDDI
			1.4.7	MAHBUBNAGAR
			1.4.8	NALGONDA
			1.4.9	WARANGAL
			1.4.10	KHAMMAM
2	ASSAM	2.1 PLAIN WESTERN	2.1.1	KOKRAJHAR
			2.1.2	DHUBRI
			2.1.3	GOALPARA
			2.1.4	BONGAIGAON
			2.1.5	BARPETA
			2.1.6	KAMRUP
			2.1.7	NALBARI
			2.1.8	DARRANG
			2.1.9	MARIGAON
			2.1.10	NAGAON
			2.1.11	SONITPUR
		2.2 PLAIN EASTERN	2.2.1	LAKHIMPUR
			2.2.2	DHEMAJI
			2.2.3	TINSUKIA
			2.2.4	DIBRUGARH
			2.2.5	SIBSAGAR
			2.2.6	JORHAT
			2.2.7	GOLAGHAT
			2.2.8	KARBI ANGLONG
			2.2.9	NORTH CACHAR HILLS
			2.2.10	CACHAR
			2.2.11	KARIMGANJ
			2.2.12	HAILAKANDI

Annexure II

List of natural divisions alongwith their districts

Sl. No.	State	Region		Districts
3	BIHAR	3.1 NORTHERN	3.1.1	PASHCHIM CHAMPARAN
			3.1.2	PURBA CHAMPARAN
			3.1.3	SHEOHAR
			3.1.4	SITAMARHI
			3.1.5	MADHUBANI
			3.1.6	SUPAUL
			3.1.7	ARARIA
			3.1.8	KISHANGANJ
			3.1.9	PURNIA
			3.1.10	KATIHAR
			3.1.11	MADHEPURA
			3.1.12	SAHARSA
			3.1.13	DARBHANGA
			3.1.14	MUZAFFARPUR
			3.1.15	GOPALGANJ
			3.1.16	SIWAN
			3.1.17	SARAN
			3.1.18	VAISHALI
			3.1.19	SAMASTIPUR
		3.2 CENTRAL	3.2.1	BEGUSARAI
			3.2.2	KHAGARIA
			3.2.3	BHAGALPUR
			3.2.4	BANKA
			3.2.5	MUNGER
			3.2.6	LAKHISARAI
			3.2.7	SHEIKHPURA
			3.2.8	NALANDA
			3.2.9	PATNA
			3.2.10	BHOJPUR
			3.2.11	BUXAR
			3.2.12	KAIMUR (BHABUA)
			3.2.13	ROHTAS
			3.2.14	JEHANABAD
			3.2.15	AURANGABAD
			3.2.16	GAYA
			3.2.17	NAWADA
			3.2.18	JAMUI
4	GUJARAT	4.1 DRY AREA	4.1.1	KACHCHH
			4.1.2	BANAS KANTHA
			4.1.3	SURENDRANAGAR
		4.2 SOUTH EASTERN	4.2.1	PANCH MAHALS
			4.2.2	DOHAD
			4.2.3	VADODARA
			4.2.4	NARMADA
			4.2.5	BHARUCH
			4.2.6	SURAT
			4.2.7	THE DANGS
			4.2.8	NAVSARI
			4.2.9	VALSAD

Annexure II

List of natural divisions alongwith their districts

Sl. No.	State	Region		Districts
	GUJARAT	4.3 PLAIN NORTHERN	4.3.1	PATAN
			4.3.2	MAHESANA
			4.3.3	SABAR KANTHA
			4.3.4	GANDHINAGAR
			4.3.5	AHMADABAD
			4.3.6	ANAND
			4.3.7	KHEDA
		4.4 SOURASHTRA	4.4.1	RAJKOT
			4.4.2	JAMNAGAR
			4.4.3	PORBANDAR
			4.4.4	JUNAGADH
			4.4.5	AMRELI
			4.4.6	BHAVNAGAR
5	HARYANA	5.1 EASTERN	5.1.1	PANCHKULA
			5.1.2	AMBALA
			5.1.3	YAMUNANAGAR
			5.1.4	KURUKSHETRA
			5.1.5	KAITHAL
			5.1.6	KARNAL
			5.1.7	PANIPAT
			5.1.8	SONIPAT
			5.1.9	JHAJJAR
			5.1.10	ROHTAK
			5.1.11	FARIDABAD
			5.1.12	GURGAON
		5.2 WESTERN	5.2.1	REWARI
			5.2.2	MAHENDRAGARH
			5.2.3	JIND
			5.2.4	FATEHABAD
			5.2.5	SIRSA
			5.2.6	HISAR
			5.2.7	BHIWANI
6	JAMMU & KASHMIR	6.1 JHELAM VALLEY	6.1.1	KUPWARA
			6.1.2	BARAMULA
			6.1.3	SRINAGAR
			6.1.4	BADGAM
			6.1.5	PULWAMA
			6.1.6	ANANTNAG
			6.1.7	LEH (LADAKH)
			6.1.8	KARGIL
		6.2 OUTER HILLS	6.2.1	DODA
			6.2.2	UDHAMPUR
			6.2.3	PUNCH
			6.2.4	RAJAURI
		6.3 MOUNTAINOUS	6.3.1	JAMMU
			6.3.2	KATHUA

Annexure II

List of natural divisions alongwith their districts

Sl. No.	State	Region		Districts
7	KARNATAKA	7.1 COASTAL & GHATS	7.1.1	UTTAR KANNAD
			7.1.2	UDUPI
			7.1.3	DAKSHIN KANNAD
		7.2 INLAND EASTERN	7.2.1	SHIMOGA
			7.2.2	CHIKMAGALUR
			7.2.3	HASSAN
			7.2.4	KODAGU
		7.3 INLAND NORTHERN	7.3.1	BELGAUM
			7.3.2	BAGALKOT
			7.3.3	BIJAPUR
			7.3.4	GULBARGA
			7.3.5	BIDAR
			7.3.6	RAICHUR
			7.3.7	KOPPAL
			7.3.8	GADAG
			7.3.9	DHARWAD
			7.3.10	HAVERI
			7.3.11	BELLARY
			7.3.12	CHITRADURGA
			7.3.13	DAVANAGERE
		7.4 INLAND SOUTHERN	7.4.1	TUMKUR
			7.4.2	KOLAR
			7.4.3	BANGALORE
			7.4.4	BANGALORE RURAL
			7.4.5	MANDYA
			7.4.6	MYSORE
			7.4.7	CHAMARAJANAGAR
8	KERALA	8.1 NORTHERN	8.1.1	KASARAGOD
			8.1.2	KANNUR
			8.1.3	WAYANAD
			8.1.4	KOZHIKODE
			8.1.5	MALAPPURAM
			8.1.6	PALAKKAD
		8.2 SOUTHERN	8.2.1	THRISSUR
			8.2.2	ERNAKULAM
			8.2.3	IDUKKI
			8.2.4	KOTTAYAM
			8.2.5	ALAPPUZHA
			8.2.6	PATHANAMTHITTA
			8.2.7	KOLLAM
			8.2.8	THIRUVANANTHAPURAM
9	MADHYA PRADESH	9.1 CENTRAL	9.1.1	SAGAR
			9.1.2	DAMOH
			9.1.3	VIDISHA
			9.1.4	BHOPAL
			9.1.5	SEHORE
			9.1.6	RAISEN

Annexure II

List of natural divisions alongwith their districts

Sl. No.	State	Region		Districts
	MADHYA PRADESH	9.2 MALWA	9.2.1	NEEMUCH
			9.2.2	MANDSAUR
			9.2.3	RATLAM
			9.2.4	UJJAIN
			9.2.5	SHAJAPUR
			9.2.6	DEWAS
			9.2.7	JHABUA
			9.2.8	DHAR
			9.2.9	INDORE
			9.2.10	RAJGARH
		9.3 NORTHERN	9.3.1	SHEOPUR
			9.3.2	MORENA
			9.3.3	BHIND
			9.3.4	GWALIOR
			9.3.5	DATIA
			9.3.6	SHIVPURI
			9.3.7	GUNA
		9.4 SOUTH	9.4.1	KATNI
			9.4.2	JABALPUR
			9.4.3	NARSIMHAPUR
			9.4.4	DINDORI
			9.4.5	MANDLA
			9.4.6	CHHINDWARA
			9.4.7	SEONI
			9.4.8	BALAGHAT
		9.5 SOUTH WESTERN	9.5.1	WEST NIMAR
			9.5.2	BARWANI
			9.5.3	EAST NIMAR
			9.5.4	BETUL
			9.5.5	HARDA
			9.5.6	HOSHANGABAD
		9.6 VINDHYA	9.6.1	TIKAMGARH
			9.6.2	CHHATARPUR
			9.6.3	PANNA
			9.6.4	SATNA
			9.6.5	REWA
			9.6.6	UMARIA
			9.6.7	SHAHDOL
			9.6.8	SIDHI
10	MAHARASHTRA	10.1 COASTAL	10.1.1	THANE
			10.1.2	MUMBAI (SUBURBAN)
			10.1.3	MUMBAI
			10.1.4	RAIGARH
			10.1.5	RATNAGIRI
			10.1.6	SINDHUDURG

Annexure II

List of natural divisions alongwith their districts

Sl. No.	State	Region	Districts
	MAHARASHTRA	10.2 EASTERN	10.2.1 BHANDARA
			10.2.2 GONDIYA
			10.2.3 GADCHIROLI
			10.2.4 CHANDRAPUR
		10.3 INLAND NORTHERN	10.3.1 NANDURBAR
			10.3.2 DHULE
			10.3.3 JALGAON
			10.3.4 NASHIK
		10.4 INLAND EASTERN	10.4.1 BULDANA
			10.4.2 AKOLA
			10.4.3 WASHIM
			10.4.4 AMRAVATI
			10.4.5 WARDHA
			10.4.6 NAGPUR
			10.4.7 YAVATMAL
		10.5 INLAND WESTERN	10.5.1 PUNE
			10.5.2 AHMADNAGAR
			10.5.3 SOLAPUR
			10.5.4 SATARA
			10.5.5 KOLHAPUR
			10.5.6 SANGLI
		10.6 INLAND CENTRAL	10.6.1 NANDED
			10.6.2 HINGOLI
			10.6.3 PARBHANI
			10.6.4 JALNA
			10.6.5 AURANGABAD
			10.6.6 BID
			10.6.7 LATUR
			10.6.8 OSMANABAD
11	ODISHA	11.1 COASTAL	11.1.1 BALESHWAR
			11.1.2 BHADRAK
			11.1.3 KENDRAPARA
			11.1.4 JAGATSINGHAPUR
			11.1.5 CUTTACK
			11.1.6 JAJAPUR
			11.1.7 NAYAGARH
			11.1.8 KHORDHA
			11.1.9 PURI
			11.1.10 GANJAM
			11.1.11 GAJAPATI

Annexure II

List of natural divisions alongwith their districts

Sl. No.	State	Region	Districts
	ODISHA	11.2 NORTHERN	11.2.1 BARGARH
			11.2.2 JHARSUGUDA
			11.2.3 SAMBALPUR
			11.2.4 DEBAGARH
			11.2.5 SUNDARGARH
			11.2.6 KENDUJHAR
			11.2.7 MAYURBHANJ
			11.2.8 DHENKANAL
			11.2.9 ANUGUL
			11.2.10 SONAPUR
			11.2.11 BALANGIR
		11.3 SOUTHERN	11.3.1 KANDHAMAL
			11.3.2 BAUDH
			11.3.3 NUAPADA
			11.3.4 KALAHANDI
			11.3.5 RAYAGADA
			11.3.6 NABARANGAPUR
			11.3.7 KORAPUT
			11.3.8 MALKANGIRI
12	PUNJAB	12.1 NORTHERN	12.1.1 GURDASPUR
			12.1.2 AMRITSAR
			12.1.3 KAPURTHALA
			12.1.4 JALANDHAR
			12.1.5 HOSHIARPUR
			12.1.6 NAWANSHAHR
			12.1.7 RUPNAGAR
			12.1.8 FATEHGARH SAHIB
			12.1.9 LUDHIANA
		12.2 SOUTHERN	12.2.1 MOGA
			12.2.2 FIROZPUR
			12.2.3 MUKTSAR
			12.2.4 FARIDKOT
			12.2.5 BATHINDA
			12.2.6 MANSA
			12.2.7 SANGRUR
			12.2.8 PATIALA
13	RAJASTHAN	13.1 NORTH EASTERN	13.1.1 JHUNJHUNUN
			13.1.2 ALWAR
			13.1.3 BHARATPUR
			13.1.4 DHAULPUR
			13.1.5 KARAULI
			13.1.6 SAWAI MADHOPUR
			13.1.7 DAUSA
			13.1.8 JAIPUR
			13.1.9 SIKAR
			13.1.10 AJMER
			13.1.11 TONK
			13.1.12 BHILWARA

Annexure II

List of natural divisions alongwith their districts

Sl. No.	State	Region	Districts
	RAJASTHAN	13.2 SOUTH EASTERN	13.2.1 BUNDI
			13.2.2 CHITTAURGARH
			13.2.3 KOTA
			13.2.4 BARAN
			13.2.5 JHALAWAR
		13.3 SOUTHERN	13.3.1 RAJSAMAND
			13.3.2 UDAIPUR
			13.3.3 DUNGARPUR
			13.3.4 BANSWARA
		13.4 WESTERN	13.4.1 GANGANAGAR
			13.4.2 HANUMANGARH
			13.4.3 BIKANER
			13.4.4 CHURU
			13.4.5 NAGAUR
			13.4.6 JODHPUR
			13.4.7 JAISALMER
			13.4.8 BARMER
			13.4.9 JALOR
			13.4.10 SIROHI
			13.4.11 PALI
14	TAMIL NADU	14.1 COASTAL	14.1.1 KARUR
			14.1.2 TIRUCHIRAPPALLI
			14.1.3 PERAMBALUR
			14.1.4 ARIYALUR
			14.1.5 NAGAPATTINAM
			14.1.6 THIRUVARUR
			14.1.7 THANJAVUR
			14.1.8 PUDUKKOTTAI
		14.2 COASTAL NORTHERN	14.2.1 THIRUVALLUR
			14.2.2 CHENNAI
			14.2.3 KANCHEEPURAM
			14.2.4 VELLORE
			14.2.5 TIRUVANNAMALAI
			14.2.6 VILUPPURAM
			14.2.7 CUDDALORE
		14.3 INLAND	14.3.1 DHARMAPURI
			14.3.2 SALEM
			14.3.3 NAMAKKAL
			14.3.4 ERODE
			14.3.5 THE NILGIRIS
			14.3.6 COIMBATORE
		14.4 SOUTHERN	14.4.1 DINDIGUL
			14.4.2 SIVAGANGA
			14.4.3 MADURAI
			14.4.4 THENI
			14.4.5 VIRUDHUNAGAR
			14.4.6 RAMANATHAPURAM
			14.4.7 THOOTHUKKUDI
			14.4.8 TIRUNELVELI
			14.4.9 KANNIYAKUMARI

Annexure II

List of natural divisions alongwith their districts

Sl. No.	State	Region	Districts
15	UTTAR PRADESH	15.1 CENTRAL	15.1.1 KHERI
			15.1.2 SITAPUR
			15.1.3 HARDOI
			15.1.4 UNNAO
			15.1.5 LUCKNOW
			15.1.6 RAE BARELI
			15.1.7 KANPUR DEHAT
			15.1.8 KANPUR NAGAR
			15.1.9 CHITRAKOOT
			15.1.10 FATEHPUR
			15.1.11 BARABANKI
		15.2 EASTERN	15.2.1 PRATAPGARH
			15.2.2 KAUSHAMBI
			15.2.3 ALLAHABAD
			15.2.4 FAIZABAD
			15.2.5 AMBEDKAR NAGAR
			15.2.6 SULTANPUR
			15.2.7 BAHRAICH
			15.2.8 SHRAWASTI
			15.2.9 BALRAMPUR
			15.2.10 GONDA
			15.2.11 SIDDHARTHNAGAR
			15.2.12 BASTI
			15.2.13 SANT KABIR NAGAR
			15.2.14 MAHARAJGANJ
			15.2.15 GORAKHPUR
			15.2.16 KUSHINAGAR
			15.2.17 DEORIA
			15.2.18 AZAMGARH
			15.2.19 MAU
			15.2.20 BALLIA
			15.2.21 JAUNPUR
			15.2.22 GHAZIPUR
			15.2.23 CHANDAULI
			15.2.24 VARANASI
			15.2.25 SANT RAVIDAS NAGAR BHADOHI
			15.2.26 MIRZAPUR
			15.2.27 SONBHADRA
		15.3 WESTERN	15.3.1 SAHARANPUR
			15.3.2 MUZAFFARNAGAR
			15.3.3 BIJNOR
			15.3.4 MORADABAD
			15.3.5 RAMPUR
			15.3.6 JYOTIBA PHULE NAGAR
			15.3.7 MEERUT
			15.3.8 BAGHPAT
			15.3.9 GHAZIABAD
			15.3.10 GAUTAM BUDDHA NAGAR
			15.3.11 BULANDSHAHR
			15.3.12 ALIGARH
			15.3.13 HATHRAS

Annexure II

List of natural divisions alongwith their districts

Sl. No.	State	Region	Districts
	UTTAR PRADESH	15.3 WESTERN	15.3.14 MATHURA
			15.3.15 AGRA
			15.3.16 FIROZABAD
			15.3.17 ETAH
			15.3.18 MAINPURI
			15.3.19 BUDAUN
			15.3.20 BAREILLY
			15.3.21 PILIBHIT
			15.3.22 SHAHJAHANPUR
			15.3.23 FARRUKHABAD
			15.3.24 KANNAUJ
			15.3.25 ETAWAH
			15.3.26 AURAIYA
		15.4 SOUTHERN	15.4.1 JALAUN
			15.4.2 JHANSI
			15.4.3 LALITPUR
			15.4.4 HAMIRPUR
			15.4.5 MAHOBA
			15.4.6 BANDA
16	WEST BENGAL	16.1 CENTRAL PLAINS	16.1.1 BARDDHAMAN
			16.1.2 NORTH TWENTY FOUR PARGANAS
			16.1.3 HUGLI
			16.1.4 HAORA
			16.1.5 KOLKATA
			16.1.6 SOUTH TWENTY FOUR PARGANAS
		16.2 EASTERN PLAINS	16.2.1 UTTAR DINAJPUR
			16.2.2 DAKSHIN DINAJPUR
			16.2.3 MALDAH
			16.2.4 MURSHIDABAD
			16.2.5 BIRBHUM
			16.2.6 NADIA
		16.3 HIMALAYAN	16.3.1 DARJILING
			16.3.2 JALPAIGURI
			16.3.3 KOCH BIHAR
		16.4 WESTERN PLAINS	16.4.1 BANKURA
			16.4.2 PURULIYA
			16.4.3 MEDINIPUR

Note : Natural division classification has been made for 16 bigger states only.