सत्यमेव जयते

# SAMPLE REGISTRATION SYSTEM STATISTICAL REPORT 2015

**(Field work period: 2016)**

**OFFICE OF THE REGISTRAR GENERAL &**
**CENSUS COMMISSIONER, INDIA**
**MINISTRY OF HOME AFFAIRS**
**GOVERNMENT OF INDIA**
**NEW DELHI**

# SAMPLE REGISTRATION SYSTEM
# STATISTICAL REPORT 2015
**(Field work period: 2016)**

**OFFICE OF THE REGISTRAR GENERAL &**
**CENSUS COMMISSIONER, INDIA**
**MINISTRY OF HOME AFFAIRS**
**GOVERNMENT OF INDIA**
**NEW DELHI**

# PREFACE

The Sample Registration System (SRS) in India is the largest demographic survey in the world covering about 1.7 million households and 7.6 million population. It continues to be the main source of information on fertility and mortality both at the State and National levels. Apart from the large sample size and geographic spread in most of the Districts, the system has a unique feature of dual recording, which involves retrospective half-yearly surveys. The continuous enumeration and retrospective surveys are followed by the process of matching of the two records and subsequent field verification of unmatched and partially matched events. The system provides for a cross check on the correctness and completeness of the events of birth and death listed by the two independent functionaries.

2. Based on the dual record system, the SRS has been providing reliable estimates of fertility and mortality on a regular basis from 1971 onwards. It includes data on population composition by broad age groups, sex and marital status, fertility and mortality levels, for India and bigger States/UTs (with population 10 million and above) separately for rural and urban areas. Certain items of demographic interest such as mean age at effective marriage for females, interval between current and previous live birth and also distribution of live births by birth order have continued to form part of the SRS report. The sex ratio at birth has been included in this Report as in the past. Moreover, in order to facilitate effective tracking of Sustainable Development Goals (SDGs) on under-five mortality, the estimates for India and bigger States/UTs, separately for rural and urban and also by sex have been provided in this Report.

3. The present Report is the second in the series that has been prepared based on data collected from new SRS sample units selected from 2011 Census frame. Apart from the fertility and mortality indicators, this Report includes data on crude birth rate, crude death rate and infant mortality rates at Natural Division (group of contiguous districts) level. It has been our endeavour to release the SRS Report by the end of succeeding year. Previous Report (2014) was published in august 2016. The margin of delay is substantially reduced this time.

4. The SRS has been a joint effort of the Central and State Governments. This study has been made possible with the active involvement of staff and officers of the

Directorates of Census Operations, Map Division and the SRS Wing of the Vital Statistics Division at the headquarters. I am thankful to all of them. I must complement the contribution and efforts put in by Shri Rajeev Kumar, SRO, Shri Ravi Kant, SI Grade-II and Ms. Prabha Agarwal, DEO in preparation of this Report, supervised by Shri Rohit Bhardwaj and Smt Sandhya Singh, Deputy Registrar Generals, under the guidance of Shri Kameshwar Ojha, Additional Registrar GeneraI.

**(SAILESH)**
Additional Secretary & Registrar General of India

# C O N T E N T S


| | Page |
|---|---|
| List of statements | ix- xii |
| List of charts | xiii-xviii |
| Definitions | xix-xx |
| Figures at a glance, India – 2015 | xxi-xxiii |
| National level trends for few core indicators 2010-15 | xxiv |
| Executive Summary | xxv-xxvi |
| Map - Birth rate by NSS Natural Division, 2015 | xxvii |
| Map - Death rate by NSS Natural Division, 2015 | xxix |
| Map - Infant mortality rate by NSS Natural Division, 2015 | xxx |
| Chapter 1- Introduction | 1-10 |
| Chapter 2 - Population Composition | 11-46 |
| Chapter 3 - Estimates of Fertility Indicators | 47-119 |
| Chapter 4 - Estimates of Mortality Indicators | 121-183 |


## Detailed Tables


| | | |
|---|---|---|
| 1. | Percentage distribution of estimated population by age-group, sex and residence, 2015 | 187-198 |
| 2. | Percentage distribution of population by sex, marital status and age-group, 2015 | 199-221 |
| 3. | Fertility Indicators, 2015 | 222-228 |
| 4. | Fertility indicators by level of education of women, 2015 | 229-251 |
| 5. | Percentage distribution of live births by order of birth, 2015 | 252-258 |
| 6. | Percentage distribution of current live births by birth interval, 2015 | 259-260 |
| 7. | Percentage distribution of current live births by birth interval and birth order, 2015 | 261-267 |
| 8. | Age-specific death rate by sex and residence, 2015 | 268-290 |
| 9. | Child (Aged 0-4 years) and infant mortality indicators, 2015 | 268-290 |
| 10. | Percentage distribution of deaths to total deaths by residence, sex and age-group, 2015 | 291-302 |
| 11. | Birth rate, death rate and infant mortality rate by NSSO natural division, 2015 | 303-305 |

## Tables on Trend


| | | |
|---|---|---|
| 12. | Annual estimates of Birth rate by residence, India and bigger States/UTs, 2010-15 | 309 |
| 13. | Annual estimates of Death rate by sex, India and bigger States/UTs, 2010-15 | 310 |
| 14. | Annual estimates of Infant mortality rate by sex, India and bigger States/UTs, 2010-15 | 311 |
| 15. | Annual estimates of Total Fertility rate by residence, India and bigger States/UTs, 2010-15 | 312 |
| 16. | Sex ratio at birth (female per 1000 male) by residence, India and bigger States/UTs, 2009-11 to 2013-15 | 313 |
| 17. | Percent of live births where the mothers received medical attention at delivery either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2010-15 | 314 |
| 18. | Percent of deaths where medical attention received before death was either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2010-15 | 315 |


## Annexure


| | | |
|---|---|---|
| I | Map of natural divisions | 319 |
| II | List of natural divisions along with their districts | 321-335 |

# LIST OF STATEMENTS


| | | Page |
|---|---|---|
| **General** | | |
| 1 | Number of sample units at different replacement period | 2 |
| 2 | Number of sample units and population covered, India, States and union territories, 2015 | 5 |
| **Population Composition** | | |
| 3 | Percentage distribution of population by broad age groups to total population by sex and residence, India, 2015 | 12 |
| 4 | Percentage of population in the age group 0-4 years to total population by sex and residence, India and bigger States/UTs, 2015 | 15 |
| 5 | Percentage of population in the age group 0-14 years to total population by sex and residence, India and bigger States/UTs, 2015 | 17 |
| 6 | Percentage of population in the age group 15-59 years to total population by sex and residence, India and bigger States/UTs, 2015 | 19 |
| 7 | Percentage of population in the age group 60 years and above to total population by sex and residence, India and bigger States/UTs, 2015 | 21 |
| 8 | Percentage distribution of population by marital status and sex, India and bigger States/UTs, 2015 | 23 |
| 9 | Percentage distribution of population age 10+ by marital status and sex, India and bigger States/UTs, 2015 | 27 |
| 10 | Percentage distribution of female age 10+ by marital status and residence, India and bigger States/UTs, 2015 | 31 |
| 11 | Percentage distribution of female age 15+ by marital status and residence, India and bigger States/UTs, 2015 | 35 |
| 12 | Percentage of females by age at effective marriage and by residence, India and bigger States/UTs, 2015 | 39 |
| 13 | Mean age at effective marriage of female by residence, India and bigger States/UTs, 2015 | 43 |

## Fertility Indicators


| | | Page |
|---|---|---|
| 14 | CBR (Crude birth rate) by residence, India and bigger States/UTs, 2015 | 48 |
| 15 | Percent change in average crude birth rate between 2003-05 and 2013-15 by residence, India and bigger States/UTs | 51 |
| 16 | Sex ratio (female per 1000 male) at birth by residence, India and bigger States/UTs 2013-15 | 56 |
| 17 | GFR (General fertility rate) by residence, India and bigger States/UTs, 2015 | 58 |
| 18 | Percentage change in average GFR (General fertility rate) between 2003-05 and 2013-15, by residence, India and bigger States/UTs | 60 |
| 19 | ASFRs (Age specific fertility rates) by residence, 2015 | 66 |
| 20 | Percentage change in age specific fertility rates by residence between 2003-05 and 2013-15, India | 68 |
| 21 | ASFRs (Age specific fertility rates), India and bigger States/UTs, 2015 | 73 |
| 22 | Percentage distribution of cumulative fertility by age group, India and bigger States/UTs, 2015 | 74 |
| 23 | Mean age of fertility and associated standard deviation, India and bigger States/UTs, 2015 | 76 |
| 24 | TFR (Total fertility rate) by residence, India and bigger States/UTs, 2015 | 78 |
| 25 | Percentage change in average TFR (Total fertility rate) between 2003-05 and 2013-15 by residence, India and bigger States/UTs | 81 |
| 26 | GRR (Gross reproduction rate) by residence, India and bigger States/UTs, 2015 | 86 |
| 27 | ASMFRs (Age specific marital fertility rates) by residence, India 2015 | 88 |
| 28 | ASMFRs (Age specific marital fertility rates) India and bigger States/UTs, 2015 | 90 |
| 29 | TMFRs (Total marital fertility rates) by residence, India and bigger States/UTs, 2015 | 91 |

| | | Page |
|---|---|---|
| 30 | Percentage change in average Total Marital Fertility rate (TMFR) between 2003-05 and 2013-15 by residence, India and bigger States/UTs | 93 |
| 31 | Percentage female population in the age group 15-49 by level of education, India and bigger States/UTs, 2015 | 98 |
| 32 | GFR (General fertility rate) by level of education of women, India and bigger States/UTs, 2015 | 99 |
| 33 | ASFR (Age specific fertility rate) by level of education of women and residence, India, 2015 | 100 |
| 34 | TFR (Total fertility rate) by level of education of women, India and bigger States/UTs, 2015 | 104 |
| 35 | Percentage distribution of current live births by birth order, India and bigger States/UTs, 2015 | 106 |
| 36 | Percentage distribution of current live births by birth order and residence, India and bigger States/UTs, 2015 | 108 |
| 37 | Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2015 | 111 |
| 38 | Percentage distribution of second and higher order live births by interval and residence, India and bigger States/UTs, 2015 | 113 |
| 39 | Percentage distribution of live births by type of medical attention received by the mother at delivery by residence, India and bigger States/UTs, 2015 | 116 |


## Mortality Indicators


| | | |
|---|---|---|
| 40 | CDR (Crude death rate) by residence, India and bigger States/UTs, 2015 | 122 |
| 41 | Percentage change in average crude death rate between 2003-05 and 2013-15, by residence, India and bigger States/UTs | 125 |
| 42 | CDR (Crude death rate) by sex and residence, India, 2015 | 130 |
| 43 | CDR (Crude death rate) by sex, India and bigger States/UTs, 2015 | 131 |
| 44 | Percentage distribution of deaths by broad age groups, India and bigger States/UTs, 2015 | 133 |
| 45 | Percentage of infant deaths to total deaths by residence, India and bigger States/UTs, 2015 | 135 |

| | | Page |
|---|---|---|
| 46 | IMR (Infant mortality rate) by sex and residence, India and bigger States/UTs, 2015 | 137 |
| 47 | Percentage change in average IMR (Infant mortality rate) between 2003-05 and 2013-15 by residence, India and bigger States/UTs | 142 |
| 48 | Neo-natal mortality rate and percentage share of neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2015 | 147 |
| 49 | Early neo-natal mortality rate and percentage share of early neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2015 | 151 |
| 50 | Peri-natal mortality rate and Still birth rates by residence, India and bigger States/UTs, 2015 | 155 |
| 51 | Percentage of deaths in the age group 0-4 years to total deaths by residence, India and bigger States/UTs, 2015 | 158 |
| 52 | Estimated death rate for children age 0-4 years by sex and residence, India and bigger States/UTs, 2015 | 160 |
| 53 | Under-five Mortality Rate by sex and residence, India and bigger States/UTs, 2015 | 164 |
| 54 | Death rates for children age 5-14 years by sex and residence, India and bigger States/UTs, 2015 | 168 |
| 55 | Death rate for persons age 15-59 years by sex and residence, India and bigger States/UTs, 2015 | 172 |
| 56 | Death rate for persons age 60 years and above by sex and residence, India and bigger States/UTs, 2015 | 176 |
| 57 | Percentage distribution of deaths by type of medical attention received before death by residence, India and bigger States/UTs, 2015 | 180 |

# LIST OF CHARTS


| | | Page |
|---|---|---|
| 1. | Flow chart | 10 |
| 2. | Percentage distribution of population by broad age-groups and residence, India, 2015 | 13 |
| 3. | Population Pyramid, India, 2015 | 14 |
| 4. | Percentage of child population (0-4 years) to total population by residence, India and bigger States/UTs, 2015 | 16 |
| 5. | Percentage of population age 0-14 years to total population by residence, India and bigger States/UTs, 2015 | 18 |
| 6. | Percentage of population age 15-59 years to total population by residence, India and bigger States/UTs, 2015 | 20 |
| 7. | Percentage of population age 60+ to total population by residence, India and bigger States/UTs, 2015 | 22 |
| 8. | Percentage distribution of population by marital status, India and bigger states/UTs, 2015 | 24 |
| 9. | Percentage distribution of MALE population by marital status, India and bigger states/UTs, 2015 | 25 |
| 10. | Percentage distribution of FEMALE population by marital status, India and bigger states/UTs, 2015 | 26 |
| 11. | Percentage distribution of population aged 10+ by marital status, India and bigger states/UTs, 2015 | 28 |
| 12. | Percentage distribution of MALE population aged 10+ by marital status, India and bigger states/UTs, 2015 | 29 |
| 13. | Percentage distribution of FEMALE population aged 10+ by marital status, India and bigger states/UTs, 2015 | 30 |
| 14. | Percentage distribution of female aged 10+ by marital status India and bigger states/UTs, 2015 | 32 |
| 15. | Percentage distribution of female aged 10+ by marital status India and bigger states/UTs, 2015 –RURAL | 33 |
| 16. | Percentage distribution of female aged 10+ by marital status India and bigger states/UTs, 2015 – URBAN | 34 |
| 17. | Percentage distribution of female aged 15+ by marital status India and bigger states/UTs, 2015 | 36 |
| 18. | Percentage distribution of female aged 15+ by marital status India and bigger states/UTs, 2015 –RURAL | 37 |

| | | |
|---|---|---|
| 19. | Percentage distribution of female aged 15+ by marital status India and bigger states/UTs, 2015- URBAN | 38 |
| 20. | Female by age at Effective Marriage, India and bigger States/UTs, 2015 | 40 |
| 21. | Female by age at Effective Marriage, India and bigger States/UTs, 2015 – RURAL | 41 |
| 22. | Female by age at Effective Marriage, India and bigger States/UTs, 2015 – URBAN | 42 |
| 23. | Mean age at effective marriage of female, India and bigger States/UTs, 2015 | 44 |
| 24. | Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2015 – RURAL | 45 |
| 25. | Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2015 - URBAN | 46 |
| 26. | CBR (Crude birth rate) by residence, India and bigger States/UTs, 2015 | 49 |
| 27. | Distribution of bigger States/UTs by values of birth rate for rural and urban areas, 2015 | 50 |
| 28. | Average birth rate between 2003-05 & 2013-15, India and bigger states/UTs | 52 |
| 29. | Average birth rate between 2003-05 & 2013-15, India and bigger states/UTs -RURAL | 53 |
| 30. | Average birth rate between 2003-05 & 2013-15, India and bigger states/UTs - URBAN | 54 |
| 31. | Per cent change in average birth rate between 2003-05 and 2013-15 by residence, India and bigger states/UTs | 55 |
| 32. | Sex ratio at birth by residence, India and bigger States, 2013-2015 | 57 |
| 33. | GFR (General fertility rate) by residence, India and bigger States/UTs, 2015 | 59 |
| 34. | Distribution of bigger States/UTs by values of GFR (General fertility rate) for rural and urban areas, 2015 | 61 |
| 35. | GFR (General Fertility Rate) between 2003-05 & 2013-15, India and bigger States/UTs | 62 |
| 36. | GFR (General Fertility Rate) between 2003-05 & 2013-15, India and bigger States/UTs -RURAL | 63 |
| 37. | GFR (General Fertility Rate) between 2003-05 & 2013-15, India and bigger States/UTs - URBAN | 64 |

| | | |
|---|---|---|
| 38. | Percent change in average GFR (General Fertility Rate) between, 2003-05 and 2013-15 by residence, India and bigger States/UTs | 68 |
| 39. | ASFRs (Age-specific fertility rates) by residence, India, 2015 | 67 |
| 40 | Age specific fertility rates, India: 2003-05 and 2013-15 | 69 |
| 41 | Per cent change in age specific fertility rates between 2003-05 and 2013-15, India -RURAL | 70 |
| 42 | Per cent change in age specific fertility rates between 2003-05 and 2013-15, India -URBAN | 71 |
| 43 | Per cent change in age specific fertility rates by residence between 2003-05 and 2013-15, India | 72 |
| 44. | Per cent distribution of cumulative fertility by residence, 2015 | 75 |
| 45. | Mean age of fertility, India and bigger states/UTs, 2015 | 77 |
| 46. | TFR (Total fertility rate) by residence, India and bigger States/UTs, 2015 | 79 |
| 47. | Distribution of bigger States/UTs by values of TFR (Total fertility rate) for rural and urban areas, 2015 | 80 |
| 48. | Total fertility rate (TFR) between 2003-05 and 2013-15, India and bigger States/UTs | 82 |
| 49. | Total fertility rate (TFR) between 2003-05 and 2013-15, India and bigger States/UTs - RURAL | 83 |
| 50. | Total fertility rate (TFR) between 2003-05 and 2013-15, India and bigger States/UTs - URBAN | 84 |
| 51. | Per cent change in average Total fertility rate (TFR) between 2003-05 and 2013-15 by residence, India and bigger States/UTs | 85 |
| 52. | Gross reproduction rate (GRR) by residence, India and bigger states/UTs, 2015 | 87 |
| 53. | Age specific marital fertility rates (ASMFRs) by residence, India, 2015 | 89 |
| 54. | Total marital fertility rate (TMFRs) by residence, India and bigger states/UTs, 2015 | 92 |
| 55. | Average Total Marital fertility rate (TMFR) between 2003-05 & 2013-15, India and bigger States/UTs | 94 |
| 56. | Average Total Marital fertility rate (TMFR) between 2003-05 & 2013-15, India and bigger States/UTs -RURAL | 95 |
| 57. | Average Total Marital fertility rate (TMFR) between 2003-05 & 2013-15, India and bigger States/UTs - URBAN | 96 |

| | | |
|---|---|---|
| 58. | Per cent change in average Total Marital fertility rate (TMFR) between 2003-05 & 2013-15, India and bigger States/UTs | 97 |
| 59. | Age specific fertility rate by level of education of women, India, 2015 | 101 |
| 60. | Age specific fertility rate by level of education of women, India, 2015 -RURAL | 102 |
| 61. | Age specific fertility rate by level of education of women, India, 2015 -URBAN | 103 |
| 62. | Total fertility rate by level of education of women, India, 2015 | 105 |
| 63. | Percentage distribution of current live births by birth order, 2015 | 107 |
| 64. | Percentage distribution of current live births by birth order - RURAL | 109 |
| 65. | Percentage distribution of current live births by birth order - URBAN | 110 |
| 66. | Percentage distribution of second and higher order live births by interval, 2015 | 112 |
| 67. | Percentage distribution of second and higher order live births by interval- RURAL | 114 |
| 68. | Percentage distribution of second and higher order live births by interval-URBAN | 115 |
| 69. | Distribution of live births by type of Medical Attention received by the mother at delivery | 117 |
| 70. | Distribution of live births by type of Medical Attention received by the mother at delivery - RURAL | 118 |
| 71. | Distribution of live births by type of Medical Attention received by the mother at delivery - URBAN | 119 |
| 72. | CDR (Crude death rate) by residence, India and bigger States/UTs, 2015 | 123 |
| 73. | Distribution of bigger States/UTs by values of death rate for rural and urban areas, 2015 | 124 |
| 74. | Average Death rate between 2003-05 & 2013-15, India and bigger States/UTs | 126 |
| 75. | Average Death rate between 2003-05 & 2013-15, India and bigger States/UTs -RURAL | 127 |
| 76. | Average Death rate between 2003-05 & 2013-15, India and bigger States/UTs - URBAN | 128 |
| 77. | Per cent change in average death rates between 2003-05 and 2013-15, India and bigger States/UTs | 129 |
| 78. | Crude death rates by sex and residence, India, 2015 | 130 |
| 79. | Crude death rates by sex, India and bigger States/UTs, 2015 | 132 |

| | | |
|---|---|---|
| 80. | Distribution of deaths by broad age groups India and bigger States/UTs, 2015 | 134 |
| 81. | Percentage of Infant deaths to total deaths by residence, 2015 | 136 |
| 82. | Infant mortality rates by sex, India and major states, 2015 | 138 |
| 83. | Infant mortality rates by sex, India and major states, 2015 -RURAL | 139 |
| 84. | Infant mortality rates by sex, India and major states, 2015 -URBAN | 140 |
| 85. | Distribution of bigger States/UTs by IMR (Infant mortality rate) for rural and urban areas, 2015 | 141 |
| 86. | Average Infant mortality rate between 2003-05 & 2013-15, India and bigger States/UTs, 2015 | 143 |
| 87. | Average Infant mortality rate between 2003-05 & 2013-15, India and bigger States/UTs -RURAL | 144 |
| 88. | Average Infant mortality rate between 2003-05 & 2013-15, India and bigger States/UTs - URBAN | 145 |
| 89. | Per cent change in average Infant mortality rates between 2003-05 and 2013-15, India and bigger States/UTs | 146 |
| 90. | Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2015 | 148 |
| 91. | Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2015 - RURAL | 149 |
| 92. | Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2015 - URBAN | 150 |
| 93. | Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2015 | 152 |
| 94. | Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2015 - RURAL | 153 |
| 95. | Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2015 - URBAN | 154 |
| 96. | Perinatal mortality rates, India & bigger States/UTs, 2015 | 156 |
| 97. | Still birth rates , India & bigger States/UTs, 2015 | 157 |
| 98. | Percentage of deaths in the age group 0-4 years to total deaths, India and bigger States/UTs | 159 |
| 99. | Estimated death rate for children age 0-4 years by sex, 2015 | 161 |
| 100. | Estimated death rate for children age0-4 years by sex, 2015 – RURAL | 162 |

| | | |
|---|---|---|
| 101. | Estimated death rate for children age0-4 years by sex, 2015 - URBAN | 163 |
| 102. | Under-five Mortality Rates (U5MR) by sex , India & bigger States/UTs, 2015 | 165 |
| 103. | Under-five Mortality Rates (U5MR) by sex , India & bigger States/UTs, 2015- RURAL | 166 |
| 104. | Under-five Mortality Rates (U5MR) by sex , India & bigger States/UTs, 2015-URBAN | 167 |
| 105. | Death rates for children aged 5-14 years by sex, India and bigger States/UTs, 2015 | 169 |
| 106. | Death rates for children aged 5-14 years by sex, India and bigger States/UTs, 2015 - RURAL | 170 |
| 107. | Death rates for children aged 5-14 years by sex, India and bigger States/UTs, 2015 - URBAN | 171 |
| 108. | Death rates for Persons aged 15-59 years by sex, India and bigger States/UTs, 2015 | 173 |
| 109. | Death rates for Persons aged 15-59 years by sex, India and bigger States/UTs, 2015 - RURAL | 174 |
| 110. | Death rates for Persons aged 15-59 years by sex, India and bigger States/UTs, 2015 - URBAN | 175 |
| 111. | Death rates for Persons aged 60 years and above by sex, India and bigger States/UTs, 2015 | 177 |
| 112. | Death rates for Persons aged 60 years and above by sex, India and bigger States/UTs, 2015 - RURAL | 178 |
| 113. | Death rates for Persons aged 60 years and above by sex, India and bigger States/UTs, 2015 - URBAN | 179 |
| 114. | Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2015 | 181 |
| 115. | Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2015 - RURAL | 182 |
| 116. | Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2015 - URBAN | 183 |

# D E F I N I T I O N S

Crude birth rate (CBR) = Number of live births during the year / Mid-year population x 1000

Age-specific fertility rate (ASFR) = Number of live births in a particular age-group / Mid-year female population of the same age-group x 1000

General fertility rate (GFR) = Number of live births in a year / Mid-year female population in the age-group (15-49) years x 1000

Total fertility rate (TFR) = $\frac{5 \times \sum_{15-19}^{45-49} \text{ASFR}}{1000}$

Gross reproduction rate (GRR) = $\frac{5 \times \sum_{15-19}^{45-49} \text{ASFR for female live births}}{1000}$

Age-specific marital fertility rate (ASMFR) = Number of live births in a particular age-group / Mid-year married female population of the same age-group x 1000

General marital fertility rate (GMFR) = Number of live births in a year / Mid-year married female population in the age-group (15-49) year x 1000

Total marital fertility rate (TMFR) = $\frac{5 \times \sum_{15-19}^{45-49} \text{ASMFR}}{1000}$

Crude death rate (CDR) = Number of deaths during the year / Mid-year population x 1000

Age-specific mortality rate (ASMR) = Number of deaths in a particular age-group / Mid-year population of the same age-group x 1000

Under-five Mortality Rate = The under-five mortality is the probability (${}_5q_0$) that a child born in a specific year or time period will die before reaching the age of five, subject to current age specific mortality rates. It is expressed as a rate per 1,000 live births.

Infant mortality rate (IMR) = Number of infant deaths during the year / Number of live births during the year x 1000

Infant mortality rate comprises of two parts viz. Neo-natal mortality rate and Post neo-natal mortality rate. The neo-natal mortality rate also comprises of two parts viz. Early neo-natal mortality rate and late neo-natal mortality rate. These are defined as:

Neo-natal mortality rate (NMR) = Number of infant deaths of < than 29 days during the year / Number of live births during the year x 1000

Early neo-natal mortality rate = Number of infant deaths of < than 7 days during the year / Number of live births during the year x 1000

Late neo-natal mortality rate = Number of infant deaths of 7 days to < than 29 days during the year / Number of live births during the year x 1000

Post neo-natal mortality rate (PNMR) = Number of infant deaths of 29 days to < than one year during the year / Number of live births during the year x 1000

Peri-natal mortality rate (PMR) = Number of still births and infant deaths of < than 7 days during the year / Number of live births and still births during the year x 1000

Still birth rate (SBR) = Number of still births during the year / Number of live births and still births during the year x 1000

# FIGURES AT A GLANCE, INDIA - 2015

| | Item | Total | Rural | Urban |
|---|---|---|---|---|
| I. | **Percentage distribution of population by broad age groups** | | | |
| | 0-14 | 27.3 | 28.9 | 23.9 |
| | 15-59 | 64.4 | 62.9 | 67.7 |
| | 60+ | 8.3 | 8.3 | 8.4 |
| II. | **Fertility Indicators** | | | |
| | Crude Birth Rate | 20.8 | 22.4 | 17.3 |
| | General Fertility Rate | 76.2 | 83.8 | 60.8 |
| | Age-specific Fertility Rate | | | |
| | 15-19 | 11.1 | 12.3 | 8.3 |
| | 20-24 | 173.8 | 192.7 | 132.0 |
| | 25-29 | 150.3 | 163.5 | 125.8 |
| | 30-34 | 77.6 | 85.3 | 63.6 |
| | 35-39 | 26.2 | 28.9 | 21.1 |
| | 40-44 | 10.9 | 12.3 | 8.4 |
| | 45-49 | 3.6 | 4.1 | 2.8 |
| | Total Fertility Rate | 2.3 | 2.5 | 1.8 |
| | Gross Reproduction Rate | 1.1 | 1.2 | 0.8 |
| | General Marital Fertility Rate | 113.4 | 123.8 | 92.0 |
| | Total Marital Fertility Rate | 4.6 | 4.7 | 4.2 |
| | Mean age at effective marriage for females | 22.1 | 21.6 | 23.0 |
| III. | **Total Fertility Rate by level of education of the mother** | | | |
| | Illiterate | 3.7 | 3.9 | 2.7 |
| | Literate | 2.1 | 2.3 | 1.8 |
| | Without any formal education | 2.6 | 2.7 | 2.3 |
| | Below primary | 2.8 | 3.0 | 2.4 |
| | Primary | 2.6 | 2.7 | 2.3 |
| | Middle | 2.3 | 2.4 | 2.0 |
| | Class X | 2.0 | 2.1 | 1.8 |
| | Class XII | 1.7 | 1.9 | 1.6 |
| | Graduate and above | 1.6 | 1.8 | 1.5 |
| IV. | **Percentage distribution of live births by birth order** | | | |
| | 1 | 48.6 | 46.5 | 54.4 |
| | 2 | 28.5 | 27.9 | 30.3 |
| | 3 | 13.4 | 14.5 | 10.3 |
| | 4+ | 9.4 | 9.4 | 9.4 |


# FIGURES AT A GLANCE, INDIA - 2015

| | Item | | Total | Rural | Urban |
|---|---|---|---|---|---|
| V. | Percentage distribution of Current live births by birth interval (in months) | | | | |
| | | 10-12 | 2.1 | 2.2 | 1.9 |
| | | 12-18 | 7.4 | 7.7 | 6.4 |
| | | 18-24 | 9.7 | 9.4 | 10.4 |
| | | 24-30 | 10.4 | 10.5 | 10.1 |
| | | 30-36 | 11.0 | 11.0 | 11.3 |
| | | 36+ | 59.4 | 59.2 | 60.0 |
| VI. | Mortality Indicators | | | | |
| | Crude Death Rate | | 6.5 | 7.1 | 5.4 |
| | Percentage of infant deaths to total deaths | | 11.9 | 13.3 | 8.1 |
| | Percentage of deaths of less than one week to total infant deaths | | 52.2 | 54.2 | 43.4 |
| | Under-five Mortality Rate | | 43 | 48 | 28 |
| | Infant Mortality Rate | | 37 | 41 | 25 |
| | Neo-natal mortality rate | | 25 | 29 | 15 |
| | Early neo-natal mortality rate | | 19 | 22 | 11 |
| | Late neo-natal mortality rate | | 6 | 6 | 4 |
| | Post neo-natal mortality rate | | 12 | 13 | 10 |
| | Peri-natal Mortality Rate | | 23 | 26 | 15 |
| | Still Birth Rate | | 4 | 4 | 4 |
| VII. | Percentage distribution of births by type of medical attention at delivery | | | | |
| | Government Hospital | | 52.6 | 51.5 | 55.5 |
| | Private Hospital | | 26.7 | 22.7 | 38.0 |
| | Qualified Professional | | 10.9 | 13.0 | 5.3 |
| | Untrained Functionary and Others | | 9.8 | 12.9 | 1.2 |
| VIII. | Percentage distribution of deaths by type of medical attention before death | | | | |
| | Government Hospital | | 27.5 | 25.0 | 34.0 |
| | Private Hospital | | 16.9 | 14.6 | 23.1 |
| | Qualified Professional | | 34.9 | 35.6 | 32.9 |
| | Untrained Functionary and Others | | 20.7 | 24.7 | 9.4 |

## FIGURES AT A GLANCE, NATURAL DIVISIONS - 2015

| Indicators | State | Natural Division | Max./Min. | Values |
|---|---|---|---|---|
| **Birth rate** | | | | |
| | Uttar Pradesh | Eastern | Maximum | 30.9 |
| | Kerala | Southern | Minimum | 12.9 |
| **Death rate** | | | | |
| | Madhya Pradesh | Vindhya | Maximum | 8.3 |
| | Jammu & Kashmir | Outer Hills | Minimum | 4.4 |
| **Infant mortality rate** | | | | |
| | Madhya Pradesh | Northern | Maximum | 61 |
| | Kerala | Southern | Minimum | 11 |

**Trend of Birth rate, Death rate, Infant Mortality rate, Total Fertility rate, Sex ratio at Birth and Sex ratio of children (0-4 age group), India**



# EXECUTIVE SUMMARY

The Sample Registration System (SRS) is the largest demographic survey in the country mandated to provide annual estimates of fertility as well as mortality indicators at the State and National level. The present Report contains data on fertility and mortality indicators for the year 2015 for India and bigger States/UTs Delhi. The estimates are segregated by residence and also by gender, wherever required.

2. The salient features of the report are as summarized below.

- The Crude Birth Rate (CBR) at the National level during 2015 stands at 20.8 exhibiting a decline of 0.2 points over 2014. The maximum CBR has been reported in Uttar Pradesh (26.7) and the minimum in Kerala (14.8).

- There has been a decline of 1.3 points in the CBR for the country from 2010 to 2015. The corresponding decline in rural CBR is 1.3 points and in urban CBR 0.7 points.

- The Crude Death Rate (CDR) for the country is 6.5 in 2015. The maximum CDR has been reported for Odisha (7.6) and the minimum for Delhi (3.6).

- During last five years, the decline in National CDR has been to the tune of 0.7 points. The corresponding decline in female CDR is 0.6 points whereas in male CDR it is 0.8 points.

- The Infant Mortality Rate (IMR) has also registered 2 points decline to 37 in 2015 from 39 in 2014 at the National level. The maximum IMR has been observed in Madhya Pradesh (50) and the minimum in Kerala (12).During the corresponding period, Neo-natal Mortality Rate (NNMR) has declined by 1 point.

- IMR for the country has come down to 37 in 2015 from 47 in 2010, a decline of 10 points over last 5 years and an annual average decline of about 2.0 points. The corresponding decline in rural IMR has been to the tune of 10 points (51 in 2010 to 41 in 2015) against a decline of 6 points in urban IMR (31 in 2010 to 25 in 2015). Both the gender have shown decline in the period 2010-15.

- Despite this decline, one in every 27 infant at the National level, one in every 24 infant in rural areas and one in every 40 infant in urban areas still die within one year of life.

- In 2015, U5MR for the country has shown a decline of 2 points over 2014 (43 in 2015 against 45 in 2014). There has been decline of 2 points in male U5MR and 4 points in female U5MR during the period.

- Sex Ratio at Birth for the country has gone down by 6 point to 900 in 2013-2015 from 906 in 2012-2014. Kerala has reported the highest Sex Ratio at Birth (967) while Haryana, the lowest (831).

- Total Fertility Rate (TFR) for the country is stable 2.3 in both the years 2014 & 2015. During 2015, Bihar and Uttar Pradesh has reported the highest TFR (3.2) & (3.1) respectively while West Bengal, Jammu & Kashmir and Tamil Nadu has reported the lowest TFR (1.6). It is noteworthy that the replacement level TFR, viz. 2.1, has been attained by West Bengal (1.6), Jammu & Kashmir (1.6), Tamil Nadu (1.6), Delhi (1.7), Himachal Pradesh (1.7) Punjab (1.7), Andhra Pradesh (1.7), Karnataka (1.8) Kerala (1.8), Maharashtra (1.8), Telangana (1.8), Odisha (2.0) and Uttarakhand (2.0).

- At present, a rural woman (having a TFR of 2.5) at the National level would have about one child more than an urban woman (having a TFR of 1.8), on an average.

- During 2010-2015, there has been a decline of 0.3 points in TFR at the National level. The corresponding decline in rural and urban TFRs has been to the extent of 0.4 and 0.2 points respectively.

- In case of about 79.3 percent live births, the mothers have received the medical attention at delivery either at Government hospital or at Private hospital in 2015 against the 78.5 percent in 2014.

- There has been an increase of 1.8 percent in 2015 (44.4) over 2014 (42.6) in case of deaths where the deceased have received medical attention before death, either at Government hospital or at Private hospital. There has been an increase of about 10.5 percent in deaths where the deceased had received medical attention before death in hospitals during 2010-2015 (last 5 years).

# CHAPTER - 1

# INTRODUCTION

Registration of births and deaths is an important source for demographic data for socio-economic development and population control in developing countries. The data on population growth, fertility and mortality serves as the prime constituent for population projections. Apart from these vital indicators, an adequate evaluation of a number of programs in the health sector, including family planning, maternal and reproductive health, immunization programs, is dependent upon the availability of accurate, up-to-date fertility and mortality data. In India, the need for dependable demographic data was felt soon after independence heralding the era of five year planning. The registration of births and deaths started on voluntary basis and there was no uniformity in statistical returns resulting in both under-registration and incomplete coverage. In order to unify the Civil Registration activities, the Registration of Births & Deaths Act, 1969 was enacted. Despite having the registration of birth & death compulsory under the statute, the level of registration of births and deaths under the Act has continued to be far from satisfactory in several States/UTs. With a view to generate reliable and continuous data on these indicators, the Office of Registrar General, India, initiated the scheme of sample registration of births and deaths in India popularly known as Sample Registration System (SRS) in 1964-65 on a pilot basis and on full scale from 1969-70. The SRS since then has been providing data on a regular basis.

1.2 The demographic scenario in the country has been undergoing a change since the inception of SRS; however, the profile and rate of change is not uniform across all the States/UTs. Overall, the crude birth rate in the country has come down from 36.9 per one thousand population in 1971 to 20.8 in 2015, whereas the crude death rate has declined from 14.9 to a low of 6.5 in the same period. The infant mortality rate, which is an important indicator of the health status of the country, has registered a significant decline from 129 per one thousand live births in 1971 to 37 in 2015. During the period, the total fertility rate of the country has declined from 5.2 to 2.3. To fulfill its objective of monitoring the changes in vital indicators, the SRS sampling units are retained for about ten years, making it a panel household survey.

1.3 Various methods based on the application of sampling techniques have been tried and tested in many developing countries. Such methods include single and multi-round retrospective surveys and the dual record system. The SRS in India is based on a dual record system. The field investigation under Sample Registration System consists of continuous enumeration of births and deaths in a sample of villages/urban blocks by a resident part-time enumerator, and an independent six monthly retrospective survey by a full-time supervisor. The data obtained through these two sources are matched. The unmatched and partially matched events are re-verified in the field to get an unduplicated count of correct events. The advantage of this procedure, in addition to elimination of errors of duplication, is that it leads to a quantitative assessment of the sources of distortion in the two sets of records making it a self-evaluating technique.

1.4 The revision of SRS sampling frame is undertaken every ten years based on the results of latest census. While changing the sample, modifications in the sampling design; wider representation of population; overcoming the limitations in the existing scheme; meeting the additional requirements etc. are taken into account. The first replacement was carried out in 1977-78 and the last being in 2014. Whereas the replacement of samples in earlier years was undertaken in phases spread over 2-3 years, the replacements in 2004 and 2014 were done in one go within a year. The following table provides the sample size in different replacement period.

**Statement 1**
**Number of sample units at different replacement period**

| Residence | 1969-70 | 1977-78 | 1983-85 | 1993-95 | 2004 | 2014 |
|---|---|---|---|---|---|---|
| Rural | 2432 | 3684 | 4176 | 4436 | 4433 | 4961 |
| Urban | 1290 | 1738 | 1846 | 2235 | 3164 | 3892 |
| Total | 3722 | 5422 | 6022 | 6671 | 7597 | 8853 |

1.5 The earlier sample was based on the reliability of birth rate at the State level, whereas the 2004 and 2014 sample is estimated using IMR reliability at natural division level. The present report 'SRS Statistical Report, 2014' is the first report of the new sample based on Census 2011 frame.

1.6 The main objective of SRS is to provide reliable estimates of birth rate, death rate and infant mortality rate at the natural division level for major States and at the State level for smaller States. Natural divisions are National Sample Survey (NSS) classified group of contiguous administrative districts with distinct geographical and other natural characteristics. It also provides data for other measures of fertility and mortality including total fertility, infant and child mortality rate at higher geographical levels.

**Structure of the Sample Registration System**

1.8 The main components of SRS are:

(i) Base-line survey of the sample units to obtain demographic details of the usual resident population of the sample areas;

(ii) Continuous (longitudinal) enumeration of vital events pertaining to usual resident population by the enumerator;

(iii) Independent retrospective half-yearly surveys for recording births and deaths which occurred during the half-year under reference and up-dating the Houselist, Household schedule and the list of women in the reproductive age group along with their pregnancy status by the Supervisor;

(iv) Matching of events recorded during continuous enumeration and those listed in course of half- yearly survey;

(v) Field verification of unmatched and partially matched events; and

(vi) Filling of Verbal Autopsy Forms for finalized deaths.

1.9 **Baseline Survey:** The base-line survey is carried out prior to the start of continuous enumeration. This involves preparation of a notional map of the area to be surveyed, house numbering and house listing and filling of a household schedule. The supervisor prepares a notional map with the help of the enumerator showing important landmarks and location of the houses to be covered in the sample unit. Subsequently, a list of houses/households to be covered by the sample in the House List (Form-1) is prepared and the Household Schedule (Form-2) is filled in. In the Household Schedule (Form-2), the residential status and other demographic particulars of each individual residing in the household viz. identification code, name, sex, date of birth, age, educational/marital status and relation to head of household, etc. are recorded. The inmates of public institutions like hotels, inns, schools and hospitals are excluded, but households living permanently within the compound of such institutions are covered. A list of all women in the reproductive span along with their pregnancy status is also prepared in Form 3 at the time of the base line survey.

1.10 **Continuous enumeration:** The enumerator maintains a Birth Record (Form 4) and a Death Record (Form 5) in respect of his/her area. The enumerator is expected to record all births and deaths occurring within the sample unit, as well as those of the usual residents occurring outside the sample unit. The events in respect of visitors occurring within the sample unit are also listed, but these are not taken into account while calculating rates. Thus, the events to be netted by the enumerator are those pertaining to: (i) usual residents inside the sample unit; (ii) usual residents outside the sample unit; (iii) in-migrants present; (iv) in-migrants absent; and (v) visitors inside the sample unit.

1.11 For ensuring complete netting, the enumerator uses different sources to get information of the occurrence of vital events in the sample unit. These include the help of the village priest, barber, village headman, midwife and such other functionaries. The enumerators maintain contact with these informants at frequent intervals and collects information about the occurrence of births and deaths. On being informed about the occurrence of an event, the enumerator visits the concerned household and records the prescribed particulars. The enumerator also keeps in touch with other socially important persons and visits local or nearby hospitals, nursing homes, cremation or burial grounds, at frequent intervals to keep updated about the occurrence of events. Besides, enumerator maintains and updates a list of all women in the reproductive span along with their pregnancy status, which helps in better netting of all the births. Despite all these efforts, the enumerator may miss information about some of the events and is, therefore, required to visit all the households once a month in urban area and once in a quarter in rural areas so as to ensure that all the events have been recorded.

1.12 **Half-yearly survey:** Half-yearly survey is carried out independently in each sample unit by a full-time supervisor. The supervisor belonging to the statistical cadre of the State Census Directorates (either a Compiler or a Sr. Compiler or a Statistical Investigator or any suitable official) visits each household in the sample unit and records the particulars of births and deaths in Forms 9 & 10 respectively in respect of all the usual residents and visitors (only those occurring within the sample unit) which had occurred during the half-yearly period (January-June or July-December) under reference. Simultaneously, the house-list, the household schedule and the pregnancy status of women are updated by making entries of changes, if any. While carrying out this survey the supervisor does not have access to the birth and death records of the enumerator for the same periods which are withdrawn from the field before the supervisor’s visit for the half yearly survey. The Half Yearly Surveys are retrospective in nature and therefore the first HYS for reference period January-June of a year takes place in July- November period of that year and the Second HYS pertaining to July-December of a year takes place in January-May of the subsequent Year.

1.13 **Matching:** On completion of the half-yearly survey, the events captured in the Forms 9 & 10 (filled-in by the supervisors) are compared with those in the Forms 4 & 5 (filled-in by the enumerators). This is done at the office of Directorate of Census Operations for all States except for rural areas of Kerala and Maharashtra, where it is done at the Directorate of Economics and Statistics of the respective States. Selected important entries in the enumerator's and supervisor's record are matched item by item and events are classified as fully matched, partially matched and unmatched. The items generally considered for matching for birth events are: Identification code of the head of Household and mother, Relationship of the mother to head, date of live birth, month in case of still birth/abortion, sex in case of live birth /still birth and the items considered for death events are: identification code of the head of household and mother in infant death, relationship of the deceased to head, date of death and sex of the deceased.

1.14 **Field verification of unmatched and partially matched events:** Every unmatched or partially matched event is verified by a visit to the concerned household. This is done either by a third person or jointly by the supervisor and the enumerator, depending upon the availability of staff.

**Sample design**

1.15 The Sample design adopted for SRS is a uni-stage stratified simple random sample without replacement except in stratum II (larger villages) of rural areas, where two stage stratification has been applied. In rural areas of bigger States/UTs (population with ten million or more as per Census 2011), the NSS natural division is the first level of geographical stratification. The overall stratification in rural areas has been done on size of villages with villages having population less than 2,000 forming Stratum I and villages with population 2,000 or more forming Stratum II. Smaller villages with population less than 200 were excluded from the sampling frame in such a manner that the total population of villages so excluded did not exceed 2 per cent of the total population of the State. The number of sample villages in each State was allocated to the substrata proportionally to their size (population). The villages within each size stratum were ordered by the female literacy rate based on the Census 2011 data, and three equal size substrata were established. The sample villages within each substratum were selected at random with equal probability. In the case of villages of Stratum II, each sample village with a population of 2,000 or more was subdivided into two or more segments in a way that none of the segments cut across the Census Enumeration Blocks (CEBs) and the population of each segment formed by grouping the contiguous CEBs was approximately equal and did not exceed 2000. A frame of segments was then prepared and the selection of segments was done at random at the second sampling stage for the SRS enumeration.

1.16 In urban areas, the categories of towns/cities have been divided into four strata based on the size classes in contrast to the six strata in the earlier sampling frame. Towns with population less than one lakh have been placed under stratum I, towns/cities with population one lakh or more but less than 5 lakhs under stratum II, towns/cities with population 5 lakh or more under stratum III and four metro cities of Delhi, Mumbai, Chennai and Kolkata as separate strata viz. stratum IV. The sampling unit in urban area is a Census Enumeration Block. The Census Enumeration Blocks within each size stratum were ordered by the female literacy rate based on the Census 2011 data, and three equal size substrata were established. The sample Census Enumeration Block within each substratum was selected at random with equal probability. A simple random sample of these enumeration blocks has been selected within each sub-strata without replacement from each of the size classes of towns/cities in each State/Union Territory.

**Sample size**

1.17 The Infant Mortality is the decisive indicator for estimation of sample size. The permissible level of error has been taken as within 15 prse (percentage relative standard error) at Natural Division level in respect of major States having population more than 10 million as per Census 2011. For minor States, 15 prse has been fixed at the total State level. By and large the above criteria have been followed. However, there have been a few exceptions on account of operational constraints. Half Yearly survey 2015 was conducted in 8775 units. The field work in the Jhelum Valley natural division of Jammu & Kashmir could not be carried out and hence the estimates of Jammu & Kashmir and India in this report excludes the 78 PSUs of the Jhelum Valley natural division.

**Statement 2**
**Number of sample units and population covered**
**India, States and Union Territories, 2014**

| India/States/ Union Territories | Number of sample units | | | Population covered (in'000) | | |
|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **8775** | **4916** | **3859** | **7612** | **5609** | **2003** |
| **Bigger States/UTs** | | | | | | |
| 1. Andhra Pradesh | 326 | 198 | 128 | 315 | 257 | 59 |
| 2. Assam | 300 | 90 | 210 | 215 | 105 | 110 |
| 3. Bihar | 330 | 200 | 130 | 360 | 283 | 77 |
| 4. Chhattisgarh | 158 | 73 | 85 | 114 | 69 | 45 |
| 5. Delhi | 199 | 10 | 189 | 127 | 14 | 113 |
| 6. Gujarat | 478 | 231 | 247 | 411 | 284 | 126 |
| 7. Haryana | 256 | 144 | 112 | 230 | 177 | 53 |
| 8. Jammu & Kashmir* | 272 | 181 | 91 | 216 | 180 | 37 |
| 9. Jharkhand | 212 | 91 | 121 | 148 | 90 | 58 |
| 10. Karnataka | 511 | 361 | 150 | 493 | 414 | 79 |
| 11. Kerala | 280 | 175 | 105 | 355 | 302 | 53 |
| 12. Madhya Pradesh | 449 | 285 | 164 | 398 | 302 | 96 |
| 13. Maharashtra | 662 | 306 | 356 | 486 | 334 | 151 |
| 14. Odisha | 405 | 290 | 115 | 345 | 286 | 59 |
| 15. Punjab | 249 | 130 | 119 | 200 | 140 | 60 |
| 16. Rajasthan | 350 | 236 | 114 | 310 | 256 | 55 |
| 17. Tamil Nadu | 545 | 235 | 310 | 494 | 322 | 172 |
| 18. Telangana | 224 | 121 | 103 | 200 | 150 | 50 |
| 19. Uttar Pradesh | 500 | 328 | 172 | 499 | 401 | 98 |
| 20. Uttarakhand | 375 | 195 | 180 | 288 | 183 | 105 |
| 21. West Bengal | 555 | 304 | 251 | 525 | 400 | 125 |
| **Smaller States** | | | | | | |
| 1. Arunachal Pradesh | 65 | 50 | 15 | 39 | 29 | 10 |
| 2. Goa | 95 | 45 | 50 | 84 | 62 | 22 |
| 3. Himachal Pradesh | 210 | 155 | 55 | 114 | 90 | 25 |
| 4. Manipur | 165 | 120 | 45 | 143 | 118 | 26 |
| 5. Meghalaya | 130 | 95 | 35 | 77 | 59 | 19 |
| 6. Mizoram | 45 | 25 | 20 | 35 | 24 | 11 |
| 7. Nagaland | 50 | 35 | 15 | 30 | 23 | 7 |
| 8. Sikkim | 65 | 50 | 15 | 59 | 48 | 11 |
| 9. Tripura | 90 | 65 | 25 | 103 | 88 | 14 |
| **Union Territories** | | | | | | |
| 1. Andaman & Nicobar Islands | 55 | 37 | 18 | 44 | 35 | 9 |
| 2. Chandigarh | 40 | 5 | 35 | 28 | 9 | 20 |
| 3. Dadra & Nagar Haveli | 35 | 15 | 20 | 40 | 27 | 13 |
| 4. Daman & Diu | 25 | 15 | 10 | 27 | 21 | 6 |
| 5. Lakshadweep | 14 | 2 | 12 | 12 | 3 | 9 |
| 6. Puducherry | 55 | 18 | 37 | 47 | 26 | 21 |

Note : 1. 'Total' population may not add up to 'Rural' and 'Urban' population due to rounding.
* : Estimate of Jammu & Kashmir excludes the Jhelam Valley Natural Division.

**Estimation procedure**

1.18 For major States, estimates of population, births, deaths and infant deaths are generated for rural/urban areas separately at the natural division level. For smaller States, these estimates are generated for rural/urban areas separately at the State level. The estimates of birth, death and infant death rates are obtained as the ratios of the 'estimated births to estimated population', 'estimated deaths to estimated population' and 'estimated infant deaths to estimated births' respectively expressed in terms of per thousand.

**Organization**

1.19 From 1995, the SRS is being implemented mainly through the Directorates of Census Operations in both rural and urban areas. However, in the States of Kerala and Maharashtra the implementation of field work and their monitoring for rural units has been entrusted to the Directorate of Economics & Statistics of the respective State Government and the urban units to the Directorate of Census Operations.

1.20 For continuous enumeration, there is a resident part-time enumerator for each of the sample unit, who is usually an anganwadi worker/teacher and is paid honorarium for this work. The independent retrospective half-yearly surveys are carried out by the full-time supervisors who are the regular staff of the State Directorate of Census Operations. One supervisor is usually assigned a set of 10 to 12 sample units for conducting half-yearly surveys. Each State headquarters has a complement of staff necessary for planning and organizing various field operations, imparting training to the field staff, effecting proper supervision and control, ensuring regular flow of returns from the field, forwarding of various returns to the Office of the Registrar General, India and for undertaking certain minimum tabulations.

1.21 At the National level, the Vital Statistics Division of the office of the Registrar General, India coordinates the implementation work, formulates and prescribes necessary standards, provides necessary instructions and guidance, undertakes tabulation, analysis and dissemination of data.

**Training and Supervision**

1.22 Before the commencement of work, requisite training is imparted to the enumerators to make them understand their role and responsibility. This is followed by trainings at periodic intervals to clarify the doubts and also to keep the enumerators update with the improvements introduced in the system from time to time. Besides, they are also provided with a manual of instructions for day-to-day consultation to remove the difficulties in course of work. Supervisors are also given necessary training with a view to enabling them to carry out the half-yearly surveys properly and efficiently. They are also provided with a manual of instructions named "Instruction cum operating Manual" for this purpose. In addition to these, various State officials associated with the implementation of the SRS are also given necessary training. The detailed instructions and guidance, with regard to the various stages of work, to these officials have also been explained in the Instruction cum operating Manual.

1.23 Supervision of the field work is an important component of SRS. The supervisory level officials such as the Investigator, Assistant Director, Deputy Director, Joint Director and Director undertake this. Officers at the State headquarters undertake visits to sample units and inspect the work at the field level. Officers of Vital Statistics Division in the headquarters also undertake surprise checks and visits in SRS units for control of the quality of work.

**Data collection**

1.24 In the baseline survey, which is conducted jointly by both the enumerator and the supervisor, the data is being collected in Forms 1, 2 and 3 and Form 0 is also filled in at the end of survey in a unit. The baseline survey is a decennial exercise which takes place after availability of new frame through latest census. The data collection in the field is carried out by the enumerators for continuous enumeration and supervisors for retrospective survey. Half Yearly Survey is conducted by the full-time supervisor. In Half Yearly Survey, besides updating the Forms 1, 2 and 3, the details of births and deaths occurred in the sample units in the reference period are also collected in Forms 9 and 10 respectively.

**Introduction of Automation in SRS**

1.25 The quality of data collection is of paramount importance in any survey specially in Sample Registration System considering its focus on data of births, deaths, infant deaths, details of pregnancy etc which are to be collected with utmost care. Towards fulfilling this objective, dual record system has been in practice in SRS apart from other quality measures in the field. To take the credibility and efficiency of the field survey to greatest heights, it was the endeavor of the Office of the Registrar, India, to implement full automation in Sample Registration System. Accordingly from Baseline 2014 onwards the entire process of data collection and processing has been automated. This pioneering step of a paper-less survey, for the first time in the history of SRS, can be viewed as greatly contributed to the recent Digital India initiatives of the Government of India.

1.26 In the automated procedure, the supervisor is now carrying a hand held device to the sample units and the data is collected directly to the machine saving time and cost of survey with efficiency. A dedicated server is installed at all the Directorates of Census Operations (DCO) to enable the activities like file creation, download and upload of files, generation of various Forms etc. The Directorate of Census Operation after finalizing the data directly uploads it on the central server which makes the system almost paper less as there is no need to send finalized results in paper format. At the Head Quarters validations are undertaken and before preparing the vital rates.

**SRS Forms and their flow**

1.27 For collecting information on population and vital events various forms/schedules have been prescribed under the SRS. Depending upon various operations under the system, the following 17 types of forms are in use:

**A. Baseline Survey Forms**

Form 1: House List
Form 2: Household Schedule
Form 3: Pregnancy Status of women

**B. Continuous Enumeration Forms**

Form 4: Outcome of Pregnancy recorded by Enumerator (January-June/July-December)
Form 5: Deaths recorded by Enumerator (January-June/July-December)
Form 6: Monthly report of Outcome of Pregnancy
Form 7: Monthly report of Deaths

**C. Half yearly Survey Forms**

Form 9: Outcome of Pregnancy recorded by Supervisor (January-June/July-December)
Form 10: Deaths recorded by Supervisor (January-June/July-December)
Form 15: Distribution of usual resident population by age, sex and marital status (as on 1st July/1st January)

Form 16: Distribution of Female population by broad age groups and levels of education (as on 1st July/1st January)


Form 17: Number of females who got married by age at effective marriage (January-June/July-December)

**D. Compilation/Tabulation Forms**

Form 8: Consolidated monthly report on births and deaths
Form 11: Finalised list of Outcome of Pregnancy (January-June/July-December)
Form 12: Finalised list of Deaths (January-June/July-December)
Form 13: Results of the HYS for Outcome of Pregnancy (January-June/July-December)
Form 14: Results of the HYS for Deaths (January-June/July-December)

1.28 The enumerator records the details of each birth and death event occurred during the reference period in Forms 4 and 5 respectively on a continuous basis. A monthly report on births and deaths (Forms 6 and 7) is required to be sent by the enumerators to the State headquarters in the first week of the following month. The relevant entries of birth and death records in monthly report are copied from six monthly records and sent to the State headquarter. On the basis of the monthly reports received from the sample units, the State headquarters are required to prepare a consolidated monthly report (Form 8) and forward the same to the Office of the Registrar General, India by the end of the following month. The monthly reports for the individual units remain at the State headquarters. The supervisor records the details of each birth and death event occurring during the six-month reference period in Forms 9 and 10 respectively. After matching of each birth and death event recorded in Forms 4 and 5 with those in Forms 9 and 10 and verification of partially and unmatched events in the field, finalized Forms 11 and 12 are prepared after necessary corrections and inclusion of additional events recorded during the survey. These forms are sent to the Office of the Registrar General, India along with the half-yearly survey results in Forms 13, 14, 15, 16 and 17. The processes of matching, re verification, generation of Forms 11 to 17 are now automated leading to less time consumption for data processing and more time for data collection in the field leading to improvement in quality of data. Flow chart of SRS returns is shown in Chart 1. Due to automation most of the errors in terms of wrong classification of sex or invalid coding, not legible details are taken care of. We do not get birth and death without sex classification or without essential details as the application does not allow for such omission /commission.

## Chart 1: Flow Chart



# CHAPTER - 2

# POPULATION COMPOSITION

The data on population by age and sex is vital for demographers, health administrators etc. for planning and evaluation of various developmental and health programs. The classification of rural/urban, sex and marital status by age unveils the characteristics of population composition and provides disaggregated data for target oriented projects. Being one of the most important demographic characteristics, data on age is collected and updated in both half-yearly surveys of SRS for all the members of the household covered in the sample units.

**2.2** As per available data from SRS, there has been a gradual decline in the share of population in the age group 0-14 from 41.2 to 38.1 per cent during 1971 to 1981 and 36.3 to 27.3 percent during 1991 to 2015, whereas, the proportion of economically active population (15-59 years) has increased from 53.4 to 56.3 percent during 1971 to 1981 and 57.7 to 64.4 per cent during 1991 to 2015. On account of better education, health facilities and increase in life expectancy, the percentage of elderly population (60+) has gone up from 5.3 to 5.7 percent and 6.0 to 8.3 percent respectively during the periods under reference. Marital status and Female mean age at marriage are essential constituents to monitor fertility and population growth. The data on marital status has been included in SRS from 1991, whereas on Female mean age at marriage from 1990. There is a marginal increase in the proportion of married Female from 45.7 in 1991 to 49.9 in 2015, whereas the proportion of widowed/divorced/separated female has decreased from 8.1 in 1991 to 5.9 in 2015. The mean age at effective marriage for Female has increased from 19.3 years in 1990 to 22.1 years in 2015.

**2.3** This chapter provides data on percentage distribution of population by age, sex and residence for all broad age groups from 0-4, 0-14, 15-59 and 60+ for India and bigger States/UTs. It also includes data on percentage distribution of population by marital status for total population, 10+ and 15+ ages by sex and residence. The State-wise variations in Female age at effective marriage and their corresponding proportions have also been presented in this chapter.

**2.4** Instances of age heaping, under reporting and over reporting have been observed in different age groups and at single age. Accordingly, corrective actions have been taken to rectify such instances.

## Age composition

**2.5** Age composition by residence and broad age groups 0-14, 15-59 and 60+ for the year 2015 at the National level is shown below in Statement 3. The age group 0-14 is further sub-categorized into the age groups 0-4, 5-9 and 10-14. It is observed that for most of the age groups, Male-Female differences in the age distribution of population are negligible except in the combined age-group of 0-14, 15-59, 60+, 15-64 & 65+. In the age-group 0-14, Male population is about one percent more than Female, whereas in the age-group 60+ as also 65+, percentage of Female are 0.6 and 0.5 percent more than Male. The proportion of young children in the age group 0-4 and also the proportion of population in the age group 0-14 are higher in rural areas than in urban areas both for Male and Female. A higher proportion of Male and Female in the working age group 15-59 live in urban areas as compared to rural areas. Chart 2 gives pictorial presentation of data shown in Statement 3. Table 1 gives percentage distribution of estimated population by quinquennial age groups, sex and residence for India and bigger States/UTs. The population pyramid of the India is presented in Chart 3.


**Statement 3**


**Percentage distribution of Population by broad age groups to Total Population by sex and residence, India, 2015**

| Residence | Sex | Broad age groups (years) | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 0-4 | 5-9 | 10-14 | 0-14 | 15-59 | 60+ | 15-64 | 65+ |
| Total | Total | 8.6 | 9.0 | 9.7 | 27.3 | 64.4 | 8.3 | 67.5 | 5.2 |
| | Male | 8.8 | 9.2 | 9.9 | 27.9 | 64.1 | 8.0 | 67.1 | 5.0 |
| | Female | 8.4 | 8.8 | 9.5 | 26.7 | 64.7 | 8.6 | 67.8 | 5.5 |
| Rural | Total | 9.2 | 9.5 | 10.2 | 28.9 | 62.9 | 8.3 | 65.8 | 5.3 |
| | Male | 9.4 | 9.6 | 10.4 | 29.4 | 62.6 | 7.9 | 65.6 | 5.0 |
| | Female | 9.0 | 9.3 | 10.0 | 28.3 | 63.1 | 8.6 | 66.2 | 5.6 |
| Urban | Total | 7.3 | 8.0 | 8.6 | 23.9 | 67.7 | 8.4 | 70.9 | 5.2 |
| | Male | 7.5 | 8.2 | 8.8 | 24.5 | 67.2 | 8.3 | 70.5 | 5.0 |
| | Female | 7.1 | 7.9 | 8.4 | 23.3 | 68.2 | 8.5 | 71.3 | 5.3 |

Note: Total percentage may not add to 100 on account of rounding in broad age groups

**Chart 2 : Percentage distribution of population by broad age groups and residence, India, 2015**





Chart 3: Population pyramid, India, 2015
Females
Males
85+
80-84
75-79
70-74
65-69
60-64
55-59
50-54
45-49
40-44
35-39
30-34
25-29
20-24
15-19
10-14
5-9
0-4
Age group
15
10
5
0
5
10
15
Percentage

**2.6** Percentage share of population in the selected age groups for bigger States/UTs by residence and sex are given in Statements 4 to 7. Statement 4 gives the percentage of population below 5 years of age. At the National level, 7.3 percent population in urban areas constitutes below 5 years of age as against 9.2 percent for rural area. Sex differences in the share of child population are negligible both in rural and urban areas. The difference in the share of male child population to female child is maximum (about 1 percent higher) in rural areas of Delhi, Kerala and Uttarakhand. The urban areas of the newly added State of Telangana have also shown about 1 percent higher difference in the male to female child population share. Among the bigger States/UTs, the percentage of child population in rural areas varies from 5.9 in Telangana to 12.2 in Bihar. In urban areas, such variation is from 5.3 in Jammu & Kashmir to 11.0 in Uttarakhand. Chart 4 shows the pictorial presentation of percentage of child population for bigger States/UTs.

**Statement 4**

**Percentage of Population in the age group 0-4 years to Total Population by sex and residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **8.6** | **8.8** | **8.4** | **9.2** | **9.4** | **9.0** | **7.3** | **7.5** | **7.1** |
| Andhra Pradesh | 6.2 | 6.2 | 6.2 | 6.3 | 6.3 | 6.4 | 5.9 | 6.1 | 5.8 |
| Assam | 9.4 | 9.6 | 9.1 | 9.7 | 10.0 | 9.5 | 7.5 | 7.6 | 7.3 |
| Bihar | 11.7 | 12.0 | 11.5 | 12.2 | 12.4 | 11.9 | 9.0 | 9.3 | 8.7 |
| Chhattisgarh | 9.5 | 9.5 | 9.4 | 9.9 | 9.9 | 9.9 | 7.9 | 8.2 | 7.7 |
| Delhi | 7.7 | 7.7 | 7.7 | 7.5 | 6.9 | 8.3 | 7.7 | 7.7 | 7.7 |
| Gujarat | 8.1 | 8.3 | 7.8 | 8.6 | 8.9 | 8.3 | 7.4 | 7.5 | 7.2 |
| Haryana | 8.6 | 8.9 | 8.3 | 9.0 | 9.4 | 8.6 | 7.8 | 8.0 | 7.6 |
| Himachal Pradesh | 6.9 | 7.2 | 6.7 | 7.0 | 7.3 | 6.8 | 5.8 | 5.9 | 5.8 |
| Jammu & Kashmir | 7.0 | 7.2 | 6.8 | 7.6 | 7.7 | 7.3 | 5.3 | 5.5 | 5.1 |
| Jharkhand | 9.7 | 9.8 | 9.5 | 10.4 | 10.6 | 10.2 | 7.5 | 7.5 | 7.5 |
| Karnataka | 7.9 | 8.1 | 7.7 | 8.1 | 8.2 | 7.9 | 7.7 | 7.9 | 7.4 |
| Kerala | 7.1 | 7.6 | 6.7 | 7.4 | 7.9 | 6.9 | 6.8 | 7.3 | 6.4 |
| Madhya Pradesh | 9.9 | 9.9 | 9.9 | 10.4 | 10.4 | 10.4 | 8.5 | 8.7 | 8.3 |
| Maharashtra | 8.2 | 8.5 | 7.9 | 8.8 | 9.2 | 8.4 | 7.3 | 7.6 | 7.1 |
| Odisha | 8.1 | 8.2 | 8.0 | 8.2 | 8.3 | 8.2 | 7.5 | 7.7 | 7.3 |
| Punjab | 6.7 | 6.8 | 6.5 | 6.9 | 7.1 | 6.8 | 6.3 | 6.3 | 6.2 |
| Rajasthan | 9.7 | 10.1 | 9.4 | 10.3 | 10.7 | 9.8 | 8.2 | 8.4 | 8.0 |
| Tamil Nadu | 6.9 | 7.0 | 6.7 | 7.3 | 7.5 | 7.1 | 6.4 | 6.5 | 6.4 |
| Telangana | 6.5 | 6.7 | 6.2 | 5.9 | 6.0 | 5.7 | 7.4 | 7.9 | 6.9 |
| Uttar Pradesh | 9.2 | 9.5 | 8.9 | 9.8 | 10.1 | 9.5 | 7.4 | 7.7 | 7.1 |
| Uttarakhand | 11.0 | 11.3 | 10.6 | 11.0 | 11.5 | 10.5 | 11.0 | 11.0 | 10.9 |
| West Bengal | 7.5 | 7.6 | 7.5 | 8.1 | 8.2 | 8.1 | 6.0 | 6.1 | 6.0 |



Chart 3 : Percentage of child population (0-4 years) to total population by residence, India and bigger States,/UTs 2015
14
12
10
8
6
4
2
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal...
Jammu &...
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban

**2.7** Percentage of population of age less than 15 years for India and bigger States/UTs by sex and residence is given below in Statement 5. At the National level, 28.9 percent of rural population in the year 2015 is below 15 years of age against 23.9 percent for urban areas. Percentage of population below 15 years of age in rural areas varies from 20.8 in Andhra Pradesh and Telengana to 35.6 in Bihar. In urban areas, it varies from 17.7 in Jammu & Kashmir to 30.2 in Bihar. Chart 5 gives the pictorial presentation of percentage of persons below 15 years of age for bigger States/UTs by residence.

**Statement 5**

**Percentage of Population in the age group 0-14 years to Total Population by sex and residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | 27.3 | 27.9 | 26.7 | 28.9 | 29.4 | 28.3 | 23.9 | 24.5 | 23.3 |
| Andhra Pradesh | 21.0 | 21.1 | 20.8 | 21.0 | 21.2 | 20.8 | 20.9 | 21.1 | 20.7 |
| Assam | 28.8 | 29.1 | 28.4 | 30.1 | 30.5 | 29.7 | 21.5 | 21.8 | 21.3 |
| Bihar | 34.9 | 35.2 | 34.5 | 35.6 | 36.0 | 35.2 | 30.2 | 30.5 | 29.9 |
| Chhattisgarh | 29.2 | 29.3 | 29.0 | 30.3 | 30.3 | 30.3 | 25.8 | 26.4 | 25.2 |
| Delhi | 26.1 | 26.0 | 26.2 | 25.3 | 25.1 | 25.6 | 26.1 | 26.0 | 26.2 |
| Gujarat | 26.2 | 27.0 | 25.4 | 27.8 | 28.6 | 27.0 | 24.2 | 25.1 | 23.3 |
| Haryana | 27.1 | 28.2 | 25.8 | 28.0 | 29.0 | 26.7 | 25.6 | 26.8 | 24.2 |
| Himachal Pradesh | 23.3 | 24.5 | 22.0 | 23.4 | 24.8 | 22.1 | 21.3 | 21.5 | 21.1 |
| Jammu & Kashmir | 22.4 | 23.1 | 21.7 | 24.0 | 24.6 | 23.3 | 17.7 | 18.4 | 16.9 |
| Jharkhand | 30.5 | 31.0 | 30.0 | 32.0 | 32.6 | 31.3 | 26.0 | 26.1 | 26.0 |
| Karnataka | 24.6 | 25.3 | 23.8 | 24.8 | 25.5 | 24.1 | 24.2 | 24.9 | 23.4 |
| Kerala | 22.3 | 23.9 | 20.8 | 22.7 | 24.2 | 21.2 | 21.9 | 23.6 | 20.4 |
| Madhya Pradesh | 30.4 | 30.6 | 30.1 | 31.7 | 31.8 | 31.6 | 26.8 | 27.4 | 26.0 |
| Maharashtra | 25.4 | 26.2 | 24.6 | 27.3 | 28.1 | 26.3 | 23.0 | 23.6 | 22.4 |
| Odisha | 25.9 | 26.0 | 25.7 | 26.4 | 26.5 | 26.2 | 23.3 | 23.7 | 22.8 |
| Punjab | 22.0 | 22.8 | 21.1 | 22.4 | 23.3 | 21.2 | 21.6 | 22.1 | 21.0 |
| Rajasthan | 30.2 | 31.2 | 29.0 | 31.5 | 32.6 | 30.3 | 26.3 | 27.3 | 25.4 |
| Tamil Nadu | 21.9 | 22.4 | 21.4 | 23.2 | 23.9 | 22.5 | 20.7 | 21.0 | 20.4 |
| Telangana | 22.0 | 22.5 | 21.6 | 21.1 | 21.5 | 20.8 | 23.5 | 24.0 | 23.0 |
| Uttar Pradesh | 30.6 | 31.1 | 30.0 | 31.9 | 32.4 | 31.3 | 26.6 | 27.3 | 25.8 |
| Uttarakhand | 29.9 | 30.9 | 28.9 | 30.6 | 31.9 | 29.3 | 28.0 | 28.2 | 27.7 |
| West Bengal | 23.9 | 24.0 | 23.8 | 25.7 | 25.8 | 25.6 | 19.8 | 19.8 | 19.8 |



Chart 4: Percentage of population age 0-14 years to total population by residence, India and bigger States/UTs, 2015
40
35
30
25
20
15
10
5
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban

**2.8** Statement 6 given below provides percentage of population in the working age group 15-59 years for India and bigger States/UTs by sex and residence. At the National level, the age group 15-59 contributes 62.9 percent in rural areas and 67.7 percent population in urban areas. In rural areas the percentage varies from 57.8 in Bihar to 69.0 in Telangana. In urban areas the same varies from 61.5 in Bihar to 71.2 percent in Jammu & Kashmir. Chart 6 gives the pictorial presentation of percentage of population in the age group 15-59 years by residence. Chart 6 gives the pictorial presentation of percentage of persons 15-59 years of age for bigger States/UTs by residence.

**Statement 6**

**Percentage of Population in the working age group 15-59 years by sex and residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **64.4** | **64.1** | **64.7** | **62.9** | **62.6** | **63.1** | **67.7** | **67.2** | **68.2** |
| Andhra Pradesh | 69.3 | 68.7 | 69.8 | 68.6 | 68.0 | 69.2 | 71.0 | 70.6 | 71.4 |
| Assam | 64.4 | 63.9 | 65.1 | 63.5 | 63.0 | 64.0 | 69.9 | 68.9 | 70.9 |
| Bihar | 58.3 | 57.9 | 58.8 | 57.8 | 57.4 | 58.3 | 61.5 | 60.8 | 62.2 |
| Chhattisgarh | 63.7 | 64.1 | 63.3 | 62.4 | 62.9 | 61.9 | 67.7 | 67.7 | 67.8 |
| Delhi | 67.0 | 67.5 | 66.5 | 68.1 | 69.0 | 66.9 | 67.0 | 67.4 | 66.5 |
| Gujarat | 65.2 | 65.2 | 65.2 | 63.3 | 63.3 | 63.2 | 67.6 | 67.4 | 67.8 |
| Haryana | 65.3 | 64.7 | 66.0 | 64.3 | 63.8 | 64.8 | 67.0 | 66.2 | 68.0 |
| Himachal Pradesh | 65.6 | 64.6 | 66.5 | 65.2 | 64.1 | 66.2 | 69.8 | 69.6 | 70.0 |
| Jammu & Kashmir | 67.9 | 67.5 | 68.4 | 66.8 | 66.3 | 67.3 | 71.2 | 70.8 | 71.7 |
| Jharkhand | 62.7 | 62.4 | 63.1 | 61.5 | 61.0 | 62.0 | 66.7 | 66.8 | 66.7 |
| Karnataka | 67.2 | 66.9 | 67.4 | 66.5 | 66.3 | 66.7 | 68.2 | 67.8 | 68.7 |
| Kerala | 64.6 | 63.7 | 65.3 | 64.0 | 63.2 | 64.8 | 65.1 | 64.3 | 65.9 |
| Madhya Pradesh | 62.4 | 62.4 | 62.5 | 61.1 | 61.3 | 60.9 | 66.1 | 65.5 | 66.7 |
| Maharashtra | 65.3 | 64.9 | 65.7 | 62.5 | 62.3 | 62.8 | 69.0 | 68.4 | 69.6 |
| Odisha | 64.4 | 64.1 | 64.7 | 63.6 | 63.4 | 63.9 | 68.0 | 67.5 | 68.5 |
| Punjab | 67.7 | 67.5 | 67.9 | 66.5 | 66.3 | 66.8 | 69.3 | 69.1 | 69.4 |
| Rajasthan | 62.4 | 62.0 | 62.8 | 61.1 | 60.8 | 61.6 | 66.1 | 65.7 | 66.5 |
| Tamil Nadu | 67.6 | 67.3 | 67.9 | 66.0 | 65.7 | 66.3 | 69.1 | 68.8 | 69.5 |
| Telangana | 69.5 | 69.0 | 70.0 | 69.0 | 68.6 | 69.3 | 70.3 | 69.6 | 71.1 |
| Uttar Pradesh | 62.4 | 62.1 | 62.7 | 61.0 | 60.8 | 61.2 | 66.6 | 66.1 | 67.1 |
| Uttarakhand | 61.0 | 60.7 | 61.3 | 59.7 | 59.3 | 60.2 | 64.4 | 64.4 | 64.4 |
| West Bengal | 67.1 | 66.9 | 67.3 | 66.4 | 66.7 | 66.2 | 68.6 | 67.6 | 69.7 |



Chart 6: Percentage of population age 15-59 years to total population by residence, India and bigger States/UTs, 2015
75
70
65
60
55
50
45
40
35
30
25
20
15
10
5
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban

**2.9** Percentage of aged persons (60 years and above) for India and bigger States/UTs by sex and residence is given below in Statement 7. At the National level, percentage of aged (60+) population is 8.3. Composition of 60+ aged female population is higher in all of the bigger States/UTs except Andhra Pradesh, Assam, Bihar, Odisha, Telangana and West Bengal. In rural areas population in the age group 60+ constitutes 8.3 percent of the total population and variation in aged population ranges from 6.4 percent in Assam to 13.3 percent in Kerala. The urban proportion of aged population in most of the States is lower than the corresponding rural share except for Assam, Bihar, Delhi, Jammu & Kashmir, Jharkhand, Rajasthan and West Bengal. The Pictorial presentation of percentage of old age population by residence for bigger States/UTs is given in Chart 7.

**Statement 7**

**Percentage of Population in the age group 60 years and above to Total Population by sex and residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **8.3** | **8.0** | **8.6** | **8.3** | **7.9** | **8.6** | **8.4** | **8.3** | **8.5** |
| Andhra Pradesh | 9.8 | 10.1 | 9.4 | 10.5 | 10.8 | 10.0 | 8.1 | 8.3 | 7.8 |
| Assam | 6.8 | 7.0 | 6.5 | 6.4 | 6.6 | 6.3 | 8.6 | 9.4 | 7.8 |
| Bihar | 6.8 | 6.9 | 6.7 | 6.6 | 6.6 | 6.5 | 8.3 | 8.7 | 7.9 |
| Chhattisgarh | 7.1 | 6.6 | 7.7 | 7.3 | 6.8 | 7.9 | 6.5 | 5.9 | 7.1 |
| Delhi | 6.9 | 6.5 | 7.3 | 6.6 | 6.0 | 7.5 | 6.9 | 6.6 | 7.3 |
| Gujarat | 8.6 | 7.8 | 9.4 | 8.9 | 8.1 | 9.8 | 8.2 | 7.5 | 8.9 |
| Haryana | 7.6 | 7.1 | 8.2 | 7.7 | 7.1 | 8.4 | 7.4 | 7.0 | 7.7 |
| Himachal Pradesh | 11.2 | 10.9 | 11.5 | 11.4 | 11.1 | 11.7 | 8.9 | 8.9 | 8.9 |
| Jammu & Kashmir | 9.7 | 9.5 | 9.9 | 9.2 | 9.1 | 9.4 | 11.0 | 10.8 | 11.4 |
| Jharkhand | 6.7 | 6.6 | 6.8 | 6.5 | 6.4 | 6.7 | 7.2 | 7.2 | 7.3 |
| Karnataka | 8.3 | 7.8 | 8.8 | 8.7 | 8.2 | 9.3 | 7.6 | 7.3 | 8.0 |
| Kerala | 13.1 | 12.4 | 13.8 | 13.3 | 12.6 | 14.0 | 12.9 | 12.1 | 13.7 |
| Madhya Pradesh | 7.2 | 7.0 | 7.4 | 7.2 | 6.9 | 7.5 | 7.2 | 7.1 | 7.3 |
| Maharashtra | 9.3 | 8.9 | 9.7 | 10.2 | 9.6 | 10.9 | 8.0 | 8.0 | 8.0 |
| Odisha | 9.8 | 9.9 | 9.6 | 10.0 | 10.1 | 9.8 | 8.8 | 8.8 | 8.7 |
| Punjab | 10.3 | 9.7 | 11.0 | 11.1 | 10.4 | 12.0 | 9.2 | 8.7 | 9.7 |
| Rajasthan | 7.4 | 6.7 | 8.2 | 7.4 | 6.6 | 8.2 | 7.6 | 7.0 | 8.1 |
| Tamil Nadu | 10.5 | 10.3 | 10.7 | 10.8 | 10.4 | 11.2 | 10.2 | 10.2 | 10.2 |
| Telangana | 8.5 | 8.5 | 8.4 | 9.9 | 9.9 | 9.9 | 6.2 | 6.4 | 5.9 |
| Uttar Pradesh | 7.0 | 6.7 | 7.4 | 7.1 | 6.8 | 7.5 | 6.9 | 6.6 | 7.1 |
| Uttarakhand | 9.1 | 8.4 | 9.8 | 9.6 | 8.8 | 10.5 | 7.6 | 7.4 | 7.9 |
| West Bengal | 9.0 | 9.1 | 8.9 | 7.8 | 7.5 | 8.2 | 11.6 | 12.6 | 10.5 |


Chart 7: Percentage of population aged 60+ to total population by residence, India and bigger States/UTs, 2015
14
12
10
8
6
4
2
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban

## Marital Status

**2.10** Besides age, the other important demographic characteristic collected and subsequently updated during each half yearly survey of the SRS is the marital status. Distribution of the population by marital status is thus available from SRS.


**2.11** Statement 8 given below shows the percentage distribution of population by sex and marital status for India and bigger States/UTs for the year 2015. During this year, 49.2 percent of the population at the National level is reported as never married. Married population constitutes 47.0 percent of the total population whereas widowed/divorced/separated constitutes 3.7 percent. The proportion of W/D/S female population is higher than males at the National level as well as in the bigger States/UTs. The gap is significantly wide (about 10 percentage) in respect of Kerala. Andhra Pradesh (54.1) recorded the highest percentage of married population whereas the lowest was recorded for Uttarakhand (41.9). Married Females recorded a higher percentage as compared to Males at the National level and similarly for all of the bigger States/UTs. The percentage distribution of population by sex, marital status and age-group for urban and rural areas of India and bigger States/UTs is detailed in Table-2. Chart 8, 9 and 10 shows the distribution of population by marital status of India and bigger States/UTs for Person, Male and Female respectively.


**Statement 8**


**Percentage distribution of Population by Marital Status and sex, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Never married | | | Married | | | W/D/S | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **49.2** | **53.9** | **44.2** | **47.0** | **44.4** | **49.9** | **3.7** | **1.7** | **5.9** |
| Andhra Pradesh | 41.1 | 45.5 | 36.5 | 54.1 | 52.2 | 56.1 | 4.8 | 2.3 | 7.4 |
| Assam | 51.5 | 55.9 | 46.6 | 45.2 | 42.6 | 48.0 | 3.4 | 1.5 | 5.4 |
| Bihar | 55.3 | 59.0 | 51.2 | 42.5 | 39.6 | 45.7 | 2.1 | 1.3 | 3.0 |
| Chhattisgarh | 49.1 | 52.7 | 45.5 | 46.2 | 45.0 | 47.4 | 4.6 | 2.3 | 7.0 |
| Delhi | 50.2 | 53.7 | 46.3 | 46.6 | 44.8 | 48.6 | 3.2 | 1.5 | 5.1 |
| Gujarat | 46.1 | 50.5 | 41.3 | 49.5 | 47.4 | 51.8 | 4.4 | 2.1 | 6.9 |
| Haryana | 49.0 | 54.1 | 43.1 | 48.6 | 44.6 | 53.4 | 2.3 | 1.4 | 3.5 |
| Himachal Pradesh | 43.9 | 49.3 | 38.6 | 51.1 | 48.7 | 53.5 | 4.9 | 2.0 | 7.9 |
| Jammu & Kashmir | 51.4 | 55.3 | 47.0 | 45.3 | 42.8 | 48.0 | 3.3 | 1.9 | 4.9 |
| Jharkhand | 52.6 | 56.9 | 47.9 | 44.5 | 41.7 | 47.4 | 3.0 | 1.3 | 4.7 |
| Karnataka | 48.0 | 54.2 | 41.4 | 47.3 | 44.2 | 50.5 | 4.7 | 1.5 | 8.1 |
| Kerala | 42.4 | 49.9 | 35.6 | 52.0 | 48.8 | 54.8 | 5.6 | 1.2 | 9.6 |
| Madhya Pradesh | 50.7 | 54.8 | 46.2 | 45.6 | 43.0 | 48.5 | 3.7 | 2.2 | 5.4 |
| Maharashtra | 47.9 | 53.1 | 42.1 | 48.3 | 45.4 | 51.6 | 3.8 | 1.5 | 6.4 |
| Odisha | 48.6 | 52.4 | 44.6 | 46.8 | 45.7 | 48.0 | 4.6 | 1.9 | 7.3 |
| Punjab | 46.5 | 51.5 | 40.5 | 50.1 | 46.4 | 54.4 | 3.5 | 2.1 | 5.1 |
| Rajasthan | 49.6 | 54.1 | 44.7 | 47.3 | 44.4 | 50.3 | 3.2 | 1.5 | 5.0 |
| Tamil Nadu | 43.9 | 49.3 | 38.2 | 51.1 | 48.5 | 53.8 | 5.0 | 2.1 | 8.0 |
| Telangana | 45.1 | 50.0 | 39.9 | 50.6 | 48.2 | 53.1 | 4.3 | 1.9 | 7.0 |
| Uttar Pradesh | 55.0 | 59.1 | 50.4 | 42.3 | 39.1 | 45.7 | 2.8 | 1.8 | 3.8 |
| Uttarakhand | 53.8 | 59.4 | 48.1 | 41.9 | 38.9 | 45.1 | 4.2 | 1.7 | 6.9 |
| West Bengal | 43.8 | 49.0 | 38.3 | 51.8 | 49.5 | 54.2 | 4.4 | 1.5 | 7.5 |

Note: Total may not add to 100 due to rounding off. W/D/S- Widowed/Divorced/Separated


Chart 8: Percentage distribution of population by marital status, India and bigger States/UTs, 2015
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Never married
Married


Chart 9: Percentage distribution of MALE population by marital status, India and bigger States/UTs, 2015
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Never married
Married
W/D/S



Chart 10: Percentage distribution of FEMALE population by marital status, India and bigger States/UTs, 2015
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Never married
Married
W/D/S


**2.12** Persons below 10 years of age, in the SRS, are being treated as unmarried. Marital distribution of population would be more meaningful if such percentages are worked out for persons of age 10 years and above. Statement 9 given below provides percentage distribution of population for age 10 years and above by marital status and sex for India and bigger States/UTs. At the National level, the percent share of married population is 57.1. Among the bigger States/UTs Uttarakhand (52.4) recorded the lowest percentage of married population whereas the highest percentage was recorded for Andhra Pradesh (62.5). Chart 11, 12 and 13 shows the distribution of population aged 10 year and above by marital status of India and bigger States/UTs for Person, Male and Female respectively.


**Statement 9**
**Percentage distribution of Population age 10+ by Marital Status and sex**
**India and bigger States/UTs, 2015**

| India and bigger States/UTs | Never married | | | Married | | | W/D/S | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **38.4** | **43.8** | **32.6** | **57.1** | **54.1** | **60.3** | **4.5** | **2.1** | **7.1** |
| Andhra Pradesh | 31.9 | 37.0 | 26.7 | 62.5 | 60.4 | 64.8 | 5.5 | 2.6 | 8.6 |
| Assam | 40.4 | 45.7 | 34.7 | 55.4 | 52.5 | 58.7 | 4.2 | 1.8 | 6.7 |
| Bihar | 42.1 | 46.7 | 37.1 | 55.1 | 51.6 | 59.0 | 2.8 | 1.7 | 3.9 |
| Chhattisgarh | 37.1 | 41.4 | 32.7 | 57.2 | 55.8 | 58.6 | 5.7 | 2.8 | 8.7 |
| Delhi | 40.3 | 44.5 | 35.6 | 55.9 | 53.7 | 58.3 | 3.8 | 1.8 | 6.1 |
| Gujarat | 35.2 | 40.2 | 29.9 | 59.5 | 57.3 | 61.9 | 5.3 | 2.5 | 8.3 |
| Haryana | 38.1 | 43.8 | 31.4 | 59.1 | 54.5 | 64.4 | 2.8 | 1.7 | 4.2 |
| Himachal Pradesh | 34.2 | 40.0 | 28.6 | 60.0 | 57.7 | 62.2 | 5.8 | 2.3 | 9.1 |
| Jammu & Kashmir | 43.2 | 47.5 | 38.4 | 52.9 | 50.3 | 55.9 | 3.9 | 2.2 | 5.7 |
| Jharkhand | 41.1 | 46.2 | 35.5 | 55.3 | 52.1 | 58.7 | 3.7 | 1.7 | 5.8 |
| Karnataka | 38.0 | 45.2 | 30.4 | 56.4 | 53.0 | 60.1 | 5.6 | 1.8 | 9.6 |
| Kerala | 32.9 | 40.9 | 25.6 | 60.6 | 57.6 | 63.3 | 6.5 | 1.5 | 11.1 |
| Madhya Pradesh | 38.7 | 43.8 | 33.2 | 56.7 | 53.5 | 60.1 | 4.6 | 2.7 | 6.7 |
| Maharashtra | 37.7 | 43.6 | 31.2 | 57.8 | 54.6 | 61.2 | 4.5 | 1.8 | 7.5 |
| Odisha | 38.3 | 42.8 | 33.7 | 56.2 | 54.9 | 57.5 | 5.5 | 2.3 | 8.8 |
| Punjab | 37.8 | 43.5 | 31.2 | 58.2 | 54.2 | 62.9 | 4.0 | 2.4 | 5.9 |
| Rajasthan | 37.2 | 42.4 | 31.6 | 58.9 | 55.8 | 62.2 | 3.9 | 1.8 | 6.2 |
| Tamil Nadu | 34.8 | 40.9 | 28.4 | 59.4 | 56.6 | 62.3 | 5.9 | 2.5 | 9.3 |
| Telangana | 36.1 | 41.5 | 30.5 | 58.8 | 56.3 | 61.5 | 5.0 | 2.2 | 8.0 |
| Uttar Pradesh | 43.9 | 48.8 | 38.6 | 52.6 | 48.9 | 56.6 | 3.5 | 2.3 | 4.8 |
| Uttarakhand | 42.3 | 48.8 | 35.6 | 52.4 | 49.0 | 55.9 | 5.3 | 2.2 | 8.5 |
| West Bengal | 33.7 | 39.8 | 27.2 | 61.2 | 58.5 | 64.0 | 5.2 | 1.7 | 8.8 |

Note: Total may not add to 100 due to rounding off. W/D/S- Widowed/Divorced/Separated


Chart 11: Percentage distribution of population aged 10+ by marital status, India and bigger States/UTs, 2015
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Never married
Married
W/D/S


Chart 12: Percentage distribution of MALE population aged 10+ by marital status, India and bigger States/UTs, 2015
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Never married
Married
W/D/S


Chart 13: Percentage distribution of FEMALE population aged 10+ by marital status, India and bigger States/UTs, 2015
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Never married
Married
W/D/S

**2.13** Statement 10 placed below shows the percentage distribution of Female age 10 years and more by marital status and residence. At the National level, 60.3 per cent of such females are married. The proportion of married female is slightly higher in urban areas than that of rural areas in India. However the trend in the States of Assam, Chhattisgarh, Gujarat, Jammu & Kashmir, Karnataka, Odisha, Punjab, Tamil Nadu and Uttarakhand is otherwise. Among the bigger States/UTs the lowest percentage of married female is found to be in Jammu & Kashmir (55.9) and the highest in Andhra Pradesh (64.8). Percentage of never married Female in the bigger States/UTs varies from 25.6 in Kerala to 38.6 in Uttar Pradesh. The percentage of female in the category "Widowed/Divorced/Separated varies from 3.9 in Bihar to 11.1 in Kerala. Chart 14, 15 and 16 shows the distribution of female population aged 10 year and above by marital status of India and bigger States/UTs for Total, Rural and Urban areas respectively.


**Statement 10**


**Percentage distribution of Female age 10+ by Marital Status and residence**


**India and bigger States/UTs, 2015**

| India and bigger States/UTs | Never married | | | Married | | | W/D/S | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **32.6** | **32.8** | **32.1** | **60.3** | **60.2** | **60.5** | **7.1** | **6.9** | **7.4** |
| Andhra Pradesh | 26.7 | 25.5 | 29.5 | 64.8 | 65.6 | 62.9 | 8.6 | 8.9 | 7.6 |
| Assam | 34.7 | 35.2 | 32.1 | 58.7 | 58.4 | 60.1 | 6.7 | 6.4 | 7.8 |
| Bihar | 37.1 | 37.2 | 36.6 | 59.0 | 59.1 | 58.1 | 3.9 | 3.7 | 5.3 |
| Chhattisgarh | 32.7 | 32.5 | 33.1 | 58.6 | 58.4 | 59.1 | 8.7 | 9.0 | 7.8 |
| Delhi | 35.6 | 33.0 | 35.6 | 58.3 | 60.9 | 58.2 | 6.1 | 6.2 | 6.1 |
| Gujarat | 29.9 | 30.1 | 29.5 | 61.9 | 61.5 | 62.4 | 8.3 | 8.4 | 8.1 |
| Haryana | 31.4 | 31.5 | 31.3 | 64.4 | 64.5 | 64.2 | 4.2 | 4.1 | 4.5 |
| Himachal Pradesh | 28.6 | 28.2 | 33.3 | 62.2 | 62.4 | 60.6 | 9.1 | 9.4 | 6.1 |
| Jammu & Kashmir | 38.4 | 39.1 | 36.5 | 55.9 | 55.4 | 57.1 | 5.7 | 5.5 | 6.3 |
| Jharkhand | 35.5 | 35.5 | 35.4 | 58.7 | 58.7 | 58.5 | 5.8 | 5.7 | 6.1 |
| Karnataka | 30.4 | 29.8 | 31.2 | 60.1 | 59.5 | 61.0 | 9.6 | 10.7 | 7.8 |
| Kerala | 25.6 | 25.5 | 25.7 | 63.3 | 64.2 | 62.4 | 11.1 | 10.3 | 11.9 |
| Madhya Pradesh | 33.2 | 32.8 | 34.2 | 60.1 | 60.5 | 59.1 | 6.7 | 6.6 | 6.7 |
| Maharashtra | 31.2 | 31.4 | 31.0 | 61.2 | 61.3 | 61.2 | 7.5 | 7.4 | 7.7 |
| Odisha | 33.7 | 33.8 | 33.1 | 57.5 | 57.5 | 57.9 | 8.8 | 8.7 | 9.0 |
| Punjab | 31.2 | 30.9 | 31.7 | 62.9 | 62.8 | 63.0 | 5.9 | 6.3 | 5.3 |
| Rajasthan | 31.6 | 31.6 | 31.7 | 62.2 | 62.3 | 61.9 | 6.2 | 6.1 | 6.4 |
| Tamil Nadu | 28.4 | 28.9 | 28.0 | 62.3 | 61.1 | 63.3 | 9.3 | 10.0 | 8.7 |
| Telangana | 30.5 | 29.0 | 33.1 | 61.5 | 61.9 | 60.7 | 8.0 | 9.1 | 6.2 |
| Uttar Pradesh | 38.6 | 38.2 | 40.1 | 56.6 | 57.2 | 54.9 | 4.8 | 4.6 | 5.1 |
| Uttarakhand | 35.6 | 35.3 | 36.5 | 55.9 | 55.6 | 56.6 | 8.5 | 9.1 | 6.9 |
| West Bengal | 27.2 | 27.7 | 26.3 | 64.0 | 64.1 | 63.6 | 8.8 | 8.2 | 10.0 |

Note: Total may not add to 100 due to rounding off. W/D/S- Widowed/Divorced/Separated


Chart 14: Percentage distribution of female aged 10+ by marital status, India and bigger States/UTs, 2015
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Never married
Married
W/D/S


Chart 15: Percentage distribution of female aged 10+ by marital status, India and bigger States/UTs, 2015 -RURAL
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Never married
Married
W/D/S


Chart 16: Percentage distribution of female aged 10+ by marital status
India and bigger States/UTs, 2015 - URBAN
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Never married
Married
W/D/S


**2.14** Statement 11 given below presents the marital distribution of female population age 15 years and above by residence. At the National level, 68.1 percent of married females exists in age 15+ and 68.6 percent comes under rural areas. Among the bigger States/UTs, percentage of such married female varies from 61.3 in Jammu & Kashmir to 72.1 in Haryana. The percentage of never married female varies from 18.6 in Kerala to 29.2 in Uttar Pradesh. The maximum percentage of Widowed/Divorced/Separated females is 12.1 in Kerala and the minimum 4.7 in Haryana. Chart 17, 18 and 19 shows the distribution of female population aged 15 year and above by marital status of India and bigger States/UTs for Total, Rural and Urban areas respectively.


**Statement 11**


**Percentage distribution of Female age 15+ by Marital Status and residence India and bigger States/UTs, 2015**

| India and bigger States/UTs | Never married | | | Married | | | W/D/S | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **23.9** | **23.5** | **24.7** | **68.1** | **68.6** | **67.1** | **8.0** | **7.9** | **8.2** |
| Andhra Pradesh | 19.8 | 18.7 | 22.7 | 70.8 | 71.6 | 69.0 | 9.3 | 9.8 | 8.4 |
| Assam | 25.4 | 25.3 | 25.9 | 67.0 | 67.3 | 65.5 | 7.6 | 7.4 | 8.5 |
| Bihar | 25.6 | 25.4 | 26.6 | 69.8 | 70.2 | 67.3 | 4.6 | 4.4 | 6.1 |
| Chhattisgarh | 23.2 | 22.5 | 25.2 | 66.9 | 67.1 | 66.1 | 9.9 | 10.3 | 8.7 |
| Delhi | 27.2 | 25.1 | 27.3 | 65.9 | 68.0 | 65.8 | 6.9 | 6.9 | 6.9 |
| Gujarat | 21.3 | 20.8 | 22.0 | 69.4 | 69.7 | 69.1 | 9.3 | 9.5 | 9.0 |
| Haryana | 23.2 | 22.9 | 23.7 | 72.1 | 72.5 | 71.3 | 4.7 | 4.6 | 5.0 |
| Himachal Pradesh | 21.3 | 20.8 | 26.4 | 68.7 | 68.8 | 66.9 | 10.1 | 10.4 | 6.7 |
| Jammu & Kashmir | 32.4 | 32.6 | 31.8 | 61.3 | 61.3 | 61.4 | 6.3 | 6.1 | 6.8 |
| Jharkhand | 25.5 | 25.1 | 26.7 | 67.8 | 68.3 | 66.4 | 6.7 | 6.7 | 6.9 |
| Karnataka | 23.1 | 22.5 | 24.1 | 66.3 | 65.7 | 67.3 | 10.6 | 11.8 | 8.6 |
| Kerala | 18.6 | 18.4 | 18.8 | 69.3 | 70.3 | 68.2 | 12.1 | 11.3 | 13.0 |
| Madhya Pradesh | 23.0 | 21.8 | 26.1 | 69.3 | 70.5 | 66.4 | 7.7 | 7.7 | 7.6 |
| Maharashtra | 23.1 | 22.4 | 24.1 | 68.4 | 69.2 | 67.4 | 8.4 | 8.3 | 8.5 |
| Odisha | 25.5 | 25.4 | 26.2 | 64.6 | 64.8 | 63.9 | 9.9 | 9.9 | 9.9 |
| Punjab | 24.6 | 24.3 | 24.9 | 69.0 | 68.8 | 69.2 | 6.5 | 6.9 | 5.8 |
| Rajasthan | 22.1 | 21.5 | 23.6 | 70.9 | 71.5 | 69.3 | 7.0 | 7.0 | 7.1 |
| Tamil Nadu | 21.4 | 21.4 | 21.4 | 68.4 | 67.5 | 69.2 | 10.2 | 11.1 | 9.5 |
| Telangana | 23.4 | 21.9 | 25.9 | 67.7 | 68.1 | 67.2 | 8.9 | 10.0 | 6.9 |
| Uttar Pradesh | 29.2 | 28.2 | 32.3 | 65.3 | 66.4 | 62.0 | 5.5 | 5.4 | 5.8 |
| Uttarakhand | 27.0 | 26.3 | 28.9 | 63.3 | 63.3 | 63.3 | 9.7 | 10.4 | 7.8 |
| West Bengal | 19.0 | 18.6 | 19.8 | 71.2 | 72.1 | 69.3 | 9.8 | 9.2 | 10.9 |

Note: Total may not add to 100 due to rounding off. W/D/S- Widowed/Divorced/Separated


Chart 17: Percentage distribution of female aged 15+ by marital status, India and bigger States/UTs, 2015
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Never married
Married
W/D/S


Chart 18: Percentage distribution of female aged 15+ by marital status, India and bigger States/UTs, 2015 -RURAL
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Never married
Married
W/D/S



Chart 19: Percentage distribution of female aged 15+ by marital status, India and bigger States/UTs, 2015- URBAN
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Never married
Married
W/D/S


**2.15** In addition to the marital status of male and female, information on the number of females who got effectively married during the reference period of six months of each half yearly survey is also being collected in the SRS from 1990. Based on the information on the number of females, who got effectively married during the last one year, mean age at effective marriage for female has been worked out. Statement 12 given below presents percentage distribution of such females by age at effective marriage separately for rural and urban areas. The percentage of females who got effectively married before reaching 18 years of age is 2.2 at the National level and varies from 0.8 in Delhi to 3.7 in West Bengal. Percentage of female marrying at 21 years and above is 62.6 at the National level and varies from 48.3 in West Bengal to 86.7 in Jammu & Kashmir. About 40 % of the rural female, at the National level, marry between 18 and 20 years of age compared to 26% in urban areas. Chart 20, 21 and 22 shows the distribution of such female by age at effective marriage of India and bigger States/UTs for Total, Rural and Urban areas respectively.


**Statement 12**

**Percentage of Female by age at Effective Marriage and by residence**
**India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | | | | Rural | | | | Urban | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | <18 | 18-20 | 21+ | All ages | <18 | 18-20 | 21+ | All ages | <18 | 18-20 | 21+ | All ages |
| **India** | **2.2** | **35.2** | **62.6** | **100.0** | **2.5** | **40.4** | **57.2** | **100.0** | **1.7** | **26.3** | **72.1** | **100.0** |
| Andhra Pradesh | 2.1 | 40.6 | 57.2 | 100.0 | 2.2 | 44.6 | 53.2 | 100.0 | 1.9 | 28.4 | 69.7 | 100.0 |
| Assam | 2.1 | 35.4 | 62.5 | 100.0 | 2.3 | 37.5 | 60.3 | 100.0 | 1.0 | 22.5 | 76.4 | 100.0 |
| Bihar | 3.6 | 39.0 | 57.4 | 100.0 | 3.6 | 42.2 | 54.2 | 100.0 | 3.7 | 28.4 | 67.9 | 100.0 |
| Chhattisgarh | 1.6 | 36.4 | 62.0 | 100.0 | 1.7 | 39.8 | 58.5 | 100.0 | 1.4 | 29.7 | 68.9 | 100.0 |
| Delhi | 0.8 | 24.2 | 75.0 | 100.0 | 0.0 | 12.5 | 87.5 | 100.0 | 0.8 | 24.3 | 74.9 | 100.0 |
| Gujarat | 1.7 | 27.9 | 70.4 | 100.0 | 2.8 | 37.4 | 59.8 | 100.0 | 1.3 | 24.5 | 74.2 | 100.0 |
| Haryana | 1.8 | 33.3 | 64.9 | 100.0 | 1.6 | 34.3 | 64.1 | 100.0 | 3.9 | 23.1 | 73.0 | 100.0 |
| Himachal Pradesh | 1.6 | 22.0 | 76.5 | 100.0 | 1.6 | 22.6 | 75.8 | 100.0 | 1.8 | 8.9 | 89.3 | 100.0 |
| Jammu & Kashmir | 1.5 | 11.8 | 86.7 | 100.0 | 1.7 | 13.8 | 84.5 | 100.0 | 1.1 | 8.6 | 90.3 | 100.0 |
| Jharkhand | 3.4 | 41.6 | 55.1 | 100.0 | 6.2 | 52.0 | 41.9 | 100.0 | 1.8 | 35.7 | 62.4 | 100.0 |
| Karnataka | 1.6 | 36.3 | 62.1 | 100.0 | 1.6 | 42.7 | 55.7 | 100.0 | 1.6 | 26.1 | 72.2 | 100.0 |
| Kerala | 1.3 | 22.8 | 75.9 | 100.0 | 2.2 | 23.8 | 74.1 | 100.0 | 0.5 | 21.8 | 77.7 | 100.0 |
| Madhya Pradesh | 2.1 | 41.0 | 56.9 | 100.0 | 2.2 | 44.8 | 53.0 | 100.0 | 1.8 | 30.5 | 67.7 | 100.0 |
| Maharashtra | 2.1 | 33.5 | 64.4 | 100.0 | 2.7 | 48.9 | 48.4 | 100.0 | 1.8 | 25.0 | 73.3 | 100.0 |
| Odisha | 2.8 | 36.9 | 60.3 | 100.0 | 3.0 | 39.0 | 58.1 | 100.0 | 1.9 | 27.9 | 70.2 | 100.0 |
| Punjab | 2.3 | 21.0 | 76.8 | 100.0 | 1.9 | 20.2 | 77.9 | 100.0 | 2.8 | 22.1 | 75.2 | 100.0 |
| Rajasthan | 3.0 | 40.7 | 56.3 | 100.0 | 3.2 | 43.9 | 52.9 | 100.0 | 2.7 | 34.0 | 63.3 | 100.0 |
| Tamil Nadu | 1.9 | 22.4 | 75.7 | 100.0 | 2.4 | 26.3 | 71.3 | 100.0 | 1.5 | 19.9 | 78.5 | 100.0 |
| Telangana | 1.8 | 38.8 | 59.3 | 100.0 | 2.1 | 45.1 | 52.8 | 100.0 | 1.6 | 32.2 | 66.3 | 100.0 |
| Uttar Pradesh | 1.9 | 32.8 | 65.3 | 100.0 | 2.2 | 35.5 | 62.3 | 100.0 | 0.6 | 21.7 | 77.7 | 100.0 |
| Uttarakhand | 1.5 | 28.2 | 70.3 | 100.0 | 1.4 | 30.4 | 68.1 | 100.0 | 1.7 | 21.5 | 76.8 | 100.0 |
| West Bengal | 3.7 | 48.0 | 48.3 | 100.0 | 4.2 | 53.8 | 42.0 | 100.0 | 2.5 | 34.7 | 62.8 | 100.0 |


Chart 20: Female by age at Effective Marriage, India and bigger States/UTs, 2015
100.0
90.0
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
<18
18-20
21+


Chart 21: Female by age at Effective Marriage, India and bigger States/UTs, 2015 - RURAL
100.0
90.0
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
<18
18-20
21+



Chart 22: Female by age at Effective Marriage, India and bigger States/UTs, 2015 - URBAN
100.0
90.0
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
<18
18-20
21+


**2.16** Statement 13 given below provides the mean age at effective marriage of these female by residence for India and bigger States/UTs. At the National level, the mean age at effective marriage for female in the year 2015 is 22.1 years and varies from 21.6 years in rural areas to 23.0 years in urban areas. Among the bigger States/UTs, the mean age varies from 23.4 years in Haryana to 24.8 years in Jammu & Kashmir. Chart 23 shows the female mean age at effective marriage for India for the year 2015. Chart 23, 24 and 25 shows the mean age at effective marriage of these female by age at marriage of India and bigger States/UTs for Total, Rural and Urban areas respectively.


**Statement 13**

**Mean Age at Effective Marriage of Female by residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Age at effective marriage | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | Rural | | | | Urban | | | |
| | < 18 | 18-20 | 21+ | All Ages | < 18 | 18-20 | 21+ | All Ages | < 18 | 18-20 | 21+ | All Ages |
| **India** | **16.8** | **19.1** | **24.0** | **22.1** | **16.8** | **19.1** | **23.6** | **21.6** | **16.7** | **19.1** | **24.5** | **23.0** |
| Andhra Pradesh | 16.9 | 19.1 | 23.9 | 21.8 | 16.8 | 19.2 | 23.9 | 21.6 | 17.0 | 18.8 | 23.8 | 22.3 |
| Assam | 16.5 | 19.2 | 24.3 | 22.4 | 16.5 | 19.2 | 24.0 | 22.0 | 17.0 | 19.1 | 26.1 | 24.4 |
| Bihar | 16.8 | 18.8 | 24.6 | 22.0 | 16.7 | 18.9 | 24.6 | 21.9 | 17.0 | 18.5 | 24.4 | 22.5 |
| Chhattisgarh | 16.5 | 19.1 | 23.8 | 22.0 | 16.7 | 19.1 | 23.3 | 21.5 | 16.1 | 19.2 | 24.6 | 22.9 |
| Delhi | 17.0 | 19.2 | 24.9 | 23.4 | 0.0 | 19.0 | 26.6 | 25.6 | 17.0 | 19.2 | 24.8 | 23.4 |
| Gujarat | 16.6 | 19.3 | 23.7 | 22.3 | 16.6 | 19.2 | 22.4 | 21.1 | 16.5 | 19.3 | 24.0 | 22.8 |
| Haryana | 16.9 | 19.2 | 23.4 | 21.9 | 16.8 | 19.2 | 23.2 | 21.7 | 17.0 | 19.1 | 24.6 | 23.0 |
| Himachal Pradesh | 16.8 | 19.3 | 24.2 | 23.0 | 16.8 | 19.3 | 24.1 | 22.9 | 17.0 | 19.0 | 25.7 | 24.9 |
| Jammu & Kashmir | 17.0 | 19.7 | 25.7 | 24.8 | 17.0 | 19.7 | 25.4 | 24.5 | 17.0 | 19.6 | 26.1 | 25.5 |
| Jharkhand | 17.0 | 19.0 | 24.2 | 21.8 | 17.0 | 19.0 | 23.7 | 20.9 | 17.0 | 19.0 | 24.5 | 22.4 |
| Karnataka | 16.8 | 19.1 | 23.9 | 22.0 | 16.7 | 19.2 | 23.5 | 21.5 | 16.9 | 19.0 | 24.4 | 22.8 |
| Kerala | 16.9 | 19.2 | 24.5 | 23.2 | 16.9 | 19.1 | 24.4 | 23.0 | 17.0 | 19.3 | 24.7 | 23.5 |
| Madhya Pradesh | 16.8 | 19.1 | 23.7 | 21.7 | 16.8 | 19.1 | 23.3 | 21.3 | 16.8 | 19.1 | 24.5 | 22.7 |
| Maharashtra | 16.9 | 19.2 | 24.5 | 22.6 | 16.8 | 19.2 | 23.0 | 21.0 | 16.9 | 19.2 | 25.0 | 23.4 |
| Odisha | 16.6 | 19.4 | 24.2 | 22.2 | 16.8 | 19.3 | 24.1 | 22.0 | 15.4 | 19.4 | 24.6 | 23.0 |
| Punjab | 17.0 | 19.5 | 24.7 | 23.4 | 17.0 | 19.6 | 23.9 | 22.9 | 17.0 | 19.4 | 25.8 | 24.2 |
| Rajasthan | 16.8 | 19.0 | 23.6 | 21.5 | 16.9 | 19.0 | 23.5 | 21.3 | 16.7 | 19.1 | 23.8 | 22.0 |
| Tamil Nadu | 16.8 | 19.1 | 24.4 | 23.1 | 16.8 | 19.2 | 24.1 | 22.6 | 16.8 | 19.1 | 24.6 | 23.4 |
| Telangana | 16.6 | 19.1 | 24.2 | 22.1 | 16.7 | 19.0 | 23.5 | 21.3 | 16.5 | 19.4 | 24.9 | 23.0 |
| Uttar Pradesh | 16.9 | 19.1 | 23.5 | 21.9 | 16.9 | 19.2 | 23.4 | 21.8 | 16.5 | 18.8 | 23.8 | 22.7 |
| Uttarakhand | 16.8 | 19.4 | 23.7 | 22.3 | 16.8 | 19.4 | 23.5 | 22.1 | 16.7 | 19.4 | 24.2 | 23.0 |
| West Bengal | 16.8 | 19.0 | 23.4 | 21.0 | 16.9 | 19.0 | 22.8 | 20.5 | 16.5 | 18.9 | 24.2 | 22.2 |


Chart 23: Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2015
30.0
25.0
20.0
15.0
10.0
5.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
< 18
18-20
21+
All Ages


Chart 24: Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2015 - RURAL
30.0
25.0
20.0
15.0
10.0
5.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
< 18
18-20
21+
All Ages


Chart 25: Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2015 - URBAN
30.0
25.0
20.0
15.0
10.0
5.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
< 18
18-20
21+
All Ages

# CHAPTER - 3

# ESTIMATES OF FERTILITY INDICATORS

Since inception, SRS has been providing data for estimating various fertility measures. The fertility indicators considered in this chapter are Crude Birth Rate, General Fertility Rate, Age Specific/Marital Fertility Rates, Total /Marital Fertility Rates and Gross Reproduction Rate. Apart from this, the chapter includes sex ratio at birth. To examine the changes in the levels of fertility during the last decade, the average values of these fertility indicators for the years 2013-15 are compared with that for 2003-05.

**3.2** The crude birth rate (CBR) at all India level had declined from 36.9 in 1971 to 33.9 in 1981, registering a fall of about 8 per cent. During 1991-2015, the decline has been about 29.5 percent, from 29.5 to 20.8. The rural-urban differential has also narrowed over these years. However, the CBR has continued to be higher in rural areas compared to urban areas in the last three decades. The total fertility rate (TFR) has declined from 5.2 to 4.5 during 1971 to 1981 and from 3.6 to 2.3 during 1991 to 2015. The TFR in rural areas has declined from 5.4 to 2.5 from 1971 to 2015 whereas the corresponding decline in urban areas has been from 4.1 to 1.8 during the same period. In 2015, around 79.3 per cent of the deliveries were institutional which includes Government as well as private hospitals. The percentage of institutional deliveries in urban areas is 93.5 as against about 74.2 percent recorded in rural areas.

**3.3** The data on most of the fertility indicators has been presented by age, sex and residence for all India and bigger States/UTs. It also includes data on fertility by level of education, order of birth, birth interval and medical attention at birth.

**3.4** Apart from the fertility indicators at State and National levels, the SRS report 2015 also provides estimates of birth rates at sub-State, viz. NSS Natural Division Level. NSS natural divisions have been formed taking into consideration the geography of the State and by grouping contiguous districts having similar topography, population density, cropping pattern and rainfall etc. The Table 11 of this report contains data on birth rate besides death and infant mortality rate for 71 Natural Divisions of 22 bigger States/UTs.

**3.5** Based on the figures in the Statement 14 given below, the graphical representation of birth rate of bigger States/UTs by residence is depicted in Chart 14. The CBR at national level is 20.8 varying from 22.7 in rural to17.3 in urban areas. Andhra Pradesh, Delhi, Himachal Pradesh, Jammu & Kashmir, Karnataka, Kerala, Maharashtra, Punjab, Tamil Nadu, Telangana, Uttarakhand and West Bengal are the States having birth rate below 20 both in rural and urban areas. On the other hand, Uttar Pradesh has the highest birth rate both in rural (27.9) and urban (23.0) areas followed by Madhya Pradesh (27.6) and Rajasthan (22.0) in rural and urban areas respectively. The lowest CBR was recorded in rural areas of Kerala (14.8) and in urban areas of Himachal Pradesh (10.6).

**Statement 14**

**CBR (Crude Birth Rate) by residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **20.8** | **22.4** | **17.3** |
| Andhra Pradesh | 16.8 | 17.1 | 16.1 |
| Assam | 22.0 | 23.2 | 15.3 |
| Bihar | 26.3 | 27.1 | 20.6 |
| Chhattisgarh | 23.2 | 24.8 | 18.3 |
| Delhi | 16.4 | 17.9 | 16.4 |
| Gujarat | 20.4 | 22.4 | 18.0 |
| Haryana | 20.9 | 22.3 | 18.4 |
| Himachal Pradesh | 16.3 | 16.8 | 10.6 |
| Jammu & Kashmir | 16.2 | 18.0 | 10.7 |
| Jharkhand | 23.5 | 25.0 | 19.2 |
| Karnataka | 17.9 | 18.8 | 16.5 |
| Kerala | 14.8 | 14.8 | 14.8 |
| Madhya Pradesh | 25.5 | 27.6 | 19.7 |
| Maharashtra | 16.3 | 16.6 | 15.9 |
| Odisha | 19.2 | 20.3 | 14.1 |
| Punjab | 15.2 | 15.9 | 14.2 |
| Rajasthan | 24.8 | 25.7 | 22.0 |
| Tamil Nadu | 15.2 | 15.3 | 15.2 |
| Telangana | 17.8 | 18.2 | 17.2 |
| Uttar Pradesh | 26.7 | 27.9 | 23.0 |
| Uttarakhand | 17.8 | 18.0 | 17.1 |
| West Bengal | 15.5 | 17.3 | 11.6 |




Chart 26: Crude Birth Rate by residence, India and bigger States/UTs, 2015
30.0
25.0
20.0
15.0
10.0
5.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban

**Chart 27: Distribution of bigger States/UTs by values of Birth Rate for rural and urban areas, 2015**




**3.6** Statement 15 below provides the percentage change in average crude birth rate between the periods 2003-05 and 2013-15 for India and bigger States/UTs separately for rural and urban areas. At the national level, the rate of decline in birth rate is 12.8 per cent. The rate of decline in average birth rate varies from 19.5 per cent in West Bengal to 5.1 per cent in Kerala. Such decline in rural areas is from 19.7 per cent in West Bengal to 5.7 per cent in Kerala. In urban areas, the decline ranges from 22.9 per cent in Himachal Pradesh to 2.5 per cent in Assam. In Jharkhand and Uttarakhand, the 3-year average crude birth rate in urban areas has increased by 1.6 per cent and 3.1 per cent respectively. The 3-year average crude birth rate of Tamil Nadu is nearly same in rural and urban areas during 2013-15.


**Statement 15**

**Percent change in average Crude Birth Rate between 2003-05 and 2013-15 by residence, India and bigger States/UTs**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change |
| **India** | 24.2 | 21.1 | -12.8 | 26.0 | 22.7 | -12.7 | 19.3 | 17.3 | -10.4 |
| Andhra Pradesh* | 19.5 | 17.4 | -10.8 | 20.4 | 17.6 | -13.7 | 17.3 | 16.7 | -3.5 |
| Assam | 25.5 | 22.3 | -12.5 | 26.9 | 23.4 | -13.0 | 15.8 | 15.4 | -2.5 |
| Bihar | 30.4 | 26.4 | -13.2 | 31.3 | 27.3 | -12.8 | 23.4 | 20.5 | -12.4 |
| Chhattisgarh | 26.6 | 23.7 | -10.9 | 28.4 | 25.2 | -11.3 | 20.6 | 18.2 | -11.7 |
| Delhi | 18.1 | 16.8 | -7.2 | 19.6 | 18.3 | -6.6 | 17.9 | 16.7 | -6.7 |
| Gujarat | 24.2 | 20.6 | -14.9 | 26.1 | 22.4 | -14.2 | 20.9 | 18.2 | -12.9 |
| Haryana | 25.2 | 21.1 | -16.3 | 26.6 | 22.4 | -15.8 | 21.5 | 18.7 | -13.0 |
| Himachal Pradesh | 19.9 | 16.2 | -18.6 | 20.5 | 16.7 | -18.5 | 14.0 | 10.8 | -22.9 |
| Jammu & Kashmir | 18.7 | 16.8 | -10.2 | 19.9 | 18.5 | -7.0 | 14.5 | 11.9 | -17.9 |
| Jharkhand | 26.4 | 24.0 | -9.1 | 28.5 | 25.4 | -10.9 | 18.7 | 19.0 | 1.6 |
| Karnataka | 21.1 | 18.1 | -14.2 | 22.6 | 19.0 | -15.9 | 18.1 | 16.6 | -8.3 |
| Kerala | 15.6 | 14.8 | -5.1 | 15.8 | 14.9 | -5.7 | 15.1 | 14.5 | -4.0 |
| Madhya Pradesh | 29.8 | 25.7 | -13.8 | 31.9 | 27.7 | -13.2 | 22.4 | 19.6 | -12.5 |
| Maharashtra | 19.3 | 16.4 | -15.0 | 19.9 | 16.9 | -15.1 | 18.5 | 15.8 | -14.6 |
| Odisha | 22.7 | 19.4 | -14.5 | 23.4 | 20.4 | -12.8 | 17.7 | 14.2 | -19.8 |
| Punjab | 19.1 | 15.5 | -18.8 | 19.9 | 16.1 | -19.1 | 17.5 | 14.5 | -17.1 |
| Rajasthan | 29.3 | 25.1 | -14.3 | 30.9 | 26.1 | -15.5 | 23.9 | 22.1 | -7.5 |
| Tamil Nadu | 17.3 | 15.4 | -11.0 | 17.8 | 15.5 | -12.9 | 16.5 | 15.4 | -6.7 |
| Uttar Pradesh | 30.8 | 26.8 | -13.0 | 31.8 | 27.9 | -12.3 | 26.4 | 23.1 | -12.5 |
| Uttarakhand | 19.5 | 18.1 | -7.2 | 20.9 | 18.5 | -11.5 | 16.2 | 16.7 | 3.1 |
| West Bengal | 19.5 | 15.7 | -19.5 | 21.8 | 17.5 | -19.7 | 13.2 | 11.3 | -14.4 |

***** Andhra Pradesh include Telangana.


Chart 28: Average birth rate between 2003-05 & 2013-15, India and bigger States/UTs
35.0
30.0
25.0
20.0
15.0
10.0
5.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal...
Jammu &...
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
2003-05
2013-15


Chart 29: Average birth rate between 2003-05 & 2013-15, India and bigger States/UTs -RURAL
35.0
30.0
25.0
20.0
15.0
10.0
5.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
2003-05
2013-15




Chart 30: Average birth rate between 2003-05 & 2013-15, India and bigger States/UTs - URBAN
30.0
25.0
20.0
15.0
10.0
5.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
2003-05
2013-15

**Chart 31: Per cent change in average birth rate between 2003-05 and 2013-15 by residence, India and bigger States/UTs**




**3.7** The Statement 16 below presents sex ratio at birth during the period 2013-15. The sex ratio at birth for the country for the period 2013-15 (3-years average) has been estimated as 900. At National level, it is 903 in rural area and 890 in urban area. Among the bigger States/UTs, the sex ratio at birth varies from 967 in Kerala to 831 in Haryana. In the rural areas, the highest and the lowest sex ratio at birth are in the States of Chhattisgarh 987 and Haryana 836 respectively. The sex ratio in urban areas varies from 954 in Madhya Pradesh to 821 in Haryana. Chart 32 depicts the variation in sex ratio by residence among bigger States/UTs in the country.

**Statement 16**

**Sex ratio (female per 1000 male) at birth by residence, India and bigger States/UTs, 2013-2015**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **900** | **903** | **890** |
| Andhra Pradesh* | 918 | 933 | 885 |
| Assam | 900 | 902 | 876 |
| Bihar | 916 | 921 | 870 |
| Chhattisgarh | 961 | 987 | 839 |
| Delhi | 869 | 909 | 866 |
| Gujarat | 854 | 871 | 826 |
| Haryana | 831 | 836 | 821 |
| Himachal Pradesh | 924 | 929 | 844 |
| Jammu & Kashmir | 899 | 895 | 915 |
| Jharkhand | 902 | 914 | 852 |
| Karnataka | 939 | 967 | 887 |
| Kerala | 967 | 978 | 950 |
| Madhya Pradesh | 919 | 911 | 954 |
| Maharashtra | 878 | 871 | 890 |
| Odisha | 950 | 961 | 869 |
| Punjab | 889 | 869 | 924 |
| Rajasthan | 861 | 867 | 840 |
| Tamil Nadu | 911 | 920 | 901 |
| Uttar Pradesh | 879 | 869 | 923 |
| Uttarakhand | 844 | 850 | 828 |
| West Bengal | 951 | 953 | 944 |

***** Andhra Pradesh include Telangana.



Chart 32: Sex ratio at birth by residence, India and bigger States/UTs, 2013-2015
1100
1000
900
800
700
600
500
400
300
200
100
0
India
Andhra Pradesh+Telangana
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban

**3.9** Estimates of General Fertility Rate (GFR), a refined measure of fertility, being defined as the number of live births per thousand women in the reproductive age group 15-49 years, is an useful tool for measuring fertility. The GFR for all-India and bigger States/UTs are given below in Statement 17 separately for rural and urban areas. At the national level, 76.2 children were born to every thousand women aged 15-49 years. This number varies from 60.8 in urban areas to 83.8 in rural areas. Among the bigger States/UTs, GFR varies from 53.5 in Kerala to 107.8 in Bihar. Chart 33 gives a pictorial comparison of bigger States/UTs by level of GFR. The distribution of bigger States/UTs by residence and levels of GFR is presented in Chart 12 and from which it is observed that GFR in rural areas of Kerala and Tamil Nadu are just higher than urban areas with the difference of 1.0 and 3.1 respectively.

**Statement 17**

**GFR (General Fertility Rate) by residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **76.2** | **83.8** | **60.8** |
| Andhra Pradesh | 58.0 | 59.8 | 53.7 |
| Assam | 80.2 | 85.2 | 53.5 |
| Bihar | 104.0 | 107.8 | 80.0 |
| Chhattisgarh | 83.5 | 91.0 | 61.8 |
| Delhi | 59.2 | 68.1 | 58.9 |
| Gujarat | 75.2 | 84.4 | 64.3 |
| Haryana | 78.5 | 84.9 | 67.5 |
| Himachal Pradesh | 57.7 | 59.5 | 36.8 |
| Jammu & Kashmir | 56.0 | 63.3 | 35.9 |
| Jharkhand | 86.6 | 92.6 | 68.7 |
| Karnataka | 62.9 | 66.7 | 57.0 |
| Kerala | 53.0 | 53.5 | 52.5 |
| Madhya Pradesh | 96.2 | 106.3 | 70.7 |
| Maharashtra | 60.2 | 64.7 | 54.8 |
| Odisha | 69.0 | 73.5 | 48.3 |
| Punjab | 56.5 | 59.6 | 52.2 |
| Rajasthan | 91.7 | 96.7 | 78.0 |
| Tamil Nadu | 54.7 | 56.3 | 53.2 |
| Telangana | 60.3 | 62.7 | 56.5 |
| Uttar Pradesh | 99.5 | 106.2 | 80.8 |
| Uttarakhand | 68.1 | 69.8 | 63.6 |
| West Bengal | 54.4 | 60.6 | 40.4 |


Chart 33: General fertility rate (GFR) by residence, India & bigger States/UTs, 2015
120.0
100.0
80.0
60.0
40.0
20.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban

**3.10** Changes in the average level of GFR between 2003-2005 and 2013-2015 for India and bigger States/UTs are shown below in Statement 18. At the all India level, a decline of 19.9 per cent in GFR has been registered during the decade and it varies from 20.3 per cent in rural to 14.8 per cent in urban areas. Among the bigger States/UTs, the percentage decline in GFR varies from 27.0 in Uttar Pradesh to 2.9 in Kerala.


**Statement 18**


**Percent change in average GFR (General Fertility Rate) between 2003-05 and 2013-15 by residence, India and bigger States/UTs**


| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change |
| **India** | **96.6** | **77.4** | **-19.9** | **106.5** | **84.9** | **-20.3** | **71.6** | **61.0** | **-14.8** |
| Andhra Pradesh* | 72.1 | 60.0 | -16.8 | 76.9 | 62.1 | -19.2 | 60.6 | 55.9 | -7.8 |
| Assam | 97.8 | 80.3 | -17.9 | 105.2 | 85.6 | -18.6 | 55.1 | 52.1 | -5.4 |
| Bihar* | 136.2 | 101.2 | -25.7 | 140.9 | 105.9 | -24.8 | 99.6 | 74.9 | -24.8 |
| Gujarat | 93.5 | 76.3 | -18.4 | 103.3 | 84.7 | -18.0 | 77.7 | 65.5 | -15.7 |
| Haryana | 101.1 | 78.8 | -22.1 | 108.9 | 84.9 | -22.0 | 81.6 | 68.0 | -16.7 |
| Himachal Pradesh | 72.3 | 57.3 | -20.7 | 74.7 | 59.2 | -20.7 | 49.0 | 37.2 | -24.1 |
| Karnataka | 77.3 | 63.6 | -17.7 | 84.8 | 67.5 | -20.4 | 63.5 | 57.3 | -9.8 |
| Kerala | 54.9 | 53.3 | -2.9 | 55.6 | 54.1 | -2.7 | 52.6 | 51.8 | -1.5 |
| Madhya Pradesh* | 124.4 | 95.0 | -23.6 | 136.9 | 104.1 | -24.0 | 85.2 | 68.5 | -19.6 |
| Maharashtra | 75.2 | 61.0 | -18.9 | 80.6 | 65.7 | -18.5 | 68.3 | 55.0 | -19.5 |
| Odisha | 86.5 | 69.8 | -19.3 | 90.5 | 74.0 | -18.2 | 62.9 | 48.8 | -22.4 |
| Punjab | 73.9 | 57.2 | -22.6 | 78.1 | 60.0 | -23.2 | 65.4 | 53.2 | -18.7 |
| Rajasthan | 125.3 | 94.2 | -24.8 | 135.7 | 99.5 | -26.7 | 93.4 | 78.9 | -15.5 |
| Tamil Nadu | 62.0 | 55.3 | -10.8 | 65.3 | 56.9 | -12.9 | 57.0 | 53.6 | -6.0 |
| Uttar Pradesh* | 136.4 | 99.6 | -27.0 | 144.3 | 105.6 | -26.8 | 106.2 | 80.9 | -23.8 |
| West Bengal | 74.3 | 55.0 | -26.0 | 84.5 | 61.5 | -27.2 | 48.1 | 39.4 | -18.1 |

*: Bihar, Madhya Pradesh, Andhra Pradesh and Uttar Pradesh include Jharkhand, Chhattisgarh, Telangana and Uttarakhand respectively

**Chart 34: Distribution of bigger States/UTs by values of General Fertility Rate(GFR) for rural and urban areas, 2015**




Chart 35: GFR (General Fertility Rate) between 2003-05 & 2013-15, India and bigger States/UTs
140.0
120.0
100.0
80.0
60.0
40.0
20.0
0.0
India
Andhra Pradesh
Assam
Bihar
Gujarat
Haryana
Himachal Pradesh
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
2003-05
2013-15


Chart 36: GFR (General Fertility Rate) between 2003-05 & 2013-15,
India and bigger States/UTs -RURAL
160.0
140.0
120.0
100.0
80.0
60.0
40.0
20.0
-
India
Andhra Pradesh
Assam
Bihar
Gujarat
Haryana
Himachal Pradesh
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
2003-05
2013-15




Chart 37: GFR (General Fertility Rate) between 2003-05 & 2013-15,
India and bigger States/UTs - URBAN
120.0
100.0
80.0
60.0
40.0
20.0
-
India
Andhra Pradesh
Assam
Bihar
Gujarat
Haryana
Himachal Pradesh
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
2003-05
2013-15

**Chart 38: Percent change in average GFR (General Fertility Rate) between, 2003-05 and 2013-15 by residence, India and bigger States/UTs**



**Fertility by age of women**


**3.11** Age of women is an important factor affecting the fertility levels. On the basis of data on births to women by specific age groups in the reproductive span 15-49 years as available from SRS, age specific fertility rates have been calculated. Statement 19 below presents the age specific fertility rates for India by residence.

**3.12** The data reveals that fertility in all the age groups is higher in rural areas than in urban areas. This distribution of age-specific fertility by residence is presented in chart 13. The fertility reaches the peak in the age group 20-24 and declines thereafter, irrespective of the place of residence. ASFR curve for urban areas falls under the ASFR curve of rural areas. Rural ASFR curve has declined very steeply after attaining peak for age 20-24 where as urban ASFR curve has gradually declined up to the age 25-29 after attaining peak at age group 20-24.

**Statement 19**

**ASFRs (Age Specific Fertility Rates) by residence, India, 2015**

| Age Groups | Total | Rural | Urban |
|---|---|---|---|
| 15-19 | 11.1 | 12.3 | 8.3 |
| 20-24 | 173.8 | 192.7 | 132.0 |
| 25-29 | 150.3 | 163.5 | 125.8 |
| 30-34 | 77.6 | 85.3 | 63.6 |
| 35-39 | 26.2 | 28.9 | 21.1 |
| 40-44 | 10.9 | 12.3 | 8.4 |
| 45-49 | 3.6 | 4.1 | 2.8 |


Chart 39: Age-Specific Fertility Rates by residence, India, 2015
200.0
180.0
160.0
140.0
120.0
100.0
80.0
60.0
40.0
20.0
0.0
15-19
20-24
25-29
30-34
35-39
40-44
45-49
Total
Rural
Urban


**3.13** The percentage change in age specific fertility rate during the last decade is presented below in Statement 20 separately for rural and urban areas. The data pertains to changes in the age specific fertility rates for the quinquennial age groups based on average value for three years period viz. 2003-05 and 2013-15 for all-India.


**3.14** The data reveals that decline in fertility rates is more in rural areas compared to urban areas except in the age groups 20-24. The decline is perceptible for the higher age groups 40-49 in rural areas. During the last decade, the fertility declined by 48.6 per cent in the age groups 40-44 in rural areas as compared to 8.3 per cent in urban areas. It is slower in the middle age groups 20-29 for both the areas. The minimum decline of 11.8 per cent has been noticed in the age group 25-29 at National level. The minimum decline of 10.2 percent and 1.1 percent in rural and urban areas respectively has been noticed in the age groups 25-29 and 30-34.


**Statement 20**


**Percent change in Age Specific Fertility Rates by residence between 2003-05 and 2013-15, India**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change |
| 15-19 | 47.9 | 22.2 | -53.7 | 54.5 | 24.6 | -54.9 | 29.1 | 15.1 | -48.1 |
| 20-24 | 218.8 | 181.0 | -17.3 | 240.7 | 200.4 | -16.7 | 164.2 | 134.4 | -18.1 |
| 25-29 | 167.6 | 147.9 | -11.8 | 178.6 | 159.2 | -10.9 | 140.8 | 125.1 | -11.2 |
| 30-34 | 88.0 | 72.7 | -17.4 | 98.1 | 78.6 | -19.9 | 62.2 | 61.5 | -1.1 |
| 35-39 | 39.0 | 24.8 | -36.4 | 45.8 | 27.5 | -40.0 | 22.0 | 19.4 | -11.8 |
| 40-44 | 17.3 | 9.6 | -44.5 | 21.6 | 11.1 | -48.6 | 7.2 | 6.6 | -8.3 |
| 45-49 | 6.9 | 3.1 | -55.1 | 8.9 | 3.5 | -60.7 | 2.7 | 2.2 | -18.5 |


Chart 40: Age specific fertility rates, India: 2003-05 and 2013-15
250.0
200.0
150.0
100.0
50.0
0.0
15-19
20-24
25-29
30-34
35-39
40-44
45-49
2003-05
2013-15


Chart 41: Per cent change in age specific fertility rates between 2003-05 and 2013-15, India -RURAL
300.0
250.0
200.0
150.0
100.0
50.0
0.0
15-19
20-24
25-29
30-34
35-39
40-44
45-49
2003-05
2013-15


Chart 42: Per cent change in age specific fertility rates between 2003-05 and 2013-15, India -URBAN
180.0
160.0
140.0
120.0
100.0
80.0
60.0
40.0
20.0
0.0
15-19
20-24
25-29
30-34
35-39
40-44
45-49
2003-05
2013-15


Chart 43: Per cent change in age specific fertility rates by residence between 2003-05 and 2013-15, India
15-19
20-24
25-29
30-34
35-39
40-44
45-49
0.0
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
Total
Rural
Urban

**3.15** The fertility pattern by age groups in different States is presented below in Statement 21. Except for Jammu & Kashmir , Kerala, Bihar, Gujarat, Uttarakhand and Uttar Pradesh where fertility reached its peak in the age group 25-29, the highest fertility in all the other bigger States/UTs has been attained in the age group 20-24. Fertility, however, declines from age 30 in all the bigger States/UTs. The ASFR in the younger age group 15-19 varies from 2.8 in Jammu & Kashmir to 20.0 in West Bengal. In the age group 30-34, the variation in the level of ASFR is from 28.0 in West Bengal to 142.3 in Uttar Pradesh. The rural-urban levels in ASFR for bigger States/UTs are shown in Table 3.

**Statement 21**

**ASFRs (Age Specific Fertility Rates), India and bigger States/UTs, 2015**


| India and bigger States/UTs | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 |
|---|---|---|---|---|---|---|---|
| **India** | 11.1 | 173.8 | 150.3 | 77.6 | 26.2 | 10.9 | 3.6 |
| Andhra Pradesh | 10.8 | 170.0 | 102.8 | 39.8 | 10.9 | 6.5 | 2.3 |
| Assam | 18.7 | 180.6 | 157.8 | 75.5 | 21.8 | 3.0 | 1.0 |
| Bihar | 5.0 | 215.1 | 224.7 | 137.2 | 44.6 | 13.9 | 2.7 |
| Chhattisgarh | 12.7 | 215.2 | 165.0 | 71.4 | 18.0 | 9.6 | 0.7 |
| Delhi | 3.5 | 139.6 | 114.7 | 52.9 | 17.6 | 4.7 | 2.4 |
| Gujarat | 15.0 | 163.0 | 164.3 | 76.4 | 20.1 | 6.6 | 1.8 |
| Haryana | 8.9 | 179.4 | 174.1 | 56.3 | 14.8 | 7.0 | 2.0 |
| Himachal Pradesh | 6.9 | 135.2 | 131.8 | 46.2 | 9.6 | 1.4 | 0.8 |
| Jammu & Kashmir | 2.8 | 80.6 | 114.9 | 98.2 | 20.5 | 8.1 | 2.6 |
| Jharkhand | 13.9 | 168.8 | 167.9 | 109.4 | 48.3 | 21.5 | 11.6 |
| Karnataka | 5.1 | 177.8 | 115.2 | 38.3 | 13.1 | 4.5 | 2.7 |
| Kerala | 6.8 | 132.2 | 144.3 | 67.3 | 8.8 | 3.4 | 0.6 |
| Madhya Pradesh | 15.9 | 226.1 | 181.4 | 86.3 | 28.1 | 12.8 | 5.5 |
| Maharashtra | 10.8 | 141.3 | 131.2 | 55.3 | 16.7 | 4.9 | 1.4 |
| Odisha | 8.1 | 143.9 | 137.8 | 70.3 | 26.7 | 11.4 | 2.8 |
| Punjab | 4.2 | 122.7 | 122.7 | 57.4 | 16.9 | 4.5 | 2.4 |
| Rajasthan | 19.1 | 207.5 | 163.3 | 89.9 | 34.3 | 16.1 | 4.3 |
| Tamil Nadu | 10.5 | 134.0 | 116.9 | 49.4 | 12.6 | 4.0 | 2.3 |
| Telangana | 10.1 | 150.0 | 119.4 | 50.2 | 10.3 | 5.4 | 5.4 |
| Uttar Pradesh | 8.7 | 176.4 | 201.7 | 142.3 | 56.1 | 30.1 | 8.2 |
| Uttarakhand | 4.9 | 129.1 | 150.7 | 75.5 | 19.7 | 7.6 | 2.5 |
| West Bengal | 20.0 | 181.9 | 67.6 | 28.0 | 11.1 | 5.3 | 2.4 |

**3.16** The percentage distribution of cumulative fertility by woman's age is shown below in Statement 22 for India and bigger States/UTs for the year 2015. The cumulative fertility for a specific age group has been worked out by adding the ASFRs up to that age group. The percentage share of fertility by woman in the age group 15-19 varies from 0.8 in Jammu & Kashmir to 5.8 in West Bengal. By the age 34, the percentage share of cumulative fertility varies from 89.7 in Jharkhand to 97.3 in Himachal Pradesh. The percentage share in cumulative fertility for women by the age 39 years varies from 96.2 in Jharkhand to 99.6 in Himachal Pradesh. At the national level, less than 2 per cent fertility is from women aged 40 years and above. Chart 44 gives percentage cumulative age specific fertility rate for India by residence.

**Statement 22**

**Percentage distribution of cumulative fertility by age group, India and bigger States/UTs, 2015**

| India and bigger States/UTs | 15-19 | 15-24 | 15-29 | 15-34 | 15-39 | 15-44 | 15-49 |
|---|---|---|---|---|---|---|---|
| **India** | 2.6 | 45.6 | 79.5 | 93.7 | 98.0 | 99.6 | 100.0 |
| Andhra Pradesh | 2.6 | 53.1 | 85.3 | 95.6 | 98.3 | 99.6 | 100.0 |
| Assam | 4.1 | 48.4 | 81.9 | 96.1 | 99.4 | 99.9 | 100.0 |
| Bihar | 1.1 | 40.7 | 77.0 | 93.6 | 98.5 | 99.8 | 100.0 |
| Chhattisgarh | 2.6 | 52.8 | 84.7 | 95.8 | 98.7 | 99.9 | 100.0 |
| Delhi | 0.9 | 43.0 | 80.7 | 94.9 | 98.8 | 99.6 | 100.0 |
| Gujarat | 3.2 | 42.8 | 80.8 | 95.4 | 98.8 | 99.8 | 100.0 |
| Haryana | 1.8 | 48.8 | 86.8 | 96.4 | 98.8 | 99.8 | 100.0 |
| Himachal Pradesh | 2.3 | 45.5 | 85.9 | 97.3 | 99.6 | 99.9 | 100.0 |
| Jammu & Kashmir | 0.8 | 28.5 | 69.3 | 93.8 | 98.2 | 99.5 | 100.0 |
| Jharkhand | 3.2 | 39.7 | 72.7 | 89.7 | 96.3 | 98.8 | 100.0 |
| Karnataka | 1.2 | 54.3 | 87.3 | 96.2 | 98.8 | 99.6 | 100.0 |
| Kerala | 1.8 | 37.1 | 78.0 | 96.5 | 98.9 | 99.8 | 100.0 |
| Madhya Pradesh | 3.0 | 51.0 | 82.2 | 94.6 | 98.1 | 99.5 | 100.0 |
| Maharashtra | 2.9 | 44.7 | 81.7 | 95.2 | 98.8 | 99.8 | 100.0 |
| Odisha | 2.1 | 42.4 | 78.3 | 93.4 | 98.1 | 99.6 | 100.0 |
| Punjab | 1.2 | 40.1 | 79.7 | 94.8 | 98.6 | 99.5 | 100.0 |
| Rajasthan | 4.0 | 50.4 | 80.1 | 93.3 | 97.9 | 99.6 | 100.0 |
| Tamil Nadu | 2.6 | 43.5 | 81.6 | 95.4 | 98.7 | 99.5 | 100.0 |
| Telangana | 2.5 | 48.2 | 84.0 | 95.8 | 98.2 | 99.2 | 100.0 |
| Uttar Pradesh | 1.9 | 38.3 | 72.7 | 90.1 | 96.6 | 99.3 | 100.0 |
| Uttarakhand | 1.4 | 39.8 | 78.7 | 95.1 | 98.7 | 99.7 | 100.0 |
| West Bengal | 5.8 | 67.8 | 88.4 | 95.7 | 98.4 | 99.5 | 100.0 |



Chart 44: Per cent distribution of comulative fertility by residence, 2015
110.0
100.0
90.0
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
15-19
15-24
15-29
15-34
15-39
15-44
15-49
Total
Rural
Urban

**3.17** The difference in the pattern of child bearing can be measured in terms of the mean age of fertility, which describes the age pattern of fertility of synthetic cohort of hypothetical group of women viewed as having, in their lifetime, similar fertility experience recorded in a calendar year. The mean age of fertility has been calculated from the age specific fertility rates. The associated standard deviations are also shown. The States having lower values of standard deviation [obviously] recorded higher concentration of fertility about the mean age as compared to those with higher values. Statement 23 below shows the mean age of fertility for India and bigger States/UTs. At the National level, the mean age of fertility is 27.3 years and varies from 25.2 years in West Bengal to 29.0 years in Uttar Pradesh with standard deviation 5.5, 5.3 and 6.1 respectively.

**Statement 23**

**Mean age of Fertility and associated Standard Deviation, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Mean age of fertility | | | Standard deviation | | |
|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban |
| **India** | 27.3 | 27.3 | 27.4 | 5.5 | 5.6 | 5.5 |
| Andhra Pradesh | 26.0 | 25.9 | 26.3 | 5.1 | 5.2 | 5.0 |
| Assam | 26.6 | 26.5 | 26.9 | 4.9 | 4.9 | 5.2 |
| Bihar | 27.9 | 27.8 | 28.8 | 5.3 | 5.1 | 6.1 |
| Chhattisgarh | 26.5 | 26.5 | 26.4 | 5.0 | 5.0 | 4.9 |
| Delhi | 27.0 | 26.4 | 27.0 | 5.1 | 5.0 | 5.1 |
| Gujarat | 26.9 | 26.5 | 27.7 | 5.1 | 4.9 | 5.3 |
| Haryana | 26.6 | 26.2 | 27.3 | 4.8 | 4.5 | 5.4 |
| Himachal Pradesh | 26.4 | 26.3 | 27.4 | 4.4 | 4.3 | 4.9 |
| Jammu & Kashmir | 28.8 | 29.0 | 28.5 | 5.3 | 5.3 | 5.3 |
| Jharkhand | 28.6 | 28.7 | 28.4 | 6.4 | 6.4 | 6.2 |
| Karnataka | 26.1 | 25.4 | 27.3 | 4.9 | 4.2 | 5.7 |
| Kerala | 26.8 | 26.6 | 27.0 | 4.5 | 4.4 | 4.6 |
| Madhya Pradesh | 27.0 | 26.9 | 27.5 | 5.6 | 5.6 | 5.5 |
| Maharashtra | 26.8 | 26.5 | 27.1 | 5.0 | 4.8 | 5.3 |
| Odisha | 27.6 | 27.7 | 27.5 | 5.6 | 5.6 | 5.8 |
| Punjab | 27.2 | 26.8 | 27.9 | 5.1 | 4.8 | 5.4 |
| Rajasthan | 27.3 | 27.4 | 27.0 | 5.8 | 5.9 | 5.5 |
| Tamil Nadu | 26.6 | 26.3 | 26.9 | 5.1 | 4.9 | 5.2 |
| Telangana | 26.6 | 26.6 | 26.6 | 5.4 | 5.6 | 5.0 |
| Uttar Pradesh | 29.0 | 29.0 | 28.9 | 6.1 | 6.1 | 5.9 |
| Uttarakhand | 27.6 | 27.4 | 28.1 | 5.1 | 5.1 | 5.3 |
| West Bengal | 25.2 | 25.1 | 25.7 | 5.3 | 5.3 | 5.3 |


Chart 45: Mean age of fertility, India and bigger States/UTs, 2015
30.0
29.0
28.0
27.0
26.0
25.0
24.0
23.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban

**3.18** The cumulative value of the age specific fertility rates at the end of the child bearing ages gives a measure of fertility known as Total Fertility Rate (TFR). TFR indicates the average number of children expected to be born per woman during her entire span of reproductive period assuming that the age specific fertility rates, to which she is exposed to, continue to be the same and that there is no mortality. The TFRs worked out on the basis of the ASFRs for the year 2015 are given below in Statement 24 for India and bigger States/UTs separately for rural and urban areas. The TFR for India in the year 2015 was 2.3 per woman and varies from 2.5 in rural areas to 1.8 in urban areas. Among the bigger States/UTs, it varies from 1.6 in Jammu & Kashmir, Tamil Nadu and West Bengal to 3.2 in Bihar. For rural areas, it varies from 1.7 in Himachal Pradesh, Punjab, Tamil Nadu and West Bengal to 3.4 in Uttar Pradesh. For urban areas, such variation is from 1.0 in Jammu & Kashmir to 2.5 in Bihar. Chart 46 presents levels of TFR by residence for India and bigger States/UTs, 2015. Distribution of bigger States/UTs by level of TFR in rural and urban areas is shown in Chart 16.

**Statement 24**

**TFR (Total Fertility Rate) by residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **2.3** | **2.5** | **1.8** |
| Andhra Pradesh | 1.7 | 1.8 | 1.6 |
| Assam | 2.3 | 2.4 | 1.6 |
| Bihar | 3.2 | 3.3 | 2.5 |
| Chhattisgarh | 2.5 | 2.7 | 1.9 |
| Delhi | 1.7 | 1.8 | 1.7 |
| Gujarat | 2.2 | 2.5 | 1.9 |
| Haryana | 2.2 | 2.4 | 2.0 |
| Himachal Pradesh | 1.7 | 1.7 | 1.2 |
| Jammu & Kashmir | 1.6 | 1.9 | 1.0 |
| Jharkhand | 2.7 | 2.9 | 2.1 |
| Karnataka | 1.8 | 1.9 | 1.7 |
| Kerala | 1.8 | 1.8 | 1.8 |
| Madhya Pradesh | 2.8 | 3.0 | 2.1 |
| Maharashtra | 1.8 | 2.0 | 1.6 |
| Odisha | 2.0 | 2.1 | 1.4 |
| Punjab | 1.7 | 1.7 | 1.5 |
| Rajasthan | 2.7 | 2.8 | 2.3 |
| Tamil Nadu | 1.6 | 1.7 | 1.6 |
| Telangana | 1.8 | 1.9 | 1.6 |
| Uttar Pradesh | 3.1 | 3.4 | 2.4 |
| Uttarakhand | 2.0 | 2.0 | 1.8 |
| West Bengal | 1.6 | 1.7 | 1.2 |

Note: Rounded off to one decimal point.




Chart 46: Total fertility rate (TFR) by residence, India and bigger States/UTs, 2015
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban

**Chart 47: Distribution of bigger States/UTs by values of TFR (Total Fertility Rate) for rural and urban areas, 2015**



**3.19** Statement 25 below presents the percentage change in the average level of TFR between the periods 2003-05 and 2013-15 in India and bigger States/UTs. During the period TFR has declined by 20.7 percent at the National level. Among the bigger States/UTs, the decline varies from 27.9 percent in Bihar and Uttar Pradesh to nil in Kerala. All bigger States/UTs have shown decline in both rural and urban areas except in Kerala and Tamil Nadu urban.


**3.20** Among bigger States/UTs, Andhra Pradesh, Himachal Pradesh, Karnataka, Kerala, Maharashtra, Punjab, Tamil Nadu and West Bengal has the average TFR below 2.0 during 2013-15.


**Statement 25**

**Percent change in average TFR (Total Fertility Rate) between 2003-05 and 2013-15 by residence, India and bigger States/UTs**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change |
| **India** | **2.9** | **2.3** | **-20.7** | **3.2** | **2.5** | **-21.9** | **2.1** | **1.8** | **-14.3** |
| Andhra Pradesh* | 2.1 | 1.8 | -14.3 | 2.3 | 1.8 | -21.7 | 1.7 | 1.6 | -5.9 |
| Assam | 2.9 | 2.3 | -20.7 | 3.1 | 2.4 | -22.6 | 1.6 | 1.6 | 0.0 |
| Bihar* | 4.3 | 3.1 | -27.9 | 4.4 | 3.3 | -25.0 | 3.2 | 2.3 | -28.1 |
| Gujarat | 2.8 | 2.3 | -17.9 | 3.1 | 2.5 | -19.4 | 2.3 | 2.0 | -13.0 |
| Haryana | 2.9 | 2.2 | -24.1 | 3.2 | 2.3 | -28.1 | 2.4 | 2.0 | -16.7 |
| Himachal Pradesh | 2.1 | 1.7 | -19.0 | 2.2 | 1.7 | -22.7 | 1.5 | 1.2 | -20.0 |
| Karnataka | 2.3 | 1.8 | -21.7 | 2.5 | 1.9 | -24.0 | 1.8 | 1.7 | -5.6 |
| Kerala | 1.8 | 1.8 | 0.0 | 1.8 | 1.9 | 5.6 | 1.7 | 1.8 | 5.9 |
| Madhya Pradesh* | 3.7 | 2.8 | -24.3 | 4.1 | 3.0 | -26.8 | 2.5 | 2.0 | -20.0 |
| Maharashtra | 2.2 | 1.8 | -18.2 | 2.4 | 1.9 | -20.8 | 2.0 | 1.6 | -20.0 |
| Odisha | 2.6 | 2.1 | -19.2 | 2.7 | 2.2 | -18.5 | 1.9 | 1.5 | -21.1 |
| Punjab | 2.2 | 1.7 | -22.7 | 2.3 | 1.7 | -26.1 | 2.0 | 1.6 | -20.0 |
| Rajasthan | 3.7 | 2.7 | -27.0 | 4.0 | 2.9 | -27.5 | 2.7 | 2.3 | -14.8 |
| Tamil Nadu | 1.8 | 1.7 | -5.6 | 1.9 | 1.7 | -10.5 | 1.7 | 1.7 | 0.0 |
| Uttar Pradesh* | 4.3 | 3.1 | -27.9 | 4.6 | 3.3 | -28.3 | 3.4 | 2.4 | -29.4 |
| West Bengal | 2.2 | 1.6 | -27.3 | 2.5 | 1.7 | -32.0 | 1.5 | 1.2 | -20.0 |

***** Bihar, Madhya Pradesh, Andhra Pradesh and Uttar Pradesh include Jharkhand, Chhattisgarh, Telangana and Uttarakhand respectively.


Chart 48: Total fertility rate (TFR) between 2003-05 and 2013-15, India and bigger States/UTs
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
India
Andhra Pradesh
Assam
Bihar
Gujarat
Haryana
Himachal Pradesh
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
2003-05
2013-15


Chart 49: Total fertility rate (TFR) between 2003-05 and 2013-15,
India and bigger States/UTs -RURAL
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
-
India
Andhra Pradesh
Assam
Bihar
Gujarat
Haryana
Himachal Pradesh
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
2003-05
2013-15




Chart 50: Total fertility rate (TFR) between 2003-05 and 2013-15,
India and bigger States/UTs-URBAN
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
-
India
Andhra Pradesh
Assam
Bihar
Gujarat
Haryana
Himachal Pradesh
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
2003-05
2013-15

**Chart 51: Per cent change in average Total fertility rate (TFR) between 2003-05 and 2013-15 by residence, India and bigger States/UTs**




**3.21** Another refined measure of fertility which accounts for future mothers is the Gross Reproduction Rate (GRR). It measures the average number of female children a woman is expected to give birth during her entire reproductive span conforming to the age specific fertility rates (ASFRs) for a given year, if there is no mortality. The estimated value of GRR for India in the year 2015 is 1.1 and varies from 0.8 in urban areas to 1.2 in rural areas. Values of GRR by residence for India and bigger States/UTs for the year 2015 are presented below in Statement 26.

**Statement 26**

**GRR (Gross Reproduction Rate) by residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | 1.1 | 1.2 | 0.8 |
| Andhra Pradesh | 0.8 | 0.9 | 0.7 |
| Assam | 1.0 | 1.1 | 0.7 |
| Bihar | 1.6 | 1.6 | 1.2 |
| Chhattisgarh | 1.2 | 1.3 | 0.8 |
| Delhi | 0.8 | 0.7 | 0.8 |
| Gujarat | 1.0 | 1.1 | 0.8 |
| Haryana | 1.0 | 1.0 | 0.9 |
| Himachal Pradesh | 0.8 | 0.8 | 0.5 |
| Jammu & Kashmir | 0.8 | 0.9 | 0.5 |
| Jharkhand | 1.3 | 1.4 | 0.9 |
| Karnataka | 0.9 | 0.9 | 0.7 |
| Kerala | 0.9 | 0.9 | 0.9 |
| Madhya Pradesh | 1.3 | 1.4 | 1.0 |
| Maharashtra | 0.8 | 0.9 | 0.8 |
| Odisha | 1.0 | 1.0 | 0.7 |
| Punjab | 0.8 | 0.8 | 0.8 |
| Rajasthan | 1.2 | 1.3 | 1.0 |
| Tamil Nadu | 0.8 | 0.8 | 0.8 |
| Telangana | 0.8 | 0.9 | 0.7 |
| Uttar Pradesh | 1.5 | 1.6 | 1.2 |
| Uttarakhand | 0.9 | 0.9 | 0.8 |
| West Bengal | 0.8 | 0.8 | 0.6 |


Chart 52: Gross reproduction rate (GRR) by residence, India and bigger States/UTs, 2015
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban

## Marital Fertility


**3.22** Marriage is an important event in the social life of any population. In India, population censuses and large scale demographic sample surveys invariably collect data on the marital status of population separately for males and females. Age at effective marriage of females is a key factor that influences fertility. Marital distribution of the population enumerated through SRS and the age at effective marriage of females has been discussed in Chapter 2. Based on the distribution of live births by age of married females, age specific marital fertility rates (ASMFRs) are calculated. Statement 27 below provides the estimates of the ASMFRs for India separately for rural and urban areas for the year 2015. Marital fertility is higher in rural areas than in urban areas in all the age groups and its peak is in the age group 20-24 years. A perceptible decline in marital fertility is seen for female age 30 years and above both in rural and urban areas.

**Statement 27**

**ASMFRs (Age Specific Marital Fertility Rates) by residence, India, 2015**

(Per thousand)

| Age group | Total | Rural | Urban |
|---|---|---|---|
| 15-19 | 251.4 | 257.6 | 230.7 |
| 20-24 | 354.4 | 359.6 | 338.7 |
| 25-29 | 181.7 | 189.9 | 164.7 |
| 30-34 | 83.7 | 90.8 | 70.4 |
| 35-39 | 28.0 | 30.7 | 22.8 |
| 40-44 | 11.8 | 13.2 | 9.1 |
| 45-49 | 4.1 | 4.5 | 3.2 |


Chart 53: Age specific marital fertility rates (ASMFRs) by residence, India, 2015
400.0
350.0
300.0
250.0
200.0
150.0
100.0
50.0
0.0
15-19
20-24
25-29
30-34
35-39
40-44
45-49
Total
Rural
Urban

**3.23** Values of the age specific marital fertility rates for the year 2015 in bigger States/UTs are given below in Statement 28. It is observed that the age pattern of marital fertility is almost similar to the pattern of age specific fertility. The marital fertility in the age group 15-19 is lesser than national average in 11 bigger States/UTs viz. Andhra Pradesh, Bihar, Delhi, Haryana, Himachal Pradesh, Jammu & Kashmir, Karnataka, Kerala, Maharashtra, Punjab and West Bengal. ASMFR is at peak level in the age group 20-24 in all the bigger States/UTs except Jharkhand. There is significant decline in marital fertility for women aged 30 years onwards, for all major States.

**Statement 28**

**ASMFRs (Age Specific Marital Fertility Rates), India and bigger States/UTs, 2015**


| India and bigger States/UTs | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 |
|---|---|---|---|---|---|---|---|
| **India** | **251.4** | **354.4** | **181.7** | **83.7** | **28.0** | **11.8** | **4.1** |
| Andhra Pradesh | 216.8 | 343.7 | 124.2 | 43.3 | 11.8 | 7.1 | 2.6 |
| Assam | 289.7 | 319.5 | 197.1 | 84.7 | 24.2 | 3.4 | 1.1 |
| Bihar | 209.1 | 371.6 | 245.2 | 140.9 | 45.9 | 14.4 | 2.9 |
| Chhattisgarh | 365.3 | 421.3 | 194.6 | 77.9 | 19.6 | 10.7 | 0.8 |
| Delhi | 206.9 | 431.2 | 155.5 | 58.3 | 18.7 | 5.0 | 2.6 |
| Gujarat | 282.9 | 329.7 | 193.5 | 80.8 | 21.2 | 7.1 | 2.1 |
| Haryana | 202.3 | 357.2 | 201.3 | 58.9 | 15.4 | 7.3 | 2.1 |
| Himachal Pradesh | 227.9 | 350.5 | 164.8 | 49.2 | 10.0 | 1.5 | 0.9 |
| Jammu & Kashmir | 172.3 | 359.9 | 191.5 | 115.0 | 22.3 | 8.7 | 2.9 |
| Jharkhand | 306.4 | 295.2 | 200.1 | 118.1 | 51.7 | 23.1 | 13.0 |
| Karnataka | 137.0 | 367.9 | 146.2 | 42.8 | 14.5 | 5.0 | 3.1 |
| Kerala | 242.2 | 304.5 | 175.3 | 72.9 | 9.5 | 3.7 | 0.6 |
| Madhya Pradesh | 320.4 | 403.3 | 207.6 | 90.9 | 29.7 | 13.7 | 6.1 |
| Maharashtra | 192.5 | 296.9 | 167.4 | 61.2 | 18.3 | 5.4 | 1.5 |
| Odisha | 273.8 | 318.6 | 175.5 | 78.3 | 29.3 | 12.8 | 3.2 |
| Punjab | 124.3 | 357.8 | 167.7 | 63.7 | 17.9 | 4.8 | 2.6 |
| Rajasthan | 259.6 | 350.3 | 179.4 | 93.0 | 36.0 | 16.9 | 4.7 |
| Tamil Nadu | 315.9 | 339.4 | 149.8 | 54.1 | 13.7 | 4.4 | 2.7 |
| Telangana | 287.9 | 361.8 | 148.7 | 54.5 | 11.1 | 5.9 | 6.3 |
| Uttar Pradesh | 388.7 | 427.6 | 241.4 | 149.7 | 58.3 | 31.4 | 8.9 |
| Uttarakhand | 316.5 | 360.5 | 189.0 | 80.5 | 20.9 | 8.2 | 2.7 |
| West Bengal | 172.7 | 278.1 | 78.5 | 30.4 | 11.9 | 5.8 | 2.7 |

**3.24** Like TFR, Total Marital Fertility Rate (TMFR) is the cumulative value of age specific marital fertility rates at the end of the reproductive period. It indicates the average number of children expected to be born per married woman during the entire span of her reproductive period, if the ASMFRs continue to be the same and if there is no mortality. The TMFRs worked out on the basis of ASMFRs for the year 2015 are given below in Statement 29 for India and bigger States/UTs separately for rural and urban areas. The TMFR for India is found to be 4.6 and varies from 4.2 in urban areas to 4.7 in rural areas. The TMFR is 5 and above in Bihar, Chhattisgarh, Jharkhand, Madhya Pradesh and Uttar Pradesh.

**Statement 29**

**TMFRs (Total Marital Fertility Rates) by residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **4.6** | **4.7** | **4.2** |
| Andhra Pradesh | 3.7 | 3.8 | 3.7 |
| Assam | 4.6 | 4.7 | 3.9 |
| Bihar | 5.2 | 5.2 | 5.0 |
| Chhattisgarh | 5.5 | 5.7 | 4.4 |
| Delhi | 4.4 | 4.0 | 4.4 |
| Gujarat | 4.6 | 4.9 | 4.0 |
| Haryana | 4.2 | 4.3 | 4.0 |
| Himachal Pradesh | 4.0 | 4.0 | 4.5 |
| Jammu & Kashmir | 4.4 | 4.6 | 3.6 |
| Jharkhand | 5.0 | 5.0 | 5.4 |
| Karnataka | 3.6 | 3.6 | 3.5 |
| Kerala | 4.0 | 3.8 | 4.4 |
| Madhya Pradesh | 5.4 | 5.5 | 5.0 |
| Maharashtra | 3.7 | 3.7 | 3.7 |
| Odisha | 4.5 | 4.6 | 3.8 |
| Punjab | 3.7 | 3.9 | 3.5 |
| Rajasthan | 4.7 | 4.7 | 5.0 |
| Tamil Nadu | 4.4 | 4.5 | 4.3 |
| Telangana | 4.4 | 4.5 | 4.1 |
| Uttar Pradesh | 6.5 | 6.6 | 6.6 |
| Uttarakhand | 4.9 | 4.8 | 5.0 |
| West Bengal | 2.9 | 3.1 | 2.4 |


Chart 54: Total marital fertility rate (TMFRs) by residence, India and bigger States/UTs, 2015
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban


**3.25** Statement 30 below presents the percentage change in the average level of TMFR between the period 2003-05 and 2013-15 in India and bigger State/UTs s. During the period TMFR has declined by 4.4 per cent at the National level. Among the bigger States/UTs, the percentage change varies from (-) 18.2 in Punjab to 5.1 in Tamil Nadu. Assam, Haryana, Himachal Pradesh, Karnataka, Maharashtra, Punjab, Rajasthan and West Bengal have shown substantial (more than 10 percentage) decline in rural areas. In urban areas, West Bengal has shown a decline of 21.9 percent followed by Haryana and Karnataka with 15.9 and 12.8 percent, respectively.


**Statement 30**

**Percentage change in average Total Marital Fertility Rate (TMFR) between 2003-05 and 2013-15, by residence, India and bigger States/UTs**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change |
| **India** | **4.5** | **4.3** | **-4.4** | **4.7** | **4.4** | **-6.4** | **4.0** | **4.0** | **0.0** |
| Andhra Pradesh* | 3.5 | 3.6 | 2.9 | 3.6 | 3.6 | 0.0 | 3.3 | 3.5 | 6.1 |
| Assam | 5.4 | 4.5 | -16.7 | 5.7 | 4.6 | -19.3 | 3.8 | 3.7 | -2.6 |
| Bihar | 5.2 | 5.0 | -3.8 | 5.3 | 5.1 | -3.8 | 4.7 | 4.7 | 0.0 |
| Gujarat | 4.1 | 4.3 | 4.9 | 4.4 | 4.5 | 2.3 | 3.5 | 4.0 | 14.3 |
| Haryana | 4.6 | 3.9 | -15.2 | 4.7 | 4.1 | -12.8 | 4.4 | 3.7 | -15.9 |
| Himachal Pradesh | 4.6 | 3.8 | -17.4 | 4.6 | 3.8 | -17.4 | 4.5 | 4.3 | -4.4 |
| Karnataka | 4.1 | 3.5 | -14.6 | 4.2 | 3.6 | -14.3 | 3.9 | 3.4 | -12.8 |
| Kerala | 3.8 | 3.8 | 0.0 | 3.8 | 3.7 | -2.6 | 4.2 | 4.0 | -4.8 |
| Madhya Pradesh | 5.0 | 4.9 | -2.0 | 5.2 | 5.0 | -3.8 | 4.2 | 4.3 | 2.4 |
| Maharashtra | 3.7 | 3.3 | -10.8 | 3.6 | 3.2 | -11.1 | 3.7 | 3.5 | -5.4 |
| Odisha | 4.3 | 4.1 | -4.7 | 4.4 | 4.2 | -4.5 | 4.0 | 3.5 | -12.5 |
| Punjab | 4.4 | 3.6 | -18.2 | 4.5 | 3.5 | -22.2 | 4.2 | 3.8 | -9.5 |
| Rajasthan | 4.6 | 4.3 | -6.5 | 4.9 | 4.3 | -12.2 | 3.9 | 4.4 | 12.8 |
| Tamil Nadu | 3.9 | 4.1 | 5.1 | 3.9 | 4.1 | 5.1 | 3.8 | 4.2 | 10.5 |
| Uttar Pradesh | 5.8 | 5.8 | 0.0 | 5.9 | 5.8 | -1.7 | 5.6 | 5.9 | 5.4 |
| West Bengal | 3.7 | 3.0 | -18.9 | 3.8 | 3.1 | -18.4 | 3.2 | 2.5 | -21.9 |

*: Bihar, Madhya Pradesh, Andhra Pradesh and Uttar Pradesh include Jharkhand, Chhattisgarh, Telangana and Uttarakhand respectively


Chart 55: Average Total Marital fertility rate (TMFR) between 2003-05 & 2013-15, India and bigger States/UTs
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
India
Andhra Pradesh
Assam
Bihar
Gujarat
Haryana
Himachal Pradesh
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
2003-05
2013-15


Chart 56: Average Total Marital fertility rate (TMFR) between 2003-05 & 2013-15, India and bigger States/UTs -RURAL
7.0
6.0
5.0
4.0
3.0
2.0
1.0
-
India
Andhra Pradesh
Assam
Bihar
Gujarat
Haryana
Himachal Pradesh
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
2003-05
2013-15




Chart 57: Average Total Marital fertility rate (TMFR) between 2003-05 & 2013-15, India and bigger States/UTs - URBAN
7.0
6.0
5.0
4.0
3.0
2.0
1.0
-
India
Andhra Pradesh
Assam
Bihar
Gujarat
Haryana
Himachal Pradesh
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
2003-05
2013-15

**Chart 58: Per cent change in average Total Marital fertility rate (TMFR) between 2003-05 & 2013-15, India and bigger States/UTs**



**Fertility by level of education of the women**

**3.26** Education, more precisely the female education, has a direct impact on fertility. To ascertain levels of fertility by educational status of the women three indicators viz. general fertility rate, age-specific fertility rate and total fertility rate by educational status of the women have been worked out separately for rural and urban areas. These are discussed in the subsequent paragraphs.

**3.27** Statement 31 below indicates the percentage of female population in the age group 15-49 by level of education, at the National level and for the bigger States/UTs. At the National level, 16.2 per cent of the female population is reported 'Illiterate' as against 83.8 per cent in the 'Literate' category. Of the literate women, about 73.7 per cent have education up to Class X, 14.3 per cent women have education level of Class XII, and only 12.1 per cent have reported education level of graduate and above. Among the illiterates, Kerala 0.8 has the lowest and Bihar 29.0 the highest percentage of illiterate women.

**Statement 31**

**Percentage female population in the age group 15-49 by level of education, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Educational level of women | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Illiterate | Literate | | | | | | | |
| | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **India** | **16.2** | **83.8** | **5.9** | **7.5** | **13.1** | **17.9** | **17.3** | **12.0** | **10.1** |
| Andhra Pradesh | 17.2 | 82.8 | 6.2 | 8.3 | 13.7 | 14.7 | 19.9 | 11.6 | 8.3 |
| Assam | 12.5 | 87.5 | 6.7 | 13.4 | 16.4 | 23.6 | 16.0 | 7.2 | 4.1 |
| Bihar | 29.0 | 71.0 | 10.3 | 7.3 | 11.5 | 16.2 | 14.3 | 6.9 | 4.6 |
| Chhattisgarh | 19.0 | 81.0 | 5.2 | 7.8 | 15.1 | 20.0 | 14.1 | 11.6 | 7.3 |
| Delhi | 8.9 | 91.1 | 3.7 | 3.1 | 10.6 | 14.6 | 17.9 | 18.5 | 22.8 |
| Gujarat | 16.8 | 83.2 | 2.5 | 7.4 | 17.8 | 16.0 | 16.8 | 12.1 | 10.5 |
| Haryana | 15.0 | 85.0 | 7.9 | 13.6 | 9.7 | 12.7 | 16.1 | 14.1 | 10.9 |
| Himachal Pradesh | 2.7 | 97.3 | 2.0 | 3.0 | 10.3 | 14.1 | 25.5 | 28.1 | 14.3 |
| Jammu & Kashmir | 11.5 | 88.5 | 1.7 | 3.1 | 6.8 | 17.2 | 28.0 | 20.5 | 11.0 |
| Jharkhand | 26.5 | 73.5 | 8.0 | 5.3 | 11.1 | 18.8 | 15.4 | 8.9 | 6.0 |
| Karnataka | 8.4 | 91.6 | 4.0 | 7.3 | 13.3 | 17.6 | 24.9 | 13.6 | 11.0 |
| Kerala | 0.8 | 99.2 | 0.4 | 2.5 | 6.1 | 20.4 | 25.1 | 22.7 | 22.1 |
| Madhya Pradesh | 20.3 | 79.7 | 6.2 | 8.1 | 16.1 | 20.8 | 12.8 | 8.2 | 7.6 |
| Maharashtra | 5.2 | 94.8 | 3.9 | 6.5 | 10.9 | 18.2 | 25.5 | 16.9 | 13.0 |
| Odisha | 12.8 | 87.2 | 5.7 | 10.4 | 16.1 | 22.7 | 16.7 | 8.6 | 6.9 |
| Punjab | 11.6 | 88.4 | 6.8 | 8.9 | 11.0 | 14.8 | 19.4 | 16.2 | 11.4 |
| Rajasthan | 24.9 | 75.1 | 10.3 | 6.9 | 13.9 | 13.9 | 11.6 | 8.9 | 9.6 |
| Tamil Nadu | 5.1 | 94.9 | 3.6 | 8.0 | 11.9 | 16.5 | 21.1 | 16.5 | 17.4 |
| Telangana | 19.3 | 80.7 | 10.1 | 3.9 | 8.8 | 12.9 | 19.6 | 12.7 | 12.6 |
| Uttar Pradesh | 24.4 | 75.6 | 5.3 | 6.2 | 13.0 | 17.4 | 12.8 | 11.6 | 9.3 |
| Uttarakhand | 12.4 | 87.6 | 5.5 | 3.3 | 12.3 | 17.9 | 16.5 | 15.7 | 16.5 |
| West Bengal | 12.6 | 87.4 | 7.6 | 11.5 | 16.0 | 22.7 | 15.3 | 7.6 | 6.8 |

**3.28** Statement 32 below presents the estimates of General Fertility Rate (GFR) by educational status of the women for India and bigger States/UTs. It is apparent from the Statement that there is a difference between the GFRs of the Illiterate and Literate women with the latter depicting substantially lower levels of GFR, both at the National and State level. Lower values of GFR for illiterate women as compared to literate for States other than Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Karnataka, Kerala, Maharashtra, Tamil Nadu, Telangana and West Bengal are due to small sample size in illiterate category as literacy level is significantly high in all these States.

**Statement 32**

**General Fertility Rate by level of education of women, India and bigger States/UTs, 2015**


| India and bigger States/UTs | Educational level of women | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Illiterate | Literate | | | | | | | |
| | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **India** | **92.4** | **73.1** | **77.2** | **84.5** | **83.6** | **73.9** | **65.2** | **63.9** | **71.2** |
| Andhra Pradesh | 43.9 | 60.9 | 47.0 | 53.9 | 59.5 | 66.0 | 71.6 | 56.0 | 52.8 |
| Assam | 77.3 | 80.6 | 65.7 | 82.4 | 102.5 | 82.7 | 70.2 | 70.9 | 57.6 |
| Bihar | 129.2 | 93.7 | 132.2 | 131.9 | 97.5 | 72.3 | 79.4 | 75.1 | 85.7 |
| Chhattisgarh | 57.8 | 89.6 | 56.4 | 114.8 | 115.5 | 95.2 | 68.8 | 73.5 | 82.7 |
| Delhi | 60.5 | 59.0 | 59.0 | 86.6 | 73.8 | 65.9 | 55.0 | 48.1 | 56.1 |
| Gujarat | 74.8 | 75.3 | 179.4 | 97.7 | 86.8 | 77.4 | 55.7 | 58.1 | 62.9 |
| Haryana | 73.2 | 79.5 | 53.8 | 91.2 | 93.6 | 87.0 | 71.8 | 73.9 | 80.7 |
| Himachal Pradesh | 41.1 | 58.1 | 25.1 | 37.0 | 41.8 | 48.3 | 55.9 | 67.1 | 75.1 |
| Jammu & Kashmir | 60.0 | 55.5 | 91.9 | 61.7 | 62.8 | 53.4 | 50.0 | 61.4 | 50.1 |
| Jharkhand | 94.3 | 83.8 | 108.1 | 106.3 | 97.4 | 75.7 | 71.9 | 76.5 | 73.5 |
| Karnataka | 47.6 | 64.3 | 44.7 | 55.4 | 72.7 | 71.0 | 63.1 | 59.0 | 65.5 |
| Kerala | 7.3 | 53.4 | 20.0 | 14.1 | 24.6 | 37.9 | 46.2 | 64.9 | 76.9 |
| Madhya Pradesh | 97.5 | 95.9 | 102.8 | 127.9 | 117.9 | 98.3 | 72.0 | 66.6 | 74.0 |
| Maharashtra | 48.6 | 60.8 | 40.4 | 48.3 | 61.2 | 63.3 | 66.9 | 64.3 | 52.8 |
| Odisha | 72.2 | 68.5 | 67.9 | 83.0 | 79.9 | 72.7 | 56.4 | 51.9 | 57.2 |
| Punjab | 61.8 | 55.8 | 44.1 | 65.6 | 61.6 | 61.1 | 53.0 | 51.0 | 54.0 |
| Rajasthan | 107.5 | 86.4 | 80.3 | 121.7 | 110.0 | 98.0 | 60.5 | 54.1 | 78.0 |
| Tamil Nadu | 23.9 | 56.3 | 0.0 | 41.6 | 45.0 | 54.6 | 62.8 | 54.9 | 69.5 |
| Telangana | 46.9 | 63.5 | 44.0 | 57.6 | 71.6 | 66.5 | 69.1 | 62.9 | 64.0 |
| Uttar Pradesh | 126.1 | 91.0 | 82.4 | 107.5 | 97.2 | 89.8 | 78.2 | 81.7 | 107.7 |
| Uttarakhand | 72.4 | 67.5 | 69.1 | 64.7 | 69.0 | 68.3 | 56.2 | 63.3 | 80.5 |
| West Bengal | 41.1 | 56.4 | 51.5 | 60.8 | 65.0 | 56.3 | 54.4 | 51.1 | 44.7 |


**3.29** Statement 33 below presents, at the National level, age specific fertility rates by level of education of women separately for rural and urban areas. The data reveals marked rural-urban differences with the rural areas generally reporting higher levels of fertility than the urban areas for all age groups. Fertility attains the peak in the age-group 20-24 years both in the rural and urban areas except for the women having education level 12$^{th}$ and above where fertility attains the peak in the age group 25-29. 'Illiterate' women have higher levels of age-specific fertility rates both in the rural and urban areas than the 'Literate'. Within the 'Literate' group there is a general decline in the fertility rates with the increase in the educational status both in the rural and urban areas, barring a few exceptions.


**Statement 33**

**Age Specific Fertility Rate by level of education of women and residence, India, 2015**

| Age group | Educational level of women | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Illiterate | Literate | | | | | | | |
| | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| | | | | **Total** | | | | | |
| 15-19 | 95.7 | 23.5 | 43.8 | 53.2 | 36.6 | 21.6 | 15.3 | 18.8 | 0.0 |
| 20-24 | 256.9 | 141.6 | 184.9 | 224.8 | 204.9 | 179.7 | 145.6 | 83.5 | 79.8 |
| 25-29 | 195.8 | 139.4 | 157.7 | 157.2 | 155.7 | 147.7 | 139.6 | 129.2 | 110.0 |
| 30-34 | 114.9 | 76.0 | 83.3 | 80.7 | 74.2 | 70.8 | 67.0 | 79.9 | 87.0 |
| 35-39 | 46.0 | 26.9 | 33.6 | 32.7 | 26.0 | 23.8 | 21.9 | 27.1 | 29.6 |
| 40-44 | 22.0 | 11.4 | 16.9 | 12.7 | 10.9 | 10.6 | 9.5 | 8.0 | 11.3 |
| 45-49 | 7.5 | 4.6 | 6.5 | 6.3 | 4.6 | 4.2 | 3.7 | 2.3 | 3.4 |
| | | | | **Rural** | | | | | |
| 15-19 | 99.3 | 25.7 | 44.9 | 57.4 | 36.3 | 22.5 | 16.9 | 21.7 | 0.0 |
| 20-24 | 268.1 | 156.2 | 191.5 | 230.8 | 213.3 | 183.7 | 148.8 | 90.9 | 94.2 |
| 25-29 | 206.4 | 150.1 | 161.7 | 165.8 | 161.2 | 155.3 | 149.4 | 133.6 | 116.8 |
| 30-34 | 124.9 | 80.8 | 86.4 | 84.0 | 79.7 | 76.3 | 74.0 | 88.3 | 91.4 |
| 35-39 | 49.4 | 28.9 | 35.4 | 33.1 | 26.9 | 25.5 | 23.6 | 30.8 | 37.3 |
| 40-44 | 23.7 | 12.6 | 17.0 | 12.8 | 11.6 | 12.3 | 10.3 | 8.4 | 15.6 |
| 45-49 | 7.7 | 5.1 | 7.3 | 6.5 | 4.5 | 3.9 | 3.4 | 3.2 | 6.5 |
| | | | | **Urban** | | | | | |
| 15-19 | 79.0 | 18.3 | 39.4 | 36.1 | 37.8 | 18.4 | 11.9 | 14.9 | 0.0 |
| 20-24 | 198.2 | 111.6 | 157.0 | 201.2 | 176.6 | 166.6 | 138.1 | 71.9 | 68.1 |
| 25-29 | 144.5 | 121.9 | 142.5 | 127.7 | 140.1 | 130.1 | 124.1 | 123.6 | 106.1 |
| 30-34 | 67.0 | 69.0 | 72.5 | 69.5 | 60.4 | 60.2 | 57.7 | 71.8 | 85.4 |
| 35-39 | 29.9 | 24.0 | 27.4 | 31.6 | 23.9 | 20.7 | 20.0 | 24.2 | 27.0 |
| 40-44 | 14.5 | 9.6 | 16.4 | 12.6 | 9.5 | 8.0 | 8.6 | 7.7 | 10.2 |
| 45-49 | 6.5 | 3.9 | 3.7 | 5.7 | 5.0 | 4.7 | 4.0 | 1.9 | 2.6 |


Chart 59: Age specific fertility rate by level of education of women, India, 2015
300.0
250.0
200.0
150.0
100.0
50.0
0.0
Total
Without any formal education
Below primary
Primary
Middle
Class X
Class XII
Graduate and above
Illiterate
Literate
Educational level of women
15-19
20-24
25-29
30-34
35-39
40-44
45-49


Chart 60: Age specific fertility rate by level of education of women, India, 2015 - RURAL
300.0
250.0
200.0
150.0
100.0
50.0
0.0
Total
Without any formal education
Below primary
Primary
Middle
Class X
Class XII
Graduate and above
Illiterate
Literate
Educational level of women
15-19
20-24
25-29
30-34
35-39
40-44
45-49


Chart 61: Age specific fertility rate by level of education of women, India, 2015 - URBAN
250.0
200.0
150.0
100.0
50.0
0.0
Illiterate
Total
Without any formal education
Below primary
Primary
Middle
Class X
Class XII
Graduate and above
Literate
Educational level of women
15-19
20-24
25-29
30-34
35-39
40-44
45-49


**3.30** Total fertility rates by education levels of the women for India and bigger States/UTs are presented below in Statement 34. At the National level, total fertility rate for the women having educational status 'Illiterate' for 2015 is 3.7. This is much higher than the 'Literate' group of women. Among the 'Literate' (2.1), there is a gradual decline of TFR with the increase in the level of education. Chart 62 presents, at the National level, total fertility rate by level of education of women separately for rural and urban areas for the year 2015. The TFR by levels of education of the women for India and bigger States/UTs by place of residence are given in Table-4.

**Statement 34**

**Total Fertility Rate by level of education of women, India and bigger States/UTs, 2015**

| India and Bigger States/UTs | Educational level of women | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Illiterate | Literate | | | | | | | |
| | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **India** | **3.7** | **2.1** | **2.6** | **2.8** | **2.6** | **2.3** | **2.0** | **1.7** | **1.6** |
| Andhra Pradesh | 2.5 | 1.7 | 2.2 | 2.5 | 2.3 | 2.1 | 1.9 | 1.4 | 1.1 |
| Assam | 3.1 | 2.4 | 2.1 | 2.9 | 2.9 | 2.4 | 2.1 | 2.0 | 1.5 |
| Bihar | 4.2 | 3.0 | 3.9 | 3.9 | 3.3 | 3.0 | 2.7 | 2.2 | 2.1 |
| Chhattisgarh | 3.8 | 2.4 | 2.9 | 4.0 | 3.3 | 2.7 | 2.0 | 1.6 | 1.9 |
| Delhi | 2.6 | 1.7 | 2.3 | 2.8 | 2.2 | 2.2 | 1.9 | 1.3 | 1.3 |
| Gujarat | 3.2 | 2.2 | 5.7 | 3.2 | 2.5 | 2.3 | 1.8 | 1.7 | 1.5 |
| Haryana | 3.1 | 2.3 | 2.0 | 3.0 | 2.9 | 2.7 | 2.3 | 2.0 | 1.8 |
| Himachal Pradesh | 2.8 | 1.7 | 1.5 | 2.3 | 2.4 | 2.1 | 2.0 | 1.6 | 1.6 |
| Jammu & Kashmir | 2.4 | 1.6 | 3.3 | 2.9 | 2.4 | 1.7 | 1.6 | 1.7 | 1.3 |
| Jharkhand | 3.5 | 2.5 | 3.2 | 3.2 | 3.0 | 2.6 | 2.3 | 2.1 | 1.8 |
| Karnataka | 2.1 | 1.8 | 1.9 | 2.4 | 2.4 | 2.2 | 1.8 | 1.6 | 1.4 |
| Kerala | 0.6 | 1.8 | 1.1 | 1.8 | 2.4 | 2.5 | 2.0 | 1.7 | 1.8 |
| Madhya Pradesh | 4.5 | 2.6 | 5.0 | 3.8 | 3.1 | 2.6 | 2.3 | 1.9 | 1.7 |
| Maharashtra | 2.6 | 1.8 | 1.3 | 2.1 | 2.3 | 2.1 | 2.0 | 1.7 | 1.3 |
| Odisha | 3.0 | 1.9 | 2.8 | 2.7 | 2.2 | 2.0 | 1.7 | 1.5 | 1.3 |
| Punjab | 3.1 | 1.6 | 1.4 | 2.5 | 2.1 | 2.0 | 1.7 | 1.4 | 1.2 |
| Rajasthan | 4.2 | 2.4 | 3.1 | 3.4 | 2.9 | 2.4 | 2.0 | 1.7 | 1.7 |
| Tamil Nadu | 2.5 | 1.7 | 0.0 | 2.3 | 2.2 | 2.0 | 2.0 | 1.5 | 1.5 |
| Telangana | 2.5 | 1.8 | 1.6 | 2.3 | 2.5 | 2.1 | 2.0 | 1.6 | 1.5 |
| Uttar Pradesh | 4.6 | 2.8 | 2.7 | 3.5 | 3.2 | 2.9 | 2.7 | 2.4 | 2.4 |
| Uttarakhand | 3.1 | 1.9 | 2.8 | 2.2 | 2.2 | 2.1 | 1.8 | 1.7 | 1.7 |
| West Bengal | 2.2 | 1.6 | 2.1 | 2.2 | 1.9 | 1.6 | 1.5 | 1.4 | 1.1 |

Note: 0.0 denotes negligible


Chart 62: Total fertility rate by level of education of women, India, 2015
4.5
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
Illiterate
Total literate
Without any formal education
Below primary
Primary
Middle
Class X
Class XII
Graduate and above
Level of edication

**Birth order**


**3.31** Information on order of the live birth and interval between current and previous live births are also collected in SRS from 1990 onwards. These provide useful information on spacing of children and level of fertility. The estimated percentages on order of live birth and birth interval for India and bigger States/UTs are given in Tables 5, 6 and 7. Based on these tables, two State-wise comparative Statements are presented below.

**3.32** The percentage distribution of live births by birth order for India and bigger States/UTs for the year 2015 is presented below in Statement 35. It is observed 48.6 percent of the current live births in India are first order births, and 28.5 percent of total births are second order births. The fourth and higher order births account for 9.4 percent of the total births. Among the bigger States/UTs, the percentage share of first order birth varies from 36.7 percent in Bihar to 63.8 percent in Delhi. On the other hand, the percentage share of fourth and higher order births varies from 1.0 percent in Tamil Nadu to 18.2 percent in Bihar.

**Statement 35**

**Percentage distribution of current live births by Birth Order, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Birth order | | | |
|---|---|---|---|---|
| | 1st | 2nd | 3rd | 4th & above |
| **India** | **48.6** | **28.5** | **13.4** | **9.4** |
| Andhra Pradesh | 63.7 | 28.2 | 6.9 | 1.2 |
| Assam | 52.9 | 26.0 | 13.5 | 7.5 |
| Bihar | 36.7 | 24.2 | 20.9 | 18.2 |
| Chhattisgarh | 44.7 | 33.6 | 13.7 | 8.0 |
| Delhi | 63.8 | 23.8 | 8.6 | 3.9 |
| Gujarat | 55.4 | 30.6 | 9.8 | 4.2 |
| Haryana | 50.6 | 31.6 | 12.4 | 5.4 |
| Himachal Pradesh | 60.3 | 31.1 | 6.5 | 2.1 |
| Jammu & Kashmir | 55.7 | 25.7 | 11.7 | 6.8 |
| Jharkhand | 38.3 | 31.9 | 18.5 | 11.2 |
| Karnataka | 53.4 | 33.0 | 10.7 | 2.8 |
| Kerala | 49.0 | 37.1 | 11.3 | 2.7 |
| Madhya Pradesh | 42.7 | 31.8 | 15.2 | 10.3 |
| Maharashtra | 51.0 | 34.7 | 10.4 | 3.9 |
| Odisha | 50.3 | 32.2 | 11.8 | 5.8 |
| Punjab | 61.2 | 26.8 | 9.5 | 2.5 |
| Rajasthan | 46.0 | 28.6 | 14.8 | 10.6 |
| Tamil Nadu | 56.1 | 36.6 | 6.3 | 1.0 |
| Telangana | 56.0 | 32.2 | 9.2 | 2.7 |
| Uttar Pradesh | 44.8 | 23.2 | 15.5 | 16.5 |
| Uttarakhand | 45.1 | 31.6 | 14.2 | 9.2 |
| West Bengal | 62.3 | 25.4 | 9.1 | 3.3 |



Chart 63: Percentage distribution of current live births by birth order, India and bigger States/UTs, 2015
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
1st
2nd
3rd
4th & above
Birth order


**3.33** Statement 36 below presents the percentage distribution of current live birth by birth order and residence for India and bigger States/UTs. It may be observed that the percentage of current live births for 'first' and 'second' order taken together is generally higher for urban areas if compared to the rural areas for bigger States/UTs except Delhi, Himachal Pradesh, Maharashtra, Telangana and Uttarakhand. For 'third', 'fourth & above' order live births, the percentage contribution at National level is significantly higher in rural areas (25.6) compared to urban areas (15.3).

**Statement 36**

**Percentage distribution of current live births by Birth Order and residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Birth order | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | Rural | | | | Urban | | | |
| | 1st | 2nd | 3rd | 4th & above | 1st | 2nd | 3rd | 4th & above |
| **India** | **46.5** | **27.9** | **14.5** | **11.1** | **54.4** | **30.3** | **10.3** | **5.0** |
| Andhra Pradesh | 63.0 | 28.2 | 7.3 | 1.5 | 65.6 | 28.0 | 5.9 | 0.5 |
| Assam | 52.0 | 25.9 | 14.1 | 8.0 | 60.9 | 27.5 | 8.8 | 2.9 |
| Bihar | 36.1 | 23.8 | 21.2 | 18.9 | 42.0 | 27.7 | 18.1 | 12.1 |
| Chhattisgarh | 44.1 | 32.7 | 14.5 | 8.8 | 47.4 | 37.2 | 10.7 | 4.7 |
| Delhi | 77.3 | 14.1 | 3.9 | 4.7 | 63.4 | 24.0 | 8.7 | 3.9 |
| Gujarat | 54.0 | 30.6 | 10.5 | 4.9 | 57.5 | 30.6 | 8.7 | 3.2 |
| Haryana | 48.4 | 32.4 | 12.9 | 6.2 | 55.3 | 29.9 | 11.2 | 3.6 |
| Himachal Pradesh | 60.4 | 30.9 | 6.7 | 2.1 | 58.5 | 34.6 | 4.5 | 2.3 |
| Jammu & Kashmir | 54.7 | 26.3 | 12.1 | 7.0 | 61.1 | 23.0 | 10.1 | 5.8 |
| Jharkhand | 36.6 | 32.3 | 18.7 | 12.5 | 45.4 | 30.6 | 17.7 | 6.3 |
| Karnataka | 52.1 | 32.3 | 12.1 | 3.5 | 55.7 | 34.4 | 8.2 | 1.6 |
| Kerala | 47.8 | 37.5 | 12.2 | 2.5 | 50.2 | 36.6 | 10.4 | 2.8 |
| Madhya Pradesh | 41.1 | 31.4 | 16.2 | 11.3 | 48.7 | 33.2 | 11.5 | 6.7 |
| Maharashtra | 52.0 | 33.8 | 10.8 | 3.5 | 49.7 | 35.9 | 10.0 | 4.4 |
| Odisha | 49.4 | 32.1 | 12.2 | 6.2 | 56.6 | 32.3 | 8.4 | 2.7 |
| Punjab | 59.5 | 27.7 | 10.4 | 2.5 | 64.0 | 25.5 | 8.1 | 2.5 |
| Rajasthan | 44.2 | 27.6 | 16.4 | 11.8 | 52.3 | 31.8 | 9.3 | 6.6 |
| Tamil Nadu | 54.0 | 36.5 | 8.2 | 1.4 | 58.1 | 36.6 | 4.6 | 0.7 |
| Telangana | 56.0 | 32.2 | 9.2 | 2.7 | 56.0 | 32.2 | 9.2 | 2.7 |
| Uttar Pradesh | 42.7 | 23.1 | 15.9 | 18.4 | 52.7 | 23.5 | 14.1 | 9.7 |
| Uttarakhand | 45.1 | 30.5 | 14.4 | 9.9 | 45.0 | 34.5 | 13.5 | 7.0 |
| West Bengal | 61.9 | 26.0 | 9.1 | 2.9 | 63.6 | 23.1 | 8.8 | 4.5 |


Chart 64: Percentage distribution of current live births by birth order, India and bigger States/UTs, 2015 - RURAL
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
1st
2nd
3rd
4th & above
Birth order


Chart 65: Percentage distribution of current live births by birth order, India and bigger States/UTs, 2015 - URBAN
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
1st
2nd
3rd
4th & above
Birth order


**Birth interval**

**3.34** The percentage distribution of second and higher order live births by interval between current and previous live birth is shown below in Statement 37 for India and bigger States/UTs for the year 2015. At the National level, 2.1 per cent of the live births occur within one year from the previous live birth. Such percentage varies from 0.4 in Kerala to 4.4 in Jammu & Kashmir. The percentage of births beyond three years of birth interval from the previous live birth for India is 59.4. It varies from 48.9 in Maharashtra to 77.8 in Assam.

**Statement 37**

**Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Interval between current and previous live birth ( in months) | | | |
|---|---|---|---|---|
| | 10-12 | 12-24 | 24-36 | 36+ |
| **India** | **2.1** | **17.1** | **21.4** | **59.4** |
| Andhra Pradesh | 2.1 | 17.1 | 21.4 | 59.4 |
| Assam | 1.1 | 23.8 | 22.0 | 53.1 |
| Bihar | 1.5 | 8.5 | 12.3 | 77.8 |
| Chhattisgarh | 1.6 | 18.8 | 19.8 | 59.9 |
| Delhi | 1.2 | 14.2 | 25.9 | 58.8 |
| Gujarat | 1.0 | 13.2 | 27.1 | 58.7 |
| Haryana | 1.8 | 12.5 | 23.6 | 62.0 |
| Himachal Pradesh | 2.7 | 20.0 | 22.2 | 55.1 |
| Jammu & Kashmir | 1.5 | 16.1 | 28.3 | 54.1 |
| Jharkhand | 4.4 | 21.1 | 16.8 | 57.6 |
| Karnataka | 2.0 | 16.8 | 18.1 | 63.1 |
| Kerala | 1.2 | 19.7 | 26.1 | 53.0 |
| Madhya Pradesh | 0.4 | 12.0 | 16.1 | 71.6 |
| Maharashtra | 2.2 | 20.3 | 27.8 | 49.7 |
| Odisha | 1.5 | 23.2 | 26.4 | 48.9 |
| Punjab | 1.1 | 6.9 | 15.8 | 76.1 |
| Rajasthan | 4.3 | 25.2 | 18.5 | 52.0 |
| Tamil Nadu | 4.2 | 21.4 | 22.8 | 51.6 |
| Telangana | 1.2 | 18.0 | 26.2 | 54.6 |
| Uttar Pradesh | 1.6 | 16.2 | 28.1 | 54.1 |
| Uttarakhand | 2.9 | 15.6 | 19.5 | 62.0 |
| West Bengal | 3.0 | 14.4 | 17.9 | 64.7 |



Chart 66: Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2015
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
India
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
10-12
12-24
24-36
36+
Interval between current and previous live birth (in months)


**3.35** Statement 38 below presents the percentage distribution of second and higher order live births by interval between current and previous live birth separately for rural and urban areas. At the National level, 2.2 percent of live births have been reported within an interval of one year for rural and 1.9 percent in urban areas. The data reveals that so far as spacing of children is considered, the rural area has almost come close to the urban i.e. 59.2 rural against 60.0 urban, in births having spacing 36 months above. More than 80 percent of births have birth interval of 24 and more months both in rural and urban areas.

**Statement 38**

**Percentage distribution of second and higher order live births by interval and residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Interval between current and previous live birth ( in months) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | Rural | | | | Urban | | | |
| | 10-12 | 12-24 | 24-36 | 36+ | 10-12 | 12-24 | 24-36 | 36+ |
| **India** | **2.2** | **17.2** | **21.4** | **59.2** | **1.9** | **16.8** | **21.3** | **60.0** |
| Andhra Pradesh | 2.2 | 17.2 | 21.4 | 59.2 | 1.9 | 16.8 | 21.3 | 60.0 |
| Assam | 1.5 | 22.3 | 22.0 | 54.2 | 0.2 | 28.1 | 21.8 | 49.9 |
| Bihar | 1.5 | 8.6 | 12.2 | 77.6 | 0.6 | 7.0 | 12.7 | 79.7 |
| Chhattisgarh | 1.5 | 18.4 | 19.8 | 60.3 | 1.8 | 22.6 | 19.4 | 56.3 |
| Delhi | 1.0 | 14.7 | 25.1 | 59.1 | 1.8 | 11.5 | 29.3 | 57.4 |
| Gujarat | 0.8 | 18.1 | 26.2 | 54.8 | 1.0 | 13.1 | 27.1 | 58.7 |
| Haryana | 1.9 | 13.0 | 25.9 | 59.1 | 1.5 | 11.6 | 19.1 | 67.7 |
| Himachal Pradesh | 3.2 | 20.3 | 22.1 | 54.4 | 1.4 | 19.3 | 22.4 | 56.9 |
| Jammu & Kashmir | 1.5 | 16.2 | 29.3 | 53.1 | 1.5 | 13.9 | 11.6 | 72.9 |
| Jharkhand | 4.9 | 23.0 | 16.9 | 55.2 | 2.1 | 10.2 | 16.4 | 71.4 |
| Karnataka | 2.1 | 16.8 | 17.0 | 64.1 | 1.3 | 17.1 | 23.4 | 58.1 |
| Kerala | 1.2 | 21.1 | 28.2 | 49.5 | 1.2 | 16.8 | 22.0 | 59.9 |
| Madhya Pradesh | 0.4 | 12.1 | 17.0 | 70.4 | 0.4 | 11.8 | 15.0 | 72.8 |
| Maharashtra | 2.5 | 21.6 | 28.6 | 47.3 | 1.1 | 14.8 | 24.0 | 60.1 |
| Odisha | 1.4 | 25.2 | 27.9 | 45.5 | 1.5 | 20.6 | 24.5 | 53.4 |
| Punjab | 1.2 | 6.9 | 16.0 | 76.0 | 0.9 | 7.3 | 14.3 | 77.5 |
| Rajasthan | 3.7 | 26.6 | 19.4 | 50.3 | 5.3 | 22.9 | 16.9 | 54.8 |
| Tamil Nadu | 4.0 | 22.3 | 22.8 | 50.8 | 5.1 | 17.7 | 22.5 | 54.8 |
| Telangana | 1.1 | 20.4 | 28.4 | 50.1 | 1.3 | 15.5 | 23.9 | 59.4 |
| Uttar Pradesh | 1.0 | 15.1 | 23.0 | 60.8 | 2.1 | 17.3 | 33.1 | 47.4 |
| Uttarakhand | 2.9 | 15.0 | 20.0 | 62.0 | 2.9 | 18.1 | 17.1 | 61.9 |
| West Bengal | 3.1 | 14.7 | 17.7 | 64.4 | 2.5 | 13.4 | 18.5 | 65.7 |


Chart 67: Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2015- RURAL
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
India
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
10-12
12-24
24-36
36+
Interval between current and previous live birth (in months)


Chart 68: Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2015-URBAN
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
India
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
10-12
12-24
24-36
36+
Interval between current and previous live birth (in months)


## Medical attention at delivery


**3.36** While recording details of every outcome of pregnancy during continuous enumeration and half yearly survey, the enumerators and supervisors are required to enquire about the type of medical attention received by the mother at the time of delivery/abortion of the new born. From 2004 onwards i.e. including the new sample in 2015, the options on types of medical attention received by the mother at delivery have been modified to capture the deliveries specifically at private hospital/nursing homes. The new options include 'Government Hospital', 'Private Hospital', 'Qualified professional', 'Untrained functionary and others' in comparison to 'Institutional'; 'Doctor, Nurse or trained midwife'; 'Traditional birth attendants'; and 'relatives or others' adopted till 1991 SRS sample. Statement 39 below gives the percentage distribution of live births recorded in the year 2015 by type of medical attention received by the mother at the time of delivery for India and bigger States/UTs separately by rural and urban areas. At the National level, 52.6 per cent births were attended by Government Hospitals and vary from 51.5 per cent in rural areas to 55.5 per cent in urban areas. Among the bigger States/UTs, it varies from 37.3 per cent in Jharkhand to 69.8 per cent in Rajasthan. About 26.7 per cent of birth occurred at Private Hospital. Medical attention by qualified professionals constitutes 10.9 per cent of total delivery whereas untrained and others constitute 9.8 per cent. More than three fourth of deliveries are occurring in institutions and conducted by the qualified professional.


**Statement 39**

**Percent distribution of live births by type of Medical Attention received by the mother at delivery by residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Govt. Hospital | | | Private Hospital | | | Qualified professional | | | Untrained functionary and others | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **52.6** | **51.5** | **55.5** | **26.7** | **22.7** | **38.0** | **10.9** | **13.0** | **5.3** | **9.8** | **12.9** | **1.2** |
| Andhra Pradesh | 51.3 | 53.8 | 45.3 | 44.2 | 39.8 | 54.5 | 4.3 | 6.1 | 0.1 | 0.2 | 0.2 | 0.1 |
| Assam | 52.2 | 50.9 | 63.3 | 27.2 | 26.7 | 31.4 | 13.4 | 14.4 | 5.0 | 7.3 | 8.1 | 0.3 |
| Bihar | 43.3 | 42.4 | 51.0 | 22.8 | 21.0 | 38.3 | 11.1 | 11.5 | 8.2 | 22.8 | 25.1 | 2.5 |
| Chhattisgarh | 48.1 | 44.9 | 59.7 | 25.5 | 25.2 | 26.4 | 18.3 | 19.9 | 12.8 | 8.1 | 10.0 | 1.2 |
| Delhi | 63.5 | 63.2 | 63.5 | 30.1 | 29.2 | 30.1 | 6.0 | 5.9 | 6.0 | 0.4 | 1.7 | 0.4 |
| Gujarat | 44.8 | 45.6 | 43.6 | 47.5 | 41.4 | 55.8 | 6.7 | 11.3 | 0.4 | 1.1 | 1.7 | 0.2 |
| Haryana | 41.4 | 43.0 | 38.3 | 40.4 | 36.5 | 48.2 | 16.6 | 18.6 | 12.6 | 1.6 | 2.0 | 0.9 |
| Himachal Pradesh | 58.6 | 57.4 | 80.2 | 16.8 | 16.9 | 15.0 | 19.0 | 19.8 | 4.2 | 5.6 | 5.9 | 0.6 |
| Jammu & Kashmir | 67.5 | 64.3 | 81.2 | 17.3 | 17.7 | 15.5 | 7.4 | 8.4 | 3.1 | 7.8 | 9.5 | 0.3 |
| Jharkhand | 37.3 | 35.5 | 50.2 | 21.0 | 18.7 | 37.7 | 17.7 | 18.6 | 11.0 | 24.0 | 27.2 | 1.0 |
| Karnataka | 65.8 | 69.0 | 60.6 | 30.7 | 25.7 | 38.8 | 2.4 | 3.7 | 0.2 | 1.1 | 1.6 | 0.4 |
| Kerala | 44.0 | 49.7 | 38.0 | 55.7 | 50.0 | 61.7 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 |
| Madhya Pradesh | 55.7 | 51.7 | 70.2 | 24.7 | 24.3 | 26.2 | 11.0 | 13.2 | 2.8 | 8.6 | 10.7 | 0.8 |
| Maharashtra | 55.3 | 53.7 | 57.6 | 40.7 | 39.9 | 41.9 | 3.1 | 5.0 | 0.3 | 0.9 | 1.3 | 0.2 |
| Odisha | 61.7 | 60.3 | 70.4 | 16.6 | 15.6 | 22.7 | 9.9 | 10.6 | 6.0 | 11.8 | 13.5 | 0.9 |
| Punjab | 38.2 | 38.1 | 38.3 | 49.3 | 44.8 | 55.3 | 11.6 | 15.7 | 6.2 | 0.9 | 1.4 | 0.2 |
| Rajasthan | 69.8 | 69.2 | 72.1 | 16.9 | 15.8 | 20.8 | 11.2 | 12.4 | 6.6 | 2.1 | 2.6 | 0.4 |
| Tamil Nadu | 61.3 | 64.7 | 58.0 | 34.0 | 26.0 | 41.6 | 4.5 | 8.9 | 0.3 | 0.3 | 0.4 | 0.1 |
| Telangana | 48.2 | 51.4 | 43.6 | 43.8 | 38.1 | 52.0 | 4.2 | 6.5 | 0.7 | 3.8 | 4.0 | 3.7 |
| Uttar Pradesh | 45.9 | 45.3 | 48.4 | 17.3 | 13.7 | 31.6 | 20.1 | 20.7 | 17.6 | 16.8 | 20.3 | 2.4 |
| Uttarakhand | 49.5 | 50.9 | 45.4 | 20.0 | 16.2 | 30.8 | 19.3 | 20.3 | 16.2 | 11.2 | 12.5 | 7.6 |
| West Bengal | 66.8 | 66.8 | 66.7 | 16.7 | 13.1 | 26.6 | 6.9 | 7.9 | 4.2 | 9.6 | 12.2 | 2.5 |


Chart 69: Distribution of live births by type of Medical Attention received by the mother at delivery, India and bigger States/UTs, 2015
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Govt. Hospital
Private Hospital
Qualified professional
Untrained functionary & Others


Chart 70: Distribution of live births by type of Medical Attention received by the mother at delivery, India and bigger States/UTs, 2015 - RURAL
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Govt. Hospital
Private Hospital
Qualified professional
Untrained functionary & Others


Chart 71: Distribution of live births by type of Medical Attention received by the mother at delivery, India and bigger States/UTs, 2015 - URBAN
90.0
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Govt. Hospital
Private Hospital
Qualified professional
Untrained functionary & Others

# CHAPTER – 4

# ESTIMATES OF MORTALITY INDICATORS

Mortality is one of the basic components of population change and the related data is essential for demographic studies and public health administration. It is the principal ingredient for population projections and life tables. Information on death events recorded in SRS is used to estimate mortality indicators. The various measures of mortality published under SRS are Crude Death Rate (CDR), Under-five Mortality Rate (U5MR), Infant Mortality Rate (IMR) and its components, Age Specific Mortality Rates (ASMR), Still Birth Rate (SBR) and Peri-Natal Mortality Rate (PMR).

**4.2** SRS has continued to provide data for estimating various mortality measures since its inception. The crude death rate at all India level has declined significantly from 14.9 to 12.5 during 1971 to 1981 and thereafter from 9.8 to 6.5 during 1991 to 2015. The decline has been steeper in rural areas as compared to urban areas. The infant mortality rate, which plays an important role in health planning, has shown a considerable decline from 129 per 1000 live births in 1971 to 110 in 1981 and from 80 in 1991 to 37 in 2015. The child mortality rate has depicted a perceptible decline from 51.9 in 1971 to 41.2 in 1981 and from 26.5 in 1991 to 10.2 in 2015. In 2015, about 44.4 percent of the deaths were institutional and 55.6 percent received medical attention other than in institutions.

**4.3** Apart from the all India scenario, this chapter presents data on mortality indicators for bigger States/UTs by sex, residence and broad age groups. Besides Under-five mortality rate, it includes data on infant mortality and its component viz., neo-natal mortality and post neo-natal, peri-natal mortality and their changes over the last decade. It also includes data on medical attention before death. Chart 18 depicts crude death rate by residence, India and bigger States/UTs, 2015.

**4.4** Apart from the mortality indicators at State and National levels, this report also includes estimates of death rates at sub-State, viz. NSS Natural Division Level. The Table 11 in the annexure to this report contains data on death rate and infant mortality rate besides birth rate for 56 Natural Divisions of 22 bigger States/UTs.

**4.5** Crude Death Rate Statement 40 at the National level for 2015 is 6.5 per thousand population and it varies from 7.1 in rural areas to 5.4 in urban areas. Among the bigger States/UTs, it varies from 3.6 in Delhi to 7.6 in Odisha. The States having death rate higher than or equal to the National level are Telangana 6.5, Himachal Pradesh 6.6, ,Karnataka 6.6, Kerala 6.6, Tamil Nadu 6.7, Andhra Pradesh 7.1, Assam 7.1, Uttar Pradesh 7.2, Chhattisgarh 7.5, Madhya Pradesh 7.5 and Odisha 7.6. Distribution of bigger States/UTs by level of CDR in rural and urban areas is shown in Chart 73. The estimated age-specific death rate by sex and residence for India and bigger States/UTs has been detailed in Table 8.

**Statement 40**

**CDR (Crude Death Rates) by residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **6.5** | **7.1** | **5.4** |
| Andhra Pradesh | 7.1 | 7.9 | 5.0 |
| Assam | 7.1 | 7.4 | 5.1 |
| Bihar | 6.2 | 6.3 | 5.1 |
| Chhattisgarh | 7.5 | 8.1 | 5.6 |
| Delhi | 3.6 | 4.3 | 3.5 |
| Gujarat | 6.1 | 6.5 | 5.6 |
| Haryana | 6.1 | 6.3 | 5.7 |
| Himachal Pradesh | 6.6 | 6.8 | 4.2 |
| Jammu & Kashmir | 4.9 | 5.1 | 4.4 |
| Jharkhand | 5.8 | 6.1 | 4.9 |
| Karnataka | 6.6 | 7.7 | 5.0 |
| Kerala | 6.6 | 6.7 | 6.4 |
| Madhya Pradesh | 7.5 | 8.1 | 5.9 |
| Maharashtra | 5.8 | 6.6 | 4.7 |
| Odisha | 7.6 | 7.9 | 6.3 |
| Punjab | 6.2 | 6.9 | 5.1 |
| Rajasthan | 6.3 | 6.7 | 5.2 |
| Tamil Nadu | 6.7 | 7.6 | 6.0 |
| Telangana | 6.5 | 7.5 | 4.9 |
| Uttar Pradesh | 7.2 | 7.7 | 5.7 |
| Uttarakhand | 6.4 | 6.8 | 5.6 |
| West Bengal | 5.9 | 5.8 | 6.2 |




Chart 72: Crude death rates by residence, India and bigger States/UTs, 2015
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban

**Chart 73: Distribution of bigger States/UTs by values of death rate for rural and urban areas, 2015**




**4.6** Statement 41 given below shows the percentage change in the level of Crude Death Rate between the period 2003-05 and 2013-15 for India and bigger States/UTs. During this period CDR in India has declined by 13.0 per cent. Among the bigger States/UTs, decline in CDR varies from 22.5 per cent in Jharkhand to 2.9 per cent in Himachal Pradesh. In Kerala, average CDR have shown marginal increase during 2003-05 to 2013-15 period, which could possibly be due to the changes in age structure of the population.


**Statement 41**

**Percent change in average Crude Death Rate between 2003-05 and 2013-2015, by residence, India and bigger States/UTs**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change |
| **India** | **7.7** | **6.7** | **-13.0** | **8.3** | **7.3** | **-12.0** | **5.9** | **5.5** | **-6.8** |
| Andhra Pradesh* | 7.4 | 7.1 | -4.1 | 8.2 | 8.0 | -2.4 | 5.4 | 5.0 | -7.4 |
| Assam | 8.9 | 7.4 | -16.9 | 9.3 | 7.7 | -17.2 | 5.7 | 5.3 | -7.0 |
| Bihar | 8.0 | 6.3 | -21.3 | 8.2 | 6.5 | -20.7 | 6.1 | 5.3 | -13.1 |
| Chhattisgarh | 8.1 | 7.7 | -4.9 | 8.7 | 8.3 | -4.6 | 6.7 | 5.8 | -13.4 |
| Delhi | 4.8 | 3.8 | -20.8 | 5.5 | 4.4 | -20.0 | 4.7 | 3.8 | -19.1 |
| Gujarat | 7.2 | 6.3 | -12.5 | 8.0 | 6.8 | -15.0 | 5.9 | 5.6 | -5.1 |
| Haryana | 6.8 | 6.2 | -8.8 | 7.1 | 6.5 | -8.5 | 5.9 | 5.5 | -6.8 |
| Himachal Pradesh | 6.9 | 6.7 | -2.9 | 7.1 | 6.9 | -2.8 | 4.7 | 4.0 | -14.9 |
| Jammu & Kashmir | 5.6 | 5.1 | -8.9 | 5.8 | 5.3 | -8.6 | 5.1 | 4.5 | -11.8 |
| Jharkhand | 8.0 | 6.2 | -22.5 | 8.6 | 6.5 | -24.4 | 5.4 | 5.0 | -7.4 |
| Karnataka | 7.1 | 6.8 | -4.2 | 7.8 | 7.8 | 0.0 | 5.5 | 5.1 | -7.3 |
| Kerala | 6.3 | 6.7 | 6.3 | 6.2 | 6.8 | 9.7 | 6.3 | 6.5 | 3.2 |
| Madhya Pradesh | 9.3 | 7.8 | -16.1 | 10.1 | 8.3 | -17.8 | 6.5 | 6.0 | -7.7 |
| Maharashtra | 6.7 | 6.0 | -10.4 | 7.5 | 6.8 | -9.3 | 5.6 | 4.8 | -14.3 |
| Odisha | 9.6 | 8.0 | -16.7 | 10.0 | 8.3 | -17.0 | 6.8 | 6.3 | -7.4 |
| Punjab | 6.7 | 6.4 | -4.5 | 7.1 | 7.2 | 1.4 | 5.8 | 5.2 | -10.3 |
| Rajasthan | 7.2 | 6.4 | -11.1 | 7.5 | 6.8 | -9.3 | 6.2 | 5.4 | -12.9 |
| Tamil Nadu | 7.5 | 7.0 | -6.7 | 8.3 | 7.9 | -4.8 | 6.2 | 6.2 | 0.0 |
| Uttar Pradesh | 9.0 | 7.4 | -17.8 | 9.6 | 7.9 | -17.7 | 6.7 | 5.8 | -13.4 |
| Uttarakhand | 7.0 | 6.2 | -11.4 | 8.2 | 6.5 | -20.7 | 4.8 | 5.2 | 8.3 |
| West Bengal | 6.4 | 6.1 | -4.7 | 6.5 | 6.0 | -7.7 | 6.3 | 6.4 | 1.6 |

* Andhra Pradesh includes Telangana.


Chart 74: Average Death rate between 2003-05 & 2013-15, India and bigger States/UTs
12.0
10.0
8.0
6.0
4.0
2.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
2003-05
2013-15


Chart 75: Average Death rate between 2003-05 & 2013-15,
India and bigger States/UTs -RURAL
12.0
10.0
8.0
6.0
4.0
2.0
-
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
2003-05
2013-15




Chart 76: Average Death rate between 2003-05 & 2013-15,
India and bigger States/UTs - URBAN
8.0
7.0
6.0
5.0
4.0
3.0
2.0
1.0
-
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
2003-05
2013-15

**Chart 77: Per cent change in average death rates between 2003-05 and 2013-15, India and bigger States/UTs**




**4.7** Statement 42 given below presents the estimated Crude Death Rate for India by residence separately for males and females. It is observed that female death rate is lower than male death rate both in rural and urban areas.

**Statement 42**

**Crude Death Rate by sex and residence, India, 2015**

| Residence | Total | Males | Females |
|---|---|---|---|
| Total | 6.5 | 6.9 | 6.1 |
| Rural | 7.1 | 7.4 | 6.7 |
| Urban | 5.4 | 5.8 | 5.0 |




**4.8** Crude death rates for males and females in the bigger States/UTs are shown below in Statement 43. It is observed that male death rate exceeds female death rate in all bigger States/UTs except Bihar and Jharkhand where male death rate is lower by 0.2 and 0.8 point respectively than the female death rate.

**Statement 43**

**Crude Death Rate by sex, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | Males | Females |
|---|---|---|---|
| **India** | **6.5** | **6.9** | **6.1** |
| Andhra Pradesh | 7.1 | 7.8 | 6.4 |
| Assam | 7.1 | 7.7 | 6.4 |
| Bihar | 6.2 | 5.8 | 6.6 |
| Chhattisgarh | 7.5 | 7.9 | 7.0 |
| Delhi | 3.6 | 3.8 | 3.3 |
| Gujarat | 6.1 | 6.6 | 5.6 |
| Haryana | 6.1 | 6.6 | 5.4 |
| Himachal Pradesh | 6.6 | 8.1 | 5.1 |
| Jammu & Kashmir | 4.9 | 5.7 | 4.0 |
| Jharkhand | 5.8 | 5.7 | 5.9 |
| Karnataka | 6.6 | 7.0 | 6.3 |
| Kerala | 6.6 | 7.6 | 5.7 |
| Madhya Pradesh | 7.5 | 8.1 | 6.9 |
| Maharashtra | 5.8 | 6.0 | 5.5 |
| Odisha | 7.6 | 8.5 | 6.7 |
| Punjab | 6.2 | 6.5 | 5.7 |
| Rajasthan | 6.3 | 6.9 | 5.7 |
| Tamil Nadu | 6.7 | 7.6 | 5.8 |
| Telangana | 6.5 | 7.1 | 6.0 |
| Uttar Pradesh | 7.2 | 7.3 | 7.1 |
| Uttarakhand | 6.4 | 7.2 | 5.6 |
| West Bengal | 5.9 | 6.3 | 5.5 |


Chart 79: Crude death rates by sex, India and bigger States/UTs, 2015
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban


**4.9** Statement 44 given below provides the per cent distribution of deaths by broad age groups for India and bigger States/UTs. At the National level, 11.9 per cent of the deaths are of infant deaths (<1 year) whereas 53.7 percent of the deaths pertain to persons aged 60 years and above. Toddlers (1-4 years) accounts for 1.5 per cent of the deaths. The percentage of infant deaths to total deaths varies from a low 2.6 per cent in Kerala to a high of 20.2 per cent in Bihar. Percentage contribution of deaths from person's 60 years and above varies from 47.8 in Madhya Pradesh to 70.7 in Kerala. The percentage distribution of deaths to total deaths, by residence, sex and age-group at the National level and for the bigger States/UTs are given in Table 10.

**Statement 44**

**Per cent distribution of deaths by broad age groups, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Broad age-groups | | | | | |
|---|---|---|---|---|---|---|
| | <1 | 1-4 | 0-4 | 5-14 | 15-59 | 60+ |
| **India** | **11.9** | **1.5** | **13.4** | **2.0** | **30.9** | **53.7** |
| Andhra Pradesh | 8.8 | 0.4 | 9.2 | 1.0 | 36.1 | 53.8 |
| Assam | 14.7 | 3.7 | 18.4 | 3.2 | 29.4 | 48.9 |
| Bihar | 20.2 | 2.2 | 22.4 | 1.9 | 24.4 | 51.3 |
| Chhattisgarh | 12.6 | 1.8 | 14.4 | 1.3 | 31.8 | 52.4 |
| Delhi | 8.3 | 0.9 | 9.3 | 0.8 | 35.5 | 54.5 |
| Gujarat | 11.2 | 1.6 | 12.7 | 2.3 | 33.2 | 51.7 |
| Haryana | 12.5 | 2.0 | 14.5 | 1.2 | 32.2 | 52.1 |
| Himachal Pradesh | 10.3 | 0.6 | 11.0 | 1.0 | 25.0 | 63.0 |
| Jammu & Kashmir | 8.6 | 0.5 | 9.1 | 1.4 | 32.6 | 56.9 |
| Jharkhand | 13.1 | 2.3 | 15.3 | 2.5 | 29.4 | 52.7 |
| Karnataka | 7.5 | 0.8 | 8.3 | 1.8 | 33.1 | 56.7 |
| Kerala | 2.6 | 0.2 | 2.9 | 0.8 | 25.7 | 70.7 |
| Madhya Pradesh | 16.8 | 3.2 | 20.0 | 2.4 | 29.7 | 47.8 |
| Maharashtra | 5.8 | 0.8 | 6.6 | 2.0 | 33.1 | 58.3 |
| Odisha | 11.6 | 2.0 | 13.6 | 2.4 | 29.5 | 54.5 |
| Punjab | 5.6 | 0.9 | 6.4 | 1.6 | 35.3 | 56.7 |
| Rajasthan | 16.1 | 2.1 | 18.3 | 1.9 | 29.5 | 50.3 |
| Tamil Nadu | 4.1 | 0.3 | 4.4 | 1.8 | 32.5 | 61.3 |
| Telangana | 9.2 | 0.1 | 9.3 | 1.0 | 35.0 | 54.7 |
| Uttar Pradesh | 17.0 | 1.4 | 18.4 | 2.4 | 30.6 | 48.7 |
| Uttarakhand | 9.4 | 1.5 | 11.0 | 1.2 | 31.0 | 56.9 |
| West Bengal | 6.8 | 0.9 | 7.7 | 1.4 | 31.5 | 59.3 |

Note: Total may not add up to 100 due to rounding off.



Chart 80: Distribution of deaths by broad age groups India and bigger States/UTs, 2015
100.0
90.0
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
60+
15-59
5-14
0-4

**4.10** The percentage share of infant deaths to total deaths by residence is shown below in Statement 45 for India and bigger States/UTs. At the National level, such share in the year 2015 is 11.9 per cent and varies from 13.3 per cent in rural areas to 8.1 per cent in urban areas. In rural areas, Kerala registered 2.6, the lowest per cent share of infant deaths as compared to 20.2 in Bihar. In urban areas, the variation is from 2.4 per cent in Kerala to 14.5 per cent in Uttar Pradesh.

**Statement 45**

**Percentage of Infant Deaths to total deaths by residence**
**India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **11.9** | **13.3** | **8.1** |
| Andhra Pradesh | 8.8 | 8.9 | 8.5 |
| Assam | 14.7 | 15.6 | 7.5 |
| Bihar | 20.2 | 20.5 | 17.7 |
| Chhattisgarh | 12.6 | 13.1 | 10.4 |
| Delhi | 8.3 | 11.3 | 8.2 |
| Gujarat | 11.2 | 14.2 | 6.8 |
| Haryana | 12.5 | 14.0 | 9.7 |
| Himachal Pradesh | 10.3 | 10.6 | 5.8 |
| Jammu & Kashmir | 8.6 | 9.4 | 5.8 |
| Jharkhand | 13.1 | 14.2 | 8.6 |
| Karnataka | 7.5 | 7.4 | 7.7 |
| Kerala | 2.6 | 2.9 | 2.4 |
| Madhya Pradesh | 16.8 | 18.3 | 11.3 |
| Maharashtra | 5.8 | 6.4 | 4.7 |
| Odisha | 11.6 | 12.3 | 7.9 |
| Punjab | 5.6 | 5.6 | 5.6 |
| Rajasthan | 16.1 | 17.5 | 11.2 |
| Tamil Nadu | 4.1 | 4.5 | 3.6 |
| Telangana | 9.2 | 9.1 | 9.5 |
| Uttar Pradesh | 17.0 | 17.6 | 14.5 |
| Uttarakhand | 9.4 | 8.2 | 13.6 |
| West Bengal | 6.8 | 8.0 | 4.3 |



Chart 81: Percentage of Infant deaths to total deaths by residence, 2015
25.0
20.0
15.0
10.0
5.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban


**4.11** Statement 46 given below presents Infant Mortality Rate (IMR) by sex and residence for the year 2015 for India and bigger States/UTs. Infant Mortality Rate is defined as the infant deaths (less than one year) per thousand live births. At the National level, IMR is reported to be 37 and varies from 41 in rural areas to 25 in urban areas. Among the bigger States/UTs, it varies from 12 in Kerala to 50 in Madhya Pradesh. Female infants experienced a higher mortality than male infants in all States except Himachal Pradesh and Madhya Pradesh where both are the same. Chart 82 provides the values of IMR by residence for India and bigger States/UTs. Distribution of bigger States by level of IMR in rural and urban areas is shown in Chart 85. The estimates on child and infant mortality indicators by residence have been detailed in Table 9.

**Statement 46**

**Infant Mortality Rates by sex and residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| **India** | **37** | **35** | **39** | **41** | **40** | **43** | **25** | **23** | **28** |
| Andhra Pradesh | 37 | 36 | 38 | 41 | 41 | 42 | 26 | 25 | 28 |
| Assam | 47 | 47 | 47 | 50 | 50 | 50 | 25 | 24 | 26 |
| Bihar | 42 | 36 | 50 | 42 | 36 | 49 | 44 | 37 | 52 |
| Chhattisgarh | 41 | 40 | 41 | 43 | 42 | 43 | 32 | 31 | 33 |
| Delhi | 18 | 18 | 19 | 27 | 27 | 28 | 18 | 17 | 19 |
| Gujarat | 33 | 33 | 34 | 41 | 41 | 42 | 21 | 20 | 22 |
| Haryana | 36 | 36 | 37 | 39 | 38 | 41 | 30 | 30 | 30 |
| Himachal Pradesh | 28 | 28 | 27 | 28 | 28 | 28 | 18 | 22 | 11 |
| Jammu & Kashmir | 26 | 25 | 27 | 27 | 25 | 28 | 24 | 25 | 23 |
| Jharkhand | 32 | 30 | 35 | 35 | 32 | 38 | 22 | 23 | 20 |
| Karnataka | 28 | 26 | 30 | 30 | 28 | 32 | 23 | 22 | 25 |
| Kerala | 12 | 10 | 13 | 13 | 11 | 15 | 10 | 10 | 11 |
| Madhya Pradesh | 50 | 51 | 48 | 54 | 56 | 52 | 34 | 34 | 35 |
| Maharashtra | 21 | 19 | 22 | 26 | 24 | 28 | 14 | 12 | 15 |
| Odisha | 46 | 45 | 47 | 48 | 47 | 49 | 35 | 37 | 34 |
| Punjab | 23 | 22 | 24 | 24 | 23 | 25 | 20 | 18 | 22 |
| Rajasthan | 43 | 40 | 47 | 48 | 44 | 52 | 27 | 26 | 28 |
| Tamil Nadu | 19 | 19 | 19 | 22 | 23 | 22 | 16 | 15 | 17 |
| Telangana | 34 | 33 | 34 | 37 | 38 | 37 | 27 | 26 | 28 |
| Uttar Pradesh | 46 | 44 | 48 | 48 | 48 | 49 | 36 | 30 | 42 |
| Uttarakhand | 34 | 31 | 38 | 31 | 27 | 35 | 44 | 44 | 45 |
| West Bengal | 26 | 25 | 28 | 27 | 25 | 28 | 24 | 23 | 25 |


Chart 82: Infant mortality rates by sex, India and bigger States/UTs, 2015
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttranchal
West Bengal
Total
Males
Females


Chart 83: Infant mortality rates by sex, India and bigger States/UTs, 2015-RURAL
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttranchal
West Bengal
Total
Males
Females




Chart 84: Infant mortality rates by sex, , India and bigger States/UTs, 2015, -URBAN
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttranchal
West Bengal
Total
Males
Females

**Chart 85: Distribution of bigger States/UTs by Infant mortality rate for rural and urban areas, 2015**




**4.12** The percentage change in the average level of infant mortality between 2003-05 and 2013-15 is given below in Statement 47. During this period, IMR, at the National level, declined by 34.3 per cent. Among the bigger States/UTs, the decline varies from 50.5 per cent in Tamil Nadu to 4.5 per cent in Kerala. In the rural areas, decline in IMR varies from 48.3 per cent in Punjab to 0.4 per cent in Kerala. The decline in IMR varies from 48.8 per cent in Maharashtra to 5.3 per cent in Kerala, in urban areas.


**Statement 47**

**Per cent change in average Infant Mortality Rates between 2003-05 and 2013-2015 by residence, India and bigger States/UTs**

| India and Bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change | 2003-05 | 2013-15 | % Change |
| **India** | **58.8** | **38.7** | **-34.3** | **64.6** | **42.7** | **-33.8** | **39.3** | **26.1** | **-33.5** |
| Andhra Pradesh* | 58.3 | 37.7 | -35.3 | 65.0 | 42.1 | -35.2 | 37.1 | 27.9 | -24.7 |
| Assam | 67.0 | 50.0 | -25.3 | 69.9 | 52.6 | -24.8 | 37.4 | 28.0 | -25.3 |
| Bihar | 60.7 | 42.1 | -30.5 | 62.4 | 42.4 | -32.0 | 47.8 | 38.0 | -20.5 |
| Chhattisgarh | 64.5 | 43.2 | -33.0 | 67.8 | 44.9 | -33.7 | 53.0 | 34.5 | -34.8 |
| Delhi | 31.6 | 20.7 | -34.6 | 41.2 | 31.1 | -24.5 | 30.5 | 19.9 | -34.6 |
| Gujarat | 54.5 | 34.8 | -36.2 | 63.2 | 42.4 | -32.9 | 36.9 | 22.0 | -40.3 |
| Haryana | 59.8 | 37.8 | -36.9 | 63.8 | 41.1 | -35.6 | 47.1 | 30.3 | -35.6 |
| Himachal Pradesh | 49.5 | 31.5 | -36.4 | 51.5 | 32.0 | -37.8 | 23.2 | 20.2 | -12.8 |
| Jammu & Kashmir | 47.8 | 32.4 | -32.3 | 49.9 | 33.9 | -32.2 | 35.9 | 27.0 | -24.9 |
| Jharkhand | 50.1 | 34.5 | -31.2 | 52.7 | 36.6 | -30.5 | 33.6 | 23.7 | -29.7 |
| Karnataka | 50.2 | 29.3 | -41.8 | 56.5 | 31.7 | -43.8 | 33.7 | 23.8 | -29.3 |
| Kerala | 12.5 | 11.9 | -4.5 | 13.4 | 13.3 | -0.4 | 10.4 | 9.8 | -5.3 |
| Madhya Pradesh | 78.9 | 51.9 | -34.2 | 83.4 | 55.9 | -32.9 | 54.9 | 35.4 | -35.6 |
| Maharashtra | 37.8 | 22.3 | -41.1 | 43.8 | 27.2 | -37.9 | 28.7 | 14.7 | -48.8 |
| Odisha | 78.5 | 48.7 | -37.9 | 81.2 | 50.6 | -37.8 | 56.0 | 36.5 | -34.9 |
| Punjab | 46.1 | 24.2 | -47.5 | 50.5 | 26.1 | -48.3 | 35.6 | 21.3 | -40.2 |
| Rajasthan | 70.0 | 45.4 | -35.2 | 75.5 | 50.3 | -33.4 | 45.8 | 27.9 | -39.2 |
| Tamil Nadu | 40.3 | 19.9 | -50.5 | 44.0 | 23.1 | -47.6 | 33.4 | 16.2 | -51.4 |
| Uttar Pradesh | 73.7 | 48.0 | -34.9 | 77.0 | 50.8 | -34.0 | 53.8 | 37.1 | -31.1 |
| Uttarakhand | 41.7 | 33.0 | -20.8 | 58.4 | 32.2 | -44.9 | 20.7 | 33.7 | 62.8 |
| West Bengal | 41.5 | 28.4 | -31.6 | 43.4 | 29.6 | -31.7 | 32.4 | 24.7 | -23.9 |

* Andhra Pradesh includes Telangana.


Chart 86: Average Infant mortality rate between 2003-05 & 2013-15, India and bigger States/UTs, 2015
90.0
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
2003-05
2013-15


Chart 87: Average Infant mortality rate between 2003-05 & 2013-15, India and bigger States/UTs -RURAL
90.0
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
-
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
2003-05
2013-15




Chart 88: Average Infant mortality rate between 2003-05 & 2013-15,
India and bigger States/UTs - URBAN
60.0
50.0
40.0
30.0
20.0
10.0
-
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
2003-05
2013-15

**Chart 89: Per cent change in average Infant mortality rates between 2003-05 and 2013-15, India and bigger States/UTs**





**4.13** Statement 48 given below presents the neo-natal (less than 29 days) mortality rate and the percentage of neo-natal deaths to infant deaths for the year 2015 both at the National and State levels. At the National level, the neo-natal mortality rate is 25 and ranges from 15 in urban areas to 29 in rural areas. Among the bigger States/UTs, neo-natal mortality ranges from 35 in Odisha to 6 in Kerala. The percentage of neo-natal deaths to total infant deaths is 67.8 per cent at the National level and varies from 59.8 per cent in urban areas to 69.6 per cent in rural areas. Among the bigger States/UTs, Uttarakhand 80.9 registered the highest percentage of neo-natal deaths to infant deaths and the lowest in Kerala 52.1.


**Statement 48**

**Neo-Natal Mortality Rates and percentage share of Neo-Natal Deaths to Infant Deaths by residence, India and bigger States, 2015**

| India and Bigger States/UTs | Neo-natal mortality rate | | | Percentage of Neo-natal death to Infant deaths | | |
|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **25** | **29** | **15** | **67.8** | **69.6** | **59.8** |
| Andhra Pradesh | 24 | 29 | 12 | 65.5 | 70.7 | 44.6 |
| Assam | 25 | 26 | 14 | 52.9 | 52.7 | 55.6 |
| Bihar | 28 | 29 | 20 | 67.0 | 69.7 | 44.9 |
| Chhattisgarh | 27 | 28 | 21 | 65.7 | 65.7 | 65.6 |
| Delhi | 14 | 20 | 13 | 75.4 | 71.4 | 75.6 |
| Gujarat | 23 | 29 | 15 | 70.5 | 70.3 | 71.0 |
| Haryana | 24 | 26 | 19 | 65.7 | 67.2 | 61.6 |
| Himachal Pradesh | 19 | 19 | 14 | 69.1 | 68.8 | 78.2 |
| Jammu & Kashmir | 20 | 21 | 16 | 76.2 | 78.2 | 65.6 |
| Jharkhand | 23 | 25 | 15 | 72.1 | 72.7 | 68.0 |
| Karnataka | 19 | 24 | 11 | 69.2 | 78.1 | 48.6 |
| Kerala | 6 | 8 | 4 | 52.1 | 63.8 | 37.2 |
| Madhya Pradesh | 34 | 37 | 21 | 68.1 | 69.1 | 62.2 |
| Maharashtra | 15 | 19 | 10 | 71.3 | 72.8 | 67.3 |
| Odisha | 35 | 36 | 25 | 74.9 | 75.4 | 69.7 |
| Punjab | 13 | 14 | 13 | 59.2 | 56.6 | 64.1 |
| Rajasthan | 30 | 34 | 15 | 69.8 | 71.7 | 58.0 |
| Tamil Nadu | 14 | 17 | 10 | 73.2 | 78.7 | 65.9 |
| Telangana | 23 | 27 | 17 | 69.1 | 72.1 | 62.1 |
| Uttar Pradesh | 31 | 34 | 20 | 67.0 | 69.2 | 56.5 |
| Uttarakhand | 28 | 24 | 37 | 80.9 | 79.5 | 83.6 |
| West Bengal | 18 | 18 | 15 | 67.5 | 68.6 | 63.2 |


Chart 90: Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2015
90
80
70
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttaranchal
West Bengal
Neo-natal mortality rate
NNDs as percentage of IDs


Chart 91: Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2015 - RURAL
90
80
70
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttaranchal
West Bengal
Neo-natal mortality rate
NNDs as percentage of IDs



Chart 92: Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2015 - URBAN
90
80
70
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttaranchal
West Bengal
Neo-natal mortality rate
NNDs as percentage of IDs


**4.14** Early neo-natal mortality rate i.e. number of infant deaths less than seven days of life per thousand live births forms an important component of infant mortality rate and more specifically of the neo-natal mortality rate. Statement 49 given below presents the early neo-natal mortality rate along with the percentage of early neo-natal deaths to the total infant deaths. At the National level, the early neo-natal mortality rate for the year 2015 has been estimated at 19 and ranges from 22 in rural areas to 11 in urban areas. Among the bigger States/UTs, Kerala 4 and Madhya Pradesh, Odisha and Uttar Pradesh with 25 are the extremes. The percentage of early neo-natal deaths to the total infant deaths during the year 2015, at the National level, has been 52.2 and it varies from 54.2 in rural areas to 43.4 in urban areas. In this indicator, in most of the States, rural proportion is relatively higher than the urban proportion except for Chhattisgarh, Delhi, Gujarat, Madhya Pradesh, Punjab, and Uttarakhand. Among the bigger States/UTs the percentage for total, varies from 36.1 in Punjab to 69.3 in Jammu & Kashmir.


**Statement 49**

**Early Neo-Natal Mortality rates and percentage share of Early Neo-Natal Deaths to Infant Deaths by residence, India and bigger States/UTs, 2015**

| India and Bigger States/UTs | Early neo-natal mortality rate | | | Percentage of Early neo-natal deaths to Infant deaths | | |
|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **19** | **22** | **11** | 52.2 | 54.2 | 43.4 |
| Andhra Pradesh | 20 | 24 | 8 | 53.7 | 59.1 | 31.9 |
| Assam | 19 | 20 | 8 | 40.8 | 41.1 | 34.1 |
| Bihar | 23 | 24 | 15 | 53.2 | 55.6 | 33.6 |
| Chhattisgarh | 21 | 22 | 18 | 53.0 | 52.3 | 56.8 |
| Delhi | 9 | 12 | 9 | 51.2 | 42.9 | 51.6 |
| Gujarat | 18 | 22 | 12 | 54.0 | 53.1 | 56.8 |
| Haryana | 16 | 19 | 11 | 45.1 | 47.5 | 38.0 |
| Himachal Pradesh | 12 | 13 | 7 | 44.4 | 44.5 | 41.8 |
| Jammu & Kashmir | 18 | 18 | 13 | 67.2 | 69.3 | 55.8 |
| Jharkhand | 19 | 22 | 9 | 59.8 | 62.4 | 42.8 |
| Karnataka | 15 | 19 | 8 | 52.8 | 61.6 | 32.5 |
| Kerala | 4 | 6 | 3 | 37.7 | 47.9 | 24.8 |
| Madhya Pradesh | 25 | 27 | 17 | 49.8 | 49.7 | 50.5 |
| Maharashtra | 11 | 14 | 7 | 52.1 | 53.4 | 48.9 |
| Odisha | 25 | 26 | 18 | 53.5 | 53.8 | 50.1 |
| Punjab | 9 | 9 | 9 | 39.7 | 36.1 | 46.4 |
| Rajasthan | 23 | 26 | 12 | 53.5 | 54.7 | 46.2 |
| Tamil Nadu | 10 | 13 | 7 | 52.7 | 59.5 | 43.7 |
| Telangana | 17 | 22 | 10 | 51.9 | 57.9 | 37.9 |
| Uttar Pradesh | 25 | 27 | 14 | 53.9 | 56.7 | 39.7 |
| Uttarakhand | 22 | 20 | 29 | 64.4 | 63.7 | 65.8 |
| West Bengal | 14 | 14 | 12 | 52.5 | 53.2 | 49.6 |


Chart 93: Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2015
80
70
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttaranchal
West Bengal
Early Neo-Natal mortality rate
Early neo-natal deaths as Percentage infant deaths


Chart 94: Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2015 - RURAL
80
70
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttaranchal
West Bengal
Early Neo-Natal mortality rate
Early neo-natal deaths as Percentage infant deaths



Chart 95: Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2015 - URBAN
70
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttaranchal
West Bengal
Early Neo-Natal mortality rate
Early neo-natal deaths as Percentage infant deaths


**4.15** Statement 50 given below presents the peri-natal mortality rate and still birth rate for the year 2015, by residence, for India and bigger States/UTs. Peri-natal mortality rate (PMR) is defined as the number of still births and infant deaths of less than 7 days per one thousand live births (LB) and still births (SB) taken together during the year. The still birth rate (SBR) is estimated as the ratio of the number of still births per one thousand live births (LB) and still births (SB) during the year. At the National level, peri-natal mortality rate has been estimated to be 23 and ranges from 26 in rural areas to 15 in urban areas. Among the bigger States/UTs, Kerala (9) and Uttarakhand (39) are the two extremes. The estimate of still birth rate for the year 2015, at the National level is 4. Among the bigger States/UTs, the highest level of still birth rate has been estimated for Himachal Pradesh and Uttarakhand (17) and the lowest for Bihar, Delhi & Jharkhand (0). Still births are extremely difficult to capture and there is a room for considerable improvement in netting the events.

**Statement 50**

**Peri-Natal Mortality Rates and Still Birth Rates by residence, India and bigger States/UTs, 2015**

| India and | Peri-natal mortality rate | | | Still birth rate | | |
|---|---|---|---|---|---|---|
| Bigger States/UTs | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **23** | **26** | **15** | **4** | **4** | **4** |
| Andhra Pradesh | 23 | 27 | 13 | 3 | 2 | 4 |
| Assam | 24 | 25 | 10 | 5 | 5 | 2 |
| Bihar | 24 | 24 | 20 | 1 | 0 | 5 |
| Chhattisgarh | 30 | 30 | 26 | 8 | 8 | 9 |
| Delhi | 20 | 12 | 20 | 11 | 0 | 11 |
| Gujarat | 21 | 26 | 14 | 3 | 4 | 2 |
| Haryana | 24 | 25 | 23 | 8 | 6 | 12 |
| Himachal Pradesh | 29 | 30 | 10 | 17 | 18 | 2 |
| Jammu & Kashmir | 20 | 20 | 21 | 3 | 2 | 7 |
| Jharkhand | 20 | 22 | 11 | 1 | 0 | 2 |
| Karnataka | 19 | 23 | 10 | 4 | 5 | 3 |
| Kerala | 9 | 9 | 9 | 5 | 3 | 6 |
| Madhya Pradesh | 29 | 30 | 25 | 5 | 4 | 8 |
| Maharashtra | 15 | 18 | 10 | 4 | 4 | 4 |
| Odisha | 33 | 34 | 28 | 9 | 9 | 10 |
| Punjab | 14 | 13 | 15 | 5 | 4 | 6 |
| Rajasthan | 28 | 30 | 18 | 5 | 4 | 6 |
| Tamil Nadu | 12 | 16 | 9 | 2 | 3 | 2 |
| Telangana | 19 | 23 | 10 | 1 | 2 | 0 |
| Uttar Pradesh | 27 | 30 | 17 | 2 | 2 | 2 |
| Uttarakhand | 39 | 37 | 44 | 17 | 18 | 16 |
| West Bengal | 16 | 17 | 13 | 2 | 3 | 1 |


Chart 96: Perinatal mortality rates, India & bigger States/UTs, 2015
50
45
40
35
30
25
20
15
10
5
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttaranchal
West Bengal
Total
Rural
Urban



Chart 97: Still birth rates , India & bigger States/UTs, 2015
20
18
16
14
12
10
8
6
4
2
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttaranchal
West Bengal
Total
Rural
Urban

**4.16** Percent share of deaths to children below age five to total deaths by residence for India and bigger States/UTs is shown below in Statement 51. At the National level, such percentage is 13.4 and it varies from 15.0 in rural areas to 8.9 in urban areas. Among the bigger States/UTs, the variation is from 2.9 in Kerala to 22.4 in Bihar. In rural areas, it varies from 3.1 in Kerala to 22.9 in Bihar, and in urban areas, it is 2.6 in Kerala to 18.8 in Bihar.

**Statement 51**

**Percentage of Deaths in the age group 0-4 years to total Deaths by residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **13.4** | **15.0** | **8.9** |
| Andhra Pradesh | 9.2 | 9.1 | 9.2 |
| Assam | 18.4 | 19.7 | 7.9 |
| Bihar | 22.4 | 22.9 | 18.8 |
| Chhattisgarh | 14.4 | 15.1 | 11.3 |
| Delhi | 9.3 | 11.3 | 9.2 |
| Gujarat | 12.7 | 15.9 | 8.2 |
| Haryana | 14.5 | 16.2 | 11.2 |
| Himachal Pradesh | 11.0 | 11.2 | 6.8 |
| Jammu & Kashmir | 9.1 | 10.0 | 6.0 |
| Jharkhand | 15.3 | 16.8 | 9.8 |
| Karnataka | 8.3 | 8.4 | 8.2 |
| Kerala | 2.9 | 3.1 | 2.6 |
| Madhya Pradesh | 20.0 | 21.7 | 13.8 |
| Maharashtra | 6.6 | 7.4 | 5.0 |
| Odisha | 13.6 | 14.5 | 8.4 |
| Punjab | 6.4 | 6.7 | 5.9 |
| Rajasthan | 18.3 | 19.8 | 12.5 |
| Tamil Nadu | 4.4 | 5.0 | 3.7 |
| Telangana | 9.3 | 9.1 | 9.7 |
| Uttar Pradesh | 18.4 | 19.1 | 15.4 |
| Uttarakhand | 11.0 | 9.7 | 15.0 |
| West Bengal | 7.7 | 9.2 | 4.7 |



Chart 98: Pecentage of deaths in the age group 0-4 years to total deaths, India and bigger States/UTs, 2015
25.0
20.0
15.0
10.0
5.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Rural
Urban


**4.17** The death rates for children below age 5 by residence are given below in Statement 52 separately for males and females. At the National level, child mortality rate is estimated at 10.2 and it varies from 11.5 in rural areas to 6.6 in urban areas. Among the bigger States/UTs, this varies from 2.7 in Kerala to 15.3 in Madhya Pradesh. The female children have higher death rates than male children in all States except in Gujarat, Himachal Pradesh, Madhya Pradesh and Odisha.


**Statement 52**

**Estimated Death Rates for Children aged 0-4 years by sex and residence India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **10.2** | **9.8** | **10.6** | **11.5** | **11.2** | **11.9** | **6.6** | **6.1** | **7.0** |
| Andhra Pradesh | 10.4 | 10.1 | 10.8 | 11.5 | 11.2 | 11.7 | 7.7 | 7.1 | 8.3 |
| Assam | 13.9 | 13.3 | 14.5 | 15.0 | 14.4 | 15.8 | 5.4 | 5.4 | 5.5 |
| Bihar | 11.8 | 11.1 | 12.6 | 11.9 | 11.4 | 12.5 | 10.7 | 8.9 | 12.9 |
| Chhattisgarh | 11.4 | 11.1 | 11.7 | 12.3 | 11.7 | 12.9 | 8.0 | 9.0 | 6.7 |
| Delhi | 4.3 | 4.0 | 4.7 | 6.5 | 7.2 | 5.8 | 4.2 | 3.9 | 4.7 |
| Gujarat | 9.6 | 9.8 | 9.4 | 12.0 | 12.8 | 11.0 | 6.2 | 5.5 | 7.0 |
| Haryana | 10.3 | 9.8 | 10.8 | 11.2 | 10.7 | 12.0 | 8.2 | 8.1 | 8.4 |
| Himachal Pradesh | 10.4 | 13.3 | 7.3 | 10.8 | 13.8 | 7.6 | 4.8 | 6.7 | 2.8 |
| Jammu & Kashmir | 6.4 | 5.6 | 7.3 | 6.7 | 5.7 | 7.9 | 4.9 | 5.2 | 4.6 |
| Jharkhand | 9.3 | 8.5 | 10.1 | 9.9 | 9.0 | 11.0 | 6.4 | 6.6 | 6.1 |
| Karnataka | 7.0 | 6.7 | 7.3 | 8.0 | 7.5 | 8.5 | 5.4 | 5.5 | 5.2 |
| Kerala | 2.7 | 2.5 | 2.8 | 2.8 | 2.4 | 3.3 | 2.5 | 2.6 | 2.3 |
| Madhya Pradesh | 15.3 | 15.7 | 14.7 | 17.0 | 17.8 | 16.0 | 9.7 | 9.1 | 10.2 |
| Maharashtra | 4.7 | 4.2 | 5.2 | 5.5 | 4.8 | 6.4 | 3.2 | 3.1 | 3.3 |
| Odisha | 12.8 | 12.9 | 12.7 | 13.9 | 13.9 | 13.9 | 7.0 | 7.9 | 6.1 |
| Punjab | 6.0 | 5.9 | 6.1 | 6.7 | 6.8 | 6.6 | 4.8 | 4.4 | 5.3 |
| Rajasthan | 11.8 | 11.1 | 12.7 | 12.9 | 11.9 | 14.0 | 8.0 | 7.9 | 8.0 |
| Tamil Nadu | 4.3 | 4.2 | 4.5 | 5.2 | 5.1 | 5.2 | 3.4 | 3.2 | 3.7 |
| Telangana | 9.4 | 9.2 | 9.5 | 11.6 | 11.8 | 11.4 | 6.5 | 6.2 | 6.8 |
| Uttar Pradesh | 14.3 | 13.6 | 15.3 | 14.9 | 14.4 | 15.5 | 12.0 | 10.0 | 14.3 |
| Uttarakhand | 6.4 | 6.3 | 6.6 | 6.0 | 5.6 | 6.4 | 7.6 | 8.0 | 7.1 |
| West Bengal | 6.1 | 5.8 | 6.4 | 6.5 | 6.2 | 6.9 | 4.8 | 4.6 | 5.0 |


Chart 99: Estimated death rate for children age 0-4 years by sex, India and bigger States/UTs, 2015
18.0
16.0
14.0
12.0
10.0
8.0
6.0
4.0
2.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female


Chart 100: Estimated death rate for children age0-4 years by sex, India and bigger States/UTs, 2015 - RURAL
20.0
18.0
16.0
14.0
12.0
10.0
8.0
6.0
4.0
2.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female



Chart 101: Estimated death rate for children age0-4 years by sex, India and bigger States/UTs, 2015 - URBAN
16.0
14.0
12.0
10.0
8.0
6.0
4.0
2.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female


**4.18** The Under-five mortality rates by residence are given below in Statement 53 separately for males and females. At the National level, under-five mortality rate is estimated at 43 and it varies from 48 in rural areas to 28 in urban areas. Among the bigger States/UTs, it varies from 13 in Kerala to 62 in Assam. All the bigger States/UTs have higher Under-five mortality rates of female than that of male except Himachal Pradesh, Madhya Pradesh, Odisha and Punjab.


**Statement 53**

**Under-Five Mortality Rates (U5MR) by sex and residence, India and bigger States/UTs, 2015**

| India & bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **43** | **40** | **45** | **48** | **46** | **50** | **28** | **26** | **31** |
| Andhra Pradesh | 39 | 37 | 42 | 43 | 42 | 44 | 29 | 25 | 35 |
| Assam | 62 | 58 | 66 | 65 | 62 | 70 | 27 | 25 | 29 |
| Bihar | 48 | 43 | 54 | 48 | 43 | 54 | 47 | 40 | 56 |
| Chhattisgarh | 48 | 45 | 51 | 51 | 47 | 55 | 35 | 36 | 34 |
| Delhi | 20 | 18 | 23 | 27 | 27 | 28 | 20 | 18 | 22 |
| Gujarat | 39 | 38 | 41 | 47 | 49 | 45 | 26 | 21 | 33 |
| Haryana | 43 | 41 | 46 | 47 | 44 | 51 | 36 | 34 | 37 |
| Himachal Pradesh | 33 | 34 | 32 | 33 | 34 | 32 | 26 | 34 | 16 |
| Jammu & Kashmir | 28 | 25 | 31 | 28 | 25 | 32 | 24 | 25 | 24 |
| Jharkhand | 39 | 35 | 44 | 43 | 38 | 48 | 26 | 25 | 26 |
| Karnataka | 31 | 31 | 32 | 35 | 34 | 35 | 25 | 25 | 26 |
| Kerala | 13 | 12 | 14 | 14 | 12 | 16 | 11 | 12 | 11 |
| Madhya Pradesh | 62 | 63 | 61 | 67 | 68 | 65 | 43 | 43 | 43 |
| Maharashtra | 24 | 21 | 26 | 29 | 26 | 33 | 15 | 15 | 16 |
| Odisha | 56 | 56 | 55 | 59 | 59 | 59 | 37 | 41 | 34 |
| Punjab | 27 | 27 | 26 | 30 | 31 | 29 | 21 | 21 | 22 |
| Rajasthan | 50 | 44 | 56 | 55 | 49 | 62 | 31 | 29 | 33 |
| Tamil Nadu | 20 | 20 | 21 | 25 | 25 | 25 | 16 | 15 | 18 |
| Telangana | 34 | 33 | 35 | 37 | 38 | 37 | 28 | 26 | 30 |
| Uttar Pradesh | 51 | 49 | 53 | 54 | 52 | 56 | 40 | 37 | 42 |
| Uttarakhand | 38 | 36 | 41 | 35 | 32 | 39 | 47 | 48 | 47 |
| West Bengal | 30 | 28 | 31 | 31 | 29 | 33 | 26 | 26 | 26 |


Chart 102: Under-five Mortality Rates (U5MR) by sex , India & bigger States/UTs, 2015
70
60
50
40
30
20
10
-
India
Andhra pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female


Chart 103: Under-five Mortality Rates (U5MR) by sex , India & bigger States/UT, 2015- RURAL
80
70
60
50
40
30
20
10
0
India
Andhra pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female



Chart 104: Under-five Mortality Rates (U5MR) by sex , India & bigger States/UT, 2015 - URBAN
60
50
40
30
20
10
0
India
Andhra pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female


**4.19** Death rates for children in the age group 5-14 are given below in Statement 54. As revealed by the data, at the National level, the death rate in this age group is estimated to be 0.7. Rural-urban differentials exist with the urban areas registering lower death rates as compared to that in rural areas in majority of the States. Among the bigger States/UTs, the lowest death rate in this age group is registered in Delhi 0.2 and the highest in Assam 1.2.


**Statement 54**

**Death Rates for Children age 5-14 years by sex and residence**
**India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **0.7** | **0.7** | **0.7** | **0.7** | **0.7** | **0.6** | **0.8** | **0.8** | **0.7** |
| Andhra Pradesh | 0.5 | 0.4 | 0.5 | 0.6 | 0.5 | 0.7 | 0.2 | 0.2 | 0.2 |
| Assam | 1.2 | 1.1 | 1.2 | 1.3 | 1.3 | 1.3 | 0.2 | 0.2 | 0.3 |
| Bihar | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.6 | 0.6 | 0.7 |
| Chhattisgarh | 0.5 | 0.7 | 0.3 | 0.5 | 0.6 | 0.3 | 0.6 | 1.0 | 0.2 |
| Delhi | 0.2 | 0.3 | 0.0 | 0.4 | 0.7 | 0.0 | 0.1 | 0.3 | 0.0 |
| Gujarat | 0.8 | 0.8 | 0.7 | 0.7 | 0.6 | 0.9 | 0.8 | 1.1 | 0.5 |
| Haryana | 0.4 | 0.6 | 0.2 | 0.4 | 0.4 | 0.3 | 0.5 | 0.9 | 0.0 |
| Himachal Pradesh | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.4 | 0.0 | 0.0 | 0.0 |
| Jammu & Kashmir | 0.5 | 0.4 | 0.6 | 0.6 | 0.4 | 0.7 | 0.0 | 0.1 | 0.0 |
| Jharkhand | 0.7 | 0.7 | 0.7 | 0.7 | 0.8 | 0.6 | 0.7 | 0.5 | 0.9 |
| Karnataka | 0.7 | 0.9 | 0.6 | 0.5 | 0.6 | 0.4 | 1.1 | 1.4 | 0.9 |
| Kerala | 0.3 | 0.4 | 0.3 | 0.3 | 0.5 | 0.1 | 0.4 | 0.2 | 0.5 |
| Madhya Pradesh | 0.9 | 0.9 | 0.9 | 1.0 | 1.0 | 1.1 | 0.4 | 0.6 | 0.3 |
| Maharashtra | 0.7 | 0.8 | 0.5 | 0.4 | 0.6 | 0.2 | 1.1 | 1.2 | 1.0 |
| Odisha | 1.0 | 1.2 | 0.9 | 1.1 | 1.3 | 0.8 | 0.7 | 0.5 | 1.0 |
| Punjab | 0.6 | 0.4 | 0.9 | 0.4 | 0.6 | 0.1 | 1.0 | 0.2 | 2.0 |
| Rajasthan | 0.6 | 0.7 | 0.4 | 0.5 | 0.7 | 0.3 | 0.8 | 0.8 | 0.8 |
| Tamil Nadu | 0.8 | 0.7 | 0.9 | 0.4 | 0.5 | 0.3 | 1.2 | 1.0 | 1.4 |
| Telangana | 0.4 | 0.5 | 0.4 | 0.5 | 0.5 | 0.6 | 0.3 | 0.5 | 0.2 |
| Uttar Pradesh | 0.8 | 0.8 | 0.8 | 0.8 | 0.7 | 0.8 | 0.9 | 0.8 | 1.1 |
| Uttarakhand | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 |
| West Bengal | 0.5 | 0.4 | 0.6 | 0.5 | 0.4 | 0.5 | 0.6 | 0.5 | 0.7 |


Chart 105: Death rates for children aged 5-14 years by sex, India and bigger States/UT, 2015
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female


Chart 106: Death rates for children aged 5-14 years by sex, India and bigger States/UT, 2015 - RURAL
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female



Chart 107: Death rates for children aged 5-14 years by sex, India and bigger States/UT, 2015 - URBAN
2.5
2.0
1.5
1.0
0.5
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female


**4.20** Death rates in the age group 15-59, by sex and residence, are given below in Statement 55. At the National level, death rate in this age group is estimated to be 3.1 and it varies from 3.6 in rural areas to 2.7 in urban areas. The female death rate is lower than that of males in all States except in Bihar.


**Statement 55**

**Death Rates for persons age 15-59 years by sex and residence**
**India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **3.1** | **3.6** | **2.7** | **3.5** | **3.9** | **3.0** | **2.5** | **3.1** | **1.9** |
| Andhra Pradesh | 3.7 | 4.4 | 3.0 | 4.2 | 4.8 | 3.5 | 2.6 | 3.5 | 1.6 |
| Assam | 3.2 | 4.0 | 2.4 | 3.3 | 4.1 | 2.5 | 2.8 | 3.6 | 1.9 |
| Bihar | 2.6 | 2.5 | 2.6 | 2.6 | 2.5 | 2.7 | 2.4 | 2.7 | 2.0 |
| Chhattisgarh | 3.7 | 4.3 | 3.1 | 4.2 | 4.7 | 3.6 | 2.5 | 3.2 | 1.8 |
| Delhi | 1.9 | 2.1 | 1.6 | 2.0 | 2.7 | 1.2 | 1.9 | 2.1 | 1.6 |
| Gujarat | 3.1 | 3.6 | 2.6 | 3.2 | 3.8 | 2.6 | 3.0 | 3.4 | 2.5 |
| Haryana | 3.0 | 4.0 | 1.8 | 3.4 | 4.3 | 2.2 | 2.4 | 3.4 | 1.2 |
| Himachal Pradesh | 2.5 | 3.5 | 1.5 | 2.6 | 3.6 | 1.6 | 1.9 | 2.5 | 1.3 |
| Jammu & Kashmir | 2.4 | 2.9 | 1.7 | 2.4 | 2.9 | 1.9 | 2.2 | 3.0 | 1.2 |
| Jharkhand | 2.7 | 3.0 | 2.5 | 2.9 | 3.0 | 2.7 | 2.4 | 2.8 | 1.9 |
| Karnataka | 3.3 | 3.7 | 2.8 | 3.9 | 4.5 | 3.3 | 2.3 | 2.6 | 1.9 |
| Kerala | 2.6 | 3.3 | 2.0 | 3.0 | 3.9 | 2.2 | 2.2 | 2.8 | 1.8 |
| Madhya Pradesh | 3.6 | 4.1 | 3.0 | 3.8 | 4.4 | 3.3 | 3.0 | 3.5 | 2.5 |
| Maharashtra | 2.9 | 3.4 | 2.4 | 3.6 | 4.0 | 3.1 | 2.2 | 2.7 | 1.6 |
| Odisha | 3.5 | 4.0 | 2.9 | 3.7 | 4.2 | 3.1 | 2.7 | 3.3 | 2.0 |
| Punjab | 3.2 | 3.9 | 2.4 | 3.6 | 4.2 | 2.9 | 2.6 | 3.5 | 1.6 |
| Rajasthan | 3.0 | 3.5 | 2.4 | 3.2 | 3.9 | 2.6 | 2.3 | 2.7 | 1.8 |
| Tamil Nadu | 3.2 | 4.0 | 2.4 | 3.6 | 4.2 | 3.0 | 2.9 | 3.9 | 1.9 |
| Telangana | 3.3 | 3.6 | 2.9 | 3.9 | 4.2 | 3.6 | 2.3 | 2.7 | 1.8 |
| Uttar Pradesh | 3.5 | 3.7 | 3.3 | 3.9 | 4.0 | 3.7 | 2.6 | 3.0 | 2.2 |
| Uttarakhand | 3.3 | 4.2 | 2.3 | 3.5 | 4.6 | 2.4 | 2.7 | 3.4 | 1.9 |
| West Bengal | 2.8 | 3.2 | 2.4 | 2.9 | 3.3 | 2.5 | 2.6 | 3.0 | 2.1 |


Chart 108: Death rates for Persons aged 15-59 years by sex, India and bigger States/UT, 2015
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female


Chart 109: Death rates for Persons aged 15-59 years by sex, India and bigger States/UT, 2015 - RURAL
6.0
5.0
4.0
3.0
2.0
1.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female



Chart 110: Death rates for Persons aged 15-59 years by sex, India and bigger States/UT, 2015 -URBAN
4.5
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female


**4.21** Death rates for persons aged 60 years and above by sex and residence are given below in Statement 56. At the National level, death rate in this age group is estimated to be 42.3 and males have higher mortality rate 44.7 than females 39.8. This difference exists in both rural and urban areas. The death rate for this age group, among the bigger States/UTs varies from 28.1 in Delhi to 55.0 in Chhattisgarh.


**Statement 56**

**Death Rates for persons age 60 years and above by sex and residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **42.3** | **44.7** | **39.8** | **44.9** | **48.2** | **41.7** | **36.8** | **37.8** | **35.8** |
| Andhra Pradesh | 39.0 | 40.2 | 37.7 | 40.9 | 43.8 | 37.6 | 33.2 | 28.7 | 38.2 |
| Assam | 51.1 | 52.1 | 49.9 | 55.8 | 58.0 | 53.2 | 31.4 | 28.8 | 34.8 |
| Bihar | 46.5 | 41.5 | 52.1 | 49.6 | 44.0 | 55.8 | 30.7 | 29.5 | 32.2 |
| Chhattisgarh | 55.0 | 60.2 | 50.5 | 56.9 | 61.8 | 52.6 | 48.2 | 54.4 | 42.7 |
| Delhi | 28.1 | 30.7 | 25.5 | 35.7 | 33.1 | 38.4 | 27.9 | 30.6 | 25.2 |
| Gujarat | 36.7 | 41.4 | 32.5 | 36.9 | 45.1 | 29.6 | 36.6 | 36.6 | 36.5 |
| Haryana | 41.7 | 43.2 | 40.1 | 39.3 | 41.9 | 36.6 | 46.2 | 45.6 | 47.0 |
| Himachal Pradesh | 37.1 | 43.8 | 30.9 | 37.7 | 45.0 | 31.0 | 28.7 | 27.2 | 30.4 |
| Jammu & Kashmir | 28.8 | 34.7 | 22.6 | 31.0 | 38.1 | 23.4 | 23.5 | 26.1 | 20.8 |
| Jharkhand | 45.8 | 44.1 | 47.7 | 48.9 | 46.9 | 51.0 | 37.2 | 36.3 | 38.1 |
| Karnataka | 45.5 | 48.7 | 42.5 | 49.9 | 54.9 | 45.1 | 37.7 | 37.7 | 37.7 |
| Kerala | 35.4 | 42.2 | 29.8 | 34.2 | 41.2 | 28.3 | 36.7 | 43.3 | 31.4 |
| Madhya Pradesh | 50.1 | 54.2 | 46.0 | 52.9 | 58.0 | 47.8 | 42.6 | 44.2 | 40.9 |
| Maharashtra | 36.3 | 37.2 | 35.4 | 37.2 | 36.4 | 38.0 | 34.8 | 38.5 | 30.8 |
| Odisha | 42.4 | 46.4 | 38.3 | 42.2 | 47.1 | 36.9 | 44.0 | 42.1 | 45.9 |
| Punjab | 33.9 | 35.3 | 32.5 | 35.6 | 37.0 | 34.2 | 31.1 | 32.5 | 29.6 |
| Rajasthan | 42.8 | 50.5 | 36.0 | 44.2 | 54.1 | 35.5 | 39.0 | 40.5 | 37.6 |
| Tamil Nadu | 39.4 | 43.6 | 35.3 | 43.6 | 50.1 | 37.4 | 35.2 | 37.3 | 33.1 |
| Telangana | 42.1 | 45.2 | 38.8 | 40.9 | 46.2 | 35.4 | 45.4 | 43.0 | 48.3 |
| Uttar Pradesh | 49.7 | 52.7 | 46.6 | 51.8 | 55.4 | 48.2 | 43.0 | 44.4 | 41.5 |
| Uttarakhand | 40.3 | 46.4 | 34.8 | 40.9 | 48.2 | 34.6 | 38.1 | 40.9 | 35.1 |
| West Bengal | 39.1 | 40.0 | 38.1 | 41.8 | 44.7 | 38.9 | 35.0 | 33.6 | 36.7 |


Chart 111: Death rates for Persons aged 60 years and above by sex, India and bigger States/UT, 2015
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female


Chart 112: Death rates for Persons aged 60 years and above by sex, India and bigger States/UT, 2015 - RURAL
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female


Chart 113: Death rates for Persons aged 60 years and above by sex, India and bigger States/UT, 2015 - URBAN
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Total
Male
Female


**Medical attention before death**


**4.22** The type of medical attention received before death is also collected in the SRS. In the new samples from 2004 onwards, the options on types of medical attention received before death have been modified to capture the deaths occurred specifically at private hospital/nursing homes. The options include 'Government Hospital', 'Private Hospital', 'Qualified professional', 'Untrained functionary' and 'others'. The options for the sample based on 1991 sample were 'Institutional'; 'Medical attentions other than institution'; and 'No medical attention'**.** Statement 57 given below presents the percentage distribution of deaths by type of medical attention received before death for India and bigger States/UTs separately for rural and urban areas for the year 2015. At the National level, 27.5 per cent of the deaths occurred at Government Hospitals and varies from 25.0 per cent in rural areas to 34.0 per cent in urban areas. Among the bigger States/UTs, Himachal Pradesh 51.3 has the highest percentage of deaths in Government Hospitals in Jharkhand (18.1) the lowest. Deaths in private hospitals account for 16.9 per cent and it varies from 10.5 per cent in West Bengal to 35.3 per cent in Kerala. About 20.7 per cent deaths were attended by untrained functionaries and others.


**Statement 57**

**Percent distribution of deaths by Type of Medical Attention received before death by residence, India and bigger States/UTs, 2015**

| India and bigger States/UTs | Government Hospital | | | Private Hospital | | | Qualified professional | | | Untrained functionary & others | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **27.5** | **25.0** | **34.0** | **16.9** | **14.6** | **23.1** | **34.9** | **35.6** | **32.9** | **20.7** | **24.7** | **9.4** |
| Andhra Pradesh | 24.3 | 22.3 | 29.8 | 21.0 | 18.9 | 26.8 | 33.2 | 33.2 | 33.2 | 21.4 | 25.6 | 10.2 |
| Assam | 18.9 | 17.6 | 27.0 | 13.9 | 13.7 | 14.9 | 53.4 | 53.5 | 52.8 | 13.8 | 15.2 | 5.3 |
| Bihar | 18.3 | 17.5 | 25.1 | 10.7 | 9.2 | 21.4 | 42.7 | 42.9 | 41.7 | 28.2 | 30.4 | 11.8 |
| Chhattisgarh | 23.6 | 20.3 | 39.8 | 13.2 | 12.0 | 19.0 | 28.9 | 29.0 | 28.7 | 34.3 | 38.7 | 12.5 |
| Delhi | 48.3 | 24.2 | 48.8 | 15.8 | 15.1 | 15.8 | 23.9 | 45.1 | 23.5 | 12.0 | 15.6 | 11.9 |
| Gujarat | 24.5 | 19.7 | 32.9 | 18.2 | 14.9 | 24.0 | 47.1 | 50.0 | 42.0 | 10.1 | 15.4 | 1.1 |
| Haryana | 18.9 | 18.3 | 20.0 | 15.3 | 14.6 | 16.8 | 52.1 | 53.1 | 50.1 | 13.7 | 14.0 | 13.1 |
| Himachal Pradesh | 51.3 | 51.9 | 40.5 | 14.0 | 13.3 | 26.2 | 30.5 | 31.0 | 22.0 | 4.2 | 3.8 | 11.3 |
| Jammu & Kashmir | 43.4 | 36.6 | 60.3 | 10.9 | 10.0 | 13.0 | 33.3 | 36.2 | 26.3 | 12.4 | 17.2 | 0.4 |
| Jharkhand | 18.1 | 15.7 | 33.8 | 13.3 | 11.7 | 23.7 | 32.7 | 32.3 | 35.0 | 35.9 | 40.3 | 7.5 |
| Karnataka | 29.3 | 26.6 | 37.9 | 17.5 | 15.1 | 25.2 | 16.5 | 18.5 | 10.2 | 36.6 | 39.8 | 26.7 |
| Kerala | 41.3 | 44.8 | 37.8 | 35.3 | 38.7 | 31.9 | 16.4 | 7.4 | 25.2 | 7.1 | 9.1 | 5.1 |
| Madhya Pradesh | 35.9 | 32.9 | 45.7 | 17.7 | 15.5 | 24.7 | 27.2 | 27.2 | 27.0 | 19.2 | 24.4 | 2.6 |
| Maharashtra | 28.9 | 25.9 | 35.4 | 18.0 | 15.1 | 24.2 | 38.8 | 41.1 | 33.9 | 14.3 | 17.9 | 6.5 |
| Odisha | 28.4 | 27.4 | 35.6 | 16.2 | 15.9 | 18.5 | 14.8 | 14.5 | 17.0 | 40.6 | 42.2 | 28.9 |
| Punjab | 18.3 | 18.3 | 18.4 | 34.5 | 29.6 | 44.2 | 45.7 | 50.1 | 37.1 | 1.4 | 2.0 | 0.3 |
| Rajasthan | 30.9 | 29.6 | 35.4 | 11.7 | 10.4 | 16.1 | 38.1 | 37.5 | 40.1 | 19.3 | 22.5 | 8.4 |
| Tamil Nadu | 23.7 | 20.1 | 28.3 | 19.2 | 14.0 | 25.8 | 22.1 | 21.4 | 23.0 | 34.9 | 44.5 | 22.9 |
| Telangana | 22.3 | 20.8 | 27.9 | 19.1 | 17.1 | 26.2 | 34.9 | 35.1 | 34.3 | 23.7 | 27.0 | 11.6 |
| Uttar Pradesh | 26.8 | 26.9 | 26.5 | 18.7 | 16.9 | 26.8 | 43.2 | 43.4 | 42.3 | 11.3 | 12.8 | 4.4 |
| Uttarakhand | 30.1 | 30.2 | 29.6 | 21.3 | 20.2 | 24.7 | 38.6 | 38.2 | 39.8 | 10.1 | 11.4 | 5.9 |
| West Bengal | 31.4 | 26.3 | 40.6 | 10.5 | 7.2 | 16.5 | 43.0 | 43.5 | 42.1 | 15.1 | 23.0 | 0.8 |


Chart 114: Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UT, 2015
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Govt. Hospital
Private Hospital
Qualified professional
Untrained functionary & Others


Chart 115: Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UT, 2015 - RURAL
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Govt. Hospital
Private Hospital
Qualified professional
Untrained functionary & Others


Chart 116: Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UT, 2015 - URBAN
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Govt. Hospital
Private Hospital
Qualified professional
Untrained functionary & Others

# DETAILED TABLES

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2015**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **India** | | | | | |
| 0-4 | 8.6 | 8.8 | 8.4 | 9.2 | 9.4 | 9.0 | 7.3 | 7.5 | 7.1 |
| 5-9 | 9.0 | 9.2 | 8.8 | 9.5 | 9.6 | 9.3 | 8.0 | 8.2 | 7.9 |
| 10-14 | 9.7 | 9.9 | 9.5 | 10.2 | 10.4 | 10.0 | 8.6 | 8.8 | 8.4 |
| 15-19 | 10.2 | 10.5 | 9.9 | 10.7 | 11.0 | 10.4 | 9.1 | 9.3 | 8.9 |
| 20-24 | 10.4 | 10.1 | 10.7 | 10.6 | 10.3 | 10.8 | 10.1 | 9.7 | 10.5 |
| 25-29 | 9.6 | 9.5 | 9.8 | 9.3 | 9.2 | 9.3 | 10.3 | 9.9 | 10.7 |
| 30-34 | 7.9 | 8.0 | 7.9 | 7.5 | 7.5 | 7.4 | 8.9 | 8.9 | 8.9 |
| 35-39 | 7.0 | 6.9 | 7.1 | 6.7 | 6.5 | 6.8 | 7.7 | 7.7 | 7.8 |
| 40-44 | 6.1 | 6.1 | 6.0 | 5.8 | 5.8 | 5.7 | 6.8 | 6.9 | 6.7 |
| 45-49 | 5.3 | 5.3 | 5.3 | 5.1 | 5.1 | 5.1 | 5.8 | 5.8 | 5.8 |
| 50-54 | 4.3 | 4.3 | 4.2 | 4.0 | 4.1 | 3.8 | 5.0 | 5.0 | 5.1 |
| 55-59 | 3.6 | 3.4 | 3.8 | 3.4 | 3.1 | 3.7 | 4.0 | 4.0 | 3.9 |
| 60-64 | 3.1 | 3.0 | 3.1 | 3.0 | 2.9 | 3.0 | 3.2 | 3.3 | 3.2 |
| 65-69 | 2.2 | 2.1 | 2.2 | 2.2 | 2.1 | 2.2 | 2.2 | 2.1 | 2.2 |
| 70-74 | 1.5 | 1.4 | 1.5 | 1.5 | 1.4 | 1.6 | 1.4 | 1.4 | 1.5 |
| 75-79 | 0.9 | 0.8 | 0.9 | 0.9 | 0.8 | 1.0 | 0.8 | 0.8 | 0.9 |
| 80-84 | 0.5 | 0.4 | 0.5 | 0.4 | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 |
| 85+ | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2015**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Andhra Pradesh** | | | | | |
| 0-4 | 6.2 | 6.2 | 6.2 | 6.3 | 6.3 | 6.4 | 5.9 | 6.1 | 5.8 |
| 5-9 | 7.2 | 7.3 | 7.2 | 7.2 | 7.3 | 7.2 | 7.2 | 7.2 | 7.2 |
| 10-14 | 7.5 | 7.6 | 7.4 | 7.4 | 7.5 | 7.2 | 7.8 | 7.8 | 7.7 |
| 15-19 | 8.4 | 8.7 | 8.1 | 8.4 | 8.7 | 8.1 | 8.4 | 8.5 | 8.3 |
| 20-24 | 9.9 | 9.6 | 10.2 | 10.0 | 9.9 | 10.1 | 9.7 | 8.9 | 10.5 |
| 25-29 | 10.2 | 9.8 | 10.8 | 10.0 | 9.6 | 10.5 | 10.8 | 10.2 | 11.4 |
| 30-34 | 8.7 | 8.6 | 8.8 | 8.4 | 8.3 | 8.5 | 9.3 | 9.1 | 9.4 |
| 35-39 | 8.5 | 8.4 | 8.6 | 8.3 | 8.1 | 8.6 | 9.0 | 9.1 | 8.9 |
| 40-44 | 7.2 | 7.4 | 6.9 | 7.0 | 7.3 | 6.8 | 7.4 | 7.8 | 7.0 |
| 45-49 | 6.1 | 6.4 | 5.8 | 6.1 | 6.4 | 5.9 | 6.1 | 6.6 | 5.6 |
| 50-54 | 5.7 | 5.3 | 6.1 | 5.6 | 5.1 | 6.0 | 5.9 | 5.6 | 6.2 |
| 55-59 | 4.6 | 4.6 | 4.5 | 4.7 | 4.6 | 4.7 | 4.4 | 4.7 | 4.1 |
| 60-64 | 3.7 | 3.6 | 3.7 | 3.8 | 3.8 | 3.8 | 3.3 | 3.3 | 3.2 |
| 65-69 | 2.7 | 2.9 | 2.5 | 2.9 | 3.1 | 2.7 | 2.3 | 2.4 | 2.1 |
| 70-74 | 1.8 | 1.9 | 1.6 | 2.0 | 2.1 | 1.8 | 1.3 | 1.3 | 1.2 |
| 75-79 | 0.9 | 0.9 | 0.8 | 0.9 | 1.0 | 0.9 | 0.7 | 0.8 | 0.7 |
| 80-84 | 0.5 | 0.4 | 0.5 | 0.5 | 0.5 | 0.6 | 0.3 | 0.3 | 0.4 |
| 85+ | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.1 | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Assam** | | | | | |
| 0-4 | 9.4 | 9.6 | 9.1 | 9.7 | 10.0 | 9.5 | 7.5 | 7.6 | 7.3 |
| 5-9 | 9.2 | 9.2 | 9.1 | 9.6 | 9.6 | 9.5 | 6.9 | 6.8 | 6.9 |
| 10-14 | 10.2 | 10.3 | 10.2 | 10.8 | 10.8 | 10.7 | 7.2 | 7.3 | 7.1 |
| 15-19 | 9.9 | 9.9 | 9.8 | 10.2 | 10.2 | 10.1 | 8.1 | 8.1 | 8.1 |
| 20-24 | 10.6 | 9.9 | 11.4 | 10.8 | 10.1 | 11.7 | 9.3 | 8.8 | 9.8 |
| 25-29 | 9.3 | 8.9 | 9.8 | 9.2 | 8.7 | 9.6 | 10.1 | 9.5 | 10.8 |
| 30-34 | 8.6 | 8.4 | 8.8 | 8.4 | 8.2 | 8.7 | 9.3 | 9.3 | 9.3 |
| 35-39 | 7.0 | 7.0 | 7.0 | 6.7 | 6.8 | 6.7 | 8.6 | 8.6 | 8.7 |
| 40-44 | 6.4 | 6.7 | 6.2 | 6.3 | 6.5 | 6.0 | 7.2 | 7.3 | 7.0 |
| 45-49 | 5.1 | 5.5 | 4.7 | 4.9 | 5.3 | 4.4 | 6.5 | 6.5 | 6.5 |
| 50-54 | 4.1 | 4.3 | 3.8 | 3.8 | 4.1 | 3.4 | 5.9 | 5.6 | 6.3 |
| 55-59 | 3.5 | 3.4 | 3.6 | 3.2 | 3.0 | 3.4 | 4.9 | 5.3 | 4.4 |
| 60-64 | 2.5 | 2.6 | 2.4 | 2.4 | 2.4 | 2.3 | 3.4 | 3.8 | 3.1 |
| 65-69 | 1.8 | 1.9 | 1.8 | 1.7 | 1.7 | 1.7 | 2.3 | 2.5 | 2.1 |
| 70-74 | 1.1 | 1.2 | 1.0 | 1.1 | 1.1 | 1.0 | 1.4 | 1.6 | 1.2 |
| 75-79 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.8 | 0.8 | 0.7 |
| 80-84 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.4 |
| 85+ | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2015**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Bihar** | | | | | |
| 0-4 | 11.7 | 12.0 | 11.5 | 12.2 | 12.4 | 11.9 | 9.0 | 9.3 | 8.7 |
| 5-9 | 11.1 | 11.2 | 11.0 | 11.3 | 11.4 | 11.2 | 10.1 | 10.2 | 10.0 |
| 10-14 | 12.0 | 12.0 | 12.0 | 12.1 | 12.2 | 12.1 | 11.1 | 11.1 | 11.1 |
| 15-19 | 12.0 | 12.1 | 11.9 | 12.2 | 12.4 | 12.1 | 10.5 | 10.5 | 10.6 |
| 20-24 | 10.0 | 9.8 | 10.2 | 9.9 | 9.7 | 10.1 | 10.6 | 10.6 | 10.7 |
| 25-29 | 8.7 | 8.6 | 8.9 | 8.7 | 8.6 | 8.9 | 8.8 | 8.6 | 9.0 |
| 30-34 | 6.6 | 6.5 | 6.7 | 6.5 | 6.4 | 6.6 | 7.4 | 7.2 | 7.5 |
| 35-39 | 6.0 | 5.9 | 6.1 | 6.0 | 5.9 | 6.1 | 6.1 | 6.0 | 6.3 |
| 40-44 | 4.8 | 4.8 | 4.9 | 4.7 | 4.6 | 4.8 | 5.8 | 6.1 | 5.6 |
| 45-49 | 4.3 | 4.3 | 4.4 | 4.3 | 4.3 | 4.3 | 4.6 | 4.4 | 4.8 |
| 50-54 | 3.1 | 3.1 | 3.0 | 3.0 | 3.1 | 2.8 | 3.9 | 3.6 | 4.2 |
| 55-59 | 2.8 | 2.7 | 2.8 | 2.6 | 2.5 | 2.7 | 3.7 | 3.9 | 3.5 |
| 60-64 | 2.5 | 2.6 | 2.5 | 2.4 | 2.4 | 2.4 | 3.2 | 3.2 | 3.2 |
| 65-69 | 1.8 | 1.9 | 1.8 | 1.8 | 1.8 | 1.7 | 2.2 | 2.4 | 2.0 |
| 70-74 | 1.2 | 1.2 | 1.2 | 1.1 | 1.1 | 1.2 | 1.4 | 1.5 | 1.3 |
| 75-79 | 0.7 | 0.8 | 0.7 | 0.7 | 0.8 | 0.7 | 0.7 | 0.7 | 0.6 |
| 80-84 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.5 | 0.5 | 0.5 |
| 85+ | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Chhattisgarh** | | | | | |
| 0-4 | 9.5 | 9.5 | 9.4 | 9.9 | 9.9 | 9.9 | 7.9 | 8.2 | 7.7 |
| 5-9 | 9.7 | 9.8 | 9.7 | 10.0 | 10.1 | 10.0 | 8.9 | 9.1 | 8.7 |
| 10-14 | 10.0 | 10.0 | 10.0 | 10.3 | 10.3 | 10.4 | 9.0 | 9.1 | 8.8 |
| 15-19 | 9.9 | 10.3 | 9.5 | 9.9 | 10.4 | 9.4 | 9.8 | 10.0 | 9.6 |
| 20-24 | 10.7 | 10.5 | 10.9 | 10.7 | 10.5 | 11.0 | 10.6 | 10.5 | 10.8 |
| 25-29 | 9.1 | 9.2 | 9.1 | 8.9 | 8.9 | 8.8 | 9.9 | 9.8 | 9.9 |
| 30-34 | 7.6 | 7.9 | 7.3 | 7.4 | 7.8 | 6.9 | 8.3 | 8.1 | 8.6 |
| 35-39 | 7.3 | 7.1 | 7.4 | 7.1 | 6.9 | 7.3 | 7.9 | 7.8 | 8.0 |
| 40-44 | 6.1 | 6.3 | 6.0 | 5.9 | 6.0 | 5.7 | 7.0 | 7.1 | 6.9 |
| 45-49 | 5.7 | 5.6 | 5.9 | 5.5 | 5.4 | 5.7 | 6.4 | 6.2 | 6.5 |
| 50-54 | 4.0 | 4.4 | 3.7 | 3.9 | 4.2 | 3.6 | 4.6 | 4.9 | 4.2 |
| 55-59 | 3.2 | 2.9 | 3.4 | 3.1 | 2.8 | 3.4 | 3.3 | 3.3 | 3.2 |
| 60-64 | 2.7 | 2.7 | 2.7 | 2.7 | 2.9 | 2.6 | 2.5 | 2.3 | 2.8 |
| 65-69 | 2.1 | 1.9 | 2.3 | 2.2 | 2.0 | 2.4 | 1.9 | 1.8 | 2.1 |
| 70-74 | 1.3 | 1.0 | 1.5 | 1.3 | 1.0 | 1.6 | 1.1 | 1.1 | 1.2 |
| 75-79 | 0.7 | 0.6 | 0.7 | 0.7 | 0.6 | 0.8 | 0.5 | 0.5 | 0.5 |
| 80-84 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 |
| 85+ | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2015**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Delhi** | | | | | |
| 0-4 | 7.7 | 7.7 | 7.7 | 7.5 | 6.9 | 8.3 | 7.7 | 7.7 | 7.7 |
| 5-9 | 8.9 | 8.9 | 8.9 | 8.7 | 8.9 | 8.6 | 8.9 | 8.9 | 8.9 |
| 10-14 | 9.5 | 9.4 | 9.6 | 9.0 | 9.3 | 8.7 | 9.5 | 9.4 | 9.6 |
| 15-19 | 9.5 | 10.0 | 8.9 | 9.2 | 9.9 | 8.3 | 9.5 | 10.0 | 8.9 |
| 20-24 | 10.3 | 10.0 | 10.6 | 12.3 | 13.0 | 11.4 | 10.2 | 9.9 | 10.6 |
| 25-29 | 11.2 | 10.9 | 11.6 | 13.3 | 12.9 | 13.8 | 11.1 | 10.8 | 11.5 |
| 30-34 | 9.4 | 9.4 | 9.4 | 9.0 | 8.5 | 9.7 | 9.4 | 9.4 | 9.4 |
| 35-39 | 7.7 | 7.7 | 7.8 | 7.5 | 7.9 | 7.0 | 7.8 | 7.7 | 7.8 |
| 40-44 | 6.6 | 6.8 | 6.2 | 5.4 | 5.3 | 5.7 | 6.6 | 6.9 | 6.3 |
| 45-49 | 5.1 | 5.4 | 4.9 | 4.4 | 4.3 | 4.5 | 5.2 | 5.4 | 4.9 |
| 50-54 | 4.1 | 4.1 | 4.1 | 3.7 | 4.1 | 3.1 | 4.1 | 4.1 | 4.1 |
| 55-59 | 3.2 | 3.3 | 3.0 | 3.3 | 3.2 | 3.4 | 3.1 | 3.3 | 3.0 |
| 60-64 | 2.7 | 2.7 | 2.8 | 2.7 | 2.6 | 2.9 | 2.7 | 2.7 | 2.8 |
| 65-69 | 1.9 | 1.8 | 2.0 | 1.6 | 1.4 | 1.7 | 1.9 | 1.8 | 2.0 |
| 70-74 | 1.1 | 1.1 | 1.2 | 1.0 | 1.0 | 1.1 | 1.2 | 1.1 | 1.2 |
| 75-79 | 0.6 | 0.6 | 0.7 | 0.6 | 0.4 | 0.8 | 0.6 | 0.6 | 0.7 |
| 80-84 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 | 0.3 | 0.3 | 0.4 |
| 85+ | 0.2 | 0.1 | 0.3 | 0.3 | 0.2 | 0.5 | 0.2 | 0.1 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Gujarat** | | | | | |
| 0-4 | 8.1 | 8.3 | 7.8 | 8.6 | 8.9 | 8.3 | 7.4 | 7.5 | 7.2 |
| 5-9 | 8.7 | 9.0 | 8.5 | 9.2 | 9.4 | 9.0 | 8.2 | 8.5 | 7.8 |
| 10-14 | 9.4 | 9.8 | 9.1 | 10.1 | 10.3 | 9.8 | 8.7 | 9.0 | 8.2 |
| 15-19 | 9.4 | 9.7 | 9.1 | 10.0 | 10.4 | 9.5 | 8.7 | 8.8 | 8.6 |
| 20-24 | 10.1 | 9.8 | 10.4 | 10.2 | 9.8 | 10.6 | 9.9 | 9.8 | 10.1 |
| 25-29 | 9.8 | 9.8 | 9.9 | 9.2 | 9.2 | 9.2 | 10.6 | 10.5 | 10.8 |
| 30-34 | 8.5 | 8.8 | 8.1 | 7.7 | 8.1 | 7.3 | 9.5 | 9.8 | 9.2 |
| 35-39 | 7.1 | 7.0 | 7.3 | 6.7 | 6.6 | 6.8 | 7.7 | 7.5 | 7.8 |
| 40-44 | 6.4 | 6.5 | 6.3 | 6.1 | 6.2 | 6.0 | 6.8 | 6.9 | 6.7 |
| 45-49 | 5.6 | 5.4 | 5.7 | 5.4 | 5.3 | 5.5 | 5.8 | 5.6 | 6.0 |
| 50-54 | 4.6 | 4.6 | 4.6 | 4.4 | 4.4 | 4.4 | 4.8 | 4.8 | 4.7 |
| 55-59 | 3.7 | 3.5 | 3.9 | 3.6 | 3.3 | 3.9 | 3.8 | 3.7 | 3.9 |
| 60-64 | 3.2 | 3.0 | 3.4 | 3.3 | 3.1 | 3.6 | 3.1 | 2.9 | 3.2 |
| 65-69 | 2.2 | 2.1 | 2.4 | 2.3 | 2.2 | 2.5 | 2.0 | 1.9 | 2.2 |
| 70-74 | 1.5 | 1.4 | 1.6 | 1.6 | 1.4 | 1.7 | 1.4 | 1.3 | 1.5 |
| 75-79 | 0.9 | 0.8 | 1.1 | 0.9 | 0.8 | 1.1 | 0.9 | 0.8 | 1.1 |
| 80-84 | 0.4 | 0.4 | 0.5 | 0.4 | 0.3 | 0.5 | 0.5 | 0.4 | 0.5 |
| 85+ | 0.3 | 0.2 | 0.4 | 0.3 | 0.2 | 0.4 | 0.3 | 0.1 | 0.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2015**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Haryana** | | | | | |
| 0-4 | 8.6 | 8.9 | 8.3 | 9.0 | 9.4 | 8.6 | 7.8 | 8.0 | 7.6 |
| 5-9 | 9.1 | 9.4 | 8.7 | 9.2 | 9.5 | 9.0 | 8.8 | 9.4 | 8.2 |
| 10-14 | 9.5 | 10.0 | 8.9 | 9.7 | 10.2 | 9.1 | 9.0 | 9.5 | 8.4 |
| 15-19 | 10.1 | 10.7 | 9.5 | 10.4 | 11.0 | 9.8 | 9.6 | 10.1 | 9.0 |
| 20-24 | 11.3 | 10.8 | 12.0 | 11.6 | 11.0 | 12.2 | 10.9 | 10.5 | 11.5 |
| 25-29 | 10.1 | 10.3 | 10.0 | 9.9 | 10.1 | 9.6 | 10.7 | 10.6 | 10.7 |
| 30-34 | 7.8 | 7.9 | 7.6 | 7.6 | 7.8 | 7.4 | 8.1 | 8.2 | 8.0 |
| 35-39 | 7.0 | 6.7 | 7.3 | 6.9 | 6.7 | 7.1 | 7.1 | 6.8 | 7.6 |
| 40-44 | 6.2 | 6.1 | 6.5 | 6.1 | 5.9 | 6.3 | 6.6 | 6.3 | 6.8 |
| 45-49 | 5.2 | 5.1 | 5.4 | 5.0 | 5.0 | 5.1 | 5.6 | 5.5 | 5.8 |
| 50-54 | 4.1 | 4.1 | 4.2 | 3.8 | 3.7 | 3.9 | 4.7 | 4.7 | 4.8 |
| 55-59 | 3.2 | 2.9 | 3.6 | 3.0 | 2.6 | 3.5 | 3.6 | 3.5 | 3.8 |
| 60-64 | 2.7 | 2.6 | 2.8 | 2.6 | 2.5 | 2.7 | 2.8 | 2.8 | 2.8 |
| 65-69 | 1.9 | 1.7 | 2.1 | 1.9 | 1.7 | 2.1 | 2.0 | 1.8 | 2.1 |
| 70-74 | 1.4 | 1.3 | 1.5 | 1.5 | 1.3 | 1.6 | 1.2 | 1.2 | 1.3 |
| 75-79 | 0.9 | 0.8 | 1.0 | 1.0 | 0.9 | 1.1 | 0.7 | 0.7 | 0.8 |
| 80-84 | 0.5 | 0.4 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | 0.5 |
| 85+ | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.2 | 0.1 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Himachal Pradesh** | | | | | |
| 0-4 | 6.9 | 7.2 | 6.7 | 7.0 | 7.3 | 6.8 | 5.8 | 5.9 | 5.8 |
| 5-9 | 7.8 | 8.3 | 7.3 | 7.9 | 8.4 | 7.3 | 7.1 | 7.1 | 7.2 |
| 10-14 | 8.5 | 9.0 | 8.0 | 8.5 | 9.0 | 8.0 | 8.3 | 8.5 | 8.1 |
| 15-19 | 8.0 | 8.4 | 7.5 | 7.9 | 8.4 | 7.4 | 8.7 | 8.5 | 8.9 |
| 20-24 | 9.4 | 8.5 | 10.4 | 9.4 | 8.4 | 10.5 | 8.9 | 8.9 | 9.0 |
| 25-29 | 9.6 | 9.2 | 10.0 | 9.7 | 9.3 | 10.1 | 8.9 | 8.4 | 9.4 |
| 30-34 | 8.2 | 8.0 | 8.3 | 8.1 | 8.0 | 8.2 | 8.9 | 8.6 | 9.3 |
| 35-39 | 7.6 | 7.4 | 7.7 | 7.5 | 7.3 | 7.6 | 8.6 | 8.1 | 9.1 |
| 40-44 | 6.8 | 6.9 | 6.8 | 6.7 | 6.8 | 6.6 | 8.2 | 8.2 | 8.3 |
| 45-49 | 5.7 | 5.8 | 5.5 | 5.6 | 5.7 | 5.5 | 6.7 | 7.3 | 6.0 |
| 50-54 | 5.6 | 5.7 | 5.5 | 5.5 | 5.6 | 5.5 | 6.2 | 6.8 | 5.7 |
| 55-59 | 4.7 | 4.7 | 4.7 | 4.8 | 4.7 | 4.8 | 4.6 | 4.9 | 4.3 |
| 60-64 | 3.7 | 3.8 | 3.6 | 3.8 | 3.9 | 3.7 | 3.1 | 3.2 | 2.9 |
| 65-69 | 2.7 | 2.7 | 2.8 | 2.8 | 2.7 | 2.8 | 2.3 | 2.3 | 2.3 |
| 70-74 | 1.9 | 1.9 | 2.0 | 2.0 | 1.9 | 2.1 | 1.5 | 1.6 | 1.5 |
| 75-79 | 1.2 | 1.2 | 1.3 | 1.3 | 1.2 | 1.3 | 1.0 | 1.0 | 1.0 |
| 80-84 | 0.9 | 0.8 | 1.0 | 0.9 | 0.8 | 1.0 | 0.6 | 0.5 | 0.7 |
| 85+ | 0.6 | 0.5 | 0.7 | 0.7 | 0.6 | 0.8 | 0.4 | 0.3 | 0.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2015**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Jammu & Kashmir** | | | | | |
| 0-4 | 7.0 | 7.2 | 6.8 | 7.6 | 7.7 | 7.3 | 5.3 | 5.5 | 5.1 |
| 5-9 | 7.5 | 7.7 | 7.2 | 8.0 | 8.2 | 7.8 | 5.9 | 6.1 | 5.6 |
| 10-14 | 7.9 | 8.2 | 7.7 | 8.4 | 8.7 | 8.2 | 6.5 | 6.8 | 6.2 |
| 15-19 | 9.8 | 9.9 | 9.6 | 10.3 | 10.4 | 10.2 | 8.2 | 8.5 | 7.9 |
| 20-24 | 11.5 | 11.2 | 11.7 | 11.8 | 11.5 | 12.1 | 10.5 | 10.4 | 10.6 |
| 25-29 | 11.5 | 10.9 | 12.1 | 11.3 | 10.8 | 11.9 | 12.0 | 11.2 | 12.8 |
| 30-34 | 8.4 | 8.3 | 8.5 | 8.0 | 8.0 | 8.1 | 9.3 | 9.1 | 9.5 |
| 35-39 | 7.1 | 7.0 | 7.2 | 6.9 | 6.8 | 7.0 | 7.9 | 7.8 | 8.0 |
| 40-44 | 5.9 | 6.0 | 5.8 | 5.6 | 5.7 | 5.6 | 6.7 | 6.9 | 6.5 |
| 45-49 | 5.8 | 5.8 | 5.9 | 5.5 | 5.5 | 5.5 | 6.8 | 6.6 | 7.0 |
| 50-54 | 4.4 | 4.6 | 4.2 | 4.1 | 4.3 | 3.8 | 5.3 | 5.4 | 5.2 |
| 55-59 | 3.6 | 3.8 | 3.4 | 3.3 | 3.5 | 3.1 | 4.5 | 4.8 | 4.2 |
| 60-64 | 3.4 | 3.2 | 3.7 | 3.2 | 3.0 | 3.5 | 3.9 | 3.8 | 4.1 |
| 65-69 | 2.3 | 2.4 | 2.3 | 2.2 | 2.3 | 2.1 | 2.8 | 2.9 | 2.6 |
| 70-74 | 1.6 | 1.6 | 1.6 | 1.5 | 1.6 | 1.5 | 2.0 | 1.9 | 2.1 |
| 75-79 | 1.1 | 1.1 | 1.1 | 1.0 | 1.0 | 1.1 | 1.3 | 1.3 | 1.3 |
| 80-84 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.6 | 0.8 |
| 85+ | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 | 0.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Jharkhand** | | | | | |
| 0-4 | 9.7 | 9.8 | 9.5 | 10.4 | 10.6 | 10.2 | 7.5 | 7.5 | 7.5 |
| 5-9 | 9.9 | 10.1 | 9.7 | 10.2 | 10.4 | 10.0 | 8.9 | 9.1 | 8.6 |
| 10-14 | 11.0 | 11.1 | 10.9 | 11.4 | 11.6 | 11.2 | 9.7 | 9.5 | 9.9 |
| 15-19 | 11.7 | 12.0 | 11.4 | 12.2 | 12.5 | 11.9 | 10.2 | 10.6 | 9.7 |
| 20-24 | 10.3 | 10.0 | 10.6 | 10.3 | 10.1 | 10.5 | 10.4 | 10.0 | 10.9 |
| 25-29 | 9.3 | 9.0 | 9.6 | 9.0 | 8.6 | 9.3 | 10.3 | 10.0 | 10.6 |
| 30-34 | 7.7 | 7.8 | 7.6 | 7.3 | 7.4 | 7.3 | 8.8 | 8.9 | 8.7 |
| 35-39 | 6.7 | 6.6 | 6.7 | 6.4 | 6.4 | 6.5 | 7.5 | 7.4 | 7.6 |
| 40-44 | 5.6 | 5.6 | 5.7 | 5.4 | 5.3 | 5.5 | 6.4 | 6.5 | 6.4 |
| 45-49 | 5.0 | 4.9 | 5.0 | 4.8 | 4.7 | 4.9 | 5.6 | 5.6 | 5.5 |
| 50-54 | 3.5 | 3.9 | 3.1 | 3.3 | 3.7 | 2.8 | 4.2 | 4.4 | 4.0 |
| 55-59 | 2.9 | 2.6 | 3.3 | 2.8 | 2.3 | 3.3 | 3.4 | 3.4 | 3.4 |
| 60-64 | 2.6 | 2.6 | 2.6 | 2.5 | 2.5 | 2.5 | 2.8 | 2.7 | 2.9 |
| 65-69 | 1.8 | 1.8 | 1.8 | 1.8 | 1.7 | 1.8 | 2.0 | 2.2 | 1.8 |
| 70-74 | 1.3 | 1.2 | 1.3 | 1.3 | 1.2 | 1.3 | 1.3 | 1.2 | 1.3 |
| 75-79 | 0.6 | 0.5 | 0.6 | 0.5 | 0.5 | 0.6 | 0.7 | 0.6 | 0.7 |
| 80-84 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 85+ | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2015**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Karnataka** | | | | | |
| 0-4 | 7.9 | 8.1 | 7.7 | 8.1 | 8.2 | 7.9 | 7.7 | 7.9 | 7.4 |
| 5-9 | 8.3 | 8.5 | 8.1 | 8.4 | 8.6 | 8.2 | 8.1 | 8.2 | 8.0 |
| 10-14 | 8.4 | 8.7 | 8.0 | 8.4 | 8.7 | 8.0 | 8.4 | 8.8 | 7.9 |
| 15-19 | 9.1 | 9.4 | 8.8 | 9.4 | 9.8 | 9.1 | 8.5 | 8.8 | 8.3 |
| 20-24 | 10.6 | 10.1 | 11.0 | 10.9 | 10.7 | 11.1 | 10.1 | 9.3 | 10.9 |
| 25-29 | 10.4 | 10.2 | 10.6 | 10.2 | 10.2 | 10.1 | 10.8 | 10.3 | 11.2 |
| 30-34 | 8.7 | 8.9 | 8.5 | 8.3 | 8.4 | 8.1 | 9.3 | 9.5 | 9.1 |
| 35-39 | 7.2 | 7.2 | 7.3 | 6.9 | 6.7 | 7.0 | 7.8 | 8.0 | 7.7 |
| 40-44 | 6.8 | 6.7 | 6.8 | 6.6 | 6.4 | 6.7 | 7.1 | 7.1 | 7.0 |
| 45-49 | 5.7 | 5.6 | 5.7 | 5.6 | 5.4 | 5.8 | 5.8 | 5.9 | 5.6 |
| 50-54 | 4.9 | 5.1 | 4.6 | 4.8 | 5.1 | 4.5 | 5.0 | 5.1 | 4.8 |
| 55-59 | 3.9 | 3.6 | 4.1 | 3.9 | 3.5 | 4.2 | 3.8 | 3.8 | 3.9 |
| 60-64 | 3.1 | 3.1 | 3.2 | 3.2 | 3.1 | 3.4 | 3.0 | 3.1 | 3.0 |
| 65-69 | 2.3 | 2.2 | 2.3 | 2.4 | 2.3 | 2.5 | 2.1 | 2.0 | 2.1 |
| 70-74 | 1.3 | 1.2 | 1.5 | 1.5 | 1.3 | 1.7 | 1.2 | 1.1 | 1.3 |
| 75-79 | 0.9 | 0.8 | 1.1 | 1.1 | 0.9 | 1.2 | 0.7 | 0.7 | 0.8 |
| 80-84 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 | 0.3 | 0.4 |
| 85+ | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Kerala** | | | | | |
| 0-4 | 7.1 | 7.6 | 6.7 | 7.4 | 7.9 | 6.9 | 6.8 | 7.3 | 6.4 |
| 5-9 | 7.1 | 7.6 | 6.7 | 7.2 | 7.6 | 6.8 | 7.1 | 7.6 | 6.6 |
| 10-14 | 8.0 | 8.7 | 7.4 | 8.1 | 8.7 | 7.5 | 8.0 | 8.7 | 7.4 |
| 15-19 | 7.9 | 8.4 | 7.4 | 7.9 | 8.5 | 7.4 | 7.8 | 8.2 | 7.4 |
| 20-24 | 7.7 | 7.7 | 7.6 | 7.7 | 7.7 | 7.6 | 7.7 | 7.8 | 7.6 |
| 25-29 | 7.8 | 7.4 | 8.1 | 7.8 | 7.3 | 8.2 | 7.8 | 7.5 | 8.0 |
| 30-34 | 7.6 | 7.4 | 7.8 | 7.5 | 7.3 | 7.7 | 7.7 | 7.4 | 7.9 |
| 35-39 | 7.5 | 7.2 | 7.8 | 7.4 | 7.0 | 7.7 | 7.6 | 7.3 | 7.8 |
| 40-44 | 7.5 | 7.3 | 7.7 | 7.3 | 7.1 | 7.5 | 7.7 | 7.4 | 7.9 |
| 45-49 | 7.2 | 7.0 | 7.4 | 7.1 | 6.9 | 7.4 | 7.2 | 7.0 | 7.4 |
| 50-54 | 6.2 | 6.2 | 6.1 | 6.0 | 6.1 | 5.9 | 6.3 | 6.3 | 6.3 |
| 55-59 | 5.4 | 5.3 | 5.5 | 5.3 | 5.2 | 5.4 | 5.4 | 5.3 | 5.5 |
| 60-64 | 4.7 | 4.7 | 4.6 | 4.6 | 4.7 | 4.6 | 4.7 | 4.8 | 4.5 |
| 65-69 | 3.2 | 3.1 | 3.3 | 3.2 | 3.2 | 3.2 | 3.2 | 3.0 | 3.4 |
| 70-74 | 2.3 | 2.1 | 2.4 | 2.2 | 2.1 | 2.4 | 2.3 | 2.2 | 2.4 |
| 75-79 | 1.6 | 1.3 | 1.8 | 1.7 | 1.4 | 1.9 | 1.5 | 1.3 | 1.7 |
| 80-84 | 0.9 | 0.7 | 1.0 | 0.9 | 0.8 | 1.1 | 0.8 | 0.6 | 0.9 |
| 85+ | 0.6 | 0.4 | 0.7 | 0.6 | 0.5 | 0.8 | 0.5 | 0.3 | 0.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2015**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| **Madhya Pradesh** | | | | | | | | | |
| 0-4 | 9.9 | 9.9 | 9.9 | 10.4 | 10.4 | 10.4 | 8.5 | 8.7 | 8.3 |
| 5-9 | 9.6 | 9.6 | 9.5 | 9.9 | 9.9 | 9.9 | 8.7 | 8.9 | 8.5 |
| 10-14 | 10.9 | 11.1 | 10.7 | 11.4 | 11.5 | 11.3 | 9.5 | 9.8 | 9.2 |
| 15-19 | 10.6 | 11.1 | 10.2 | 10.8 | 11.3 | 10.3 | 10.2 | 10.5 | 9.8 |
| 20-24 | 11.0 | 10.7 | 11.3 | 11.1 | 10.9 | 11.3 | 10.7 | 10.4 | 11.1 |
| 25-29 | 9.1 | 9.1 | 9.1 | 8.8 | 9.0 | 8.7 | 9.9 | 9.5 | 10.3 |
| 30-34 | 7.8 | 7.8 | 7.7 | 7.4 | 7.5 | 7.3 | 8.7 | 8.8 | 8.7 |
| 35-39 | 6.5 | 6.3 | 6.6 | 6.3 | 6.1 | 6.4 | 7.0 | 6.9 | 7.0 |
| 40-44 | 5.8 | 5.9 | 5.8 | 5.7 | 5.8 | 5.6 | 6.3 | 6.3 | 6.3 |
| 45-49 | 4.6 | 4.6 | 4.6 | 4.4 | 4.4 | 4.3 | 5.3 | 5.2 | 5.5 |
| 50-54 | 3.9 | 4.0 | 3.7 | 3.6 | 3.7 | 3.5 | 4.4 | 4.5 | 4.3 |
| 55-59 | 3.2 | 2.8 | 3.5 | 3.0 | 2.6 | 3.4 | 3.6 | 3.4 | 3.8 |
| 60-64 | 2.7 | 2.7 | 2.6 | 2.7 | 2.7 | 2.6 | 2.7 | 2.7 | 2.7 |
| 65-69 | 1.8 | 1.8 | 1.9 | 1.8 | 1.7 | 1.9 | 1.9 | 1.9 | 1.9 |
| 70-74 | 1.3 | 1.3 | 1.4 | 1.4 | 1.3 | 1.5 | 1.2 | 1.2 | 1.2 |
| 75-79 | 0.8 | 0.7 | 0.8 | 0.8 | 0.7 | 0.9 | 0.7 | 0.7 | 0.7 |
| 80-84 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 |
| 85+ | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Maharashtra** | | | | | | | | | |
| 0-4 | 8.2 | 8.5 | 7.9 | 8.8 | 9.2 | 8.4 | 7.3 | 7.6 | 7.1 |
| 5-9 | 8.2 | 8.4 | 7.9 | 8.6 | 8.9 | 8.3 | 7.6 | 7.8 | 7.4 |
| 10-14 | 9.1 | 9.3 | 8.8 | 9.8 | 10.1 | 9.6 | 8.1 | 8.2 | 7.9 |
| 15-19 | 9.3 | 9.5 | 9.0 | 9.8 | 10.1 | 9.5 | 8.5 | 8.6 | 8.5 |
| 20-24 | 9.9 | 9.7 | 10.1 | 10.0 | 10.0 | 10.1 | 9.8 | 9.4 | 10.2 |
| 25-29 | 9.5 | 9.4 | 9.7 | 8.5 | 8.7 | 8.3 | 10.8 | 10.3 | 11.4 |
| 30-34 | 8.3 | 8.3 | 8.3 | 7.3 | 7.2 | 7.4 | 9.7 | 9.7 | 9.6 |
| 35-39 | 7.5 | 7.5 | 7.5 | 6.8 | 6.7 | 6.9 | 8.4 | 8.6 | 8.2 |
| 40-44 | 6.6 | 6.6 | 6.6 | 6.2 | 6.2 | 6.2 | 7.0 | 7.0 | 7.0 |
| 45-49 | 5.6 | 5.6 | 5.6 | 5.4 | 5.4 | 5.5 | 5.9 | 5.9 | 5.9 |
| 50-54 | 4.7 | 4.7 | 4.7 | 4.5 | 4.5 | 4.6 | 4.9 | 5.0 | 4.8 |
| 55-59 | 4.0 | 3.7 | 4.2 | 3.9 | 3.6 | 4.3 | 4.0 | 4.0 | 4.1 |
| 60-64 | 3.2 | 3.2 | 3.3 | 3.3 | 3.1 | 3.5 | 3.2 | 3.3 | 3.1 |
| 65-69 | 2.4 | 2.3 | 2.5 | 2.7 | 2.5 | 2.9 | 2.1 | 2.1 | 2.0 |
| 70-74 | 1.8 | 1.7 | 1.9 | 2.1 | 1.9 | 2.2 | 1.4 | 1.3 | 1.4 |
| 75-79 | 1.0 | 1.0 | 1.1 | 1.2 | 1.2 | 1.3 | 0.8 | 0.7 | 0.8 |
| 80-84 | 0.5 | 0.5 | 0.5 | 0.6 | 0.6 | 0.6 | 0.4 | 0.4 | 0.4 |
| 85+ | 0.3 | 0.3 | 0.4 | 0.4 | 0.3 | 0.4 | 0.2 | 0.2 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2015**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Odisha** | | | | | |
| 0-4 | 8.1 | 8.2 | 8.0 | 8.2 | 8.3 | 8.2 | 7.5 | 7.7 | 7.3 |
| 5-9 | 8.5 | 8.6 | 8.5 | 8.7 | 8.7 | 8.7 | 7.7 | 7.8 | 7.5 |
| 10-14 | 9.2 | 9.3 | 9.2 | 9.5 | 9.5 | 9.4 | 8.1 | 8.2 | 8.0 |
| 15-19 | 9.7 | 9.6 | 9.8 | 9.9 | 9.8 | 10.0 | 8.9 | 8.7 | 9.0 |
| 20-24 | 10.3 | 9.6 | 10.9 | 10.3 | 9.7 | 11.0 | 9.9 | 9.5 | 10.3 |
| 25-29 | 9.6 | 8.9 | 10.2 | 9.5 | 8.9 | 10.1 | 9.9 | 9.0 | 10.8 |
| 30-34 | 8.3 | 8.2 | 8.4 | 8.2 | 8.1 | 8.2 | 9.0 | 8.7 | 9.2 |
| 35-39 | 6.8 | 6.8 | 6.8 | 6.5 | 6.6 | 6.5 | 8.0 | 8.0 | 8.0 |
| 40-44 | 5.9 | 6.3 | 5.5 | 5.7 | 6.1 | 5.3 | 7.2 | 7.7 | 6.7 |
| 45-49 | 5.2 | 5.4 | 5.0 | 5.1 | 5.2 | 4.9 | 5.8 | 6.3 | 5.4 |
| 50-54 | 4.6 | 4.9 | 4.3 | 4.4 | 4.8 | 4.1 | 5.2 | 5.4 | 5.1 |
| 55-59 | 4.0 | 4.2 | 3.8 | 4.0 | 4.2 | 3.8 | 4.2 | 4.4 | 3.9 |
| 60-64 | 3.8 | 4.0 | 3.5 | 3.9 | 4.1 | 3.6 | 3.3 | 3.5 | 3.1 |
| 65-69 | 2.0 | 2.1 | 2.0 | 2.1 | 2.1 | 2.0 | 1.9 | 2.0 | 1.7 |
| 70-74 | 1.8 | 1.8 | 1.9 | 1.9 | 1.8 | 2.0 | 1.6 | 1.5 | 1.8 |
| 75-79 | 0.9 | 0.8 | 0.9 | 0.9 | 0.8 | 0.9 | 0.8 | 0.8 | 0.8 |
| 80-84 | 0.9 | 0.8 | 0.9 | 0.9 | 0.9 | 0.9 | 0.7 | 0.6 | 0.8 |
| 85+ | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Punjab** | | | | | |
| 0-4 | 6.7 | 6.8 | 6.5 | 6.9 | 7.1 | 6.8 | 6.3 | 6.3 | 6.2 |
| 5-9 | 7.3 | 7.5 | 7.0 | 7.4 | 7.7 | 7.0 | 7.1 | 7.3 | 7.0 |
| 10-14 | 8.1 | 8.6 | 7.6 | 8.1 | 8.5 | 7.5 | 8.2 | 8.6 | 7.8 |
| 15-19 | 9.1 | 9.7 | 8.4 | 9.3 | 10.0 | 8.6 | 8.8 | 9.3 | 8.2 |
| 20-24 | 10.6 | 10.6 | 10.5 | 10.8 | 10.8 | 10.8 | 10.3 | 10.4 | 10.2 |
| 25-29 | 10.5 | 10.3 | 10.7 | 10.2 | 9.9 | 10.5 | 10.8 | 10.7 | 11.0 |
| 30-34 | 8.6 | 8.6 | 8.7 | 8.3 | 8.2 | 8.4 | 9.0 | 9.0 | 9.0 |
| 35-39 | 7.3 | 7.2 | 7.4 | 7.0 | 6.8 | 7.2 | 7.6 | 7.6 | 7.6 |
| 40-44 | 6.5 | 6.3 | 6.7 | 6.3 | 6.1 | 6.5 | 6.7 | 6.6 | 6.9 |
| 45-49 | 5.9 | 5.7 | 6.2 | 5.8 | 5.6 | 6.2 | 6.0 | 5.8 | 6.2 |
| 50-54 | 5.2 | 5.1 | 5.4 | 4.9 | 4.9 | 4.9 | 5.7 | 5.4 | 6.0 |
| 55-59 | 4.1 | 4.2 | 4.0 | 3.9 | 4.0 | 3.8 | 4.3 | 4.4 | 4.2 |
| 60-64 | 3.2 | 3.0 | 3.5 | 3.3 | 3.0 | 3.6 | 3.1 | 3.0 | 3.3 |
| 65-69 | 2.5 | 2.4 | 2.6 | 2.6 | 2.5 | 2.8 | 2.3 | 2.2 | 2.3 |
| 70-74 | 2.0 | 1.9 | 2.1 | 2.1 | 2.0 | 2.3 | 1.8 | 1.7 | 1.9 |
| 75-79 | 1.3 | 1.3 | 1.4 | 1.5 | 1.4 | 1.6 | 1.1 | 1.1 | 1.2 |
| 80-84 | 0.8 | 0.7 | 0.8 | 0.9 | 0.9 | 0.9 | 0.6 | 0.5 | 0.6 |
| 85+ | 0.5 | 0.4 | 0.6 | 0.6 | 0.6 | 0.7 | 0.3 | 0.2 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2015**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Rajasthan** | | | | | |
| 0-4 | 9.7 | 10.1 | 9.4 | 10.3 | 10.7 | 9.8 | 8.2 | 8.4 | 8.0 |
| 5-9 | 10.0 | 10.3 | 9.7 | 10.4 | 10.7 | 10.1 | 8.9 | 9.2 | 8.6 |
| 10-14 | 10.4 | 10.9 | 9.9 | 10.8 | 11.3 | 10.3 | 9.3 | 9.7 | 8.8 |
| 15-19 | 11.1 | 11.5 | 10.7 | 11.5 | 11.9 | 11.1 | 10.0 | 10.3 | 9.7 |
| 20-24 | 11.1 | 10.7 | 11.6 | 11.2 | 10.8 | 11.7 | 10.8 | 10.4 | 11.2 |
| 25-29 | 9.5 | 9.5 | 9.4 | 9.2 | 9.3 | 9.0 | 10.2 | 10.1 | 10.4 |
| 30-34 | 7.7 | 7.8 | 7.6 | 7.4 | 7.5 | 7.3 | 8.5 | 8.6 | 8.4 |
| 35-39 | 6.7 | 6.5 | 6.9 | 6.4 | 6.2 | 6.6 | 7.4 | 7.4 | 7.5 |
| 40-44 | 5.4 | 5.4 | 5.4 | 5.2 | 5.2 | 5.2 | 6.0 | 6.0 | 6.0 |
| 45-49 | 4.7 | 4.5 | 4.8 | 4.4 | 4.4 | 4.5 | 5.3 | 5.1 | 5.6 |
| 50-54 | 3.4 | 3.6 | 3.3 | 3.2 | 3.3 | 3.0 | 4.3 | 4.4 | 4.1 |
| 55-59 | 2.9 | 2.6 | 3.2 | 2.6 | 2.3 | 3.1 | 3.5 | 3.4 | 3.6 |
| 60-64 | 2.7 | 2.6 | 2.8 | 2.7 | 2.6 | 2.8 | 2.8 | 2.7 | 2.8 |
| 65-69 | 1.9 | 1.7 | 2.0 | 1.9 | 1.7 | 2.1 | 1.8 | 1.8 | 1.9 |
| 70-74 | 1.3 | 1.1 | 1.5 | 1.3 | 1.1 | 1.6 | 1.3 | 1.1 | 1.5 |
| 75-79 | 0.8 | 0.7 | 1.0 | 0.8 | 0.7 | 1.0 | 0.9 | 0.8 | 1.0 |
| 80-84 | 0.4 | 0.4 | 0.5 | 0.4 | 0.3 | 0.5 | 0.6 | 0.5 | 0.6 |
| 85+ | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Tamil Nadu** | | | | | |
| 0-4 | 6.9 | 7.0 | 6.7 | 7.3 | 7.5 | 7.1 | 6.4 | 6.5 | 6.4 |
| 5-9 | 7.1 | 7.2 | 7.0 | 7.5 | 7.7 | 7.3 | 6.7 | 6.7 | 6.7 |
| 10-14 | 8.0 | 8.2 | 7.7 | 8.4 | 8.7 | 8.1 | 7.5 | 7.7 | 7.4 |
| 15-19 | 7.9 | 8.2 | 7.6 | 8.1 | 8.6 | 7.6 | 7.7 | 7.8 | 7.5 |
| 20-24 | 9.1 | 8.7 | 9.5 | 9.4 | 9.1 | 9.7 | 8.8 | 8.4 | 9.3 |
| 25-29 | 9.8 | 9.4 | 10.1 | 9.8 | 9.7 | 9.8 | 9.8 | 9.1 | 10.4 |
| 30-34 | 8.9 | 9.1 | 8.7 | 8.2 | 8.5 | 7.9 | 9.5 | 9.7 | 9.4 |
| 35-39 | 8.0 | 7.9 | 8.1 | 7.5 | 7.4 | 7.5 | 8.5 | 8.4 | 8.6 |
| 40-44 | 7.2 | 7.5 | 6.9 | 6.6 | 6.5 | 6.7 | 7.8 | 8.4 | 7.2 |
| 45-49 | 6.2 | 6.4 | 6.0 | 6.3 | 6.2 | 6.4 | 6.1 | 6.6 | 5.7 |
| 50-54 | 5.9 | 5.8 | 6.0 | 5.1 | 5.2 | 5.0 | 6.6 | 6.2 | 6.9 |
| 55-59 | 4.7 | 4.4 | 5.0 | 5.0 | 4.4 | 5.6 | 4.4 | 4.4 | 4.4 |
| 60-64 | 4.0 | 4.0 | 4.0 | 3.8 | 3.7 | 3.9 | 4.1 | 4.2 | 4.0 |
| 65-69 | 2.7 | 2.7 | 2.8 | 3.0 | 2.9 | 3.2 | 2.5 | 2.5 | 2.4 |
| 70-74 | 1.8 | 1.8 | 1.9 | 1.9 | 1.8 | 2.0 | 1.8 | 1.8 | 1.8 |
| 75-79 | 1.1 | 1.0 | 1.1 | 1.2 | 1.2 | 1.3 | 0.9 | 0.9 | 0.9 |
| 80-84 | 0.6 | 0.5 | 0.6 | 0.5 | 0.5 | 0.5 | 0.6 | 0.6 | 0.6 |
| 85+ | 0.3 | 0.3 | 0.4 | 0.4 | 0.3 | 0.4 | 0.3 | 0.2 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2015**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Telengana** | | | | | |
| 0-4 | 6.5 | 6.7 | 6.2 | 5.9 | 6.0 | 5.7 | 7.4 | 7.9 | 6.9 |
| 5-9 | 7.6 | 7.7 | 7.4 | 7.4 | 7.6 | 7.2 | 7.9 | 7.9 | 7.8 |
| 10-14 | 8.0 | 8.0 | 8.0 | 7.9 | 7.9 | 7.9 | 8.2 | 8.2 | 8.2 |
| 15-19 | 9.5 | 9.7 | 9.2 | 9.5 | 9.8 | 9.2 | 9.4 | 9.6 | 9.1 |
| 20-24 | 11.2 | 11.3 | 11.1 | 11.5 | 12.0 | 10.8 | 10.8 | 10.1 | 11.6 |
| 25-29 | 10.6 | 10.2 | 11.0 | 10.2 | 10.0 | 10.4 | 11.1 | 10.4 | 11.9 |
| 30-34 | 8.5 | 8.4 | 8.6 | 8.0 | 7.8 | 8.1 | 9.4 | 9.4 | 9.3 |
| 35-39 | 8.0 | 7.6 | 8.4 | 7.8 | 7.3 | 8.2 | 8.4 | 8.1 | 8.6 |
| 40-44 | 7.1 | 7.1 | 7.0 | 6.9 | 6.8 | 6.9 | 7.4 | 7.6 | 7.2 |
| 45-49 | 5.8 | 6.1 | 5.4 | 5.8 | 6.1 | 5.5 | 5.8 | 6.2 | 5.3 |
| 50-54 | 4.9 | 4.5 | 5.4 | 5.1 | 4.5 | 5.7 | 4.7 | 4.6 | 4.8 |
| 55-59 | 3.9 | 3.9 | 4.0 | 4.3 | 4.1 | 4.4 | 3.4 | 3.6 | 3.2 |
| 60-64 | 3.2 | 3.2 | 3.2 | 3.6 | 3.5 | 3.7 | 2.5 | 2.7 | 2.3 |
| 65-69 | 2.4 | 2.4 | 2.4 | 2.8 | 2.7 | 3.0 | 1.7 | 1.9 | 1.6 |
| 70-74 | 1.5 | 1.7 | 1.4 | 1.9 | 2.1 | 1.7 | 1.0 | 1.0 | 0.9 |
| 75-79 | 0.7 | 0.7 | 0.7 | 0.9 | 0.9 | 0.9 | 0.5 | 0.5 | 0.5 |
| 80-84 | 0.4 | 0.4 | 0.4 | 0.5 | 0.5 | 0.5 | 0.3 | 0.3 | 0.3 |
| 85+ | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | 0.1 | 0.1 | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Uttar Pradesh** | | | | | |
| 0-4 | 9.2 | 9.5 | 8.9 | 9.8 | 10.1 | 9.5 | 7.4 | 7.7 | 7.1 |
| 5-9 | 10.4 | 10.6 | 10.3 | 10.8 | 11.0 | 10.7 | 9.2 | 9.4 | 9.1 |
| 10-14 | 10.9 | 11.1 | 10.8 | 11.2 | 11.4 | 11.1 | 10.0 | 10.2 | 9.6 |
| 15-19 | 12.4 | 12.7 | 12.0 | 12.8 | 13.1 | 12.4 | 11.2 | 11.4 | 11.0 |
| 20-24 | 11.3 | 11.1 | 11.6 | 11.2 | 10.9 | 11.4 | 11.7 | 11.4 | 12.1 |
| 25-29 | 9.7 | 9.9 | 9.6 | 9.3 | 9.6 | 9.1 | 11.0 | 10.8 | 11.1 |
| 30-34 | 7.0 | 7.0 | 6.9 | 6.6 | 6.7 | 6.5 | 7.9 | 8.0 | 7.8 |
| 35-39 | 6.3 | 6.2 | 6.5 | 6.1 | 5.9 | 6.3 | 7.0 | 7.0 | 7.0 |
| 40-44 | 5.0 | 5.0 | 5.1 | 4.9 | 4.8 | 4.9 | 5.5 | 5.6 | 5.5 |
| 45-49 | 4.6 | 4.4 | 4.8 | 4.5 | 4.3 | 4.6 | 5.1 | 4.8 | 5.4 |
| 50-54 | 3.3 | 3.3 | 3.2 | 3.1 | 3.1 | 3.0 | 3.9 | 4.0 | 3.8 |
| 55-59 | 2.8 | 2.5 | 3.1 | 2.6 | 2.3 | 3.0 | 3.2 | 3.1 | 3.3 |
| 60-64 | 2.5 | 2.5 | 2.6 | 2.5 | 2.5 | 2.5 | 2.6 | 2.6 | 2.6 |
| 65-69 | 1.9 | 1.7 | 2.1 | 1.9 | 1.7 | 2.1 | 1.8 | 1.7 | 1.9 |
| 70-74 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.4 | 1.2 | 1.2 | 1.2 |
| 75-79 | 0.8 | 0.7 | 0.9 | 0.8 | 0.7 | 0.9 | 0.7 | 0.7 | 0.8 |
| 80-84 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 |
| 85+ | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2015**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Uttarakhand** | | | | | |
| 0-4 | 11.0 | 11.3 | 10.6 | 11.0 | 11.5 | 10.5 | 11.0 | 11.0 | 10.9 |
| 5-9 | 9.0 | 9.3 | 8.8 | 9.3 | 9.6 | 9.0 | 8.2 | 8.3 | 8.2 |
| 10-14 | 9.9 | 10.3 | 9.5 | 10.3 | 10.8 | 9.8 | 8.8 | 8.9 | 8.6 |
| 15-19 | 10.1 | 10.3 | 10.0 | 10.3 | 10.5 | 10.2 | 9.5 | 9.7 | 9.3 |
| 20-24 | 11.6 | 12.4 | 10.8 | 11.5 | 12.2 | 10.7 | 12.0 | 12.9 | 11.1 |
| 25-29 | 9.0 | 8.5 | 9.4 | 8.6 | 8.2 | 9.0 | 9.9 | 9.4 | 10.4 |
| 30-34 | 7.7 | 7.6 | 7.9 | 7.4 | 7.3 | 7.6 | 8.6 | 8.2 | 9.0 |
| 35-39 | 6.3 | 6.1 | 6.5 | 6.0 | 5.8 | 6.3 | 6.9 | 6.9 | 6.9 |
| 40-44 | 5.2 | 5.5 | 4.9 | 5.0 | 5.3 | 4.6 | 5.9 | 6.0 | 5.7 |
| 45-49 | 3.8 | 3.7 | 3.9 | 3.7 | 3.5 | 3.8 | 4.2 | 4.2 | 4.2 |
| 50-54 | 4.0 | 3.6 | 4.5 | 3.9 | 3.4 | 4.4 | 4.2 | 3.9 | 4.6 |
| 55-59 | 3.2 | 3.0 | 3.4 | 3.2 | 2.9 | 3.5 | 3.3 | 3.2 | 3.3 |
| 60-64 | 3.5 | 3.2 | 3.9 | 3.7 | 3.2 | 4.1 | 3.3 | 3.1 | 3.4 |
| 65-69 | 2.1 | 2.0 | 2.3 | 2.2 | 2.1 | 2.4 | 1.8 | 1.7 | 1.8 |
| 70-74 | 1.7 | 1.6 | 1.8 | 1.8 | 1.7 | 1.9 | 1.3 | 1.3 | 1.3 |
| 75-79 | 0.8 | 0.7 | 0.8 | 0.8 | 0.8 | 0.9 | 0.6 | 0.6 | 0.6 |
| 80-84 | 0.6 | 0.5 | 0.7 | 0.7 | 0.6 | 0.8 | 0.4 | 0.4 | 0.5 |
| 85+ | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.2 | 0.2 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **West Bengal** | | | | | |
| 0-4 | 7.5 | 7.6 | 7.5 | 8.1 | 8.2 | 8.1 | 6.0 | 6.1 | 6.0 |
| 5-9 | 7.8 | 7.8 | 7.8 | 8.3 | 8.4 | 8.2 | 6.6 | 6.6 | 6.7 |
| 10-14 | 8.6 | 8.6 | 8.6 | 9.3 | 9.2 | 9.3 | 7.1 | 7.1 | 7.1 |
| 15-19 | 9.5 | 9.7 | 9.3 | 10.1 | 10.3 | 10.0 | 8.0 | 8.2 | 7.7 |
| 20-24 | 10.2 | 9.6 | 10.9 | 10.7 | 10.1 | 11.4 | 9.1 | 8.4 | 9.8 |
| 25-29 | 9.6 | 9.4 | 9.7 | 9.7 | 9.7 | 9.6 | 9.4 | 8.8 | 10.0 |
| 30-34 | 8.3 | 8.2 | 8.4 | 8.1 | 8.1 | 8.2 | 8.7 | 8.5 | 8.9 |
| 35-39 | 7.6 | 7.5 | 7.7 | 7.6 | 7.5 | 7.6 | 7.7 | 7.5 | 7.9 |
| 40-44 | 6.9 | 7.0 | 6.7 | 6.5 | 6.7 | 6.4 | 7.6 | 7.7 | 7.5 |
| 45-49 | 6.1 | 6.3 | 6.0 | 5.8 | 6.0 | 5.6 | 6.8 | 6.8 | 6.9 |
| 50-54 | 4.8 | 5.1 | 4.5 | 4.2 | 4.7 | 3.6 | 6.1 | 5.9 | 6.4 |
| 55-59 | 4.2 | 4.2 | 4.1 | 3.7 | 3.5 | 3.9 | 5.2 | 5.7 | 4.7 |
| 60-64 | 3.5 | 3.6 | 3.4 | 3.0 | 2.9 | 3.2 | 4.6 | 5.1 | 3.9 |
| 65-69 | 2.3 | 2.5 | 2.1 | 2.1 | 2.2 | 2.0 | 2.9 | 3.2 | 2.6 |
| 70-74 | 1.5 | 1.5 | 1.6 | 1.4 | 1.3 | 1.5 | 1.9 | 2.0 | 1.8 |
| 75-79 | 0.9 | 0.8 | 0.9 | 0.8 | 0.7 | 0.9 | 1.1 | 1.2 | 1.1 |
| 80-84 | 0.5 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 | 0.7 | 0.6 | 0.7 |
| 85+ | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | 0.5 | 0.4 | 0.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**India**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 17.6 | 0.0 | 0.0 | 17.6 | 18.0 | 0.0 | 0.0 | 18.0 | 17.2 | 0.0 | 0.0 | 17.2 |
| 10-14 | 9.7 | 0.0 | 0.0 | 9.7 | 9.9 | 0.0 | 0.0 | 9.9 | 9.5 | 0.0 | 0.0 | 9.5 |
| 15-19 | 9.9 | 0.3 | 0.0 | 10.2 | 10.4 | 0.1 | 0.0 | 10.5 | 9.4 | 0.4 | 0.0 | 9.9 |
| 20-24 | 7.1 | 3.3 | 0.0 | 10.4 | 8.6 | 1.5 | 0.0 | 10.1 | 5.4 | 5.3 | 0.0 | 10.7 |
| 25-29 | 3.0 | 6.5 | 0.1 | 9.6 | 4.4 | 5.0 | 0.0 | 9.5 | 1.6 | 8.1 | 0.1 | 9.8 |
| 30-34 | 0.9 | 6.9 | 0.1 | 7.9 | 1.4 | 6.5 | 0.1 | 8.0 | 0.4 | 7.3 | 0.2 | 7.9 |
| 35-39 | 0.4 | 6.5 | 0.2 | 7.0 | 0.5 | 6.3 | 0.1 | 6.9 | 0.2 | 6.7 | 0.3 | 7.1 |
| 40-44 | 0.2 | 5.7 | 0.2 | 6.1 | 0.3 | 5.8 | 0.1 | 6.1 | 0.1 | 5.6 | 0.3 | 6.0 |
| 45-49 | 0.1 | 4.9 | 0.3 | 5.3 | 0.2 | 5.0 | 0.1 | 5.3 | 0.1 | 4.8 | 0.5 | 5.3 |
| 50-54 | 0.1 | 3.9 | 0.3 | 4.3 | 0.1 | 4.1 | 0.2 | 4.3 | 0.0 | 3.7 | 0.5 | 4.2 |
| 55-59 | 0.1 | 3.1 | 0.4 | 3.6 | 0.1 | 3.2 | 0.2 | 3.4 | 0.0 | 3.1 | 0.6 | 3.8 |
| 60-64 | 0.0 | 2.5 | 0.5 | 3.1 | 0.1 | 2.8 | 0.2 | 3.0 | 0.0 | 2.3 | 0.8 | 3.1 |
| 65-69 | 0.0 | 1.6 | 0.5 | 2.2 | 0.0 | 1.9 | 0.2 | 2.1 | 0.0 | 1.4 | 0.8 | 2.2 |
| 70-74 | 0.0 | 1.0 | 0.5 | 1.5 | 0.0 | 1.2 | 0.2 | 1.4 | 0.0 | 0.8 | 0.8 | 1.5 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.9 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.4 | 0.5 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.5 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 49.2 | 47.0 | 3.7 | 100.0 | 53.9 | 44.4 | 1.7 | 100.0 | 44.2 | 49.9 | 5.9 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 18.7 | 0.0 | 0.0 | 18.7 | 19.1 | 0.0 | 0.0 | 19.1 | 18.3 | 0.0 | 0.0 | 18.3 |
| 10-14 | 10.2 | 0.0 | 0.0 | 10.2 | 10.4 | 0.0 | 0.0 | 10.4 | 10.0 | 0.0 | 0.0 | 10.0 |
| 15-19 | 10.4 | 0.3 | 0.0 | 10.7 | 10.9 | 0.1 | 0.0 | 11.0 | 9.9 | 0.5 | 0.0 | 10.4 |
| 20-24 | 6.8 | 3.7 | 0.0 | 10.6 | 8.5 | 1.8 | 0.0 | 10.3 | 5.0 | 5.8 | 0.0 | 10.8 |
| 25-29 | 2.6 | 6.6 | 0.1 | 9.3 | 3.8 | 5.4 | 0.0 | 9.2 | 1.2 | 8.0 | 0.1 | 9.3 |
| 30-34 | 0.7 | 6.6 | 0.1 | 7.5 | 1.1 | 6.3 | 0.1 | 7.5 | 0.3 | 7.0 | 0.2 | 7.4 |
| 35-39 | 0.3 | 6.2 | 0.2 | 6.7 | 0.4 | 6.0 | 0.1 | 6.5 | 0.2 | 6.4 | 0.3 | 6.8 |
| 40-44 | 0.1 | 5.4 | 0.2 | 5.8 | 0.2 | 5.5 | 0.1 | 5.8 | 0.1 | 5.3 | 0.3 | 5.7 |
| 45-49 | 0.1 | 4.7 | 0.3 | 5.1 | 0.1 | 4.8 | 0.1 | 5.1 | 0.1 | 4.6 | 0.4 | 5.1 |
| 50-54 | 0.1 | 3.6 | 0.3 | 4.0 | 0.1 | 3.8 | 0.2 | 4.1 | 0.0 | 3.4 | 0.4 | 3.8 |
| 55-59 | 0.0 | 3.0 | 0.4 | 3.4 | 0.1 | 2.9 | 0.1 | 3.1 | 0.0 | 3.0 | 0.6 | 3.7 |
| 60-64 | 0.0 | 2.5 | 0.5 | 3.0 | 0.0 | 2.7 | 0.2 | 2.9 | 0.0 | 2.2 | 0.8 | 3.0 |
| 65-69 | 0.0 | 1.6 | 0.5 | 2.2 | 0.0 | 1.8 | 0.2 | 2.1 | 0.0 | 1.4 | 0.8 | 2.2 |
| 70-74 | 0.0 | 1.0 | 0.5 | 1.5 | 0.0 | 1.2 | 0.2 | 1.4 | 0.0 | 0.8 | 0.8 | 1.6 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.9 | 0.0 | 0.7 | 0.2 | 0.8 | 0.0 | 0.4 | 0.5 | 1.0 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 50.1 | 46.2 | 3.6 | 100.0 | 54.8 | 43.4 | 1.8 | 100.0 | 45.1 | 49.2 | 5.7 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 15.3 | 0.0 | 0.0 | 15.3 | 15.7 | 0.0 | 0.0 | 15.7 | 14.9 | 0.0 | 0.0 | 14.9 |
| 10-14 | 8.6 | 0.0 | 0.0 | 8.6 | 8.8 | 0.0 | 0.0 | 8.8 | 8.4 | 0.0 | 0.0 | 8.4 |
| 15-19 | 8.9 | 0.2 | 0.0 | 9.1 | 9.3 | 0.1 | 0.0 | 9.3 | 8.6 | 0.3 | 0.0 | 8.9 |
| 20-24 | 7.6 | 2.5 | 0.0 | 10.1 | 8.8 | 0.9 | 0.0 | 9.7 | 6.4 | 4.1 | 0.0 | 10.5 |
| 25-29 | 4.1 | 6.1 | 0.1 | 10.3 | 5.6 | 4.3 | 0.0 | 9.9 | 2.4 | 8.1 | 0.1 | 10.7 |
| 30-34 | 1.4 | 7.4 | 0.1 | 8.9 | 2.1 | 6.8 | 0.1 | 8.9 | 0.7 | 8.0 | 0.2 | 8.9 |
| 35-39 | 0.5 | 7.0 | 0.2 | 7.7 | 0.8 | 6.8 | 0.1 | 7.7 | 0.3 | 7.2 | 0.3 | 7.8 |
| 40-44 | 0.3 | 6.3 | 0.2 | 6.8 | 0.4 | 6.4 | 0.1 | 6.9 | 0.2 | 6.2 | 0.4 | 6.7 |
| 45-49 | 0.2 | 5.3 | 0.3 | 5.8 | 0.2 | 5.4 | 0.1 | 5.8 | 0.1 | 5.2 | 0.5 | 5.8 |
| 50-54 | 0.1 | 4.5 | 0.4 | 5.0 | 0.1 | 4.7 | 0.2 | 5.0 | 0.1 | 4.3 | 0.7 | 5.1 |
| 55-59 | 0.1 | 3.4 | 0.4 | 4.0 | 0.1 | 3.7 | 0.2 | 4.0 | 0.1 | 3.2 | 0.7 | 3.9 |
| 60-64 | 0.1 | 2.7 | 0.5 | 3.2 | 0.1 | 3.0 | 0.2 | 3.3 | 0.1 | 2.3 | 0.8 | 3.2 |
| 65-69 | 0.0 | 1.6 | 0.5 | 2.2 | 0.0 | 1.9 | 0.2 | 2.1 | 0.0 | 1.3 | 0.8 | 2.2 |
| 70-74 | 0.0 | 1.0 | 0.4 | 1.4 | 0.0 | 1.2 | 0.2 | 1.4 | 0.0 | 0.7 | 0.7 | 1.5 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.6 | 0.1 | 0.8 | 0.0 | 0.3 | 0.5 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.5 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 47.3 | 48.8 | 3.9 | 100.0 | 51.9 | 46.4 | 1.6 | 100.0 | 42.3 | 51.4 | 6.3 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Andhra Pradesh**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 13.4 | 0.0 | 0.0 | 13.4 | 13.5 | 0.0 | 0.0 | 13.5 | 13.4 | 0.0 | 0.0 | 13.4 |
| 10-14 | 7.5 | 0.0 | 0.0 | 7.5 | 7.6 | 0.0 | 0.0 | 7.6 | 7.4 | 0.0 | 0.0 | 7.4 |
| 15-19 | 8.2 | 0.2 | 0.0 | 8.4 | 8.6 | 0.1 | 0.0 | 8.7 | 7.7 | 0.4 | 0.0 | 8.1 |
| 20-24 | 6.9 | 3.0 | 0.0 | 9.9 | 8.6 | 1.0 | 0.0 | 9.6 | 5.1 | 5.1 | 0.0 | 10.2 |
| 25-29 | 3.3 | 6.9 | 0.1 | 10.2 | 4.7 | 5.0 | 0.0 | 9.8 | 1.7 | 8.9 | 0.1 | 10.8 |
| 30-34 | 0.9 | 7.6 | 0.1 | 8.7 | 1.3 | 7.2 | 0.1 | 8.6 | 0.5 | 8.1 | 0.2 | 8.8 |
| 35-39 | 0.4 | 7.9 | 0.2 | 8.5 | 0.5 | 7.8 | 0.1 | 8.4 | 0.2 | 8.0 | 0.4 | 8.6 |
| 40-44 | 0.2 | 6.7 | 0.3 | 7.2 | 0.2 | 7.1 | 0.1 | 7.4 | 0.1 | 6.2 | 0.5 | 6.9 |
| 45-49 | 0.1 | 5.6 | 0.4 | 6.1 | 0.1 | 6.2 | 0.2 | 6.4 | 0.1 | 5.1 | 0.6 | 5.8 |
| 50-54 | 0.1 | 5.0 | 0.6 | 5.7 | 0.1 | 4.9 | 0.3 | 5.3 | 0.1 | 5.1 | 0.9 | 6.1 |
| 55-59 | 0.1 | 4.0 | 0.5 | 4.6 | 0.1 | 4.3 | 0.3 | 4.6 | 0.0 | 3.7 | 0.8 | 4.5 |
| 60-64 | 0.0 | 2.9 | 0.7 | 3.7 | 0.0 | 3.3 | 0.3 | 3.6 | 0.0 | 2.6 | 1.0 | 3.7 |
| 65-69 | 0.0 | 2.1 | 0.6 | 2.7 | 0.0 | 2.6 | 0.3 | 2.9 | 0.0 | 1.5 | 1.0 | 2.5 |
| 70-74 | 0.0 | 1.2 | 0.6 | 1.8 | 0.0 | 1.6 | 0.3 | 1.9 | 0.0 | 0.8 | 0.8 | 1.6 |
| 75-79 | 0.0 | 0.6 | 0.3 | 0.9 | 0.0 | 0.8 | 0.1 | 0.9 | 0.0 | 0.3 | 0.4 | 0.8 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 41.1 | 54.1 | 4.8 | 100.0 | 45.5 | 52.2 | 2.3 | 100.0 | 36.5 | 56.1 | 7.4 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 13.6 | 0.0 | 0.0 | 13.6 | 13.6 | 0.0 | 0.0 | 13.6 | 13.5 | 0.0 | 0.0 | 13.5 |
| 10-14 | 7.4 | 0.0 | 0.0 | 7.4 | 7.5 | 0.0 | 0.0 | 7.5 | 7.2 | 0.0 | 0.0 | 7.2 |
| 15-19 | 8.2 | 0.2 | 0.0 | 8.4 | 8.7 | 0.1 | 0.0 | 8.7 | 7.6 | 0.4 | 0.0 | 8.1 |
| 20-24 | 6.8 | 3.1 | 0.0 | 10.0 | 8.7 | 1.1 | 0.0 | 9.9 | 4.8 | 5.3 | 0.0 | 10.1 |
| 25-29 | 3.0 | 6.9 | 0.1 | 10.0 | 4.5 | 5.1 | 0.0 | 9.6 | 1.4 | 8.9 | 0.1 | 10.5 |
| 30-34 | 0.8 | 7.5 | 0.2 | 8.4 | 1.1 | 7.1 | 0.1 | 8.3 | 0.4 | 7.9 | 0.2 | 8.5 |
| 35-39 | 0.3 | 7.8 | 0.2 | 8.3 | 0.4 | 7.6 | 0.1 | 8.1 | 0.2 | 8.0 | 0.4 | 8.6 |
| 40-44 | 0.1 | 6.6 | 0.3 | 7.0 | 0.2 | 7.0 | 0.2 | 7.3 | 0.1 | 6.2 | 0.5 | 6.8 |
| 45-49 | 0.1 | 5.7 | 0.4 | 6.1 | 0.1 | 6.1 | 0.2 | 6.4 | 0.1 | 5.2 | 0.6 | 5.9 |
| 50-54 | 0.0 | 4.9 | 0.6 | 5.6 | 0.1 | 4.8 | 0.3 | 5.1 | 0.0 | 5.1 | 0.9 | 6.0 |
| 55-59 | 0.0 | 4.1 | 0.5 | 4.7 | 0.0 | 4.3 | 0.3 | 4.6 | 0.0 | 3.9 | 0.8 | 4.7 |
| 60-64 | 0.0 | 3.1 | 0.7 | 3.8 | 0.0 | 3.4 | 0.3 | 3.8 | 0.0 | 2.7 | 1.1 | 3.8 |
| 65-69 | 0.0 | 2.2 | 0.7 | 2.9 | 0.0 | 2.8 | 0.3 | 3.1 | 0.0 | 1.6 | 1.0 | 2.7 |
| 70-74 | 0.0 | 1.3 | 0.6 | 2.0 | 0.0 | 1.8 | 0.4 | 2.1 | 0.0 | 0.8 | 0.9 | 1.8 |
| 75-79 | 0.0 | 0.6 | 0.3 | 0.9 | 0.0 | 0.8 | 0.1 | 1.0 | 0.0 | 0.4 | 0.5 | 0.9 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.3 | 0.6 |
| 85+ | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 40.4 | 54.6 | 5.0 | 100.0 | 45.0 | 52.5 | 2.4 | 100.0 | 35.6 | 56.7 | 7.7 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 13.1 | 0.0 | 0.0 | 13.1 | 13.3 | 0.0 | 0.0 | 13.3 | 13.0 | 0.0 | 0.0 | 13.0 |
| 10-14 | 7.8 | 0.0 | 0.0 | 7.8 | 7.8 | 0.0 | 0.0 | 7.8 | 7.7 | 0.0 | 0.0 | 7.7 |
| 15-19 | 8.3 | 0.2 | 0.0 | 8.4 | 8.5 | 0.0 | 0.0 | 8.5 | 8.0 | 0.3 | 0.0 | 8.3 |
| 20-24 | 7.0 | 2.6 | 0.0 | 9.7 | 8.2 | 0.8 | 0.0 | 8.9 | 5.9 | 4.6 | 0.0 | 10.5 |
| 25-29 | 3.9 | 6.8 | 0.0 | 10.8 | 5.3 | 4.8 | 0.0 | 10.2 | 2.4 | 8.9 | 0.1 | 11.4 |
| 30-34 | 1.3 | 7.9 | 0.1 | 9.3 | 1.8 | 7.3 | 0.0 | 9.1 | 0.7 | 8.5 | 0.2 | 9.4 |
| 35-39 | 0.5 | 8.2 | 0.3 | 9.0 | 0.7 | 8.3 | 0.1 | 9.1 | 0.3 | 8.1 | 0.4 | 8.9 |
| 40-44 | 0.3 | 6.8 | 0.3 | 7.4 | 0.4 | 7.3 | 0.1 | 7.8 | 0.2 | 6.3 | 0.5 | 7.0 |
| 45-49 | 0.1 | 5.6 | 0.4 | 6.1 | 0.2 | 6.3 | 0.1 | 6.6 | 0.1 | 4.9 | 0.6 | 5.6 |
| 50-54 | 0.1 | 5.2 | 0.6 | 5.9 | 0.1 | 5.2 | 0.3 | 5.6 | 0.1 | 5.2 | 0.9 | 6.2 |
| 55-59 | 0.1 | 3.8 | 0.5 | 4.4 | 0.1 | 4.3 | 0.2 | 4.7 | 0.1 | 3.2 | 0.7 | 4.1 |
| 60-64 | 0.1 | 2.6 | 0.6 | 3.3 | 0.1 | 3.0 | 0.3 | 3.3 | 0.1 | 2.2 | 0.9 | 3.2 |
| 65-69 | 0.0 | 1.7 | 0.6 | 2.3 | 0.0 | 2.1 | 0.3 | 2.4 | 0.0 | 1.2 | 0.9 | 2.1 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 1.1 | 0.2 | 1.3 | 0.0 | 0.6 | 0.6 | 1.2 |
| 75-79 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.7 | 0.2 | 0.8 | 0.0 | 0.3 | 0.3 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.3 | 0.0 | 0.3 | 0.0 | 0.2 | 0.2 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 42.7 | 53.0 | 4.2 | 100.0 | 46.6 | 51.5 | 1.9 | 100.0 | 38.7 | 54.7 | 6.6 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Assam**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 18.6 | 0.0 | 0.0 | 18.6 | 18.8 | 0.0 | 0.0 | 18.8 | 18.3 | 0.0 | 0.0 | 18.3 |
| 10-14 | 10.2 | 0.0 | 0.0 | 10.2 | 10.3 | 0.0 | 0.0 | 10.3 | 10.2 | 0.0 | 0.0 | 10.2 |
| 15-19 | 9.5 | 0.4 | 0.0 | 9.9 | 9.8 | 0.1 | 0.0 | 9.9 | 9.2 | 0.6 | 0.0 | 9.8 |
| 20-24 | 6.7 | 3.9 | 0.0 | 10.6 | 8.4 | 1.5 | 0.0 | 9.9 | 4.9 | 6.4 | 0.1 | 11.4 |
| 25-29 | 3.2 | 6.0 | 0.1 | 9.3 | 4.4 | 4.4 | 0.0 | 8.9 | 1.9 | 7.8 | 0.1 | 9.8 |
| 30-34 | 1.5 | 7.0 | 0.1 | 8.6 | 2.1 | 6.2 | 0.1 | 8.4 | 0.8 | 7.8 | 0.2 | 8.8 |
| 35-39 | 0.7 | 6.2 | 0.1 | 7.0 | 0.9 | 6.1 | 0.1 | 7.0 | 0.5 | 6.3 | 0.2 | 7.0 |
| 40-44 | 0.4 | 5.8 | 0.2 | 6.4 | 0.5 | 6.1 | 0.1 | 6.7 | 0.3 | 5.6 | 0.3 | 6.2 |
| 45-49 | 0.3 | 4.6 | 0.2 | 5.1 | 0.3 | 5.0 | 0.1 | 5.5 | 0.3 | 4.1 | 0.4 | 4.7 |
| 50-54 | 0.1 | 3.6 | 0.4 | 4.1 | 0.1 | 4.0 | 0.2 | 4.3 | 0.1 | 3.2 | 0.5 | 3.8 |
| 55-59 | 0.1 | 2.9 | 0.5 | 3.5 | 0.1 | 3.1 | 0.2 | 3.4 | 0.1 | 2.6 | 0.8 | 3.6 |
| 60-64 | 0.1 | 2.0 | 0.5 | 2.5 | 0.1 | 2.4 | 0.2 | 2.6 | 0.1 | 1.6 | 0.8 | 2.4 |
| 65-69 | 0.1 | 1.3 | 0.5 | 1.8 | 0.1 | 1.6 | 0.2 | 1.9 | 0.1 | 0.9 | 0.8 | 1.8 |
| 70-74 | 0.0 | 0.8 | 0.3 | 1.1 | 0.0 | 1.0 | 0.1 | 1.2 | 0.0 | 0.5 | 0.5 | 1.0 |
| 75-79 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.2 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.2 |
| All ages | 51.5 | 45.2 | 3.4 | 100.0 | 55.9 | 42.6 | 1.5 | 100.0 | 46.6 | 48.0 | 5.4 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 19.3 | 0.0 | 0.0 | 19.3 | 19.6 | 0.0 | 0.0 | 19.6 | 19.0 | 0.0 | 0.0 | 19.0 |
| 10-14 | 10.8 | 0.0 | 0.0 | 10.8 | 10.8 | 0.0 | 0.0 | 10.8 | 10.7 | 0.0 | 0.0 | 10.7 |
| 15-19 | 9.8 | 0.4 | 0.0 | 10.2 | 10.1 | 0.1 | 0.0 | 10.2 | 9.4 | 0.7 | 0.0 | 10.1 |
| 20-24 | 6.7 | 4.1 | 0.0 | 10.8 | 8.4 | 1.6 | 0.0 | 10.1 | 4.7 | 6.9 | 0.1 | 11.7 |
| 25-29 | 2.9 | 6.2 | 0.1 | 9.2 | 4.0 | 4.7 | 0.0 | 8.7 | 1.6 | 7.9 | 0.1 | 9.6 |
| 30-34 | 1.3 | 7.0 | 0.1 | 8.4 | 1.9 | 6.2 | 0.1 | 8.2 | 0.7 | 7.8 | 0.2 | 8.7 |
| 35-39 | 0.6 | 6.0 | 0.1 | 6.7 | 0.8 | 5.9 | 0.1 | 6.8 | 0.4 | 6.1 | 0.2 | 6.7 |
| 40-44 | 0.3 | 5.7 | 0.2 | 6.3 | 0.4 | 6.0 | 0.1 | 6.5 | 0.2 | 5.4 | 0.3 | 6.0 |
| 45-49 | 0.2 | 4.4 | 0.2 | 4.9 | 0.2 | 4.9 | 0.2 | 5.3 | 0.3 | 3.8 | 0.3 | 4.4 |
| 50-54 | 0.1 | 3.4 | 0.3 | 3.8 | 0.1 | 3.8 | 0.2 | 4.1 | 0.1 | 2.9 | 0.4 | 3.4 |
| 55-59 | 0.1 | 2.6 | 0.5 | 3.2 | 0.1 | 2.8 | 0.2 | 3.0 | 0.1 | 2.5 | 0.8 | 3.4 |
| 60-64 | 0.1 | 1.8 | 0.4 | 2.4 | 0.1 | 2.2 | 0.2 | 2.4 | 0.1 | 1.5 | 0.8 | 2.3 |
| 65-69 | 0.1 | 1.2 | 0.5 | 1.7 | 0.0 | 1.5 | 0.2 | 1.7 | 0.1 | 0.9 | 0.8 | 1.7 |
| 70-74 | 0.0 | 0.7 | 0.3 | 1.1 | 0.0 | 1.0 | 0.1 | 1.1 | 0.0 | 0.4 | 0.5 | 1.0 |
| 75-79 | 0.0 | 0.4 | 0.2 | 0.7 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.3 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.2 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 52.3 | 44.4 | 3.3 | 100.0 | 56.7 | 41.7 | 1.5 | 100.0 | 47.5 | 47.3 | 5.2 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 14.3 | 0.0 | 0.0 | 14.3 | 14.5 | 0.0 | 0.0 | 14.5 | 14.2 | 0.0 | 0.0 | 14.2 |
| 10-14 | 7.2 | 0.0 | 0.0 | 7.2 | 7.3 | 0.0 | 0.0 | 7.3 | 7.1 | 0.0 | 0.0 | 7.1 |
| 15-19 | 7.9 | 0.2 | 0.0 | 8.1 | 8.0 | 0.1 | 0.0 | 8.1 | 7.7 | 0.4 | 0.0 | 8.1 |
| 20-24 | 7.0 | 2.3 | 0.0 | 9.3 | 8.0 | 0.8 | 0.0 | 8.8 | 5.9 | 3.9 | 0.0 | 9.8 |
| 25-29 | 4.9 | 5.1 | 0.0 | 10.1 | 6.4 | 3.1 | 0.0 | 9.5 | 3.3 | 7.4 | 0.1 | 10.8 |
| 30-34 | 2.4 | 6.8 | 0.1 | 9.3 | 3.5 | 5.8 | 0.0 | 9.3 | 1.3 | 7.8 | 0.2 | 9.3 |
| 35-39 | 1.3 | 7.2 | 0.2 | 8.6 | 1.7 | 6.8 | 0.1 | 8.6 | 0.8 | 7.5 | 0.3 | 8.7 |
| 40-44 | 0.6 | 6.4 | 0.2 | 7.2 | 0.7 | 6.5 | 0.1 | 7.3 | 0.4 | 6.2 | 0.4 | 7.0 |
| 45-49 | 0.4 | 5.9 | 0.3 | 6.5 | 0.4 | 6.0 | 0.1 | 6.5 | 0.3 | 5.7 | 0.5 | 6.5 |
| 50-54 | 0.2 | 5.1 | 0.6 | 5.9 | 0.3 | 5.2 | 0.2 | 5.6 | 0.2 | 5.1 | 1.0 | 6.3 |
| 55-59 | 0.2 | 4.2 | 0.5 | 4.9 | 0.2 | 5.0 | 0.2 | 5.3 | 0.2 | 3.3 | 0.9 | 4.4 |
| 60-64 | 0.1 | 2.8 | 0.5 | 3.4 | 0.1 | 3.5 | 0.1 | 3.8 | 0.1 | 2.0 | 1.0 | 3.1 |
| 65-69 | 0.1 | 1.7 | 0.5 | 2.3 | 0.1 | 2.2 | 0.2 | 2.5 | 0.1 | 1.1 | 0.8 | 2.1 |
| 70-74 | 0.0 | 1.0 | 0.4 | 1.4 | 0.0 | 1.4 | 0.1 | 1.6 | 0.0 | 0.6 | 0.6 | 1.2 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.7 | 0.1 | 0.8 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.4 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.1 | 0.2 | 0.4 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 46.6 | 49.5 | 3.9 | 100.0 | 51.1 | 47.6 | 1.3 | 100.0 | 41.7 | 51.6 | 6.7 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Bihar**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 22.9 | 0.0 | 0.0 | 22.9 | 23.2 | 0.0 | 0.0 | 23.2 | 22.5 | 0.0 | 0.0 | 22.5 |
| 10-14 | 12.0 | 0.0 | 0.0 | 12.0 | 12.0 | 0.0 | 0.0 | 12.0 | 12.0 | 0.0 | 0.0 | 12.0 |
| 15-19 | 11.8 | 0.2 | 0.0 | 12.0 | 12.1 | 0.1 | 0.0 | 12.1 | 11.6 | 0.3 | 0.0 | 11.9 |
| 20-24 | 6.2 | 3.7 | 0.0 | 10.0 | 8.0 | 1.8 | 0.0 | 9.8 | 4.3 | 5.9 | 0.0 | 10.2 |
| 25-29 | 1.7 | 7.0 | 0.0 | 8.7 | 2.7 | 5.9 | 0.0 | 8.6 | 0.7 | 8.2 | 0.0 | 8.9 |
| 30-34 | 0.4 | 6.2 | 0.0 | 6.6 | 0.6 | 5.9 | 0.0 | 6.5 | 0.1 | 6.5 | 0.1 | 6.7 |
| 35-39 | 0.1 | 5.8 | 0.1 | 6.0 | 0.2 | 5.7 | 0.0 | 5.9 | 0.0 | 5.9 | 0.1 | 6.1 |
| 40-44 | 0.0 | 4.7 | 0.1 | 4.8 | 0.1 | 4.7 | 0.1 | 4.8 | 0.0 | 4.7 | 0.2 | 4.9 |
| 45-49 | 0.0 | 4.2 | 0.1 | 4.3 | 0.1 | 4.2 | 0.1 | 4.3 | 0.0 | 4.2 | 0.2 | 4.4 |
| 50-54 | 0.0 | 2.9 | 0.1 | 3.1 | 0.0 | 3.0 | 0.1 | 3.1 | 0.0 | 2.8 | 0.2 | 3.0 |
| 55-59 | 0.0 | 2.6 | 0.2 | 2.8 | 0.1 | 2.5 | 0.1 | 2.7 | 0.0 | 2.6 | 0.2 | 2.8 |
| 60-64 | 0.0 | 2.2 | 0.3 | 2.5 | 0.0 | 2.3 | 0.2 | 2.6 | 0.0 | 2.1 | 0.4 | 2.5 |
| 65-69 | 0.0 | 1.5 | 0.3 | 1.8 | 0.0 | 1.7 | 0.2 | 1.9 | 0.0 | 1.3 | 0.4 | 1.8 |
| 70-74 | 0.0 | 0.8 | 0.3 | 1.2 | 0.0 | 0.9 | 0.2 | 1.2 | 0.0 | 0.7 | 0.5 | 1.2 |
| 75-79 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.4 | 0.3 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 55.3 | 42.5 | 2.1 | 100.0 | 59.0 | 39.6 | 1.3 | 100.0 | 51.2 | 45.7 | 3.0 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 23.4 | 0.0 | 0.0 | 23.4 | 23.8 | 0.0 | 0.0 | 23.8 | 23.1 | 0.0 | 0.0 | 23.1 |
| 10-14 | 12.1 | 0.0 | 0.0 | 12.1 | 12.2 | 0.0 | 0.0 | 12.2 | 12.1 | 0.0 | 0.0 | 12.1 |
| 15-19 | 12.1 | 0.2 | 0.0 | 12.2 | 12.3 | 0.1 | 0.0 | 12.4 | 11.8 | 0.3 | 0.0 | 12.1 |
| 20-24 | 6.0 | 3.9 | 0.0 | 9.9 | 7.8 | 1.9 | 0.0 | 9.7 | 4.0 | 6.1 | 0.0 | 10.1 |
| 25-29 | 1.5 | 7.2 | 0.0 | 8.7 | 2.4 | 6.2 | 0.0 | 8.6 | 0.6 | 8.3 | 0.0 | 8.9 |
| 30-34 | 0.3 | 6.2 | 0.0 | 6.5 | 0.4 | 5.9 | 0.0 | 6.4 | 0.1 | 6.4 | 0.1 | 6.6 |
| 35-39 | 0.1 | 5.8 | 0.1 | 6.0 | 0.1 | 5.7 | 0.0 | 5.9 | 0.0 | 5.9 | 0.1 | 6.1 |
| 40-44 | 0.0 | 4.5 | 0.1 | 4.7 | 0.0 | 4.5 | 0.1 | 4.6 | 0.0 | 4.6 | 0.2 | 4.8 |
| 45-49 | 0.0 | 4.1 | 0.1 | 4.3 | 0.1 | 4.1 | 0.1 | 4.3 | 0.0 | 4.1 | 0.2 | 4.3 |
| 50-54 | 0.0 | 2.8 | 0.1 | 3.0 | 0.0 | 2.9 | 0.1 | 3.1 | 0.0 | 2.7 | 0.1 | 2.8 |
| 55-59 | 0.0 | 2.4 | 0.1 | 2.6 | 0.1 | 2.3 | 0.1 | 2.5 | 0.0 | 2.5 | 0.2 | 2.7 |
| 60-64 | 0.0 | 2.1 | 0.3 | 2.4 | 0.0 | 2.2 | 0.2 | 2.4 | 0.0 | 2.0 | 0.4 | 2.4 |
| 65-69 | 0.0 | 1.5 | 0.3 | 1.8 | 0.0 | 1.6 | 0.2 | 1.8 | 0.0 | 1.3 | 0.4 | 1.7 |
| 70-74 | 0.0 | 0.8 | 0.3 | 1.1 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.7 | 0.5 | 1.2 |
| 75-79 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.4 | 0.3 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 55.7 | 42.3 | 2.0 | 100.0 | 59.4 | 39.3 | 1.3 | 100.0 | 51.7 | 45.5 | 2.9 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 19.1 | 0.0 | 0.0 | 19.1 | 19.5 | 0.0 | 0.0 | 19.5 | 18.7 | 0.0 | 0.0 | 18.7 |
| 10-14 | 11.1 | 0.0 | 0.0 | 11.1 | 11.1 | 0.0 | 0.0 | 11.1 | 11.1 | 0.0 | 0.0 | 11.1 |
| 15-19 | 10.4 | 0.1 | 0.0 | 10.5 | 10.4 | 0.0 | 0.0 | 10.5 | 10.4 | 0.2 | 0.0 | 10.6 |
| 20-24 | 7.9 | 2.7 | 0.0 | 10.6 | 9.5 | 1.1 | 0.0 | 10.6 | 6.1 | 4.6 | 0.0 | 10.7 |
| 25-29 | 2.9 | 5.8 | 0.0 | 8.8 | 4.1 | 4.4 | 0.0 | 8.6 | 1.5 | 7.5 | 0.0 | 9.0 |
| 30-34 | 1.0 | 6.3 | 0.1 | 7.4 | 1.6 | 5.6 | 0.0 | 7.2 | 0.3 | 7.1 | 0.1 | 7.5 |
| 35-39 | 0.3 | 5.8 | 0.1 | 6.1 | 0.4 | 5.6 | 0.0 | 6.0 | 0.1 | 6.0 | 0.2 | 6.3 |
| 40-44 | 0.1 | 5.6 | 0.1 | 5.8 | 0.1 | 5.9 | 0.1 | 6.1 | 0.1 | 5.3 | 0.2 | 5.6 |
| 45-49 | 0.0 | 4.4 | 0.1 | 4.6 | 0.1 | 4.3 | 0.1 | 4.4 | 0.0 | 4.7 | 0.2 | 4.8 |
| 50-54 | 0.0 | 3.5 | 0.3 | 3.9 | 0.0 | 3.4 | 0.2 | 3.6 | 0.0 | 3.7 | 0.5 | 4.2 |
| 55-59 | 0.0 | 3.4 | 0.3 | 3.7 | 0.0 | 3.7 | 0.2 | 3.9 | 0.0 | 3.0 | 0.5 | 3.5 |
| 60-64 | 0.0 | 2.8 | 0.4 | 3.2 | 0.0 | 3.0 | 0.2 | 3.2 | 0.0 | 2.6 | 0.6 | 3.2 |
| 65-69 | 0.0 | 1.8 | 0.4 | 2.2 | 0.0 | 2.1 | 0.2 | 2.4 | 0.0 | 1.4 | 0.6 | 2.0 |
| 70-74 | 0.0 | 1.0 | 0.4 | 1.4 | 0.0 | 1.3 | 0.3 | 1.5 | 0.0 | 0.7 | 0.6 | 1.3 |
| 75-79 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.6 | 0.2 | 0.7 | 0.0 | 0.3 | 0.3 | 0.6 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 52.9 | 44.2 | 2.9 | 100.0 | 56.8 | 41.5 | 1.7 | 100.0 | 48.5 | 47.2 | 4.3 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Chhattisgarh**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | **Total** | | | | | | | |
| <10 yrs | 19.2 | 0.0 | 0.0 | 19.2 | 19.3 | 0.0 | 0.0 | 19.3 | 19.1 | 0.0 | 0.0 | 19.1 |
| 10-14 | 10.0 | 0.0 | 0.0 | 10.0 | 10.0 | 0.0 | 0.0 | 10.0 | 10.0 | 0.0 | 0.0 | 10.0 |
| 15-19 | 9.7 | 0.2 | 0.0 | 9.9 | 10.2 | 0.1 | 0.0 | 10.3 | 9.1 | 0.3 | 0.0 | 9.5 |
| 20-24 | 6.9 | 3.8 | 0.0 | 10.7 | 8.5 | 2.0 | 0.0 | 10.5 | 5.3 | 5.6 | 0.1 | 10.9 |
| 25-29 | 2.2 | 6.8 | 0.1 | 9.1 | 3.1 | 5.9 | 0.1 | 9.2 | 1.2 | 7.7 | 0.2 | 9.1 |
| 30-34 | 0.6 | 6.8 | 0.2 | 7.6 | 0.9 | 6.9 | 0.1 | 7.9 | 0.4 | 6.7 | 0.3 | 7.3 |
| 35-39 | 0.2 | 6.8 | 0.3 | 7.3 | 0.3 | 6.7 | 0.1 | 7.1 | 0.2 | 6.8 | 0.5 | 7.4 |
| 40-44 | 0.1 | 5.7 | 0.3 | 6.1 | 0.1 | 6.0 | 0.2 | 6.3 | 0.1 | 5.4 | 0.5 | 6.0 |
| 45-49 | 0.1 | 5.2 | 0.5 | 5.7 | 0.1 | 5.3 | 0.2 | 5.6 | 0.1 | 5.0 | 0.8 | 5.9 |
| 50-54 | 0.0 | 3.6 | 0.4 | 4.0 | 0.1 | 4.1 | 0.2 | 4.4 | 0.0 | 3.2 | 0.5 | 3.7 |
| 55-59 | 0.0 | 2.6 | 0.5 | 3.2 | 0.0 | 2.7 | 0.2 | 2.9 | 0.0 | 2.6 | 0.7 | 3.4 |
| 60-64 | 0.0 | 2.1 | 0.5 | 2.7 | 0.0 | 2.4 | 0.3 | 2.7 | 0.0 | 1.9 | 0.8 | 2.7 |
| 65-69 | 0.0 | 1.4 | 0.7 | 2.1 | 0.0 | 1.6 | 0.3 | 1.9 | 0.0 | 1.2 | 1.1 | 2.3 |
| 70-74 | 0.0 | 0.7 | 0.6 | 1.3 | 0.0 | 0.8 | 0.2 | 1.0 | 0.0 | 0.6 | 0.9 | 1.5 |
| 75-79 | 0.0 | 0.3 | 0.3 | 0.7 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.2 | 0.5 | 0.7 |
| 80-84 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 49.1 | 46.2 | 4.6 | 100.0 | 52.7 | 45.0 | 2.3 | 100.0 | 45.5 | 47.4 | 7.0 | 100.0 |
| | | | | | **Rural** | | | | | | | |
| <10 Yrs | 19.9 | 0.0 | 0.0 | 19.9 | 20.0 | 0.0 | 0.0 | 20.0 | 19.9 | 0.0 | 0.0 | 19.9 |
| 10-14 | 10.3 | 0.0 | 0.0 | 10.3 | 10.3 | 0.0 | 0.0 | 10.3 | 10.4 | 0.0 | 0.0 | 10.4 |
| 15-19 | 9.7 | 0.2 | 0.0 | 9.9 | 10.3 | 0.1 | 0.0 | 10.4 | 9.1 | 0.3 | 0.0 | 9.4 |
| 20-24 | 6.7 | 4.0 | 0.0 | 10.7 | 8.4 | 2.1 | 0.0 | 10.5 | 5.0 | 5.9 | 0.1 | 11.0 |
| 25-29 | 1.8 | 7.0 | 0.1 | 8.9 | 2.6 | 6.2 | 0.1 | 8.9 | 0.9 | 7.7 | 0.2 | 8.8 |
| 30-34 | 0.5 | 6.7 | 0.2 | 7.4 | 0.7 | 7.1 | 0.1 | 7.8 | 0.3 | 6.4 | 0.2 | 6.9 |
| 35-39 | 0.2 | 6.6 | 0.3 | 7.1 | 0.3 | 6.5 | 0.1 | 6.9 | 0.1 | 6.7 | 0.4 | 7.3 |
| 40-44 | 0.1 | 5.4 | 0.3 | 5.9 | 0.1 | 5.7 | 0.2 | 6.0 | 0.1 | 5.2 | 0.5 | 5.7 |
| 45-49 | 0.1 | 5.0 | 0.5 | 5.5 | 0.0 | 5.1 | 0.3 | 5.4 | 0.1 | 4.8 | 0.8 | 5.7 |
| 50-54 | 0.0 | 3.5 | 0.4 | 3.9 | 0.1 | 3.9 | 0.2 | 4.2 | 0.0 | 3.1 | 0.5 | 3.6 |
| 55-59 | 0.0 | 2.6 | 0.5 | 3.1 | 0.0 | 2.5 | 0.2 | 2.8 | 0.0 | 2.7 | 0.7 | 3.4 |
| 60-64 | 0.0 | 2.2 | 0.5 | 2.7 | 0.0 | 2.5 | 0.3 | 2.9 | 0.0 | 1.9 | 0.8 | 2.6 |
| 65-69 | 0.0 | 1.4 | 0.7 | 2.2 | 0.0 | 1.6 | 0.4 | 2.0 | 0.0 | 1.2 | 1.1 | 2.4 |
| 70-74 | 0.0 | 0.7 | 0.6 | 1.3 | 0.0 | 0.7 | 0.2 | 1.0 | 0.0 | 0.6 | 1.0 | 1.6 |
| 75-79 | 0.0 | 0.3 | 0.4 | 0.7 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.2 | 0.6 | 0.8 |
| 80-84 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 49.4 | 45.7 | 4.8 | 100.0 | 52.9 | 44.7 | 2.5 | 100.0 | 46.0 | 46.8 | 7.2 | 100.0 |
| | | | | | **Urban** | | | | | | | |
| <10 Yrs | 16.8 | 0.0 | 0.0 | 16.8 | 17.3 | 0.0 | 0.0 | 17.3 | 16.4 | 0.0 | 0.0 | 16.4 |
| 10-14 | 9.0 | 0.0 | 0.0 | 9.0 | 9.1 | 0.0 | 0.0 | 9.1 | 8.8 | 0.0 | 0.0 | 8.8 |
| 15-19 | 9.7 | 0.1 | 0.0 | 9.8 | 10.0 | 0.0 | 0.0 | 10.0 | 9.3 | 0.3 | 0.0 | 9.6 |
| 20-24 | 7.5 | 3.1 | 0.0 | 10.6 | 8.8 | 1.6 | 0.0 | 10.5 | 6.0 | 4.7 | 0.1 | 10.8 |
| 25-29 | 3.4 | 6.3 | 0.1 | 9.9 | 4.7 | 5.1 | 0.1 | 9.8 | 2.1 | 7.7 | 0.1 | 9.9 |
| 30-34 | 1.0 | 7.1 | 0.2 | 8.3 | 1.5 | 6.5 | 0.1 | 8.1 | 0.6 | 7.7 | 0.3 | 8.6 |
| 35-39 | 0.4 | 7.3 | 0.3 | 7.9 | 0.4 | 7.3 | 0.1 | 7.8 | 0.3 | 7.2 | 0.5 | 8.0 |
| 40-44 | 0.2 | 6.5 | 0.3 | 7.0 | 0.2 | 6.8 | 0.1 | 7.1 | 0.2 | 6.3 | 0.5 | 6.9 |
| 45-49 | 0.1 | 5.8 | 0.4 | 6.4 | 0.1 | 5.9 | 0.2 | 6.2 | 0.1 | 5.7 | 0.7 | 6.5 |
| 50-54 | 0.1 | 4.1 | 0.4 | 4.6 | 0.1 | 4.7 | 0.2 | 4.9 | 0.1 | 3.4 | 0.7 | 4.2 |
| 55-59 | 0.0 | 2.8 | 0.4 | 3.3 | 0.1 | 3.1 | 0.2 | 3.3 | 0.0 | 2.5 | 0.7 | 3.2 |
| 60-64 | 0.0 | 2.0 | 0.5 | 2.5 | 0.0 | 2.0 | 0.3 | 2.3 | 0.0 | 1.9 | 0.8 | 2.8 |
| 65-69 | 0.0 | 1.4 | 0.5 | 1.9 | 0.0 | 1.5 | 0.2 | 1.8 | 0.0 | 1.2 | 0.9 | 2.1 |
| 70-74 | 0.0 | 0.7 | 0.4 | 1.1 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.5 | 0.6 | 1.2 |
| 75-79 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.3 | 0.5 |
| 80-84 | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 48.2 | 47.7 | 4.1 | 100.0 | 52.2 | 46.0 | 1.8 | 100.0 | 44.0 | 49.5 | 6.5 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Delhi**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 16.6 | 0.0 | 0.0 | 16.6 | 16.6 | 0.0 | 0.0 | 16.6 | 16.6 | 0.0 | 0.0 | 16.6 |
| 10-14 | 9.5 | 0.0 | 0.0 | 9.5 | 9.4 | 0.0 | 0.0 | 9.4 | 9.6 | 0.0 | 0.0 | 9.6 |
| 15-19 | 9.4 | 0.1 | 0.0 | 9.5 | 9.9 | 0.0 | 0.0 | 10.0 | 8.8 | 0.2 | 0.0 | 8.9 |
| 20-24 | 8.2 | 2.1 | 0.0 | 10.3 | 9.0 | 0.9 | 0.0 | 10.0 | 7.1 | 3.4 | 0.0 | 10.6 |
| 25-29 | 4.5 | 6.6 | 0.1 | 11.2 | 5.8 | 5.0 | 0.0 | 10.9 | 2.9 | 8.5 | 0.1 | 11.6 |
| 30-34 | 1.3 | 8.0 | 0.1 | 9.4 | 1.8 | 7.5 | 0.1 | 9.4 | 0.7 | 8.6 | 0.2 | 9.4 |
| 35-39 | 0.4 | 7.2 | 0.2 | 7.7 | 0.5 | 7.1 | 0.1 | 7.7 | 0.3 | 7.3 | 0.2 | 7.8 |
| 40-44 | 0.2 | 6.2 | 0.2 | 6.6 | 0.2 | 6.5 | 0.1 | 6.8 | 0.1 | 5.9 | 0.3 | 6.2 |
| 45-49 | 0.1 | 4.8 | 0.2 | 5.1 | 0.1 | 5.1 | 0.1 | 5.4 | 0.1 | 4.4 | 0.4 | 4.9 |
| 50-54 | 0.1 | 3.7 | 0.3 | 4.1 | 0.1 | 3.9 | 0.1 | 4.1 | 0.0 | 3.4 | 0.6 | 4.1 |
| 55-59 | 0.0 | 2.8 | 0.3 | 3.2 | 0.1 | 3.1 | 0.2 | 3.3 | 0.0 | 2.5 | 0.6 | 3.0 |
| 60-64 | 0.0 | 2.3 | 0.4 | 2.7 | 0.0 | 2.5 | 0.1 | 2.7 | 0.0 | 2.1 | 0.7 | 2.8 |
| 65-69 | 0.0 | 1.4 | 0.4 | 1.9 | 0.0 | 1.6 | 0.2 | 1.8 | 0.0 | 1.3 | 0.7 | 2.0 |
| 70-74 | 0.0 | 0.8 | 0.4 | 1.1 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.7 | 0.5 | 1.2 |
| 75-79 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.4 | 0.1 | 0.6 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.2 | 0.3 |
| All ages | 50.2 | 46.6 | 3.2 | 100.0 | 53.7 | 44.8 | 1.5 | 100.0 | 46.3 | 48.6 | 5.1 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 16.2 | 0.0 | 0.0 | 16.2 | 15.8 | 0.0 | 0.0 | 15.8 | 16.9 | 0.0 | 0.0 | 16.9 |
| 10-14 | 9.0 | 0.0 | 0.0 | 9.0 | 9.3 | 0.0 | 0.0 | 9.3 | 8.7 | 0.0 | 0.0 | 8.7 |
| 15-19 | 9.1 | 0.1 | 0.0 | 9.2 | 9.8 | 0.0 | 0.0 | 9.9 | 8.2 | 0.1 | 0.0 | 8.3 |
| 20-24 | 9.7 | 2.6 | 0.0 | 12.3 | 12.0 | 1.0 | 0.0 | 13.0 | 6.7 | 4.7 | 0.1 | 11.4 |
| 25-29 | 5.4 | 7.8 | 0.1 | 13.3 | 7.2 | 5.7 | 0.0 | 12.9 | 3.0 | 10.7 | 0.1 | 13.8 |
| 30-34 | 1.3 | 7.6 | 0.1 | 9.0 | 1.9 | 6.5 | 0.2 | 8.5 | 0.5 | 9.1 | 0.1 | 9.7 |
| 35-39 | 0.3 | 6.9 | 0.2 | 7.5 | 0.5 | 7.2 | 0.2 | 7.9 | 0.2 | 6.6 | 0.2 | 7.0 |
| 40-44 | 0.1 | 5.1 | 0.2 | 5.4 | 0.1 | 5.0 | 0.2 | 5.3 | 0.1 | 5.3 | 0.2 | 5.7 |
| 45-49 | 0.1 | 4.1 | 0.2 | 4.4 | 0.1 | 4.1 | 0.1 | 4.3 | 0.0 | 4.3 | 0.2 | 4.5 |
| 50-54 | 0.0 | 3.3 | 0.4 | 3.7 | 0.0 | 3.9 | 0.2 | 4.1 | 0.0 | 2.5 | 0.6 | 3.1 |
| 55-59 | 0.0 | 3.0 | 0.3 | 3.3 | 0.0 | 3.0 | 0.1 | 3.2 | 0.0 | 2.9 | 0.5 | 3.4 |
| 60-64 | 0.0 | 2.2 | 0.5 | 2.7 | 0.0 | 2.4 | 0.2 | 2.6 | 0.0 | 2.0 | 0.9 | 2.9 |
| 65-69 | 0.0 | 1.3 | 0.3 | 1.6 | 0.0 | 1.3 | 0.1 | 1.4 | 0.0 | 1.2 | 0.5 | 1.7 |
| 70-74 | 0.0 | 0.7 | 0.3 | 1.0 | 0.0 | 0.7 | 0.2 | 1.0 | 0.0 | 0.6 | 0.5 | 1.1 |
| 75-79 | 0.0 | 0.3 | 0.3 | 0.6 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.6 | 0.8 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.3 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.4 | 0.5 |
| All ages | 51.3 | 45.4 | 3.3 | 100.0 | 56.7 | 41.4 | 1.8 | 100.0 | 44.3 | 50.6 | 5.1 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 16.6 | 0.0 | 0.0 | 16.6 | 16.6 | 0.0 | 0.0 | 16.6 | 16.6 | 0.0 | 0.0 | 16.6 |
| 10-14 | 9.5 | 0.0 | 0.0 | 9.5 | 9.4 | 0.0 | 0.0 | 9.4 | 9.6 | 0.0 | 0.0 | 9.6 |
| 15-19 | 9.4 | 0.1 | 0.0 | 9.5 | 9.9 | 0.0 | 0.0 | 10.0 | 8.8 | 0.2 | 0.0 | 8.9 |
| 20-24 | 8.1 | 2.1 | 0.0 | 10.2 | 9.0 | 0.9 | 0.0 | 9.9 | 7.2 | 3.4 | 0.0 | 10.6 |
| 25-29 | 4.5 | 6.6 | 0.1 | 11.1 | 5.8 | 5.0 | 0.0 | 10.8 | 2.9 | 8.5 | 0.1 | 11.5 |
| 30-34 | 1.3 | 8.0 | 0.1 | 9.4 | 1.8 | 7.5 | 0.1 | 9.4 | 0.7 | 8.5 | 0.2 | 9.4 |
| 35-39 | 0.4 | 7.2 | 0.2 | 7.8 | 0.5 | 7.1 | 0.1 | 7.7 | 0.3 | 7.3 | 0.2 | 7.8 |
| 40-44 | 0.2 | 6.2 | 0.2 | 6.6 | 0.2 | 6.5 | 0.1 | 6.9 | 0.1 | 5.9 | 0.3 | 6.3 |
| 45-49 | 0.1 | 4.8 | 0.2 | 5.2 | 0.1 | 5.2 | 0.1 | 5.4 | 0.1 | 4.5 | 0.4 | 4.9 |
| 50-54 | 0.1 | 3.7 | 0.3 | 4.1 | 0.1 | 3.9 | 0.1 | 4.1 | 0.0 | 3.5 | 0.6 | 4.1 |
| 55-59 | 0.0 | 2.8 | 0.3 | 3.1 | 0.1 | 3.1 | 0.2 | 3.3 | 0.0 | 2.4 | 0.6 | 3.0 |
| 60-64 | 0.0 | 2.3 | 0.4 | 2.7 | 0.0 | 2.5 | 0.1 | 2.7 | 0.0 | 2.1 | 0.7 | 2.8 |
| 65-69 | 0.0 | 1.4 | 0.4 | 1.9 | 0.0 | 1.6 | 0.2 | 1.8 | 0.0 | 1.3 | 0.7 | 2.0 |
| 70-74 | 0.0 | 0.8 | 0.4 | 1.2 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.7 | 0.5 | 1.2 |
| 75-79 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.4 | 0.1 | 0.6 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.2 | 0.3 |
| All ages | 50.2 | 46.6 | 3.2 | 100.0 | 53.6 | 44.9 | 1.5 | 100.0 | 46.3 | 48.6 | 5.1 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Gujarat**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 16.8 | 0.0 | 0.0 | 16.8 | 17.3 | 0.0 | 0.0 | 17.3 | 16.3 | 0.0 | 0.0 | 16.3 |
| 10-14 | 9.4 | 0.0 | 0.0 | 9.4 | 9.8 | 0.0 | 0.0 | 9.8 | 9.1 | 0.0 | 0.0 | 9.1 |
| 15-19 | 9.1 | 0.3 | 0.0 | 9.4 | 9.5 | 0.2 | 0.0 | 9.7 | 8.6 | 0.5 | 0.0 | 9.1 |
| 20-24 | 6.5 | 3.5 | 0.0 | 10.1 | 7.7 | 2.1 | 0.0 | 9.8 | 5.2 | 5.1 | 0.0 | 10.4 |
| 25-29 | 2.6 | 7.1 | 0.1 | 9.8 | 3.7 | 6.0 | 0.1 | 9.8 | 1.4 | 8.4 | 0.1 | 9.9 |
| 30-34 | 0.8 | 7.6 | 0.1 | 8.5 | 1.2 | 7.5 | 0.1 | 8.8 | 0.3 | 7.7 | 0.2 | 8.1 |
| 35-39 | 0.3 | 6.6 | 0.2 | 7.1 | 0.5 | 6.4 | 0.1 | 7.0 | 0.1 | 6.9 | 0.3 | 7.3 |
| 40-44 | 0.2 | 6.0 | 0.3 | 6.4 | 0.3 | 6.1 | 0.2 | 6.5 | 0.1 | 5.9 | 0.4 | 6.3 |
| 45-49 | 0.2 | 5.1 | 0.4 | 5.6 | 0.2 | 5.0 | 0.2 | 5.4 | 0.1 | 5.1 | 0.6 | 5.7 |
| 50-54 | 0.1 | 4.2 | 0.4 | 4.6 | 0.1 | 4.3 | 0.2 | 4.6 | 0.0 | 4.0 | 0.5 | 4.6 |
| 55-59 | 0.0 | 3.2 | 0.4 | 3.7 | 0.0 | 3.3 | 0.2 | 3.5 | 0.0 | 3.2 | 0.7 | 3.9 |
| 60-64 | 0.0 | 2.6 | 0.6 | 3.2 | 0.0 | 2.7 | 0.3 | 3.0 | 0.0 | 2.4 | 1.0 | 3.4 |
| 65-69 | 0.0 | 1.6 | 0.6 | 2.2 | 0.0 | 1.8 | 0.2 | 2.1 | 0.0 | 1.4 | 0.9 | 2.4 |
| 70-74 | 0.0 | 0.9 | 0.5 | 1.5 | 0.0 | 1.1 | 0.2 | 1.4 | 0.0 | 0.7 | 0.9 | 1.6 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.4 | 0.7 | 1.1 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.4 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 46.1 | 49.5 | 4.4 | 100.0 | 50.5 | 47.4 | 2.1 | 100.0 | 41.3 | 51.8 | 6.9 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 17.8 | 0.0 | 0.0 | 17.8 | 18.3 | 0.0 | 0.0 | 18.3 | 17.3 | 0.0 | 0.0 | 17.3 |
| 10-14 | 10.1 | 0.0 | 0.0 | 10.1 | 10.3 | 0.0 | 0.0 | 10.3 | 9.8 | 0.0 | 0.0 | 9.8 |
| 15-19 | 9.5 | 0.4 | 0.0 | 10.0 | 10.2 | 0.2 | 0.0 | 10.4 | 8.8 | 0.6 | 0.0 | 9.5 |
| 20-24 | 6.0 | 4.2 | 0.0 | 10.2 | 7.1 | 2.6 | 0.0 | 9.8 | 4.7 | 5.8 | 0.1 | 10.6 |
| 25-29 | 2.1 | 7.0 | 0.1 | 9.2 | 3.1 | 6.0 | 0.1 | 9.2 | 1.0 | 8.0 | 0.1 | 9.2 |
| 30-34 | 0.7 | 6.9 | 0.2 | 7.7 | 1.1 | 6.8 | 0.1 | 8.1 | 0.2 | 6.9 | 0.2 | 7.3 |
| 35-39 | 0.3 | 6.2 | 0.2 | 6.7 | 0.5 | 6.0 | 0.2 | 6.6 | 0.1 | 6.4 | 0.3 | 6.8 |
| 40-44 | 0.2 | 5.7 | 0.3 | 6.1 | 0.3 | 5.7 | 0.2 | 6.2 | 0.1 | 5.6 | 0.4 | 6.0 |
| 45-49 | 0.1 | 4.8 | 0.4 | 5.4 | 0.2 | 4.9 | 0.2 | 5.3 | 0.1 | 4.8 | 0.6 | 5.5 |
| 50-54 | 0.1 | 4.0 | 0.3 | 4.4 | 0.1 | 4.1 | 0.2 | 4.4 | 0.0 | 3.9 | 0.5 | 4.4 |
| 55-59 | 0.0 | 3.1 | 0.4 | 3.6 | 0.1 | 3.1 | 0.2 | 3.3 | 0.0 | 3.2 | 0.7 | 3.9 |
| 60-64 | 0.0 | 2.6 | 0.7 | 3.3 | 0.1 | 2.8 | 0.3 | 3.1 | 0.0 | 2.5 | 1.1 | 3.6 |
| 65-69 | 0.0 | 1.7 | 0.6 | 2.3 | 0.0 | 1.9 | 0.3 | 2.2 | 0.0 | 1.5 | 0.9 | 2.5 |
| 70-74 | 0.0 | 1.0 | 0.6 | 1.6 | 0.0 | 1.2 | 0.2 | 1.4 | 0.0 | 0.8 | 0.9 | 1.7 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.5 | 0.6 | 1.1 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.3 | 0.0 | 0.1 | 0.4 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 46.9 | 48.5 | 4.6 | 100.0 | 51.3 | 46.4 | 2.3 | 100.0 | 42.2 | 50.9 | 7.0 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 15.5 | 0.0 | 0.0 | 15.5 | 16.0 | 0.0 | 0.0 | 16.0 | 15.0 | 0.0 | 0.0 | 15.0 |
| 10-14 | 8.7 | 0.0 | 0.0 | 8.7 | 9.0 | 0.0 | 0.0 | 9.0 | 8.2 | 0.0 | 0.0 | 8.2 |
| 15-19 | 8.5 | 0.2 | 0.0 | 8.7 | 8.7 | 0.0 | 0.0 | 8.8 | 8.3 | 0.3 | 0.0 | 8.6 |
| 20-24 | 7.2 | 2.7 | 0.0 | 9.9 | 8.4 | 1.4 | 0.0 | 9.8 | 5.8 | 4.3 | 0.0 | 10.1 |
| 25-29 | 3.3 | 7.3 | 0.1 | 10.6 | 4.5 | 5.9 | 0.1 | 10.5 | 1.9 | 8.8 | 0.1 | 10.8 |
| 30-34 | 0.9 | 8.4 | 0.1 | 9.5 | 1.4 | 8.3 | 0.1 | 9.8 | 0.4 | 8.6 | 0.2 | 9.2 |
| 35-39 | 0.4 | 7.2 | 0.2 | 7.7 | 0.5 | 6.9 | 0.1 | 7.5 | 0.2 | 7.4 | 0.2 | 7.8 |
| 40-44 | 0.2 | 6.4 | 0.2 | 6.8 | 0.3 | 6.5 | 0.1 | 6.9 | 0.1 | 6.3 | 0.3 | 6.7 |
| 45-49 | 0.2 | 5.3 | 0.3 | 5.8 | 0.2 | 5.3 | 0.1 | 5.6 | 0.1 | 5.4 | 0.5 | 6.0 |
| 50-54 | 0.1 | 4.3 | 0.4 | 4.8 | 0.1 | 4.5 | 0.2 | 4.8 | 0.0 | 4.1 | 0.6 | 4.7 |
| 55-59 | 0.0 | 3.4 | 0.4 | 3.8 | 0.0 | 3.5 | 0.2 | 3.7 | 0.0 | 3.2 | 0.7 | 3.9 |
| 60-64 | 0.0 | 2.5 | 0.6 | 3.1 | 0.0 | 2.7 | 0.2 | 2.9 | 0.0 | 2.2 | 0.9 | 3.2 |
| 65-69 | 0.0 | 1.5 | 0.5 | 2.0 | 0.0 | 1.6 | 0.2 | 1.9 | 0.0 | 1.3 | 0.9 | 2.2 |
| 70-74 | 0.0 | 0.9 | 0.5 | 1.4 | 0.0 | 1.1 | 0.2 | 1.3 | 0.0 | 0.7 | 0.9 | 1.5 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.3 | 0.7 | 1.1 |
| 80-84 | 0.0 | 0.2 | 0.3 | 0.5 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.4 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.4 | 0.4 |
| All ages | 45.0 | 50.7 | 4.2 | 100.0 | 49.4 | 48.7 | 1.9 | 100.0 | 40.1 | 53.0 | 6.9 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Haryana**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 17.7 | 0.0 | 0.0 | 17.7 | 18.3 | 0.0 | 0.0 | 18.3 | 17.0 | 0.0 | 0.0 | 17.0 |
| 10-14 | 9.5 | 0.0 | 0.0 | 9.5 | 10.0 | 0.0 | 0.0 | 10.0 | 8.9 | 0.0 | 0.0 | 8.9 |
| 15-19 | 9.9 | 0.3 | 0.0 | 10.1 | 10.5 | 0.1 | 0.0 | 10.7 | 9.1 | 0.4 | 0.0 | 9.5 |
| 20-24 | 7.6 | 3.8 | 0.0 | 11.3 | 8.9 | 1.9 | 0.0 | 10.8 | 5.9 | 6.0 | 0.0 | 12.0 |
| 25-29 | 2.8 | 7.3 | 0.0 | 10.1 | 4.0 | 6.2 | 0.0 | 10.3 | 1.3 | 8.6 | 0.1 | 10.0 |
| 30-34 | 0.7 | 7.0 | 0.1 | 7.8 | 1.1 | 6.8 | 0.0 | 7.9 | 0.3 | 7.3 | 0.1 | 7.6 |
| 35-39 | 0.3 | 6.5 | 0.1 | 7.0 | 0.5 | 6.2 | 0.1 | 6.7 | 0.1 | 7.0 | 0.2 | 7.3 |
| 40-44 | 0.2 | 5.9 | 0.1 | 6.2 | 0.3 | 5.7 | 0.1 | 6.1 | 0.1 | 6.2 | 0.2 | 6.5 |
| 45-49 | 0.1 | 4.9 | 0.2 | 5.2 | 0.2 | 4.9 | 0.1 | 5.1 | 0.1 | 4.9 | 0.3 | 5.4 |
| 50-54 | 0.1 | 3.9 | 0.2 | 4.1 | 0.1 | 3.8 | 0.1 | 4.1 | 0.0 | 3.9 | 0.3 | 4.2 |
| 55-59 | 0.0 | 2.9 | 0.2 | 3.2 | 0.1 | 2.8 | 0.1 | 2.9 | 0.0 | 3.2 | 0.4 | 3.6 |
| 60-64 | 0.0 | 2.4 | 0.3 | 2.7 | 0.1 | 2.4 | 0.2 | 2.6 | 0.0 | 2.3 | 0.4 | 2.8 |
| 65-69 | 0.1 | 1.6 | 0.3 | 1.9 | 0.0 | 1.5 | 0.1 | 1.7 | 0.1 | 1.6 | 0.4 | 2.1 |
| 70-74 | 0.1 | 1.0 | 0.3 | 1.4 | 0.0 | 1.1 | 0.2 | 1.3 | 0.1 | 1.0 | 0.5 | 1.5 |
| 75-79 | 0.0 | 0.7 | 0.2 | 0.9 | 0.0 | 0.7 | 0.1 | 0.8 | 0.1 | 0.6 | 0.3 | 1.0 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 49.0 | 48.6 | 2.3 | 100.0 | 54.1 | 44.6 | 1.4 | 100.0 | 43.1 | 53.4 | 3.5 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 18.3 | 0.0 | 0.0 | 18.3 | 18.8 | 0.0 | 0.0 | 18.8 | 17.6 | 0.0 | 0.0 | 17.6 |
| 10-14 | 9.7 | 0.0 | 0.0 | 9.7 | 10.2 | 0.0 | 0.0 | 10.2 | 9.1 | 0.0 | 0.0 | 9.1 |
| 15-19 | 10.1 | 0.3 | 0.0 | 10.4 | 10.8 | 0.2 | 0.0 | 11.0 | 9.3 | 0.5 | 0.0 | 9.8 |
| 20-24 | 7.4 | 4.1 | 0.0 | 11.6 | 8.9 | 2.1 | 0.0 | 11.0 | 5.7 | 6.5 | 0.0 | 12.2 |
| 25-29 | 2.4 | 7.5 | 0.0 | 9.9 | 3.6 | 6.5 | 0.0 | 10.1 | 1.0 | 8.6 | 0.0 | 9.6 |
| 30-34 | 0.6 | 6.9 | 0.0 | 7.6 | 1.0 | 6.7 | 0.0 | 7.8 | 0.2 | 7.1 | 0.1 | 7.4 |
| 35-39 | 0.3 | 6.5 | 0.1 | 6.9 | 0.4 | 6.2 | 0.1 | 6.7 | 0.1 | 6.8 | 0.1 | 7.1 |
| 40-44 | 0.2 | 5.8 | 0.1 | 6.1 | 0.3 | 5.6 | 0.1 | 5.9 | 0.1 | 6.0 | 0.2 | 6.3 |
| 45-49 | 0.1 | 4.7 | 0.2 | 5.0 | 0.2 | 4.7 | 0.1 | 5.0 | 0.1 | 4.7 | 0.3 | 5.1 |
| 50-54 | 0.1 | 3.5 | 0.2 | 3.8 | 0.1 | 3.5 | 0.1 | 3.7 | 0.0 | 3.6 | 0.3 | 3.9 |
| 55-59 | 0.1 | 2.8 | 0.2 | 3.0 | 0.1 | 2.5 | 0.1 | 2.6 | 0.0 | 3.1 | 0.4 | 3.5 |
| 60-64 | 0.0 | 2.4 | 0.2 | 2.6 | 0.0 | 2.3 | 0.1 | 2.5 | 0.0 | 2.4 | 0.3 | 2.7 |
| 65-69 | 0.1 | 1.6 | 0.2 | 1.9 | 0.0 | 1.5 | 0.1 | 1.7 | 0.1 | 1.6 | 0.4 | 2.1 |
| 70-74 | 0.1 | 1.1 | 0.3 | 1.5 | 0.0 | 1.1 | 0.1 | 1.3 | 0.1 | 1.1 | 0.5 | 1.6 |
| 75-79 | 0.0 | 0.7 | 0.2 | 1.0 | 0.0 | 0.8 | 0.1 | 0.9 | 0.1 | 0.7 | 0.3 | 1.1 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.3 | 0.1 | 0.5 | 0.0 | 0.3 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.2 | 0.4 |
| All ages | 49.5 | 48.3 | 2.2 | 100.0 | 54.6 | 44.2 | 1.2 | 100.0 | 43.5 | 53.1 | 3.4 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 16.6 | 0.0 | 0.0 | 16.6 | 17.3 | 0.0 | 0.0 | 17.3 | 15.8 | 0.0 | 0.0 | 15.8 |
| 10-14 | 9.0 | 0.0 | 0.0 | 9.0 | 9.5 | 0.0 | 0.0 | 9.5 | 8.4 | 0.0 | 0.0 | 8.4 |
| 15-19 | 9.4 | 0.2 | 0.0 | 9.6 | 10.1 | 0.1 | 0.0 | 10.1 | 8.7 | 0.3 | 0.0 | 9.0 |
| 20-24 | 7.8 | 3.2 | 0.0 | 10.9 | 8.9 | 1.5 | 0.0 | 10.5 | 6.4 | 5.1 | 0.0 | 11.5 |
| 25-29 | 3.4 | 7.1 | 0.1 | 10.7 | 4.8 | 5.8 | 0.1 | 10.6 | 1.9 | 8.8 | 0.1 | 10.7 |
| 30-34 | 0.9 | 7.2 | 0.1 | 8.1 | 1.3 | 6.9 | 0.1 | 8.2 | 0.4 | 7.6 | 0.1 | 8.0 |
| 35-39 | 0.4 | 6.7 | 0.1 | 7.1 | 0.5 | 6.2 | 0.1 | 6.8 | 0.1 | 7.3 | 0.2 | 7.6 |
| 40-44 | 0.2 | 6.2 | 0.2 | 6.6 | 0.3 | 6.0 | 0.1 | 6.3 | 0.1 | 6.5 | 0.2 | 6.8 |
| 45-49 | 0.1 | 5.3 | 0.2 | 5.6 | 0.2 | 5.2 | 0.1 | 5.5 | 0.1 | 5.3 | 0.4 | 5.8 |
| 50-54 | 0.1 | 4.4 | 0.2 | 4.7 | 0.1 | 4.4 | 0.2 | 4.7 | 0.0 | 4.4 | 0.3 | 4.8 |
| 55-59 | 0.0 | 3.3 | 0.3 | 3.6 | 0.1 | 3.2 | 0.2 | 3.5 | 0.0 | 3.3 | 0.5 | 3.8 |
| 60-64 | 0.1 | 2.4 | 0.3 | 2.8 | 0.1 | 2.6 | 0.2 | 2.8 | 0.1 | 2.3 | 0.4 | 2.8 |
| 65-69 | 0.0 | 1.6 | 0.3 | 2.0 | 0.1 | 1.6 | 0.2 | 1.8 | 0.0 | 1.6 | 0.5 | 2.1 |
| 70-74 | 0.1 | 0.9 | 0.3 | 1.2 | 0.0 | 1.0 | 0.2 | 1.2 | 0.1 | 0.8 | 0.4 | 1.3 |
| 75-79 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.5 | 0.1 | 0.7 | 0.0 | 0.5 | 0.3 | 0.8 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 48.1 | 49.3 | 2.6 | 100.0 | 53.2 | 45.2 | 1.6 | 100.0 | 42.2 | 54.0 | 3.8 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Himachal Pradesh**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 14.8 | 0.0 | 0.0 | 14.8 | 15.5 | 0.0 | 0.0 | 15.5 | 14.0 | 0.0 | 0.0 | 14.0 |
| 10-14 | 8.5 | 0.0 | 0.0 | 8.5 | 9.0 | 0.0 | 0.0 | 9.0 | 8.0 | 0.0 | 0.0 | 8.0 |
| 15-19 | 7.8 | 0.1 | 0.0 | 8.0 | 8.4 | 0.0 | 0.0 | 8.4 | 7.3 | 0.2 | 0.0 | 7.5 |
| 20-24 | 7.1 | 2.3 | 0.0 | 9.4 | 7.8 | 0.7 | 0.0 | 8.5 | 6.3 | 4.0 | 0.0 | 10.4 |
| 25-29 | 3.7 | 5.8 | 0.0 | 9.6 | 5.5 | 3.6 | 0.0 | 9.2 | 1.9 | 8.0 | 0.1 | 10.0 |
| 30-34 | 1.0 | 7.0 | 0.1 | 8.2 | 1.7 | 6.3 | 0.0 | 8.0 | 0.4 | 7.8 | 0.1 | 8.3 |
| 35-39 | 0.3 | 7.1 | 0.1 | 7.6 | 0.5 | 6.8 | 0.1 | 7.4 | 0.2 | 7.4 | 0.2 | 7.7 |
| 40-44 | 0.2 | 6.5 | 0.2 | 6.8 | 0.3 | 6.5 | 0.1 | 6.9 | 0.1 | 6.4 | 0.3 | 6.8 |
| 45-49 | 0.1 | 5.3 | 0.3 | 5.7 | 0.2 | 5.5 | 0.1 | 5.8 | 0.1 | 5.0 | 0.5 | 5.5 |
| 50-54 | 0.1 | 5.1 | 0.4 | 5.6 | 0.1 | 5.5 | 0.1 | 5.7 | 0.1 | 4.8 | 0.6 | 5.5 |
| 55-59 | 0.1 | 4.2 | 0.5 | 4.7 | 0.1 | 4.5 | 0.2 | 4.7 | 0.1 | 3.8 | 0.9 | 4.7 |
| 60-64 | 0.0 | 3.1 | 0.6 | 3.7 | 0.1 | 3.5 | 0.2 | 3.8 | 0.0 | 2.6 | 1.0 | 3.6 |
| 65-69 | 0.0 | 2.1 | 0.7 | 2.7 | 0.0 | 2.4 | 0.2 | 2.7 | 0.0 | 1.7 | 1.1 | 2.8 |
| 70-74 | 0.0 | 1.3 | 0.6 | 1.9 | 0.0 | 1.6 | 0.3 | 1.9 | 0.0 | 1.0 | 1.0 | 2.0 |
| 75-79 | 0.0 | 0.7 | 0.5 | 1.2 | 0.0 | 0.9 | 0.3 | 1.2 | 0.0 | 0.5 | 0.8 | 1.3 |
| 80-84 | 0.0 | 0.4 | 0.4 | 0.9 | 0.0 | 0.5 | 0.2 | 0.8 | 0.0 | 0.3 | 0.7 | 1.0 |
| 85+ | 0.0 | 0.2 | 0.4 | 0.6 | 0.1 | 0.3 | 0.2 | 0.5 | 0.0 | 0.1 | 0.6 | 0.7 |
| All ages | 43.9 | 51.1 | 4.9 | 100.0 | 49.3 | 48.7 | 2.0 | 100.0 | 38.6 | 53.5 | 7.9 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 14.9 | 0.0 | 0.0 | 14.9 | 15.8 | 0.0 | 0.0 | 15.8 | 14.1 | 0.0 | 0.0 | 14.1 |
| 10-14 | 8.5 | 0.0 | 0.0 | 8.5 | 9.0 | 0.0 | 0.0 | 9.0 | 8.0 | 0.0 | 0.0 | 8.0 |
| 15-19 | 7.8 | 0.1 | 0.0 | 7.9 | 8.4 | 0.0 | 0.0 | 8.4 | 7.2 | 0.2 | 0.0 | 7.4 |
| 20-24 | 7.0 | 2.4 | 0.0 | 9.4 | 7.7 | 0.7 | 0.0 | 8.4 | 6.3 | 4.1 | 0.0 | 10.5 |
| 25-29 | 3.6 | 6.0 | 0.0 | 9.7 | 5.5 | 3.8 | 0.0 | 9.3 | 1.8 | 8.2 | 0.1 | 10.1 |
| 30-34 | 1.0 | 7.0 | 0.1 | 8.1 | 1.6 | 6.3 | 0.0 | 8.0 | 0.3 | 7.8 | 0.1 | 8.2 |
| 35-39 | 0.3 | 7.0 | 0.1 | 7.5 | 0.5 | 6.8 | 0.1 | 7.3 | 0.1 | 7.3 | 0.2 | 7.6 |
| 40-44 | 0.2 | 6.3 | 0.2 | 6.7 | 0.3 | 6.4 | 0.1 | 6.8 | 0.1 | 6.3 | 0.3 | 6.6 |
| 45-49 | 0.1 | 5.2 | 0.3 | 5.6 | 0.2 | 5.4 | 0.1 | 5.7 | 0.1 | 4.9 | 0.5 | 5.5 |
| 50-54 | 0.1 | 5.1 | 0.4 | 5.5 | 0.1 | 5.4 | 0.1 | 5.6 | 0.1 | 4.8 | 0.7 | 5.5 |
| 55-59 | 0.1 | 4.2 | 0.5 | 4.8 | 0.1 | 4.5 | 0.2 | 4.7 | 0.1 | 3.8 | 0.9 | 4.8 |
| 60-64 | 0.0 | 3.1 | 0.7 | 3.8 | 0.1 | 3.6 | 0.2 | 3.9 | 0.0 | 2.6 | 1.1 | 3.7 |
| 65-69 | 0.0 | 2.1 | 0.7 | 2.8 | 0.0 | 2.4 | 0.2 | 2.7 | 0.0 | 1.7 | 1.1 | 2.8 |
| 70-74 | 0.0 | 1.3 | 0.7 | 2.0 | 0.0 | 1.6 | 0.3 | 1.9 | 0.0 | 1.0 | 1.1 | 2.1 |
| 75-79 | 0.0 | 0.7 | 0.5 | 1.3 | 0.0 | 0.9 | 0.3 | 1.2 | 0.0 | 0.5 | 0.8 | 1.3 |
| 80-84 | 0.0 | 0.4 | 0.5 | 0.9 | 0.0 | 0.5 | 0.2 | 0.8 | 0.0 | 0.3 | 0.7 | 1.0 |
| 85+ | 0.0 | 0.2 | 0.4 | 0.7 | 0.1 | 0.3 | 0.2 | 0.6 | 0.0 | 0.1 | 0.6 | 0.8 |
| All ages | 43.8 | 51.1 | 5.1 | 100.0 | 49.3 | 48.6 | 2.0 | 100.0 | 38.3 | 53.6 | 8.1 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 13.0 | 0.0 | 0.0 | 13.0 | 13.0 | 0.0 | 0.0 | 13.0 | 13.0 | 0.0 | 0.0 | 13.0 |
| 10-14 | 8.3 | 0.0 | 0.0 | 8.3 | 8.5 | 0.0 | 0.0 | 8.5 | 8.1 | 0.0 | 0.0 | 8.1 |
| 15-19 | 8.6 | 0.1 | 0.0 | 8.7 | 8.5 | 0.0 | 0.0 | 8.5 | 8.7 | 0.2 | 0.0 | 8.9 |
| 20-24 | 7.6 | 1.3 | 0.0 | 8.9 | 8.4 | 0.5 | 0.0 | 8.9 | 6.8 | 2.2 | 0.0 | 9.0 |
| 25-29 | 4.7 | 4.1 | 0.0 | 8.9 | 6.1 | 2.3 | 0.0 | 8.4 | 3.3 | 6.1 | 0.0 | 9.4 |
| 30-34 | 1.7 | 7.2 | 0.0 | 8.9 | 2.4 | 6.2 | 0.0 | 8.6 | 1.0 | 8.2 | 0.1 | 9.3 |
| 35-39 | 0.7 | 7.8 | 0.1 | 8.6 | 0.9 | 7.1 | 0.1 | 8.1 | 0.4 | 8.5 | 0.2 | 9.1 |
| 40-44 | 0.3 | 7.7 | 0.2 | 8.2 | 0.4 | 7.7 | 0.1 | 8.2 | 0.2 | 7.8 | 0.3 | 8.3 |
| 45-49 | 0.1 | 6.3 | 0.2 | 6.7 | 0.2 | 7.0 | 0.1 | 7.3 | 0.1 | 5.6 | 0.3 | 6.0 |
| 50-54 | 0.1 | 5.8 | 0.3 | 6.2 | 0.1 | 6.5 | 0.2 | 6.8 | 0.1 | 5.0 | 0.5 | 5.7 |
| 55-59 | 0.1 | 4.2 | 0.4 | 4.6 | 0.1 | 4.7 | 0.1 | 4.9 | 0.0 | 3.7 | 0.6 | 4.3 |
| 60-64 | 0.0 | 2.6 | 0.4 | 3.1 | 0.1 | 3.0 | 0.2 | 3.2 | 0.0 | 2.2 | 0.7 | 2.9 |
| 65-69 | 0.0 | 1.8 | 0.4 | 2.3 | 0.0 | 2.1 | 0.2 | 2.3 | 0.0 | 1.6 | 0.7 | 2.3 |
| 70-74 | 0.0 | 1.1 | 0.4 | 1.5 | 0.0 | 1.3 | 0.3 | 1.6 | 0.0 | 0.8 | 0.6 | 1.5 |
| 75-79 | 0.0 | 0.7 | 0.3 | 1.0 | 0.0 | 0.8 | 0.2 | 1.0 | 0.0 | 0.5 | 0.4 | 1.0 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.6 | 0.0 | 0.3 | 0.1 | 0.5 | 0.0 | 0.3 | 0.4 | 0.7 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.5 |
| All ages | 45.6 | 51.2 | 3.3 | 100.0 | 48.9 | 49.7 | 1.4 | 100.0 | 41.9 | 52.8 | 5.3 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Jammu & Kashmir**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 14.5 | 0.0 | 0.0 | 14.5 | 14.9 | 0.0 | 0.0 | 14.9 | 14.0 | 0.0 | 0.0 | 14.0 |
| 10-14 | 7.9 | 0.0 | 0.0 | 7.9 | 8.2 | 0.0 | 0.0 | 8.2 | 7.7 | 0.0 | 0.0 | 7.7 |
| 15-19 | 9.7 | 0.1 | 0.0 | 9.8 | 9.9 | 0.1 | 0.0 | 9.9 | 9.4 | 0.2 | 0.0 | 9.6 |
| 20-24 | 9.9 | 1.6 | 0.0 | 11.5 | 10.5 | 0.7 | 0.0 | 11.2 | 9.1 | 2.6 | 0.0 | 11.7 |
| 25-29 | 6.3 | 5.1 | 0.0 | 11.5 | 7.7 | 3.2 | 0.0 | 10.9 | 4.8 | 7.3 | 0.0 | 12.1 |
| 30-34 | 2.0 | 6.3 | 0.1 | 8.4 | 2.7 | 5.5 | 0.0 | 8.3 | 1.1 | 7.3 | 0.1 | 8.5 |
| 35-39 | 0.6 | 6.4 | 0.1 | 7.1 | 0.8 | 6.1 | 0.1 | 7.0 | 0.4 | 6.7 | 0.2 | 7.2 |
| 40-44 | 0.2 | 5.5 | 0.2 | 5.9 | 0.3 | 5.6 | 0.1 | 6.0 | 0.2 | 5.4 | 0.2 | 5.8 |
| 45-49 | 0.2 | 5.4 | 0.2 | 5.8 | 0.2 | 5.5 | 0.1 | 5.8 | 0.2 | 5.3 | 0.4 | 5.9 |
| 50-54 | 0.0 | 4.1 | 0.2 | 4.4 | 0.1 | 4.4 | 0.1 | 4.6 | 0.0 | 3.9 | 0.3 | 4.2 |
| 55-59 | 0.0 | 3.3 | 0.3 | 3.6 | 0.1 | 3.6 | 0.2 | 3.8 | 0.0 | 2.9 | 0.5 | 3.4 |
| 60-64 | 0.0 | 3.0 | 0.4 | 3.4 | 0.0 | 3.0 | 0.2 | 3.2 | 0.0 | 3.0 | 0.6 | 3.7 |
| 65-69 | 0.0 | 1.9 | 0.4 | 2.3 | 0.0 | 2.1 | 0.3 | 2.4 | 0.0 | 1.6 | 0.6 | 2.3 |
| 70-74 | 0.0 | 1.2 | 0.4 | 1.6 | 0.0 | 1.4 | 0.2 | 1.6 | 0.0 | 1.0 | 0.6 | 1.6 |
| 75-79 | 0.0 | 0.7 | 0.4 | 1.1 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.5 | 0.6 | 1.1 |
| 80-84 | 0.0 | 0.4 | 0.3 | 0.7 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.2 | 0.4 | 0.7 |
| 85+ | 0.0 | 0.2 | 0.3 | 0.5 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.1 | 0.4 | 0.5 |
| All ages | 51.4 | 45.3 | 3.3 | 100.0 | 55.3 | 42.8 | 1.9 | 100.0 | 47.0 | 48.0 | 4.9 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 15.6 | 0.0 | 0.0 | 15.6 | 16.0 | 0.0 | 0.0 | 16.0 | 15.1 | 0.0 | 0.0 | 15.1 |
| 10-14 | 8.4 | 0.0 | 0.0 | 8.4 | 8.7 | 0.0 | 0.0 | 8.7 | 8.2 | 0.0 | 0.0 | 8.2 |
| 15-19 | 10.2 | 0.1 | 0.0 | 10.3 | 10.3 | 0.1 | 0.0 | 10.4 | 10.0 | 0.2 | 0.0 | 10.2 |
| 20-24 | 10.0 | 1.8 | 0.0 | 11.8 | 10.7 | 0.8 | 0.0 | 11.5 | 9.2 | 2.9 | 0.0 | 12.1 |
| 25-29 | 5.9 | 5.4 | 0.0 | 11.3 | 7.3 | 3.5 | 0.0 | 10.8 | 4.3 | 7.6 | 0.0 | 11.9 |
| 30-34 | 1.6 | 6.4 | 0.1 | 8.0 | 2.3 | 5.6 | 0.0 | 8.0 | 0.8 | 7.2 | 0.1 | 8.1 |
| 35-39 | 0.5 | 6.3 | 0.1 | 6.9 | 0.6 | 6.1 | 0.1 | 6.8 | 0.3 | 6.5 | 0.2 | 7.0 |
| 40-44 | 0.2 | 5.3 | 0.2 | 5.6 | 0.2 | 5.4 | 0.1 | 5.7 | 0.1 | 5.2 | 0.2 | 5.6 |
| 45-49 | 0.1 | 5.1 | 0.3 | 5.5 | 0.1 | 5.2 | 0.1 | 5.5 | 0.1 | 5.0 | 0.4 | 5.5 |
| 50-54 | 0.0 | 3.9 | 0.2 | 4.1 | 0.1 | 4.1 | 0.1 | 4.3 | 0.0 | 3.6 | 0.2 | 3.8 |
| 55-59 | 0.0 | 3.0 | 0.3 | 3.3 | 0.0 | 3.3 | 0.2 | 3.5 | 0.0 | 2.6 | 0.4 | 3.1 |
| 60-64 | 0.0 | 2.8 | 0.4 | 3.2 | 0.0 | 2.7 | 0.2 | 3.0 | 0.0 | 2.9 | 0.6 | 3.5 |
| 65-69 | 0.0 | 1.8 | 0.4 | 2.2 | 0.0 | 2.0 | 0.3 | 2.3 | 0.0 | 1.5 | 0.6 | 2.1 |
| 70-74 | 0.0 | 1.1 | 0.4 | 1.5 | 0.0 | 1.3 | 0.3 | 1.6 | 0.0 | 0.9 | 0.5 | 1.5 |
| 75-79 | 0.0 | 0.7 | 0.4 | 1.0 | 0.0 | 0.8 | 0.2 | 1.0 | 0.0 | 0.5 | 0.5 | 1.1 |
| 80-84 | 0.0 | 0.4 | 0.3 | 0.7 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.2 | 0.4 | 0.7 |
| 85+ | 0.0 | 0.2 | 0.3 | 0.5 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.1 | 0.4 | 0.5 |
| All ages | 52.6 | 44.2 | 3.2 | 100.0 | 56.4 | 41.6 | 2.0 | 100.0 | 48.3 | 47.0 | 4.7 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 11.2 | 0.0 | 0.0 | 11.2 | 11.6 | 0.0 | 0.0 | 11.6 | 10.7 | 0.0 | 0.0 | 10.7 |
| 10-14 | 6.5 | 0.0 | 0.0 | 6.5 | 6.8 | 0.0 | 0.0 | 6.8 | 6.2 | 0.0 | 0.0 | 6.2 |
| 15-19 | 8.2 | 0.1 | 0.0 | 8.2 | 8.5 | 0.0 | 0.0 | 8.5 | 7.8 | 0.1 | 0.0 | 7.9 |
| 20-24 | 9.4 | 1.1 | 0.0 | 10.5 | 10.0 | 0.4 | 0.0 | 10.4 | 8.8 | 1.8 | 0.0 | 10.6 |
| 25-29 | 7.6 | 4.3 | 0.0 | 12.0 | 8.8 | 2.3 | 0.0 | 11.2 | 6.4 | 6.4 | 0.0 | 12.8 |
| 30-34 | 3.0 | 6.3 | 0.1 | 9.3 | 3.8 | 5.3 | 0.0 | 9.1 | 2.1 | 7.4 | 0.1 | 9.5 |
| 35-39 | 1.0 | 6.7 | 0.1 | 7.9 | 1.3 | 6.4 | 0.1 | 7.8 | 0.7 | 7.1 | 0.2 | 8.0 |
| 40-44 | 0.4 | 6.2 | 0.2 | 6.7 | 0.5 | 6.4 | 0.0 | 6.9 | 0.2 | 6.0 | 0.3 | 6.5 |
| 45-49 | 0.3 | 6.3 | 0.2 | 6.8 | 0.3 | 6.3 | 0.1 | 6.6 | 0.3 | 6.4 | 0.4 | 7.0 |
| 50-54 | 0.1 | 5.0 | 0.2 | 5.3 | 0.1 | 5.1 | 0.2 | 5.4 | 0.0 | 4.8 | 0.3 | 5.2 |
| 55-59 | 0.0 | 4.1 | 0.4 | 4.5 | 0.1 | 4.5 | 0.2 | 4.8 | 0.0 | 3.6 | 0.5 | 4.2 |
| 60-64 | 0.0 | 3.4 | 0.4 | 3.9 | 0.1 | 3.6 | 0.2 | 3.8 | 0.0 | 3.3 | 0.7 | 4.1 |
| 65-69 | 0.0 | 2.2 | 0.5 | 2.8 | 0.0 | 2.6 | 0.2 | 2.9 | 0.0 | 1.9 | 0.7 | 2.6 |
| 70-74 | 0.0 | 1.5 | 0.4 | 2.0 | 0.0 | 1.6 | 0.2 | 1.9 | 0.0 | 1.3 | 0.7 | 2.1 |
| 75-79 | 0.0 | 0.8 | 0.4 | 1.3 | 0.0 | 1.0 | 0.2 | 1.3 | 0.0 | 0.6 | 0.7 | 1.3 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.7 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.2 | 0.5 | 0.8 |
| 85+ | 0.0 | 0.2 | 0.3 | 0.5 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.4 | 0.5 |
| All ages | 47.8 | 48.5 | 3.6 | 100.0 | 52.0 | 46.2 | 1.8 | 100.0 | 43.3 | 51.0 | 5.6 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Jharkhand**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 19.6 | 0.0 | 0.0 | 19.6 | 19.9 | 0.0 | 0.0 | 19.9 | 19.2 | 0.0 | 0.0 | 19.2 |
| 10-14 | 11.0 | 0.0 | 0.0 | 11.0 | 11.1 | 0.0 | 0.0 | 11.1 | 10.9 | 0.0 | 0.0 | 10.9 |
| 15-19 | 11.4 | 0.3 | 0.0 | 11.7 | 11.9 | 0.1 | 0.0 | 12.0 | 10.9 | 0.5 | 0.0 | 11.4 |
| 20-24 | 6.5 | 3.9 | 0.0 | 10.3 | 8.2 | 1.8 | 0.0 | 10.0 | 4.5 | 6.1 | 0.0 | 10.6 |
| 25-29 | 2.6 | 6.6 | 0.1 | 9.3 | 3.7 | 5.3 | 0.0 | 9.0 | 1.5 | 8.1 | 0.1 | 9.6 |
| 30-34 | 0.8 | 6.7 | 0.1 | 7.7 | 1.3 | 6.5 | 0.0 | 7.8 | 0.4 | 7.0 | 0.2 | 7.6 |
| 35-39 | 0.3 | 6.2 | 0.1 | 6.7 | 0.4 | 6.2 | 0.1 | 6.6 | 0.2 | 6.3 | 0.2 | 6.7 |
| 40-44 | 0.1 | 5.3 | 0.2 | 5.6 | 0.2 | 5.3 | 0.1 | 5.6 | 0.1 | 5.3 | 0.3 | 5.7 |
| 45-49 | 0.1 | 4.6 | 0.3 | 5.0 | 0.1 | 4.7 | 0.1 | 4.9 | 0.1 | 4.5 | 0.4 | 5.0 |
| 50-54 | 0.1 | 3.2 | 0.3 | 3.5 | 0.1 | 3.6 | 0.2 | 3.9 | 0.0 | 2.7 | 0.4 | 3.1 |
| 55-59 | 0.0 | 2.6 | 0.3 | 2.9 | 0.0 | 2.5 | 0.1 | 2.6 | 0.0 | 2.8 | 0.5 | 3.3 |
| 60-64 | 0.0 | 2.1 | 0.4 | 2.6 | 0.0 | 2.4 | 0.2 | 2.6 | 0.0 | 1.9 | 0.6 | 2.6 |
| 65-69 | 0.0 | 1.4 | 0.4 | 1.8 | 0.0 | 1.6 | 0.2 | 1.8 | 0.0 | 1.1 | 0.7 | 1.8 |
| 70-74 | 0.0 | 0.8 | 0.4 | 1.3 | 0.0 | 1.0 | 0.2 | 1.2 | 0.0 | 0.6 | 0.7 | 1.3 |
| 75-79 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.3 | 0.3 | 0.6 |
| 80-84 | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 0.2 |
| All ages | 52.6 | 44.5 | 3.0 | 100.0 | 56.9 | 41.7 | 1.3 | 100.0 | 47.9 | 47.4 | 4.7 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 20.6 | 0.0 | 0.0 | 20.6 | 21.0 | 0.0 | 0.0 | 21.0 | 20.1 | 0.0 | 0.0 | 20.1 |
| 10-14 | 11.4 | 0.0 | 0.0 | 11.4 | 11.6 | 0.0 | 0.0 | 11.6 | 11.2 | 0.0 | 0.0 | 11.2 |
| 15-19 | 11.9 | 0.3 | 0.0 | 12.2 | 12.4 | 0.1 | 0.0 | 12.5 | 11.3 | 0.6 | 0.0 | 11.9 |
| 20-24 | 6.0 | 4.2 | 0.0 | 10.3 | 8.0 | 2.1 | 0.0 | 10.1 | 3.9 | 6.6 | 0.0 | 10.5 |
| 25-29 | 2.1 | 6.9 | 0.1 | 9.0 | 3.0 | 5.7 | 0.0 | 8.6 | 1.1 | 8.1 | 0.1 | 9.3 |
| 30-34 | 0.6 | 6.7 | 0.1 | 7.3 | 0.9 | 6.5 | 0.0 | 7.4 | 0.3 | 6.8 | 0.2 | 7.3 |
| 35-39 | 0.2 | 6.0 | 0.1 | 6.4 | 0.3 | 6.0 | 0.1 | 6.4 | 0.2 | 6.1 | 0.2 | 6.5 |
| 40-44 | 0.1 | 5.1 | 0.2 | 5.4 | 0.1 | 5.1 | 0.1 | 5.3 | 0.1 | 5.1 | 0.2 | 5.5 |
| 45-49 | 0.1 | 4.4 | 0.3 | 4.8 | 0.1 | 4.5 | 0.1 | 4.7 | 0.1 | 4.3 | 0.5 | 4.9 |
| 50-54 | 0.0 | 3.0 | 0.2 | 3.3 | 0.1 | 3.5 | 0.2 | 3.7 | 0.0 | 2.5 | 0.3 | 2.8 |
| 55-59 | 0.0 | 2.5 | 0.3 | 2.8 | 0.0 | 2.2 | 0.1 | 2.3 | 0.0 | 2.8 | 0.5 | 3.3 |
| 60-64 | 0.0 | 2.1 | 0.4 | 2.5 | 0.0 | 2.3 | 0.2 | 2.5 | 0.0 | 1.9 | 0.6 | 2.5 |
| 65-69 | 0.0 | 1.4 | 0.4 | 1.8 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.1 | 0.7 | 1.8 |
| 70-74 | 0.0 | 0.8 | 0.4 | 1.3 | 0.0 | 1.0 | 0.1 | 1.2 | 0.0 | 0.6 | 0.7 | 1.3 |
| 75-79 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.3 | 0.3 | 0.6 |
| 80-84 | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 |
| All ages | 53.2 | 44.0 | 2.9 | 100.0 | 57.5 | 41.3 | 1.3 | 100.0 | 48.5 | 46.9 | 4.6 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 16.4 | 0.0 | 0.0 | 16.4 | 16.6 | 0.0 | 0.0 | 16.6 | 16.1 | 0.0 | 0.0 | 16.1 |
| 10-14 | 9.7 | 0.0 | 0.0 | 9.7 | 9.5 | 0.0 | 0.0 | 9.5 | 9.9 | 0.0 | 0.0 | 9.9 |
| 15-19 | 10.0 | 0.2 | 0.0 | 10.2 | 10.5 | 0.1 | 0.0 | 10.6 | 9.4 | 0.3 | 0.0 | 9.7 |
| 20-24 | 7.8 | 2.7 | 0.0 | 10.4 | 9.0 | 1.0 | 0.0 | 10.0 | 6.4 | 4.5 | 0.0 | 10.9 |
| 25-29 | 4.3 | 6.0 | 0.1 | 10.3 | 5.8 | 4.2 | 0.0 | 10.0 | 2.5 | 8.0 | 0.1 | 10.6 |
| 30-34 | 1.7 | 7.0 | 0.1 | 8.8 | 2.5 | 6.4 | 0.1 | 8.9 | 0.8 | 7.7 | 0.2 | 8.7 |
| 35-39 | 0.5 | 6.9 | 0.1 | 7.5 | 0.7 | 6.7 | 0.1 | 7.4 | 0.3 | 7.1 | 0.2 | 7.6 |
| 40-44 | 0.3 | 5.9 | 0.2 | 6.4 | 0.3 | 6.0 | 0.1 | 6.5 | 0.2 | 5.8 | 0.4 | 6.4 |
| 45-49 | 0.1 | 5.2 | 0.2 | 5.6 | 0.2 | 5.3 | 0.1 | 5.6 | 0.1 | 5.0 | 0.4 | 5.5 |
| 50-54 | 0.1 | 3.7 | 0.4 | 4.2 | 0.1 | 4.1 | 0.2 | 4.4 | 0.1 | 3.2 | 0.7 | 4.0 |
| 55-59 | 0.0 | 3.0 | 0.3 | 3.4 | 0.0 | 3.2 | 0.1 | 3.4 | 0.0 | 2.8 | 0.6 | 3.4 |
| 60-64 | 0.1 | 2.3 | 0.5 | 2.8 | 0.0 | 2.4 | 0.2 | 2.7 | 0.1 | 2.2 | 0.7 | 2.9 |
| 65-69 | 0.0 | 1.5 | 0.4 | 2.0 | 0.0 | 1.9 | 0.2 | 2.2 | 0.0 | 1.1 | 0.6 | 1.8 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 1.0 | 0.2 | 1.2 | 0.0 | 0.7 | 0.5 | 1.3 |
| 75-79 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.5 | 0.1 | 0.6 | 0.0 | 0.4 | 0.3 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.0 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 50.8 | 45.9 | 3.2 | 100.0 | 55.3 | 43.1 | 1.6 | 100.0 | 45.8 | 49.1 | 5.1 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Karnataka**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 16.2 | 0.0 | 0.0 | 16.2 | 16.5 | 0.0 | 0.0 | 16.5 | 15.8 | 0.0 | 0.0 | 15.8 |
| 10-14 | 8.4 | 0.0 | 0.0 | 8.4 | 8.7 | 0.0 | 0.0 | 8.7 | 8.0 | 0.0 | 0.0 | 8.0 |
| 15-19 | 8.9 | 0.2 | 0.0 | 9.1 | 9.4 | 0.0 | 0.0 | 9.4 | 8.4 | 0.3 | 0.0 | 8.8 |
| 20-24 | 7.6 | 2.9 | 0.0 | 10.6 | 9.5 | 0.6 | 0.0 | 10.1 | 5.7 | 5.3 | 0.0 | 11.0 |
| 25-29 | 4.3 | 6.0 | 0.1 | 10.4 | 6.5 | 3.7 | 0.0 | 10.2 | 2.1 | 8.3 | 0.1 | 10.6 |
| 30-34 | 1.5 | 7.1 | 0.1 | 8.7 | 2.2 | 6.6 | 0.0 | 8.9 | 0.6 | 7.6 | 0.3 | 8.5 |
| 35-39 | 0.5 | 6.5 | 0.2 | 7.2 | 0.7 | 6.4 | 0.1 | 7.2 | 0.3 | 6.6 | 0.4 | 7.3 |
| 40-44 | 0.2 | 6.2 | 0.3 | 6.8 | 0.3 | 6.3 | 0.1 | 6.7 | 0.1 | 6.1 | 0.5 | 6.8 |
| 45-49 | 0.1 | 5.2 | 0.4 | 5.7 | 0.2 | 5.3 | 0.1 | 5.6 | 0.1 | 5.0 | 0.6 | 5.7 |
| 50-54 | 0.1 | 4.3 | 0.5 | 4.9 | 0.1 | 4.8 | 0.2 | 5.1 | 0.1 | 3.8 | 0.8 | 4.6 |
| 55-59 | 0.0 | 3.3 | 0.6 | 3.9 | 0.0 | 3.4 | 0.2 | 3.6 | 0.1 | 3.1 | 1.0 | 4.1 |
| 60-64 | 0.0 | 2.5 | 0.6 | 3.1 | 0.0 | 2.8 | 0.2 | 3.1 | 0.0 | 2.1 | 1.1 | 3.2 |
| 65-69 | 0.0 | 1.7 | 0.6 | 2.3 | 0.0 | 2.0 | 0.2 | 2.2 | 0.0 | 1.3 | 1.0 | 2.3 |
| 70-74 | 0.0 | 0.8 | 0.5 | 1.3 | 0.0 | 1.0 | 0.2 | 1.2 | 0.0 | 0.6 | 0.9 | 1.5 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.7 | 0.1 | 0.8 | 0.0 | 0.3 | 0.7 | 1.1 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.2 |
| All ages | 48.0 | 47.3 | 4.7 | 100.0 | 54.2 | 44.2 | 1.5 | 100.0 | 41.4 | 50.5 | 8.1 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 16.5 | 0.0 | 0.0 | 16.5 | 16.8 | 0.0 | 0.0 | 16.8 | 16.1 | 0.0 | 0.0 | 16.1 |
| 10-14 | 8.4 | 0.0 | 0.0 | 8.4 | 8.7 | 0.0 | 0.0 | 8.7 | 8.0 | 0.0 | 0.0 | 8.0 |
| 15-19 | 9.2 | 0.2 | 0.0 | 9.4 | 9.8 | 0.0 | 0.0 | 9.8 | 8.7 | 0.4 | 0.0 | 9.1 |
| 20-24 | 7.7 | 3.2 | 0.0 | 10.9 | 9.9 | 0.7 | 0.0 | 10.7 | 5.3 | 5.8 | 0.0 | 11.1 |
| 25-29 | 4.1 | 5.9 | 0.1 | 10.2 | 6.3 | 3.8 | 0.0 | 10.2 | 1.8 | 8.2 | 0.2 | 10.1 |
| 30-34 | 1.4 | 6.8 | 0.2 | 8.3 | 2.1 | 6.3 | 0.0 | 8.4 | 0.6 | 7.2 | 0.3 | 8.1 |
| 35-39 | 0.4 | 6.2 | 0.3 | 6.9 | 0.6 | 6.1 | 0.1 | 6.7 | 0.2 | 6.3 | 0.5 | 7.0 |
| 40-44 | 0.2 | 6.0 | 0.4 | 6.6 | 0.2 | 6.1 | 0.1 | 6.4 | 0.1 | 5.9 | 0.6 | 6.7 |
| 45-49 | 0.1 | 5.1 | 0.5 | 5.6 | 0.1 | 5.2 | 0.1 | 5.4 | 0.1 | 4.9 | 0.8 | 5.8 |
| 50-54 | 0.1 | 4.2 | 0.5 | 4.8 | 0.1 | 4.8 | 0.2 | 5.1 | 0.0 | 3.6 | 0.8 | 4.5 |
| 55-59 | 0.0 | 3.3 | 0.6 | 3.9 | 0.0 | 3.3 | 0.2 | 3.5 | 0.0 | 3.2 | 1.0 | 4.2 |
| 60-64 | 0.0 | 2.4 | 0.7 | 3.2 | 0.0 | 2.8 | 0.2 | 3.1 | 0.0 | 2.0 | 1.3 | 3.4 |
| 65-69 | 0.0 | 1.7 | 0.7 | 2.4 | 0.0 | 2.1 | 0.2 | 2.3 | 0.0 | 1.3 | 1.1 | 2.5 |
| 70-74 | 0.0 | 0.8 | 0.6 | 1.5 | 0.0 | 1.1 | 0.2 | 1.3 | 0.0 | 0.6 | 1.1 | 1.7 |
| 75-79 | 0.0 | 0.6 | 0.5 | 1.1 | 0.0 | 0.7 | 0.2 | 0.9 | 0.0 | 0.4 | 0.9 | 1.2 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.2 | 0.1 | 0.2 | 0.0 | 0.0 | 0.2 | 0.2 |
| All ages | 48.1 | 46.6 | 5.3 | 100.0 | 54.7 | 43.5 | 1.8 | 100.0 | 41.1 | 49.9 | 9.0 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 15.8 | 0.0 | 0.0 | 15.8 | 16.2 | 0.0 | 0.0 | 16.2 | 15.4 | 0.0 | 0.0 | 15.4 |
| 10-14 | 8.4 | 0.0 | 0.0 | 8.4 | 8.8 | 0.0 | 0.0 | 8.8 | 7.9 | 0.0 | 0.0 | 7.9 |
| 15-19 | 8.4 | 0.1 | 0.0 | 8.5 | 8.7 | 0.0 | 0.0 | 8.8 | 8.0 | 0.3 | 0.0 | 8.3 |
| 20-24 | 7.6 | 2.5 | 0.0 | 10.1 | 8.8 | 0.5 | 0.0 | 9.3 | 6.3 | 4.6 | 0.0 | 10.9 |
| 25-29 | 4.7 | 6.0 | 0.1 | 10.8 | 6.7 | 3.6 | 0.0 | 10.3 | 2.6 | 8.6 | 0.1 | 11.2 |
| 30-34 | 1.6 | 7.6 | 0.1 | 9.3 | 2.5 | 7.0 | 0.0 | 9.5 | 0.7 | 8.2 | 0.2 | 9.1 |
| 35-39 | 0.6 | 7.0 | 0.2 | 7.8 | 0.9 | 7.1 | 0.1 | 8.0 | 0.3 | 7.0 | 0.4 | 7.7 |
| 40-44 | 0.3 | 6.6 | 0.2 | 7.1 | 0.4 | 6.7 | 0.1 | 7.1 | 0.1 | 6.5 | 0.4 | 7.0 |
| 45-49 | 0.2 | 5.3 | 0.3 | 5.8 | 0.3 | 5.6 | 0.1 | 5.9 | 0.1 | 5.1 | 0.4 | 5.6 |
| 50-54 | 0.1 | 4.4 | 0.4 | 5.0 | 0.2 | 4.8 | 0.2 | 5.1 | 0.1 | 4.0 | 0.8 | 4.8 |
| 55-59 | 0.1 | 3.3 | 0.5 | 3.8 | 0.0 | 3.6 | 0.1 | 3.8 | 0.1 | 3.0 | 0.9 | 3.9 |
| 60-64 | 0.1 | 2.5 | 0.5 | 3.0 | 0.0 | 2.9 | 0.2 | 3.1 | 0.1 | 2.1 | 0.8 | 3.0 |
| 65-69 | 0.0 | 1.5 | 0.5 | 2.1 | 0.0 | 1.8 | 0.1 | 2.0 | 0.1 | 1.2 | 0.8 | 2.1 |
| 70-74 | 0.0 | 0.7 | 0.4 | 1.2 | 0.0 | 0.9 | 0.1 | 1.1 | 0.0 | 0.6 | 0.7 | 1.3 |
| 75-79 | 0.0 | 0.4 | 0.3 | 0.7 | 0.0 | 0.5 | 0.1 | 0.7 | 0.0 | 0.3 | 0.5 | 0.8 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 47.9 | 48.3 | 3.8 | 100.0 | 53.5 | 45.3 | 1.2 | 100.0 | 41.9 | 51.6 | 6.6 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Kerala**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 14.3 | 0.0 | 0.0 | 14.3 | 15.2 | 0.0 | 0.0 | 15.2 | 13.4 | 0.0 | 0.0 | 13.4 |
| 10-14 | 8.0 | 0.0 | 0.0 | 8.0 | 8.7 | 0.0 | 0.0 | 8.7 | 7.4 | 0.0 | 0.0 | 7.4 |
| 15-19 | 7.7 | 0.1 | 0.0 | 7.9 | 8.3 | 0.0 | 0.0 | 8.4 | 7.2 | 0.2 | 0.0 | 7.4 |
| 20-24 | 5.9 | 1.8 | 0.0 | 7.7 | 7.6 | 0.2 | 0.0 | 7.7 | 4.3 | 3.3 | 0.0 | 7.6 |
| 25-29 | 3.4 | 4.4 | 0.1 | 7.8 | 5.5 | 1.9 | 0.0 | 7.4 | 1.3 | 6.7 | 0.1 | 8.1 |
| 30-34 | 1.4 | 6.1 | 0.1 | 7.6 | 2.4 | 4.9 | 0.0 | 7.4 | 0.4 | 7.2 | 0.2 | 7.8 |
| 35-39 | 0.6 | 6.7 | 0.2 | 7.5 | 0.9 | 6.2 | 0.1 | 7.2 | 0.3 | 7.2 | 0.3 | 7.8 |
| 40-44 | 0.3 | 6.9 | 0.3 | 7.5 | 0.5 | 6.7 | 0.1 | 7.3 | 0.2 | 7.0 | 0.4 | 7.7 |
| 45-49 | 0.2 | 6.5 | 0.4 | 7.2 | 0.3 | 6.6 | 0.1 | 7.0 | 0.2 | 6.5 | 0.7 | 7.4 |
| 50-54 | 0.2 | 5.5 | 0.5 | 6.2 | 0.2 | 6.0 | 0.1 | 6.2 | 0.2 | 5.1 | 0.8 | 6.1 |
| 55-59 | 0.1 | 4.7 | 0.6 | 5.4 | 0.1 | 5.1 | 0.1 | 5.3 | 0.2 | 4.3 | 1.0 | 5.5 |
| 60-64 | 0.1 | 3.9 | 0.7 | 4.7 | 0.1 | 4.6 | 0.1 | 4.7 | 0.1 | 3.2 | 1.2 | 4.6 |
| 65-69 | 0.1 | 2.4 | 0.7 | 3.2 | 0.0 | 2.9 | 0.1 | 3.1 | 0.1 | 1.9 | 1.3 | 3.3 |
| 70-74 | 0.1 | 1.5 | 0.7 | 2.3 | 0.0 | 2.0 | 0.1 | 2.1 | 0.1 | 1.1 | 1.2 | 2.4 |
| 75-79 | 0.0 | 0.9 | 0.6 | 1.6 | 0.0 | 1.2 | 0.1 | 1.3 | 0.1 | 0.7 | 1.1 | 1.8 |
| 80-84 | 0.0 | 0.4 | 0.4 | 0.9 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.3 | 0.7 | 1.0 |
| 85+ | 0.0 | 0.2 | 0.3 | 0.6 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.5 | 0.7 |
| All ages | 42.4 | 52.0 | 5.6 | 100.0 | 49.9 | 48.8 | 1.2 | 100.0 | 35.6 | 54.8 | 9.6 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 14.6 | 0.0 | 0.0 | 14.6 | 15.5 | 0.0 | 0.0 | 15.5 | 13.7 | 0.0 | 0.0 | 13.7 |
| 10-14 | 8.1 | 0.0 | 0.0 | 8.1 | 8.7 | 0.0 | 0.0 | 8.7 | 7.5 | 0.0 | 0.0 | 7.5 |
| 15-19 | 7.8 | 0.1 | 0.0 | 7.9 | 8.5 | 0.0 | 0.0 | 8.5 | 7.1 | 0.3 | 0.0 | 7.4 |
| 20-24 | 5.8 | 1.9 | 0.0 | 7.7 | 7.5 | 0.2 | 0.0 | 7.7 | 4.1 | 3.5 | 0.0 | 7.6 |
| 25-29 | 3.3 | 4.4 | 0.1 | 7.8 | 5.5 | 1.8 | 0.0 | 7.3 | 1.3 | 6.8 | 0.1 | 8.2 |
| 30-34 | 1.4 | 6.0 | 0.1 | 7.5 | 2.5 | 4.8 | 0.0 | 7.3 | 0.4 | 7.1 | 0.2 | 7.7 |
| 35-39 | 0.6 | 6.6 | 0.2 | 7.4 | 0.9 | 6.1 | 0.1 | 7.0 | 0.3 | 7.1 | 0.3 | 7.7 |
| 40-44 | 0.3 | 6.7 | 0.3 | 7.3 | 0.4 | 6.6 | 0.1 | 7.1 | 0.2 | 6.8 | 0.4 | 7.5 |
| 45-49 | 0.2 | 6.5 | 0.4 | 7.1 | 0.2 | 6.5 | 0.1 | 6.9 | 0.2 | 6.5 | 0.6 | 7.4 |
| 50-54 | 0.2 | 5.4 | 0.4 | 6.0 | 0.1 | 5.9 | 0.1 | 6.1 | 0.2 | 5.0 | 0.8 | 5.9 |
| 55-59 | 0.1 | 4.7 | 0.5 | 5.3 | 0.1 | 5.0 | 0.1 | 5.2 | 0.2 | 4.3 | 1.0 | 5.4 |
| 60-64 | 0.1 | 3.9 | 0.6 | 4.6 | 0.1 | 4.5 | 0.1 | 4.7 | 0.1 | 3.4 | 1.1 | 4.6 |
| 65-69 | 0.1 | 2.5 | 0.7 | 3.2 | 0.1 | 3.0 | 0.1 | 3.2 | 0.1 | 2.0 | 1.2 | 3.2 |
| 70-74 | 0.1 | 1.5 | 0.6 | 2.2 | 0.0 | 1.9 | 0.1 | 2.1 | 0.1 | 1.2 | 1.1 | 2.4 |
| 75-79 | 0.0 | 1.0 | 0.6 | 1.7 | 0.0 | 1.3 | 0.1 | 1.4 | 0.1 | 0.8 | 1.0 | 1.9 |
| 80-84 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.6 | 0.1 | 0.8 | 0.0 | 0.4 | 0.7 | 1.1 |
| 85+ | 0.0 | 0.3 | 0.3 | 0.6 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.6 | 0.8 |
| All ages | 42.7 | 52.1 | 5.2 | 100.0 | 50.2 | 48.6 | 1.2 | 100.0 | 35.7 | 55.4 | 8.9 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 13.9 | 0.0 | 0.0 | 13.9 | 14.9 | 0.0 | 0.0 | 14.9 | 13.0 | 0.0 | 0.0 | 13.0 |
| 10-14 | 8.0 | 0.0 | 0.0 | 8.0 | 8.7 | 0.0 | 0.0 | 8.7 | 7.4 | 0.0 | 0.0 | 7.4 |
| 15-19 | 7.7 | 0.1 | 0.0 | 7.8 | 8.2 | 0.0 | 0.0 | 8.2 | 7.3 | 0.1 | 0.0 | 7.4 |
| 20-24 | 6.0 | 1.7 | 0.0 | 7.7 | 7.7 | 0.1 | 0.0 | 7.8 | 4.5 | 3.2 | 0.0 | 7.6 |
| 25-29 | 3.4 | 4.3 | 0.1 | 7.8 | 5.6 | 1.9 | 0.0 | 7.5 | 1.4 | 6.5 | 0.1 | 8.0 |
| 30-34 | 1.4 | 6.2 | 0.1 | 7.7 | 2.4 | 5.0 | 0.0 | 7.4 | 0.4 | 7.3 | 0.2 | 7.9 |
| 35-39 | 0.6 | 6.7 | 0.2 | 7.6 | 1.0 | 6.2 | 0.1 | 7.3 | 0.2 | 7.2 | 0.4 | 7.8 |
| 40-44 | 0.3 | 7.0 | 0.3 | 7.7 | 0.5 | 6.8 | 0.1 | 7.4 | 0.2 | 7.3 | 0.5 | 7.9 |
| 45-49 | 0.3 | 6.6 | 0.4 | 7.2 | 0.3 | 6.7 | 0.1 | 7.0 | 0.2 | 6.5 | 0.7 | 7.4 |
| 50-54 | 0.2 | 5.6 | 0.5 | 6.3 | 0.2 | 6.0 | 0.1 | 6.3 | 0.2 | 5.2 | 0.9 | 6.3 |
| 55-59 | 0.1 | 4.7 | 0.6 | 5.4 | 0.1 | 5.1 | 0.1 | 5.3 | 0.2 | 4.3 | 1.1 | 5.5 |
| 60-64 | 0.1 | 3.8 | 0.8 | 4.7 | 0.0 | 4.7 | 0.1 | 4.8 | 0.1 | 3.0 | 1.4 | 4.5 |
| 65-69 | 0.1 | 2.3 | 0.8 | 3.2 | 0.0 | 2.8 | 0.1 | 3.0 | 0.1 | 1.9 | 1.4 | 3.4 |
| 70-74 | 0.1 | 1.5 | 0.8 | 2.3 | 0.0 | 2.0 | 0.1 | 2.2 | 0.1 | 1.0 | 1.3 | 2.4 |
| 75-79 | 0.0 | 0.8 | 0.7 | 1.5 | 0.0 | 1.1 | 0.1 | 1.3 | 0.1 | 0.5 | 1.1 | 1.7 |
| 80-84 | 0.0 | 0.3 | 0.4 | 0.8 | 0.0 | 0.5 | 0.1 | 0.6 | 0.0 | 0.2 | 0.7 | 0.9 |
| 85+ | 0.0 | 0.1 | 0.3 | 0.5 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.5 | 0.6 |
| All ages | 42.2 | 51.8 | 6.0 | 100.0 | 49.7 | 49.1 | 1.3 | 100.0 | 35.4 | 54.3 | 10.3 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Madhya Pradesh**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 19.5 | 0.0 | 0.0 | 19.5 | 19.6 | 0.0 | 0.0 | 19.6 | 19.4 | 0.0 | 0.0 | 19.4 |
| 10-14 | 10.9 | 0.0 | 0.0 | 10.9 | 11.1 | 0.0 | 0.0 | 11.1 | 10.7 | 0.0 | 0.0 | 10.7 |
| 15-19 | 10.3 | 0.3 | 0.0 | 10.6 | 10.9 | 0.2 | 0.0 | 11.1 | 9.6 | 0.5 | 0.0 | 10.2 |
| 20-24 | 6.6 | 4.3 | 0.0 | 11.0 | 8.2 | 2.5 | 0.0 | 10.7 | 4.9 | 6.3 | 0.0 | 11.3 |
| 25-29 | 2.2 | 6.9 | 0.1 | 9.1 | 3.2 | 5.8 | 0.1 | 9.1 | 1.0 | 8.0 | 0.1 | 9.1 |
| 30-34 | 0.6 | 7.0 | 0.1 | 7.8 | 1.0 | 6.8 | 0.1 | 7.8 | 0.2 | 7.3 | 0.2 | 7.7 |
| 35-39 | 0.2 | 6.0 | 0.2 | 6.5 | 0.4 | 5.8 | 0.1 | 6.3 | 0.1 | 6.2 | 0.3 | 6.6 |
| 40-44 | 0.1 | 5.5 | 0.2 | 5.8 | 0.2 | 5.6 | 0.2 | 5.9 | 0.0 | 5.4 | 0.3 | 5.8 |
| 45-49 | 0.1 | 4.2 | 0.3 | 4.6 | 0.1 | 4.3 | 0.2 | 4.6 | 0.0 | 4.1 | 0.4 | 4.6 |
| 50-54 | 0.1 | 3.5 | 0.3 | 3.9 | 0.1 | 3.6 | 0.3 | 4.0 | 0.0 | 3.3 | 0.4 | 3.7 |
| 55-59 | 0.0 | 2.8 | 0.4 | 3.2 | 0.0 | 2.6 | 0.1 | 2.8 | 0.0 | 2.9 | 0.6 | 3.5 |
| 60-64 | 0.0 | 2.2 | 0.4 | 2.7 | 0.0 | 2.4 | 0.3 | 2.7 | 0.0 | 2.0 | 0.7 | 2.6 |
| 65-69 | 0.0 | 1.3 | 0.5 | 1.8 | 0.0 | 1.5 | 0.2 | 1.8 | 0.0 | 1.2 | 0.7 | 1.9 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 1.0 | 0.3 | 1.3 | 0.0 | 0.7 | 0.6 | 1.4 |
| 75-79 | 0.0 | 0.4 | 0.3 | 0.8 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.3 | 0.5 | 0.8 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.2 | 0.3 |
| All ages | 50.7 | 45.6 | 3.7 | 100.0 | 54.8 | 43.0 | 2.2 | 100.0 | 46.2 | 48.5 | 5.4 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 20.3 | 0.0 | 0.0 | 20.3 | 20.3 | 0.0 | 0.0 | 20.3 | 20.3 | 0.0 | 0.0 | 20.3 |
| 10-14 | 11.4 | 0.0 | 0.0 | 11.4 | 11.5 | 0.0 | 0.0 | 11.5 | 11.3 | 0.0 | 0.0 | 11.3 |
| 15-19 | 10.4 | 0.4 | 0.0 | 10.8 | 11.1 | 0.2 | 0.0 | 11.3 | 9.7 | 0.6 | 0.0 | 10.3 |
| 20-24 | 6.2 | 4.9 | 0.0 | 11.1 | 7.9 | 3.0 | 0.0 | 10.9 | 4.3 | 7.0 | 0.0 | 11.3 |
| 25-29 | 1.6 | 7.2 | 0.1 | 8.8 | 2.5 | 6.4 | 0.1 | 9.0 | 0.6 | 8.0 | 0.1 | 8.7 |
| 30-34 | 0.4 | 6.9 | 0.1 | 7.4 | 0.6 | 6.7 | 0.1 | 7.5 | 0.1 | 7.0 | 0.2 | 7.3 |
| 35-39 | 0.2 | 5.9 | 0.2 | 6.3 | 0.3 | 5.7 | 0.1 | 6.1 | 0.0 | 6.1 | 0.3 | 6.4 |
| 40-44 | 0.1 | 5.3 | 0.2 | 5.7 | 0.1 | 5.4 | 0.2 | 5.8 | 0.0 | 5.3 | 0.3 | 5.6 |
| 45-49 | 0.1 | 4.0 | 0.3 | 4.4 | 0.1 | 4.1 | 0.2 | 4.4 | 0.0 | 3.8 | 0.4 | 4.3 |
| 50-54 | 0.0 | 3.3 | 0.3 | 3.6 | 0.1 | 3.4 | 0.3 | 3.7 | 0.0 | 3.2 | 0.4 | 3.5 |
| 55-59 | 0.0 | 2.7 | 0.3 | 3.0 | 0.0 | 2.5 | 0.1 | 2.6 | 0.0 | 2.9 | 0.5 | 3.4 |
| 60-64 | 0.0 | 2.2 | 0.4 | 2.7 | 0.0 | 2.4 | 0.3 | 2.7 | 0.0 | 2.0 | 0.6 | 2.6 |
| 65-69 | 0.0 | 1.3 | 0.5 | 1.8 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.1 | 0.7 | 1.9 |
| 70-74 | 0.0 | 0.9 | 0.5 | 1.4 | 0.0 | 1.0 | 0.3 | 1.3 | 0.0 | 0.8 | 0.7 | 1.5 |
| 75-79 | 0.0 | 0.4 | 0.4 | 0.8 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.3 | 0.5 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.2 | 0.2 |
| All ages | 50.7 | 45.5 | 3.7 | 100.0 | 54.7 | 43.1 | 2.3 | 100.0 | 46.5 | 48.2 | 5.3 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 17.2 | 0.0 | 0.0 | 17.2 | 17.6 | 0.0 | 0.0 | 17.6 | 16.8 | 0.0 | 0.0 | 16.8 |
| 10-14 | 9.5 | 0.0 | 0.0 | 9.5 | 9.8 | 0.0 | 0.0 | 9.8 | 9.2 | 0.0 | 0.0 | 9.2 |
| 15-19 | 10.0 | 0.2 | 0.0 | 10.2 | 10.4 | 0.1 | 0.0 | 10.5 | 9.5 | 0.3 | 0.0 | 9.8 |
| 20-24 | 7.9 | 2.8 | 0.0 | 10.7 | 9.1 | 1.3 | 0.0 | 10.4 | 6.5 | 4.5 | 0.0 | 11.1 |
| 25-29 | 3.7 | 6.1 | 0.1 | 9.9 | 5.1 | 4.4 | 0.1 | 9.5 | 2.2 | 8.0 | 0.1 | 10.3 |
| 30-34 | 1.2 | 7.4 | 0.1 | 8.7 | 1.8 | 6.9 | 0.1 | 8.8 | 0.5 | 7.9 | 0.2 | 8.7 |
| 35-39 | 0.4 | 6.4 | 0.2 | 7.0 | 0.6 | 6.3 | 0.1 | 6.9 | 0.2 | 6.5 | 0.3 | 7.0 |
| 40-44 | 0.2 | 5.8 | 0.2 | 6.3 | 0.3 | 5.9 | 0.1 | 6.3 | 0.1 | 5.8 | 0.4 | 6.3 |
| 45-49 | 0.1 | 4.9 | 0.3 | 5.3 | 0.2 | 4.9 | 0.1 | 5.2 | 0.1 | 5.0 | 0.5 | 5.5 |
| 50-54 | 0.1 | 4.0 | 0.4 | 4.4 | 0.1 | 4.2 | 0.3 | 4.5 | 0.0 | 3.7 | 0.5 | 4.3 |
| 55-59 | 0.0 | 3.1 | 0.4 | 3.6 | 0.0 | 3.1 | 0.2 | 3.4 | 0.0 | 3.1 | 0.7 | 3.8 |
| 60-64 | 0.0 | 2.2 | 0.4 | 2.7 | 0.1 | 2.5 | 0.2 | 2.7 | 0.0 | 2.0 | 0.7 | 2.7 |
| 65-69 | 0.0 | 1.4 | 0.4 | 1.9 | 0.0 | 1.6 | 0.2 | 1.9 | 0.0 | 1.2 | 0.7 | 1.9 |
| 70-74 | 0.0 | 0.8 | 0.4 | 1.2 | 0.0 | 1.0 | 0.2 | 1.2 | 0.0 | 0.7 | 0.5 | 1.2 |
| 75-79 | 0.0 | 0.4 | 0.3 | 0.7 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.2 | 0.3 |
| All ages | 50.5 | 45.9 | 3.6 | 100.0 | 55.2 | 43.0 | 1.8 | 100.0 | 45.3 | 49.1 | 5.6 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Maharashtra**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 16.4 | 0.0 | 0.0 | 16.4 | 16.9 | 0.0 | 0.0 | 16.9 | 15.8 | 0.0 | 0.0 | 15.8 |
| 10-14 | 9.1 | 0.0 | 0.0 | 9.1 | 9.3 | 0.0 | 0.0 | 9.3 | 8.8 | 0.0 | 0.0 | 8.8 |
| 15-19 | 9.0 | 0.3 | 0.0 | 9.3 | 9.4 | 0.1 | 0.0 | 9.5 | 8.5 | 0.5 | 0.0 | 9.0 |
| 20-24 | 7.1 | 2.8 | 0.0 | 9.9 | 8.8 | 0.9 | 0.0 | 9.7 | 5.3 | 4.8 | 0.0 | 10.1 |
| 25-29 | 3.7 | 5.7 | 0.0 | 9.5 | 5.3 | 4.1 | 0.0 | 9.4 | 2.0 | 7.6 | 0.1 | 9.7 |
| 30-34 | 1.3 | 6.9 | 0.1 | 8.3 | 1.8 | 6.4 | 0.0 | 8.3 | 0.6 | 7.5 | 0.2 | 8.3 |
| 35-39 | 0.5 | 6.8 | 0.2 | 7.5 | 0.7 | 6.7 | 0.1 | 7.5 | 0.3 | 6.8 | 0.3 | 7.5 |
| 40-44 | 0.3 | 6.1 | 0.2 | 6.6 | 0.3 | 6.1 | 0.1 | 6.6 | 0.2 | 6.0 | 0.4 | 6.6 |
| 45-49 | 0.2 | 5.2 | 0.3 | 5.6 | 0.2 | 5.3 | 0.1 | 5.6 | 0.1 | 5.0 | 0.5 | 5.6 |
| 50-54 | 0.1 | 4.2 | 0.3 | 4.7 | 0.1 | 4.4 | 0.1 | 4.7 | 0.1 | 4.0 | 0.6 | 4.7 |
| 55-59 | 0.1 | 3.5 | 0.4 | 4.0 | 0.1 | 3.5 | 0.1 | 3.7 | 0.1 | 3.5 | 0.7 | 4.2 |
| 60-64 | 0.1 | 2.7 | 0.5 | 3.2 | 0.1 | 2.9 | 0.2 | 3.2 | 0.1 | 2.4 | 0.8 | 3.3 |
| 65-69 | 0.1 | 1.9 | 0.5 | 2.4 | 0.1 | 2.1 | 0.2 | 2.3 | 0.1 | 1.6 | 0.8 | 2.5 |
| 70-74 | 0.0 | 1.2 | 0.5 | 1.8 | 0.0 | 1.4 | 0.2 | 1.7 | 0.0 | 1.0 | 0.9 | 1.9 |
| 75-79 | 0.0 | 0.7 | 0.3 | 1.0 | 0.0 | 0.8 | 0.1 | 1.0 | 0.0 | 0.5 | 0.6 | 1.1 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.4 |
| All ages | 47.9 | 48.3 | 3.8 | 100.0 | 53.1 | 45.4 | 1.5 | 100.0 | 42.1 | 51.6 | 6.4 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 17.4 | 0.0 | 0.0 | 17.4 | 18.1 | 0.0 | 0.0 | 18.1 | 16.7 | 0.0 | 0.0 | 16.7 |
| 10-14 | 9.8 | 0.0 | 0.0 | 9.8 | 10.1 | 0.0 | 0.0 | 10.1 | 9.6 | 0.0 | 0.0 | 9.6 |
| 15-19 | 9.5 | 0.3 | 0.0 | 9.8 | 10.0 | 0.1 | 0.0 | 10.1 | 8.9 | 0.5 | 0.0 | 9.5 |
| 20-24 | 6.9 | 3.1 | 0.0 | 10.0 | 8.9 | 1.1 | 0.0 | 10.0 | 4.8 | 5.2 | 0.0 | 10.1 |
| 25-29 | 3.3 | 5.2 | 0.0 | 8.5 | 4.8 | 3.9 | 0.0 | 8.7 | 1.6 | 6.6 | 0.1 | 8.3 |
| 30-34 | 1.0 | 6.2 | 0.1 | 7.3 | 1.4 | 5.7 | 0.0 | 7.2 | 0.4 | 6.8 | 0.1 | 7.4 |
| 35-39 | 0.4 | 6.2 | 0.2 | 6.8 | 0.5 | 6.1 | 0.0 | 6.7 | 0.2 | 6.4 | 0.3 | 6.9 |
| 40-44 | 0.2 | 5.8 | 0.2 | 6.2 | 0.2 | 5.9 | 0.1 | 6.2 | 0.1 | 5.8 | 0.3 | 6.2 |
| 45-49 | 0.1 | 5.0 | 0.2 | 5.4 | 0.2 | 5.1 | 0.1 | 5.4 | 0.1 | 5.0 | 0.4 | 5.5 |
| 50-54 | 0.1 | 4.2 | 0.3 | 4.5 | 0.1 | 4.2 | 0.1 | 4.5 | 0.1 | 4.1 | 0.4 | 4.6 |
| 55-59 | 0.0 | 3.5 | 0.4 | 3.9 | 0.0 | 3.4 | 0.1 | 3.6 | 0.0 | 3.6 | 0.6 | 4.3 |
| 60-64 | 0.0 | 2.8 | 0.5 | 3.3 | 0.1 | 2.9 | 0.2 | 3.1 | 0.0 | 2.7 | 0.8 | 3.5 |
| 65-69 | 0.1 | 2.1 | 0.5 | 2.7 | 0.1 | 2.2 | 0.2 | 2.5 | 0.1 | 2.0 | 0.9 | 2.9 |
| 70-74 | 0.0 | 1.5 | 0.6 | 2.1 | 0.0 | 1.7 | 0.2 | 1.9 | 0.0 | 1.2 | 1.0 | 2.2 |
| 75-79 | 0.0 | 0.8 | 0.4 | 1.2 | 0.0 | 1.0 | 0.2 | 1.2 | 0.0 | 0.6 | 0.6 | 1.3 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.6 | 0.0 | 0.4 | 0.1 | 0.6 | 0.0 | 0.2 | 0.3 | 0.6 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 49.0 | 47.3 | 3.7 | 100.0 | 54.6 | 44.0 | 1.5 | 100.0 | 42.8 | 51.0 | 6.2 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 14.9 | 0.0 | 0.0 | 14.9 | 15.3 | 0.0 | 0.0 | 15.3 | 14.5 | 0.0 | 0.0 | 14.5 |
| 10-14 | 8.1 | 0.0 | 0.0 | 8.1 | 8.2 | 0.0 | 0.0 | 8.2 | 7.9 | 0.0 | 0.0 | 7.9 |
| 15-19 | 8.3 | 0.3 | 0.0 | 8.5 | 8.5 | 0.1 | 0.0 | 8.6 | 8.0 | 0.5 | 0.0 | 8.5 |
| 20-24 | 7.3 | 2.4 | 0.0 | 9.8 | 8.6 | 0.7 | 0.0 | 9.4 | 5.9 | 4.2 | 0.0 | 10.2 |
| 25-29 | 4.3 | 6.5 | 0.0 | 10.8 | 5.9 | 4.3 | 0.0 | 10.3 | 2.5 | 8.8 | 0.1 | 11.4 |
| 30-34 | 1.7 | 7.9 | 0.1 | 9.7 | 2.4 | 7.3 | 0.0 | 9.7 | 0.9 | 8.5 | 0.2 | 9.6 |
| 35-39 | 0.7 | 7.5 | 0.2 | 8.4 | 0.9 | 7.6 | 0.1 | 8.6 | 0.5 | 7.4 | 0.3 | 8.2 |
| 40-44 | 0.4 | 6.4 | 0.3 | 7.0 | 0.5 | 6.4 | 0.1 | 7.0 | 0.3 | 6.3 | 0.4 | 7.0 |
| 45-49 | 0.2 | 5.3 | 0.3 | 5.9 | 0.2 | 5.5 | 0.1 | 5.9 | 0.1 | 5.1 | 0.6 | 5.9 |
| 50-54 | 0.1 | 4.3 | 0.4 | 4.9 | 0.2 | 4.7 | 0.2 | 5.0 | 0.1 | 3.9 | 0.7 | 4.8 |
| 55-59 | 0.1 | 3.4 | 0.5 | 4.0 | 0.1 | 3.7 | 0.2 | 4.0 | 0.1 | 3.2 | 0.8 | 4.1 |
| 60-64 | 0.1 | 2.6 | 0.5 | 3.2 | 0.1 | 3.0 | 0.2 | 3.3 | 0.1 | 2.1 | 0.9 | 3.1 |
| 65-69 | 0.1 | 1.5 | 0.5 | 2.1 | 0.1 | 1.8 | 0.2 | 2.1 | 0.1 | 1.2 | 0.8 | 2.0 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.4 | 0.0 | 1.1 | 0.2 | 1.3 | 0.0 | 0.7 | 0.7 | 1.4 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.3 | 0.5 | 0.8 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 46.3 | 49.7 | 4.0 | 100.0 | 51.2 | 47.3 | 1.5 | 100.0 | 41.1 | 52.3 | 6.6 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Odisha**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 16.6 | 0.0 | 0.0 | 16.6 | 16.7 | 0.0 | 0.0 | 16.7 | 16.5 | 0.0 | 0.0 | 16.5 |
| 10-14 | 9.2 | 0.0 | 0.0 | 9.2 | 9.3 | 0.0 | 0.0 | 9.3 | 9.2 | 0.0 | 0.0 | 9.2 |
| 15-19 | 9.6 | 0.2 | 0.0 | 9.7 | 9.6 | 0.0 | 0.0 | 9.6 | 9.5 | 0.3 | 0.0 | 9.8 |
| 20-24 | 7.3 | 2.9 | 0.0 | 10.3 | 8.7 | 0.9 | 0.0 | 9.6 | 5.9 | 4.9 | 0.1 | 10.9 |
| 25-29 | 3.7 | 5.8 | 0.1 | 9.6 | 5.2 | 3.7 | 0.0 | 8.9 | 2.1 | 8.0 | 0.1 | 10.2 |
| 30-34 | 1.3 | 6.9 | 0.1 | 8.3 | 1.9 | 6.3 | 0.0 | 8.2 | 0.6 | 7.6 | 0.2 | 8.4 |
| 35-39 | 0.4 | 6.2 | 0.2 | 6.8 | 0.5 | 6.3 | 0.1 | 6.8 | 0.3 | 6.2 | 0.3 | 6.8 |
| 40-44 | 0.2 | 5.5 | 0.2 | 5.9 | 0.2 | 6.0 | 0.1 | 6.3 | 0.2 | 4.9 | 0.4 | 5.5 |
| 45-49 | 0.1 | 4.8 | 0.3 | 5.2 | 0.1 | 5.2 | 0.1 | 5.4 | 0.1 | 4.3 | 0.5 | 5.0 |
| 50-54 | 0.1 | 4.2 | 0.4 | 4.6 | 0.1 | 4.6 | 0.2 | 4.9 | 0.1 | 3.7 | 0.6 | 4.3 |
| 55-59 | 0.0 | 3.5 | 0.4 | 4.0 | 0.0 | 4.0 | 0.2 | 4.2 | 0.1 | 3.1 | 0.7 | 3.8 |
| 60-64 | 0.0 | 3.1 | 0.6 | 3.8 | 0.0 | 3.7 | 0.3 | 4.0 | 0.0 | 2.5 | 1.0 | 3.5 |
| 65-69 | 0.0 | 1.5 | 0.5 | 2.0 | 0.0 | 1.9 | 0.2 | 2.1 | 0.0 | 1.2 | 0.8 | 2.0 |
| 70-74 | 0.0 | 1.2 | 0.7 | 1.8 | 0.0 | 1.5 | 0.2 | 1.8 | 0.0 | 0.8 | 1.1 | 1.9 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.4 | 0.5 | 0.9 |
| 80-84 | 0.0 | 0.4 | 0.5 | 0.9 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.2 | 0.7 | 0.9 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 48.6 | 46.8 | 4.6 | 100.0 | 52.4 | 45.7 | 1.9 | 100.0 | 44.6 | 48.0 | 7.3 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 16.9 | 0.0 | 0.0 | 16.9 | 17.0 | 0.0 | 0.0 | 17.0 | 16.9 | 0.0 | 0.0 | 16.9 |
| 10-14 | 9.5 | 0.0 | 0.0 | 9.5 | 9.5 | 0.0 | 0.0 | 9.5 | 9.4 | 0.0 | 0.0 | 9.4 |
| 15-19 | 9.7 | 0.2 | 0.0 | 9.9 | 9.8 | 0.1 | 0.0 | 9.8 | 9.7 | 0.3 | 0.0 | 10.0 |
| 20-24 | 7.3 | 3.1 | 0.0 | 10.3 | 8.7 | 1.0 | 0.0 | 9.7 | 5.8 | 5.2 | 0.1 | 11.0 |
| 25-29 | 3.5 | 5.9 | 0.1 | 9.5 | 5.1 | 3.8 | 0.0 | 8.9 | 1.9 | 8.1 | 0.1 | 10.1 |
| 30-34 | 1.1 | 6.9 | 0.1 | 8.2 | 1.7 | 6.4 | 0.0 | 8.1 | 0.6 | 7.4 | 0.2 | 8.2 |
| 35-39 | 0.3 | 6.0 | 0.2 | 6.5 | 0.4 | 6.1 | 0.0 | 6.6 | 0.3 | 5.9 | 0.3 | 6.5 |
| 40-44 | 0.2 | 5.3 | 0.2 | 5.7 | 0.2 | 5.8 | 0.1 | 6.1 | 0.2 | 4.7 | 0.4 | 5.3 |
| 45-49 | 0.1 | 4.7 | 0.3 | 5.1 | 0.1 | 5.1 | 0.1 | 5.2 | 0.1 | 4.3 | 0.5 | 4.9 |
| 50-54 | 0.1 | 4.0 | 0.3 | 4.4 | 0.1 | 4.5 | 0.2 | 4.8 | 0.0 | 3.5 | 0.5 | 4.1 |
| 55-59 | 0.0 | 3.5 | 0.4 | 4.0 | 0.0 | 4.0 | 0.2 | 4.2 | 0.0 | 3.1 | 0.7 | 3.8 |
| 60-64 | 0.0 | 3.2 | 0.6 | 3.9 | 0.0 | 3.8 | 0.3 | 4.1 | 0.0 | 2.5 | 1.0 | 3.6 |
| 65-69 | 0.0 | 1.5 | 0.5 | 2.1 | 0.0 | 1.9 | 0.2 | 2.1 | 0.0 | 1.2 | 0.8 | 2.0 |
| 70-74 | 0.0 | 1.2 | 0.7 | 1.9 | 0.0 | 1.5 | 0.3 | 1.8 | 0.0 | 0.9 | 1.1 | 2.0 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.4 | 0.6 | 0.9 |
| 80-84 | 0.0 | 0.4 | 0.5 | 0.9 | 0.0 | 0.6 | 0.3 | 0.9 | 0.0 | 0.2 | 0.7 | 0.9 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 48.8 | 46.6 | 4.6 | 100.0 | 52.5 | 45.5 | 2.0 | 100.0 | 45.0 | 47.8 | 7.3 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 15.2 | 0.0 | 0.0 | 15.2 | 15.5 | 0.0 | 0.0 | 15.5 | 14.9 | 0.0 | 0.0 | 14.9 |
| 10-14 | 8.1 | 0.0 | 0.0 | 8.1 | 8.2 | 0.0 | 0.0 | 8.2 | 8.0 | 0.0 | 0.0 | 8.0 |
| 15-19 | 8.7 | 0.2 | 0.0 | 8.9 | 8.6 | 0.0 | 0.0 | 8.7 | 8.8 | 0.3 | 0.0 | 9.0 |
| 20-24 | 7.7 | 2.2 | 0.0 | 9.9 | 8.8 | 0.7 | 0.0 | 9.5 | 6.5 | 3.8 | 0.1 | 10.3 |
| 25-29 | 4.5 | 5.3 | 0.1 | 9.9 | 6.0 | 2.9 | 0.0 | 9.0 | 2.9 | 7.7 | 0.2 | 10.8 |
| 30-34 | 1.9 | 6.9 | 0.2 | 9.0 | 2.8 | 5.8 | 0.1 | 8.7 | 0.9 | 8.1 | 0.3 | 9.2 |
| 35-39 | 0.6 | 7.2 | 0.2 | 8.0 | 0.8 | 7.1 | 0.1 | 8.0 | 0.4 | 7.2 | 0.4 | 8.0 |
| 40-44 | 0.3 | 6.5 | 0.3 | 7.2 | 0.4 | 7.2 | 0.1 | 7.7 | 0.3 | 5.8 | 0.5 | 6.7 |
| 45-49 | 0.2 | 5.3 | 0.3 | 5.8 | 0.2 | 5.9 | 0.1 | 6.3 | 0.2 | 4.7 | 0.5 | 5.4 |
| 50-54 | 0.1 | 4.7 | 0.4 | 5.2 | 0.1 | 5.1 | 0.2 | 5.4 | 0.1 | 4.3 | 0.8 | 5.1 |
| 55-59 | 0.1 | 3.6 | 0.5 | 4.2 | 0.1 | 4.2 | 0.2 | 4.4 | 0.1 | 3.0 | 0.8 | 3.9 |
| 60-64 | 0.1 | 2.7 | 0.6 | 3.3 | 0.0 | 3.3 | 0.2 | 3.5 | 0.1 | 2.0 | 1.0 | 3.1 |
| 65-69 | 0.0 | 1.5 | 0.4 | 1.9 | 0.0 | 1.8 | 0.1 | 2.0 | 0.0 | 1.1 | 0.6 | 1.7 |
| 70-74 | 0.0 | 1.0 | 0.6 | 1.6 | 0.0 | 1.3 | 0.2 | 1.5 | 0.0 | 0.7 | 1.1 | 1.8 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.7 | 0.2 | 0.8 | 0.0 | 0.3 | 0.5 | 0.8 |
| 80-84 | 0.0 | 0.3 | 0.4 | 0.7 | 0.0 | 0.5 | 0.2 | 0.6 | 0.0 | 0.2 | 0.6 | 0.8 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 47.4 | 48.0 | 4.6 | 100.0 | 51.6 | 46.7 | 1.7 | 100.0 | 43.0 | 49.3 | 7.6 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Punjab**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 13.9 | 0.0 | 0.0 | 13.9 | 14.3 | 0.0 | 0.0 | 14.3 | 13.5 | 0.0 | 0.0 | 13.5 |
| 10-14 | 8.1 | 0.0 | 0.0 | 8.1 | 8.6 | 0.0 | 0.0 | 8.6 | 7.6 | 0.0 | 0.0 | 7.6 |
| 15-19 | 8.9 | 0.2 | 0.0 | 9.1 | 9.6 | 0.1 | 0.0 | 9.7 | 8.1 | 0.3 | 0.0 | 8.4 |
| 20-24 | 8.3 | 2.3 | 0.0 | 10.6 | 9.4 | 1.2 | 0.0 | 10.6 | 6.9 | 3.6 | 0.0 | 10.5 |
| 25-29 | 4.2 | 6.2 | 0.1 | 10.5 | 5.4 | 4.8 | 0.1 | 10.3 | 2.8 | 7.8 | 0.1 | 10.7 |
| 30-34 | 1.4 | 7.1 | 0.1 | 8.6 | 2.0 | 6.5 | 0.0 | 8.6 | 0.7 | 7.8 | 0.1 | 8.7 |
| 35-39 | 0.5 | 6.6 | 0.1 | 7.3 | 0.8 | 6.3 | 0.1 | 7.2 | 0.2 | 7.0 | 0.2 | 7.4 |
| 40-44 | 0.3 | 6.0 | 0.2 | 6.5 | 0.4 | 5.8 | 0.1 | 6.3 | 0.2 | 6.2 | 0.3 | 6.7 |
| 45-49 | 0.2 | 5.5 | 0.2 | 5.9 | 0.3 | 5.3 | 0.1 | 5.7 | 0.1 | 5.8 | 0.3 | 6.2 |
| 50-54 | 0.1 | 4.7 | 0.3 | 5.2 | 0.2 | 4.7 | 0.2 | 5.1 | 0.1 | 4.8 | 0.5 | 5.4 |
| 55-59 | 0.1 | 3.7 | 0.3 | 4.1 | 0.1 | 3.8 | 0.2 | 4.2 | 0.0 | 3.5 | 0.5 | 4.0 |
| 60-64 | 0.1 | 2.8 | 0.4 | 3.2 | 0.1 | 2.7 | 0.2 | 3.0 | 0.0 | 2.9 | 0.6 | 3.5 |
| 65-69 | 0.1 | 2.0 | 0.4 | 2.5 | 0.1 | 2.1 | 0.2 | 2.4 | 0.0 | 2.0 | 0.6 | 2.6 |
| 70-74 | 0.1 | 1.5 | 0.5 | 2.0 | 0.1 | 1.5 | 0.3 | 1.9 | 0.1 | 1.4 | 0.7 | 2.1 |
| 75-79 | 0.1 | 0.9 | 0.4 | 1.3 | 0.1 | 1.0 | 0.2 | 1.3 | 0.0 | 0.8 | 0.6 | 1.4 |
| 80-84 | 0.0 | 0.4 | 0.3 | 0.8 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.4 | 0.4 | 0.8 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.5 | 0.0 | 0.2 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.6 |
| All ages | 46.5 | 50.1 | 3.5 | 100.0 | 51.5 | 46.4 | 2.1 | 100.0 | 40.5 | 54.4 | 5.1 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 14.3 | 0.0 | 0.0 | 14.3 | 14.8 | 0.0 | 0.0 | 14.8 | 13.7 | 0.0 | 0.0 | 13.7 |
| 10-14 | 8.1 | 0.0 | 0.0 | 8.1 | 8.5 | 0.0 | 0.0 | 8.5 | 7.5 | 0.0 | 0.0 | 7.5 |
| 15-19 | 9.2 | 0.2 | 0.0 | 9.3 | 9.9 | 0.1 | 0.0 | 10.0 | 8.3 | 0.3 | 0.0 | 8.6 |
| 20-24 | 8.4 | 2.4 | 0.0 | 10.8 | 9.5 | 1.3 | 0.0 | 10.8 | 7.1 | 3.7 | 0.0 | 10.8 |
| 25-29 | 3.9 | 6.2 | 0.1 | 10.2 | 5.1 | 4.8 | 0.1 | 9.9 | 2.6 | 7.8 | 0.1 | 10.5 |
| 30-34 | 1.2 | 7.0 | 0.1 | 8.3 | 1.8 | 6.4 | 0.0 | 8.2 | 0.5 | 7.8 | 0.1 | 8.4 |
| 35-39 | 0.5 | 6.4 | 0.1 | 7.0 | 0.7 | 6.1 | 0.1 | 6.8 | 0.2 | 6.8 | 0.2 | 7.2 |
| 40-44 | 0.3 | 5.8 | 0.2 | 6.3 | 0.4 | 5.6 | 0.1 | 6.1 | 0.1 | 6.1 | 0.3 | 6.5 |
| 45-49 | 0.2 | 5.4 | 0.2 | 5.8 | 0.3 | 5.1 | 0.1 | 5.6 | 0.1 | 5.7 | 0.3 | 6.2 |
| 50-54 | 0.1 | 4.4 | 0.4 | 4.9 | 0.2 | 4.5 | 0.2 | 4.9 | 0.0 | 4.4 | 0.5 | 4.9 |
| 55-59 | 0.1 | 3.5 | 0.3 | 3.9 | 0.2 | 3.7 | 0.2 | 4.0 | 0.0 | 3.3 | 0.4 | 3.8 |
| 60-64 | 0.1 | 2.8 | 0.4 | 3.3 | 0.1 | 2.7 | 0.2 | 3.0 | 0.0 | 3.0 | 0.6 | 3.6 |
| 65-69 | 0.1 | 2.2 | 0.4 | 2.6 | 0.1 | 2.2 | 0.2 | 2.5 | 0.0 | 2.1 | 0.6 | 2.8 |
| 70-74 | 0.1 | 1.6 | 0.5 | 2.1 | 0.1 | 1.6 | 0.3 | 2.0 | 0.1 | 1.5 | 0.7 | 2.3 |
| 75-79 | 0.1 | 1.0 | 0.4 | 1.5 | 0.1 | 1.1 | 0.3 | 1.4 | 0.1 | 0.9 | 0.6 | 1.6 |
| 80-84 | 0.0 | 0.5 | 0.3 | 0.9 | 0.1 | 0.6 | 0.3 | 0.9 | 0.0 | 0.5 | 0.4 | 0.9 |
| 85+ | 0.0 | 0.3 | 0.3 | 0.6 | 0.0 | 0.3 | 0.2 | 0.6 | 0.0 | 0.3 | 0.4 | 0.7 |
| All ages | 46.6 | 49.7 | 3.7 | 100.0 | 51.8 | 45.9 | 2.3 | 100.0 | 40.4 | 54.2 | 5.4 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 13.4 | 0.0 | 0.0 | 13.4 | 13.5 | 0.0 | 0.0 | 13.5 | 13.2 | 0.0 | 0.0 | 13.2 |
| 10-14 | 8.2 | 0.0 | 0.0 | 8.2 | 8.6 | 0.0 | 0.0 | 8.6 | 7.8 | 0.0 | 0.0 | 7.8 |
| 15-19 | 8.6 | 0.2 | 0.0 | 8.8 | 9.1 | 0.1 | 0.0 | 9.3 | 7.9 | 0.3 | 0.0 | 8.2 |
| 20-24 | 8.1 | 2.2 | 0.0 | 10.3 | 9.3 | 1.0 | 0.0 | 10.4 | 6.7 | 3.5 | 0.0 | 10.2 |
| 25-29 | 4.6 | 6.1 | 0.1 | 10.8 | 5.9 | 4.7 | 0.1 | 10.7 | 3.1 | 7.8 | 0.1 | 11.0 |
| 30-34 | 1.7 | 7.2 | 0.1 | 9.0 | 2.3 | 6.7 | 0.0 | 9.0 | 1.1 | 7.9 | 0.1 | 9.0 |
| 35-39 | 0.6 | 6.9 | 0.1 | 7.6 | 0.9 | 6.6 | 0.1 | 7.6 | 0.3 | 7.1 | 0.1 | 7.6 |
| 40-44 | 0.3 | 6.2 | 0.2 | 6.7 | 0.5 | 6.0 | 0.1 | 6.6 | 0.2 | 6.5 | 0.3 | 6.9 |
| 45-49 | 0.2 | 5.6 | 0.2 | 6.0 | 0.3 | 5.5 | 0.1 | 5.8 | 0.1 | 5.8 | 0.3 | 6.2 |
| 50-54 | 0.1 | 5.2 | 0.3 | 5.7 | 0.2 | 5.0 | 0.2 | 5.4 | 0.1 | 5.4 | 0.5 | 6.0 |
| 55-59 | 0.1 | 3.9 | 0.3 | 4.3 | 0.1 | 4.1 | 0.2 | 4.4 | 0.1 | 3.7 | 0.5 | 4.2 |
| 60-64 | 0.1 | 2.7 | 0.3 | 3.1 | 0.1 | 2.7 | 0.2 | 3.0 | 0.1 | 2.8 | 0.5 | 3.3 |
| 65-69 | 0.1 | 1.8 | 0.4 | 2.3 | 0.1 | 2.0 | 0.2 | 2.2 | 0.1 | 1.7 | 0.6 | 2.3 |
| 70-74 | 0.1 | 1.3 | 0.4 | 1.8 | 0.1 | 1.4 | 0.2 | 1.7 | 0.1 | 1.2 | 0.6 | 1.9 |
| 75-79 | 0.0 | 0.8 | 0.3 | 1.1 | 0.0 | 0.8 | 0.2 | 1.1 | 0.0 | 0.7 | 0.5 | 1.2 |
| 80-84 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.3 | 0.3 | 0.6 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 46.3 | 50.7 | 3.1 | 100.0 | 51.1 | 47.2 | 1.7 | 100.0 | 40.7 | 54.7 | 4.6 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Rajasthan**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 19.8 | 0.0 | 0.0 | 19.8 | 20.4 | 0.0 | 0.0 | 20.4 | 19.1 | 0.0 | 0.0 | 19.1 |
| 10-14 | 10.4 | 0.0 | 0.0 | 10.4 | 10.9 | 0.0 | 0.0 | 10.9 | 9.9 | 0.0 | 0.0 | 9.9 |
| 15-19 | 10.5 | 0.6 | 0.0 | 11.1 | 11.1 | 0.4 | 0.0 | 11.5 | 9.9 | 0.8 | 0.0 | 10.7 |
| 20-24 | 6.2 | 4.9 | 0.0 | 11.1 | 7.6 | 3.1 | 0.0 | 10.7 | 4.7 | 6.8 | 0.0 | 11.6 |
| 25-29 | 1.8 | 7.6 | 0.1 | 9.5 | 2.7 | 6.8 | 0.0 | 9.5 | 0.8 | 8.5 | 0.1 | 9.4 |
| 30-34 | 0.4 | 7.2 | 0.1 | 7.7 | 0.7 | 7.0 | 0.1 | 7.8 | 0.1 | 7.3 | 0.1 | 7.6 |
| 35-39 | 0.2 | 6.4 | 0.2 | 6.7 | 0.3 | 6.2 | 0.1 | 6.5 | 0.1 | 6.5 | 0.3 | 6.9 |
| 40-44 | 0.1 | 5.1 | 0.2 | 5.4 | 0.2 | 5.1 | 0.1 | 5.4 | 0.0 | 5.1 | 0.2 | 5.4 |
| 45-49 | 0.1 | 4.3 | 0.2 | 4.7 | 0.1 | 4.3 | 0.1 | 4.5 | 0.0 | 4.4 | 0.4 | 4.8 |
| 50-54 | 0.0 | 3.2 | 0.2 | 3.4 | 0.1 | 3.4 | 0.1 | 3.6 | 0.0 | 3.0 | 0.3 | 3.3 |
| 55-59 | 0.0 | 2.6 | 0.3 | 2.9 | 0.0 | 2.4 | 0.1 | 2.6 | 0.0 | 2.7 | 0.5 | 3.2 |
| 60-64 | 0.0 | 2.3 | 0.4 | 2.7 | 0.0 | 2.4 | 0.2 | 2.6 | 0.0 | 2.2 | 0.6 | 2.8 |
| 65-69 | 0.0 | 1.4 | 0.4 | 1.9 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.3 | 0.7 | 2.0 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 1.0 | 0.2 | 1.1 | 0.0 | 0.9 | 0.7 | 1.5 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.4 | 0.6 | 1.0 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 49.6 | 47.3 | 3.2 | 100.0 | 54.1 | 44.4 | 1.5 | 100.0 | 44.7 | 50.3 | 5.0 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 20.7 | 0.0 | 0.0 | 20.7 | 21.4 | 0.0 | 0.0 | 21.4 | 20.0 | 0.0 | 0.0 | 20.0 |
| 10-14 | 10.8 | 0.0 | 0.0 | 10.8 | 11.3 | 0.0 | 0.0 | 11.3 | 10.3 | 0.0 | 0.0 | 10.3 |
| 15-19 | 10.8 | 0.7 | 0.0 | 11.5 | 11.4 | 0.5 | 0.0 | 11.9 | 10.2 | 0.9 | 0.0 | 11.1 |
| 20-24 | 5.8 | 5.3 | 0.0 | 11.2 | 7.3 | 3.4 | 0.0 | 10.8 | 4.2 | 7.4 | 0.0 | 11.7 |
| 25-29 | 1.4 | 7.7 | 0.1 | 9.2 | 2.3 | 7.0 | 0.0 | 9.3 | 0.5 | 8.5 | 0.1 | 9.0 |
| 30-34 | 0.3 | 7.0 | 0.1 | 7.4 | 0.6 | 6.8 | 0.1 | 7.5 | 0.1 | 7.1 | 0.1 | 7.3 |
| 35-39 | 0.1 | 6.1 | 0.2 | 6.4 | 0.2 | 5.9 | 0.1 | 6.2 | 0.0 | 6.4 | 0.3 | 6.6 |
| 40-44 | 0.1 | 4.9 | 0.2 | 5.2 | 0.1 | 4.9 | 0.1 | 5.2 | 0.0 | 4.9 | 0.2 | 5.2 |
| 45-49 | 0.1 | 4.1 | 0.2 | 4.4 | 0.1 | 4.1 | 0.1 | 4.4 | 0.0 | 4.1 | 0.4 | 4.5 |
| 50-54 | 0.0 | 2.9 | 0.2 | 3.2 | 0.1 | 3.1 | 0.1 | 3.3 | 0.0 | 2.8 | 0.3 | 3.0 |
| 55-59 | 0.0 | 2.4 | 0.3 | 2.6 | 0.0 | 2.1 | 0.1 | 2.3 | 0.0 | 2.6 | 0.4 | 3.1 |
| 60-64 | 0.0 | 2.3 | 0.4 | 2.7 | 0.0 | 2.3 | 0.2 | 2.6 | 0.0 | 2.2 | 0.6 | 2.8 |
| 65-69 | 0.0 | 1.4 | 0.4 | 1.9 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.3 | 0.7 | 2.1 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 1.0 | 0.2 | 1.1 | 0.0 | 0.9 | 0.7 | 1.6 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.5 | 0.1 | 0.7 | 0.0 | 0.4 | 0.6 | 1.0 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 50.3 | 46.6 | 3.1 | 100.0 | 54.9 | 43.6 | 1.5 | 100.0 | 45.3 | 49.8 | 4.9 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 17.1 | 0.0 | 0.0 | 17.1 | 17.6 | 0.0 | 0.0 | 17.6 | 16.6 | 0.0 | 0.0 | 16.6 |
| 10-14 | 9.3 | 0.0 | 0.0 | 9.3 | 9.7 | 0.0 | 0.0 | 9.7 | 8.8 | 0.0 | 0.0 | 8.8 |
| 15-19 | 9.7 | 0.3 | 0.0 | 10.0 | 10.1 | 0.2 | 0.0 | 10.3 | 9.3 | 0.4 | 0.0 | 9.7 |
| 20-24 | 7.2 | 3.5 | 0.0 | 10.8 | 8.3 | 2.0 | 0.0 | 10.4 | 6.0 | 5.2 | 0.0 | 11.2 |
| 25-29 | 2.9 | 7.3 | 0.1 | 10.2 | 4.0 | 6.1 | 0.0 | 10.1 | 1.6 | 8.7 | 0.1 | 10.4 |
| 30-34 | 0.8 | 7.7 | 0.1 | 8.5 | 1.1 | 7.4 | 0.1 | 8.6 | 0.4 | 7.9 | 0.1 | 8.4 |
| 35-39 | 0.2 | 7.0 | 0.2 | 7.4 | 0.3 | 6.9 | 0.1 | 7.4 | 0.1 | 7.1 | 0.2 | 7.5 |
| 40-44 | 0.1 | 5.7 | 0.2 | 6.0 | 0.2 | 5.7 | 0.1 | 6.0 | 0.0 | 5.7 | 0.3 | 6.0 |
| 45-49 | 0.1 | 5.0 | 0.3 | 5.3 | 0.1 | 4.8 | 0.1 | 5.1 | 0.0 | 5.1 | 0.4 | 5.6 |
| 50-54 | 0.0 | 4.0 | 0.3 | 4.3 | 0.1 | 4.2 | 0.1 | 4.4 | 0.0 | 3.7 | 0.4 | 4.1 |
| 55-59 | 0.0 | 3.1 | 0.3 | 3.5 | 0.0 | 3.3 | 0.1 | 3.4 | 0.0 | 3.0 | 0.6 | 3.6 |
| 60-64 | 0.0 | 2.4 | 0.4 | 2.8 | 0.0 | 2.6 | 0.1 | 2.7 | 0.0 | 2.2 | 0.6 | 2.8 |
| 65-69 | 0.0 | 1.4 | 0.4 | 1.8 | 0.0 | 1.6 | 0.1 | 1.8 | 0.0 | 1.2 | 0.7 | 1.9 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 1.0 | 0.1 | 1.1 | 0.0 | 0.8 | 0.7 | 1.5 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.6 | 0.1 | 0.8 | 0.0 | 0.4 | 0.6 | 1.0 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.6 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.4 | 0.6 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 47.6 | 49.2 | 3.3 | 100.0 | 51.8 | 46.8 | 1.4 | 100.0 | 43.0 | 51.7 | 5.3 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Tamil Nadu**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 13.9 | 0.0 | 0.0 | 13.9 | 14.2 | 0.0 | 0.0 | 14.2 | 13.7 | 0.0 | 0.0 | 13.7 |
| 10-14 | 8.0 | 0.0 | 0.0 | 8.0 | 8.2 | 0.0 | 0.0 | 8.2 | 7.7 | 0.0 | 0.0 | 7.7 |
| 15-19 | 7.7 | 0.1 | 0.0 | 7.9 | 8.2 | 0.0 | 0.0 | 8.2 | 7.3 | 0.3 | 0.0 | 7.6 |
| 20-24 | 7.0 | 2.1 | 0.0 | 9.1 | 8.2 | 0.5 | 0.0 | 8.7 | 5.7 | 3.8 | 0.0 | 9.5 |
| 25-29 | 4.1 | 5.5 | 0.1 | 9.8 | 6.1 | 3.3 | 0.0 | 9.4 | 2.1 | 7.9 | 0.1 | 10.1 |
| 30-34 | 1.5 | 7.3 | 0.1 | 8.9 | 2.3 | 6.7 | 0.1 | 9.1 | 0.6 | 8.0 | 0.2 | 8.7 |
| 35-39 | 0.6 | 7.1 | 0.2 | 8.0 | 1.0 | 6.9 | 0.1 | 7.9 | 0.3 | 7.4 | 0.4 | 8.1 |
| 40-44 | 0.3 | 6.7 | 0.3 | 7.2 | 0.4 | 7.0 | 0.1 | 7.5 | 0.2 | 6.4 | 0.4 | 6.9 |
| 45-49 | 0.2 | 5.6 | 0.4 | 6.2 | 0.3 | 5.9 | 0.2 | 6.4 | 0.2 | 5.2 | 0.6 | 6.0 |
| 50-54 | 0.1 | 5.2 | 0.5 | 5.9 | 0.1 | 5.4 | 0.2 | 5.8 | 0.1 | 5.1 | 0.8 | 6.0 |
| 55-59 | 0.1 | 4.0 | 0.6 | 4.7 | 0.1 | 4.0 | 0.2 | 4.4 | 0.1 | 3.9 | 1.0 | 5.0 |
| 60-64 | 0.1 | 3.2 | 0.7 | 4.0 | 0.1 | 3.6 | 0.3 | 4.0 | 0.1 | 2.8 | 1.1 | 4.0 |
| 65-69 | 0.1 | 1.9 | 0.7 | 2.7 | 0.1 | 2.3 | 0.3 | 2.7 | 0.1 | 1.5 | 1.2 | 2.8 |
| 70-74 | 0.0 | 1.2 | 0.6 | 1.8 | 0.0 | 1.5 | 0.3 | 1.8 | 0.0 | 0.9 | 1.0 | 1.9 |
| 75-79 | 0.0 | 0.6 | 0.4 | 1.1 | 0.0 | 0.8 | 0.2 | 1.0 | 0.0 | 0.4 | 0.7 | 1.1 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.6 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.4 | 0.6 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.4 |
| All ages | 43.9 | 51.1 | 5.0 | 100.0 | 49.3 | 48.5 | 2.1 | 100.0 | 38.2 | 53.8 | 8.0 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 14.8 | 0.0 | 0.0 | 14.8 | 15.2 | 0.0 | 0.0 | 15.2 | 14.4 | 0.0 | 0.0 | 14.4 |
| 10-14 | 8.4 | 0.0 | 0.0 | 8.4 | 8.7 | 0.0 | 0.0 | 8.7 | 8.1 | 0.0 | 0.0 | 8.1 |
| 15-19 | 8.0 | 0.1 | 0.0 | 8.1 | 8.5 | 0.0 | 0.0 | 8.6 | 7.3 | 0.2 | 0.0 | 7.6 |
| 20-24 | 7.2 | 2.2 | 0.0 | 9.4 | 8.6 | 0.5 | 0.0 | 9.1 | 5.7 | 4.0 | 0.0 | 9.7 |
| 25-29 | 4.2 | 5.5 | 0.1 | 9.8 | 6.3 | 3.4 | 0.0 | 9.7 | 2.0 | 7.7 | 0.1 | 9.8 |
| 30-34 | 1.4 | 6.7 | 0.1 | 8.2 | 2.3 | 6.2 | 0.0 | 8.5 | 0.5 | 7.2 | 0.2 | 7.9 |
| 35-39 | 0.6 | 6.6 | 0.2 | 7.5 | 0.9 | 6.4 | 0.1 | 7.4 | 0.3 | 6.9 | 0.4 | 7.5 |
| 40-44 | 0.2 | 6.1 | 0.3 | 6.6 | 0.3 | 6.1 | 0.1 | 6.5 | 0.1 | 6.1 | 0.4 | 6.7 |
| 45-49 | 0.2 | 5.7 | 0.4 | 6.3 | 0.3 | 5.8 | 0.2 | 6.2 | 0.2 | 5.5 | 0.7 | 6.4 |
| 50-54 | 0.1 | 4.6 | 0.4 | 5.1 | 0.1 | 4.9 | 0.2 | 5.2 | 0.1 | 4.3 | 0.6 | 5.0 |
| 55-59 | 0.1 | 4.2 | 0.7 | 5.0 | 0.1 | 4.0 | 0.2 | 4.4 | 0.1 | 4.3 | 1.2 | 5.6 |
| 60-64 | 0.1 | 3.1 | 0.7 | 3.8 | 0.1 | 3.4 | 0.3 | 3.7 | 0.1 | 2.9 | 1.0 | 3.9 |
| 65-69 | 0.1 | 2.1 | 0.9 | 3.0 | 0.1 | 2.5 | 0.3 | 2.9 | 0.1 | 1.7 | 1.4 | 3.2 |
| 70-74 | 0.0 | 1.2 | 0.6 | 1.9 | 0.0 | 1.5 | 0.3 | 1.8 | 0.0 | 0.9 | 1.0 | 2.0 |
| 75-79 | 0.0 | 0.7 | 0.5 | 1.2 | 0.0 | 0.9 | 0.2 | 1.2 | 0.0 | 0.4 | 0.8 | 1.3 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.4 | 0.5 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 45.5 | 49.2 | 5.3 | 100.0 | 51.6 | 46.2 | 2.2 | 100.0 | 39.1 | 52.3 | 8.6 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 13.1 | 0.0 | 0.0 | 13.1 | 13.3 | 0.0 | 0.0 | 13.3 | 13.0 | 0.0 | 0.0 | 13.0 |
| 10-14 | 7.5 | 0.0 | 0.0 | 7.5 | 7.7 | 0.0 | 0.0 | 7.7 | 7.4 | 0.0 | 0.0 | 7.4 |
| 15-19 | 7.5 | 0.1 | 0.0 | 7.7 | 7.8 | 0.0 | 0.0 | 7.8 | 7.3 | 0.3 | 0.0 | 7.5 |
| 20-24 | 6.9 | 2.0 | 0.0 | 8.8 | 7.9 | 0.5 | 0.0 | 8.4 | 5.8 | 3.5 | 0.0 | 9.3 |
| 25-29 | 4.1 | 5.6 | 0.1 | 9.8 | 5.9 | 3.2 | 0.0 | 9.1 | 2.2 | 8.1 | 0.1 | 10.4 |
| 30-34 | 1.5 | 7.9 | 0.1 | 9.5 | 2.4 | 7.2 | 0.1 | 9.7 | 0.6 | 8.6 | 0.2 | 9.4 |
| 35-39 | 0.7 | 7.6 | 0.2 | 8.5 | 1.0 | 7.3 | 0.1 | 8.4 | 0.3 | 7.9 | 0.3 | 8.6 |
| 40-44 | 0.3 | 7.2 | 0.3 | 7.8 | 0.4 | 7.8 | 0.1 | 8.4 | 0.2 | 6.7 | 0.4 | 7.2 |
| 45-49 | 0.2 | 5.5 | 0.3 | 6.1 | 0.3 | 6.1 | 0.2 | 6.6 | 0.1 | 5.0 | 0.5 | 5.7 |
| 50-54 | 0.1 | 5.8 | 0.6 | 6.6 | 0.2 | 5.8 | 0.3 | 6.2 | 0.1 | 5.8 | 0.9 | 6.9 |
| 55-59 | 0.1 | 3.8 | 0.5 | 4.4 | 0.1 | 4.1 | 0.2 | 4.4 | 0.1 | 3.5 | 0.9 | 4.4 |
| 60-64 | 0.1 | 3.3 | 0.7 | 4.1 | 0.1 | 3.8 | 0.3 | 4.2 | 0.1 | 2.8 | 1.1 | 4.0 |
| 65-69 | 0.1 | 1.8 | 0.6 | 2.5 | 0.1 | 2.2 | 0.2 | 2.5 | 0.1 | 1.4 | 0.9 | 2.4 |
| 70-74 | 0.0 | 1.2 | 0.6 | 1.8 | 0.0 | 1.5 | 0.3 | 1.8 | 0.0 | 0.9 | 0.9 | 1.8 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.9 | 0.0 | 0.7 | 0.1 | 0.9 | 0.0 | 0.3 | 0.5 | 0.9 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.6 | 0.0 | 0.4 | 0.1 | 0.6 | 0.0 | 0.2 | 0.4 | 0.6 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.1 | 0.0 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 42.4 | 52.9 | 4.8 | 100.0 | 47.2 | 50.7 | 2.1 | 100.0 | 37.4 | 55.1 | 7.5 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Telengana**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 14.0 | 0.0 | 0.0 | 14.0 | 14.5 | 0.0 | 0.0 | 14.5 | 13.6 | 0.0 | 0.0 | 13.6 |
| 10-14 | 8.0 | 0.0 | 0.0 | 8.0 | 8.0 | 0.0 | 0.0 | 8.0 | 8.0 | 0.0 | 0.0 | 8.0 |
| 15-19 | 9.3 | 0.2 | 0.0 | 9.5 | 9.7 | 0.1 | 0.0 | 9.7 | 8.8 | 0.3 | 0.0 | 9.2 |
| 20-24 | 8.5 | 2.7 | 0.0 | 11.2 | 10.4 | 0.9 | 0.0 | 11.3 | 6.5 | 4.6 | 0.0 | 11.1 |
| 25-29 | 3.7 | 6.8 | 0.1 | 10.6 | 5.3 | 4.9 | 0.0 | 10.2 | 2.0 | 8.8 | 0.1 | 11.0 |
| 30-34 | 0.8 | 7.5 | 0.1 | 8.5 | 1.3 | 7.1 | 0.0 | 8.4 | 0.4 | 7.9 | 0.3 | 8.6 |
| 35-39 | 0.3 | 7.4 | 0.2 | 8.0 | 0.4 | 7.2 | 0.1 | 7.6 | 0.2 | 7.7 | 0.4 | 8.4 |
| 40-44 | 0.1 | 6.6 | 0.3 | 7.1 | 0.2 | 6.9 | 0.1 | 7.1 | 0.1 | 6.4 | 0.5 | 7.0 |
| 45-49 | 0.1 | 5.3 | 0.4 | 5.8 | 0.1 | 5.9 | 0.2 | 6.1 | 0.1 | 4.7 | 0.7 | 5.4 |
| 50-54 | 0.0 | 4.4 | 0.5 | 4.9 | 0.1 | 4.3 | 0.2 | 4.5 | 0.0 | 4.5 | 0.8 | 5.4 |
| 55-59 | 0.0 | 3.4 | 0.5 | 3.9 | 0.0 | 3.7 | 0.2 | 3.9 | 0.0 | 3.2 | 0.8 | 4.0 |
| 60-64 | 0.0 | 2.6 | 0.5 | 3.2 | 0.0 | 2.9 | 0.3 | 3.2 | 0.0 | 2.3 | 0.8 | 3.2 |
| 65-69 | 0.0 | 1.8 | 0.6 | 2.4 | 0.0 | 2.1 | 0.2 | 2.4 | 0.0 | 1.5 | 0.9 | 2.4 |
| 70-74 | 0.0 | 1.0 | 0.5 | 1.5 | 0.0 | 1.4 | 0.3 | 1.7 | 0.0 | 0.6 | 0.7 | 1.4 |
| 75-79 | 0.0 | 0.4 | 0.3 | 0.7 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 45.1 | 50.6 | 4.3 | 100.0 | 50.0 | 48.2 | 1.9 | 100.0 | 39.9 | 53.1 | 7.0 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 13.3 | 0.0 | 0.0 | 13.3 | 13.6 | 0.0 | 0.0 | 13.6 | 12.9 | 0.0 | 0.0 | 12.9 |
| 10-14 | 7.9 | 0.0 | 0.0 | 7.9 | 7.9 | 0.0 | 0.0 | 7.9 | 7.9 | 0.0 | 0.0 | 7.9 |
| 15-19 | 9.3 | 0.2 | 0.0 | 9.5 | 9.8 | 0.1 | 0.0 | 9.8 | 8.8 | 0.3 | 0.0 | 9.2 |
| 20-24 | 8.5 | 3.0 | 0.0 | 11.5 | 10.9 | 1.1 | 0.0 | 12.0 | 5.9 | 4.9 | 0.0 | 10.8 |
| 25-29 | 3.4 | 6.8 | 0.1 | 10.2 | 5.0 | 5.0 | 0.0 | 10.0 | 1.7 | 8.6 | 0.1 | 10.4 |
| 30-34 | 0.7 | 7.2 | 0.2 | 8.0 | 1.0 | 6.8 | 0.1 | 7.8 | 0.3 | 7.5 | 0.3 | 8.1 |
| 35-39 | 0.3 | 7.2 | 0.3 | 7.8 | 0.3 | 7.0 | 0.1 | 7.3 | 0.2 | 7.5 | 0.5 | 8.2 |
| 40-44 | 0.1 | 6.4 | 0.3 | 6.9 | 0.1 | 6.6 | 0.1 | 6.8 | 0.1 | 6.2 | 0.6 | 6.9 |
| 45-49 | 0.1 | 5.3 | 0.5 | 5.8 | 0.1 | 5.9 | 0.2 | 6.1 | 0.1 | 4.7 | 0.8 | 5.5 |
| 50-54 | 0.0 | 4.5 | 0.6 | 5.1 | 0.1 | 4.2 | 0.2 | 4.5 | 0.0 | 4.8 | 0.9 | 5.7 |
| 55-59 | 0.0 | 3.7 | 0.6 | 4.3 | 0.0 | 3.8 | 0.3 | 4.1 | 0.0 | 3.5 | 0.9 | 4.4 |
| 60-64 | 0.0 | 2.9 | 0.6 | 3.6 | 0.0 | 3.2 | 0.3 | 3.5 | 0.0 | 2.7 | 0.9 | 3.7 |
| 65-69 | 0.0 | 2.1 | 0.7 | 2.8 | 0.0 | 2.3 | 0.3 | 2.7 | 0.0 | 1.8 | 1.1 | 3.0 |
| 70-74 | 0.0 | 1.3 | 0.6 | 1.9 | 0.0 | 1.7 | 0.3 | 2.1 | 0.0 | 0.8 | 0.9 | 1.7 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.9 | 0.0 | 0.7 | 0.2 | 0.9 | 0.0 | 0.3 | 0.5 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.5 | 0.0 | 0.3 | 0.1 | 0.5 | 0.0 | 0.1 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 43.6 | 51.4 | 5.0 | 100.0 | 48.9 | 48.9 | 2.2 | 100.0 | 38.1 | 53.9 | 8.0 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 15.3 | 0.0 | 0.0 | 15.3 | 15.8 | 0.0 | 0.0 | 15.8 | 14.7 | 0.0 | 0.0 | 14.7 |
| 10-14 | 8.2 | 0.0 | 0.0 | 8.2 | 8.2 | 0.0 | 0.0 | 8.2 | 8.2 | 0.0 | 0.0 | 8.2 |
| 15-19 | 9.2 | 0.2 | 0.0 | 9.4 | 9.6 | 0.0 | 0.0 | 9.6 | 8.8 | 0.3 | 0.0 | 9.1 |
| 20-24 | 8.5 | 2.3 | 0.0 | 10.8 | 9.5 | 0.6 | 0.0 | 10.1 | 7.4 | 4.2 | 0.0 | 11.6 |
| 25-29 | 4.3 | 6.8 | 0.0 | 11.1 | 5.8 | 4.6 | 0.0 | 10.4 | 2.6 | 9.2 | 0.1 | 11.9 |
| 30-34 | 1.2 | 8.1 | 0.1 | 9.4 | 1.7 | 7.7 | 0.0 | 9.4 | 0.6 | 8.6 | 0.2 | 9.3 |
| 35-39 | 0.4 | 7.7 | 0.2 | 8.4 | 0.5 | 7.5 | 0.1 | 8.1 | 0.3 | 8.0 | 0.3 | 8.6 |
| 40-44 | 0.2 | 7.0 | 0.2 | 7.4 | 0.2 | 7.3 | 0.1 | 7.6 | 0.1 | 6.7 | 0.4 | 7.2 |
| 45-49 | 0.1 | 5.4 | 0.3 | 5.8 | 0.1 | 6.0 | 0.1 | 6.2 | 0.1 | 4.7 | 0.5 | 5.3 |
| 50-54 | 0.1 | 4.2 | 0.4 | 4.7 | 0.1 | 4.3 | 0.1 | 4.6 | 0.0 | 4.1 | 0.7 | 4.8 |
| 55-59 | 0.0 | 3.0 | 0.4 | 3.4 | 0.1 | 3.4 | 0.1 | 3.6 | 0.0 | 2.6 | 0.6 | 3.2 |
| 60-64 | 0.0 | 2.1 | 0.4 | 2.5 | 0.0 | 2.5 | 0.2 | 2.7 | 0.0 | 1.7 | 0.7 | 2.3 |
| 65-69 | 0.0 | 1.3 | 0.4 | 1.7 | 0.0 | 1.7 | 0.2 | 1.9 | 0.0 | 1.0 | 0.6 | 1.6 |
| 70-74 | 0.0 | 0.6 | 0.3 | 1.0 | 0.0 | 0.8 | 0.2 | 1.0 | 0.0 | 0.4 | 0.5 | 0.9 |
| 75-79 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.3 | 0.5 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.2 | 0.2 |
| All ages | 47.5 | 49.3 | 3.2 | 100.0 | 51.7 | 47.0 | 1.3 | 100.0 | 42.9 | 51.8 | 5.3 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Uttar Pradesh**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 19.7 | 0.0 | 0.0 | 19.7 | 20.1 | 0.0 | 0.0 | 20.1 | 19.2 | 0.0 | 0.0 | 19.2 |
| 10-14 | 10.9 | 0.0 | 0.0 | 10.9 | 11.1 | 0.0 | 0.0 | 11.1 | 10.8 | 0.0 | 0.0 | 10.8 |
| 15-19 | 12.2 | 0.2 | 0.0 | 12.4 | 12.6 | 0.1 | 0.0 | 12.7 | 11.7 | 0.3 | 0.0 | 12.0 |
| 20-24 | 8.1 | 3.2 | 0.0 | 11.3 | 9.3 | 1.7 | 0.0 | 11.1 | 6.8 | 4.8 | 0.0 | 11.6 |
| 25-29 | 2.8 | 6.9 | 0.1 | 9.7 | 4.0 | 5.8 | 0.1 | 9.9 | 1.5 | 8.0 | 0.1 | 9.6 |
| 30-34 | 0.6 | 6.2 | 0.1 | 7.0 | 1.0 | 6.0 | 0.1 | 7.0 | 0.2 | 6.5 | 0.1 | 6.9 |
| 35-39 | 0.3 | 5.9 | 0.1 | 6.3 | 0.4 | 5.6 | 0.1 | 6.2 | 0.1 | 6.3 | 0.2 | 6.5 |
| 40-44 | 0.1 | 4.8 | 0.1 | 5.0 | 0.2 | 4.7 | 0.1 | 5.0 | 0.0 | 4.8 | 0.2 | 5.1 |
| 45-49 | 0.1 | 4.3 | 0.2 | 4.6 | 0.1 | 4.2 | 0.1 | 4.4 | 0.0 | 4.4 | 0.3 | 4.8 |
| 50-54 | 0.0 | 3.0 | 0.2 | 3.3 | 0.1 | 3.1 | 0.2 | 3.3 | 0.0 | 2.9 | 0.2 | 3.2 |
| 55-59 | 0.0 | 2.5 | 0.2 | 2.8 | 0.0 | 2.3 | 0.1 | 2.5 | 0.0 | 2.7 | 0.4 | 3.1 |
| 60-64 | 0.0 | 2.1 | 0.3 | 2.5 | 0.1 | 2.2 | 0.2 | 2.5 | 0.0 | 2.0 | 0.5 | 2.6 |
| 65-69 | 0.0 | 1.5 | 0.4 | 1.9 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.5 | 0.6 | 2.1 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 1.0 | 0.2 | 1.3 | 0.0 | 0.8 | 0.5 | 1.3 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.4 | 0.4 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 55.0 | 42.3 | 2.8 | 100.0 | 59.1 | 39.1 | 1.8 | 100.0 | 50.4 | 45.7 | 3.8 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 20.6 | 0.0 | 0.0 | 20.6 | 21.0 | 0.0 | 0.0 | 21.0 | 20.2 | 0.0 | 0.0 | 20.2 |
| 10-14 | 11.2 | 0.0 | 0.0 | 11.2 | 11.4 | 0.0 | 0.0 | 11.4 | 11.1 | 0.0 | 0.0 | 11.1 |
| 15-19 | 12.5 | 0.2 | 0.0 | 12.8 | 13.0 | 0.1 | 0.0 | 13.1 | 12.0 | 0.3 | 0.0 | 12.4 |
| 20-24 | 7.6 | 3.5 | 0.0 | 11.2 | 9.0 | 1.9 | 0.0 | 10.9 | 6.1 | 5.3 | 0.0 | 11.4 |
| 25-29 | 2.1 | 7.1 | 0.1 | 9.3 | 3.2 | 6.3 | 0.1 | 9.6 | 0.9 | 8.0 | 0.1 | 9.1 |
| 30-34 | 0.4 | 6.1 | 0.1 | 6.6 | 0.7 | 5.9 | 0.1 | 6.7 | 0.1 | 6.3 | 0.1 | 6.5 |
| 35-39 | 0.2 | 5.8 | 0.1 | 6.1 | 0.3 | 5.4 | 0.1 | 5.9 | 0.0 | 6.1 | 0.2 | 6.3 |
| 40-44 | 0.1 | 4.6 | 0.2 | 4.9 | 0.2 | 4.5 | 0.1 | 4.8 | 0.0 | 4.7 | 0.2 | 4.9 |
| 45-49 | 0.1 | 4.2 | 0.2 | 4.5 | 0.1 | 4.1 | 0.2 | 4.3 | 0.0 | 4.3 | 0.3 | 4.6 |
| 50-54 | 0.0 | 2.8 | 0.2 | 3.1 | 0.1 | 2.9 | 0.2 | 3.1 | 0.0 | 2.7 | 0.2 | 3.0 |
| 55-59 | 0.0 | 2.4 | 0.2 | 2.6 | 0.0 | 2.1 | 0.1 | 2.3 | 0.0 | 2.7 | 0.3 | 3.0 |
| 60-64 | 0.0 | 2.1 | 0.3 | 2.5 | 0.1 | 2.2 | 0.2 | 2.5 | 0.0 | 2.0 | 0.5 | 2.5 |
| 65-69 | 0.0 | 1.5 | 0.4 | 1.9 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.5 | 0.6 | 2.1 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 1.0 | 0.2 | 1.3 | 0.0 | 0.8 | 0.6 | 1.4 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.5 | 0.4 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.2 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.3 |
| All ages | 55.2 | 42.1 | 2.8 | 100.0 | 59.2 | 38.8 | 1.9 | 100.0 | 50.7 | 45.6 | 3.7 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 16.6 | 0.0 | 0.0 | 16.6 | 17.0 | 0.0 | 0.0 | 17.0 | 16.2 | 0.0 | 0.0 | 16.2 |
| 10-14 | 10.0 | 0.0 | 0.0 | 10.0 | 10.2 | 0.0 | 0.0 | 10.2 | 9.6 | 0.0 | 0.0 | 9.6 |
| 15-19 | 11.1 | 0.1 | 0.0 | 11.2 | 11.4 | 0.1 | 0.0 | 11.4 | 10.8 | 0.2 | 0.0 | 11.0 |
| 20-24 | 9.7 | 2.0 | 0.0 | 11.7 | 10.4 | 1.0 | 0.0 | 11.4 | 8.9 | 3.2 | 0.0 | 12.1 |
| 25-29 | 4.8 | 6.1 | 0.1 | 11.0 | 6.3 | 4.5 | 0.0 | 10.8 | 3.2 | 7.9 | 0.1 | 11.1 |
| 30-34 | 1.3 | 6.6 | 0.1 | 7.9 | 1.9 | 6.1 | 0.0 | 8.0 | 0.6 | 7.1 | 0.1 | 7.8 |
| 35-39 | 0.4 | 6.5 | 0.1 | 7.0 | 0.7 | 6.3 | 0.1 | 7.0 | 0.2 | 6.7 | 0.2 | 7.0 |
| 40-44 | 0.2 | 5.2 | 0.1 | 5.5 | 0.3 | 5.2 | 0.1 | 5.6 | 0.1 | 5.2 | 0.2 | 5.5 |
| 45-49 | 0.1 | 4.6 | 0.3 | 5.1 | 0.2 | 4.5 | 0.1 | 4.8 | 0.1 | 4.8 | 0.5 | 5.4 |
| 50-54 | 0.0 | 3.6 | 0.2 | 3.9 | 0.1 | 3.8 | 0.1 | 4.0 | 0.0 | 3.5 | 0.3 | 3.8 |
| 55-59 | 0.0 | 2.9 | 0.3 | 3.2 | 0.0 | 2.9 | 0.1 | 3.1 | 0.0 | 2.8 | 0.5 | 3.3 |
| 60-64 | 0.0 | 2.2 | 0.3 | 2.6 | 0.0 | 2.4 | 0.1 | 2.6 | 0.0 | 2.0 | 0.6 | 2.6 |
| 65-69 | 0.0 | 1.4 | 0.4 | 1.8 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.3 | 0.6 | 1.9 |
| 70-74 | 0.0 | 0.9 | 0.3 | 1.2 | 0.0 | 1.0 | 0.2 | 1.2 | 0.0 | 0.7 | 0.5 | 1.2 |
| 75-79 | 0.0 | 0.4 | 0.3 | 0.7 | 0.0 | 0.5 | 0.1 | 0.7 | 0.0 | 0.4 | 0.4 | 0.8 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.2 |
| All ages | 54.4 | 42.8 | 2.8 | 100.0 | 58.5 | 40.0 | 1.4 | 100.0 | 49.7 | 46.0 | 4.3 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**Uttarakhand**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 20.0 | 0.0 | 0.0 | 20.0 | 20.6 | 0.0 | 0.0 | 20.6 | 19.3 | 0.0 | 0.0 | 19.3 |
| 10-14 | 9.9 | 0.0 | 0.0 | 9.9 | 10.3 | 0.0 | 0.0 | 10.3 | 9.5 | 0.0 | 0.0 | 9.5 |
| 15-19 | 10.0 | 0.1 | 0.0 | 10.1 | 10.3 | 0.0 | 0.0 | 10.3 | 9.8 | 0.2 | 0.0 | 10.0 |
| 20-24 | 9.1 | 2.5 | 0.0 | 11.6 | 11.3 | 1.1 | 0.0 | 12.4 | 6.9 | 3.9 | 0.0 | 10.8 |
| 25-29 | 3.2 | 5.7 | 0.0 | 9.0 | 4.6 | 3.9 | 0.0 | 8.5 | 1.8 | 7.5 | 0.1 | 9.4 |
| 30-34 | 0.9 | 6.8 | 0.1 | 7.7 | 1.4 | 6.1 | 0.0 | 7.6 | 0.4 | 7.5 | 0.1 | 7.9 |
| 35-39 | 0.2 | 5.9 | 0.1 | 6.3 | 0.4 | 5.7 | 0.1 | 6.1 | 0.1 | 6.1 | 0.2 | 6.5 |
| 40-44 | 0.1 | 4.9 | 0.2 | 5.2 | 0.2 | 5.2 | 0.1 | 5.5 | 0.0 | 4.6 | 0.3 | 4.9 |
| 45-49 | 0.1 | 3.6 | 0.2 | 3.8 | 0.1 | 3.5 | 0.1 | 3.7 | 0.0 | 3.7 | 0.2 | 3.9 |
| 50-54 | 0.1 | 3.5 | 0.4 | 4.0 | 0.1 | 3.4 | 0.1 | 3.6 | 0.0 | 3.7 | 0.8 | 4.5 |
| 55-59 | 0.0 | 2.8 | 0.4 | 3.2 | 0.1 | 2.8 | 0.1 | 3.0 | 0.0 | 2.7 | 0.7 | 3.4 |
| 60-64 | 0.0 | 2.8 | 0.7 | 3.5 | 0.1 | 2.9 | 0.3 | 3.2 | 0.0 | 2.8 | 1.1 | 3.9 |
| 65-69 | 0.0 | 1.5 | 0.6 | 2.1 | 0.0 | 1.7 | 0.2 | 2.0 | 0.0 | 1.2 | 1.0 | 2.3 |
| 70-74 | 0.0 | 1.1 | 0.6 | 1.7 | 0.0 | 1.3 | 0.3 | 1.6 | 0.0 | 0.8 | 1.0 | 1.8 |
| 75-79 | 0.0 | 0.4 | 0.3 | 0.8 | 0.0 | 0.6 | 0.2 | 0.7 | 0.0 | 0.3 | 0.5 | 0.8 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.6 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.2 | 0.5 | 0.7 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 53.8 | 41.9 | 4.2 | 100.0 | 59.4 | 38.9 | 1.7 | 100.0 | 48.1 | 45.1 | 6.9 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 20.3 | 0.0 | 0.0 | 20.3 | 21.1 | 0.0 | 0.0 | 21.1 | 19.4 | 0.0 | 0.0 | 19.4 |
| 10-14 | 10.3 | 0.0 | 0.0 | 10.3 | 10.8 | 0.0 | 0.0 | 10.8 | 9.8 | 0.0 | 0.0 | 9.8 |
| 15-19 | 10.3 | 0.1 | 0.0 | 10.3 | 10.5 | 0.0 | 0.0 | 10.5 | 10.0 | 0.2 | 0.0 | 10.2 |
| 20-24 | 8.9 | 2.6 | 0.0 | 11.5 | 11.0 | 1.2 | 0.0 | 12.2 | 6.6 | 4.1 | 0.0 | 10.7 |
| 25-29 | 2.9 | 5.7 | 0.0 | 8.6 | 4.3 | 3.9 | 0.0 | 8.2 | 1.5 | 7.5 | 0.1 | 9.0 |
| 30-34 | 0.7 | 6.6 | 0.1 | 7.4 | 1.2 | 6.1 | 0.0 | 7.3 | 0.2 | 7.2 | 0.1 | 7.6 |
| 35-39 | 0.2 | 5.7 | 0.1 | 6.0 | 0.3 | 5.4 | 0.0 | 5.8 | 0.1 | 6.0 | 0.2 | 6.3 |
| 40-44 | 0.1 | 4.7 | 0.2 | 5.0 | 0.2 | 5.1 | 0.1 | 5.3 | 0.0 | 4.3 | 0.3 | 4.6 |
| 45-49 | 0.0 | 3.5 | 0.2 | 3.7 | 0.1 | 3.4 | 0.1 | 3.5 | 0.0 | 3.6 | 0.2 | 3.8 |
| 50-54 | 0.1 | 3.4 | 0.5 | 3.9 | 0.1 | 3.3 | 0.1 | 3.4 | 0.0 | 3.6 | 0.8 | 4.4 |
| 55-59 | 0.0 | 2.8 | 0.4 | 3.2 | 0.1 | 2.8 | 0.1 | 2.9 | 0.0 | 2.8 | 0.7 | 3.5 |
| 60-64 | 0.0 | 2.9 | 0.7 | 3.7 | 0.1 | 2.9 | 0.3 | 3.2 | 0.0 | 2.9 | 1.2 | 4.1 |
| 65-69 | 0.0 | 1.6 | 0.7 | 2.2 | 0.0 | 1.8 | 0.2 | 2.1 | 0.0 | 1.3 | 1.1 | 2.4 |
| 70-74 | 0.0 | 1.1 | 0.7 | 1.8 | 0.0 | 1.4 | 0.3 | 1.7 | 0.0 | 0.8 | 1.1 | 1.9 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.8 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.3 | 0.6 | 0.9 |
| 80-84 | 0.0 | 0.3 | 0.4 | 0.7 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.2 | 0.6 | 0.8 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.4 | 0.0 | 0.1 | 0.4 | 0.4 |
| All ages | 53.9 | 41.6 | 4.5 | 100.0 | 59.7 | 38.4 | 1.8 | 100.0 | 47.9 | 44.8 | 7.3 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 19.2 | 0.0 | 0.0 | 19.2 | 19.4 | 0.0 | 0.0 | 19.4 | 19.1 | 0.0 | 0.0 | 19.1 |
| 10-14 | 8.8 | 0.0 | 0.0 | 8.8 | 8.9 | 0.0 | 0.0 | 8.9 | 8.6 | 0.0 | 0.0 | 8.6 |
| 15-19 | 9.4 | 0.1 | 0.0 | 9.5 | 9.7 | 0.0 | 0.0 | 9.7 | 9.2 | 0.1 | 0.0 | 9.3 |
| 20-24 | 9.9 | 2.1 | 0.0 | 12.0 | 11.9 | 1.0 | 0.0 | 12.9 | 7.8 | 3.3 | 0.0 | 11.1 |
| 25-29 | 4.2 | 5.6 | 0.1 | 9.9 | 5.5 | 3.9 | 0.0 | 9.4 | 2.8 | 7.5 | 0.1 | 10.4 |
| 30-34 | 1.3 | 7.2 | 0.1 | 8.6 | 1.8 | 6.3 | 0.1 | 8.2 | 0.7 | 8.1 | 0.1 | 9.0 |
| 35-39 | 0.4 | 6.3 | 0.1 | 6.9 | 0.6 | 6.3 | 0.1 | 6.9 | 0.2 | 6.4 | 0.2 | 6.9 |
| 40-44 | 0.2 | 5.5 | 0.2 | 5.9 | 0.2 | 5.7 | 0.1 | 6.0 | 0.1 | 5.3 | 0.3 | 5.7 |
| 45-49 | 0.1 | 3.9 | 0.2 | 4.2 | 0.1 | 4.0 | 0.1 | 4.2 | 0.1 | 3.9 | 0.3 | 4.2 |
| 50-54 | 0.1 | 3.8 | 0.4 | 4.2 | 0.1 | 3.7 | 0.1 | 3.9 | 0.0 | 3.9 | 0.6 | 4.6 |
| 55-59 | 0.0 | 2.8 | 0.4 | 3.3 | 0.1 | 3.1 | 0.1 | 3.2 | 0.0 | 2.6 | 0.7 | 3.3 |
| 60-64 | 0.1 | 2.6 | 0.6 | 3.3 | 0.1 | 2.8 | 0.3 | 3.1 | 0.0 | 2.5 | 0.9 | 3.4 |
| 65-69 | 0.0 | 1.3 | 0.4 | 1.8 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.1 | 0.7 | 1.8 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 1.1 | 0.2 | 1.3 | 0.0 | 0.6 | 0.6 | 1.3 |
| 75-79 | 0.0 | 0.3 | 0.2 | 0.6 | 0.0 | 0.4 | 0.1 | 0.6 | 0.0 | 0.2 | 0.4 | 0.6 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.4 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.3 | 0.3 |
| All ages | 53.7 | 42.9 | 3.5 | 100.0 | 58.3 | 40.2 | 1.5 | 100.0 | 48.6 | 45.8 | 5.6 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2015

**West Bengal**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 15.3 | 0.0 | 0.0 | 15.3 | 15.4 | 0.0 | 0.0 | 15.4 | 15.2 | 0.0 | 0.0 | 15.2 |
| 10-14 | 8.6 | 0.0 | 0.0 | 8.6 | 8.6 | 0.0 | 0.0 | 8.6 | 8.6 | 0.0 | 0.0 | 8.6 |
| 15-19 | 8.9 | 0.6 | 0.0 | 9.5 | 9.5 | 0.1 | 0.0 | 9.7 | 8.2 | 1.1 | 0.0 | 9.3 |
| 20-24 | 5.8 | 4.4 | 0.0 | 10.2 | 7.8 | 1.8 | 0.0 | 9.6 | 3.7 | 7.1 | 0.1 | 10.9 |
| 25-29 | 2.8 | 6.7 | 0.1 | 9.6 | 4.4 | 5.0 | 0.0 | 9.4 | 1.2 | 8.4 | 0.1 | 9.7 |
| 30-34 | 1.0 | 7.1 | 0.1 | 8.3 | 1.6 | 6.5 | 0.0 | 8.2 | 0.4 | 7.7 | 0.2 | 8.4 |
| 35-39 | 0.5 | 7.0 | 0.2 | 7.6 | 0.7 | 6.8 | 0.1 | 7.5 | 0.2 | 7.2 | 0.3 | 7.7 |
| 40-44 | 0.3 | 6.3 | 0.2 | 6.9 | 0.4 | 6.6 | 0.1 | 7.0 | 0.2 | 6.1 | 0.4 | 6.7 |
| 45-49 | 0.2 | 5.7 | 0.3 | 6.1 | 0.2 | 5.9 | 0.1 | 6.3 | 0.1 | 5.4 | 0.5 | 6.0 |
| 50-54 | 0.1 | 4.2 | 0.4 | 4.8 | 0.2 | 4.7 | 0.2 | 5.1 | 0.1 | 3.7 | 0.7 | 4.5 |
| 55-59 | 0.1 | 3.6 | 0.5 | 4.2 | 0.1 | 3.9 | 0.1 | 4.2 | 0.1 | 3.2 | 0.8 | 4.1 |
| 60-64 | 0.1 | 2.8 | 0.6 | 3.5 | 0.1 | 3.3 | 0.2 | 3.6 | 0.1 | 2.2 | 1.1 | 3.4 |
| 65-69 | 0.1 | 1.7 | 0.6 | 2.3 | 0.1 | 2.2 | 0.2 | 2.5 | 0.0 | 1.1 | 1.0 | 2.1 |
| 70-74 | 0.0 | 1.0 | 0.5 | 1.5 | 0.0 | 1.3 | 0.2 | 1.5 | 0.0 | 0.6 | 0.9 | 1.6 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.7 | 0.1 | 0.8 | 0.0 | 0.3 | 0.6 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.4 | 0.0 | 0.1 | 0.4 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.3 |
| All ages | 43.8 | 51.8 | 4.4 | 100.0 | 49.0 | 49.5 | 1.5 | 100.0 | 38.3 | 54.2 | 7.5 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 16.5 | 0.0 | 0.0 | 16.5 | 16.6 | 0.0 | 0.0 | 16.6 | 16.3 | 0.0 | 0.0 | 16.3 |
| 10-14 | 9.3 | 0.0 | 0.0 | 9.3 | 9.2 | 0.0 | 0.0 | 9.2 | 9.3 | 0.0 | 0.0 | 9.3 |
| 15-19 | 9.5 | 0.6 | 0.0 | 10.1 | 10.1 | 0.1 | 0.0 | 10.3 | 8.8 | 1.2 | 0.0 | 10.0 |
| 20-24 | 5.8 | 4.9 | 0.0 | 10.7 | 8.1 | 2.1 | 0.0 | 10.1 | 3.3 | 8.0 | 0.1 | 11.4 |
| 25-29 | 2.5 | 7.1 | 0.1 | 9.7 | 4.1 | 5.6 | 0.0 | 9.7 | 0.8 | 8.7 | 0.1 | 9.6 |
| 30-34 | 0.8 | 7.2 | 0.1 | 8.1 | 1.3 | 6.8 | 0.0 | 8.1 | 0.3 | 7.7 | 0.2 | 8.2 |
| 35-39 | 0.3 | 7.1 | 0.2 | 7.6 | 0.5 | 7.0 | 0.1 | 7.5 | 0.2 | 7.2 | 0.3 | 7.6 |
| 40-44 | 0.2 | 6.1 | 0.2 | 6.5 | 0.2 | 6.4 | 0.1 | 6.7 | 0.1 | 5.9 | 0.4 | 6.4 |
| 45-49 | 0.1 | 5.4 | 0.3 | 5.8 | 0.2 | 5.8 | 0.1 | 6.0 | 0.1 | 5.0 | 0.5 | 5.6 |
| 50-54 | 0.1 | 3.8 | 0.3 | 4.2 | 0.1 | 4.5 | 0.1 | 4.7 | 0.0 | 3.1 | 0.4 | 3.6 |
| 55-59 | 0.1 | 3.2 | 0.4 | 3.7 | 0.1 | 3.3 | 0.1 | 3.5 | 0.1 | 3.1 | 0.8 | 3.9 |
| 60-64 | 0.0 | 2.4 | 0.6 | 3.0 | 0.0 | 2.7 | 0.1 | 2.9 | 0.0 | 2.0 | 1.1 | 3.2 |
| 65-69 | 0.0 | 1.5 | 0.6 | 2.1 | 0.1 | 2.0 | 0.2 | 2.2 | 0.0 | 0.9 | 1.0 | 2.0 |
| 70-74 | 0.0 | 0.8 | 0.5 | 1.4 | 0.0 | 1.1 | 0.1 | 1.3 | 0.0 | 0.6 | 0.9 | 1.5 |
| 75-79 | 0.0 | 0.4 | 0.4 | 0.8 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.2 | 0.6 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.2 | 0.0 | 0.0 | 0.2 | 0.3 |
| All ages | 45.2 | 50.9 | 3.9 | 100.0 | 50.5 | 48.3 | 1.2 | 100.0 | 39.5 | 53.6 | 6.9 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 12.7 | 0.0 | 0.0 | 12.7 | 12.7 | 0.0 | 0.0 | 12.7 | 12.6 | 0.0 | 0.0 | 12.6 |
| 10-14 | 7.1 | 0.0 | 0.0 | 7.1 | 7.1 | 0.0 | 0.0 | 7.1 | 7.1 | 0.0 | 0.0 | 7.1 |
| 15-19 | 7.5 | 0.5 | 0.0 | 8.0 | 8.1 | 0.1 | 0.0 | 8.2 | 6.9 | 0.8 | 0.0 | 7.7 |
| 20-24 | 5.8 | 3.2 | 0.1 | 9.1 | 7.1 | 1.3 | 0.0 | 8.4 | 4.5 | 5.2 | 0.1 | 9.8 |
| 25-29 | 3.6 | 5.7 | 0.1 | 9.4 | 5.0 | 3.8 | 0.0 | 8.8 | 2.1 | 7.7 | 0.1 | 10.0 |
| 30-34 | 1.6 | 6.9 | 0.1 | 8.7 | 2.4 | 6.0 | 0.0 | 8.5 | 0.8 | 7.9 | 0.2 | 8.9 |
| 35-39 | 0.7 | 6.8 | 0.2 | 7.7 | 1.0 | 6.4 | 0.1 | 7.5 | 0.4 | 7.2 | 0.3 | 7.9 |
| 40-44 | 0.5 | 6.8 | 0.3 | 7.6 | 0.7 | 6.9 | 0.1 | 7.7 | 0.3 | 6.6 | 0.5 | 7.5 |
| 45-49 | 0.3 | 6.2 | 0.3 | 6.8 | 0.4 | 6.2 | 0.1 | 6.8 | 0.2 | 6.2 | 0.5 | 6.9 |
| 50-54 | 0.2 | 5.2 | 0.7 | 6.1 | 0.3 | 5.3 | 0.3 | 5.9 | 0.2 | 5.0 | 1.2 | 6.4 |
| 55-59 | 0.2 | 4.4 | 0.6 | 5.2 | 0.2 | 5.3 | 0.2 | 5.7 | 0.2 | 3.6 | 1.0 | 4.7 |
| 60-64 | 0.2 | 3.7 | 0.8 | 4.6 | 0.2 | 4.7 | 0.3 | 5.1 | 0.1 | 2.6 | 1.3 | 3.9 |
| 65-69 | 0.1 | 2.1 | 0.7 | 2.9 | 0.1 | 2.8 | 0.3 | 3.2 | 0.1 | 1.3 | 1.1 | 2.6 |
| 70-74 | 0.1 | 1.2 | 0.6 | 1.9 | 0.1 | 1.7 | 0.3 | 2.0 | 0.0 | 0.7 | 1.0 | 1.8 |
| 75-79 | 0.0 | 0.7 | 0.4 | 1.1 | 0.0 | 1.0 | 0.2 | 1.2 | 0.0 | 0.4 | 0.7 | 1.1 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.7 | 0.0 | 0.5 | 0.1 | 0.6 | 0.0 | 0.1 | 0.5 | 0.7 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.5 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.4 | 0.5 |
| All ages | 40.8 | 53.9 | 5.4 | 100.0 | 45.6 | 52.3 | 2.1 | 100.0 | 35.6 | 55.6 | 8.8 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 3

## Fertility Indicators, 2015

| Indicators | Age group | Total | Rural | Urban |
|---|---|---|---|---|
| | | **India** | | |
| Age specific fertility rates | 15-19 | 11.1 | 12.3 | 8.3 |
| | 20-24 | 173.8 | 192.7 | 132.0 |
| | 25-29 | 150.3 | 163.5 | 125.8 |
| | 30-34 | 77.6 | 85.3 | 63.6 |
| | 35-39 | 26.2 | 28.9 | 21.1 |
| | 40-44 | 10.9 | 12.3 | 8.4 |
| | 45-49 | 3.6 | 4.1 | 2.8 |
| Age specific marital fertility rates | 15-19 | 251.4 | 257.6 | 230.7 |
| | 20-24 | 354.4 | 359.6 | 338.7 |
| | 25-29 | 181.7 | 189.9 | 164.7 |
| | 30-34 | 83.7 | 90.8 | 70.4 |
| | 35-39 | 28.0 | 30.7 | 22.8 |
| | 40-44 | 11.8 | 13.2 | 9.1 |
| | 45-49 | 4.1 | 4.5 | 3.2 |
| Crude birth rate | | 20.8 | 22.4 | 17.3 |
| General fertility rate | | 76.2 | 83.8 | 60.8 |
| Total fertility rate | | 2.3 | 2.5 | 1.8 |
| Gross reproduction rate | | 1.1 | 1.2 | 0.8 |
| General marital fertility rate | | 113.4 | 123.8 | 92.0 |
| Total marital fertility rate | | 4.6 | 4.7 | 4.2 |

## Table 3

## Fertility Indicators, 2015

| Indicators | Age group | Total | Rural | Urban | Total | Rural | Urban |
|---|---|---|---|---|---|---|---|
| Age specific fertility rates | 15-19 | 10.8 | 11.6 | 8.9 | 5.0 | 5.1 | 4.8 |
| | 20-24 | 170.0 | 180.8 | 144.6 | 215.1 | 225.2 | 152.9 |
| | 25-29 | 102.8 | 104.9 | 98.0 | 224.7 | 234.1 | 164.3 |
| | 30-34 | 39.8 | 37.0 | 46.1 | 137.2 | 144.5 | 95.6 |
| | 35-39 | 10.9 | 10.9 | 10.9 | 44.6 | 43.5 | 51.8 |
| | 40-44 | 6.5 | 6.9 | 5.5 | 13.9 | 12.6 | 20.9 |
| | 45-49 | 2.3 | 2.8 | 1.2 | 2.7 | 2.0 | 7.0 |
| Age specific marital fertility rates | 15-19 | 216.8 | 217.9 | 213.5 | 209.1 | 203.8 | 262.4 |
| | 20-24 | 343.7 | 348.4 | 330.8 | 371.6 | 373.0 | 359.4 |
| | 25-29 | 124.2 | 123.6 | 125.4 | 245.2 | 251.7 | 198.8 |
| | 30-34 | 43.3 | 39.8 | 51.1 | 140.9 | 147.5 | 101.9 |
| | 35-39 | 11.8 | 11.7 | 11.9 | 45.9 | 44.6 | 54.3 |
| | 40-44 | 7.1 | 7.6 | 6.1 | 14.4 | 13.1 | 22.0 |
| | 45-49 | 2.6 | 3.1 | 1.4 | 2.9 | 2.1 | 7.2 |
| Crude birth rate | | 16.8 | 17.1 | 16.1 | 26.3 | 27.1 | 20.6 |
| General fertility rate | | 58.0 | 59.8 | 53.7 | 104.0 | 107.8 | 80.0 |
| Total fertility rate | | 1.7 | 1.8 | 1.6 | 3.2 | 3.3 | 2.5 |
| Gross reproduction rate | | 0.8 | 0.9 | 0.7 | 1.6 | 1.6 | 1.2 |
| General marital fertility rate | | 82.1 | 83.5 | 78.8 | 154.7 | 159.4 | 123.9 |
| Total marital fertility rate | | 3.7 | 3.8 | 3.7 | 5.2 | 5.2 | 5.0 |
| | | | **Assam** | | | **Chhattisgarh** | |
| Age specific fertility rates | 15-19 | 18.7 | 19.8 | 11.3 | 12.7 | 14.2 | 7.8 |
| | 20-24 | 180.6 | 188.3 | 128.8 | 215.2 | 229.7 | 167.9 |
| | 25-29 | 157.8 | 168.1 | 106.0 | 165.0 | 179.7 | 123.0 |
| | 30-34 | 75.5 | 79.3 | 55.2 | 71.4 | 77.8 | 54.7 |
| | 35-39 | 21.8 | 22.1 | 20.4 | 18.0 | 20.1 | 11.7 |
| | 40-44 | 3.0 | 2.9 | 3.8 | 9.6 | 10.3 | 7.8 |
| | 45-49 | 1.0 | 0.9 | 1.2 | 0.7 | 0.8 | 0.3 |
| Age specific marital fertility rates | 15-19 | 289.7 | 299.1 | 208.4 | 365.3 | 395.3 | 254.5 |
| | 20-24 | 319.5 | 319.3 | 321.9 | 421.3 | 429.4 | 388.6 |
| | 25-29 | 197.1 | 204.0 | 155.0 | 194.6 | 205.6 | 159.1 |
| | 30-34 | 84.7 | 88.2 | 65.3 | 77.9 | 84.1 | 61.2 |
| | 35-39 | 24.2 | 24.4 | 23.5 | 19.6 | 21.8 | 12.9 |
| | 40-44 | 3.4 | 3.2 | 4.3 | 10.7 | 11.4 | 8.6 |
| | 45-49 | 1.1 | 1.1 | 1.4 | 0.8 | 0.9 | 0.4 |
| Crude birth rate | | 22.0 | 23.2 | 15.3 | 23.2 | 24.8 | 18.3 |
| General fertility rate | | 80.2 | 85.2 | 53.5 | 83.5 | 91.0 | 61.8 |
| Total fertility rate | | 2.3 | 2.4 | 1.6 | 2.5 | 2.7 | 1.9 |
| Gross reproduction rate | | 1.0 | 1.1 | 0.7 | 1.2 | 1.3 | 0.8 |
| General marital fertility rate | | 119.6 | 126.2 | 82.5 | 124.6 | 134.6 | 94.5 |
| Total marital fertility rate | | 4.6 | 4.7 | 3.9 | 5.5 | 5.7 | 4.4 |

## Table 3

## Fertility Indicators, 2015

| Indicators | Age group | Total | Rural | Urban | Total | Rural | Urban |
|---|---|---|---|---|---|---|---|
| | | | **Delhi** | | | **Haryana** | |
| Age specific fertility rates | 15-19 | 3.5 | 1.9 | 3.6 | 8.9 | 10.4 | 5.9 |
| | 20-24 | 139.6 | 171.5 | 138.8 | 179.4 | 196.6 | 146.9 |
| | 25-29 | 114.7 | 110.6 | 114.8 | 174.1 | 194.1 | 142.5 |
| | 30-34 | 52.9 | 49.7 | 52.9 | 56.3 | 53.5 | 60.7 |
| | 35-39 | 17.6 | 13.8 | 17.7 | 14.8 | 9.9 | 22.9 |
| | 40-44 | 4.7 | 2.8 | 4.7 | 7.0 | 5.6 | 9.2 |
| | 45-49 | 2.4 | 3.5 | 2.3 | 2.0 | 1.5 | 2.7 |
| Age specific marital fertility rates | 15-19 | 206.9 | 165.9 | 207.5 | 202.3 | 204.3 | 196.0 |
| | 20-24 | 431.2 | 420.7 | 431.6 | 357.2 | 368.7 | 331.0 |
| | 25-29 | 155.5 | 142.9 | 155.8 | 201.3 | 216.9 | 174.4 |
| | 30-34 | 58.3 | 52.9 | 58.4 | 58.9 | 55.5 | 64.5 |
| | 35-39 | 18.7 | 14.6 | 18.8 | 15.4 | 10.4 | 23.8 |
| | 40-44 | 5.0 | 3.0 | 5.0 | 7.3 | 5.9 | 9.7 |
| | 45-49 | 2.6 | 3.8 | 2.6 | 2.1 | 1.7 | 2.9 |
| Crude birth rate | | 16.4 | 17.9 | 16.4 | 20.9 | 22.3 | 18.4 |
| General fertility rate | | 59.2 | 68.1 | 58.9 | 78.5 | 84.9 | 67.5 |
| Total fertility rate | | 1.7 | 1.8 | 1.7 | 2.2 | 2.4 | 2.0 |
| Gross reproduction rate | | 0.8 | 0.7 | 0.8 | 1.0 | 1.0 | 0.9 |
| General marital fertility rate | | 91.8 | 100.9 | 91.6 | 112.9 | 121.2 | 98.3 |
| Total marital fertility rate | | 4.4 | 4.0 | 4.4 | 4.2 | 4.3 | 4.0 |
| | | | **Gujarat** | | | **Himachal Pradesh** | |
| Age specific fertility rates | 15-19 | 15.0 | 20.4 | 7.4 | 6.9 | 7.0 | 6.7 |
| | 20-24 | 163.0 | 193.7 | 121.9 | 135.2 | 140.0 | 67.7 |
| | 25-29 | 164.3 | 177.1 | 150.4 | 131.8 | 133.4 | 110.7 |
| | 30-34 | 76.4 | 82.4 | 70.4 | 46.2 | 46.5 | 43.3 |
| | 35-39 | 20.1 | 17.5 | 23.0 | 9.6 | 9.8 | 7.2 |
| | 40-44 | 6.6 | 5.3 | 8.1 | 1.4 | 1.3 | 2.0 |
| | 45-49 | 1.8 | 1.4 | 2.3 | 0.8 | 0.6 | 2.8 |
| Age specific marital fertility rates | 15-19 | 282.9 | 304.4 | 221.6 | 227.9 | 219.5 | 376.5 |
| | 20-24 | 329.7 | 353.5 | 288.3 | 350.5 | 353.5 | 282.9 |
| | 25-29 | 193.5 | 202.0 | 183.5 | 164.8 | 164.3 | 172.0 |
| | 30-34 | 80.8 | 86.6 | 74.8 | 49.2 | 49.2 | 49.0 |
| | 35-39 | 21.2 | 18.5 | 24.2 | 10.0 | 10.3 | 7.7 |
| | 40-44 | 7.1 | 5.7 | 8.6 | 1.5 | 1.4 | 2.2 |
| | 45-49 | 2.1 | 1.6 | 2.6 | 0.9 | 0.7 | 3.0 |
| Crude birth rate | | 20.4 | 22.4 | 18.0 | 16.3 | 16.8 | 10.6 |
| General fertility rate | | 75.2 | 84.4 | 64.3 | 57.7 | 59.5 | 36.8 |
| Total fertility rate | | 2.2 | 2.5 | 1.9 | 1.7 | 1.7 | 1.2 |
| Gross reproduction rate | | 1.0 | 1.1 | 0.8 | 0.8 | 0.8 | 0.5 |
| General marital fertility rate | | 108.1 | 121.2 | 92.6 | 83.7 | 85.9 | 57.4 |
| Total marital fertility rate | | 4.6 | 4.9 | 4.0 | 4.0 | 4.0 | 4.5 |

## Table 3

## Fertility Indicators, 2015

| Indicators | Age group | Total | Rural | Urban | Total | Rural | Urban |
|---|---|---|---|---|---|---|---|
| | | **Jammu & Kashmir** | | | | **Karnataka** | |
| Age specific fertility rates | 15-19 | 2.8 | 3.0 | 2.2 | 5.1 | 5.6 | 4.3 |
| | 20-24 | 80.6 | 86.4 | 61.5 | 177.8 | 201.5 | 139.5 |
| | 25-29 | 114.9 | 132.8 | 66.7 | 115.2 | 127.4 | 97.7 |
| | 30-34 | 98.2 | 114.3 | 58.6 | 38.3 | 23.6 | 59.0 |
| | 35-39 | 20.5 | 22.6 | 15.2 | 13.1 | 9.3 | 18.6 |
| | 40-44 | 8.1 | 9.5 | 4.4 | 4.5 | 3.0 | 6.7 |
| | 45-49 | 2.6 | 3.4 | 0.9 | 2.7 | 1.4 | 4.9 |
| Age specific marital fertility rates | 15-19 | 172.3 | 183.3 | 132.2 | 137.0 | 138.4 | 133.9 |
| | 20-24 | 359.9 | 361.3 | 353.1 | 367.9 | 387.0 | 329.8 |
| | 25-29 | 191.5 | 208.6 | 133.0 | 146.2 | 158.3 | 128.0 |
| | 30-34 | 115.0 | 128.7 | 76.0 | 42.8 | 26.4 | 65.8 |
| | 35-39 | 22.3 | 24.2 | 17.3 | 14.5 | 10.4 | 20.4 |
| | 40-44 | 8.7 | 10.2 | 4.8 | 5.0 | 3.4 | 7.2 |
| | 45-49 | 2.9 | 3.7 | 1.0 | 3.1 | 1.6 | 5.4 |
| Crude birth rate | | 16.2 | 18.0 | 10.7 | 17.9 | 18.8 | 16.5 |
| General fertility rate | | 56.0 | 63.3 | 35.9 | 62.9 | 66.7 | 57.0 |
| Total fertility rate | | 1.6 | 1.9 | 1.0 | 1.8 | 1.9 | 1.7 |
| Gross reproduction rate | | 0.8 | 0.9 | 0.5 | 0.9 | 0.9 | 0.7 |
| General marital fertility rate | | 98.3 | 110.4 | 63.8 | 94.0 | 99.9 | 84.9 |
| Total marital fertility rate | | 4.4 | 4.6 | 3.6 | 3.6 | 3.6 | 3.5 |
| | | **Jharkhand** | | | | **Kerala** | |
| Age specific fertility rates | 15-19 | 13.9 | 14.2 | 12.9 | 6.8 | 7.6 | 6.0 |
| | 20-24 | 168.8 | 184.2 | 121.4 | 132.2 | 137.0 | 127.2 |
| | 25-29 | 167.9 | 177.3 | 141.6 | 144.3 | 145.8 | 142.8 |
| | 30-34 | 109.4 | 118.2 | 85.9 | 67.3 | 62.0 | 72.5 |
| | 35-39 | 48.3 | 54.5 | 31.3 | 8.8 | 8.0 | 9.6 |
| | 40-44 | 21.5 | 24.7 | 12.6 | 3.4 | 2.6 | 4.1 |
| | 45-49 | 11.6 | 12.2 | 9.8 | 0.6 | 0.6 | 0.5 |
| Age specific marital fertility rates | 15-19 | 306.4 | 286.0 | 443.4 | 242.2 | 205.9 | 312.5 |
| | 20-24 | 295.2 | 295.8 | 292.6 | 304.5 | 301.8 | 307.5 |
| | 25-29 | 200.1 | 203.8 | 188.2 | 175.3 | 175.8 | 174.8 |
| | 30-34 | 118.1 | 125.9 | 96.2 | 72.9 | 67.2 | 78.5 |
| | 35-39 | 51.7 | 58.3 | 33.4 | 9.5 | 8.7 | 10.4 |
| | 40-44 | 23.1 | 26.4 | 13.7 | 3.7 | 2.8 | 4.5 |
| | 45-49 | 13.0 | 13.8 | 10.7 | 0.6 | 0.7 | 0.6 |
| Crude birth rate | | 23.5 | 25.0 | 19.2 | 14.8 | 14.8 | 14.8 |
| General fertility rate | | 86.6 | 92.6 | 68.7 | 53.0 | 53.5 | 52.5 |
| Total fertility rate | | 2.7 | 2.9 | 2.1 | 1.8 | 1.8 | 1.8 |
| Gross reproduction rate | | 1.3 | 1.4 | 0.9 | 0.9 | 0.9 | 0.9 |
| General marital fertility rate | | 129.8 | 137.5 | 105.9 | 74.8 | 75.0 | 74.5 |
| Total marital fertility rate | | 5.0 | 5.0 | 5.4 | 4.0 | 3.8 | 4.4 |

## Table 3

## Fertility Indicators, 2015

| Indicators | Age group | Total | Rural | Urban | Total | Rural | Urban |
|---|---|---|---|---|---|---|---|
| | | **Madhya Pradesh** | | | | **Odisha** | |
| Age specific fertility rates | 15-19 | 15.9 | 17.4 | 11.4 | 8.1 | 8.3 | 7.4 |
| | 20-24 | 226.1 | 256.2 | 141.5 | 143.9 | 151.1 | 106.0 |
| | 25-29 | 181.4 | 195.2 | 149.3 | 137.8 | 146.1 | 99.7 |
| | 30-34 | 86.3 | 89.0 | 79.9 | 70.3 | 75.9 | 45.7 |
| | 35-39 | 28.1 | 30.3 | 22.6 | 26.7 | 28.9 | 17.9 |
| | 40-44 | 12.8 | 13.7 | 10.8 | 11.4 | 12.8 | 6.3 |
| | 45-49 | 5.5 | 6.8 | 2.7 | 2.8 | 2.4 | 4.7 |
| Age specific marital fertility rates | 15-19 | 320.4 | 318.2 | 330.4 | 273.8 | 280.4 | 239.9 |
| | 20-24 | 403.3 | 416.8 | 346.4 | 318.6 | 323.3 | 287.3 |
| | 25-29 | 207.6 | 212.8 | 193.2 | 175.5 | 182.6 | 139.0 |
| | 30-34 | 90.9 | 92.3 | 87.3 | 78.3 | 84.0 | 52.2 |
| | 35-39 | 29.7 | 31.7 | 24.4 | 29.3 | 31.7 | 19.9 |
| | 40-44 | 13.7 | 14.5 | 11.6 | 12.8 | 14.2 | 7.2 |
| | 45-49 | 6.1 | 7.7 | 2.9 | 3.2 | 2.7 | 5.4 |
| Crude birth rate | | 25.5 | 27.6 | 19.7 | 19.2 | 20.3 | 14.1 |
| General fertility rate | | 96.2 | 106.3 | 70.7 | 69.0 | 73.5 | 48.3 |
| Total fertility rate | | 2.8 | 3.0 | 2.1 | 2.0 | 2.1 | 1.4 |
| Gross reproduction rate | | 1.3 | 1.4 | 1.0 | 1.0 | 1.0 | 0.7 |
| General marital fertility rate | | 140.2 | 151.6 | 109.1 | 107.9 | 114.6 | 76.2 |
| Total marital fertility rate | | 5.4 | 5.5 | 5.0 | 4.5 | 4.6 | 3.8 |
| | | **Maharashtra** | | | | **Punjab** | |
| Age specific fertility rates | 15-19 | 10.8 | 9.7 | 12.4 | 4.2 | 4.0 | 4.5 |
| | 20-24 | 141.3 | 163.2 | 112.4 | 122.7 | 138.2 | 100.2 |
| | 25-29 | 131.2 | 142.6 | 120.1 | 122.7 | 127.2 | 116.8 |
| | 30-34 | 55.3 | 57.2 | 53.3 | 57.4 | 58.7 | 55.7 |
| | 35-39 | 16.7 | 15.5 | 18.2 | 16.9 | 10.7 | 25.0 |
| | 40-44 | 4.9 | 4.3 | 5.7 | 4.5 | 4.8 | 4.2 |
| | 45-49 | 1.4 | 1.3 | 1.5 | 2.4 | 1.7 | 3.4 |
| Age specific marital fertility rates | 15-19 | 192.5 | 168.3 | 231.5 | 124.3 | 113.1 | 141.9 |
| | 20-24 | 296.9 | 313.3 | 269.7 | 357.8 | 405.5 | 289.9 |
| | 25-29 | 167.4 | 178.8 | 155.8 | 167.7 | 170.1 | 164.3 |
| | 30-34 | 61.2 | 62.0 | 60.3 | 63.7 | 63.6 | 63.8 |
| | 35-39 | 18.3 | 16.7 | 20.1 | 17.9 | 11.3 | 26.6 |
| | 40-44 | 5.4 | 4.6 | 6.3 | 4.8 | 5.1 | 4.5 |
| | 45-49 | 1.5 | 1.4 | 1.7 | 2.6 | 1.8 | 3.7 |
| Crude birth rate | | 16.3 | 16.6 | 15.9 | 15.2 | 15.9 | 14.2 |
| General fertility rate | | 60.2 | 64.7 | 54.8 | 56.5 | 59.6 | 52.2 |
| Total fertility rate | | 1.8 | 2.0 | 1.6 | 1.7 | 1.7 | 1.5 |
| Gross reproduction rate | | 0.8 | 0.9 | 0.8 | 0.8 | 0.8 | 0.8 |
| General marital fertility rate | | 89.3 | 95.7 | 81.6 | 85.9 | 90.7 | 79.5 |
| Total marital fertility rate | | 3.7 | 3.7 | 3.7 | 3.7 | 3.9 | 3.5 |

## Table 3

## Fertility Indicators, 2015

| Indicators | Age group | Total | Rural | Urban | Total | Rural | Urban |
|---|---|---|---|---|---|---|---|
| | | | **Rajasthan** | | | **Telengana** | |
| Age specific fertility rates | 15-19 | 19.1 | 21.5 | 11.1 | 10.1 | 12.1 | 6.9 |
| | 20-24 | 207.5 | 213.5 | 189.3 | 150.0 | 159.5 | 135.5 |
| | 25-29 | 163.3 | 171.3 | 143.5 | 119.4 | 122.6 | 114.7 |
| | 30-34 | 89.9 | 98.1 | 69.5 | 50.2 | 52.5 | 47.0 |
| | 35-39 | 34.3 | 38.2 | 24.5 | 10.3 | 10.6 | 9.7 |
| | 40-44 | 16.1 | 17.6 | 12.2 | 5.4 | 5.8 | 4.7 |
| | 45-49 | 4.3 | 4.7 | 3.2 | 5.4 | 7.2 | 2.5 |
| Age specific marital fertility rates | 15-19 | 259.6 | 253.9 | 303.3 | 287.9 | 318.8 | 224.6 |
| | 20-24 | 350.3 | 335.7 | 410.5 | 361.8 | 354.4 | 375.8 |
| | 25-29 | 179.4 | 182.3 | 171.4 | 148.7 | 148.8 | 148.4 |
| | 30-34 | 93.0 | 100.4 | 73.8 | 54.5 | 56.8 | 51.2 |
| | 35-39 | 36.0 | 39.9 | 25.7 | 11.1 | 11.6 | 10.5 |
| | 40-44 | 16.9 | 18.6 | 12.8 | 5.9 | 6.4 | 5.1 |
| | 45-49 | 4.7 | 5.2 | 3.5 | 6.3 | 8.4 | 2.8 |
| Crude birth rate | | 24.8 | 25.7 | 22.0 | 17.8 | 18.2 | 17.2 |
| General fertility rate | | 91.7 | 96.7 | 78.0 | 60.3 | 62.7 | 56.5 |
| Total fertility rate | | 2.7 | 2.8 | 2.3 | 1.8 | 1.9 | 1.6 |
| Gross reproduction rate | | 1.2 | 1.3 | 1.0 | 0.8 | 0.9 | 0.7 |
| General marital fertility rate | | 130.4 | 136.1 | 114.4 | 90.3 | 93.4 | 85.5 |
| Total marital fertility rate | | 4.7 | 4.7 | 5.0 | 4.4 | 4.5 | 4.1 |
| | | | **Tamil Nadu** | | | **Uttar Pradesh** | |
| Age specific fertility rates | 15-19 | 10.5 | 10.6 | 10.5 | 8.7 | 9.4 | 6.3 |
| | 20-24 | 134.0 | 147.8 | 120.5 | 176.4 | 192.3 | 130.5 |
| | 25-29 | 116.9 | 115.1 | 118.5 | 201.7 | 213.9 | 171.0 |
| | 30-34 | 49.4 | 46.7 | 51.6 | 142.3 | 155.3 | 109.0 |
| | 35-39 | 12.6 | 10.7 | 14.1 | 56.1 | 61.7 | 40.8 |
| | 40-44 | 4.0 | 3.3 | 4.7 | 30.1 | 32.8 | 22.4 |
| | 45-49 | 2.3 | 2.4 | 2.3 | 8.2 | 9.6 | 4.7 |
| Age specific marital fertility rates | 15-19 | 315.9 | 326.1 | 306.8 | 388.7 | 385.6 | 406.0 |
| | 20-24 | 339.4 | 358.2 | 319.5 | 427.6 | 415.2 | 489.2 |
| | 25-29 | 149.8 | 147.0 | 152.3 | 241.4 | 241.2 | 242.0 |
| | 30-34 | 54.1 | 51.1 | 56.4 | 149.7 | 160.3 | 120.6 |
| | 35-39 | 13.7 | 11.8 | 15.2 | 58.3 | 63.8 | 42.9 |
| | 40-44 | 4.4 | 3.6 | 5.1 | 31.4 | 34.1 | 23.6 |
| | 45-49 | 2.7 | 2.8 | 2.6 | 8.9 | 10.2 | 5.3 |
| Crude birth rate | | 15.2 | 15.3 | 15.2 | 26.7 | 27.9 | 23.0 |
| General fertility rate | | 54.7 | 56.3 | 53.2 | 99.5 | 106.2 | 80.8 |
| Total fertility rate | | 1.6 | 1.7 | 1.6 | 3.1 | 3.4 | 2.4 |
| Gross reproduction rate | | 0.8 | 0.8 | 0.8 | 1.5 | 1.6 | 1.2 |
| General marital fertility rate | | 80.0 | 83.3 | 77.1 | 159.9 | 167.0 | 138.3 |
| Total marital fertility rate | | 4.4 | 4.5 | 4.3 | 6.5 | 6.6 | 6.6 |

## Table 3

## Fertility Indicators, 2015

| Indicators | Age group | Total | Rural | Urban | Total | Rural | Urban |
|---|---|---|---|---|---|---|---|
| | | **Uttarakhand** | | | **West Bengal** | | |
| Age specific fertility rates | 15-19 | 4.9 | 4.9 | 4.7 | 20.0 | 23.4 | 10.1 |
| | 20-24 | 129.1 | 138.5 | 103.8 | 181.9 | 198.6 | 137.9 |
| | 25-29 | 150.7 | 155.2 | 139.8 | 67.6 | 71.7 | 58.6 |
| | 30-34 | 75.5 | 71.8 | 84.1 | 28.0 | 29.2 | 25.6 |
| | 35-39 | 19.7 | 20.0 | 19.0 | 11.1 | 10.7 | 12.0 |
| | 40-44 | 7.6 | 7.5 | 8.0 | 5.3 | 6.2 | 3.5 |
| | 45-49 | 2.5 | 2.1 | 3.4 | 2.4 | 2.8 | 1.8 |
| Age specific marital fertility rates | 15-19 | 316.5 | 310.5 | 337.1 | 172.7 | 196.4 | 94.9 |
| | 20-24 | 360.5 | 362.9 | 352.3 | 278.1 | 283.7 | 258.5 |
| | 25-29 | 189.0 | 187.6 | 192.7 | 78.5 | 79.8 | 75.5 |
| | 30-34 | 80.5 | 75.5 | 92.7 | 30.4 | 31.1 | 28.9 |
| | 35-39 | 20.9 | 21.1 | 20.4 | 11.9 | 11.4 | 13.2 |
| | 40-44 | 8.2 | 8.0 | 8.6 | 5.8 | 6.7 | 4.0 |
| | 45-49 | 2.7 | 2.3 | 3.6 | 2.7 | 3.1 | 1.9 |
| Crude birth rate | | 17.8 | 18.0 | 17.1 | 15.5 | 17.3 | 11.6 |
| General fertility rate | | 68.1 | 69.8 | 63.6 | 54.4 | 60.6 | 40.4 |
| Total fertility rate | | 2.0 | 2.0 | 1.8 | 1.6 | 1.7 | 1.2 |
| Gross reproduction rate | | 0.9 | 0.9 | 0.8 | 0.8 | 0.8 | 0.6 |
| General marital fertility rate | | 109.1 | 111.2 | 103.6 | 74.3 | 81.7 | 56.8 |
| Total marital fertility rate | | 4.9 | 4.8 | 5.0 | 2.9 | 3.1 | 2.4 |

## Table 4

## Fertility indicators by level of education of women, 2015

**India**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 95.7 | 23.5 | 43.8 | 53.2 | 36.6 | 21.6 | 15.3 | 18.8 | 0.0 |
| | 20-24 | 256.9 | 141.6 | 184.9 | 224.8 | 204.9 | 179.7 | 145.6 | 83.5 | 79.8 |
| | 25-29 | 195.8 | 139.4 | 157.7 | 157.2 | 155.7 | 147.7 | 139.6 | 129.2 | 110.0 |
| | 30-34 | 114.9 | 76.0 | 83.3 | 80.7 | 74.2 | 70.8 | 67.0 | 79.9 | 87.0 |
| | 35-39 | 46.0 | 26.9 | 33.6 | 32.7 | 26.0 | 23.8 | 21.9 | 27.1 | 29.6 |
| | 40-44 | 22.0 | 11.4 | 16.9 | 12.7 | 10.9 | 10.6 | 9.5 | 8.0 | 11.3 |
| | 45-49 | 7.5 | 4.6 | 6.5 | 6.3 | 4.6 | 4.2 | 3.7 | 2.3 | 3.4 |
| General fertility rate | | 92.4 | 73.1 | 77.2 | 84.5 | 83.6 | 73.9 | 65.2 | 63.9 | 71.2 |
| Total fertility rate | | 3.7 | 2.1 | 2.6 | 2.8 | 2.6 | 2.3 | 2.0 | 1.7 | 1.6 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 99.3 | 25.7 | 44.9 | 57.4 | 36.3 | 22.5 | 16.9 | 21.7 | 0.0 |
| | 20-24 | 268.1 | 156.2 | 191.5 | 230.8 | 213.3 | 183.7 | 148.8 | 90.9 | 94.2 |
| | 25-29 | 206.4 | 150.1 | 161.7 | 165.8 | 161.2 | 155.3 | 149.4 | 133.6 | 116.8 |
| | 30-34 | 124.9 | 80.8 | 86.4 | 84.0 | 79.7 | 76.3 | 74.0 | 88.3 | 91.4 |
| | 35-39 | 49.4 | 28.9 | 35.4 | 33.1 | 26.9 | 25.5 | 23.6 | 30.8 | 37.3 |
| | 40-44 | 23.7 | 12.6 | 17.0 | 12.8 | 11.6 | 12.3 | 10.3 | 8.4 | 15.6 |
| | 45-49 | 7.7 | 5.1 | 7.3 | 6.5 | 4.5 | 3.9 | 3.4 | 3.2 | 6.5 |
| General fertility rate | | 98.7 | 80.1 | 80.4 | 89.3 | 89.0 | 79.2 | 71.5 | 71.7 | 85.4 |
| Total fertility rate | | 3.9 | 2.3 | 2.7 | 3.0 | 2.7 | 2.4 | 2.1 | 1.9 | 1.8 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 79.0 | 18.3 | 39.4 | 36.1 | 37.8 | 18.4 | 11.9 | 14.9 | 0.0 |
| | 20-24 | 198.2 | 111.6 | 157.0 | 201.2 | 176.6 | 166.6 | 138.1 | 71.9 | 68.1 |
| | 25-29 | 144.5 | 121.9 | 142.5 | 127.7 | 140.1 | 130.1 | 124.1 | 123.6 | 106.1 |
| | 30-34 | 67.0 | 69.0 | 72.5 | 69.5 | 60.4 | 60.2 | 57.7 | 71.8 | 85.4 |
| | 35-39 | 29.9 | 24.0 | 27.4 | 31.6 | 23.9 | 20.7 | 20.0 | 24.2 | 27.0 |
| | 40-44 | 14.5 | 9.6 | 16.4 | 12.6 | 9.5 | 8.0 | 8.6 | 7.7 | 10.2 |
| | 45-49 | 6.5 | 3.9 | 3.7 | 5.7 | 5.0 | 4.7 | 4.0 | 1.9 | 2.6 |
| General fertility rate | | 62.7 | 60.6 | 65.2 | 68.3 | 68.6 | 61.1 | 54.9 | 54.6 | 63.7 |
| Total fertility rate | | 2.7 | 1.8 | 2.3 | 2.4 | 2.3 | 2.0 | 1.8 | 1.6 | 1.5 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Andhra Pradesh**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 115.8 | 23.6 | 60.1 | 89.5 | 65.0 | 24.9 | 18.7 | 13.2 | 0.0 |
| | 20-24 | 215.4 | 143.0 | 186.6 | 245.6 | 218.9 | 210.1 | 181.9 | 83.0 | 52.7 |
| | 25-29 | 101.4 | 106.5 | 117.7 | 105.1 | 105.8 | 113.1 | 114.5 | 104.4 | 83.6 |
| | 30-34 | 40.3 | 41.3 | 41.7 | 40.3 | 36.7 | 40.3 | 38.2 | 44.0 | 61.6 |
| | 35-39 | 14.7 | 14.0 | 14.3 | 14.7 | 12.1 | 13.0 | 14.0 | 10.7 | 25.4 |
| | 40-44 | 10.6 | 7.3 | 8.6 | 8.0 | 7.3 | 7.0 | 4.1 | 13.9 | 6.4 |
| | 45-49 | 4.0 | 5.4 | 3.8 | 4.3 | 8.1 | 8.2 | 2.1 | 9.2 | 0.0 |
| General fertility rate | | 43.9 | 60.9 | 47.0 | 53.9 | 59.5 | 66.0 | 71.6 | 56.0 | 52.8 |
| Total fertility rate | | 2.5 | 1.7 | 2.2 | 2.5 | 2.3 | 2.1 | 1.9 | 1.4 | 1.1 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 122.5 | 25.8 | 67.5 | 90.6 | 65.6 | 27.8 | 20.8 | 11.7 | 0.0 |
| | 20-24 | 222.6 | 149.5 | 184.0 | 249.0 | 230.9 | 214.3 | 184.6 | 78.8 | 44.9 |
| | 25-29 | 109.0 | 109.1 | 121.1 | 101.0 | 110.8 | 116.7 | 119.2 | 101.3 | 73.6 |
| | 30-34 | 41.9 | 40.0 | 37.4 | 36.5 | 36.2 | 45.8 | 39.6 | 47.7 | 42.7 |
| | 35-39 | 15.4 | 14.3 | 15.5 | 14.9 | 12.1 | 11.6 | 17.6 | 11.6 | 34.4 |
| | 40-44 | 10.3 | 7.1 | 7.5 | 5.5 | 6.5 | 6.8 | 5.0 | 30.5 | 10.2 |
| | 45-49 | 4.0 | 4.5 | 4.8 | 5.2 | 4.6 | 6.4 | 0.0 | 6.5 | 0.0 |
| General fertility rate | | 45.9 | 63.1 | 44.6 | 50.9 | 62.0 | 70.5 | 78.7 | 56.0 | 47.9 |
| Total fertility rate | | 2.6 | 1.8 | 2.2 | 2.5 | 2.3 | 2.1 | 1.9 | 1.4 | 1.0 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 94.0 | 18.6 | 0.0 | 86.2 | 62.7 | 16.6 | 13.3 | 15.8 | 0.0 |
| | 20-24 | 187.6 | 128.3 | 191.9 | 233.9 | 182.1 | 197.6 | 174.2 | 91.9 | 62.9 |
| | 25-29 | 79.5 | 101.0 | 109.9 | 119.4 | 87.7 | 102.5 | 103.5 | 109.6 | 91.6 |
| | 30-34 | 34.9 | 44.0 | 53.5 | 57.2 | 38.4 | 27.4 | 36.2 | 39.1 | 70.4 |
| | 35-39 | 12.4 | 13.2 | 10.6 | 13.6 | 11.9 | 16.4 | 9.4 | 9.8 | 22.1 |
| | 40-44 | 11.7 | 7.8 | 12.3 | 19.4 | 9.7 | 7.4 | 3.1 | 0.0 | 5.4 |
| | 45-49 | 4.3 | 7.2 | 0.0 | 0.0 | 16.7 | 12.0 | 4.6 | 11.8 | 0.0 |
| General fertility rate | | 37.3 | 56.2 | 53.9 | 67.0 | 51.7 | 54.5 | 57.4 | 56.0 | 56.6 |
| Total fertility rate | | 2.1 | 1.6 | 1.9 | 2.6 | 2.0 | 1.9 | 1.7 | 1.4 | 1.3 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Assam**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 146.3 | 43.7 | 44.3 | 114.0 | 76.0 | 36.0 | 20.8 | 32.7 | 0.0 |
| | 20-24 | 174.1 | 142.1 | 113.8 | 192.4 | 170.5 | 154.9 | 138.1 | 83.8 | 61.5 |
| | 25-29 | 150.1 | 145.8 | 112.6 | 134.2 | 179.5 | 160.8 | 141.3 | 126.9 | 83.5 |
| | 30-34 | 89.6 | 73.1 | 57.2 | 73.6 | 88.3 | 67.7 | 62.4 | 73.9 | 83.0 |
| | 35-39 | 40.5 | 38.6 | 51.2 | 42.2 | 32.8 | 36.1 | 32.2 | 48.9 | 39.5 |
| | 40-44 | 13.4 | 16.0 | 15.8 | 16.2 | 16.2 | 16.6 | 13.2 | 20.6 | 12.5 |
| | 45-49 | 12.2 | 11.9 | 16.3 | 15.8 | 15.2 | 7.3 | 3.0 | 13.3 | 11.9 |
| General fertility rate | | 77.3 | 80.6 | 65.7 | 82.4 | 102.5 | 82.7 | 70.2 | 70.9 | 57.6 |
| Total fertility rate | | 3.1 | 2.4 | 2.1 | 2.9 | 2.9 | 2.4 | 2.1 | 2.0 | 1.5 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 151.1 | 46.3 | 47.0 | 117.7 | 76.3 | 37.1 | 21.6 | 41.2 | 0.0 |
| | 20-24 | 175.3 | 148.7 | 121.2 | 195.0 | 170.2 | 156.8 | 140.0 | 90.6 | 83.8 |
| | 25-29 | 157.8 | 154.8 | 124.1 | 135.8 | 184.6 | 168.3 | 147.8 | 134.8 | 99.7 |
| | 30-34 | 93.6 | 75.1 | 58.8 | 74.2 | 90.1 | 69.5 | 63.6 | 76.5 | 95.5 |
| | 35-39 | 43.3 | 41.0 | 54.8 | 43.3 | 33.5 | 38.4 | 31.9 | 64.0 | 53.2 |
| | 40-44 | 13.6 | 17.2 | 16.4 | 16.1 | 16.1 | 18.1 | 14.9 | 33.7 | 13.8 |
| | 45-49 | 13.4 | 14.3 | 17.4 | 17.7 | 15.4 | 8.7 | 3.3 | 22.6 | 34.9 |
| General fertility rate | | 80.6 | 85.9 | 70.0 | 85.1 | 105.3 | 86.4 | 74.0 | 81.0 | 75.5 |
| Total fertility rate | | 3.2 | 2.5 | 2.2 | 3.0 | 2.9 | 2.5 | 2.1 | 2.3 | 1.9 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 80.2 | 25.2 | 21.9 | 50.4 | 71.1 | 26.0 | 17.1 | 15.0 | 0.0 |
| | 20-24 | 157.4 | 99.3 | 51.2 | 148.5 | 175.0 | 138.4 | 126.4 | 64.2 | 33.6 |
| | 25-29 | 78.3 | 102.8 | 48.9 | 115.1 | 127.8 | 118.4 | 115.2 | 108.8 | 67.0 |
| | 30-34 | 41.0 | 64.1 | 43.3 | 65.8 | 69.9 | 58.8 | 58.7 | 68.9 | 73.4 |
| | 35-39 | 10.0 | 29.3 | 23.6 | 32.7 | 27.6 | 27.3 | 33.0 | 26.6 | 30.2 |
| | 40-44 | 11.4 | 10.9 | 10.8 | 17.8 | 16.4 | 10.4 | 8.8 | 2.1 | 11.6 |
| | 45-49 | 2.6 | 3.8 | 8.7 | 1.7 | 14.2 | 2.9 | 2.2 | 3.1 | 0.0 |
| General fertility rate | | 41.8 | 54.3 | 33.1 | 53.9 | 74.5 | 60.6 | 55.0 | 50.1 | 41.9 |
| Total fertility rate | | 1.9 | 1.7 | 1.0 | 2.2 | 2.5 | 1.9 | 1.8 | 1.4 | 1.1 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Bihar**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 57.8 | 13.9 | 29.1 | 25.0 | 14.1 | 8.7 | 13.8 | 17.6 | 0.0 |
| | 20-24 | 257.1 | 170.7 | 261.6 | 263.3 | 223.3 | 184.4 | 144.1 | 90.4 | 93.5 |
| | 25-29 | 237.0 | 188.2 | 210.9 | 214.5 | 195.4 | 197.8 | 187.2 | 150.9 | 122.4 |
| | 30-34 | 171.2 | 134.1 | 157.7 | 149.8 | 131.1 | 122.7 | 121.6 | 107.9 | 121.3 |
| | 35-39 | 73.4 | 56.8 | 77.2 | 64.7 | 53.0 | 46.6 | 41.7 | 50.5 | 52.3 |
| | 40-44 | 36.3 | 27.1 | 33.3 | 40.2 | 30.2 | 22.2 | 18.2 | 8.4 | 23.8 |
| | 45-49 | 10.9 | 10.5 | 14.3 | 18.7 | 6.5 | 9.5 | 4.2 | 6.0 | 9.9 |
| General fertility rate | | 129.2 | 93.7 | 132.2 | 131.9 | 97.5 | 72.3 | 79.4 | 75.1 | 85.7 |
| Total fertility rate | | 4.2 | 3.0 | 3.9 | 3.9 | 3.3 | 3.0 | 2.7 | 2.2 | 2.1 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 57.2 | 13.8 | 24.8 | 25.1 | 13.5 | 8.8 | 13.9 | 18.3 | 0.0 |
| | 20-24 | 255.3 | 178.7 | 265.3 | 266.9 | 222.8 | 183.5 | 144.2 | 94.8 | 112.5 |
| | 25-29 | 238.3 | 195.4 | 214.0 | 213.0 | 194.8 | 201.5 | 193.0 | 156.1 | 139.8 |
| | 30-34 | 176.1 | 144.3 | 161.7 | 155.6 | 140.9 | 133.2 | 133.6 | 123.3 | 126.1 |
| | 35-39 | 73.4 | 59.1 | 80.2 | 66.1 | 51.3 | 49.7 | 41.2 | 52.1 | 51.7 |
| | 40-44 | 37.2 | 28.2 | 33.2 | 38.7 | 27.7 | 22.3 | 20.1 | 7.0 | 37.3 |
| | 45-49 | 10.6 | 11.8 | 15.0 | 20.2 | 6.3 | 7.9 | 6.3 | 10.8 | 14.8 |
| General fertility rate | | 130.2 | 97.5 | 134.9 | 134.2 | 97.9 | 73.9 | 81.7 | 79.5 | 98.9 |
| Total fertility rate | | 4.2 | 3.2 | 4.0 | 3.9 | 3.3 | 3.0 | 2.8 | 2.3 | 2.4 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 70.1 | 15.3 | 94.7 | 23.9 | 20.3 | 7.6 | 13.5 | 15.4 | 0.0 |
| | 20-24 | 287.5 | 129.3 | 218.4 | 227.8 | 227.2 | 191.5 | 143.8 | 75.8 | 63.0 |
| | 25-29 | 215.1 | 153.4 | 176.8 | 228.9 | 200.2 | 173.9 | 163.4 | 138.1 | 101.4 |
| | 30-34 | 98.5 | 94.1 | 119.3 | 104.2 | 72.4 | 73.7 | 88.7 | 86.4 | 117.0 |
| | 35-39 | 73.8 | 47.3 | 48.9 | 52.4 | 63.6 | 32.4 | 43.1 | 48.2 | 52.8 |
| | 40-44 | 23.8 | 23.3 | 34.8 | 49.2 | 41.4 | 22.1 | 14.2 | 10.4 | 13.3 |
| | 45-49 | 14.9 | 6.0 | 9.6 | 10.0 | 7.8 | 14.9 | 0.0 | 0.0 | 3.6 |
| General fertility rate | | 112.4 | 75.4 | 104.7 | 112.9 | 94.8 | 62.0 | 69.6 | 64.1 | 69.3 |
| Total fertility rate | | 3.9 | 2.3 | 3.5 | 3.5 | 3.2 | 2.6 | 2.3 | 1.9 | 1.8 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Chhattisgarh**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 198.5 | 37.1 | 103.8 | 144.7 | 83.0 | 32.4 | 20.7 | 35.3 | 0.0 |
| | 20-24 | 281.8 | 194.3 | 260.8 | 306.5 | 292.8 | 235.6 | 164.2 | 114.9 | 101.5 |
| | 25-29 | 167.9 | 143.3 | 127.8 | 203.3 | 150.9 | 148.2 | 130.6 | 95.6 | 142.0 |
| | 30-34 | 68.7 | 73.1 | 54.9 | 86.1 | 83.0 | 71.1 | 61.1 | 40.1 | 92.5 |
| | 35-39 | 23.2 | 26.7 | 30.4 | 36.9 | 28.2 | 23.4 | 12.8 | 24.7 | 26.7 |
| | 40-44 | 11.8 | 11.7 | 3.9 | 13.9 | 12.3 | 27.7 | 0.7 | 0.0 | 10.9 |
| | 45-49 | 2.1 | 2.1 | 5.6 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 7.2 |
| General fertility rate | | 57.8 | 89.6 | 56.4 | 114.8 | 115.5 | 95.2 | 68.8 | 73.5 | 82.7 |
| Total fertility rate | | 3.8 | 2.4 | 2.9 | 4.0 | 3.3 | 2.7 | 2.0 | 1.6 | 1.9 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 173.1 | 40.9 | 84.5 | 172.3 | 92.9 | 32.0 | 23.4 | 40.2 | 0.0 |
| | 20-24 | 285.8 | 212.1 | 274.2 | 304.6 | 297.3 | 246.0 | 170.4 | 122.8 | 118.9 |
| | 25-29 | 162.3 | 154.3 | 138.6 | 224.1 | 151.6 | 159.2 | 139.3 | 104.1 | 145.0 |
| | 30-34 | 69.3 | 82.0 | 53.7 | 88.4 | 87.9 | 79.1 | 77.2 | 40.1 | 150.3 |
| | 35-39 | 22.6 | 30.2 | 32.4 | 33.3 | 27.5 | 27.6 | 14.1 | 49.6 | 57.4 |
| | 40-44 | 13.2 | 12.3 | 4.2 | 12.9 | 13.0 | 31.8 | 0.0 | 0.0 | 0.0 |
| | 45-49 | 2.1 | 1.0 | 2.5 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 57.6 | 101.0 | 61.5 | 123.8 | 123.4 | 104.2 | 77.0 | 85.2 | 114.5 |
| Total fertility rate | | 3.6 | 2.7 | 3.0 | 4.2 | 3.4 | 2.9 | 2.1 | 1.8 | 2.4 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 538.4 | 25.6 | 0.0 | 51.7 | 24.1 | 34.2 | 13.4 | 28.0 | 0.0 |
| | 20-24 | 250.8 | 138.6 | 172.0 | 325.5 | 264.1 | 183.1 | 143.8 | 99.7 | 85.4 |
| | 25-29 | 238.9 | 116.2 | 67.6 | 74.2 | 147.2 | 104.6 | 114.6 | 83.9 | 140.1 |
| | 30-34 | 62.6 | 55.3 | 61.4 | 76.3 | 66.6 | 45.5 | 40.4 | 40.1 | 65.4 |
| | 35-39 | 28.9 | 19.4 | 22.0 | 53.4 | 30.8 | 11.2 | 11.2 | 7.9 | 17.5 |
| | 40-44 | 0.0 | 10.5 | 2.7 | 18.0 | 10.6 | 20.6 | 1.5 | 0.0 | 13.6 |
| | 45-49 | 2.2 | 4.0 | 13.6 | 4.2 | 0.0 | 0.0 | 0.0 | 0.0 | 8.1 |
| General fertility rate | | 59.8 | 62.0 | 35.7 | 70.6 | 83.1 | 62.7 | 51.1 | 56.9 | 66.8 |
| Total fertility rate | | 5.6 | 1.8 | 1.7 | 3.0 | 2.7 | 2.0 | 1.6 | 1.3 | 1.7 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Delhi**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 82.0 | 8.7 | 39.5 | 52.8 | 20.8 | 8.3 | 4.9 | 6.0 | 0.0 |
| | 20-24 | 187.1 | 105.1 | 194.9 | 241.3 | 181.3 | 199.4 | 139.1 | 58.6 | 62.6 |
| | 25-29 | 153.4 | 120.6 | 88.9 | 134.3 | 142.4 | 132.8 | 148.0 | 125.9 | 94.8 |
| | 30-34 | 66.3 | 64.9 | 73.3 | 71.5 | 58.3 | 61.3 | 66.0 | 51.7 | 72.5 |
| | 35-39 | 17.6 | 20.9 | 18.8 | 30.5 | 18.4 | 22.1 | 23.1 | 16.0 | 21.6 |
| | 40-44 | 9.5 | 8.4 | 28.2 | 18.0 | 7.7 | 5.2 | 5.3 | 3.0 | 8.3 |
| | 45-49 | 10.9 | 4.8 | 7.7 | 7.0 | 4.1 | 11.7 | 2.9 | 3.1 | 3.0 |
| General fertility rate | | 60.5 | 59.0 | 59.0 | 86.6 | 73.8 | 65.9 | 55.0 | 48.1 | 56.1 |
| Total fertility rate | | 2.6 | 1.7 | 2.3 | 2.8 | 2.2 | 2.2 | 1.9 | 1.3 | 1.3 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 193.7 | 5.9 | 0.0 | 155.0 | 0.0 | 7.1 | 0.0 | 8.1 | 0.0 |
| | 20-24 | 256.1 | 121.9 | 455.2 | 273.1 | 195.1 | 161.7 | 149.0 | 73.4 | 80.6 |
| | 25-29 | 92.7 | 120.7 | 141.7 | 224.9 | 175.0 | 118.6 | 169.1 | 112.6 | 67.6 |
| | 30-34 | 101.9 | 57.2 | 0.0 | 175.3 | 58.4 | 43.8 | 35.0 | 56.5 | 63.7 |
| | 35-39 | 15.4 | 29.7 | 74.8 | 0.0 | 0.0 | 24.3 | 39.8 | 35.5 | 35.3 |
| | 40-44 | 17.7 | 16.9 | 0.0 | 101.3 | 0.0 | 21.0 | 0.0 | 21.0 | 0.0 |
| | 45-49 | 0.0 | 12.3 | 66.4 | 0.0 | 33.2 | 0.0 | 19.9 | 0.0 | 0.0 |
| General fertility rate | | 79.0 | 66.9 | 123.8 | 176.1 | 84.5 | 59.6 | 59.9 | 57.4 | 54.8 |
| Total fertility rate | | 3.4 | 1.8 | 3.7 | 4.6 | 2.3 | 1.9 | 2.1 | 1.5 | 1.2 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 80.5 | 8.8 | 40.8 | 50.3 | 21.2 | 8.3 | 5.0 | 6.0 | 0.0 |
| | 20-24 | 184.7 | 104.7 | 189.4 | 239.7 | 181.0 | 200.7 | 138.9 | 58.2 | 62.1 |
| | 25-29 | 156.4 | 120.6 | 87.7 | 131.7 | 141.4 | 133.1 | 147.4 | 126.3 | 95.5 |
| | 30-34 | 65.2 | 65.1 | 74.0 | 68.6 | 58.3 | 61.7 | 66.8 | 51.6 | 72.7 |
| | 35-39 | 17.6 | 20.7 | 18.1 | 30.9 | 18.8 | 22.0 | 22.7 | 15.5 | 21.3 |
| | 40-44 | 9.3 | 8.2 | 27.6 | 15.4 | 7.9 | 4.8 | 5.4 | 2.6 | 8.5 |
| | 45-49 | 11.1 | 4.6 | 6.6 | 7.1 | 3.5 | 12.1 | 2.4 | 3.2 | 3.1 |
| General fertility rate | | 60.0 | 58.8 | 58.0 | 84.2 | 73.5 | 66.1 | 54.9 | 47.9 | 56.1 |
| Total fertility rate | | 2.6 | 1.7 | 2.2 | 2.7 | 2.2 | 2.2 | 1.9 | 1.3 | 1.3 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Gujarat**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 96.4 | 22.3 | 45.2 | 46.3 | 42.4 | 17.9 | 13.7 | 18.8 | 0.0 |
| | 20-24 | 224.8 | 139.3 | 422.3 | 238.0 | 184.9 | 165.7 | 125.4 | 74.0 | 57.5 |
| | 25-29 | 171.2 | 157.1 | 420.8 | 205.5 | 157.9 | 173.5 | 131.6 | 131.2 | 121.2 |
| | 30-34 | 85.4 | 76.6 | 173.4 | 85.5 | 72.7 | 68.7 | 58.9 | 84.7 | 83.2 |
| | 35-39 | 35.9 | 26.2 | 43.2 | 40.8 | 23.5 | 24.8 | 24.6 | 21.3 | 23.1 |
| | 40-44 | 15.1 | 9.9 | 10.7 | 12.7 | 10.1 | 11.4 | 10.6 | 4.9 | 8.2 |
| | 45-49 | 5.1 | 5.4 | 25.1 | 9.2 | 4.6 | 4.0 | 2.3 | 2.3 | 3.4 |
| General fertility rate | | 74.8 | 75.3 | 179.4 | 97.7 | 86.8 | 77.4 | 55.7 | 58.1 | 62.9 |
| Total fertility rate | | 3.2 | 2.2 | 5.7 | 3.2 | 2.5 | 2.3 | 1.8 | 1.7 | 1.5 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 104.1 | 27.9 | 55.4 | 59.9 | 50.6 | 22.0 | 17.7 | 17.7 | 0.0 |
| | 20-24 | 228.1 | 162.2 | 379.0 | 255.9 | 202.1 | 175.9 | 132.2 | 82.5 | 76.9 |
| | 25-29 | 176.2 | 171.1 | 420.4 | 200.8 | 168.7 | 171.8 | 151.7 | 153.4 | 109.1 |
| | 30-34 | 86.3 | 85.3 | 171.1 | 92.3 | 79.0 | 71.3 | 77.3 | 103.6 | 76.4 |
| | 35-39 | 33.4 | 30.1 | 37.0 | 41.5 | 26.9 | 25.6 | 31.2 | 25.6 | 25.7 |
| | 40-44 | 13.3 | 10.8 | 9.1 | 12.6 | 12.1 | 13.7 | 6.1 | 5.9 | 13.8 |
| | 45-49 | 4.6 | 6.2 | 42.3 | 7.4 | 3.8 | 1.4 | 4.4 | 0.0 | 0.0 |
| General fertility rate | | 75.7 | 87.3 | 179.6 | 106.7 | 100.1 | 82.2 | 64.4 | 69.0 | 69.5 |
| Total fertility rate | | 3.2 | 2.5 | 5.6 | 3.4 | 2.7 | 2.4 | 2.1 | 1.9 | 1.5 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 63.2 | 14.6 | 0.0 | 17.0 | 27.0 | 11.1 | 8.8 | 19.9 | 0.0 |
| | 20-24 | 209.6 | 111.4 | 535.6 | 193.6 | 153.9 | 151.0 | 117.4 | 65.1 | 48.4 |
| | 25-29 | 152.7 | 144.3 | 421.6 | 214.7 | 144.0 | 175.4 | 115.4 | 112.4 | 125.7 |
| | 30-34 | 82.1 | 69.9 | 0.0 | 73.3 | 66.0 | 66.4 | 47.1 | 72.2 | 85.0 |
| | 35-39 | 46.7 | 23.2 | 0.0 | 39.6 | 20.2 | 24.1 | 19.9 | 18.8 | 22.5 |
| | 40-44 | 23.1 | 9.2 | 0.0 | 12.9 | 8.1 | 9.8 | 13.4 | 4.4 | 6.9 |
| | 45-49 | 6.5 | 4.8 | 5.0 | 11.9 | 5.3 | 6.1 | 1.0 | 3.6 | 4.1 |
| General fertility rate | | 71.3 | 63.8 | 179.0 | 81.4 | 69.9 | 72.0 | 47.9 | 49.4 | 60.8 |
| Total fertility rate | | 2.9 | 1.9 | 4.8 | 2.8 | 2.1 | 2.2 | 1.6 | 1.5 | 1.5 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Haryana**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 97.4 | 17.3 | 7.4 | 79.2 | 27.3 | 14.0 | 13.6 | 12.1 | 0.0 |
| | 20-24 | 216.6 | 131.1 | 72.2 | 218.6 | 209.9 | 209.3 | 135.2 | 93.6 | 84.3 |
| | 25-29 | 177.7 | 173.0 | 137.4 | 167.3 | 210.2 | 201.7 | 184.7 | 177.2 | 132.6 |
| | 30-34 | 82.5 | 87.0 | 99.2 | 91.1 | 76.0 | 82.7 | 90.3 | 81.1 | 92.4 |
| | 35-39 | 28.7 | 30.4 | 47.9 | 30.1 | 37.5 | 23.1 | 26.4 | 25.4 | 33.1 |
| | 40-44 | 11.6 | 12.2 | 21.2 | 12.1 | 15.3 | 10.5 | 9.0 | 10.8 | 8.6 |
| | 45-49 | 7.5 | 7.0 | 10.0 | 10.8 | 4.4 | 5.2 | 2.6 | 2.3 | 11.1 |
| General fertility rate | | 73.2 | 79.5 | 53.8 | 91.2 | 93.6 | 87.0 | 71.8 | 73.9 | 80.7 |
| Total fertility rate | | 3.1 | 2.3 | 2.0 | 3.0 | 2.9 | 2.7 | 2.3 | 2.0 | 1.8 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 116.0 | 17.2 | 6.3 | 97.0 | 33.3 | 14.3 | 10.4 | 11.7 | 0.0 |
| | 20-24 | 234.3 | 139.2 | 65.4 | 218.8 | 233.0 | 206.0 | 148.0 | 102.4 | 91.0 |
| | 25-29 | 213.7 | 190.4 | 132.7 | 169.6 | 228.9 | 219.0 | 217.4 | 190.5 | 149.4 |
| | 30-34 | 92.0 | 93.6 | 109.6 | 101.4 | 73.9 | 95.4 | 96.9 | 80.1 | 102.2 |
| | 35-39 | 31.4 | 32.3 | 44.6 | 30.6 | 32.0 | 32.8 | 31.0 | 28.0 | 37.6 |
| | 40-44 | 9.7 | 14.1 | 24.0 | 12.9 | 14.5 | 11.8 | 10.3 | 19.1 | 10.2 |
| | 45-49 | 7.2 | 8.9 | 14.0 | 8.4 | 7.0 | 9.4 | 5.3 | 5.9 | 33.2 |
| General fertility rate | | 78.1 | 86.2 | 50.6 | 94.4 | 101.4 | 93.7 | 83.1 | 81.7 | 96.6 |
| Total fertility rate | | 3.5 | 2.5 | 2.0 | 3.2 | 3.1 | 2.9 | 2.6 | 2.2 | 2.1 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 69.7 | 17.4 | 12.3 | 45.0 | 16.7 | 13.5 | 19.0 | 12.6 | 0.0 |
| | 20-24 | 189.3 | 115.4 | 96.1 | 218.1 | 168.5 | 216.6 | 109.2 | 77.7 | 77.1 |
| | 25-29 | 120.9 | 145.3 | 149.5 | 158.9 | 168.0 | 174.1 | 126.9 | 157.3 | 123.4 |
| | 30-34 | 63.8 | 76.5 | 74.3 | 55.3 | 80.1 | 54.9 | 77.8 | 82.1 | 88.8 |
| | 35-39 | 23.1 | 27.4 | 55.5 | 28.3 | 48.9 | 5.5 | 19.0 | 23.0 | 31.8 |
| | 40-44 | 15.6 | 9.3 | 14.0 | 9.7 | 16.7 | 7.8 | 7.5 | 4.4 | 8.3 |
| | 45-49 | 8.2 | 4.4 | 0.0 | 17.9 | 0.0 | 0.0 | 0.0 | 0.0 | 8.4 |
| General fertility rate | | 63.7 | 68.1 | 64.0 | 80.9 | 78.5 | 74.6 | 53.1 | 62.5 | 71.9 |
| Total fertility rate | | 2.5 | 2.0 | 2.0 | 2.7 | 2.5 | 2.4 | 1.8 | 1.8 | 1.7 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Himachal Pradesh**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 43.3 | 17.3 | 0.0 | 72.8 | 76.8 | 22.0 | 12.6 | 15.7 | 0.0 |
| | 20-24 | 269.6 | 109.7 | 161.5 | 199.4 | 200.3 | 201.7 | 183.7 | 81.1 | 69.0 |
| | 25-29 | 135.6 | 123.4 | 93.6 | 92.7 | 130.1 | 125.7 | 134.7 | 122.1 | 114.9 |
| | 30-34 | 53.5 | 65.5 | 31.6 | 65.9 | 46.4 | 50.1 | 59.9 | 70.1 | 90.8 |
| | 35-39 | 45.7 | 17.8 | 20.1 | 11.8 | 14.2 | 12.5 | 10.0 | 24.0 | 37.2 |
| | 40-44 | 9.0 | 4.4 | 0.0 | 8.1 | 2.5 | 5.8 | 3.3 | 4.3 | 7.3 |
| | 45-49 | 10.4 | 1.3 | 0.0 | 0.0 | 0.0 | 2.9 | 0.6 | 0.0 | 7.6 |
| General fertility rate | | 41.1 | 58.1 | 25.1 | 37.0 | 41.8 | 48.3 | 55.9 | 67.1 | 75.1 |
| Total fertility rate | | 2.8 | 1.7 | 1.5 | 2.3 | 2.4 | 2.1 | 2.0 | 1.6 | 1.6 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 18.1 | 0.0 | 78.5 | 71.6 | 22.5 | 13.4 | 16.6 | 0.0 |
| | 20-24 | 264.4 | 113.2 | 161.4 | 198.6 | 202.2 | 206.0 | 187.8 | 83.9 | 70.8 |
| | 25-29 | 135.0 | 126.0 | 90.7 | 94.5 | 131.0 | 126.9 | 136.7 | 123.9 | 119.9 |
| | 30-34 | 54.4 | 66.2 | 23.3 | 63.0 | 46.6 | 50.0 | 61.0 | 72.7 | 96.5 |
| | 35-39 | 47.7 | 18.3 | 17.9 | 9.8 | 14.7 | 13.1 | 10.3 | 25.2 | 44.8 |
| | 40-44 | 7.8 | 4.5 | 0.0 | 8.3 | 2.1 | 6.1 | 3.6 | 5.2 | 8.0 |
| | 45-49 | 9.6 | 1.3 | 0.0 | 0.0 | 0.0 | 3.0 | 0.0 | 0.0 | 12.3 |
| General fertility rate | | 39.5 | 60.1 | 23.4 | 36.2 | 41.8 | 49.1 | 58.1 | 70.3 | 81.9 |
| Total fertility rate | | 2.6 | 1.7 | 1.5 | 2.3 | 2.3 | 2.1 | 2.1 | 1.6 | 1.8 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 259.3 | 9.6 | 0.0 | 0.0 | 144.7 | 16.0 | 4.3 | 7.9 | 0.0 |
| | 20-24 | 321.8 | 60.5 | 163.2 | 213.2 | 157.1 | 119.4 | 105.9 | 36.9 | 54.8 |
| | 25-29 | 142.2 | 89.7 | 134.1 | 62.2 | 109.5 | 99.3 | 87.6 | 89.2 | 87.9 |
| | 30-34 | 44.3 | 58.1 | 243.4 | 131.2 | 43.4 | 51.5 | 39.3 | 39.6 | 69.7 |
| | 35-39 | 27.4 | 12.3 | 53.2 | 51.8 | 0.0 | 0.0 | 5.2 | 15.4 | 14.9 |
| | 40-44 | 25.3 | 3.2 | 0.0 | 0.0 | 13.0 | 0.0 | 0.0 | 0.0 | 6.0 |
| | 45-49 | 30.6 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 5.3 | 0.0 | 0.0 |
| General fertility rate | | 62.9 | 36.3 | 57.3 | 55.7 | 42.5 | 32.7 | 24.4 | 29.7 | 47.0 |
| Total fertility rate | | 4.3 | 1.2 | 3.0 | 2.3 | 2.3 | 1.4 | 1.2 | 0.9 | 1.2 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Jammu & Kashmir**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 24.3 | 5.8 | 0.0 | 27.5 | 5.3 | 7.8 | 3.7 | 6.5 | 0.0 |
| | 20-24 | 181.0 | 70.9 | 206.5 | 304.6 | 203.7 | 98.3 | 74.5 | 52.7 | 26.6 |
| | 25-29 | 137.7 | 111.3 | 210.0 | 120.7 | 144.5 | 119.7 | 118.3 | 124.2 | 64.3 |
| | 30-34 | 62.1 | 86.8 | 134.6 | 65.8 | 77.1 | 76.6 | 81.2 | 98.2 | 99.7 |
| | 35-39 | 43.5 | 30.3 | 80.7 | 36.4 | 29.9 | 21.8 | 20.7 | 39.9 | 42.5 |
| | 40-44 | 17.9 | 17.1 | 25.5 | 19.6 | 18.9 | 19.8 | 12.8 | 15.8 | 22.2 |
| | 45-49 | 6.9 | 4.5 | 9.0 | 0.0 | 1.3 | 5.5 | 5.2 | 7.9 | 0.0 |
| General fertility rate | | 60.0 | 55.5 | 91.9 | 61.7 | 62.8 | 53.4 | 50.0 | 61.4 | 50.1 |
| Total fertility rate | | 2.4 | 1.6 | 3.3 | 2.9 | 2.4 | 1.7 | 1.6 | 1.7 | 1.3 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 26.7 | 6.7 | 0.0 | 31.7 | 6.2 | 9.3 | 3.8 | 7.9 | 0.0 |
| | 20-24 | 185.2 | 81.1 | 227.1 | 292.2 | 216.6 | 110.0 | 80.3 | 57.6 | 32.2 |
| | 25-29 | 136.9 | 130.1 | 225.8 | 125.5 | 154.1 | 133.5 | 137.7 | 141.4 | 77.6 |
| | 30-34 | 68.5 | 98.3 | 161.4 | 90.6 | 92.3 | 81.3 | 90.4 | 119.8 | 110.7 |
| | 35-39 | 49.4 | 30.1 | 93.8 | 44.4 | 21.5 | 23.7 | 20.1 | 39.9 | 45.0 |
| | 40-44 | 15.5 | 18.1 | 44.9 | 22.6 | 25.3 | 17.4 | 8.7 | 23.1 | 30.9 |
| | 45-49 | 7.4 | 5.9 | 0.0 | 0.0 | 1.8 | 8.3 | 6.6 | 13.5 | 0.0 |
| General fertility rate | | 61.8 | 63.5 | 114.7 | 74.7 | 71.8 | 60.6 | 56.1 | 70.8 | 56.1 |
| Total fertility rate | | 2.4 | 1.9 | 3.8 | 3.0 | 2.6 | 1.9 | 1.7 | 2.0 | 1.5 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 3.6 | 3.1 | 0.0 |
| | 20-24 | 147.2 | 38.4 | 0.0 | 472.2 | 77.4 | 29.1 | 54.0 | 40.1 | 14.3 |
| | 25-29 | 143.2 | 64.2 | 93.7 | 93.0 | 77.8 | 63.7 | 60.5 | 85.3 | 48.0 |
| | 30-34 | 7.8 | 61.9 | 41.3 | 0.0 | 25.2 | 63.0 | 54.5 | 60.7 | 90.3 |
| | 35-39 | 1.8 | 30.9 | 38.9 | 17.5 | 55.3 | 17.1 | 22.3 | 39.9 | 40.3 |
| | 40-44 | 41.2 | 14.9 | 0.0 | 13.6 | 0.0 | 25.2 | 21.8 | 4.6 | 14.1 |
| | 45-49 | 3.3 | 2.2 | 26.7 | 0.0 | 0.0 | 0.0 | 2.8 | 1.1 | 0.0 |
| General fertility rate | | 45.9 | 35.4 | 25.8 | 23.5 | 25.5 | 28.4 | 32.2 | 41.8 | 42.3 |
| Total fertility rate | | 1.7 | 1.1 | 1.0 | 3.0 | 1.2 | 1.0 | 1.1 | 1.2 | 1.0 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Jharkhand**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 72.4 | 26.5 | 57.7 | 31.5 | 35.2 | 19.2 | 22.7 | 36.3 | 0.0 |
| | 20-24 | 221.6 | 152.1 | 205.7 | 229.4 | 204.8 | 187.8 | 132.3 | 93.8 | 88.1 |
| | 25-29 | 176.3 | 145.6 | 202.5 | 159.6 | 160.2 | 157.5 | 130.7 | 112.7 | 95.6 |
| | 30-34 | 124.8 | 106.3 | 96.8 | 126.4 | 125.0 | 89.4 | 111.4 | 115.7 | 92.5 |
| | 35-39 | 52.8 | 43.5 | 54.7 | 54.0 | 47.2 | 34.1 | 28.8 | 45.5 | 50.5 |
| | 40-44 | 32.0 | 19.1 | 13.6 | 37.5 | 13.4 | 18.7 | 15.5 | 16.1 | 28.9 |
| | 45-49 | 13.3 | 8.0 | 3.2 | 2.7 | 13.7 | 8.5 | 14.4 | 0.0 | 5.7 |
| General fertility rate | | 94.3 | 83.8 | 108.1 | 106.3 | 97.4 | 75.7 | 71.9 | 76.5 | 73.5 |
| Total fertility rate | | 3.5 | 2.5 | 3.2 | 3.2 | 3.0 | 2.6 | 2.3 | 2.1 | 1.8 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 70.1 | 26.6 | 48.5 | 33.1 | 31.6 | 19.0 | 24.5 | 42.7 | 0.0 |
| | 20-24 | 216.4 | 171.2 | 208.9 | 232.3 | 214.9 | 195.0 | 139.8 | 116.2 | 124.5 |
| | 25-29 | 177.5 | 156.5 | 206.8 | 171.2 | 170.5 | 164.1 | 120.1 | 117.9 | 81.6 |
| | 30-34 | 131.0 | 110.9 | 97.4 | 129.8 | 126.9 | 97.0 | 133.6 | 91.1 | 86.4 |
| | 35-39 | 54.9 | 49.0 | 59.0 | 57.6 | 53.9 | 39.1 | 36.8 | 55.7 | 37.0 |
| | 40-44 | 33.3 | 21.2 | 11.3 | 43.0 | 16.8 | 19.2 | 15.6 | 21.9 | 91.0 |
| | 45-49 | 13.0 | 8.2 | 3.8 | 0.0 | 11.1 | 9.4 | 24.4 | 0.0 | 0.0 |
| General fertility rate | | 96.2 | 90.9 | 111.1 | 111.8 | 102.4 | 79.3 | 76.1 | 89.6 | 85.9 |
| Total fertility rate | | 3.5 | 2.7 | 3.2 | 3.3 | 3.1 | 2.7 | 2.5 | 2.2 | 2.1 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 105.6 | 25.8 | 223.7 | 21.9 | 54.0 | 19.9 | 17.2 | 26.1 | 0.0 |
| | 20-24 | 268.6 | 100.5 | 172.0 | 212.4 | 157.5 | 154.8 | 110.5 | 58.8 | 65.4 |
| | 25-29 | 166.5 | 122.0 | 164.3 | 102.4 | 118.2 | 137.6 | 146.9 | 105.8 | 103.1 |
| | 30-34 | 82.8 | 97.5 | 92.3 | 110.9 | 117.1 | 68.5 | 89.0 | 134.0 | 93.9 |
| | 35-39 | 38.8 | 33.7 | 26.9 | 38.7 | 28.5 | 20.8 | 20.7 | 40.6 | 55.0 |
| | 40-44 | 23.9 | 15.5 | 24.2 | 12.0 | 4.3 | 17.4 | 15.4 | 13.6 | 20.3 |
| | 45-49 | 14.9 | 7.8 | 0.0 | 11.1 | 22.4 | 6.2 | 8.1 | 0.0 | 6.6 |
| General fertility rate | | 80.3 | 66.9 | 84.8 | 79.4 | 77.6 | 62.8 | 63.7 | 60.9 | 68.5 |
| Total fertility rate | | 3.5 | 2.0 | 3.5 | 2.5 | 2.5 | 2.1 | 2.0 | 1.9 | 1.7 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Karnataka**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 36.5 | 14.9 | 0.0 | 34.3 | 40.2 | 13.2 | 8.5 | 13.5 | 0.0 |
| | 20-24 | 171.4 | 127.6 | 150.4 | 246.4 | 217.2 | 177.1 | 132.6 | 70.7 | 65.1 |
| | 25-29 | 142.3 | 134.7 | 150.4 | 135.4 | 155.7 | 148.8 | 138.6 | 131.8 | 98.4 |
| | 30-34 | 47.4 | 55.9 | 49.4 | 40.7 | 43.6 | 70.2 | 41.1 | 54.9 | 89.3 |
| | 35-39 | 17.4 | 23.6 | 7.6 | 29.0 | 25.0 | 16.7 | 22.4 | 31.9 | 32.0 |
| | 40-44 | 9.1 | 6.0 | 8.5 | 3.3 | 3.9 | 6.5 | 9.2 | 10.1 | 0.4 |
| | 45-49 | 4.1 | 3.7 | 8.6 | 0.4 | 0.8 | 0.6 | 11.5 | 1.3 | 0.4 |
| General fertility rate | | 47.6 | 64.3 | 44.7 | 55.4 | 72.7 | 71.0 | 63.1 | 59.0 | 65.5 |
| Total fertility rate | | 2.1 | 1.8 | 1.9 | 2.4 | 2.4 | 2.2 | 1.8 | 1.6 | 1.4 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 31.1 | 16.7 | 0.0 | 44.9 | 45.5 | 13.6 | 9.0 | 15.2 | 0.0 |
| | 20-24 | 179.1 | 146.2 | 183.8 | 251.5 | 224.7 | 179.2 | 136.2 | 78.7 | 85.2 |
| | 25-29 | 150.6 | 143.3 | 156.5 | 151.8 | 159.7 | 153.7 | 156.0 | 104.2 | 81.4 |
| | 30-34 | 58.8 | 50.5 | 44.5 | 35.3 | 40.2 | 65.1 | 53.3 | 54.5 | 58.4 |
| | 35-39 | 19.0 | 20.2 | 4.6 | 19.6 | 24.1 | 18.4 | 22.6 | 25.7 | 20.6 |
| | 40-44 | 6.7 | 4.8 | 9.0 | 3.3 | 3.2 | 5.1 | 6.8 | 2.4 | 1.0 |
| | 45-49 | 3.3 | 2.4 | 10.2 | 0.5 | 0.7 | 0.3 | 2.5 | 0.4 | 0.0 |
| General fertility rate | | 53.0 | 68.4 | 46.6 | 56.9 | 75.5 | 75.5 | 71.1 | 58.3 | 71.5 |
| Total fertility rate | | 2.2 | 1.9 | 2.0 | 2.5 | 2.5 | 2.2 | 1.9 | 1.4 | 1.2 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 65.6 | 11.7 | 0.0 | 0.0 | 21.0 | 12.2 | 7.7 | 11.6 | 0.0 |
| | 20-24 | 131.6 | 98.7 | 55.2 | 225.3 | 195.0 | 170.7 | 125.9 | 61.0 | 55.2 |
| | 25-29 | 104.4 | 123.0 | 122.7 | 61.4 | 143.9 | 137.7 | 112.9 | 159.1 | 103.8 |
| | 30-34 | 2.4 | 63.0 | 0.0 | 60.4 | 54.7 | 80.3 | 25.5 | 55.2 | 93.5 |
| | 35-39 | 11.7 | 28.0 | 21.4 | 60.7 | 27.3 | 13.9 | 22.2 | 35.0 | 33.6 |
| | 40-44 | 15.4 | 7.7 | 6.6 | 3.6 | 5.4 | 8.8 | 11.6 | 13.8 | 0.4 |
| | 45-49 | 6.4 | 5.5 | 0.0 | 0.0 | 1.3 | 1.2 | 19.3 | 1.8 | 0.4 |
| General fertility rate | | 28.9 | 58.4 | 37.0 | 50.0 | 65.1 | 61.6 | 51.7 | 59.7 | 63.8 |
| Total fertility rate | | 1.7 | 1.7 | 1.0 | 2.1 | 2.2 | 2.1 | 1.6 | 1.7 | 1.4 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Kerala**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 21.9 | 0.0 | 13.1 | 54.3 | 11.4 | 17.4 | 29.1 | 0.0 |
| | 20-24 | 60.4 | 121.5 | 0.0 | 76.8 | 144.4 | 255.2 | 183.4 | 99.5 | 106.4 |
| | 25-29 | 48.0 | 132.3 | 199.4 | 219.1 | 176.3 | 145.8 | 124.5 | 125.4 | 132.9 |
| | 30-34 | 0.0 | 67.8 | 0.0 | 48.4 | 74.5 | 62.0 | 57.1 | 69.8 | 82.6 |
| | 35-39 | 0.0 | 15.7 | 15.2 | 1.3 | 15.0 | 14.2 | 14.2 | 15.6 | 21.8 |
| | 40-44 | 6.6 | 5.0 | 8.3 | 5.9 | 5.4 | 5.1 | 1.5 | 7.9 | 6.9 |
| | 45-49 | 1.6 | 0.9 | 5.6 | 3.7 | 1.6 | 0.4 | 0.2 | 1.1 | 0.0 |
| General fertility rate | | 7.3 | 53.4 | 20.0 | 14.1 | 24.6 | 37.9 | 46.2 | 64.9 | 76.9 |
| Total fertility rate | | 0.6 | 1.8 | 1.1 | 1.8 | 2.4 | 2.5 | 2.0 | 1.7 | 1.8 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 24.7 | 0.0 | 24.7 | 9.0 | 20.3 | 19.5 | 30.3 | 0.0 |
| | 20-24 | 111.0 | 121.6 | 0.0 | 85.7 | 142.1 | 249.8 | 184.2 | 100.0 | 101.2 |
| | 25-29 | 70.0 | 130.9 | 72.9 | 203.8 | 156.6 | 135.2 | 114.6 | 129.5 | 137.8 |
| | 30-34 | 0.0 | 65.4 | 0.0 | 48.5 | 71.3 | 53.1 | 57.5 | 70.8 | 85.5 |
| | 35-39 | 0.0 | 17.5 | 20.7 | 1.9 | 22.8 | 14.7 | 12.9 | 21.5 | 28.3 |
| | 40-44 | 10.1 | 4.3 | 11.2 | 1.6 | 2.6 | 5.6 | 2.7 | 7.8 | 4.2 |
| | 45-49 | 2.3 | 1.4 | 7.6 | 6.0 | 0.9 | 0.8 | 0.3 | 2.3 | 0.0 |
| General fertility rate | | 11.0 | 53.9 | 15.2 | 15.8 | 24.0 | 37.6 | 47.0 | 66.3 | 84.0 |
| Total fertility rate | | 1.0 | 1.8 | 0.6 | 1.9 | 2.0 | 2.4 | 2.0 | 1.8 | 1.8 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 19.1 | 0.0 | 0.0 | 154.2 | 3.8 | 15.3 | 27.8 | 0.0 |
| | 20-24 | 0.0 | 121.3 | 0.0 | 0.0 | 149.0 | 261.4 | 182.4 | 99.0 | 111.4 |
| | 25-29 | 0.0 | 133.8 | 324.8 | 301.0 | 204.3 | 157.9 | 137.3 | 120.9 | 128.7 |
| | 30-34 | 0.0 | 70.2 | 0.0 | 48.1 | 78.0 | 70.1 | 56.7 | 68.7 | 80.5 |
| | 35-39 | 0.0 | 13.9 | 0.0 | 0.0 | 5.4 | 13.6 | 15.8 | 9.6 | 17.8 |
| | 40-44 | 0.0 | 5.6 | 0.0 | 14.4 | 8.6 | 4.7 | 0.0 | 8.0 | 8.3 |
| | 45-49 | 0.0 | 0.4 | 0.0 | 0.0 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 0.0 | 52.8 | 30.5 | 10.7 | 25.2 | 38.2 | 45.3 | 63.4 | 71.6 |
| Total fertility rate | | 0.0 | 1.8 | 1.6 | 1.8 | 3.0 | 2.6 | 2.0 | 1.7 | 1.7 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Madhya Pradesh**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 173.7 | 33.5 | 288.6 | 134.2 | 54.7 | 29.6 | 14.8 | 12.3 | 0.0 |
| | 20-24 | 359.0 | 194.1 | 362.9 | 293.2 | 275.5 | 215.7 | 148.9 | 91.4 | 76.8 |
| | 25-29 | 206.9 | 171.0 | 227.0 | 211.7 | 178.7 | 172.2 | 161.3 | 157.1 | 116.4 |
| | 30-34 | 93.2 | 79.9 | 73.2 | 80.2 | 75.8 | 75.8 | 78.4 | 78.8 | 103.7 |
| | 35-39 | 33.8 | 27.3 | 27.3 | 29.1 | 24.3 | 24.9 | 27.5 | 29.5 | 34.7 |
| | 40-44 | 16.5 | 10.5 | 13.0 | 11.2 | 8.6 | 6.4 | 13.9 | 10.2 | 13.2 |
| | 45-49 | 6.9 | 4.1 | 5.9 | 4.3 | 5.1 | 1.1 | 6.4 | 0.0 | 2.7 |
| General fertility rate | | 97.5 | 95.9 | 102.8 | 127.9 | 117.9 | 98.3 | 72.0 | 66.6 | 74.0 |
| Total fertility rate | | 4.5 | 2.6 | 5.0 | 3.8 | 3.1 | 2.6 | 2.3 | 1.9 | 1.7 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 183.0 | 38.8 | 354.9 | 149.8 | 59.9 | 31.9 | 16.2 | 12.4 | 0.0 |
| | 20-24 | 362.5 | 219.2 | 376.8 | 301.1 | 286.2 | 221.8 | 156.0 | 98.6 | 107.6 |
| | 25-29 | 209.6 | 185.6 | 234.6 | 215.4 | 180.9 | 176.4 | 182.3 | 165.3 | 135.5 |
| | 30-34 | 95.3 | 80.7 | 73.5 | 78.7 | 81.8 | 82.5 | 84.1 | 73.0 | 99.2 |
| | 35-39 | 34.2 | 27.1 | 22.2 | 26.7 | 25.4 | 28.0 | 35.0 | 20.3 | 67.3 |
| | 40-44 | 17.3 | 10.7 | 12.5 | 9.4 | 10.3 | 10.0 | 16.5 | 2.8 | 5.2 |
| | 45-49 | 7.4 | 4.3 | 5.8 | 4.1 | 5.2 | 2.1 | 2.0 | 0.0 | 0.0 |
| General fertility rate | | 100.7 | 108.2 | 106.6 | 133.6 | 127.9 | 105.6 | 80.1 | 73.2 | 98.8 |
| Total fertility rate | | 4.5 | 2.8 | 5.4 | 3.9 | 3.2 | 2.8 | 2.5 | 1.9 | 2.1 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 93.9 | 18.8 | 107.6 | 48.6 | 32.1 | 19.8 | 11.9 | 12.2 | 0.0 |
| | 20-24 | 319.8 | 129.9 | 303.4 | 240.8 | 220.1 | 188.4 | 131.2 | 82.0 | 60.3 |
| | 25-29 | 181.9 | 142.9 | 192.3 | 189.0 | 170.7 | 159.8 | 134.3 | 150.2 | 109.0 |
| | 30-34 | 74.1 | 78.5 | 71.8 | 88.6 | 57.8 | 61.8 | 72.7 | 82.3 | 104.7 |
| | 35-39 | 29.9 | 27.6 | 48.9 | 41.2 | 21.0 | 19.1 | 21.8 | 34.0 | 28.8 |
| | 40-44 | 10.0 | 10.4 | 14.8 | 18.8 | 4.7 | 1.4 | 12.2 | 12.6 | 14.5 |
| | 45-49 | 3.6 | 3.7 | 6.6 | 4.9 | 5.0 | 0.0 | 8.6 | 0.0 | 3.1 |
| General fertility rate | | 71.4 | 70.7 | 87.4 | 97.8 | 83.5 | 75.7 | 59.0 | 60.8 | 65.9 |
| Total fertility rate | | 3.6 | 2.1 | 3.7 | 3.2 | 2.6 | 2.3 | 2.0 | 1.9 | 1.6 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Maharashtra**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 106.7 | 18.8 | 19.6 | 35.7 | 40.0 | 21.8 | 14.0 | 15.0 | 0.0 |
| | 20-24 | 182.0 | 127.8 | 93.0 | 160.7 | 197.1 | 172.1 | 163.6 | 96.0 | 59.1 |
| | 25-29 | 116.8 | 126.5 | 97.7 | 124.6 | 146.2 | 140.5 | 139.5 | 130.5 | 89.1 |
| | 30-34 | 69.1 | 60.6 | 25.6 | 63.4 | 62.7 | 52.6 | 64.5 | 64.5 | 65.6 |
| | 35-39 | 27.9 | 19.2 | 17.5 | 18.1 | 15.8 | 19.8 | 14.9 | 23.8 | 27.2 |
| | 40-44 | 6.3 | 7.8 | 8.0 | 7.8 | 6.3 | 8.5 | 6.5 | 8.8 | 10.8 |
| | 45-49 | 2.0 | 1.9 | 5.5 | 1.6 | 1.4 | 3.2 | 1.6 | 0.0 | 0.0 |
| General fertility rate | | 48.6 | 60.8 | 40.4 | 48.3 | 61.2 | 63.3 | 66.9 | 64.3 | 52.8 |
| Total fertility rate | | 2.6 | 1.8 | 1.3 | 2.1 | 2.3 | 2.1 | 2.0 | 1.7 | 1.3 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 119.0 | 17.9 | 20.3 | 31.4 | 29.3 | 16.2 | 14.0 | 18.0 | 0.0 |
| | 20-24 | 211.3 | 144.4 | 94.2 | 153.3 | 215.8 | 184.9 | 166.2 | 103.9 | 82.8 |
| | 25-29 | 153.8 | 146.5 | 84.2 | 142.5 | 163.0 | 161.0 | 157.8 | 149.6 | 97.8 |
| | 30-34 | 67.5 | 58.9 | 26.8 | 68.5 | 62.9 | 51.2 | 62.5 | 62.5 | 66.8 |
| | 35-39 | 25.3 | 17.0 | 19.3 | 15.9 | 13.1 | 16.3 | 15.9 | 25.5 | 20.1 |
| | 40-44 | 4.6 | 8.0 | 2.7 | 8.3 | 6.3 | 10.9 | 8.4 | 6.6 | 9.4 |
| | 45-49 | 1.6 | 2.2 | 6.1 | 2.3 | 2.1 | 1.3 | 2.7 | 0.0 | 0.0 |
| General fertility rate | | 50.8 | 65.3 | 39.4 | 46.1 | 59.6 | 65.4 | 72.8 | 75.1 | 63.9 |
| Total fertility rate | | 2.9 | 2.0 | 1.3 | 2.1 | 2.5 | 2.2 | 2.1 | 1.8 | 1.4 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 94.8 | 20.1 | 0.0 | 45.3 | 65.8 | 34.3 | 14.1 | 12.6 | 0.0 |
| | 20-24 | 159.4 | 105.4 | 88.4 | 171.7 | 170.2 | 149.7 | 158.1 | 85.2 | 49.2 |
| | 25-29 | 97.7 | 106.4 | 141.3 | 100.2 | 127.9 | 115.0 | 115.2 | 108.9 | 86.1 |
| | 30-34 | 70.3 | 62.4 | 21.9 | 55.2 | 62.3 | 54.5 | 67.3 | 66.3 | 65.3 |
| | 35-39 | 29.8 | 21.8 | 11.6 | 23.4 | 20.4 | 24.8 | 13.6 | 22.4 | 29.0 |
| | 40-44 | 7.8 | 7.6 | 22.7 | 6.8 | 6.1 | 4.9 | 4.2 | 10.6 | 11.2 |
| | 45-49 | 2.4 | 1.4 | 3.9 | 0.0 | 0.0 | 6.1 | 0.4 | 0.0 | 0.0 |
| General fertility rate | | 46.8 | 55.4 | 43.2 | 52.5 | 63.8 | 60.1 | 58.0 | 53.3 | 49.1 |
| Total fertility rate | | 2.3 | 1.6 | 1.4 | 2.0 | 2.3 | 1.9 | 1.9 | 1.5 | 1.2 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Odisha**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 84.5 | 18.1 | 119.9 | 51.5 | 34.2 | 15.7 | 10.5 | 12.2 | 0.0 |
| | 20-24 | 220.6 | 127.5 | 162.8 | 208.5 | 164.5 | 142.2 | 114.3 | 63.5 | 58.6 |
| | 25-29 | 147.1 | 129.4 | 140.4 | 151.2 | 136.2 | 133.3 | 123.6 | 117.1 | 97.1 |
| | 30-34 | 90.1 | 70.8 | 71.3 | 82.8 | 71.3 | 65.4 | 68.3 | 71.4 | 68.3 |
| | 35-39 | 32.2 | 28.5 | 40.4 | 32.8 | 25.0 | 25.0 | 23.1 | 31.6 | 29.2 |
| | 40-44 | 17.9 | 11.4 | 18.8 | 14.6 | 11.0 | 7.4 | 6.6 | 9.1 | 10.5 |
| | 45-49 | 7.3 | 4.0 | 4.3 | 5.0 | 4.2 | 2.1 | 3.3 | 5.1 | 3.9 |
| General fertility rate | | 72.2 | 68.5 | 67.9 | 83.0 | 79.9 | 72.7 | 56.4 | 51.9 | 57.2 |
| Total fertility rate | | 3.0 | 1.9 | 2.8 | 2.7 | 2.2 | 2.0 | 1.7 | 1.5 | 1.3 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 91.8 | 18.6 | 119.9 | 49.2 | 35.8 | 15.8 | 10.3 | 12.9 | 0.0 |
| | 20-24 | 231.1 | 134.0 | 165.1 | 217.2 | 168.1 | 143.6 | 116.3 | 65.3 | 62.9 |
| | 25-29 | 151.0 | 137.1 | 144.4 | 159.5 | 138.7 | 139.7 | 127.6 | 132.8 | 104.0 |
| | 30-34 | 94.1 | 76.7 | 73.9 | 87.7 | 75.4 | 72.1 | 73.1 | 79.4 | 81.7 |
| | 35-39 | 34.2 | 30.8 | 42.5 | 33.6 | 26.7 | 28.6 | 23.1 | 29.4 | 41.8 |
| | 40-44 | 19.6 | 12.8 | 20.1 | 16.4 | 11.2 | 7.9 | 5.7 | 9.7 | 15.7 |
| | 45-49 | 5.6 | 3.6 | 4.8 | 5.0 | 3.7 | 1.6 | 3.4 | 0.0 | 0.0 |
| General fertility rate | | 74.6 | 73.3 | 70.3 | 86.9 | 83.3 | 76.6 | 59.3 | 56.3 | 66.6 |
| Total fertility rate | | 3.1 | 2.1 | 2.9 | 2.8 | 2.3 | 2.0 | 1.8 | 1.6 | 1.5 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 43.8 | 15.2 | 119.4 | 68.8 | 23.1 | 15.3 | 11.4 | 9.9 | 0.0 |
| | 20-24 | 145.3 | 93.5 | 137.6 | 143.3 | 133.6 | 130.9 | 103.5 | 57.7 | 51.8 |
| | 25-29 | 119.7 | 95.3 | 100.4 | 85.5 | 115.6 | 94.9 | 107.4 | 76.9 | 89.1 |
| | 30-34 | 51.6 | 47.5 | 48.9 | 42.4 | 43.0 | 29.9 | 52.5 | 55.2 | 57.1 |
| | 35-39 | 14.5 | 20.5 | 18.8 | 27.0 | 14.7 | 9.7 | 23.3 | 35.1 | 19.5 |
| | 40-44 | 3.6 | 7.1 | 7.4 | 0.0 | 10.0 | 5.8 | 8.1 | 8.4 | 7.2 |
| | 45-49 | 23.4 | 5.3 | 0.0 | 4.5 | 7.7 | 3.7 | 3.2 | 11.0 | 6.4 |
| General fertility rate | | 52.9 | 47.9 | 44.9 | 53.0 | 56.5 | 49.7 | 45.6 | 40.7 | 47.3 |
| Total fertility rate | | 2.0 | 1.4 | 2.2 | 1.9 | 1.7 | 1.5 | 1.5 | 1.3 | 1.2 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Punjab**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 128.7 | 16.8 | 11.8 | 49.8 | 39.6 | 18.6 | 11.4 | 9.9 | 0.0 |
| | 20-24 | 231.1 | 100.6 | 66.7 | 216.8 | 166.4 | 159.1 | 120.2 | 62.5 | 47.3 |
| | 25-29 | 160.7 | 111.4 | 81.7 | 117.5 | 119.4 | 129.9 | 127.7 | 102.8 | 92.0 |
| | 30-34 | 55.2 | 61.3 | 63.5 | 69.3 | 56.6 | 58.8 | 54.4 | 58.2 | 74.6 |
| | 35-39 | 21.0 | 22.1 | 40.1 | 30.0 | 17.3 | 18.0 | 17.5 | 28.8 | 17.0 |
| | 40-44 | 10.8 | 6.8 | 8.2 | 11.6 | 6.4 | 4.9 | 7.3 | 5.0 | 3.1 |
| | 45-49 | 6.1 | 4.3 | 9.0 | 5.5 | 4.5 | 4.7 | 1.5 | 8.3 | 0.0 |
| General fertility rate | | 61.8 | 55.8 | 44.1 | 65.6 | 61.6 | 61.1 | 53.0 | 51.0 | 54.0 |
| Total fertility rate | | 3.1 | 1.6 | 1.4 | 2.5 | 2.1 | 2.0 | 1.7 | 1.4 | 1.2 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 157.5 | 18.9 | 15.7 | 74.7 | 44.3 | 17.6 | 11.6 | 12.9 | 0.0 |
| | 20-24 | 238.1 | 106.4 | 73.9 | 222.9 | 179.2 | 171.8 | 123.6 | 66.0 | 33.8 |
| | 25-29 | 182.3 | 116.6 | 87.9 | 134.6 | 124.0 | 130.9 | 125.6 | 110.1 | 86.6 |
| | 30-34 | 55.4 | 62.3 | 61.6 | 73.6 | 64.9 | 60.6 | 56.8 | 56.9 | 68.1 |
| | 35-39 | 18.3 | 22.8 | 42.8 | 25.1 | 16.1 | 19.8 | 18.7 | 28.3 | 29.5 |
| | 40-44 | 11.9 | 7.8 | 6.3 | 12.7 | 4.7 | 7.7 | 6.4 | 12.0 | 0.0 |
| | 45-49 | 4.2 | 3.3 | 7.4 | 2.6 | 4.4 | 4.8 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 64.9 | 58.9 | 46.7 | 70.4 | 65.3 | 62.8 | 55.3 | 55.9 | 51.5 |
| Total fertility rate | | 3.3 | 1.7 | 1.5 | 2.7 | 2.2 | 2.1 | 1.7 | 1.4 | 1.1 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 84.0 | 13.8 | 7.7 | 20.5 | 32.3 | 20.3 | 11.0 | 5.8 | 0.0 |
| | 20-24 | 217.2 | 92.3 | 56.9 | 207.3 | 144.1 | 140.2 | 114.8 | 56.9 | 59.9 |
| | 25-29 | 128.3 | 104.7 | 73.4 | 87.1 | 110.7 | 128.2 | 131.2 | 93.3 | 95.2 |
| | 30-34 | 54.9 | 60.1 | 65.8 | 62.0 | 40.3 | 56.0 | 50.5 | 59.6 | 77.2 |
| | 35-39 | 25.9 | 21.3 | 35.1 | 38.4 | 19.7 | 14.9 | 15.8 | 29.1 | 13.5 |
| | 40-44 | 9.0 | 5.6 | 11.4 | 9.6 | 9.4 | 0.0 | 8.4 | 0.0 | 3.6 |
| | 45-49 | 9.8 | 5.7 | 12.6 | 10.0 | 4.7 | 4.6 | 2.9 | 13.1 | 0.0 |
| General fertility rate | | 56.5 | 51.7 | 40.5 | 57.6 | 54.8 | 58.5 | 49.7 | 44.9 | 55.4 |
| Total fertility rate | | 2.6 | 1.5 | 1.3 | 2.2 | 1.8 | 1.8 | 1.7 | 1.3 | 1.2 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Rajasthan**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 141.6 | 35.7 | 104.2 | 77.4 | 61.6 | 45.6 | 18.8 | 18.1 | 0.0 |
| | 20-24 | 307.6 | 172.5 | 252.0 | 250.0 | 242.6 | 203.3 | 151.2 | 93.4 | 92.7 |
| | 25-29 | 207.6 | 140.7 | 150.0 | 181.1 | 147.3 | 147.1 | 121.7 | 114.1 | 115.4 |
| | 30-34 | 115.7 | 77.8 | 70.8 | 99.8 | 75.5 | 68.9 | 74.0 | 78.2 | 85.1 |
| | 35-39 | 46.2 | 25.4 | 29.5 | 30.2 | 24.2 | 13.9 | 19.2 | 24.4 | 36.0 |
| | 40-44 | 19.6 | 14.3 | 15.4 | 16.5 | 17.0 | 8.0 | 21.6 | 0.0 | 10.5 |
| | 45-49 | 7.3 | 4.5 | 3.7 | 15.1 | 7.6 | 0.0 | 0.0 | 3.2 | 0.0 |
| General fertility rate | | 107.5 | 86.4 | 80.3 | 121.7 | 110.0 | 98.0 | 60.5 | 54.1 | 78.0 |
| Total fertility rate | | 4.2 | 2.4 | 3.1 | 3.4 | 2.9 | 2.4 | 2.0 | 1.7 | 1.7 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 140.2 | 37.7 | 101.8 | 77.2 | 59.2 | 42.5 | 20.9 | 22.0 | 0.0 |
| | 20-24 | 306.2 | 175.9 | 255.8 | 238.5 | 228.1 | 201.5 | 128.5 | 102.9 | 110.5 |
| | 25-29 | 211.6 | 143.9 | 152.2 | 170.8 | 148.4 | 150.9 | 118.3 | 116.6 | 115.3 |
| | 30-34 | 121.6 | 83.8 | 80.4 | 102.3 | 78.1 | 83.8 | 69.5 | 76.9 | 102.1 |
| | 35-39 | 51.3 | 26.3 | 30.5 | 28.0 | 23.7 | 12.3 | 36.3 | 33.8 | 33.3 |
| | 40-44 | 19.6 | 15.6 | 13.8 | 21.9 | 15.2 | 13.9 | 21.5 | 0.0 | 26.3 |
| | 45-49 | 6.8 | 4.8 | 4.6 | 5.6 | 7.6 | 0.0 | 0.0 | 13.4 | 0.0 |
| General fertility rate | | 111.9 | 90.4 | 83.7 | 120.7 | 108.9 | 102.9 | 58.1 | 59.8 | 94.5 |
| Total fertility rate | | 4.3 | 2.4 | 3.2 | 3.2 | 2.8 | 2.5 | 2.0 | 1.8 | 1.9 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 151.1 | 29.6 | 118.8 | 78.1 | 72.0 | 57.2 | 11.7 | 8.8 | 0.0 |
| | 20-24 | 318.4 | 163.6 | 231.2 | 303.6 | 290.1 | 209.0 | 223.6 | 71.7 | 68.9 |
| | 25-29 | 180.7 | 134.2 | 139.5 | 218.2 | 144.2 | 137.9 | 127.7 | 110.6 | 115.5 |
| | 30-34 | 79.0 | 66.8 | 22.5 | 91.4 | 68.1 | 42.9 | 79.8 | 79.3 | 79.4 |
| | 35-39 | 17.9 | 24.0 | 24.8 | 36.1 | 25.4 | 16.3 | 3.0 | 17.6 | 36.6 |
| | 40-44 | 19.6 | 12.2 | 22.1 | 4.9 | 20.6 | 0.0 | 21.6 | 0.0 | 7.1 |
| | 45-49 | 10.0 | 4.3 | 0.0 | 42.4 | 7.7 | 0.0 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 81.5 | 77.5 | 64.0 | 125.4 | 112.9 | 86.0 | 65.8 | 43.6 | 65.8 |
| Total fertility rate | | 3.9 | 2.2 | 2.8 | 3.9 | 3.1 | 2.3 | 2.3 | 1.4 | 1.5 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Tamil Nadu**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 173.7 | 26.4 | 0.0 | 86.8 | 76.9 | 32.1 | 21.6 | 19.1 | 0.0 |
| | 20-24 | 195.8 | 117.0 | 0.0 | 218.3 | 190.2 | 189.3 | 168.1 | 82.2 | 69.3 |
| | 25-29 | 80.9 | 114.3 | 0.0 | 92.4 | 107.6 | 115.6 | 127.4 | 114.7 | 111.5 |
| | 30-34 | 29.0 | 55.2 | 0.0 | 46.4 | 40.2 | 47.6 | 54.3 | 62.4 | 77.0 |
| | 35-39 | 10.2 | 14.2 | 0.0 | 9.7 | 11.0 | 12.3 | 14.4 | 17.3 | 25.7 |
| | 40-44 | 3.9 | 5.4 | 0.0 | 5.4 | 4.3 | 4.4 | 5.7 | 5.0 | 9.4 |
| | 45-49 | 2.0 | 3.2 | 0.0 | 4.5 | 2.8 | 1.9 | 2.4 | 1.5 | 6.8 |
| General fertility rate | | 23.9 | 56.3 | 0.0 | 41.6 | 45.0 | 54.6 | 62.8 | 54.9 | 69.5 |
| Total fertility rate | | 2.5 | 1.7 | 0.0 | 2.3 | 2.2 | 2.0 | 2.0 | 1.5 | 1.5 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 210.6 | 28.3 | 0.0 | 92.6 | 61.0 | 32.4 | 25.1 | 21.0 | 0.0 |
| | 20-24 | 209.7 | 126.2 | 0.0 | 203.8 | 195.9 | 206.6 | 165.4 | 89.2 | 61.9 |
| | 25-29 | 96.5 | 114.4 | 0.0 | 98.6 | 104.8 | 115.9 | 130.0 | 115.9 | 110.3 |
| | 30-34 | 30.2 | 53.9 | 0.0 | 46.1 | 45.7 | 50.0 | 57.0 | 63.4 | 77.3 |
| | 35-39 | 12.6 | 12.5 | 0.0 | 9.4 | 10.9 | 11.9 | 14.7 | 15.7 | 23.6 |
| | 40-44 | 5.2 | 4.4 | 0.0 | 4.1 | 3.6 | 4.3 | 3.8 | 2.0 | 16.1 |
| | 45-49 | 2.1 | 3.4 | 0.0 | 4.9 | 3.9 | 1.5 | 2.4 | 5.8 | 4.6 |
| General fertility rate | | 24.6 | 58.4 | 0.0 | 41.1 | 47.3 | 59.8 | 70.4 | 61.8 | 69.3 |
| Total fertility rate | | 2.8 | 1.7 | 0.0 | 2.3 | 2.1 | 2.1 | 2.0 | 1.6 | 1.5 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 153.1 | 24.7 | 0.0 | 79.5 | 106.3 | 31.7 | 18.3 | 17.6 | 0.0 |
| | 20-24 | 180.6 | 108.1 | 0.0 | 245.4 | 181.7 | 165.7 | 171.5 | 75.5 | 74.0 |
| | 25-29 | 64.1 | 114.3 | 0.0 | 83.0 | 111.6 | 115.3 | 124.8 | 113.7 | 111.9 |
| | 30-34 | 27.8 | 56.2 | 0.0 | 47.1 | 34.1 | 45.1 | 52.1 | 61.8 | 76.9 |
| | 35-39 | 7.3 | 15.6 | 0.0 | 10.2 | 11.2 | 12.7 | 14.2 | 18.1 | 26.1 |
| | 40-44 | 2.3 | 6.2 | 0.0 | 7.6 | 5.0 | 4.5 | 6.9 | 6.1 | 8.2 |
| | 45-49 | 2.0 | 3.0 | 0.0 | 3.6 | 1.3 | 2.4 | 2.4 | 0.0 | 7.3 |
| General fertility rate | | 23.1 | 54.5 | 0.0 | 42.3 | 42.0 | 48.9 | 56.3 | 49.9 | 69.6 |
| Total fertility rate | | 2.2 | 1.6 | 0.0 | 2.4 | 2.3 | 1.9 | 2.0 | 1.5 | 1.5 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Telangana**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 86.5 | 18.3 | 17.0 | 23.1 | 41.2 | 13.0 | 16.6 | 19.3 | 38.1 |
| | 20-24 | 225.1 | 121.5 | 76.8 | 231.0 | 252.6 | 206.2 | 158.6 | 83.9 | 59.8 |
| | 25-29 | 128.3 | 124.9 | 124.8 | 146.6 | 146.7 | 126.5 | 133.7 | 126.5 | 101.3 |
| | 30-34 | 48.9 | 56.6 | 62.2 | 33.9 | 39.2 | 56.2 | 57.5 | 59.9 | 75.0 |
| | 35-39 | 10.7 | 15.7 | 15.5 | 10.3 | 15.0 | 13.6 | 17.7 | 18.1 | 18.6 |
| | 40-44 | 4.9 | 6.2 | 5.5 | 4.6 | 3.4 | 7.4 | 8.4 | 11.3 | 4.3 |
| | 45-49 | 3.2 | 6.9 | 9.9 | 5.8 | 3.9 | 2.8 | 11.3 | 9.4 | 0.0 |
| General fertility rate | | 46.9 | 63.5 | 44.0 | 57.6 | 71.6 | 66.5 | 69.1 | 62.9 | 64.0 |
| Total fertility rate | | 2.5 | 1.8 | 1.6 | 2.3 | 2.5 | 2.1 | 2.0 | 1.6 | 1.5 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 92.8 | 19.5 | 19.3 | 38.0 | 45.8 | 13.5 | 17.3 | 23.3 | 25.3 |
| | 20-24 | 231.0 | 131.4 | 72.5 | 244.8 | 259.2 | 228.5 | 162.2 | 81.9 | 61.9 |
| | 25-29 | 133.1 | 127.5 | 120.5 | 151.8 | 133.6 | 134.0 | 128.6 | 136.7 | 104.5 |
| | 30-34 | 49.0 | 58.7 | 71.1 | 27.4 | 39.5 | 58.8 | 57.9 | 73.9 | 111.0 |
| | 35-39 | 11.3 | 15.4 | 18.3 | 8.4 | 15.0 | 11.3 | 20.8 | 14.4 | 23.9 |
| | 40-44 | 4.9 | 5.5 | 7.2 | 6.6 | 1.3 | 2.3 | 8.9 | 10.7 | 0.0 |
| | 45-49 | 4.4 | 7.9 | 10.9 | 3.8 | 3.6 | 5.5 | 13.6 | 0.0 | 0.0 |
| General fertility rate | | 50.3 | 66.9 | 44.1 | 60.2 | 72.9 | 72.0 | 73.8 | 69.1 | 74.8 |
| Total fertility rate | | 2.6 | 1.8 | 1.6 | 2.4 | 2.5 | 2.3 | 2.0 | 1.7 | 1.6 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 50.8 | 16.3 | 8.4 | 0.0 | 31.4 | 12.0 | 15.5 | 14.9 | 50.3 |
| | 20-24 | 197.6 | 107.3 | 96.3 | 174.5 | 239.0 | 169.6 | 152.3 | 86.5 | 58.1 |
| | 25-29 | 107.4 | 121.8 | 135.9 | 133.7 | 174.1 | 115.5 | 140.5 | 115.9 | 99.4 |
| | 30-34 | 48.6 | 54.4 | 36.6 | 57.1 | 38.8 | 52.1 | 57.2 | 50.6 | 65.8 |
| | 35-39 | 8.0 | 16.0 | 7.8 | 17.3 | 15.0 | 16.5 | 15.4 | 19.9 | 17.7 |
| | 40-44 | 5.0 | 7.0 | 0.0 | 0.0 | 6.5 | 13.9 | 8.1 | 11.5 | 4.9 |
| | 45-49 | 0.0 | 5.6 | 5.6 | 10.3 | 4.3 | 0.0 | 9.7 | 13.3 | 0.0 |
| General fertility rate | | 34.4 | 59.1 | 43.4 | 50.4 | 69.4 | 58.2 | 63.3 | 56.8 | 58.7 |
| Total fertility rate | | 2.1 | 1.6 | 1.5 | 2.0 | 2.5 | 1.9 | 2.0 | 1.6 | 1.5 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Uttar Pradesh**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 80.8 | 17.4 | 24.7 | 24.8 | 19.7 | 14.7 | 9.5 | 23.7 | 0.0 |
| | 20-24 | 285.2 | 147.6 | 143.8 | 217.2 | 186.9 | 185.6 | 152.7 | 88.6 | 128.9 |
| | 25-29 | 254.8 | 175.4 | 167.4 | 199.0 | 216.5 | 180.0 | 185.4 | 162.6 | 138.5 |
| | 30-34 | 175.4 | 135.8 | 115.1 | 147.8 | 140.2 | 126.6 | 124.5 | 160.5 | 138.9 |
| | 35-39 | 73.4 | 46.6 | 42.3 | 75.9 | 52.5 | 44.8 | 42.4 | 34.8 | 36.2 |
| | 40-44 | 38.9 | 25.4 | 38.9 | 29.7 | 26.1 | 24.8 | 25.7 | 4.6 | 24.8 |
| | 45-49 | 10.2 | 6.7 | 2.9 | 13.7 | 7.6 | 10.7 | 4.5 | 0.0 | 6.0 |
| General fertility rate | | 126.1 | 91.0 | 82.4 | 107.5 | 97.2 | 89.8 | 78.2 | 81.7 | 107.7 |
| Total fertility rate | | 4.6 | 2.8 | 2.7 | 3.5 | 3.2 | 2.9 | 2.7 | 2.4 | 2.4 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 88.1 | 18.2 | 22.5 | 26.8 | 18.1 | 15.3 | 10.8 | 27.8 | 0.0 |
| | 20-24 | 313.2 | 158.9 | 148.2 | 221.6 | 201.2 | 185.1 | 162.2 | 97.8 | 149.0 |
| | 25-29 | 269.9 | 185.3 | 165.5 | 215.8 | 222.1 | 192.7 | 195.4 | 151.7 | 145.1 |
| | 30-34 | 191.8 | 139.8 | 104.8 | 150.1 | 146.6 | 133.4 | 139.8 | 173.0 | 125.6 |
| | 35-39 | 78.0 | 48.3 | 40.7 | 75.4 | 48.2 | 43.8 | 38.1 | 43.8 | 51.3 |
| | 40-44 | 41.3 | 26.4 | 39.1 | 21.6 | 27.8 | 27.2 | 27.3 | 1.4 | 22.0 |
| | 45-49 | 10.9 | 7.1 | 3.6 | 15.6 | 5.6 | 8.5 | 4.1 | 0.0 | 17.2 |
| General fertility rate | | 134.9 | 95.3 | 80.1 | 110.3 | 100.0 | 93.1 | 83.7 | 88.5 | 125.8 |
| Total fertility rate | | 5.0 | 2.9 | 2.6 | 3.6 | 3.3 | 3.0 | 2.9 | 2.5 | 2.6 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 59.9 | 14.6 | 31.9 | 16.0 | 27.2 | 12.1 | 5.6 | 14.1 | 0.0 |
| | 20-24 | 166.2 | 116.8 | 129.3 | 202.1 | 128.6 | 188.2 | 123.7 | 66.6 | 104.2 |
| | 25-29 | 180.4 | 154.3 | 173.5 | 137.3 | 195.5 | 140.7 | 165.0 | 186.3 | 132.4 |
| | 30-34 | 90.0 | 128.0 | 146.4 | 138.1 | 117.9 | 107.8 | 97.4 | 141.2 | 146.5 |
| | 35-39 | 48.1 | 43.4 | 46.9 | 77.9 | 68.2 | 47.8 | 48.6 | 24.4 | 28.8 |
| | 40-44 | 25.5 | 23.7 | 38.1 | 59.6 | 21.1 | 19.7 | 23.5 | 7.5 | 25.9 |
| | 45-49 | 5.8 | 6.1 | 0.0 | 7.3 | 13.9 | 15.8 | 4.9 | 0.0 | 3.0 |
| General fertility rate | | 81.8 | 80.6 | 89.9 | 96.5 | 86.3 | 78.7 | 65.5 | 68.7 | 93.4 |
| Total fertility rate | | 2.9 | 2.4 | 2.8 | 3.2 | 2.9 | 2.7 | 2.3 | 2.2 | 2.2 |

## Table 4

## Fertility indicators by level of education of women, 2015

**Uttarakhand**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 75.5 | 12.4 | 32.4 | 27.1 | 10.2 | 10.5 | 8.8 | 14.4 | 0.0 |
| | 20-24 | 224.2 | 117.3 | 204.6 | 160.9 | 173.8 | 168.0 | 126.1 | 73.2 | 93.1 |
| | 25-29 | 170.9 | 141.4 | 194.5 | 155.2 | 164.8 | 152.4 | 137.0 | 138.6 | 120.0 |
| | 30-34 | 91.6 | 70.5 | 87.3 | 81.4 | 64.4 | 52.6 | 54.9 | 79.9 | 86.5 |
| | 35-39 | 34.8 | 23.5 | 23.3 | 17.7 | 24.9 | 23.3 | 16.4 | 17.1 | 32.7 |
| | 40-44 | 11.0 | 9.1 | 11.5 | 4.2 | 9.1 | 13.1 | 5.1 | 8.9 | 7.6 |
| | 45-49 | 3.1 | 2.6 | 6.7 | 0.0 | 1.0 | 2.1 | 6.9 | 1.9 | 0.0 |
| General fertility rate | | 72.4 | 67.5 | 69.1 | 64.7 | 69.0 | 68.3 | 56.2 | 63.3 | 80.5 |
| Total fertility rate | | 3.1 | 1.9 | 2.8 | 2.2 | 2.2 | 2.1 | 1.8 | 1.7 | 1.7 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 87.1 | 13.7 | 45.3 | 30.4 | 9.9 | 10.7 | 10.8 | 17.8 | 0.0 |
| | 20-24 | 235.5 | 125.3 | 200.8 | 180.7 | 191.8 | 174.7 | 128.1 | 79.4 | 97.5 |
| | 25-29 | 168.7 | 146.7 | 197.3 | 141.0 | 171.6 | 156.7 | 137.8 | 148.9 | 121.4 |
| | 30-34 | 92.0 | 66.6 | 88.0 | 85.3 | 57.5 | 47.4 | 53.6 | 87.0 | 84.8 |
| | 35-39 | 33.9 | 21.7 | 15.4 | 14.5 | 24.1 | 24.3 | 11.7 | 13.2 | 41.8 |
| | 40-44 | 9.1 | 9.3 | 10.2 | 2.3 | 7.4 | 13.4 | 7.9 | 9.0 | 10.9 |
| | 45-49 | 1.6 | 2.2 | 7.0 | 0.0 | 0.0 | 0.0 | 8.6 | 0.0 | 0.0 |
| General fertility rate | | 69.5 | 69.9 | 63.5 | 63.2 | 69.9 | 70.1 | 58.8 | 70.7 | 88.4 |
| Total fertility rate | | 3.1 | 1.9 | 2.8 | 2.3 | 2.3 | 2.1 | 1.8 | 1.8 | 1.8 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 53.8 | 8.3 | 11.2 | 16.3 | 11.2 | 9.9 | 3.2 | 6.4 | 0.0 |
| | 20-24 | 191.1 | 95.8 | 212.3 | 111.4 | 121.4 | 140.7 | 118.7 | 56.1 | 85.8 |
| | 25-29 | 176.7 | 128.7 | 188.9 | 190.5 | 141.5 | 133.7 | 134.7 | 111.3 | 117.9 |
| | 30-34 | 90.1 | 79.2 | 85.3 | 65.4 | 93.2 | 75.9 | 58.1 | 67.9 | 88.2 |
| | 35-39 | 39.0 | 27.5 | 53.9 | 31.2 | 28.5 | 19.7 | 27.7 | 23.8 | 25.1 |
| | 40-44 | 18.2 | 8.6 | 15.6 | 10.6 | 16.2 | 12.1 | 0.0 | 8.7 | 5.3 |
| | 45-49 | 11.7 | 3.4 | 5.7 | 0.0 | 5.1 | 7.8 | 4.4 | 3.8 | 0.0 |
| General fertility rate | | 82.6 | 61.5 | 85.4 | 69.7 | 65.7 | 61.3 | 48.9 | 47.0 | 71.4 |
| Total fertility rate | | 2.9 | 1.8 | 2.9 | 2.1 | 2.1 | 2.0 | 1.7 | 1.4 | 1.6 |

## Table 4

## Fertility indicators by level of education of women, 2015

**West Bengal**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 142.1 | 43.8 | 95.5 | 117.4 | 69.9 | 36.4 | 29.7 | 29.1 | 0.0 |
| | 20-24 | 163.4 | 128.2 | 182.9 | 169.9 | 166.9 | 140.3 | 123.6 | 64.9 | 63.2 |
| | 25-29 | 89.3 | 87.1 | 78.6 | 94.7 | 91.6 | 89.6 | 88.7 | 88.5 | 68.7 |
| | 30-34 | 28.0 | 39.0 | 46.3 | 43.6 | 33.2 | 34.9 | 31.6 | 47.1 | 52.1 |
| | 35-39 | 13.1 | 15.7 | 12.2 | 16.6 | 12.4 | 14.4 | 13.0 | 28.0 | 25.5 |
| | 40-44 | 7.1 | 6.4 | 8.9 | 4.9 | 6.9 | 4.4 | 5.4 | 10.0 | 8.9 |
| | 45-49 | 5.5 | 2.7 | 2.8 | 2.7 | 4.1 | 3.0 | 2.1 | 2.4 | 0.0 |
| General fertility rate | | 41.1 | 56.4 | 51.5 | 60.8 | 65.0 | 56.3 | 54.4 | 51.1 | 44.7 |
| Total fertility rate | | 2.2 | 1.6 | 2.1 | 2.2 | 1.9 | 1.6 | 1.5 | 1.4 | 1.1 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 153.2 | 50.4 | 110.7 | 134.1 | 75.3 | 41.6 | 35.3 | 34.6 | 0.0 |
| | 20-24 | 169.2 | 142.2 | 202.5 | 181.3 | 175.5 | 148.4 | 130.5 | 73.1 | 76.5 |
| | 25-29 | 91.1 | 94.1 | 83.3 | 100.7 | 96.1 | 91.0 | 97.6 | 102.7 | 82.5 |
| | 30-34 | 27.3 | 39.9 | 49.3 | 39.7 | 34.8 | 35.6 | 33.1 | 59.1 | 64.9 |
| | 35-39 | 12.7 | 14.7 | 10.6 | 17.3 | 14.2 | 13.3 | 13.4 | 24.4 | 24.4 |
| | 40-44 | 7.2 | 7.7 | 9.1 | 6.7 | 7.5 | 3.2 | 8.9 | 18.7 | 26.9 |
| | 45-49 | 4.5 | 3.2 | 3.5 | 3.1 | 4.1 | 2.6 | 1.1 | 8.0 | 0.0 |
| General fertility rate | | 41.7 | 63.9 | 55.7 | 65.9 | 70.4 | 62.0 | 63.7 | 62.0 | 61.7 |
| Total fertility rate | | 2.3 | 1.8 | 2.3 | 2.4 | 2.0 | 1.7 | 1.6 | 1.6 | 1.4 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 98.0 | 24.5 | 44.9 | 67.7 | 51.9 | 18.5 | 15.3 | 18.9 | 0.0 |
| | 20-24 | 135.5 | 92.4 | 106.0 | 131.2 | 135.9 | 111.0 | 105.7 | 52.0 | 51.3 |
| | 25-29 | 81.7 | 72.7 | 61.5 | 75.0 | 75.9 | 85.9 | 74.1 | 71.9 | 61.2 |
| | 30-34 | 31.0 | 37.4 | 34.8 | 54.9 | 28.2 | 33.3 | 29.6 | 36.6 | 46.8 |
| | 35-39 | 15.2 | 17.5 | 18.5 | 14.6 | 6.6 | 16.7 | 12.7 | 30.4 | 25.9 |
| | 40-44 | 6.4 | 4.5 | 8.3 | 0.0 | 5.4 | 6.4 | 2.5 | 5.7 | 4.1 |
| | 45-49 | 10.2 | 2.0 | 0.0 | 1.9 | 4.0 | 3.6 | 2.8 | 0.0 | 0.0 |
| General fertility rate | | 38.5 | 40.6 | 35.4 | 45.9 | 48.3 | 41.0 | 38.3 | 38.3 | 36.4 |
| Total fertility rate | | 1.9 | 1.3 | 1.4 | 1.7 | 1.5 | 1.4 | 1.2 | 1.1 | 0.9 |

## Table 5

## Percentage distribution of live births by order of birth, 2015

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **India** | | | | | |
| 1 | 48.6 | 49.0 | 48.1 | 46.5 | 47.0 | 45.9 | 54.4 | 54.6 | 54.1 |
| 2 | 28.5 | 28.4 | 28.7 | 27.9 | 27.7 | 28.1 | 30.3 | 30.2 | 30.3 |
| 3 | 13.4 | 13.1 | 13.7 | 14.5 | 14.2 | 15.0 | 10.3 | 10.3 | 10.3 |
| 4 | 5.6 | 5.6 | 5.6 | 6.5 | 6.6 | 6.3 | 3.2 | 3.0 | 3.4 |
| 5+ | 3.9 | 3.8 | 3.9 | 4.6 | 4.6 | 4.6 | 1.8 | 1.9 | 1.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 5

## Percentage distribution of live births by order of birth, 2015

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| **Andhra Pradesh** | | | | | | | | | |
| 1 | 63.7 | 65.0 | 62.3 | 63.0 | 64.1 | 61.8 | 65.6 | 67.1 | 63.7 |
| 2 | 28.2 | 26.9 | 29.6 | 28.2 | 27.0 | 29.4 | 28.0 | 26.5 | 30.0 |
| 3 | 6.9 | 6.8 | 7.0 | 7.3 | 7.3 | 7.3 | 5.9 | 5.8 | 6.0 |
| 4 | 1.1 | 1.1 | 1.0 | 1.3 | 1.4 | 1.2 | 0.4 | 0.6 | 0.2 |
| 5+ | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.0 | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Assam** | | | | | | | | | |
| 1 | 52.9 | 54.6 | 51.0 | 52.0 | 53.7 | 50.1 | 60.9 | 62.1 | 59.3 |
| 2 | 26.0 | 25.0 | 27.3 | 25.9 | 24.8 | 27.1 | 27.5 | 26.2 | 29.1 |
| 3 | 13.5 | 12.9 | 14.2 | 14.1 | 13.4 | 14.8 | 8.8 | 8.8 | 8.8 |
| 4 | 5.6 | 5.5 | 5.7 | 6.0 | 5.9 | 6.1 | 1.9 | 2.0 | 1.9 |
| 5+ | 1.9 | 2.0 | 1.8 | 2.0 | 2.1 | 1.9 | 0.9 | 0.9 | 0.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Bihar** | | | | | | | | | |
| 1 | 36.7 | 39.1 | 34.2 | 36.1 | 38.8 | 33.3 | 42.0 | 42.3 | 41.7 |
| 2 | 24.2 | 23.0 | 25.4 | 23.8 | 22.6 | 25.0 | 27.7 | 26.8 | 28.8 |
| 3 | 20.9 | 19.8 | 22.0 | 21.2 | 19.9 | 22.6 | 18.1 | 19.4 | 16.6 |
| 4 | 10.3 | 10.5 | 10.0 | 10.6 | 10.9 | 10.4 | 7.2 | 7.1 | 7.3 |
| 5+ | 8.0 | 7.6 | 8.4 | 8.3 | 8.0 | 8.7 | 5.0 | 4.4 | 5.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Chhattisgarh** | | | | | | | | | |
| 1 | 44.7 | 47.0 | 42.1 | 44.1 | 45.9 | 42.2 | 47.4 | 51.3 | 41.6 |
| 2 | 33.6 | 30.9 | 36.6 | 32.7 | 30.4 | 35.1 | 37.2 | 32.4 | 44.3 |
| 3 | 13.7 | 14.6 | 12.8 | 14.5 | 15.1 | 13.8 | 10.7 | 12.6 | 8.0 |
| 4 | 5.1 | 5.4 | 4.8 | 5.6 | 6.2 | 5.0 | 3.1 | 2.7 | 3.6 |
| 5+ | 2.9 | 2.1 | 3.7 | 3.1 | 2.4 | 3.9 | 1.7 | 1.0 | 2.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 5

## Percentage distribution of live births by order of birth, 2015

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| **Delhi** | | | | | | | | | |
| 1 | 63.8 | 62.9 | 64.8 | 77.3 | 80.7 | 72.6 | 63.4 | 62.3 | 64.6 |
| 2 | 23.8 | 23.6 | 24.0 | 14.1 | 14.0 | 14.2 | 24.0 | 23.9 | 24.2 |
| 3 | 8.6 | 9.4 | 7.6 | 3.9 | 3.3 | 4.7 | 8.7 | 9.6 | 7.7 |
| 4 | 2.7 | 2.7 | 2.8 | 3.5 | 2.0 | 5.7 | 2.7 | 2.7 | 2.7 |
| 5+ | 1.2 | 1.5 | 0.9 | 1.2 | 0.0 | 2.8 | 1.2 | 1.5 | 0.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Gujarat** | | | | | | | | | |
| 1 | 55.4 | 55.6 | 55.1 | 54.0 | 55.2 | 52.6 | 57.5 | 56.3 | 59.3 |
| 2 | 30.6 | 30.3 | 30.9 | 30.6 | 30.1 | 31.2 | 30.6 | 30.7 | 30.4 |
| 3 | 9.8 | 10.1 | 9.4 | 10.5 | 10.4 | 10.7 | 8.7 | 9.7 | 7.4 |
| 4 | 2.7 | 2.7 | 2.9 | 3.2 | 3.1 | 3.4 | 2.0 | 2.1 | 1.9 |
| 5+ | 1.5 | 1.2 | 1.8 | 1.7 | 1.2 | 2.2 | 1.2 | 1.2 | 1.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Haryana** | | | | | | | | | |
| 1 | 50.6 | 50.4 | 50.8 | 48.4 | 48.1 | 48.9 | 55.3 | 55.6 | 54.9 |
| 2 | 31.6 | 31.7 | 31.5 | 32.4 | 32.5 | 32.3 | 29.9 | 29.9 | 29.8 |
| 3 | 12.4 | 12.4 | 12.4 | 12.9 | 12.9 | 12.9 | 11.2 | 11.2 | 11.3 |
| 4 | 2.9 | 2.8 | 3.1 | 3.3 | 3.4 | 3.2 | 2.2 | 1.4 | 3.1 |
| 5+ | 2.5 | 2.7 | 2.2 | 2.9 | 3.1 | 2.7 | 1.5 | 1.8 | 1.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Himachal Pradesh** | | | | | | | | | |
| 1 | 60.3 | 59.3 | 61.4 | 60.4 | 59.6 | 61.3 | 58.5 | 54.7 | 63.6 |
| 2 | 31.1 | 30.9 | 31.4 | 30.9 | 30.5 | 31.3 | 34.6 | 36.7 | 31.9 |
| 3 | 6.5 | 7.4 | 5.6 | 6.7 | 7.4 | 5.8 | 4.5 | 7.3 | 0.9 |
| 4 | 1.9 | 2.3 | 1.4 | 1.9 | 2.4 | 1.4 | 1.9 | 1.3 | 2.7 |
| 5+ | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 | 0.0 | 0.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 5

## Percentage distribution of live births by order of birth, 2015

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| **Jammu & Kashmir** | | | | | | | | | |
| 1 | 55.7 | 54.8 | 56.8 | 54.7 | 54.0 | 55.4 | 61.1 | 58.2 | 64.6 |
| 2 | 25.7 | 25.7 | 25.8 | 26.3 | 25.9 | 26.8 | 23.0 | 24.7 | 20.9 |
| 3 | 11.7 | 11.5 | 12.0 | 12.1 | 11.7 | 12.4 | 10.1 | 10.4 | 9.8 |
| 4 | 3.4 | 4.1 | 2.7 | 3.7 | 4.5 | 2.9 | 1.8 | 2.4 | 1.1 |
| 5+ | 3.4 | 4.0 | 2.7 | 3.2 | 3.9 | 2.5 | 4.0 | 4.3 | 3.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Jharkhand** | | | | | | | | | |
| 1 | 38.3 | 39.1 | 37.4 | 36.6 | 37.7 | 35.3 | 45.4 | 44.8 | 46.3 |
| 2 | 31.9 | 30.5 | 33.5 | 32.3 | 30.7 | 34.0 | 30.6 | 29.9 | 31.4 |
| 3 | 18.5 | 18.0 | 19.1 | 18.7 | 18.0 | 19.5 | 17.7 | 18.2 | 17.1 |
| 4 | 6.3 | 7.1 | 5.3 | 7.0 | 8.1 | 5.7 | 3.4 | 3.4 | 3.5 |
| 5+ | 5.0 | 5.2 | 4.7 | 5.5 | 5.6 | 5.4 | 2.8 | 3.7 | 1.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Karnataka** | | | | | | | | | |
| 1 | 53.4 | 56.0 | 50.6 | 52.1 | 54.4 | 49.8 | 55.7 | 58.6 | 52.1 |
| 2 | 33.0 | 31.8 | 34.4 | 32.3 | 30.8 | 33.7 | 34.4 | 33.4 | 35.7 |
| 3 | 10.7 | 9.6 | 12.0 | 12.1 | 11.8 | 12.4 | 8.2 | 5.9 | 11.2 |
| 4 | 2.4 | 2.4 | 2.5 | 3.1 | 2.8 | 3.4 | 1.2 | 1.7 | 0.6 |
| 5+ | 0.4 | 0.3 | 0.6 | 0.5 | 0.2 | 0.7 | 0.4 | 0.4 | 0.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Kerala** | | | | | | | | | |
| 1 | 49.0 | 49.2 | 48.8 | 47.8 | 46.7 | 48.9 | 50.2 | 51.6 | 48.6 |
| 2 | 37.1 | 36.3 | 37.9 | 37.5 | 38.4 | 36.6 | 36.6 | 34.2 | 39.3 |
| 3 | 11.3 | 11.5 | 11.1 | 12.2 | 12.2 | 12.2 | 10.4 | 10.8 | 9.9 |
| 4 | 2.3 | 2.5 | 2.0 | 1.9 | 1.9 | 1.9 | 2.7 | 3.1 | 2.2 |
| 5+ | 0.4 | 0.5 | 0.2 | 0.6 | 0.8 | 0.4 | 0.1 | 0.2 | 0.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 5

## Percentage distribution of live births by order of birth, 2015

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| **Madhya Pradesh** | | | | | | | | | |
| 1 | 42.7 | 42.7 | 42.8 | 41.1 | 41.1 | 41.2 | 48.7 | 49.2 | 48.2 |
| 2 | 31.8 | 31.9 | 31.6 | 31.4 | 31.4 | 31.4 | 33.2 | 34.0 | 32.4 |
| 3 | 15.2 | 15.4 | 15.0 | 16.2 | 16.3 | 16.0 | 11.5 | 11.7 | 11.3 |
| 4 | 6.5 | 6.4 | 6.6 | 7.0 | 7.1 | 6.9 | 4.5 | 3.4 | 5.6 |
| 5+ | 3.9 | 3.7 | 4.0 | 4.3 | 4.2 | 4.4 | 2.2 | 1.8 | 2.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Maharashtra** | | | | | | | | | |
| 1 | 51.0 | 50.7 | 51.3 | 52.0 | 51.6 | 52.4 | 49.7 | 49.5 | 49.8 |
| 2 | 34.7 | 35.5 | 33.8 | 33.8 | 35.2 | 32.1 | 35.9 | 35.8 | 36.1 |
| 3 | 10.4 | 10.0 | 11.0 | 10.8 | 10.0 | 11.7 | 10.0 | 10.0 | 10.0 |
| 4 | 2.6 | 2.5 | 2.8 | 2.4 | 2.1 | 2.8 | 2.9 | 2.9 | 2.9 |
| 5+ | 1.2 | 1.4 | 1.1 | 1.0 | 1.1 | 1.0 | 1.5 | 1.8 | 1.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Odisha** | | | | | | | | | |
| 1 | 50.3 | 49.6 | 51.0 | 49.4 | 48.5 | 50.3 | 56.6 | 56.9 | 56.2 |
| 2 | 32.2 | 32.6 | 31.7 | 32.1 | 32.6 | 31.6 | 32.3 | 32.3 | 32.4 |
| 3 | 11.8 | 11.7 | 11.9 | 12.2 | 12.2 | 12.3 | 8.4 | 8.0 | 8.9 |
| 4 | 3.9 | 4.3 | 3.6 | 4.2 | 4.6 | 3.9 | 2.0 | 2.4 | 1.5 |
| 5+ | 1.8 | 1.8 | 1.9 | 2.0 | 2.1 | 2.0 | 0.7 | 0.4 | 1.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Punjab** | | | | | | | | | |
| 1 | 61.2 | 58.4 | 64.4 | 59.5 | 57.3 | 62.0 | 64.0 | 60.3 | 67.6 |
| 2 | 26.8 | 28.6 | 24.8 | 27.7 | 28.4 | 26.9 | 25.5 | 28.9 | 22.0 |
| 3 | 9.5 | 10.6 | 8.2 | 10.4 | 12.1 | 8.3 | 8.1 | 8.2 | 8.0 |
| 4 | 1.8 | 1.7 | 1.9 | 1.9 | 1.8 | 1.9 | 1.6 | 1.4 | 1.9 |
| 5+ | 0.7 | 0.7 | 0.7 | 0.6 | 0.4 | 0.9 | 0.8 | 1.2 | 0.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 5

## Percentage distribution of live births by order of birth, 2015

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Rajasthan** | | | | | |
| 1 | 46.0 | 47.2 | 44.6 | 44.2 | 45.1 | 43.1 | 52.3 | 53.9 | 50.1 |
| 2 | 28.6 | 28.2 | 29.1 | 27.6 | 27.7 | 27.6 | 31.8 | 29.9 | 34.4 |
| 3 | 14.8 | 14.3 | 15.3 | 16.4 | 15.7 | 17.2 | 9.3 | 10.1 | 8.3 |
| 4 | 6.4 | 6.0 | 6.7 | 7.1 | 7.0 | 7.3 | 3.7 | 3.0 | 4.7 |
| 5+ | 4.3 | 4.2 | 4.4 | 4.7 | 4.6 | 4.9 | 2.9 | 3.2 | 2.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Tamil Nadu** | | | | | |
| 1 | 56.1 | 56.8 | 55.3 | 54.0 | 53.8 | 54.1 | 58.1 | 59.5 | 56.5 |
| 2 | 36.6 | 35.4 | 37.9 | 36.5 | 35.9 | 37.2 | 36.6 | 34.9 | 38.6 |
| 3 | 6.3 | 6.7 | 5.9 | 8.2 | 8.8 | 7.5 | 4.6 | 4.7 | 4.5 |
| 4 | 1.0 | 1.1 | 0.8 | 1.3 | 1.5 | 1.1 | 0.6 | 0.8 | 0.5 |
| 5+ | 0.1 | 0.0 | 0.1 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Telangana** | | | | | |
| 1 | 56.0 | 54.4 | 57.8 | 56.0 | 54.4 | 57.8 | 56.0 | 54.4 | 57.8 |
| 2 | 32.2 | 33.1 | 31.0 | 32.2 | 33.1 | 31.0 | 32.2 | 33.1 | 31.0 |
| 3 | 9.2 | 9.8 | 8.4 | 9.2 | 9.8 | 8.4 | 9.2 | 9.8 | 8.4 |
| 4 | 2.3 | 2.4 | 2.2 | 2.3 | 2.4 | 2.2 | 2.3 | 2.4 | 2.2 |
| 5+ | 0.4 | 0.3 | 0.7 | 0.4 | 0.3 | 0.7 | 0.4 | 0.3 | 0.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Uttar Pradesh** | | | | | |
| 1 | 44.8 | 44.4 | 45.2 | 42.7 | 42.4 | 43.0 | 52.7 | 52.3 | 53.0 |
| 2 | 23.2 | 23.8 | 22.5 | 23.1 | 23.4 | 22.7 | 23.5 | 25.4 | 21.5 |
| 3 | 15.5 | 14.9 | 16.3 | 15.9 | 15.4 | 16.6 | 14.1 | 13.1 | 15.2 |
| 4 | 9.1 | 9.1 | 9.0 | 9.9 | 10.1 | 9.7 | 5.8 | 5.2 | 6.5 |
| 5+ | 7.5 | 7.8 | 7.1 | 8.4 | 8.8 | 8.0 | 3.9 | 3.9 | 3.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 5

## Percentage distribution of live births by order of birth, 2015

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Uttarakhand** | | | | | |
| 1 | 45.1 | 45.0 | 45.2 | 45.1 | 45.4 | 44.7 | 45.0 | 43.6 | 46.7 |
| 2 | 31.6 | 31.5 | 31.7 | 30.5 | 30.2 | 31.0 | 34.5 | 35.1 | 33.8 |
| 3 | 14.2 | 15.2 | 13.0 | 14.4 | 15.6 | 13.0 | 13.5 | 14.0 | 12.8 |
| 4 | 5.4 | 5.2 | 5.6 | 5.7 | 5.5 | 5.9 | 4.6 | 4.4 | 4.8 |
| 5+ | 3.8 | 3.2 | 4.4 | 4.2 | 3.3 | 5.3 | 2.4 | 2.8 | 1.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **West Bengal** | | | | | |
| 1 | 62.3 | 61.4 | 63.3 | 61.9 | 61.0 | 62.9 | 63.6 | 62.7 | 64.7 |
| 2 | 25.4 | 26.3 | 24.3 | 26.0 | 27.1 | 24.9 | 23.1 | 23.9 | 22.3 |
| 3 | 9.1 | 9.1 | 9.0 | 9.1 | 9.2 | 9.0 | 8.8 | 8.8 | 8.7 |
| 4 | 2.1 | 1.9 | 2.3 | 2.0 | 1.8 | 2.2 | 2.5 | 2.4 | 2.7 |
| 5+ | 1.1 | 1.2 | 1.1 | 0.9 | 0.9 | 0.9 | 1.9 | 2.2 | 1.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 6

### Percentage distribution of current live births by birth interval, 2015

| Birth interval in months | India | | | Andhra Pradesh | | | Assam | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 2.1 | 2.2 | 1.9 | 1.1 | 1.5 | 0.2 | 1.5 | 1.5 | 0.6 |
| 12-18 | 7.4 | 7.7 | 6.4 | 10.2 | 9.5 | 12.0 | 4.3 | 4.4 | 2.9 |
| 18-24 | 9.7 | 9.4 | 10.4 | 13.7 | 12.8 | 16.1 | 4.2 | 4.2 | 4.2 |
| 24-30 | 10.4 | 10.5 | 10.1 | 12.7 | 12.0 | 14.8 | 4.9 | 4.8 | 5.5 |
| 30-36 | 11.0 | 11.0 | 11.3 | 9.3 | 10.1 | 7.0 | 7.4 | 7.4 | 7.1 |
| 36+ | 59.4 | 59.2 | 60.0 | 53.1 | 54.2 | 49.9 | 77.8 | 77.6 | 79.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| Birth interval in months | Bihar | | | Chhattisgarh | | | Delhi | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 1.6 | 1.5 | 1.8 | 1.2 | 1.0 | 1.8 | 1.0 | 0.8 | 1.0 |
| 12-18 | 8.7 | 8.6 | 9.7 | 5.1 | 5.5 | 3.6 | 5.1 | 6.9 | 5.1 |
| 18-24 | 10.1 | 9.8 | 12.8 | 9.0 | 9.2 | 7.9 | 8.1 | 11.2 | 8.1 |
| 24-30 | 9.4 | 9.4 | 9.4 | 12.6 | 12.5 | 12.9 | 14.0 | 10.4 | 14.1 |
| 30-36 | 10.3 | 10.4 | 9.9 | 13.3 | 12.7 | 16.4 | 13.1 | 15.8 | 13.0 |
| 36+ | 59.9 | 60.3 | 56.3 | 58.8 | 59.1 | 57.4 | 58.7 | 54.8 | 58.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| Birth interval in months | Gujarat | | | Haryana | | | Himachal Pradesh | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 1.8 | 1.9 | 1.5 | 2.7 | 3.2 | 1.4 | 1.5 | 1.5 | 1.5 |
| 12-18 | 5.0 | 6.0 | 3.0 | 9.5 | 10.1 | 7.8 | 4.3 | 4.2 | 5.4 |
| 18-24 | 7.5 | 7.0 | 8.6 | 10.5 | 10.2 | 11.5 | 11.8 | 12.0 | 8.5 |
| 24-30 | 11.3 | 13.0 | 8.0 | 11.7 | 10.9 | 13.6 | 14.2 | 14.8 | 2.7 |
| 30-36 | 12.3 | 12.8 | 11.1 | 10.5 | 11.2 | 8.8 | 14.1 | 14.4 | 8.9 |
| 36+ | 62.0 | 59.1 | 67.7 | 55.1 | 54.4 | 56.9 | 54.1 | 53.1 | 72.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| Birth interval in months | Jammu & Kashmir | | | Jharkhand | | | Karnataka | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 4.4 | 4.9 | 2.1 | 2.0 | 2.1 | 1.3 | 1.2 | 1.2 | 1.2 |
| 12-18 | 11.0 | 11.7 | 6.9 | 6.7 | 7.0 | 5.5 | 6.6 | 7.5 | 4.9 |
| 18-24 | 10.1 | 11.3 | 3.3 | 10.1 | 9.8 | 11.6 | 13.0 | 13.6 | 11.9 |
| 24-30 | 7.4 | 8.0 | 4.3 | 8.9 | 8.4 | 11.1 | 14.4 | 16.3 | 10.7 |
| 30-36 | 9.4 | 8.9 | 12.1 | 9.2 | 8.6 | 12.3 | 11.7 | 11.9 | 11.4 |
| 36+ | 57.6 | 55.2 | 71.4 | 63.1 | 64.1 | 58.1 | 53.0 | 49.5 | 59.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 6

### Percentage distribution of current live births by birth interval, 2015

| Birth interval in months | Kerala | | | Madhya Pradesh | | | Maharashtra | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 0.4 | 0.4 | 0.4 | 2.2 | 2.5 | 1.1 | 1.5 | 1.4 | 1.5 |
| 12-18 | 4.2 | 4.8 | 3.6 | 8.6 | 9.6 | 4.2 | 8.0 | 8.5 | 7.3 |
| 18-24 | 7.8 | 7.4 | 8.2 | 11.7 | 12.0 | 10.7 | 15.2 | 16.7 | 13.3 |
| 24-30 | 8.1 | 8.7 | 7.4 | 14.2 | 14.9 | 11.1 | 14.0 | 15.1 | 12.5 |
| 30-36 | 8.0 | 8.4 | 7.7 | 13.6 | 13.8 | 12.8 | 12.5 | 12.8 | 12.0 |
| 36+ | 71.6 | 70.4 | 72.8 | 49.7 | 47.3 | 60.1 | 48.9 | 45.5 | 53.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| Birth interval in months | Odisha | | | Punjab | | | Rajasthan | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 1.1 | 1.2 | 0.9 | 4.3 | 3.7 | 5.3 | 4.2 | 4.0 | 5.1 |
| 12-18 | 3.0 | 2.9 | 3.4 | 12.5 | 12.7 | 12.2 | 11.0 | 11.6 | 8.7 |
| 18-24 | 4.0 | 4.0 | 3.9 | 12.7 | 13.9 | 10.7 | 10.3 | 10.7 | 9.0 |
| 24-30 | 6.6 | 6.8 | 5.3 | 10.1 | 9.8 | 10.5 | 9.7 | 9.8 | 9.2 |
| 30-36 | 9.2 | 9.2 | 9.1 | 8.4 | 9.6 | 6.4 | 13.1 | 13.0 | 13.3 |
| 36+ | 76.1 | 76.0 | 77.5 | 52.0 | 50.3 | 54.8 | 51.6 | 50.8 | 54.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| Birth interval in months | Tamil Nadu | | | Telangana | | | Uttar Pradesh | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 1.2 | 1.1 | 1.3 | 1.6 | 1.0 | 2.1 | 2.9 | 2.9 | 2.9 |
| 12-18 | 6.2 | 6.6 | 5.8 | 7.9 | 5.3 | 10.4 | 7.3 | 7.4 | 6.5 |
| 18-24 | 11.8 | 13.8 | 9.8 | 8.3 | 9.8 | 6.9 | 8.3 | 7.6 | 11.6 |
| 24-30 | 12.2 | 14.9 | 9.5 | 16.2 | 11.8 | 20.6 | 9.0 | 9.4 | 6.9 |
| 30-36 | 14.0 | 13.5 | 14.4 | 11.9 | 11.2 | 12.5 | 10.5 | 10.6 | 10.1 |
| 36+ | 54.6 | 50.1 | 59.4 | 54.1 | 60.8 | 47.4 | 62.0 | 62.0 | 61.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| Birth interval in months | Uttarakhand | | | West Bengal | | |
|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 3.0 | 3.1 | 2.5 | 1.8 | 1.9 | 1.4 |
| 12-18 | 7.0 | 7.5 | 5.6 | 4.8 | 4.8 | 4.7 |
| 18-24 | 7.4 | 7.2 | 7.8 | 5.8 | 5.3 | 7.3 |
| 24-30 | 8.2 | 8.1 | 8.3 | 6.5 | 6.2 | 7.2 |
| 30-36 | 9.8 | 9.6 | 10.2 | 7.5 | 7.0 | 9.2 |
| 36+ | 64.7 | 64.4 | 65.7 | 73.6 | 74.8 | 69.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 7

## Percentage distribution of current live births by birth interval and birth order, 2015

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **India** | | | | | | | | | | | | | | | |
| 10-12 | 1.1 | 0.6 | 0.3 | 0.2 | 2.1 | 1.1 | 0.6 | 0.3 | 0.2 | 2.2 | 1.1 | 0.6 | 0.2 | 0.1 | 1.9 |
| 12-18 | 4.2 | 1.8 | 0.8 | 0.5 | 7.4 | 4.2 | 2.0 | 0.9 | 0.6 | 7.7 | 4.3 | 1.4 | 0.4 | 0.3 | 6.4 |
| 18-24 | 5.8 | 2.4 | 0.9 | 0.6 | 9.7 | 5.4 | 2.5 | 0.9 | 0.7 | 9.4 | 7.2 | 2.3 | 0.7 | 0.3 | 10.4 |
| 24-30 | 6.1 | 2.7 | 1.0 | 0.6 | 10.4 | 5.9 | 2.9 | 1.0 | 0.7 | 10.5 | 6.9 | 2.0 | 0.7 | 0.5 | 10.1 |
| 30-36 | 6.4 | 2.7 | 1.1 | 0.8 | 11.0 | 6.0 | 2.9 | 1.2 | 0.9 | 11.0 | 7.7 | 2.2 | 0.8 | 0.5 | 11.3 |
| 36+ | 31.7 | 15.8 | 7.0 | 4.9 | 59.4 | 29.4 | 16.4 | 7.8 | 5.6 | 59.2 | 39.2 | 14.1 | 4.3 | 2.4 | 60.0 |
| Total | 55.3 | 26.1 | 11.0 | 7.6 | 100.0 | 51.9 | 27.2 | 12.2 | 8.7 | 100.0 | 66.4 | 22.4 | 7.0 | 4.1 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 7

## Percentage distribution of current live births by birth interval and birth order, 2015

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **Andhra Pradesh** | | | | | | | | | | | | | | | |
| 10-12 | 0.7 | 0.4 | 0.0 | 0.0 | 1.1 | 0.9 | 0.5 | 0.0 | 0.0 | 1.5 | 0.0 | 0.2 | 0.0 | 0.0 | 0.2 |
| 12-18 | 8.1 | 1.5 | 0.5 | 0.1 | 10.2 | 7.2 | 1.6 | 0.6 | 0.1 | 9.5 | 10.4 | 1.4 | 0.2 | 0.0 | 12.0 |
| 18-24 | 11.4 | 2.2 | 0.1 | 0.0 | 13.7 | 11.0 | 1.8 | 0.0 | 0.0 | 12.8 | 12.5 | 3.4 | 0.2 | 0.0 | 16.1 |
| 24-30 | 10.5 | 1.8 | 0.3 | 0.1 | 12.7 | 10.0 | 1.5 | 0.4 | 0.1 | 12.0 | 12.1 | 2.5 | 0.2 | 0.0 | 14.8 |
| 30-36 | 7.3 | 1.7 | 0.1 | 0.1 | 9.3 | 7.8 | 2.1 | 0.1 | 0.1 | 10.1 | 6.0 | 0.8 | 0.2 | 0.0 | 7.0 |
| 36+ | 39.6 | 11.3 | 1.9 | 0.2 | 53.1 | 39.3 | 12.2 | 2.5 | 0.2 | 54.2 | 40.4 | 8.7 | 0.5 | 0.3 | 49.9 |
| Total | 77.6 | 19.0 | 2.9 | 0.5 | 100.0 | 76.2 | 19.7 | 3.5 | 0.6 | 100.0 | 81.4 | 17.0 | 1.3 | 0.3 | 100.0 |
| **Assam** | | | | | | | | | | | | | | | |
| 10-12 | 0.6 | 0.7 | 0.1 | 0.1 | 1.5 | 0.6 | 0.8 | 0.1 | 0.1 | 1.5 | 0.2 | 0.1 | 0.2 | 0.1 | 0.6 |
| 12-18 | 3.2 | 0.9 | 0.1 | 0.0 | 4.3 | 3.4 | 0.9 | 0.1 | 0.0 | 4.4 | 1.5 | 1.0 | 0.2 | 0.1 | 2.9 |
| 18-24 | 2.3 | 1.1 | 0.7 | 0.2 | 4.2 | 2.3 | 1.0 | 0.7 | 0.2 | 4.2 | 2.3 | 1.3 | 0.3 | 0.3 | 4.2 |
| 24-30 | 3.1 | 0.9 | 0.7 | 0.1 | 4.9 | 3.0 | 0.9 | 0.8 | 0.1 | 4.8 | 4.3 | 0.7 | 0.3 | 0.2 | 5.5 |
| 30-36 | 4.2 | 2.0 | 0.7 | 0.4 | 7.4 | 4.2 | 1.9 | 0.8 | 0.5 | 7.4 | 3.8 | 2.9 | 0.3 | 0.1 | 7.1 |
| 36+ | 41.9 | 23.2 | 9.5 | 3.2 | 77.8 | 40.4 | 23.8 | 10.0 | 3.4 | 77.6 | 58.0 | 16.5 | 3.6 | 1.5 | 79.7 |
| Total | 55.3 | 28.7 | 11.9 | 4.1 | 100.0 | 53.9 | 29.3 | 12.5 | 4.3 | 100.0 | 70.2 | 22.5 | 4.9 | 2.4 | 100.0 |
| **Bihar** | | | | | | | | | | | | | | | |
| 10-12 | 0.5 | 0.6 | 0.2 | 0.3 | 1.6 | 0.5 | 0.6 | 0.2 | 0.3 | 1.5 | 0.6 | 0.8 | 0.2 | 0.1 | 1.8 |
| 12-18 | 3.3 | 2.9 | 1.5 | 1.0 | 8.7 | 3.1 | 2.9 | 1.6 | 0.9 | 8.6 | 5.2 | 2.2 | 1.2 | 1.1 | 9.7 |
| 18-24 | 4.2 | 3.4 | 1.5 | 1.0 | 10.1 | 3.9 | 3.3 | 1.5 | 1.0 | 9.8 | 6.4 | 4.0 | 1.5 | 1.0 | 12.8 |
| 24-30 | 3.9 | 3.3 | 1.1 | 1.1 | 9.4 | 3.8 | 3.2 | 1.1 | 1.2 | 9.4 | 4.4 | 3.3 | 1.1 | 0.7 | 9.4 |
| 30-36 | 4.0 | 3.4 | 1.6 | 1.3 | 10.3 | 3.9 | 3.5 | 1.6 | 1.4 | 10.4 | 5.6 | 2.8 | 1.1 | 0.5 | 9.9 |
| 36+ | 22.3 | 19.5 | 10.2 | 7.9 | 59.9 | 21.9 | 19.6 | 10.6 | 8.2 | 60.3 | 25.6 | 18.2 | 7.3 | 5.2 | 56.3 |
| Total | 38.2 | 33.0 | 16.2 | 12.6 | 100.0 | 37.2 | 33.2 | 16.6 | 13.0 | 100.0 | 47.8 | 31.3 | 12.4 | 8.6 | 100.0 |
| **Chhattisgarh** | | | | | | | | | | | | | | | |
| 10-12 | 1.0 | 0.1 | 0.1 | 0.0 | 1.2 | 0.9 | 0.1 | 0.1 | 0.0 | 1.0 | 1.5 | 0.3 | 0.0 | 0.0 | 1.8 |
| 12-18 | 3.9 | 0.6 | 0.5 | 0.1 | 5.1 | 4.0 | 0.7 | 0.7 | 0.1 | 5.5 | 3.4 | 0.2 | 0.0 | 0.0 | 3.6 |
| 18-24 | 6.4 | 1.6 | 0.6 | 0.4 | 9.0 | 6.7 | 1.4 | 0.7 | 0.4 | 9.2 | 5.0 | 2.5 | 0.1 | 0.4 | 7.9 |
| 24-30 | 7.0 | 4.1 | 0.9 | 0.6 | 12.6 | 6.5 | 4.4 | 0.9 | 0.6 | 12.5 | 8.9 | 2.6 | 1.0 | 0.4 | 12.9 |
| 30-36 | 8.2 | 3.1 | 1.0 | 1.0 | 13.3 | 7.5 | 2.9 | 1.1 | 1.2 | 12.7 | 11.6 | 3.9 | 0.9 | 0.0 | 16.4 |
| 36+ | 34.3 | 15.3 | 6.1 | 3.1 | 58.8 | 33.0 | 16.3 | 6.6 | 3.2 | 59.1 | 40.3 | 10.9 | 3.9 | 2.3 | 57.4 |
| Total | 60.7 | 24.9 | 9.3 | 5.2 | 100.0 | 58.5 | 25.8 | 10.0 | 5.6 | 100.0 | 70.7 | 20.4 | 5.8 | 3.1 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 7

## Percentage distribution of current live births by birth interval and birth order, 2015

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **Delhi** | | | | | | | | | | | | | | | |
| 10-12 | 0.4 | 0.4 | 0.2 | 0.1 | 1.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.8 | 0.4 | 0.4 | 0.2 | 0.1 | 1.0 |
| 12-18 | 2.7 | 1.6 | 0.6 | 0.2 | 5.1 | 5.3 | 1.7 | 0.0 | 0.0 | 6.9 | 2.7 | 1.6 | 0.6 | 0.2 | 5.1 |
| 18-24 | 3.9 | 3.4 | 0.6 | 0.3 | 8.1 | 7.0 | 4.2 | 0.0 | 0.0 | 11.2 | 3.8 | 3.4 | 0.6 | 0.3 | 8.1 |
| 24-30 | 10.2 | 2.5 | 0.7 | 0.6 | 14.0 | 8.8 | 1.7 | 0.0 | 0.0 | 10.4 | 10.3 | 2.5 | 0.8 | 0.6 | 14.1 |
| 30-36 | 8.1 | 3.0 | 1.2 | 0.7 | 13.1 | 15.8 | 0.0 | 0.0 | 0.0 | 15.8 | 8.0 | 3.1 | 1.3 | 0.7 | 13.0 |
| 36+ | 40.2 | 12.7 | 4.2 | 1.5 | 58.7 | 26.3 | 9.2 | 15.8 | 3.5 | 54.8 | 40.4 | 12.8 | 4.0 | 1.5 | 58.7 |
| Total | 65.6 | 23.6 | 7.5 | 3.3 | 100.0 | 63.2 | 17.5 | 15.8 | 3.5 | 100.0 | 65.6 | 23.7 | 7.4 | 3.3 | 100.0 |
| **Gujarat** | | | | | | | | | | | | | | | |
| 10-12 | 1.4 | 0.2 | 0.0 | 0.1 | 1.8 | 1.5 | 0.3 | 0.0 | 0.1 | 1.9 | 1.3 | 0.2 | 0.0 | 0.0 | 1.5 |
| 12-18 | 3.0 | 1.1 | 0.3 | 0.6 | 5.0 | 4.1 | 1.2 | 0.3 | 0.4 | 6.0 | 0.9 | 0.9 | 0.2 | 0.9 | 3.0 |
| 18-24 | 5.4 | 1.7 | 0.3 | 0.1 | 7.5 | 4.5 | 1.9 | 0.4 | 0.2 | 7.0 | 7.0 | 1.4 | 0.2 | 0.0 | 8.6 |
| 24-30 | 7.3 | 2.7 | 0.9 | 0.4 | 11.3 | 8.1 | 3.4 | 1.2 | 0.3 | 13.0 | 5.8 | 1.3 | 0.5 | 0.5 | 8.0 |
| 30-36 | 8.1 | 2.4 | 0.9 | 0.8 | 12.3 | 8.4 | 2.8 | 1.0 | 0.7 | 12.8 | 7.6 | 1.8 | 0.8 | 0.9 | 11.1 |
| 36+ | 41.5 | 12.8 | 4.8 | 2.9 | 62.0 | 36.3 | 13.6 | 6.0 | 3.3 | 59.1 | 51.6 | 11.4 | 2.6 | 2.2 | 67.7 |
| Total | 66.8 | 21.0 | 7.3 | 4.9 | 100.0 | 62.9 | 23.1 | 8.9 | 5.2 | 100.0 | 74.3 | 17.0 | 4.2 | 4.5 | 100.0 |
| **Haryana** | | | | | | | | | | | | | | | |
| 10-12 | 1.7 | 0.4 | 0.3 | 0.3 | 2.7 | 2.2 | 0.5 | 0.3 | 0.3 | 3.2 | 0.5 | 0.3 | 0.2 | 0.4 | 1.4 |
| 12-18 | 5.7 | 2.7 | 0.3 | 0.7 | 9.5 | 5.7 | 3.2 | 0.3 | 0.9 | 10.1 | 5.9 | 1.3 | 0.5 | 0.1 | 7.8 |
| 18-24 | 7.4 | 2.2 | 0.6 | 0.4 | 10.5 | 7.0 | 1.9 | 0.8 | 0.5 | 10.2 | 8.4 | 2.9 | 0.1 | 0.2 | 11.5 |
| 24-30 | 8.3 | 2.6 | 0.4 | 0.3 | 11.7 | 7.5 | 2.6 | 0.5 | 0.3 | 10.9 | 10.4 | 2.6 | 0.3 | 0.3 | 13.6 |
| 30-36 | 7.1 | 2.6 | 0.3 | 0.5 | 10.5 | 7.6 | 2.6 | 0.3 | 0.7 | 11.2 | 5.7 | 2.6 | 0.5 | 0.0 | 8.8 |
| 36+ | 34.2 | 14.5 | 3.6 | 2.7 | 55.1 | 32.8 | 14.2 | 4.3 | 3.0 | 54.4 | 38.0 | 15.1 | 1.7 | 2.0 | 56.9 |
| Total | 64.5 | 25.0 | 5.6 | 4.9 | 100.0 | 62.8 | 25.1 | 6.4 | 5.7 | 100.0 | 68.8 | 24.8 | 3.4 | 3.0 | 100.0 |
| **Himachal Pradesh** | | | | | | | | | | | | | | | |
| 10-12 | 1.2 | 0.0 | 0.3 | 0.0 | 1.5 | 1.1 | 0.0 | 0.3 | 0.0 | 1.5 | 1.5 | 0.0 | 0.0 | 0.0 | 1.5 |
| 12-18 | 2.7 | 1.5 | 0.0 | 0.0 | 4.3 | 2.6 | 1.6 | 0.0 | 0.0 | 4.2 | 4.6 | 0.0 | 0.8 | 0.0 | 5.4 |
| 18-24 | 10.2 | 1.2 | 0.4 | 0.0 | 11.8 | 10.3 | 1.3 | 0.4 | 0.0 | 12.0 | 7.7 | 0.0 | 0.8 | 0.0 | 8.5 |
| 24-30 | 10.5 | 2.9 | 0.8 | 0.0 | 14.2 | 11.0 | 3.0 | 0.8 | 0.0 | 14.8 | 1.5 | 1.2 | 0.0 | 0.0 | 2.7 |
| 30-36 | 11.9 | 1.0 | 1.0 | 0.2 | 14.1 | 12.1 | 1.0 | 1.1 | 0.2 | 14.4 | 7.7 | 1.2 | 0.0 | 0.0 | 8.9 |
| 36+ | 41.8 | 9.8 | 2.2 | 0.3 | 54.1 | 40.8 | 9.9 | 2.2 | 0.2 | 53.1 | 60.3 | 8.6 | 3.1 | 0.9 | 72.9 |
| Total | 78.3 | 16.5 | 4.8 | 0.5 | 100.0 | 78.0 | 16.8 | 4.8 | 0.5 | 100.0 | 83.5 | 11.0 | 4.6 | 0.9 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 7

## Percentage distribution of current live births by birth interval and birth order, 2015

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **Jammu & Kashmir** | | | | | | | | | | | | | | | |
| 10-12 | 2.1 | 1.7 | 0.2 | 0.5 | 4.4 | 2.1 | 2.0 | 0.2 | 0.5 | 4.9 | 2.1 | 0.0 | 0.0 | 0.0 | 2.1 |
| 12-18 | 6.8 | 3.2 | 0.5 | 0.6 | 11.0 | 6.7 | 3.8 | 0.5 | 0.7 | 11.7 | 6.9 | 0.0 | 0.0 | 0.0 | 6.9 |
| 18-24 | 6.3 | 2.9 | 0.3 | 0.7 | 10.1 | 7.0 | 3.2 | 0.3 | 0.8 | 11.3 | 2.1 | 1.2 | 0.0 | 0.0 | 3.3 |
| 24-30 | 5.1 | 1.7 | 0.5 | 0.1 | 7.4 | 5.2 | 2.1 | 0.6 | 0.1 | 8.0 | 4.3 | 0.0 | 0.0 | 0.0 | 4.3 |
| 30-36 | 5.3 | 2.4 | 1.0 | 0.7 | 9.4 | 5.2 | 2.2 | 1.1 | 0.5 | 8.9 | 5.7 | 3.8 | 0.6 | 1.9 | 12.1 |
| 36+ | 32.7 | 14.5 | 5.3 | 5.1 | 57.6 | 31.8 | 13.4 | 5.5 | 4.5 | 55.2 | 38.0 | 20.9 | 4.0 | 8.4 | 71.4 |
| Total | 58.2 | 26.5 | 7.7 | 7.6 | 100.0 | 58.0 | 26.6 | 8.3 | 7.1 | 100.0 | 59.1 | 25.9 | 4.7 | 10.4 | 100.0 |
| **Jharkhand** | | | | | | | | | | | | | | | |
| 10-12 | 1.0 | 0.9 | 0.1 | 0.1 | 2.0 | 0.9 | 1.0 | 0.1 | 0.1 | 2.1 | 1.3 | 0.0 | 0.0 | 0.0 | 1.3 |
| 12-18 | 3.3 | 1.9 | 0.8 | 0.7 | 6.7 | 3.2 | 2.1 | 0.9 | 0.9 | 7.0 | 3.9 | 1.0 | 0.5 | 0.0 | 5.5 |
| 18-24 | 6.2 | 2.3 | 0.7 | 0.8 | 10.1 | 6.0 | 2.1 | 0.8 | 0.9 | 9.8 | 7.4 | 3.4 | 0.6 | 0.3 | 11.6 |
| 24-30 | 4.6 | 2.7 | 0.8 | 0.7 | 8.9 | 4.4 | 2.4 | 0.9 | 0.8 | 8.4 | 5.6 | 4.2 | 0.7 | 0.6 | 11.1 |
| 30-36 | 5.2 | 3.0 | 0.5 | 0.5 | 9.2 | 4.6 | 3.0 | 0.5 | 0.5 | 8.6 | 8.2 | 3.0 | 0.4 | 0.6 | 12.3 |
| 36+ | 31.4 | 19.2 | 7.2 | 5.3 | 63.1 | 31.8 | 18.8 | 7.9 | 5.6 | 64.1 | 29.6 | 20.8 | 4.1 | 3.6 | 58.1 |
| Total | 51.8 | 30.0 | 10.1 | 8.1 | 100.0 | 50.9 | 29.5 | 11.0 | 8.7 | 100.0 | 56.0 | 32.5 | 6.3 | 5.2 | 100.0 |
| **Karnataka** | | | | | | | | | | | | | | | |
| 10-12 | 1.0 | 0.2 | 0.1 | 0.0 | 1.2 | 0.9 | 0.2 | 0.0 | 0.0 | 1.2 | 1.0 | 0.1 | 0.2 | 0.0 | 1.2 |
| 12-18 | 5.1 | 1.2 | 0.2 | 0.1 | 6.6 | 5.6 | 1.5 | 0.3 | 0.1 | 7.5 | 4.2 | 0.7 | 0.0 | 0.0 | 4.9 |
| 18-24 | 9.5 | 2.8 | 0.6 | 0.1 | 13.0 | 9.2 | 3.5 | 0.7 | 0.1 | 13.6 | 10.0 | 1.5 | 0.4 | 0.0 | 11.9 |
| 24-30 | 10.0 | 3.5 | 0.8 | 0.1 | 14.4 | 10.9 | 4.3 | 1.1 | 0.0 | 16.3 | 8.4 | 1.9 | 0.3 | 0.2 | 10.7 |
| 30-36 | 8.6 | 2.4 | 0.6 | 0.1 | 11.7 | 8.0 | 3.0 | 0.8 | 0.2 | 11.9 | 9.8 | 1.3 | 0.2 | 0.0 | 11.4 |
| 36+ | 36.7 | 12.9 | 2.9 | 0.6 | 53.0 | 32.8 | 12.7 | 3.5 | 0.6 | 49.5 | 44.3 | 13.1 | 1.8 | 0.7 | 59.9 |
| Total | 70.9 | 23.0 | 5.2 | 0.9 | 100.0 | 67.4 | 25.3 | 6.4 | 1.0 | 100.0 | 77.7 | 18.6 | 2.8 | 0.8 | 100.0 |
| **Kerala** | | | | | | | | | | | | | | | |
| 10-12 | 0.3 | 0.0 | 0.0 | 0.0 | 0.4 | 0.3 | 0.1 | 0.0 | 0.0 | 0.4 | 0.4 | 0.0 | 0.0 | 0.0 | 0.4 |
| 12-18 | 2.9 | 1.1 | 0.2 | 0.0 | 4.2 | 3.4 | 1.0 | 0.3 | 0.0 | 4.8 | 2.4 | 1.2 | 0.0 | 0.0 | 3.6 |
| 18-24 | 6.3 | 1.1 | 0.3 | 0.0 | 7.8 | 5.3 | 1.9 | 0.2 | 0.0 | 7.4 | 7.5 | 0.2 | 0.4 | 0.0 | 8.2 |
| 24-30 | 5.7 | 1.9 | 0.4 | 0.2 | 8.1 | 6.7 | 1.7 | 0.3 | 0.1 | 8.7 | 4.7 | 2.0 | 0.4 | 0.3 | 7.4 |
| 30-36 | 5.9 | 1.5 | 0.6 | 0.1 | 8.0 | 5.9 | 2.0 | 0.4 | 0.1 | 8.4 | 5.9 | 1.0 | 0.8 | 0.0 | 7.7 |
| 36+ | 51.5 | 16.5 | 3.1 | 0.5 | 71.6 | 50.3 | 16.7 | 2.4 | 1.0 | 70.4 | 52.7 | 16.4 | 3.7 | 0.0 | 72.8 |
| Total | 72.7 | 22.1 | 4.5 | 0.7 | 100.0 | 71.9 | 23.4 | 3.6 | 1.2 | 100.0 | 73.5 | 20.8 | 5.4 | 0.3 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 7

## Percentage distribution of current live births by birth interval and birth order, 2015

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **Madhya Pradesh** | | | | | | | | | | | | | | | |
| 10-12 | 1.0 | 0.9 | 0.3 | 0.1 | 2.2 | 1.1 | 1.0 | 0.3 | 0.1 | 2.5 | 0.4 | 0.3 | 0.4 | 0.0 | 1.1 |
| 12-18 | 5.1 | 2.1 | 0.8 | 0.6 | 8.6 | 5.8 | 2.2 | 0.9 | 0.7 | 9.6 | 2.1 | 1.3 | 0.6 | 0.2 | 4.2 |
| 18-24 | 6.8 | 2.9 | 1.1 | 0.9 | 11.7 | 7.0 | 3.0 | 1.0 | 1.0 | 12.0 | 6.1 | 2.8 | 1.3 | 0.5 | 10.7 |
| 24-30 | 7.9 | 4.0 | 1.7 | 0.6 | 14.2 | 8.4 | 4.0 | 1.8 | 0.7 | 14.9 | 6.0 | 3.7 | 0.9 | 0.6 | 11.1 |
| 30-36 | 7.6 | 3.5 | 1.4 | 1.1 | 13.6 | 7.3 | 3.8 | 1.6 | 1.1 | 13.8 | 8.9 | 2.4 | 0.7 | 0.9 | 12.8 |
| 36+ | 27.0 | 13.2 | 6.0 | 3.4 | 49.7 | 23.8 | 13.5 | 6.2 | 3.7 | 47.3 | 41.1 | 11.8 | 5.0 | 2.1 | 60.1 |
| Total | 55.5 | 26.5 | 11.3 | 6.7 | 100.0 | 53.4 | 27.4 | 11.9 | 7.3 | 100.0 | 64.7 | 22.3 | 8.8 | 4.2 | 100.0 |
| **Maharashtra** | | | | | | | | | | | | | | | |
| 10-12 | 1.0 | 0.3 | 0.1 | 0.1 | 1.5 | 1.1 | 0.2 | 0.1 | 0.1 | 1.4 | 0.8 | 0.3 | 0.1 | 0.3 | 1.5 |
| 12-18 | 5.8 | 1.7 | 0.4 | 0.1 | 8.0 | 6.1 | 1.8 | 0.5 | 0.1 | 8.5 | 5.3 | 1.6 | 0.3 | 0.1 | 7.3 |
| 18-24 | 11.1 | 3.1 | 0.9 | 0.2 | 15.2 | 11.9 | 3.7 | 1.0 | 0.2 | 16.7 | 10.0 | 2.3 | 0.7 | 0.3 | 13.3 |
| 24-30 | 10.3 | 2.4 | 0.9 | 0.4 | 14.0 | 10.7 | 3.1 | 0.9 | 0.4 | 15.1 | 9.7 | 1.5 | 1.0 | 0.4 | 12.5 |
| 30-36 | 8.7 | 2.4 | 0.8 | 0.6 | 12.5 | 9.1 | 2.6 | 0.5 | 0.6 | 12.8 | 8.2 | 2.2 | 1.2 | 0.5 | 12.0 |
| 36+ | 34.0 | 11.5 | 2.3 | 1.1 | 48.9 | 31.4 | 11.1 | 2.2 | 0.8 | 45.5 | 37.4 | 12.0 | 2.5 | 1.5 | 53.4 |
| Total | 70.8 | 21.3 | 5.4 | 2.5 | 100.0 | 70.3 | 22.5 | 5.1 | 2.2 | 100.0 | 71.4 | 19.8 | 5.8 | 3.0 | 100.0 |
| **Odisha** | | | | | | | | | | | | | | | |
| 10-12 | 0.7 | 0.2 | 0.1 | 0.1 | 1.1 | 0.7 | 0.2 | 0.1 | 0.1 | 1.2 | 0.5 | 0.4 | 0.0 | 0.0 | 0.9 |
| 12-18 | 1.9 | 0.7 | 0.3 | 0.0 | 3.0 | 1.8 | 0.7 | 0.4 | 0.0 | 2.9 | 3.2 | 0.2 | 0.0 | 0.0 | 3.4 |
| 18-24 | 2.9 | 0.8 | 0.3 | 0.0 | 4.0 | 3.0 | 0.8 | 0.2 | 0.0 | 4.0 | 2.4 | 1.0 | 0.5 | 0.0 | 3.9 |
| 24-30 | 4.4 | 1.3 | 0.7 | 0.2 | 6.6 | 4.4 | 1.4 | 0.8 | 0.2 | 6.8 | 4.3 | 1.0 | 0.0 | 0.0 | 5.3 |
| 30-36 | 5.6 | 2.4 | 0.7 | 0.5 | 9.2 | 5.5 | 2.5 | 0.7 | 0.6 | 9.2 | 7.0 | 1.8 | 0.3 | 0.0 | 9.1 |
| 36+ | 49.1 | 18.2 | 5.9 | 2.9 | 76.1 | 48.1 | 18.6 | 6.1 | 3.1 | 76.0 | 57.1 | 15.0 | 3.8 | 1.5 | 77.5 |
| Total | 64.7 | 23.7 | 7.9 | 3.7 | 100.0 | 63.5 | 24.2 | 8.3 | 4.0 | 100.0 | 74.4 | 19.4 | 4.6 | 1.5 | 100.0 |
| **Punjab** | | | | | | | | | | | | | | | |
| 10-12 | 2.6 | 1.3 | 0.4 | 0.1 | 4.3 | 2.2 | 1.1 | 0.3 | 0.1 | 3.7 | 3.3 | 1.5 | 0.5 | 0.0 | 5.3 |
| 12-18 | 9.8 | 2.2 | 0.3 | 0.2 | 12.5 | 9.5 | 2.5 | 0.3 | 0.4 | 12.7 | 10.2 | 1.8 | 0.2 | 0.0 | 12.2 |
| 18-24 | 8.4 | 3.5 | 0.4 | 0.4 | 12.7 | 9.4 | 3.4 | 0.7 | 0.3 | 13.9 | 6.6 | 3.5 | 0.0 | 0.6 | 10.7 |
| 24-30 | 7.0 | 2.5 | 0.3 | 0.3 | 10.1 | 7.0 | 2.3 | 0.2 | 0.3 | 9.8 | 7.1 | 2.7 | 0.5 | 0.3 | 10.5 |
| 30-36 | 5.4 | 2.3 | 0.7 | 0.1 | 8.4 | 6.6 | 2.6 | 0.4 | 0.0 | 9.6 | 3.2 | 1.7 | 1.1 | 0.3 | 6.4 |
| 36+ | 36.0 | 12.8 | 2.5 | 0.6 | 52.0 | 33.5 | 13.7 | 2.6 | 0.4 | 50.3 | 40.2 | 11.3 | 2.3 | 1.0 | 54.8 |
| Total | 69.2 | 24.5 | 4.6 | 1.8 | 100.0 | 68.3 | 25.6 | 4.6 | 1.5 | 100.0 | 70.6 | 22.5 | 4.5 | 2.3 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 7

## Percentage distribution of current live births by birth interval and birth order, 2015

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **Rajasthan** | | | | | | | | | | | | | | | |
| 10-12 | 2.2 | 1.1 | 0.5 | 0.3 | 4.2 | 1.9 | 1.2 | 0.5 | 0.4 | 4.0 | 3.3 | 1.0 | 0.5 | 0.3 | 5.1 |
| 12-18 | 6.3 | 2.9 | 1.2 | 0.7 | 11.0 | 6.4 | 3.1 | 1.5 | 0.7 | 11.6 | 6.0 | 1.9 | 0.3 | 0.6 | 8.7 |
| 18-24 | 5.9 | 2.9 | 1.0 | 0.6 | 10.3 | 5.6 | 3.2 | 1.2 | 0.7 | 10.7 | 6.9 | 1.6 | 0.3 | 0.2 | 9.0 |
| 24-30 | 5.1 | 3.0 | 1.1 | 0.5 | 9.7 | 4.8 | 3.3 | 1.2 | 0.4 | 9.8 | 6.0 | 2.0 | 0.6 | 0.6 | 9.2 |
| 30-36 | 7.6 | 3.2 | 1.3 | 1.0 | 13.1 | 7.1 | 3.4 | 1.4 | 1.2 | 13.0 | 9.4 | 2.2 | 1.1 | 0.6 | 13.3 |
| 36+ | 26.0 | 14.3 | 6.6 | 4.8 | 51.6 | 23.6 | 15.1 | 7.0 | 5.0 | 50.8 | 35.1 | 10.8 | 5.0 | 3.9 | 54.8 |
| Total | 53.0 | 27.3 | 11.8 | 7.9 | 100.0 | 49.5 | 29.3 | 12.8 | 8.4 | 100.0 | 66.7 | 19.5 | 7.7 | 6.1 | 100.0 |
| **Tamil Nadu** | | | | | | | | | | | | | | | |
| 10-12 | 0.9 | 0.2 | 0.0 | 0.0 | 1.2 | 0.8 | 0.2 | 0.1 | 0.0 | 1.1 | 1.0 | 0.2 | 0.0 | 0.0 | 1.3 |
| 12-18 | 5.1 | 0.9 | 0.2 | 0.0 | 6.2 | 5.1 | 1.3 | 0.2 | 0.0 | 6.6 | 5.0 | 0.5 | 0.3 | 0.0 | 5.8 |
| 18-24 | 10.1 | 1.5 | 0.2 | 0.0 | 11.8 | 11.3 | 2.1 | 0.3 | 0.0 | 13.8 | 8.9 | 0.8 | 0.1 | 0.0 | 9.8 |
| 24-30 | 10.1 | 1.9 | 0.2 | 0.1 | 12.2 | 11.9 | 2.6 | 0.3 | 0.1 | 14.9 | 8.3 | 1.1 | 0.1 | 0.0 | 9.5 |
| 30-36 | 11.9 | 1.8 | 0.3 | 0.0 | 14.0 | 11.3 | 1.8 | 0.4 | 0.0 | 13.5 | 12.5 | 1.6 | 0.3 | 0.0 | 14.4 |
| 36+ | 45.2 | 8.2 | 1.2 | 0.0 | 54.6 | 38.9 | 9.6 | 1.7 | 0.0 | 50.1 | 51.7 | 6.8 | 0.7 | 0.1 | 59.4 |
| Total | 83.3 | 14.4 | 2.2 | 0.1 | 100.0 | 79.3 | 17.7 | 2.9 | 0.1 | 100.0 | 87.4 | 11.0 | 1.5 | 0.1 | 100.0 |
| **Telangana** | | | | | | | | | | | | | | | |
| 10-12 | 1.3 | 0.3 | 0.0 | 0.0 | 1.6 | 0.7 | 0.3 | 0.0 | 0.0 | 1.0 | 1.8 | 0.3 | 0.0 | 0.0 | 2.1 |
| 12-18 | 5.6 | 1.9 | 0.3 | 0.0 | 7.9 | 4.5 | 0.8 | 0.0 | 0.0 | 5.3 | 6.7 | 3.0 | 0.7 | 0.1 | 10.4 |
| 18-24 | 6.4 | 1.4 | 0.5 | 0.1 | 8.3 | 8.1 | 1.2 | 0.5 | 0.0 | 9.8 | 4.7 | 1.5 | 0.5 | 0.2 | 6.9 |
| 24-30 | 12.6 | 2.6 | 0.8 | 0.2 | 16.2 | 9.1 | 1.8 | 0.6 | 0.3 | 11.8 | 16.2 | 3.4 | 0.9 | 0.1 | 20.6 |
| 30-36 | 9.0 | 1.8 | 1.0 | 0.1 | 11.9 | 8.5 | 1.6 | 1.1 | 0.0 | 11.2 | 9.5 | 2.0 | 0.9 | 0.2 | 12.5 |
| 36+ | 38.1 | 12.9 | 2.6 | 0.6 | 54.1 | 42.1 | 15.1 | 3.0 | 0.7 | 60.8 | 34.1 | 10.7 | 2.2 | 0.5 | 47.4 |
| Total | 73.0 | 20.8 | 5.2 | 1.0 | 100.0 | 73.0 | 20.8 | 5.2 | 1.0 | 100.0 | 73.0 | 20.8 | 5.2 | 1.0 | 100.0 |
| **Uttar Pradesh** | | | | | | | | | | | | | | | |
| 10-12 | 1.2 | 0.9 | 0.6 | 0.3 | 2.9 | 1.2 | 0.8 | 0.7 | 0.3 | 2.9 | 1.3 | 1.3 | 0.2 | 0.1 | 2.9 |
| 12-18 | 3.5 | 1.9 | 1.0 | 0.8 | 7.3 | 3.5 | 2.0 | 1.1 | 0.9 | 7.4 | 4.0 | 1.7 | 0.6 | 0.3 | 6.5 |
| 18-24 | 3.9 | 2.5 | 1.1 | 0.9 | 8.3 | 3.3 | 2.3 | 1.1 | 1.0 | 7.6 | 6.6 | 3.4 | 1.2 | 0.4 | 11.6 |
| 24-30 | 4.3 | 2.4 | 1.2 | 1.1 | 9.0 | 4.4 | 2.7 | 1.2 | 1.1 | 9.4 | 3.9 | 1.0 | 1.2 | 0.9 | 6.9 |
| 30-36 | 4.8 | 3.0 | 1.5 | 1.2 | 10.5 | 4.8 | 3.0 | 1.5 | 1.2 | 10.6 | 5.1 | 2.7 | 1.1 | 1.2 | 10.1 |
| 36+ | 24.1 | 17.5 | 11.1 | 9.3 | 62.0 | 23.1 | 17.0 | 11.8 | 10.2 | 62.0 | 28.8 | 19.8 | 8.1 | 5.3 | 61.9 |
| Total | 42.0 | 28.1 | 16.4 | 13.5 | 100.0 | 40.2 | 27.7 | 17.3 | 14.7 | 100.0 | 49.6 | 29.9 | 12.3 | 8.2 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 7

## Percentage distribution of current live births by birth interval and birth order, 2015

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **Uttarakhand** | | | | | | | | | | | | | | | |
| 10-12 | 2.0 | 0.8 | 0.0 | 0.1 | 3.0 | 2.0 | 1.0 | 0.0 | 0.2 | 3.1 | 2.0 | 0.5 | 0.0 | 0.0 | 2.5 |
| 12-18 | 4.6 | 1.6 | 0.5 | 0.2 | 7.0 | 4.9 | 1.8 | 0.6 | 0.3 | 7.5 | 3.8 | 1.2 | 0.4 | 0.2 | 5.6 |
| 18-24 | 5.0 | 1.6 | 0.4 | 0.4 | 7.4 | 5.0 | 1.6 | 0.3 | 0.4 | 7.2 | 5.3 | 1.7 | 0.5 | 0.4 | 7.8 |
| 24-30 | 4.7 | 2.0 | 0.9 | 0.6 | 8.2 | 4.5 | 2.1 | 0.8 | 0.7 | 8.1 | 5.2 | 1.7 | 0.9 | 0.4 | 8.3 |
| 30-36 | 6.0 | 2.6 | 0.8 | 0.4 | 9.8 | 6.0 | 2.5 | 0.7 | 0.4 | 9.6 | 6.1 | 2.7 | 1.0 | 0.4 | 10.2 |
| 36+ | 35.2 | 17.2 | 7.3 | 5.0 | 64.7 | 33.3 | 17.4 | 7.9 | 5.7 | 64.4 | 40.3 | 16.8 | 5.6 | 3.0 | 65.7 |
| Total | 57.5 | 25.8 | 9.8 | 6.8 | 100.0 | 55.7 | 26.3 | 10.3 | 7.7 | 100.0 | 62.7 | 24.5 | 8.3 | 4.4 | 100.0 |
| **West Bengal** | | | | | | | | | | | | | | | |
| 10-12 | 1.0 | 0.6 | 0.1 | 0.0 | 1.8 | 1.3 | 0.6 | 0.1 | 0.0 | 1.9 | 0.2 | 0.7 | 0.4 | 0.2 | 1.4 |
| 12-18 | 3.2 | 0.9 | 0.2 | 0.5 | 4.8 | 3.5 | 1.0 | 0.1 | 0.2 | 4.8 | 2.3 | 0.9 | 0.3 | 1.3 | 4.7 |
| 18-24 | 3.7 | 1.3 | 0.6 | 0.2 | 5.8 | 3.5 | 1.3 | 0.5 | 0.1 | 5.3 | 4.5 | 1.3 | 1.3 | 0.3 | 7.3 |
| 24-30 | 4.3 | 1.7 | 0.1 | 0.3 | 6.5 | 4.2 | 1.7 | 0.1 | 0.2 | 6.2 | 4.8 | 1.6 | 0.1 | 0.8 | 7.2 |
| 30-36 | 5.6 | 1.2 | 0.4 | 0.2 | 7.5 | 5.2 | 1.3 | 0.4 | 0.2 | 7.0 | 7.4 | 0.9 | 0.4 | 0.4 | 9.2 |
| 36+ | 49.4 | 18.4 | 4.2 | 1.7 | 73.6 | 50.8 | 18.2 | 4.1 | 1.7 | 74.8 | 44.5 | 18.7 | 4.6 | 1.8 | 69.5 |
| Total | 67.3 | 24.0 | 5.6 | 3.0 | 100.0 | 68.4 | 24.0 | 5.2 | 2.4 | 100.0 | 63.7 | 24.1 | 7.0 | 5.3 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**India**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 40.9 | 39.5 | 42.4 | 46.4 | 45.3 | 47.8 | 26.4 | 24.5 | 28.5 |
| 1-4 | 1.4 | 1.3 | 1.6 | 1.7 | 1.5 | 1.9 | 0.8 | 0.8 | 0.8 |
| 0-4 | 10.2 | 9.8 | 10.6 | 11.5 | 11.2 | 11.9 | 6.6 | 6.1 | 7.0 |
| 5-9 | 0.7 | 0.7 | 0.6 | 0.6 | 0.7 | 0.6 | 0.8 | 0.9 | 0.8 |
| 10-14 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 |
| 15-19 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.8 | 1.0 |
| 20-24 | 1.2 | 1.3 | 1.1 | 1.2 | 1.3 | 1.1 | 1.2 | 1.3 | 1.1 |
| 25-29 | 1.4 | 1.6 | 1.2 | 1.5 | 1.8 | 1.3 | 1.1 | 1.4 | 0.9 |
| 30-34 | 1.8 | 2.2 | 1.4 | 2.0 | 2.3 | 1.6 | 1.5 | 2.0 | 1.0 |
| 35-39 | 2.6 | 3.2 | 1.9 | 2.9 | 3.5 | 2.3 | 2.0 | 2.7 | 1.2 |
| 40-44 | 3.2 | 3.7 | 2.7 | 3.7 | 4.2 | 3.2 | 2.4 | 2.8 | 1.9 |
| 45-49 | 5.0 | 6.3 | 3.7 | 5.7 | 6.8 | 4.4 | 3.8 | 5.3 | 2.2 |
| 50-54 | 9.4 | 9.9 | 8.9 | 11.1 | 11.2 | 11.1 | 6.6 | 7.6 | 5.4 |
| 55-59 | 13.6 | 16.0 | 11.3 | 15.7 | 18.8 | 12.9 | 9.7 | 11.2 | 8.1 |
| 60-64 | 20.3 | 22.0 | 18.4 | 23.7 | 25.5 | 21.8 | 13.6 | 15.3 | 11.6 |
| 65-69 | 28.6 | 31.0 | 26.1 | 31.1 | 34.0 | 28.1 | 23.4 | 24.9 | 21.7 |
| 70-74 | 41.1 | 44.7 | 37.6 | 43.4 | 47.8 | 39.1 | 36.1 | 37.9 | 34.2 |
| 75-79 | 65.2 | 69.8 | 60.8 | 65.3 | 71.1 | 60.0 | 64.8 | 66.9 | 62.8 |
| 80-84 | 116.2 | 123.5 | 109.4 | 119.7 | 128.0 | 111.8 | 109.1 | 114.1 | 104.6 |
| 85+ | 209.5 | 238.1 | 186.9 | 203.6 | 224.4 | 185.5 | 222.9 | 275.7 | 189.8 |
| All ages (Crude death rate) | 6.5 | 6.9 | 6.1 | 7.1 | 7.4 | 6.7 | 5.4 | 5.8 | 5.0 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**India**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 10 | 12 | 7 |
| Under-five mortality rate | 43 | 48 | 28 |
| Infant mortality rate | 37 | 41 | 25 |
| Neo-natal mortality rate | 25 | 29 | 15 |
| Early neo-natal mortality rate | 19 | 22 | 11 |
| Late neo-natal mortality rate | 6 | 6 | 4 |
| Post neo-natal mortality rate | 12 | 13 | 10 |
| Peri-natal mortality rate | 23 | 26 | 15 |
| Still birth rate | 4 | 4 | 4 |

## Table 8

### Age-specific death rate by sex and residence, 2015

**Andhra Pradesh**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 32.5 | 32.4 | 32.6 | 34.6 | 34.3 | 34.8 | 26.1 | 26.5 | 25.7 |
| 1-4 | 0.6 | 0.3 | 0.9 | 0.5 | 0.4 | 0.6 | 0.8 | 0.0 | 1.7 |
| 0-4 | 10.4 | 10.1 | 10.8 | 11.5 | 11.2 | 11.7 | 7.7 | 7.1 | 8.3 |
| 5-9 | 0.5 | 0.4 | 0.5 | 0.6 | 0.5 | 0.8 | 0.0 | 0.0 | 0.0 |
| 10-14 | 0.5 | 0.4 | 0.5 | 0.5 | 0.4 | 0.6 | 0.4 | 0.4 | 0.4 |
| 15-19 | 0.9 | 0.8 | 1.0 | 0.9 | 0.8 | 1.1 | 0.8 | 0.8 | 0.8 |
| 20-24 | 1.1 | 1.0 | 1.1 | 1.0 | 0.9 | 1.2 | 1.1 | 1.5 | 0.7 |
| 25-29 | 1.2 | 1.8 | 0.7 | 1.2 | 1.8 | 0.7 | 1.2 | 1.6 | 0.9 |
| 30-34 | 2.2 | 3.6 | 0.8 | 2.4 | 3.7 | 1.0 | 1.9 | 3.3 | 0.4 |
| 35-39 | 2.5 | 3.1 | 1.9 | 2.7 | 3.2 | 2.2 | 2.1 | 2.9 | 1.2 |
| 40-44 | 3.7 | 4.1 | 3.3 | 4.2 | 4.8 | 3.5 | 2.7 | 2.5 | 2.9 |
| 45-49 | 5.0 | 5.7 | 4.2 | 5.6 | 6.4 | 4.6 | 3.7 | 4.1 | 3.1 |
| 50-54 | 10.1 | 12.6 | 7.9 | 11.5 | 13.5 | 9.6 | 7.1 | 10.5 | 3.9 |
| 55-59 | 15.3 | 16.9 | 13.7 | 18.3 | 19.5 | 17.0 | 7.7 | 10.5 | 4.3 |
| 60-64 | 23.2 | 26.0 | 20.2 | 26.4 | 29.9 | 22.7 | 14.0 | 15.0 | 12.9 |
| 65-69 | 31.0 | 31.3 | 30.6 | 33.5 | 33.9 | 33.2 | 23.0 | 23.1 | 22.9 |
| 70-74 | 40.0 | 39.5 | 40.6 | 40.3 | 41.7 | 38.6 | 38.9 | 31.0 | 47.6 |
| 75-79 | 61.8 | 58.8 | 65.4 | 62.7 | 67.0 | 57.7 | 59.1 | 35.3 | 90.0 |
| 80-84 | 98.7 | 107.4 | 90.7 | 91.8 | 105.4 | 79.2 | 124.8 | 114.9 | 133.7 |
| 85+ | 149.4 | 161.5 | 137.5 | 137.8 | 155.0 | 119.6 | 204.2 | 199.6 | 207.4 |
| All ages (Crude death rate) | 7.1 | 7.8 | 6.4 | 7.9 | 8.8 | 7.1 | 5.0 | 5.3 | 4.7 |

## Table 9

### Child (Aged 0-4 years) and infant mortality indicators, 2015

**Andhra Pradesh**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 10 | 11 | 8 |
| Under-five mortality rate | 39 | 43 | 29 |
| Infant mortality rate | 37 | 41 | 26 |
| Neo-natal mortality rate | 24 | 29 | 12 |
| Early neo-natal mortality rate | 20 | 24 | 8 |
| Late neo-natal mortality rate | 4 | 5 | 3 |
| Post neo-natal mortality rate | 13 | 12 | 15 |
| Peri-natal mortality rate | 23 | 27 | 13 |
| Still birth rate | 3 | 2 | 4 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Assam**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 42.1 | 41.9 | 42.4 | 49.1 | 49.1 | 49.1 | 12.3 | 12.0 | 12.7 |
| 1-4 | 3.8 | 2.9 | 4.9 | 4.1 | 3.1 | 5.3 | 0.6 | 0.3 | 0.9 |
| 0-4 | 13.9 | 13.3 | 14.5 | 15.0 | 14.4 | 15.8 | 5.4 | 5.4 | 5.5 |
| 5-9 | 1.4 | 1.6 | 1.2 | 1.5 | 1.7 | 1.3 | 0.4 | 0.3 | 0.4 |
| 10-14 | 1.0 | 0.8 | 1.2 | 1.1 | 0.9 | 1.3 | 0.1 | 0.0 | 0.3 |
| 15-19 | 0.8 | 0.9 | 0.7 | 0.8 | 0.8 | 0.8 | 1.1 | 1.4 | 0.7 |
| 20-24 | 0.5 | 0.7 | 0.3 | 0.4 | 0.6 | 0.2 | 1.3 | 1.7 | 1.0 |
| 25-29 | 1.5 | 1.9 | 1.1 | 1.6 | 2.0 | 1.2 | 1.2 | 1.5 | 0.8 |
| 30-34 | 1.9 | 3.1 | 0.7 | 2.1 | 3.3 | 0.7 | 1.2 | 2.0 | 0.3 |
| 35-39 | 3.4 | 4.3 | 2.4 | 3.7 | 4.7 | 2.6 | 2.1 | 2.5 | 1.7 |
| 40-44 | 2.8 | 2.8 | 2.9 | 2.8 | 2.6 | 3.0 | 3.0 | 3.6 | 2.2 |
| 45-49 | 5.9 | 8.6 | 2.4 | 6.2 | 8.9 | 2.6 | 4.6 | 7.2 | 1.8 |
| 50-54 | 10.3 | 10.2 | 10.4 | 11.4 | 10.8 | 12.3 | 6.1 | 7.5 | 4.6 |
| 55-59 | 14.2 | 16.6 | 11.8 | 15.5 | 18.5 | 12.5 | 9.6 | 10.4 | 8.6 |
| 60-64 | 25.9 | 30.3 | 20.7 | 29.0 | 35.0 | 22.3 | 13.6 | 13.6 | 13.6 |
| 65-69 | 40.7 | 42.0 | 39.4 | 44.2 | 46.1 | 42.0 | 25.9 | 25.3 | 26.7 |
| 70-74 | 56.9 | 55.5 | 58.7 | 62.5 | 61.1 | 64.1 | 33.2 | 32.7 | 33.9 |
| 75-79 | 77.4 | 76.2 | 78.8 | 82.0 | 79.6 | 84.8 | 53.5 | 58.8 | 47.3 |
| 80-84 | 135.2 | 132.2 | 139.0 | 145.1 | 147.9 | 141.9 | 90.1 | 66.1 | 124.1 |
| 85+ | 166.9 | 154.9 | 179.9 | 178.4 | 172.7 | 184.6 | 121.8 | 87.1 | 160.9 |
| All ages (Crude death rate) | 7.1 | 7.7 | 6.4 | 7.4 | 8.1 | 6.7 | 5.1 | 5.6 | 4.5 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Assam**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 14 | 15 | 5 |
| Under-five mortality rate | 62 | 65 | 27 |
| Infant mortality rate | 47 | 50 | 25 |
| Neo-natal mortality rate | 25 | 26 | 14 |
| Early neo-natal mortality rate | 19 | 20 | 8 |
| Late neo-natal mortality rate | 6 | 6 | 5 |
| Post neo-natal mortality rate | 22 | 23 | 11 |
| Peri-natal mortality rate | 24 | 25 | 10 |
| Still birth rate | 5 | 5 | 2 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Bihar**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 44.3 | 39.9 | 49.6 | 44.8 | 40.7 | 49.8 | 40.1 | 33.3 | 48.2 |
| 1-4 | 1.5 | 1.8 | 1.2 | 1.6 | 1.9 | 1.2 | 0.8 | 0.7 | 0.9 |
| 0-4 | 11.8 | 11.1 | 12.6 | 11.9 | 11.4 | 12.5 | 10.7 | 8.9 | 12.9 |
| 5-9 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.5 | 0.9 |
| 10-14 | 0.4 | 0.5 | 0.3 | 0.4 | 0.4 | 0.3 | 0.6 | 0.7 | 0.5 |
| 15-19 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.8 |
| 20-24 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 1.0 | 0.8 | 0.9 | 0.8 |
| 25-29 | 1.1 | 1.3 | 1.0 | 1.0 | 1.2 | 0.8 | 1.8 | 1.7 | 1.8 |
| 30-34 | 1.8 | 1.7 | 1.9 | 1.8 | 1.6 | 2.0 | 1.9 | 2.0 | 1.8 |
| 35-39 | 2.2 | 1.6 | 2.8 | 2.2 | 1.4 | 2.9 | 2.3 | 2.8 | 1.8 |
| 40-44 | 3.0 | 3.9 | 2.1 | 3.3 | 4.3 | 2.2 | 1.7 | 2.0 | 1.4 |
| 45-49 | 3.6 | 3.9 | 3.3 | 3.6 | 3.5 | 3.7 | 3.8 | 6.4 | 1.2 |
| 50-54 | 10.3 | 9.1 | 11.6 | 11.1 | 9.5 | 12.9 | 6.4 | 7.0 | 5.8 |
| 55-59 | 13.3 | 12.8 | 13.8 | 14.2 | 13.6 | 14.8 | 9.1 | 9.4 | 8.8 |
| 60-64 | 21.5 | 20.3 | 22.7 | 23.4 | 21.6 | 25.5 | 11.9 | 14.1 | 9.5 |
| 65-69 | 29.3 | 26.2 | 32.9 | 31.1 | 27.9 | 34.8 | 19.7 | 18.0 | 21.9 |
| 70-74 | 49.2 | 43.3 | 55.4 | 51.4 | 45.3 | 57.5 | 38.0 | 34.4 | 43.0 |
| 75-79 | 68.1 | 57.8 | 80.3 | 71.0 | 61.2 | 82.5 | 48.3 | 36.0 | 64.4 |
| 80-84 | 160.5 | 140.8 | 183.0 | 179.8 | 158.0 | 204.4 | 80.5 | 71.8 | 90.9 |
| 85+ | 235.0 | 215.7 | 256.6 | 247.7 | 219.0 | 280.2 | 176.0 | 199.9 | 151.0 |
| All ages (Crude death rate) | 6.2 | 5.8 | 6.6 | 6.3 | 5.9 | 6.8 | 5.1 | 5.2 | 5.1 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Bihar**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 12 | 12 | 11 |
| Under-five mortality rate | 48 | 48 | 47 |
| Infant mortality rate | 42 | 42 | 44 |
| Neo-natal mortality rate | 28 | 29 | 20 |
| Early neo-natal mortality rate | 23 | 24 | 15 |
| Late neo-natal mortality rate | 6 | 6 | 5 |
| Post neo-natal mortality rate | 14 | 13 | 24 |
| Peri-natal mortality rate | 24 | 24 | 20 |
| Still birth rate | 1 | 0 | 5 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Chhattisgarh**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 46.0 | 45.5 | 46.5 | 49.1 | 48.0 | 50.3 | 33.5 | 35.7 | 30.8 |
| 1-4 | 1.9 | 1.2 | 2.5 | 2.1 | 1.2 | 3.1 | 0.8 | 1.4 | 0.3 |
| 0-4 | 11.4 | 11.1 | 11.7 | 12.3 | 11.7 | 12.9 | 8.0 | 9.0 | 6.7 |
| 5-9 | 0.5 | 0.7 | 0.3 | 0.5 | 0.6 | 0.3 | 0.6 | 0.9 | 0.3 |
| 10-14 | 0.5 | 0.7 | 0.3 | 0.5 | 0.7 | 0.4 | 0.5 | 1.0 | 0.0 |
| 15-19 | 0.9 | 1.2 | 0.6 | 1.2 | 1.5 | 0.8 | 0.1 | 0.3 | 0.0 |
| 20-24 | 1.7 | 2.2 | 1.1 | 1.7 | 2.0 | 1.3 | 1.6 | 2.9 | 0.2 |
| 25-29 | 2.0 | 1.4 | 2.6 | 2.0 | 1.6 | 2.5 | 2.0 | 1.1 | 3.0 |
| 30-34 | 1.9 | 2.4 | 1.4 | 2.1 | 2.8 | 1.4 | 1.3 | 1.1 | 1.5 |
| 35-39 | 3.1 | 3.5 | 2.8 | 3.5 | 3.9 | 3.2 | 2.1 | 2.6 | 1.5 |
| 40-44 | 3.8 | 4.2 | 3.4 | 4.2 | 4.2 | 4.2 | 2.7 | 4.0 | 1.3 |
| 45-49 | 6.2 | 8.6 | 3.8 | 7.4 | 10.5 | 4.5 | 2.8 | 3.5 | 2.1 |
| 50-54 | 9.7 | 10.0 | 9.3 | 11.0 | 11.5 | 10.5 | 5.9 | 5.8 | 6.1 |
| 55-59 | 18.1 | 23.2 | 13.6 | 20.0 | 24.6 | 16.2 | 12.4 | 19.5 | 4.9 |
| 60-64 | 32.2 | 31.6 | 32.8 | 34.6 | 33.8 | 35.4 | 24.0 | 22.9 | 25.0 |
| 65-69 | 38.2 | 41.6 | 35.2 | 37.5 | 42.3 | 33.5 | 40.4 | 39.4 | 41.4 |
| 70-74 | 53.1 | 66.6 | 44.0 | 58.2 | 72.2 | 49.6 | 34.4 | 50.5 | 19.0 |
| 75-79 | 87.2 | 99.0 | 77.8 | 86.1 | 94.3 | 79.9 | 92.1 | 115.8 | 67.5 |
| 80-84 | 215.4 | 297.6 | 152.4 | 237.9 | 333.7 | 165.9 | 151.2 | 198.7 | 112.7 |
| 85+ | 307.2 | 375.5 | 268.0 | 295.7 | 341.7 | 266.6 | 350.6 | 552.6 | 272.6 |
| All ages (Crude death rate) | 7.5 | 7.9 | 7.0 | 8.1 | 8.5 | 7.7 | 5.6 | 6.3 | 4.8 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Chhattisgarh**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 11 | 12 | 8 |
| Under-five mortality rate | 48 | 51 | 35 |
| Infant mortality rate | 41 | 43 | 32 |
| Neo-natal mortality rate | 27 | 28 | 21 |
| Early neo-natal mortality rate | 21 | 22 | 18 |
| Late neo-natal mortality rate | 5 | 6 | 3 |
| Post neo-natal mortality rate | 14 | 15 | 11 |
| Peri-natal mortality rate | 30 | 30 | 26 |
| Still birth rate | 8 | 8 | 9 |

## Table 8

### Age-specific death rate by sex and residence, 2015

**Delhi**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 16.5 | 16.3 | 16.7 | 33.8 | 49.7 | 23.7 | 16.1 | 15.8 | 16.5 |
| 1-4 | 0.6 | 0.2 | 1.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.2 | 1.0 |
| 0-4 | 4.3 | 4.0 | 4.7 | 6.5 | 7.2 | 5.8 | 4.2 | 3.9 | 4.7 |
| 5-9 | 0.2 | 0.4 | 0.0 | 0.8 | 1.4 | 0.0 | 0.2 | 0.4 | 0.0 |
| 10-14 | 0.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 |
| 15-19 | 1.0 | 1.0 | 1.1 | 0.8 | 0.0 | 1.9 | 1.0 | 1.0 | 1.1 |
| 20-24 | 0.8 | 0.5 | 1.1 | 0.6 | 0.9 | 0.0 | 0.8 | 0.5 | 1.1 |
| 25-29 | 1.4 | 1.6 | 1.3 | 1.0 | 1.9 | 0.0 | 1.4 | 1.6 | 1.3 |
| 30-34 | 0.8 | 1.1 | 0.4 | 0.8 | 1.5 | 0.0 | 0.8 | 1.1 | 0.4 |
| 35-39 | 1.7 | 1.9 | 1.4 | 0.0 | 0.0 | 0.0 | 1.7 | 2.0 | 1.4 |
| 40-44 | 2.0 | 2.2 | 1.8 | 1.3 | 2.4 | 0.0 | 2.0 | 2.2 | 1.8 |
| 45-49 | 3.4 | 4.3 | 2.3 | 9.5 | 17.3 | 0.0 | 3.3 | 4.0 | 2.4 |
| 50-54 | 3.9 | 4.8 | 2.8 | 5.7 | 6.0 | 5.1 | 3.9 | 4.8 | 2.8 |
| 55-59 | 8.2 | 8.7 | 7.7 | 10.6 | 7.8 | 14.0 | 8.2 | 8.7 | 7.5 |
| 60-64 | 9.8 | 11.8 | 7.6 | 12.7 | 14.3 | 10.9 | 9.7 | 11.7 | 7.5 |
| 65-69 | 18.6 | 22.9 | 14.2 | 22.5 | 25.8 | 18.8 | 18.5 | 22.8 | 14.1 |
| 70-74 | 29.2 | 31.0 | 27.3 | 27.5 | 25.9 | 29.4 | 29.2 | 31.1 | 27.2 |
| 75-79 | 47.8 | 58.5 | 37.3 | 46.9 | 55.0 | 40.9 | 47.8 | 58.6 | 37.2 |
| 80-84 | 91.1 | 109.1 | 77.7 | 113.7 | 105.7 | 120.6 | 90.3 | 109.2 | 76.4 |
| 85+ | 214.5 | 305.5 | 175.8 | 201.0 | 187.8 | 208.3 | 215.1 | 312.2 | 174.5 |
| All ages (Crude death rate) | 3.6 | 3.8 | 3.3 | 4.3 | 4.4 | 4.2 | 3.5 | 3.8 | 3.3 |

## Table 9

### Child (Aged 0-4 years) and infant mortality indicators, 2015

**Delhi**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 4 | 7 | 4 |
| Under-five mortality rate | 20 | 27 | 20 |
| Infant mortality rate | 18 | 27 | 18 |
| Neo-natal mortality rate | 14 | 20 | 13 |
| Early neo-natal mortality rate | 9 | 12 | 9 |
| Late neo-natal mortality rate | 4 | 8 | 4 |
| Post neo-natal mortality rate | 4 | 8 | 4 |
| Peri-natal mortality rate | 20 | 12 | 20 |
| Still birth rate | 11 | 0 | 11 |

## Table 8

### Age-specific death rate by sex and residence, 2015

**Gujarat**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 44.9 | 47.6 | 41.8 | 58.4 | 62.1 | 54.5 | 26.3 | 28.3 | 24.1 |
| 1-4 | 1.5 | 1.3 | 1.7 | 1.5 | 2.1 | 0.9 | 1.3 | 0.0 | 2.8 |
| 0-4 | 9.6 | 9.8 | 9.4 | 12.0 | 12.8 | 11.0 | 6.2 | 5.5 | 7.0 |
| 5-9 | 0.9 | 1.1 | 0.7 | 0.8 | 0.9 | 0.7 | 1.1 | 1.5 | 0.6 |
| 10-14 | 0.6 | 0.6 | 0.7 | 0.7 | 0.4 | 1.0 | 0.6 | 0.7 | 0.4 |
| 15-19 | 0.8 | 0.8 | 0.9 | 0.6 | 0.6 | 0.6 | 1.2 | 0.9 | 1.4 |
| 20-24 | 1.0 | 1.0 | 1.1 | 0.8 | 0.8 | 0.7 | 1.3 | 1.2 | 1.5 |
| 25-29 | 1.5 | 1.7 | 1.2 | 2.1 | 2.6 | 1.6 | 0.8 | 0.8 | 0.7 |
| 30-34 | 2.1 | 2.4 | 1.7 | 2.0 | 2.7 | 1.3 | 2.1 | 2.2 | 2.1 |
| 35-39 | 2.5 | 3.3 | 1.7 | 2.7 | 3.6 | 1.7 | 2.4 | 2.9 | 1.8 |
| 40-44 | 2.8 | 3.2 | 2.5 | 2.9 | 3.3 | 2.5 | 2.7 | 3.0 | 2.4 |
| 45-49 | 5.1 | 7.2 | 2.8 | 4.8 | 6.3 | 3.2 | 5.4 | 8.3 | 2.3 |
| 50-54 | 9.1 | 9.6 | 8.6 | 10.0 | 10.9 | 9.1 | 8.1 | 8.2 | 8.1 |
| 55-59 | 12.5 | 15.2 | 9.8 | 13.4 | 16.3 | 10.7 | 11.4 | 13.9 | 8.8 |
| 60-64 | 16.9 | 19.2 | 14.6 | 19.1 | 24.0 | 14.5 | 13.8 | 12.8 | 14.8 |
| 65-69 | 23.6 | 29.1 | 18.2 | 24.9 | 31.1 | 18.9 | 21.6 | 26.2 | 17.2 |
| 70-74 | 36.6 | 44.1 | 29.9 | 40.9 | 50.0 | 33.1 | 30.7 | 36.5 | 25.3 |
| 75-79 | 57.5 | 65.8 | 50.8 | 54.5 | 69.3 | 43.1 | 61.1 | 61.5 | 60.8 |
| 80-84 | 99.6 | 122.5 | 81.6 | 98.3 | 134.8 | 72.7 | 101.1 | 110.2 | 93.1 |
| 85+ | 194.5 | 256.9 | 163.2 | 161.4 | 226.4 | 122.3 | 240.7 | 314.5 | 212.5 |
| All ages (Crude death rate) | 6.1 | 6.6 | 5.6 | 6.5 | 7.3 | 5.6 | 5.6 | 5.7 | 5.6 |

## Table 9

### Child (Aged 0-4 years) and infant mortality indicators, 2015

**Gujarat**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 10 | 12 | 6 |
| Under-five mortality rate | 39 | 47 | 26 |
| Infant mortality rate | 33 | 41 | 21 |
| Neo-natal mortality rate | 23 | 29 | 15 |
| Early neo-natal mortality rate | 18 | 22 | 12 |
| Late neo-natal mortality rate | 5 | 7 | 3 |
| Post neo-natal mortality rate | 10 | 12 | 6 |
| Peri-natal mortality rate | 21 | 26 | 14 |
| Still birth rate | 3 | 4 | 2 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Haryana**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 42.7 | 42.4 | 43.0 | 46.4 | 45.1 | 48.0 | 34.9 | 36.3 | 33.3 |
| 1-4 | 1.8 | 1.4 | 2.3 | 1.9 | 1.4 | 2.6 | 1.5 | 1.2 | 1.8 |
| 0-4 | 10.3 | 9.8 | 10.8 | 11.2 | 10.7 | 12.0 | 8.2 | 8.1 | 8.4 |
| 5-9 | 0.5 | 0.7 | 0.3 | 0.5 | 0.5 | 0.4 | 0.6 | 1.0 | 0.0 |
| 10-14 | 0.3 | 0.5 | 0.1 | 0.2 | 0.3 | 0.1 | 0.5 | 0.8 | 0.0 |
| 15-19 | 0.8 | 0.8 | 0.8 | 0.8 | 0.6 | 1.0 | 0.9 | 1.3 | 0.4 |
| 20-24 | 0.6 | 0.9 | 0.4 | 0.8 | 1.2 | 0.5 | 0.3 | 0.3 | 0.3 |
| 25-29 | 1.3 | 1.4 | 1.2 | 1.9 | 2.0 | 1.7 | 0.3 | 0.3 | 0.5 |
| 30-34 | 2.4 | 3.2 | 1.3 | 2.3 | 2.7 | 1.8 | 2.5 | 4.2 | 0.5 |
| 35-39 | 2.2 | 2.9 | 1.5 | 2.8 | 4.2 | 1.4 | 1.1 | 0.6 | 1.7 |
| 40-44 | 4.1 | 6.0 | 2.0 | 3.8 | 5.0 | 2.3 | 4.6 | 7.6 | 1.3 |
| 45-49 | 5.3 | 7.1 | 3.2 | 6.8 | 8.8 | 4.5 | 2.9 | 4.3 | 1.3 |
| 50-54 | 8.4 | 11.2 | 5.1 | 9.9 | 12.1 | 7.4 | 6.1 | 9.8 | 1.8 |
| 55-59 | 13.9 | 21.2 | 7.0 | 15.8 | 25.6 | 7.1 | 11.1 | 15.1 | 6.8 |
| 60-64 | 22.1 | 23.9 | 20.1 | 22.3 | 22.4 | 22.1 | 21.9 | 26.2 | 16.7 |
| 65-69 | 34.8 | 33.7 | 36.0 | 33.5 | 37.4 | 29.8 | 37.2 | 27.8 | 46.9 |
| 70-74 | 42.7 | 43.2 | 42.2 | 40.6 | 46.1 | 35.4 | 47.0 | 37.1 | 57.3 |
| 75-79 | 54.3 | 59.4 | 49.3 | 43.7 | 44.5 | 42.9 | 78.3 | 92.4 | 64.1 |
| 80-84 | 76.4 | 75.6 | 77.1 | 73.2 | 69.1 | 77.4 | 82.9 | 89.4 | 76.5 |
| 85+ | 177.6 | 219.6 | 142.4 | 139.3 | 165.7 | 113.9 | 301.2 | 470.3 | 213.5 |
| All ages (Crude death rate) | 6.1 | 6.6 | 5.4 | 6.3 | 6.8 | 5.6 | 5.7 | 6.3 | 5.1 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Haryana**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 10 | 11 | 8 |
| Under-five mortality rate | 43 | 47 | 36 |
| Infant mortality rate | 36 | 39 | 30 |
| Neo-natal mortality rate | 24 | 26 | 19 |
| Early neo-natal mortality rate | 16 | 19 | 11 |
| Late neo-natal mortality rate | 8 | 8 | 7 |
| Post neo-natal mortality rate | 12 | 13 | 12 |
| Peri-natal mortality rate | 24 | 25 | 23 |
| Still birth rate | 8 | 6 | 12 |

## Table 8

### Age-specific death rate by sex and residence, 2015

**Himachal Pradesh**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 44.9 | 55.0 | 33.9 | 46.6 | 57.0 | 35.4 | 19.7 | 26.0 | 13.2 |
| 1-4 | 0.8 | 1.5 | 0.0 | 0.8 | 1.5 | 0.0 | 0.9 | 1.7 | 0.0 |
| 0-4 | 10.4 | 13.3 | 7.3 | 10.8 | 13.8 | 7.6 | 4.8 | 6.7 | 2.8 |
| 5-9 | 0.7 | 0.9 | 0.4 | 0.8 | 1.0 | 0.5 | 0.0 | 0.0 | 0.0 |
| 10-14 | 0.2 | 0.0 | 0.3 | 0.2 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 |
| 15-19 | 0.7 | 0.1 | 1.4 | 0.7 | 0.1 | 1.5 | 0.5 | 0.9 | 0.0 |
| 20-24 | 1.6 | 2.2 | 1.0 | 1.7 | 2.3 | 1.1 | 0.4 | 0.9 | 0.0 |
| 25-29 | 0.9 | 2.0 | 0.0 | 0.9 | 2.0 | 0.0 | 0.9 | 1.9 | 0.0 |
| 30-34 | 0.5 | 0.8 | 0.2 | 0.3 | 0.6 | 0.1 | 2.3 | 2.7 | 1.8 |
| 35-39 | 2.5 | 3.8 | 1.3 | 2.7 | 4.1 | 1.4 | 0.5 | 1.0 | 0.0 |
| 40-44 | 1.5 | 1.9 | 1.2 | 1.6 | 1.8 | 1.3 | 1.5 | 1.9 | 1.0 |
| 45-49 | 4.6 | 6.7 | 2.5 | 4.8 | 7.2 | 2.4 | 3.0 | 2.2 | 4.2 |
| 50-54 | 6.2 | 6.2 | 6.1 | 6.3 | 6.4 | 6.2 | 4.6 | 4.6 | 4.5 |
| 55-59 | 8.6 | 14.4 | 2.9 | 8.8 | 14.8 | 2.9 | 7.0 | 9.5 | 3.9 |
| 60-64 | 14.4 | 20.0 | 8.6 | 14.6 | 20.8 | 8.2 | 11.9 | 9.8 | 14.4 |
| 65-69 | 23.8 | 29.2 | 18.7 | 24.2 | 30.1 | 18.5 | 19.4 | 17.1 | 21.9 |
| 70-74 | 34.5 | 41.0 | 28.5 | 35.3 | 42.7 | 28.5 | 23.7 | 19.3 | 28.9 |
| 75-79 | 45.8 | 60.2 | 32.9 | 45.9 | 60.8 | 32.7 | 44.2 | 52.0 | 35.1 |
| 80-84 | 92.9 | 123.1 | 69.7 | 95.1 | 125.1 | 71.9 | 54.8 | 85.8 | 34.4 |
| 85+ | 142.4 | 147.1 | 138.9 | 141.5 | 146.2 | 138.0 | 160.1 | 168.4 | 155.0 |
| All ages (Crude death rate) | 6.6 | 8.1 | 5.1 | 6.8 | 8.4 | 5.2 | 4.2 | 4.5 | 3.8 |

## Table 9

### Child (Aged 0-4 years) and infant mortality indicators, 2015

**Himachal Pradesh**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 10 | 11 | 5 |
| Under-five mortality rate | 33 | 33 | 26 |
| Infant mortality rate | 28 | 28 | 18 |
| Neo-natal mortality rate | 19 | 19 | 14 |
| Early neo-natal mortality rate | 12 | 13 | 7 |
| Late neo-natal mortality rate | 7 | 7 | 6 |
| Post neo-natal mortality rate | 11 | 11 | 4 |
| Peri-natal mortality rate | 29 | 30 | 10 |
| Still birth rate | 17 | 18 | 2 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Jammu & Kashmir**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 32.9 | 31.3 | 34.5 | 33.9 | 31.1 | 37.1 | 28.1 | 32.6 | 23.7 |
| 1-4 | 0.4 | 0.0 | 0.9 | 0.5 | 0.0 | 1.0 | 0.1 | 0.0 | 0.3 |
| 0-4 | 6.4 | 5.6 | 7.3 | 6.7 | 5.7 | 7.9 | 4.9 | 5.2 | 4.6 |
| 5-9 | 0.5 | 0.4 | 0.6 | 0.6 | 0.5 | 0.7 | 0.0 | 0.0 | 0.0 |
| 10-14 | 0.4 | 0.4 | 0.5 | 0.5 | 0.4 | 0.7 | 0.1 | 0.2 | 0.0 |
| 15-19 | 0.7 | 0.6 | 0.9 | 0.7 | 0.6 | 0.9 | 0.6 | 0.6 | 0.7 |
| 20-24 | 0.7 | 0.9 | 0.5 | 0.7 | 0.9 | 0.5 | 0.8 | 1.0 | 0.5 |
| 25-29 | 1.1 | 1.1 | 1.1 | 1.0 | 1.1 | 0.8 | 1.4 | 1.0 | 1.7 |
| 30-34 | 1.0 | 1.1 | 0.8 | 1.3 | 1.5 | 1.2 | 0.0 | 0.0 | 0.0 |
| 35-39 | 2.0 | 2.9 | 1.1 | 2.0 | 2.7 | 1.2 | 2.1 | 3.2 | 0.8 |
| 40-44 | 2.4 | 3.6 | 1.0 | 2.7 | 4.1 | 1.0 | 1.7 | 2.3 | 1.0 |
| 45-49 | 3.9 | 5.1 | 2.7 | 4.0 | 5.2 | 2.7 | 3.8 | 4.9 | 2.6 |
| 50-54 | 8.3 | 8.6 | 8.0 | 9.2 | 8.8 | 9.7 | 6.4 | 8.0 | 4.5 |
| 55-59 | 10.3 | 13.4 | 6.4 | 11.2 | 12.8 | 9.2 | 8.3 | 14.6 | 0.3 |
| 60-64 | 14.1 | 17.8 | 10.4 | 15.0 | 19.8 | 10.5 | 11.7 | 13.1 | 10.3 |
| 65-69 | 17.4 | 20.8 | 13.4 | 21.3 | 26.2 | 15.5 | 8.4 | 8.3 | 8.5 |
| 70-74 | 29.2 | 35.3 | 22.4 | 29.6 | 33.5 | 25.1 | 28.1 | 39.7 | 16.6 |
| 75-79 | 41.8 | 53.0 | 29.9 | 47.2 | 58.8 | 35.0 | 28.9 | 39.3 | 18.0 |
| 80-84 | 63.3 | 74.6 | 51.3 | 66.1 | 80.2 | 49.9 | 55.2 | 55.4 | 55.0 |
| 85+ | 108.5 | 118.8 | 97.7 | 100.7 | 116.2 | 83.0 | 133.7 | 128.8 | 137.7 |
| All ages (Crude death rate) | 4.9 | 5.7 | 4.0 | 5.1 | 5.9 | 4.2 | 4.4 | 5.2 | 3.5 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Jammu & kashmir**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 6 | 7 | 5 |
| Under-five mortality rate | 28 | 28 | 24 |
| Infant mortality rate | 26 | 27 | 24 |
| Neo-natal mortality rate | 20 | 21 | 16 |
| Early neo-natal mortality rate | 18 | 18 | 13 |
| Late neo-natal mortality rate | 2 | 2 | 2 |
| Post neo-natal mortality rate | 6 | 6 | 8 |
| Peri-natal mortality rate | 20 | 20 | 21 |
| Still birth rate | 3 | 2 | 7 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Jharkhand**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 34.8 | 34.4 | 35.3 | 36.6 | 35.1 | 38.2 | 26.7 | 31.5 | 21.8 |
| 1-4 | 1.8 | 1.3 | 2.4 | 2.0 | 1.5 | 2.6 | 0.9 | 0.4 | 1.5 |
| 0-4 | 9.3 | 8.5 | 10.1 | 9.9 | 9.0 | 11.0 | 6.4 | 6.6 | 6.1 |
| 5-9 | 0.9 | 0.7 | 1.2 | 0.9 | 0.6 | 1.2 | 1.0 | 0.9 | 1.1 |
| 10-14 | 0.5 | 0.8 | 0.2 | 0.5 | 1.0 | 0.1 | 0.4 | 0.0 | 0.7 |
| 15-19 | 1.1 | 1.4 | 0.8 | 1.1 | 1.4 | 0.8 | 1.2 | 1.4 | 0.9 |
| 20-24 | 0.9 | 1.1 | 0.8 | 0.9 | 0.9 | 0.9 | 1.0 | 1.7 | 0.3 |
| 25-29 | 0.8 | 0.8 | 0.8 | 0.9 | 0.7 | 1.0 | 0.6 | 0.9 | 0.3 |
| 30-34 | 1.4 | 1.3 | 1.6 | 1.7 | 1.2 | 2.2 | 0.7 | 1.4 | 0.0 |
| 35-39 | 2.3 | 2.8 | 1.9 | 2.5 | 3.1 | 2.0 | 1.8 | 2.0 | 1.6 |
| 40-44 | 3.6 | 3.7 | 3.4 | 3.5 | 3.0 | 4.1 | 3.6 | 5.5 | 1.4 |
| 45-49 | 2.7 | 3.0 | 2.3 | 2.6 | 2.9 | 2.2 | 3.0 | 3.2 | 2.7 |
| 50-54 | 10.8 | 9.5 | 12.6 | 11.4 | 9.6 | 14.0 | 9.4 | 9.3 | 9.6 |
| 55-59 | 14.9 | 18.7 | 11.7 | 17.1 | 23.9 | 11.8 | 9.4 | 7.6 | 11.4 |
| 60-64 | 26.2 | 29.1 | 23.1 | 29.3 | 31.5 | 26.8 | 17.6 | 22.0 | 13.0 |
| 65-69 | 30.7 | 32.5 | 28.7 | 34.3 | 36.6 | 31.9 | 20.6 | 22.4 | 18.0 |
| 70-74 | 47.1 | 48.9 | 45.3 | 51.1 | 56.3 | 45.9 | 34.6 | 26.7 | 43.3 |
| 75-79 | 76.1 | 70.0 | 82.0 | 82.2 | 73.8 | 90.1 | 61.0 | 60.7 | 61.4 |
| 80-84 | 144.3 | 103.1 | 186.2 | 152.1 | 102.1 | 206.4 | 120.0 | 106.7 | 130.8 |
| 85+ | 251.7 | 209.2 | 292.6 | 228.5 | 162.1 | 296.4 | 303.3 | 325.3 | 284.8 |
| All ages (Crude death rate) | 5.8 | 5.7 | 5.9 | 6.1 | 6.0 | 6.3 | 4.9 | 5.1 | 4.7 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Jharkhand**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 9 | 10 | 6 |
| Under-five mortality rate | 39 | 43 | 26 |
| Infant mortality rate | 32 | 35 | 22 |
| Neo-natal mortality rate | 23 | 25 | 15 |
| Early neo-natal mortality rate | 19 | 22 | 9 |
| Late neo-natal mortality rate | 4 | 4 | 6 |
| Post neo-natal mortality rate | 9 | 10 | 7 |
| Peri-natal mortality rate | 20 | 22 | 11 |
| Still birth rate | 1 | 0 | 2 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Karnataka**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 29.1 | 27.3 | 31.1 | 32.5 | 29.3 | 36.0 | 23.5 | 23.9 | 23.1 |
| 1-4 | 0.9 | 1.2 | 0.6 | 1.2 | 1.5 | 0.8 | 0.4 | 0.7 | 0.1 |
| 0-4 | 7.0 | 6.7 | 7.3 | 8.0 | 7.5 | 8.5 | 5.4 | 5.5 | 5.2 |
| 5-9 | 0.7 | 0.7 | 0.8 | 0.3 | 0.3 | 0.3 | 1.5 | 1.3 | 1.6 |
| 10-14 | 0.7 | 1.1 | 0.4 | 0.7 | 0.9 | 0.5 | 0.8 | 1.4 | 0.2 |
| 15-19 | 0.9 | 1.0 | 0.8 | 1.2 | 1.6 | 0.8 | 0.4 | 0.0 | 0.8 |
| 20-24 | 0.9 | 0.9 | 1.0 | 1.0 | 1.2 | 0.9 | 0.8 | 0.5 | 1.1 |
| 25-29 | 1.6 | 2.0 | 1.1 | 1.5 | 2.0 | 1.1 | 1.6 | 1.9 | 1.2 |
| 30-34 | 1.9 | 2.2 | 1.6 | 2.2 | 2.5 | 1.8 | 1.6 | 1.8 | 1.4 |
| 35-39 | 3.1 | 4.3 | 1.9 | 3.9 | 4.7 | 3.1 | 2.0 | 3.6 | 0.3 |
| 40-44 | 3.9 | 3.6 | 4.1 | 4.2 | 4.3 | 4.1 | 3.3 | 2.6 | 4.1 |
| 45-49 | 5.6 | 7.2 | 4.0 | 7.6 | 9.0 | 6.2 | 2.5 | 4.5 | 0.3 |
| 50-54 | 8.1 | 8.1 | 8.0 | 9.8 | 10.0 | 9.5 | 5.5 | 5.1 | 5.9 |
| 55-59 | 12.5 | 15.3 | 10.0 | 15.4 | 18.9 | 12.3 | 7.9 | 9.9 | 5.9 |
| 60-64 | 19.0 | 21.8 | 16.1 | 22.3 | 26.4 | 18.3 | 13.4 | 14.6 | 12.2 |
| 65-69 | 25.8 | 27.2 | 24.3 | 28.1 | 30.5 | 25.7 | 21.5 | 21.3 | 21.6 |
| 70-74 | 44.7 | 50.6 | 39.8 | 49.4 | 60.6 | 40.5 | 35.3 | 31.9 | 38.2 |
| 75-79 | 65.7 | 77.2 | 56.4 | 66.2 | 79.3 | 56.2 | 64.5 | 72.8 | 56.8 |
| 80-84 | 191.3 | 180.5 | 202.4 | 206.1 | 187.9 | 228.3 | 169.1 | 167.0 | 170.8 |
| 85+ | 308.7 | 341.1 | 281.5 | 368.8 | 324.3 | 428.6 | 218.5 | 392.5 | 150.2 |
| All ages (Crude death rate) | 6.6 | 7.0 | 6.3 | 7.7 | 8.2 | 7.2 | 5.0 | 5.2 | 4.8 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Karnataka**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 7 | 8 | 5 |
| Under-five mortality rate | 31 | 35 | 25 |
| Infant mortality rate | 28 | 30 | 23 |
| Neo-natal mortality rate | 19 | 24 | 11 |
| Early neo-natal mortality rate | 15 | 19 | 8 |
| Late neo-natal mortality rate | 5 | 5 | 4 |
| Post neo-natal mortality rate | 9 | 7 | 12 |
| Peri-natal mortality rate | 19 | 23 | 10 |
| Still birth rate | 4 | 5 | 3 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Kerala**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 12.4 | 10.7 | 14.2 | 13.6 | 10.7 | 16.8 | 11.2 | 10.8 | 11.6 |
| 1-4 | 0.3 | 0.4 | 0.1 | 0.3 | 0.4 | 0.2 | 0.3 | 0.5 | 0.0 |
| 0-4 | 2.7 | 2.5 | 2.8 | 2.8 | 2.4 | 3.3 | 2.5 | 2.6 | 2.3 |
| 5-9 | 0.2 | 0.1 | 0.3 | 0.2 | 0.3 | 0.1 | 0.3 | 0.0 | 0.6 |
| 10-14 | 0.4 | 0.5 | 0.3 | 0.4 | 0.6 | 0.1 | 0.5 | 0.5 | 0.5 |
| 15-19 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.5 | 0.5 | 0.5 |
| 20-24 | 0.8 | 1.3 | 0.3 | 0.6 | 1.1 | 0.1 | 1.0 | 1.6 | 0.5 |
| 25-29 | 0.7 | 1.0 | 0.5 | 0.7 | 1.0 | 0.5 | 0.7 | 1.1 | 0.5 |
| 30-34 | 0.8 | 1.4 | 0.4 | 0.7 | 1.2 | 0.3 | 1.0 | 1.5 | 0.5 |
| 35-39 | 1.8 | 2.6 | 1.2 | 1.9 | 2.5 | 1.5 | 1.7 | 2.6 | 0.9 |
| 40-44 | 2.0 | 2.5 | 1.5 | 2.7 | 3.4 | 2.0 | 1.3 | 1.7 | 0.9 |
| 45-49 | 3.5 | 4.5 | 2.6 | 3.8 | 5.1 | 2.7 | 3.1 | 3.9 | 2.5 |
| 50-54 | 7.0 | 8.3 | 5.8 | 9.2 | 10.8 | 7.7 | 4.8 | 5.7 | 4.0 |
| 55-59 | 9.6 | 11.6 | 7.8 | 10.8 | 14.1 | 7.9 | 8.4 | 9.1 | 7.8 |
| 60-64 | 15.1 | 19.2 | 11.1 | 17.8 | 21.9 | 14.0 | 12.3 | 16.4 | 8.2 |
| 65-69 | 23.1 | 30.0 | 17.2 | 23.6 | 30.1 | 17.7 | 22.7 | 29.9 | 16.8 |
| 70-74 | 29.9 | 38.4 | 22.9 | 29.4 | 38.3 | 22.0 | 30.4 | 38.5 | 23.8 |
| 75-79 | 46.1 | 62.0 | 35.4 | 41.1 | 56.1 | 30.8 | 51.7 | 68.7 | 40.4 |
| 80-84 | 85.2 | 102.6 | 74.2 | 70.8 | 90.0 | 58.6 | 102.5 | 118.3 | 92.9 |
| 85+ | 191.5 | 269.0 | 153.3 | 149.9 | 192.9 | 125.5 | 251.1 | 406.3 | 188.9 |
| All ages (Crude death rate) | 6.6 | 7.6 | 5.7 | 6.7 | 7.9 | 5.7 | 6.4 | 7.3 | 5.7 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Kerala**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 3 | 3 | 2 |
| Under-five mortality rate | 13 | 14 | 11 |
| Infant mortality rate | 12 | 13 | 10 |
| Neo-natal mortality rate | 6 | 8 | 4 |
| Early neo-natal mortality rate | 4 | 6 | 3 |
| Late neo-natal mortality rate | 2 | 2 | 1 |
| Post neo-natal mortality rate | 6 | 5 | 7 |
| Peri-natal mortality rate | 9 | 9 | 9 |
| Still birth rate | 5 | 3 | 6 |

## Table 8

### Age-specific death rate by sex and residence, 2015

**Madhya Pradesh**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 55.7 | 57.2 | 54.0 | 62.4 | 65.1 | 59.4 | 33.8 | 31.5 | 36.3 |
| 1-4 | 3.2 | 3.1 | 3.3 | 3.5 | 3.4 | 3.6 | 2.3 | 2.4 | 2.2 |
| 0-4 | 15.3 | 15.7 | 14.7 | 17.0 | 17.8 | 16.0 | 9.7 | 9.1 | 10.2 |
| 5-9 | 0.9 | 0.7 | 1.1 | 1.1 | 0.9 | 1.2 | 0.4 | 0.1 | 0.6 |
| 10-14 | 0.9 | 1.1 | 0.7 | 1.0 | 1.1 | 0.9 | 0.5 | 1.0 | 0.0 |
| 15-19 | 1.3 | 1.3 | 1.4 | 1.4 | 1.5 | 1.3 | 1.1 | 0.6 | 1.5 |
| 20-24 | 1.8 | 1.8 | 1.8 | 1.8 | 1.9 | 1.7 | 1.8 | 1.5 | 2.2 |
| 25-29 | 2.2 | 2.3 | 2.0 | 2.2 | 2.2 | 2.3 | 2.0 | 2.8 | 1.2 |
| 30-34 | 2.0 | 2.2 | 1.7 | 2.0 | 2.1 | 1.8 | 1.9 | 2.5 | 1.2 |
| 35-39 | 3.2 | 4.0 | 2.3 | 3.6 | 4.5 | 2.6 | 2.2 | 2.8 | 1.5 |
| 40-44 | 3.0 | 3.5 | 2.4 | 3.3 | 4.0 | 2.4 | 2.4 | 2.3 | 2.4 |
| 45-49 | 4.8 | 6.8 | 2.8 | 5.5 | 7.4 | 3.3 | 3.4 | 5.2 | 1.5 |
| 50-54 | 11.3 | 11.2 | 11.4 | 12.3 | 11.8 | 12.9 | 8.9 | 9.8 | 7.9 |
| 55-59 | 16.4 | 22.1 | 11.3 | 18.0 | 25.1 | 12.2 | 12.5 | 15.9 | 9.1 |
| 60-64 | 24.9 | 26.3 | 23.3 | 27.8 | 28.7 | 26.8 | 17.0 | 19.7 | 13.9 |
| 65-69 | 34.5 | 38.6 | 30.3 | 38.6 | 43.9 | 33.4 | 23.6 | 25.4 | 21.7 |
| 70-74 | 44.3 | 49.3 | 39.4 | 43.6 | 52.3 | 35.5 | 46.4 | 40.9 | 52.4 |
| 75-79 | 80.2 | 98.0 | 63.5 | 76.0 | 91.0 | 62.6 | 93.0 | 117.7 | 66.6 |
| 80-84 | 106.7 | 121.9 | 93.2 | 118.8 | 132.7 | 106.4 | 78.9 | 97.4 | 61.8 |
| 85+ | 323.7 | 358.4 | 297.4 | 343.6 | 392.7 | 303.9 | 270.5 | 252.6 | 281.9 |
| All ages (Crude death rate) | 7.5 | 8.1 | 6.9 | 8.1 | 8.8 | 7.5 | 5.9 | 6.3 | 5.5 |

## Table 9

### Child (Aged 0-4 years) and infant mortality indicators, 2015

**Madhya Pradesh**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 15 | 17 | 10 |
| Under-five mortality rate | 62 | 67 | 43 |
| Infant mortality rate | 50 | 54 | 34 |
| Neo-natal mortality rate | 34 | 37 | 21 |
| Early neo-natal mortality rate | 25 | 27 | 17 |
| Late neo-natal mortality rate | 9 | 10 | 4 |
| Post neo-natal mortality rate | 16 | 17 | 13 |
| Peri-natal mortality rate | 29 | 30 | 25 |
| Still birth rate | 5 | 4 | 8 |

## Table 8

### Age-specific death rate by sex and residence, 2015

**Maharashtra**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 18.4 | 17.0 | 20.0 | 24.1 | 22.5 | 26.0 | 11.3 | 10.2 | 12.7 |
| 1-4 | 0.7 | 0.6 | 0.9 | 0.9 | 0.5 | 1.4 | 0.3 | 0.6 | 0.0 |
| 0-4 | 4.7 | 4.2 | 5.2 | 5.5 | 4.8 | 6.4 | 3.2 | 3.1 | 3.3 |
| 5-9 | 0.7 | 0.8 | 0.5 | 0.3 | 0.4 | 0.3 | 1.2 | 1.5 | 0.9 |
| 10-14 | 0.7 | 0.8 | 0.5 | 0.5 | 0.8 | 0.2 | 1.0 | 1.0 | 1.0 |
| 15-19 | 0.8 | 1.0 | 0.5 | 0.6 | 0.8 | 0.5 | 1.0 | 1.3 | 0.7 |
| 20-24 | 1.2 | 1.6 | 0.9 | 1.1 | 1.3 | 0.9 | 1.4 | 1.9 | 0.8 |
| 25-29 | 1.5 | 2.1 | 1.0 | 1.9 | 2.3 | 1.5 | 1.1 | 1.8 | 0.5 |
| 30-34 | 1.8 | 2.3 | 1.3 | 2.0 | 2.3 | 1.6 | 1.7 | 2.3 | 1.0 |
| 35-39 | 2.5 | 3.1 | 1.9 | 3.3 | 4.4 | 2.1 | 1.7 | 1.7 | 1.7 |
| 40-44 | 2.4 | 2.8 | 2.0 | 3.3 | 3.9 | 2.7 | 1.3 | 1.5 | 1.2 |
| 45-49 | 4.4 | 5.1 | 3.7 | 5.5 | 6.0 | 5.0 | 3.1 | 4.0 | 2.1 |
| 50-54 | 7.7 | 8.4 | 6.9 | 9.7 | 10.2 | 9.2 | 5.1 | 6.2 | 3.9 |
| 55-59 | 11.7 | 13.6 | 10.0 | 14.7 | 17.0 | 12.6 | 7.9 | 9.4 | 6.3 |
| 60-64 | 18.1 | 19.7 | 16.4 | 22.7 | 23.7 | 21.6 | 11.7 | 14.4 | 8.5 |
| 65-69 | 24.9 | 26.5 | 23.3 | 26.0 | 27.5 | 24.5 | 23.0 | 24.8 | 20.9 |
| 70-74 | 32.7 | 37.8 | 27.6 | 30.8 | 33.3 | 28.4 | 36.4 | 47.0 | 26.0 |
| 75-79 | 57.0 | 51.9 | 62.3 | 53.7 | 46.7 | 60.7 | 64.2 | 62.8 | 65.7 |
| 80-84 | 98.0 | 95.0 | 101.3 | 90.6 | 80.7 | 101.3 | 111.4 | 120.4 | 101.3 |
| 85+ | 164.7 | 164.2 | 165.1 | 147.1 | 125.7 | 167.0 | 200.1 | 250.0 | 161.4 |
| All ages (Crude death rate) | 5.8 | 6.0 | 5.5 | 6.6 | 6.5 | 6.6 | 4.7 | 5.4 | 3.9 |

## Table 9

### Child (Aged 0-4 years) and infant mortality indicators, 2015

**Maharashtra**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 5 | 6 | 3 |
| Under-five mortality rate | 24 | 29 | 15 |
| Infant mortality rate | 21 | 26 | 14 |
| Neo-natal mortality rate | 15 | 19 | 10 |
| Early neo-natal mortality rate | 11 | 14 | 7 |
| Late neo-natal mortality rate | 4 | 5 | 3 |
| Post neo-natal mortality rate | 6 | 7 | 5 |
| Peri-natal mortality rate | 15 | 18 | 10 |
| Still birth rate | 4 | 4 | 4 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Odisha**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 39.1 | 39.1 | 39.2 | 42.2 | 42.0 | 42.5 | 23.1 | 24.7 | 21.2 |
| 1-4 | 2.6 | 2.9 | 2.3 | 3.0 | 3.2 | 2.7 | 0.5 | 1.0 | 0.0 |
| 0-4 | 12.8 | 12.9 | 12.7 | 13.9 | 13.9 | 13.9 | 7.0 | 7.9 | 6.1 |
| 5-9 | 1.3 | 1.6 | 1.0 | 1.4 | 1.9 | 1.0 | 0.6 | 0.3 | 0.8 |
| 10-14 | 0.8 | 0.8 | 0.8 | 0.8 | 0.9 | 0.7 | 0.9 | 0.7 | 1.1 |
| 15-19 | 1.3 | 1.1 | 1.5 | 1.3 | 1.0 | 1.7 | 1.1 | 1.6 | 0.6 |
| 20-24 | 1.7 | 1.9 | 1.5 | 1.8 | 1.9 | 1.6 | 1.3 | 2.0 | 0.6 |
| 25-29 | 1.7 | 2.2 | 1.3 | 2.0 | 2.4 | 1.5 | 0.7 | 0.9 | 0.5 |
| 30-34 | 1.3 | 1.1 | 1.5 | 1.4 | 1.2 | 1.7 | 0.8 | 0.9 | 0.7 |
| 35-39 | 2.7 | 3.4 | 1.9 | 2.5 | 3.1 | 1.8 | 3.5 | 4.6 | 2.4 |
| 40-44 | 3.9 | 5.1 | 2.6 | 4.0 | 5.2 | 2.6 | 3.7 | 4.6 | 2.5 |
| 45-49 | 4.8 | 6.4 | 3.0 | 5.1 | 7.0 | 3.0 | 3.3 | 3.9 | 2.5 |
| 50-54 | 11.0 | 10.4 | 11.7 | 12.3 | 11.4 | 13.4 | 5.5 | 5.8 | 5.1 |
| 55-59 | 12.5 | 14.4 | 10.2 | 12.9 | 15.3 | 10.3 | 10.1 | 10.2 | 10.0 |
| 60-64 | 16.6 | 18.6 | 14.3 | 17.2 | 19.3 | 14.6 | 13.5 | 14.7 | 12.1 |
| 65-69 | 35.3 | 40.4 | 29.8 | 36.4 | 42.7 | 29.6 | 29.4 | 28.2 | 30.8 |
| 70-74 | 36.4 | 42.0 | 31.2 | 38.1 | 44.6 | 31.8 | 27.2 | 26.2 | 28.1 |
| 75-79 | 81.6 | 93.3 | 70.5 | 77.9 | 89.4 | 67.4 | 100.6 | 112.4 | 87.9 |
| 80-84 | 78.8 | 85.2 | 72.8 | 75.7 | 83.7 | 68.1 | 97.3 | 95.4 | 98.8 |
| 85+ | 185.3 | 204.6 | 166.8 | 177.5 | 203.1 | 151.5 | 226.4 | 213.7 | 235.8 |
| All ages (Crude death rate) | 7.6 | 8.5 | 6.7 | 7.9 | 8.8 | 6.9 | 6.3 | 6.6 | 6.0 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Odisha**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 13 | 14 | 7 |
| Under-five mortality rate | 56 | 59 | 37 |
| Infant mortality rate | 46 | 48 | 35 |
| Neo-natal mortality rate | 35 | 36 | 25 |
| Early neo-natal mortality rate | 25 | 26 | 18 |
| Late neo-natal mortality rate | 10 | 10 | 7 |
| Post neo-natal mortality rate | 12 | 12 | 11 |
| Peri-natal mortality rate | 33 | 34 | 28 |
| Still birth rate | 9 | 9 | 10 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Punjab**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 22.2 | 20.3 | 24.7 | 24.1 | 23.0 | 25.4 | 19.4 | 16.2 | 23.6 |
| 1-4 | 1.0 | 1.4 | 0.5 | 1.5 | 1.9 | 0.9 | 0.3 | 0.6 | 0.0 |
| 0-4 | 6.0 | 5.9 | 6.1 | 6.7 | 6.8 | 6.6 | 4.8 | 4.4 | 5.3 |
| 5-9 | 0.3 | 0.5 | 0.1 | 0.4 | 0.5 | 0.2 | 0.2 | 0.4 | 0.0 |
| 10-14 | 0.9 | 0.3 | 1.6 | 0.3 | 0.6 | 0.0 | 1.6 | 0.0 | 3.8 |
| 15-19 | 0.9 | 0.9 | 1.1 | 1.2 | 1.2 | 1.2 | 0.6 | 0.4 | 0.9 |
| 20-24 | 1.8 | 2.3 | 1.1 | 1.5 | 1.9 | 1.2 | 2.1 | 3.0 | 1.1 |
| 25-29 | 1.4 | 2.3 | 0.5 | 1.7 | 2.5 | 0.9 | 1.1 | 2.0 | 0.0 |
| 30-34 | 2.1 | 2.4 | 1.8 | 2.3 | 2.6 | 1.9 | 1.9 | 2.1 | 1.6 |
| 35-39 | 2.2 | 3.5 | 0.8 | 2.9 | 4.6 | 1.0 | 1.3 | 2.0 | 0.5 |
| 40-44 | 3.9 | 5.2 | 2.6 | 4.5 | 5.6 | 3.4 | 3.2 | 4.7 | 1.5 |
| 45-49 | 5.6 | 7.3 | 3.7 | 6.7 | 7.7 | 5.6 | 4.1 | 6.8 | 1.2 |
| 50-54 | 7.7 | 7.9 | 7.4 | 9.2 | 9.2 | 9.1 | 5.9 | 6.3 | 5.5 |
| 55-59 | 10.3 | 12.0 | 8.2 | 11.8 | 12.7 | 10.7 | 8.4 | 11.1 | 5.2 |
| 60-64 | 16.5 | 16.9 | 16.0 | 16.1 | 15.7 | 16.6 | 17.0 | 18.7 | 15.1 |
| 65-69 | 23.8 | 24.8 | 22.7 | 24.0 | 26.5 | 21.5 | 23.4 | 22.1 | 24.7 |
| 70-74 | 27.9 | 31.0 | 24.6 | 32.1 | 34.2 | 30.0 | 20.8 | 25.7 | 15.5 |
| 75-79 | 44.2 | 45.1 | 43.3 | 42.6 | 45.9 | 39.1 | 47.2 | 43.6 | 50.9 |
| 80-84 | 83.3 | 84.1 | 82.3 | 83.2 | 83.2 | 83.3 | 83.3 | 86.3 | 80.1 |
| 85+ | 122.8 | 134.9 | 112.6 | 113.0 | 116.4 | 109.9 | 156.3 | 206.9 | 120.9 |
| All ages (Crude death rate) | 6.2 | 6.5 | 5.7 | 6.9 | 7.2 | 6.5 | 5.1 | 5.6 | 4.6 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Punjab**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 6 | 7 | 5 |
| Under-five mortality rate | 27 | 30 | 21 |
| Infant mortality rate | 23 | 24 | 20 |
| Neo-natal mortality rate | 13 | 14 | 13 |
| Early neo-natal mortality rate | 9 | 9 | 9 |
| Late neo-natal mortality rate | 4 | 5 | 4 |
| Post neo-natal mortality rate | 9 | 11 | 7 |
| Peri-natal mortality rate | 14 | 13 | 15 |
| Still birth rate | 5 | 4 | 6 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Rajasthan**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 51.5 | 48.3 | 55.5 | 55.0 | 50.9 | 60.3 | 37.6 | 37.8 | 37.3 |
| 1-4 | 1.7 | 1.2 | 2.3 | 1.9 | 1.3 | 2.6 | 1.0 | 0.7 | 1.3 |
| 0-4 | 11.8 | 11.1 | 12.7 | 12.9 | 11.9 | 14.0 | 8.0 | 7.9 | 8.0 |
| 5-9 | 0.8 | 0.9 | 0.7 | 0.7 | 0.8 | 0.5 | 1.2 | 1.1 | 1.3 |
| 10-14 | 0.4 | 0.6 | 0.2 | 0.4 | 0.6 | 0.2 | 0.4 | 0.5 | 0.3 |
| 15-19 | 0.9 | 0.7 | 1.1 | 0.9 | 0.8 | 1.0 | 0.9 | 0.3 | 1.6 |
| 20-24 | 0.6 | 0.7 | 0.5 | 0.6 | 0.7 | 0.6 | 0.6 | 0.9 | 0.3 |
| 25-29 | 1.4 | 1.9 | 0.9 | 1.3 | 1.8 | 0.7 | 1.6 | 1.9 | 1.3 |
| 30-34 | 1.5 | 2.0 | 0.9 | 1.9 | 2.5 | 1.2 | 0.4 | 0.8 | 0.0 |
| 35-39 | 2.7 | 3.8 | 1.6 | 3.1 | 4.2 | 1.9 | 1.9 | 2.8 | 0.9 |
| 40-44 | 3.7 | 4.7 | 2.6 | 4.0 | 5.3 | 2.7 | 2.7 | 3.1 | 2.2 |
| 45-49 | 5.6 | 6.6 | 4.5 | 6.8 | 7.8 | 5.8 | 2.6 | 3.6 | 1.6 |
| 50-54 | 10.1 | 10.7 | 9.5 | 11.6 | 12.0 | 11.1 | 7.0 | 7.8 | 6.0 |
| 55-59 | 16.1 | 20.9 | 12.0 | 18.1 | 24.7 | 12.9 | 11.7 | 13.6 | 9.8 |
| 60-64 | 21.8 | 24.3 | 19.3 | 23.4 | 26.0 | 20.9 | 17.2 | 19.5 | 14.7 |
| 65-69 | 28.7 | 37.0 | 21.1 | 31.9 | 41.4 | 23.3 | 19.3 | 24.5 | 14.1 |
| 70-74 | 41.2 | 52.2 | 32.3 | 40.0 | 53.5 | 29.2 | 44.7 | 48.4 | 41.6 |
| 75-79 | 61.5 | 74.7 | 51.0 | 66.3 | 86.1 | 50.8 | 49.0 | 45.6 | 51.8 |
| 80-84 | 111.2 | 137.9 | 90.1 | 127.1 | 167.9 | 97.7 | 80.4 | 87.7 | 73.5 |
| 85+ | 218.6 | 306.3 | 169.4 | 187.8 | 269.5 | 138.4 | 332.9 | 480.0 | 271.1 |
| All ages (Crude death rate) | 6.3 | 6.9 | 5.7 | 6.7 | 7.4 | 5.9 | 5.2 | 5.4 | 5.0 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Rajasthan**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 12 | 13 | 8 |
| Under-five mortality rate | 50 | 55 | 31 |
| Infant mortality rate | 43 | 48 | 27 |
| Neo-natal mortality rate | 30 | 34 | 15 |
| Early neo-natal mortality rate | 23 | 26 | 12 |
| Late neo-natal mortality rate | 7 | 8 | 3 |
| Post neo-natal mortality rate | 13 | 14 | 11 |
| Peri-natal mortality rate | 28 | 30 | 18 |
| Still birth rate | 5 | 4 | 6 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Tamil Nadu**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 20.8 | 20.9 | 20.8 | 22.7 | 23.4 | 21.9 | 18.6 | 17.9 | 19.4 |
| 1-4 | 0.4 | 0.3 | 0.5 | 0.7 | 0.5 | 0.8 | 0.1 | 0.0 | 0.2 |
| 0-4 | 4.3 | 4.2 | 4.5 | 5.2 | 5.1 | 5.2 | 3.4 | 3.2 | 3.7 |
| 5-9 | 0.7 | 0.5 | 1.0 | 0.3 | 0.1 | 0.5 | 1.2 | 1.0 | 1.4 |
| 10-14 | 0.8 | 0.9 | 0.8 | 0.5 | 0.8 | 0.1 | 1.2 | 1.0 | 1.5 |
| 15-19 | 1.1 | 1.0 | 1.3 | 1.0 | 1.0 | 1.0 | 1.3 | 1.0 | 1.6 |
| 20-24 | 1.0 | 1.3 | 0.8 | 1.0 | 1.2 | 0.7 | 1.1 | 1.3 | 0.9 |
| 25-29 | 1.2 | 1.6 | 0.7 | 1.3 | 2.0 | 0.6 | 1.0 | 1.2 | 0.8 |
| 30-34 | 1.7 | 2.3 | 1.1 | 1.7 | 2.1 | 1.4 | 1.7 | 2.6 | 0.9 |
| 35-39 | 2.4 | 3.6 | 1.3 | 2.8 | 3.6 | 2.0 | 2.1 | 3.6 | 0.7 |
| 40-44 | 3.3 | 3.8 | 2.6 | 4.2 | 4.6 | 3.8 | 2.5 | 3.2 | 1.7 |
| 45-49 | 5.2 | 6.3 | 3.9 | 5.9 | 7.1 | 4.8 | 4.4 | 5.6 | 3.0 |
| 50-54 | 7.7 | 9.4 | 6.1 | 10.1 | 10.8 | 9.4 | 6.0 | 8.3 | 3.8 |
| 55-59 | 11.4 | 14.6 | 8.6 | 11.5 | 14.4 | 9.2 | 11.3 | 14.8 | 7.8 |
| 60-64 | 14.8 | 17.1 | 12.4 | 19.2 | 22.1 | 16.4 | 10.9 | 12.9 | 8.8 |
| 65-69 | 24.0 | 27.0 | 21.1 | 24.0 | 26.8 | 21.4 | 24.1 | 27.3 | 20.6 |
| 70-74 | 40.0 | 44.0 | 36.0 | 43.9 | 50.8 | 37.4 | 36.2 | 37.6 | 34.7 |
| 75-79 | 68.2 | 75.3 | 61.2 | 65.9 | 77.9 | 54.3 | 71.2 | 72.2 | 70.2 |
| 80-84 | 122.3 | 131.8 | 113.2 | 147.2 | 161.3 | 132.6 | 101.2 | 104.8 | 98.0 |
| 85+ | 239.2 | 309.3 | 187.6 | 242.3 | 295.2 | 195.8 | 235.4 | 331.1 | 179.0 |
| All ages (Crude death rate) | 6.7 | 7.6 | 5.8 | 7.6 | 8.4 | 6.6 | 6.0 | 6.8 | 5.1 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Tamil Nadu**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 4 | 5 | 3 |
| Under-five mortality rate | 20 | 25 | 16 |
| Infant mortality rate | 19 | 22 | 16 |
| Neo-natal mortality rate | 14 | 17 | 10 |
| Early neo-natal mortality rate | 10 | 13 | 7 |
| Late neo-natal mortality rate | 4 | 4 | 3 |
| Post neo-natal mortality rate | 5 | 5 | 5 |
| Peri-natal mortality rate | 12 | 16 | 9 |
| Still birth rate | 2 | 3 | 2 |

## Table 8

### Age-specific death rate by sex and residence, 2015

**Telangana**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 34.2 | 33.9 | 34.5 | 41.1 | 41.2 | 40.9 | 24.5 | 24.1 | 25.0 |
| 1-4 | 0.1 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.5 |
| 0-4 | 9.4 | 9.2 | 9.5 | 11.6 | 11.8 | 11.4 | 6.5 | 6.2 | 6.8 |
| 5-9 | 0.4 | 0.5 | 0.3 | 0.4 | 0.3 | 0.5 | 0.5 | 0.9 | 0.0 |
| 10-14 | 0.4 | 0.4 | 0.5 | 0.6 | 0.6 | 0.6 | 0.2 | 0.0 | 0.3 |
| 15-19 | 0.7 | 0.5 | 0.9 | 0.6 | 0.5 | 0.6 | 0.9 | 0.5 | 1.4 |
| 20-24 | 0.9 | 0.7 | 1.0 | 1.0 | 0.6 | 1.4 | 0.7 | 1.0 | 0.5 |
| 25-29 | 1.5 | 1.6 | 1.3 | 1.7 | 1.6 | 1.8 | 1.1 | 1.6 | 0.7 |
| 30-34 | 1.8 | 1.9 | 1.8 | 2.0 | 2.3 | 1.7 | 1.6 | 1.3 | 2.0 |
| 35-39 | 2.5 | 3.7 | 1.3 | 3.3 | 4.6 | 2.1 | 1.2 | 2.4 | 0.0 |
| 40-44 | 3.9 | 4.7 | 3.1 | 4.5 | 5.5 | 3.5 | 3.1 | 3.5 | 2.5 |
| 45-49 | 5.9 | 6.8 | 4.8 | 7.3 | 8.1 | 6.5 | 3.5 | 4.7 | 2.0 |
| 50-54 | 9.3 | 10.7 | 8.0 | 10.3 | 11.5 | 9.3 | 7.5 | 9.5 | 5.4 |
| 55-59 | 13.5 | 13.6 | 13.4 | 16.2 | 17.3 | 15.1 | 8.0 | 6.8 | 9.5 |
| 60-64 | 19.7 | 19.4 | 20.0 | 21.0 | 21.7 | 20.3 | 16.5 | 14.5 | 19.1 |
| 65-69 | 27.8 | 31.1 | 24.6 | 28.5 | 32.8 | 24.6 | 26.0 | 27.2 | 24.6 |
| 70-74 | 42.3 | 39.7 | 45.5 | 40.9 | 40.3 | 41.7 | 46.4 | 37.8 | 57.1 |
| 75-79 | 77.6 | 88.8 | 65.5 | 74.7 | 87.6 | 60.8 | 85.9 | 92.4 | 79.0 |
| 80-84 | 145.2 | 159.5 | 130.9 | 131.1 | 150.1 | 110.8 | 179.4 | 184.3 | 175.2 |
| 85+ | 216.9 | 327.8 | 142.2 | 170.2 | 245.8 | 105.1 | 360.9 | 872.6 | 220.6 |
| All ages (Crude death rate) | 6.5 | 7.1 | 6.0 | 7.5 | 8.2 | 6.8 | 4.9 | 5.2 | 4.6 |

## Table 9

### Child (Aged 0-4 years) and infant mortality indicators, 2015

**Telangana**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 2 | 2 | 2 |
| Under-five mortality rate | 34 | 37 | 28 |
| Infant mortality rate | 34 | 37 | 27 |
| Neo-natal mortality rate | 23 | 27 | 17 |
| Early neo-natal mortality rate | 17 | 22 | 10 |
| Late neo-natal mortality rate | 6 | 5 | 7 |
| Post neo-natal mortality rate | 10 | 10 | 10 |
| Peri-natal mortality rate | 19 | 23 | 10 |
| Still birth rate | 1 | 2 | 0 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Uttar Pradesh**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 67.3 | 62.7 | 72.9 | 70.1 | 67.9 | 72.7 | 56.4 | 42.4 | 74.0 |
| 1-4 | 1.3 | 1.2 | 1.5 | 1.4 | 1.1 | 1.8 | 0.9 | 1.7 | 0.0 |
| 0-4 | 14.3 | 13.6 | 15.3 | 14.9 | 14.4 | 15.5 | 12.0 | 10.0 | 14.3 |
| 5-9 | 0.6 | 0.7 | 0.6 | 0.5 | 0.6 | 0.4 | 1.1 | 1.0 | 1.2 |
| 10-14 | 1.0 | 0.8 | 1.1 | 1.0 | 0.8 | 1.2 | 0.8 | 0.6 | 0.9 |
| 15-19 | 0.8 | 0.9 | 0.7 | 0.8 | 0.9 | 0.8 | 0.7 | 0.9 | 0.6 |
| 20-24 | 1.5 | 1.5 | 1.4 | 1.5 | 1.6 | 1.4 | 1.3 | 1.1 | 1.5 |
| 25-29 | 1.4 | 1.3 | 1.5 | 1.6 | 1.6 | 1.7 | 0.8 | 0.6 | 1.0 |
| 30-34 | 2.3 | 2.5 | 2.1 | 2.7 | 2.8 | 2.6 | 1.4 | 1.8 | 0.9 |
| 35-39 | 3.1 | 3.4 | 2.7 | 3.4 | 3.5 | 3.3 | 2.2 | 3.0 | 1.2 |
| 40-44 | 4.1 | 4.2 | 4.0 | 4.7 | 4.7 | 4.7 | 2.4 | 2.9 | 1.8 |
| 45-49 | 6.2 | 7.2 | 5.3 | 6.9 | 7.4 | 6.3 | 4.5 | 6.5 | 2.6 |
| 50-54 | 13.8 | 13.8 | 13.9 | 15.3 | 14.9 | 15.7 | 10.4 | 11.1 | 9.6 |
| 55-59 | 18.0 | 21.0 | 15.3 | 20.4 | 24.6 | 17.0 | 11.8 | 13.1 | 10.5 |
| 60-64 | 25.8 | 26.8 | 24.7 | 30.0 | 30.4 | 29.6 | 13.3 | 16.1 | 10.2 |
| 65-69 | 32.9 | 35.8 | 30.3 | 34.3 | 38.5 | 30.5 | 28.6 | 27.6 | 29.6 |
| 70-74 | 47.7 | 48.4 | 47.0 | 50.0 | 51.4 | 48.5 | 40.3 | 38.8 | 41.9 |
| 75-79 | 70.6 | 76.8 | 64.8 | 68.7 | 76.7 | 61.2 | 77.1 | 77.0 | 77.2 |
| 80-84 | 148.5 | 159.1 | 137.9 | 144.5 | 157.1 | 131.8 | 162.2 | 165.8 | 158.5 |
| 85+ | 262.7 | 318.1 | 217.6 | 259.0 | 302.7 | 222.1 | 275.3 | 377.2 | 203.4 |
| All ages (Crude death rate) | 7.2 | 7.3 | 7.1 | 7.7 | 7.8 | 7.5 | 5.7 | 5.8 | 5.7 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Uttar Pradesh**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 14 | 15 | 12 |
| Under-five mortality rate | 51 | 54 | 40 |
| Infant mortality rate | 46 | 48 | 36 |
| Neo-natal mortality rate | 31 | 34 | 20 |
| Early neo-natal mortality rate | 25 | 27 | 14 |
| Late neo-natal mortality rate | 6 | 6 | 6 |
| Post neo-natal mortality rate | 15 | 15 | 16 |
| Peri-natal mortality rate | 27 | 30 | 17 |
| Still birth rate | 2 | 2 | 2 |

**Table 8**

**Age-specific death rate by sex and residence, 2015**

**Uttarakhand**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 27.8 | 26.6 | 29.2 | 25.6 | 23.7 | 27.8 | 33.4 | 34.1 | 32.6 |
| 1-4 | 1.1 | 1.2 | 1.0 | 1.2 | 1.3 | 1.1 | 0.9 | 1.1 | 0.7 |
| 0-4 | 6.4 | 6.3 | 6.6 | 6.0 | 5.6 | 6.4 | 7.6 | 8.0 | 7.1 |
| 5-9 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 | 0.5 | 0.5 | 0.6 | 0.2 |
| 10-14 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.4 | 0.2 | 0.7 |
| 15-19 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.3 | 1.0 | 1.1 | 0.8 |
| 20-24 | 1.6 | 1.5 | 1.6 | 1.8 | 1.8 | 1.7 | 1.0 | 0.9 | 1.3 |
| 25-29 | 1.4 | 2.0 | 0.8 | 1.3 | 2.1 | 0.6 | 1.5 | 1.8 | 1.3 |
| 30-34 | 1.8 | 1.6 | 2.1 | 1.8 | 1.1 | 2.5 | 1.9 | 2.8 | 0.9 |
| 35-39 | 2.8 | 3.9 | 1.8 | 2.9 | 4.2 | 1.6 | 2.7 | 3.2 | 2.1 |
| 40-44 | 4.8 | 6.4 | 2.9 | 5.4 | 7.4 | 3.1 | 3.3 | 4.0 | 2.5 |
| 45-49 | 5.2 | 9.2 | 1.3 | 5.3 | 9.7 | 1.1 | 5.1 | 8.1 | 1.9 |
| 50-54 | 7.7 | 11.5 | 4.6 | 8.2 | 12.6 | 4.7 | 6.6 | 9.0 | 4.4 |
| 55-59 | 15.1 | 20.5 | 10.1 | 16.7 | 23.2 | 11.2 | 10.8 | 14.1 | 7.1 |
| 60-64 | 16.3 | 20.3 | 12.8 | 16.1 | 20.3 | 12.7 | 16.9 | 20.4 | 13.4 |
| 65-69 | 29.6 | 37.0 | 22.9 | 29.4 | 38.1 | 21.7 | 30.4 | 33.5 | 27.1 |
| 70-74 | 41.3 | 50.5 | 32.5 | 41.9 | 52.6 | 32.3 | 38.9 | 43.6 | 33.4 |
| 75-79 | 79.4 | 90.1 | 69.3 | 81.7 | 90.1 | 73.9 | 70.3 | 89.9 | 49.8 |
| 80-84 | 75.5 | 73.8 | 76.8 | 74.1 | 72.6 | 75.2 | 81.4 | 78.4 | 83.8 |
| 85+ | 191.2 | 202.0 | 182.0 | 185.2 | 202.5 | 170.1 | 216.6 | 199.6 | 229.2 |
| All ages (Crude death rate) | 6.4 | 7.2 | 5.6 | 6.8 | 7.7 | 5.8 | 5.6 | 6.2 | 4.9 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2015**

**Uttaranchal**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 6 | 6 | 8 |
| Under-five mortality rate | 38 | 35 | 47 |
| Infant mortality rate | 34 | 31 | 44 |
| Neo-natal mortality rate | 28 | 24 | 37 |
| Early neo-natal mortality rate | 22 | 20 | 29 |
| Late neo-natal mortality rate | 6 | 5 | 8 |
| Post neo-natal mortality rate | 7 | 6 | 7 |
| Peri-natal mortality rate | 39 | 37 | 44 |
| Still birth rate | 17 | 18 | 16 |

## Table 8

### Age-specific death rate by sex and residence, 2015

**West Bengal**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 25.7 | 24.3 | 27.1 | 29.6 | 28.2 | 31.2 | 16.8 | 15.7 | 17.9 |
| 1-4 | 0.9 | 0.9 | 1.0 | 1.1 | 1.0 | 1.2 | 0.5 | 0.6 | 0.4 |
| 0-4 | 6.1 | 5.8 | 6.4 | 6.5 | 6.2 | 6.9 | 4.8 | 4.6 | 5.0 |
| 5-9 | 0.4 | 0.6 | 0.3 | 0.4 | 0.5 | 0.3 | 0.5 | 0.8 | 0.2 |
| 10-14 | 0.6 | 0.3 | 0.9 | 0.6 | 0.4 | 0.8 | 0.7 | 0.2 | 1.2 |
| 15-19 | 0.9 | 0.9 | 0.9 | 0.8 | 0.9 | 0.7 | 1.0 | 0.8 | 1.2 |
| 20-24 | 1.0 | 1.0 | 1.0 | 0.9 | 1.0 | 0.8 | 1.3 | 1.0 | 1.7 |
| 25-29 | 1.2 | 1.2 | 1.1 | 1.3 | 1.4 | 1.2 | 0.9 | 0.8 | 1.0 |
| 30-34 | 1.2 | 1.8 | 0.6 | 1.2 | 1.7 | 0.8 | 1.1 | 1.9 | 0.3 |
| 35-39 | 1.7 | 2.2 | 1.2 | 1.6 | 1.9 | 1.3 | 1.9 | 2.9 | 1.0 |
| 40-44 | 2.3 | 2.6 | 1.9 | 2.6 | 2.8 | 2.4 | 1.6 | 2.1 | 1.0 |
| 45-49 | 4.6 | 6.2 | 2.8 | 4.8 | 6.3 | 3.0 | 4.2 | 6.0 | 2.4 |
| 50-54 | 7.8 | 7.9 | 7.7 | 9.2 | 8.6 | 10.1 | 5.6 | 6.5 | 4.8 |
| 55-59 | 12.7 | 13.5 | 11.9 | 15.1 | 17.5 | 12.9 | 8.8 | 7.9 | 10.0 |
| 60-64 | 18.9 | 19.7 | 17.9 | 22.4 | 24.7 | 20.3 | 13.6 | 13.4 | 13.7 |
| 65-69 | 26.3 | 26.8 | 25.8 | 30.3 | 29.6 | 31.1 | 19.7 | 22.2 | 16.5 |
| 70-74 | 41.8 | 49.3 | 34.1 | 44.7 | 54.3 | 36.1 | 37.0 | 42.3 | 30.4 |
| 75-79 | 66.8 | 64.7 | 68.8 | 68.4 | 71.8 | 65.6 | 64.3 | 55.6 | 74.9 |
| 80-84 | 108.7 | 117.7 | 100.3 | 110.5 | 126.3 | 96.2 | 106.4 | 106.9 | 105.9 |
| 85+ | 166.1 | 174.9 | 158.9 | 174.0 | 199.8 | 153.6 | 157.2 | 148.1 | 165.1 |
| All ages (Crude death rate) | 5.9 | 6.3 | 5.5 | 5.8 | 6.1 | 5.5 | 6.2 | 6.6 | 5.7 |

## Table 9

### Child (Aged 0-4 years) and infant mortality indicators, 2015

**West Bengal**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 6 | 7 | 5 |
| Under-five mortality rate | 30 | 31 | 26 |
| Infant mortality rate | 26 | 27 | 24 |
| Neo-natal mortality rate | 18 | 18 | 15 |
| Early neo-natal mortality rate | 14 | 14 | 12 |
| Late neo-natal mortality rate | 4 | 4 | 3 |
| Post neo-natal mortality rate | 9 | 8 | 9 |
| Peri-natal mortality rate | 16 | 17 | 13 |
| Still birth rate | 2 | 3 | 1 |

## Table 10

## Percentage distribution of deaths to total deaths by residence, sex and age-group, 2015

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **India** | | | | | |
| Below 1 | 11.9 | 11.2 | 12.8 | 13.3 | 12.7 | 14.0 | 8.1 | 7.2 | 9.2 |
| 1-4 | 1.5 | 1.3 | 1.7 | 1.7 | 1.5 | 2.0 | 0.8 | 0.8 | 0.8 |
| 0-4 | 13.4 | 12.6 | 14.4 | 15.0 | 14.2 | 16.0 | 8.9 | 8.0 | 10.0 |
| 5-9 | 1.0 | 1.0 | 0.9 | 0.9 | 0.9 | 0.8 | 1.3 | 1.3 | 1.2 |
| 10-14 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.1 | 1.0 | 1.2 |
| 15-19 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.3 | 1.5 | 1.3 | 1.7 |
| 20-24 | 1.8 | 1.8 | 1.8 | 1.7 | 1.7 | 1.7 | 2.2 | 2.1 | 2.3 |
| 25-29 | 2.1 | 2.2 | 1.8 | 2.0 | 2.2 | 1.8 | 2.2 | 2.3 | 1.9 |
| 30-34 | 2.2 | 2.5 | 1.8 | 2.1 | 2.3 | 1.8 | 2.5 | 3.1 | 1.7 |
| 35-39 | 2.8 | 3.2 | 2.3 | 2.7 | 3.0 | 2.4 | 2.9 | 3.6 | 1.9 |
| 40-44 | 3.0 | 3.3 | 2.7 | 3.0 | 3.3 | 2.7 | 3.0 | 3.4 | 2.5 |
| 45-49 | 4.1 | 4.8 | 3.2 | 4.1 | 4.6 | 3.4 | 4.1 | 5.3 | 2.5 |
| 50-54 | 6.2 | 6.2 | 6.1 | 6.2 | 6.1 | 6.4 | 6.1 | 6.6 | 5.5 |
| 55-59 | 7.4 | 7.9 | 6.9 | 7.5 | 7.9 | 7.1 | 7.1 | 7.7 | 6.4 |
| 60-64 | 9.5 | 9.7 | 9.2 | 10.0 | 10.0 | 9.9 | 8.2 | 8.7 | 7.4 |
| 65-69 | 9.5 | 9.5 | 9.4 | 9.5 | 9.5 | 9.4 | 9.3 | 9.3 | 9.4 |
| 70-74 | 9.3 | 9.2 | 9.5 | 9.2 | 9.2 | 9.3 | 9.6 | 9.3 | 10.1 |
| 75-79 | 8.7 | 8.3 | 9.2 | 8.3 | 7.9 | 8.6 | 10.0 | 9.2 | 11.0 |
| 80-84 | 8.0 | 7.6 | 8.6 | 7.5 | 7.2 | 7.9 | 9.5 | 8.5 | 10.7 |
| 85+ | 8.6 | 7.9 | 9.5 | 7.9 | 7.5 | 8.5 | 10.6 | 9.1 | 12.5 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

## Percentage distribution of deaths to total deaths by residence, sex and age-group, 2015

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Andhra Pradesh** | | | | | |
| Below 1 | 8.8 | 7.9 | 9.9 | 8.9 | 7.8 | 10.2 | 8.5 | 8.1 | 8.8 |
| 1-4 | 0.4 | 0.2 | 0.6 | 0.3 | 0.2 | 0.4 | 0.7 | 0.0 | 1.5 |
| 0-4 | 9.2 | 8.1 | 10.5 | 9.1 | 8.1 | 10.6 | 9.2 | 8.1 | 10.3 |
| 5-9 | 0.5 | 0.3 | 0.6 | 0.6 | 0.4 | 0.8 | 0.0 | 0.0 | 0.0 |
| 10-14 | 0.5 | 0.4 | 0.6 | 0.5 | 0.3 | 0.6 | 0.7 | 0.7 | 0.7 |
| 15-19 | 1.0 | 0.9 | 1.3 | 1.0 | 0.8 | 1.2 | 1.4 | 1.3 | 1.5 |
| 20-24 | 1.5 | 1.3 | 1.7 | 1.3 | 1.0 | 1.7 | 2.0 | 2.4 | 1.6 |
| 25-29 | 1.8 | 2.2 | 1.2 | 1.6 | 2.0 | 1.0 | 2.7 | 3.1 | 2.2 |
| 30-34 | 2.7 | 3.9 | 1.1 | 2.5 | 3.5 | 1.2 | 3.5 | 5.7 | 0.8 |
| 35-39 | 3.0 | 3.3 | 2.5 | 2.8 | 2.9 | 2.6 | 3.7 | 5.0 | 2.2 |
| 40-44 | 3.8 | 3.9 | 3.6 | 3.7 | 4.0 | 3.3 | 4.0 | 3.7 | 4.4 |
| 45-49 | 4.3 | 4.7 | 3.8 | 4.3 | 4.7 | 3.8 | 4.5 | 5.1 | 3.8 |
| 50-54 | 8.1 | 8.5 | 7.5 | 8.0 | 7.9 | 8.2 | 8.3 | 11.0 | 5.1 |
| 55-59 | 9.9 | 10.0 | 9.8 | 10.8 | 10.2 | 11.5 | 6.7 | 9.2 | 3.7 |
| 60-64 | 11.9 | 12.2 | 11.6 | 12.7 | 12.9 | 12.4 | 9.1 | 9.3 | 8.9 |
| 65-69 | 12.0 | 11.8 | 12.1 | 12.3 | 12.1 | 12.6 | 10.5 | 10.6 | 10.4 |
| 70-74 | 10.0 | 9.7 | 10.3 | 10.0 | 10.2 | 9.7 | 9.9 | 7.6 | 12.7 |
| 75-79 | 7.5 | 6.9 | 8.2 | 7.2 | 7.3 | 7.1 | 8.7 | 5.4 | 12.6 |
| 80-84 | 6.6 | 6.1 | 7.2 | 6.1 | 5.9 | 6.3 | 8.5 | 6.8 | 10.4 |
| 85+ | 5.8 | 5.6 | 6.2 | 5.6 | 5.7 | 5.4 | 6.8 | 5.1 | 8.8 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Assam** | | | | | |
| Below 1 | 14.7 | 14.0 | 15.7 | 15.6 | 14.8 | 16.6 | 7.5 | 7.0 | 8.1 |
| 1-4 | 3.7 | 2.6 | 5.2 | 4.1 | 2.9 | 5.7 | 0.5 | 0.2 | 0.9 |
| 0-4 | 18.4 | 16.6 | 20.8 | 19.7 | 17.8 | 22.3 | 7.9 | 7.3 | 8.9 |
| 5-9 | 1.8 | 1.9 | 1.7 | 2.0 | 2.1 | 1.8 | 0.5 | 0.4 | 0.6 |
| 10-14 | 1.4 | 1.0 | 1.9 | 1.6 | 1.2 | 2.1 | 0.2 | 0.0 | 0.4 |
| 15-19 | 1.2 | 1.2 | 1.2 | 1.1 | 1.1 | 1.1 | 1.7 | 2.0 | 1.3 |
| 20-24 | 0.8 | 1.0 | 0.5 | 0.6 | 0.8 | 0.3 | 2.4 | 2.6 | 2.1 |
| 25-29 | 2.0 | 2.2 | 1.7 | 1.9 | 2.2 | 1.7 | 2.3 | 2.5 | 2.0 |
| 30-34 | 2.3 | 3.4 | 0.9 | 2.3 | 3.4 | 1.0 | 2.2 | 3.3 | 0.6 |
| 35-39 | 3.4 | 4.0 | 2.6 | 3.4 | 4.0 | 2.5 | 3.6 | 3.8 | 3.2 |
| 40-44 | 2.6 | 2.4 | 2.8 | 2.4 | 2.1 | 2.7 | 4.2 | 4.7 | 3.5 |
| 45-49 | 4.3 | 6.1 | 1.8 | 4.1 | 5.8 | 1.7 | 5.9 | 8.2 | 2.6 |
| 50-54 | 6.0 | 5.7 | 6.2 | 5.8 | 5.5 | 6.2 | 7.0 | 7.5 | 6.4 |
| 55-59 | 7.0 | 7.3 | 6.6 | 6.7 | 7.0 | 6.4 | 9.2 | 9.7 | 8.5 |
| 60-64 | 9.2 | 10.2 | 7.9 | 9.2 | 10.3 | 7.8 | 9.2 | 9.1 | 9.2 |
| 65-69 | 10.5 | 10.1 | 11.0 | 10.4 | 10.0 | 10.9 | 11.5 | 11.0 | 12.2 |
| 70-74 | 9.1 | 8.7 | 9.6 | 9.1 | 8.6 | 9.6 | 9.2 | 9.1 | 9.3 |
| 75-79 | 7.8 | 7.2 | 8.6 | 7.8 | 7.1 | 8.7 | 8.0 | 8.2 | 7.8 |
| 80-84 | 6.6 | 6.2 | 7.1 | 6.5 | 6.3 | 6.8 | 7.3 | 5.4 | 9.8 |
| 85+ | 5.8 | 4.9 | 6.9 | 5.5 | 4.8 | 6.4 | 7.9 | 5.2 | 11.6 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

## Percentage distribution of deaths to total deaths by residence, sex and age-group, 2015

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Bihar** | | | | | |
| Below 1 | 20.2 | 20.2 | 20.2 | 20.5 | 20.9 | 20.1 | 17.7 | 15.0 | 20.9 |
| 1-4 | 2.2 | 2.8 | 1.6 | 2.3 | 3.1 | 1.7 | 1.1 | 1.0 | 1.2 |
| 0-4 | 22.4 | 23.0 | 21.8 | 22.9 | 24.0 | 21.8 | 18.8 | 15.9 | 22.0 |
| 5-9 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.0 | 1.3 | 0.9 | 1.7 |
| 10-14 | 0.8 | 1.0 | 0.6 | 0.7 | 0.9 | 0.6 | 1.3 | 1.5 | 1.1 |
| 15-19 | 1.3 | 1.4 | 1.2 | 1.3 | 1.4 | 1.1 | 1.5 | 1.4 | 1.6 |
| 20-24 | 1.5 | 1.6 | 1.5 | 1.5 | 1.5 | 1.4 | 1.7 | 1.8 | 1.6 |
| 25-29 | 1.6 | 1.9 | 1.3 | 1.4 | 1.8 | 1.1 | 3.0 | 2.9 | 3.1 |
| 30-34 | 1.9 | 1.9 | 2.0 | 1.8 | 1.8 | 1.9 | 2.7 | 2.8 | 2.7 |
| 35-39 | 2.1 | 1.7 | 2.6 | 2.0 | 1.4 | 2.6 | 2.8 | 3.3 | 2.3 |
| 40-44 | 2.4 | 3.2 | 1.5 | 2.4 | 3.3 | 1.5 | 2.0 | 2.4 | 1.5 |
| 45-49 | 2.6 | 2.9 | 2.2 | 2.4 | 2.5 | 2.4 | 3.4 | 5.5 | 1.1 |
| 50-54 | 5.1 | 4.9 | 5.3 | 5.1 | 4.9 | 5.3 | 4.8 | 4.8 | 4.8 |
| 55-59 | 5.9 | 5.9 | 5.9 | 5.8 | 5.7 | 5.9 | 6.7 | 7.2 | 6.1 |
| 60-64 | 8.8 | 8.9 | 8.6 | 8.9 | 8.9 | 8.9 | 7.6 | 8.9 | 6.0 |
| 65-69 | 8.7 | 8.6 | 8.9 | 8.8 | 8.6 | 8.9 | 8.5 | 8.3 | 8.7 |
| 70-74 | 9.3 | 8.6 | 10.1 | 9.2 | 8.4 | 10.0 | 10.5 | 10.3 | 10.8 |
| 75-79 | 8.1 | 7.6 | 8.6 | 8.3 | 7.9 | 8.7 | 6.6 | 5.2 | 8.2 |
| 80-84 | 8.8 | 8.3 | 9.2 | 8.9 | 8.5 | 9.3 | 7.7 | 7.0 | 8.4 |
| 85+ | 7.6 | 7.5 | 7.7 | 7.4 | 7.1 | 7.6 | 9.0 | 9.9 | 8.1 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Chhattisgarh** | | | | | |
| Below 1 | 12.6 | 12.2 | 13.1 | 13.1 | 12.7 | 13.6 | 10.4 | 10.3 | 10.5 |
| 1-4 | 1.8 | 1.1 | 2.7 | 2.0 | 1.1 | 3.1 | 0.9 | 1.4 | 0.3 |
| 0-4 | 14.4 | 13.3 | 15.7 | 15.1 | 13.7 | 16.7 | 11.3 | 11.7 | 10.8 |
| 5-9 | 0.6 | 0.9 | 0.4 | 0.6 | 0.8 | 0.3 | 1.0 | 1.3 | 0.6 |
| 10-14 | 0.7 | 0.9 | 0.4 | 0.7 | 0.8 | 0.5 | 0.9 | 1.5 | 0.0 |
| 15-19 | 1.2 | 1.6 | 0.8 | 1.4 | 1.8 | 1.0 | 0.2 | 0.4 | 0.0 |
| 20-24 | 2.4 | 3.0 | 1.7 | 2.2 | 2.5 | 1.9 | 3.0 | 4.8 | 0.5 |
| 25-29 | 2.5 | 1.7 | 3.4 | 2.2 | 1.6 | 2.9 | 3.6 | 1.7 | 6.2 |
| 30-34 | 1.9 | 2.4 | 1.5 | 1.9 | 2.6 | 1.2 | 1.9 | 1.4 | 2.6 |
| 35-39 | 3.1 | 3.2 | 2.9 | 3.1 | 3.1 | 3.0 | 2.9 | 3.2 | 2.5 |
| 40-44 | 3.1 | 3.3 | 2.9 | 3.0 | 3.0 | 3.1 | 3.4 | 4.5 | 1.9 |
| 45-49 | 4.7 | 6.1 | 3.2 | 5.1 | 6.7 | 3.3 | 3.2 | 3.4 | 2.8 |
| 50-54 | 5.2 | 5.5 | 4.9 | 5.3 | 5.7 | 4.9 | 4.9 | 4.6 | 5.3 |
| 55-59 | 7.6 | 8.5 | 6.6 | 7.7 | 8.1 | 7.2 | 7.4 | 10.3 | 3.4 |
| 60-64 | 11.6 | 10.8 | 12.5 | 11.7 | 11.5 | 12.1 | 10.9 | 8.2 | 14.6 |
| 65-69 | 10.8 | 10.1 | 11.6 | 10.1 | 9.9 | 10.3 | 14.0 | 11.0 | 18.2 |
| 70-74 | 9.0 | 8.5 | 9.6 | 9.5 | 8.5 | 10.5 | 7.0 | 8.6 | 4.7 |
| 75-79 | 7.6 | 7.2 | 8.1 | 7.4 | 6.6 | 8.3 | 8.7 | 9.6 | 7.4 |
| 80-84 | 6.9 | 7.7 | 5.9 | 6.9 | 7.8 | 5.8 | 7.0 | 7.1 | 6.9 |
| 85+ | 6.5 | 5.4 | 7.8 | 6.0 | 5.1 | 7.0 | 8.7 | 6.6 | 11.6 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

## Percentage distribution of deaths to total deaths by residence, sex and age-group, 2015

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Delhi** | | | | | |
| Below 1 | 8.3 | 7.7 | 9.2 | 11.3 | 11.1 | 11.5 | 8.2 | 7.6 | 9.1 |
| 1-4 | 0.9 | 0.3 | 1.7 | 0.0 | 0.0 | 0.0 | 1.0 | 0.4 | 1.8 |
| 0-4 | 9.3 | 8.0 | 10.9 | 11.3 | 11.1 | 11.5 | 9.2 | 7.9 | 10.9 |
| 5-9 | 0.5 | 0.9 | 0.0 | 1.6 | 2.8 | 0.0 | 0.5 | 0.9 | 0.0 |
| 10-14 | 0.2 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.4 | 0.0 |
| 15-19 | 2.7 | 2.6 | 2.9 | 1.6 | 0.0 | 3.8 | 2.8 | 2.7 | 2.9 |
| 20-24 | 2.2 | 1.4 | 3.4 | 1.6 | 2.8 | 0.0 | 2.3 | 1.3 | 3.5 |
| 25-29 | 4.5 | 4.5 | 4.5 | 3.2 | 5.6 | 0.0 | 4.5 | 4.5 | 4.6 |
| 30-34 | 2.0 | 2.7 | 1.1 | 1.6 | 2.8 | 0.0 | 2.0 | 2.7 | 1.1 |
| 35-39 | 3.6 | 3.9 | 3.3 | 0.0 | 0.0 | 0.0 | 3.7 | 4.0 | 3.4 |
| 40-44 | 3.7 | 3.9 | 3.4 | 1.6 | 2.8 | 0.0 | 3.8 | 4.0 | 3.5 |
| 45-49 | 4.9 | 6.1 | 3.4 | 9.7 | 16.7 | 0.0 | 4.8 | 5.7 | 3.5 |
| 50-54 | 4.5 | 5.2 | 3.5 | 4.8 | 5.6 | 3.8 | 4.5 | 5.2 | 3.5 |
| 55-59 | 7.3 | 7.5 | 7.1 | 8.1 | 5.6 | 11.5 | 7.3 | 7.5 | 6.9 |
| 60-64 | 7.5 | 8.4 | 6.4 | 8.1 | 8.3 | 7.7 | 7.5 | 8.4 | 6.4 |
| 65-69 | 9.8 | 10.8 | 8.5 | 8.1 | 8.3 | 7.7 | 9.9 | 10.9 | 8.6 |
| 70-74 | 9.4 | 9.1 | 9.8 | 6.5 | 5.6 | 7.7 | 9.5 | 9.2 | 9.9 |
| 75-79 | 8.2 | 8.7 | 7.5 | 6.5 | 5.6 | 7.7 | 8.3 | 8.8 | 7.5 |
| 80-84 | 8.8 | 7.9 | 10.0 | 11.3 | 8.3 | 15.4 | 8.8 | 7.9 | 9.8 |
| 85+ | 10.7 | 8.0 | 14.2 | 14.5 | 8.3 | 23.1 | 10.6 | 8.0 | 14.0 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Gujarat** | | | | | |
| Below 1 | 11.2 | 11.1 | 11.3 | 14.2 | 13.5 | 15.3 | 6.8 | 7.3 | 6.2 |
| 1-4 | 1.6 | 1.3 | 1.9 | 1.7 | 2.1 | 1.0 | 1.4 | 0.0 | 2.9 |
| 0-4 | 12.7 | 12.4 | 13.2 | 15.9 | 15.6 | 16.3 | 8.2 | 7.3 | 9.1 |
| 5-9 | 1.3 | 1.6 | 1.1 | 1.1 | 1.1 | 1.2 | 1.6 | 2.2 | 0.9 |
| 10-14 | 1.0 | 0.8 | 1.2 | 1.1 | 0.6 | 1.7 | 0.9 | 1.2 | 0.6 |
| 15-19 | 1.3 | 1.1 | 1.5 | 0.9 | 0.9 | 1.0 | 1.8 | 1.5 | 2.2 |
| 20-24 | 1.7 | 1.5 | 2.0 | 1.2 | 1.1 | 1.4 | 2.4 | 2.0 | 2.8 |
| 25-29 | 2.4 | 2.6 | 2.1 | 3.0 | 3.2 | 2.6 | 1.5 | 1.5 | 1.4 |
| 30-34 | 2.9 | 3.3 | 2.4 | 2.4 | 2.9 | 1.6 | 3.6 | 3.8 | 3.5 |
| 35-39 | 2.9 | 3.5 | 2.2 | 2.7 | 3.2 | 2.0 | 3.2 | 3.9 | 2.5 |
| 40-44 | 3.0 | 3.1 | 2.8 | 2.8 | 2.8 | 2.7 | 3.3 | 3.6 | 3.0 |
| 45-49 | 4.6 | 6.0 | 2.9 | 4.0 | 4.6 | 3.2 | 5.5 | 8.2 | 2.5 |
| 50-54 | 6.9 | 6.7 | 7.0 | 6.8 | 6.6 | 7.2 | 6.9 | 6.9 | 6.8 |
| 55-59 | 7.6 | 8.1 | 6.9 | 7.4 | 7.4 | 7.4 | 7.8 | 9.2 | 6.2 |
| 60-64 | 8.9 | 8.9 | 8.9 | 9.8 | 10.3 | 9.2 | 7.5 | 6.7 | 8.4 |
| 65-69 | 8.5 | 9.2 | 7.7 | 9.0 | 9.5 | 8.4 | 7.9 | 8.8 | 6.8 |
| 70-74 | 9.0 | 9.2 | 8.8 | 9.9 | 9.6 | 10.2 | 7.8 | 8.5 | 7.0 |
| 75-79 | 8.7 | 7.9 | 9.8 | 7.8 | 7.4 | 8.4 | 10.0 | 8.7 | 11.6 |
| 80-84 | 7.3 | 7.0 | 7.6 | 6.5 | 6.3 | 6.8 | 8.4 | 8.1 | 8.7 |
| 85+ | 9.3 | 7.3 | 11.9 | 7.6 | 6.9 | 8.6 | 11.7 | 8.0 | 16.0 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

## Percentage distribution of deaths to total deaths by residence, sex and age-group, 2015

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Haryana** | | | | | |
| Below 1 | 12.5 | 11.7 | 13.7 | 14.0 | 13.1 | 15.2 | 9.7 | 9.0 | 10.6 |
| 1-4 | 2.0 | 1.4 | 2.8 | 2.2 | 1.5 | 3.2 | 1.6 | 1.2 | 2.1 |
| 0-4 | 14.5 | 13.1 | 16.5 | 16.2 | 14.6 | 18.4 | 11.2 | 10.2 | 12.7 |
| 5-9 | 0.7 | 1.0 | 0.4 | 0.7 | 0.8 | 0.6 | 0.9 | 1.4 | 0.0 |
| 10-14 | 0.5 | 0.7 | 0.2 | 0.4 | 0.5 | 0.2 | 0.7 | 1.2 | 0.0 |
| 15-19 | 1.4 | 1.4 | 1.4 | 1.3 | 1.0 | 1.8 | 1.5 | 2.0 | 0.6 |
| 20-24 | 1.2 | 1.4 | 0.9 | 1.6 | 2.0 | 1.0 | 0.5 | 0.4 | 0.6 |
| 25-29 | 2.2 | 2.1 | 2.2 | 2.9 | 3.0 | 2.8 | 0.6 | 0.4 | 1.0 |
| 30-34 | 3.0 | 3.9 | 1.8 | 2.8 | 3.0 | 2.3 | 3.6 | 5.4 | 0.9 |
| 35-39 | 2.5 | 2.9 | 2.0 | 3.1 | 4.1 | 1.7 | 1.4 | 0.7 | 2.5 |
| 40-44 | 4.2 | 5.5 | 2.3 | 3.6 | 4.4 | 2.6 | 5.3 | 7.6 | 1.8 |
| 45-49 | 4.6 | 5.5 | 3.2 | 5.4 | 6.4 | 4.1 | 2.9 | 3.8 | 1.5 |
| 50-54 | 5.7 | 6.9 | 4.0 | 6.0 | 6.6 | 5.1 | 5.0 | 7.3 | 1.7 |
| 55-59 | 7.4 | 9.4 | 4.6 | 7.7 | 9.9 | 4.4 | 7.0 | 8.3 | 5.1 |
| 60-64 | 9.8 | 9.5 | 10.2 | 9.3 | 8.3 | 10.8 | 10.7 | 11.8 | 9.1 |
| 65-69 | 10.9 | 8.8 | 13.9 | 9.9 | 9.1 | 11.1 | 12.7 | 8.1 | 19.4 |
| 70-74 | 9.7 | 8.2 | 11.8 | 9.5 | 8.9 | 10.3 | 10.1 | 6.9 | 14.8 |
| 75-79 | 7.9 | 7.2 | 8.8 | 6.6 | 5.6 | 8.1 | 10.2 | 10.2 | 10.3 |
| 80-84 | 5.9 | 4.9 | 7.2 | 5.7 | 4.7 | 7.3 | 6.2 | 5.5 | 7.1 |
| 85+ | 8.0 | 7.6 | 8.5 | 7.2 | 7.2 | 7.3 | 9.4 | 8.5 | 10.9 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Himachal Pradesh** | | | | | |
| Below 1 | 10.3 | 10.8 | 9.6 | 10.6 | 11.0 | 9.9 | 5.8 | 6.9 | 4.3 |
| 1-4 | 0.6 | 1.0 | 0.0 | 0.6 | 1.0 | 0.0 | 1.0 | 1.7 | 0.0 |
| 0-4 | 11.0 | 11.9 | 9.6 | 11.2 | 12.0 | 9.9 | 6.8 | 8.7 | 4.3 |
| 5-9 | 0.8 | 1.0 | 0.6 | 0.9 | 1.0 | 0.7 | 0.0 | 0.0 | 0.0 |
| 10-14 | 0.2 | 0.0 | 0.5 | 0.2 | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 |
| 15-19 | 0.9 | 0.2 | 2.0 | 0.9 | 0.1 | 2.1 | 0.9 | 1.7 | 0.0 |
| 20-24 | 2.2 | 2.3 | 2.1 | 2.3 | 2.3 | 2.2 | 0.9 | 1.7 | 0.0 |
| 25-29 | 1.4 | 2.2 | 0.0 | 1.3 | 2.2 | 0.0 | 2.0 | 3.5 | 0.0 |
| 30-34 | 0.6 | 0.8 | 0.4 | 0.4 | 0.6 | 0.1 | 4.9 | 5.2 | 4.5 |
| 35-39 | 2.9 | 3.5 | 2.0 | 3.0 | 3.6 | 2.1 | 1.0 | 1.7 | 0.0 |
| 40-44 | 1.6 | 1.6 | 1.6 | 1.5 | 1.5 | 1.6 | 2.9 | 3.5 | 2.2 |
| 45-49 | 4.0 | 4.8 | 2.7 | 3.9 | 4.9 | 2.5 | 4.8 | 3.5 | 6.6 |
| 50-54 | 5.2 | 4.4 | 6.6 | 5.1 | 4.2 | 6.6 | 6.8 | 6.9 | 6.7 |
| 55-59 | 6.2 | 8.4 | 2.7 | 6.1 | 8.3 | 2.6 | 7.8 | 10.4 | 4.5 |
| 60-64 | 8.2 | 9.5 | 6.1 | 8.1 | 9.6 | 5.8 | 8.8 | 6.9 | 11.1 |
| 65-69 | 9.9 | 9.7 | 10.2 | 9.9 | 9.8 | 10.0 | 10.7 | 8.6 | 13.4 |
| 70-74 | 10.2 | 9.6 | 11.2 | 10.3 | 9.7 | 11.2 | 8.7 | 6.9 | 11.1 |
| 75-79 | 8.6 | 8.8 | 8.3 | 8.5 | 8.6 | 8.3 | 10.7 | 12.0 | 8.9 |
| 80-84 | 12.2 | 11.6 | 13.3 | 12.5 | 11.7 | 13.7 | 7.7 | 8.6 | 6.7 |
| 85+ | 13.9 | 9.9 | 20.1 | 13.8 | 9.9 | 20.1 | 14.5 | 10.3 | 20.0 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

## Percentage distribution of deaths to total deaths by residence, sex and age-group, 2015

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Jammu & Kashmir** | | | | | |
| Below 1 | 8.6 | 7.0 | 11.2 | 9.4 | 7.5 | 12.5 | 5.8 | 5.4 | 6.5 |
| 1-4 | 0.5 | 0.0 | 1.2 | 0.6 | 0.0 | 1.4 | 0.1 | 0.0 | 0.3 |
| 0-4 | 9.1 | 7.0 | 12.3 | 10.0 | 7.5 | 13.9 | 6.0 | 5.4 | 6.8 |
| 5-9 | 0.7 | 0.5 | 1.1 | 0.9 | 0.6 | 1.4 | 0.0 | 0.0 | 0.0 |
| 10-14 | 0.7 | 0.5 | 1.0 | 0.9 | 0.6 | 1.3 | 0.1 | 0.2 | 0.0 |
| 15-19 | 1.4 | 1.0 | 2.0 | 1.5 | 1.0 | 2.2 | 1.1 | 0.9 | 1.5 |
| 20-24 | 1.6 | 1.8 | 1.4 | 1.6 | 1.7 | 1.4 | 1.9 | 2.1 | 1.5 |
| 25-29 | 2.5 | 2.0 | 3.2 | 2.1 | 2.0 | 2.3 | 3.7 | 2.1 | 6.4 |
| 30-34 | 1.6 | 1.6 | 1.7 | 2.1 | 2.0 | 2.2 | 0.0 | 0.0 | 0.0 |
| 35-39 | 2.9 | 3.5 | 1.9 | 2.7 | 3.1 | 1.9 | 3.7 | 4.8 | 1.8 |
| 40-44 | 2.9 | 3.7 | 1.5 | 2.9 | 3.9 | 1.4 | 2.6 | 3.0 | 1.9 |
| 45-49 | 4.7 | 5.1 | 3.9 | 4.3 | 4.8 | 3.5 | 5.8 | 6.2 | 5.3 |
| 50-54 | 7.4 | 6.8 | 8.4 | 7.4 | 6.4 | 8.9 | 7.7 | 8.3 | 6.7 |
| 55-59 | 7.6 | 8.9 | 5.4 | 7.3 | 7.6 | 6.8 | 8.4 | 13.3 | 0.3 |
| 60-64 | 9.8 | 10.0 | 9.5 | 9.6 | 10.1 | 8.8 | 10.4 | 9.5 | 12.0 |
| 65-69 | 8.3 | 8.8 | 7.6 | 9.2 | 10.1 | 7.9 | 5.3 | 4.6 | 6.5 |
| 70-74 | 9.8 | 10.1 | 9.2 | 9.0 | 9.0 | 9.1 | 12.4 | 14.1 | 9.8 |
| 75-79 | 9.3 | 9.9 | 8.4 | 9.6 | 10.0 | 8.9 | 8.4 | 9.4 | 6.8 |
| 80-84 | 8.8 | 8.8 | 9.0 | 8.9 | 9.5 | 8.1 | 8.5 | 6.4 | 12.0 |
| 85+ | 10.8 | 9.8 | 12.2 | 9.9 | 9.9 | 9.8 | 13.9 | 9.7 | 20.7 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Jharkhand** | | | | | |
| Below 1 | 13.1 | 12.9 | 13.2 | 14.2 | 13.9 | 14.5 | 8.6 | 9.3 | 7.8 |
| 1-4 | 2.3 | 1.7 | 2.9 | 2.6 | 2.0 | 3.1 | 1.1 | 0.5 | 1.9 |
| 0-4 | 15.3 | 14.6 | 16.1 | 16.8 | 15.9 | 17.6 | 9.8 | 9.9 | 9.7 |
| 5-9 | 1.6 | 1.2 | 2.0 | 1.5 | 1.1 | 2.0 | 1.8 | 1.6 | 2.0 |
| 10-14 | 1.0 | 1.5 | 0.4 | 1.0 | 1.9 | 0.2 | 0.7 | 0.0 | 1.6 |
| 15-19 | 2.2 | 2.9 | 1.5 | 2.2 | 2.9 | 1.4 | 2.5 | 2.9 | 1.9 |
| 20-24 | 1.7 | 2.0 | 1.3 | 1.6 | 1.6 | 1.5 | 2.2 | 3.4 | 0.6 |
| 25-29 | 1.3 | 1.2 | 1.3 | 1.3 | 1.1 | 1.4 | 1.3 | 1.8 | 0.6 |
| 30-34 | 1.9 | 1.7 | 2.0 | 2.0 | 1.5 | 2.5 | 1.3 | 2.4 | 0.0 |
| 35-39 | 2.7 | 3.2 | 2.1 | 2.7 | 3.3 | 2.0 | 2.7 | 2.9 | 2.5 |
| 40-44 | 3.4 | 3.6 | 3.2 | 3.1 | 2.7 | 3.5 | 4.7 | 7.0 | 1.9 |
| 45-49 | 2.3 | 2.6 | 2.0 | 2.0 | 2.3 | 1.7 | 3.4 | 3.5 | 3.2 |
| 50-54 | 6.5 | 6.4 | 6.5 | 6.1 | 5.9 | 6.2 | 8.1 | 8.2 | 8.1 |
| 55-59 | 7.5 | 8.5 | 6.5 | 7.8 | 9.4 | 6.1 | 6.6 | 5.1 | 8.4 |
| 60-64 | 11.7 | 13.1 | 10.2 | 12.1 | 13.5 | 10.7 | 10.2 | 11.8 | 8.2 |
| 65-69 | 9.6 | 10.3 | 8.8 | 9.9 | 10.6 | 9.2 | 8.4 | 9.5 | 6.9 |
| 70-74 | 10.2 | 10.4 | 10.0 | 10.5 | 11.4 | 9.6 | 8.9 | 6.6 | 11.7 |
| 75-79 | 7.5 | 6.6 | 8.4 | 7.2 | 6.3 | 8.2 | 8.5 | 7.6 | 9.4 |
| 80-84 | 7.3 | 5.1 | 9.6 | 7.3 | 5.1 | 9.6 | 7.3 | 5.3 | 9.6 |
| 85+ | 6.4 | 5.1 | 7.8 | 5.0 | 3.6 | 6.5 | 11.9 | 10.6 | 13.5 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

## Percentage distribution of deaths to total deaths by residence, sex and age-group, 2015

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Karnataka** | | | | | |
| Below 1 | 7.5 | 6.7 | 8.4 | 7.4 | 6.3 | 8.7 | 7.7 | 7.6 | 7.9 |
| 1-4 | 0.8 | 1.1 | 0.5 | 1.0 | 1.2 | 0.7 | 0.5 | 0.8 | 0.1 |
| 0-4 | 8.3 | 7.8 | 9.0 | 8.4 | 7.5 | 9.4 | 8.2 | 8.4 | 8.0 |
| 5-9 | 0.9 | 0.8 | 1.0 | 0.3 | 0.3 | 0.4 | 2.3 | 2.1 | 2.6 |
| 10-14 | 0.9 | 1.3 | 0.5 | 0.8 | 0.9 | 0.5 | 1.4 | 2.3 | 0.3 |
| 15-19 | 1.3 | 1.4 | 1.1 | 1.5 | 1.9 | 1.0 | 0.6 | 0.0 | 1.4 |
| 20-24 | 1.5 | 1.3 | 1.7 | 1.4 | 1.5 | 1.3 | 1.6 | 0.9 | 2.5 |
| 25-29 | 2.4 | 2.9 | 1.9 | 2.0 | 2.5 | 1.5 | 3.4 | 3.9 | 2.8 |
| 30-34 | 2.5 | 2.8 | 2.2 | 2.3 | 2.6 | 2.0 | 3.0 | 3.3 | 2.7 |
| 35-39 | 3.4 | 4.4 | 2.3 | 3.5 | 3.9 | 3.1 | 3.2 | 5.6 | 0.4 |
| 40-44 | 3.9 | 3.4 | 4.5 | 3.6 | 3.4 | 3.9 | 4.7 | 3.6 | 5.9 |
| 45-49 | 4.8 | 5.8 | 3.7 | 5.6 | 6.0 | 5.0 | 2.9 | 5.2 | 0.4 |
| 50-54 | 5.9 | 5.9 | 5.9 | 6.1 | 6.3 | 6.0 | 5.4 | 5.0 | 5.9 |
| 55-59 | 7.3 | 7.9 | 6.6 | 7.8 | 8.2 | 7.3 | 6.1 | 7.1 | 4.8 |
| 60-64 | 9.0 | 9.5 | 8.3 | 9.3 | 9.9 | 8.6 | 8.1 | 8.6 | 7.6 |
| 65-69 | 8.8 | 8.6 | 9.1 | 8.8 | 8.7 | 9.0 | 8.8 | 8.3 | 9.4 |
| 70-74 | 9.0 | 8.5 | 9.7 | 9.4 | 9.3 | 9.4 | 8.2 | 6.5 | 10.3 |
| 75-79 | 9.3 | 9.0 | 9.6 | 9.2 | 8.7 | 9.7 | 9.5 | 9.6 | 9.4 |
| 80-84 | 10.5 | 9.3 | 12.0 | 9.6 | 8.9 | 10.6 | 12.7 | 10.5 | 15.2 |
| 85+ | 10.1 | 9.4 | 11.0 | 10.3 | 9.5 | 11.2 | 9.7 | 9.2 | 10.4 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Kerala** | | | | | |
| Below 1 | 2.6 | 2.2 | 3.2 | 2.9 | 2.1 | 3.8 | 2.4 | 2.2 | 2.6 |
| 1-4 | 0.2 | 0.3 | 0.1 | 0.2 | 0.3 | 0.2 | 0.2 | 0.4 | 0.0 |
| 0-4 | 2.9 | 2.5 | 3.3 | 3.1 | 2.4 | 4.0 | 2.6 | 2.6 | 2.6 |
| 5-9 | 0.3 | 0.1 | 0.4 | 0.2 | 0.3 | 0.1 | 0.3 | 0.0 | 0.6 |
| 10-14 | 0.5 | 0.6 | 0.4 | 0.4 | 0.7 | 0.1 | 0.6 | 0.6 | 0.6 |
| 15-19 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | 0.4 | 0.6 | 0.6 | 0.7 |
| 20-24 | 0.9 | 1.3 | 0.4 | 0.6 | 1.0 | 0.1 | 1.2 | 1.7 | 0.6 |
| 25-29 | 0.9 | 1.0 | 0.7 | 0.8 | 0.9 | 0.7 | 0.9 | 1.1 | 0.7 |
| 30-34 | 1.0 | 1.3 | 0.6 | 0.8 | 1.1 | 0.4 | 1.1 | 1.5 | 0.7 |
| 35-39 | 2.1 | 2.4 | 1.6 | 2.1 | 2.3 | 2.0 | 2.0 | 2.6 | 1.3 |
| 40-44 | 2.2 | 2.4 | 2.0 | 2.9 | 3.1 | 2.7 | 1.5 | 1.7 | 1.3 |
| 45-49 | 3.8 | 4.1 | 3.4 | 4.0 | 4.5 | 3.5 | 3.5 | 3.8 | 3.3 |
| 50-54 | 6.5 | 6.8 | 6.2 | 8.2 | 8.4 | 8.0 | 4.7 | 5.0 | 4.4 |
| 55-59 | 7.8 | 8.1 | 7.6 | 8.6 | 9.3 | 7.6 | 7.0 | 6.6 | 7.5 |
| 60-64 | 10.6 | 12.0 | 9.0 | 12.3 | 13.0 | 11.4 | 8.9 | 10.9 | 6.6 |
| 65-69 | 11.2 | 12.2 | 10.0 | 11.2 | 12.1 | 10.1 | 11.2 | 12.3 | 9.9 |
| 70-74 | 10.3 | 10.8 | 9.8 | 9.8 | 10.2 | 9.2 | 10.9 | 11.5 | 10.3 |
| 75-79 | 11.1 | 10.9 | 11.3 | 10.1 | 10.0 | 10.3 | 12.1 | 11.9 | 12.4 |
| 80-84 | 11.3 | 9.5 | 13.5 | 10.0 | 8.8 | 11.6 | 12.7 | 10.3 | 15.5 |
| 85+ | 16.1 | 13.5 | 19.3 | 14.4 | 11.8 | 17.7 | 18.0 | 15.4 | 21.0 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

## Percentage distribution of deaths to total deaths by residence, sex and age-group, 2015

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Madhya Pradesh** | | | | | |
| Below 1 | 16.8 | 16.4 | 17.3 | 18.3 | 18.1 | 18.5 | 11.3 | 10.1 | 12.9 |
| 1-4 | 3.2 | 2.9 | 3.6 | 3.4 | 3.1 | 3.9 | 2.5 | 2.5 | 2.5 |
| 0-4 | 20.0 | 19.3 | 20.9 | 21.7 | 21.1 | 22.5 | 13.8 | 12.6 | 15.4 |
| 5-9 | 1.1 | 0.8 | 1.5 | 1.3 | 1.0 | 1.6 | 0.5 | 0.2 | 0.9 |
| 10-14 | 1.3 | 1.4 | 1.1 | 1.4 | 1.4 | 1.4 | 0.8 | 1.5 | 0.0 |
| 15-19 | 1.9 | 1.7 | 2.0 | 1.9 | 1.9 | 1.8 | 1.8 | 1.1 | 2.7 |
| 20-24 | 2.6 | 2.4 | 3.0 | 2.5 | 2.4 | 2.6 | 3.3 | 2.4 | 4.4 |
| 25-29 | 2.6 | 2.6 | 2.6 | 2.4 | 2.2 | 2.7 | 3.4 | 4.3 | 2.2 |
| 30-34 | 2.0 | 2.2 | 1.8 | 1.8 | 1.8 | 1.8 | 2.7 | 3.4 | 1.9 |
| 35-39 | 2.7 | 3.1 | 2.2 | 2.7 | 3.1 | 2.2 | 2.6 | 3.1 | 1.9 |
| 40-44 | 2.3 | 2.6 | 2.0 | 2.3 | 2.6 | 1.8 | 2.5 | 2.3 | 2.8 |
| 45-49 | 3.0 | 3.9 | 1.8 | 3.0 | 3.8 | 1.9 | 3.0 | 4.3 | 1.5 |
| 50-54 | 5.8 | 5.5 | 6.1 | 5.5 | 5.1 | 6.1 | 6.6 | 7.0 | 6.1 |
| 55-59 | 6.8 | 7.7 | 5.7 | 6.7 | 7.5 | 5.6 | 7.4 | 8.4 | 6.2 |
| 60-64 | 8.8 | 8.8 | 8.8 | 9.1 | 8.8 | 9.4 | 7.7 | 8.5 | 6.8 |
| 65-69 | 8.3 | 8.4 | 8.2 | 8.5 | 8.6 | 8.4 | 7.5 | 7.5 | 7.4 |
| 70-74 | 7.8 | 7.7 | 8.0 | 7.3 | 7.6 | 7.0 | 9.5 | 7.8 | 11.6 |
| 75-79 | 8.1 | 8.6 | 7.5 | 7.3 | 7.4 | 7.2 | 11.0 | 12.9 | 8.6 |
| 80-84 | 5.6 | 5.4 | 5.9 | 5.6 | 5.2 | 6.0 | 5.9 | 6.3 | 5.4 |
| 85+ | 9.2 | 7.8 | 10.8 | 9.0 | 8.2 | 9.9 | 9.8 | 6.4 | 14.1 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Maharashtra** | | | | | |
| Below 1 | 5.8 | 5.3 | 6.5 | 6.4 | 6.2 | 6.7 | 4.7 | 3.8 | 6.0 |
| 1-4 | 0.8 | 0.6 | 1.0 | 1.0 | 0.6 | 1.4 | 0.4 | 0.6 | 0.0 |
| 0-4 | 6.6 | 5.9 | 7.5 | 7.4 | 6.8 | 8.1 | 5.0 | 4.4 | 6.0 |
| 5-9 | 1.0 | 1.1 | 0.8 | 0.4 | 0.5 | 0.4 | 2.0 | 2.2 | 1.7 |
| 10-14 | 1.1 | 1.3 | 0.8 | 0.7 | 1.2 | 0.3 | 1.7 | 1.5 | 2.0 |
| 15-19 | 1.3 | 1.5 | 0.9 | 0.9 | 1.2 | 0.6 | 1.8 | 2.1 | 1.5 |
| 20-24 | 2.1 | 2.5 | 1.6 | 1.7 | 2.0 | 1.4 | 2.9 | 3.3 | 2.1 |
| 25-29 | 2.5 | 3.2 | 1.7 | 2.5 | 3.0 | 1.8 | 2.6 | 3.5 | 1.3 |
| 30-34 | 2.6 | 3.2 | 2.0 | 2.2 | 2.6 | 1.7 | 3.5 | 4.1 | 2.5 |
| 35-39 | 3.3 | 3.8 | 2.6 | 3.4 | 4.4 | 2.2 | 3.1 | 2.7 | 3.6 |
| 40-44 | 2.8 | 3.0 | 2.4 | 3.2 | 3.7 | 2.5 | 2.0 | 1.9 | 2.1 |
| 45-49 | 4.3 | 4.7 | 3.8 | 4.5 | 4.9 | 4.1 | 3.9 | 4.3 | 3.2 |
| 50-54 | 6.2 | 6.5 | 5.9 | 6.7 | 6.9 | 6.4 | 5.4 | 5.8 | 4.7 |
| 55-59 | 8.1 | 8.4 | 7.7 | 8.8 | 9.3 | 8.2 | 6.7 | 6.9 | 6.5 |
| 60-64 | 10.2 | 10.4 | 9.9 | 11.4 | 11.4 | 11.3 | 7.9 | 8.8 | 6.6 |
| 65-69 | 10.4 | 10.1 | 10.8 | 10.6 | 10.3 | 10.8 | 10.1 | 9.6 | 10.8 |
| 70-74 | 10.0 | 10.4 | 9.4 | 9.7 | 9.9 | 9.4 | 10.5 | 11.3 | 9.5 |
| 75-79 | 10.2 | 8.5 | 12.2 | 10.0 | 8.3 | 11.8 | 10.5 | 8.7 | 13.1 |
| 80-84 | 8.6 | 7.9 | 9.4 | 7.8 | 6.9 | 8.8 | 10.0 | 9.5 | 10.7 |
| 85+ | 9.0 | 7.7 | 10.7 | 8.3 | 6.5 | 10.1 | 10.5 | 9.5 | 11.9 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

## Percentage distribution of deaths to total deaths by residence, sex and age-group, 2015

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Odisha** | | | | | |
| Below 1 | 11.6 | 10.5 | 13.1 | 12.3 | 10.8 | 14.1 | 7.9 | 8.3 | 7.5 |
| 1-4 | 2.0 | 2.0 | 1.9 | 2.2 | 2.2 | 2.3 | 0.5 | 0.9 | 0.0 |
| 0-4 | 13.6 | 12.5 | 15.1 | 14.5 | 13.0 | 16.4 | 8.4 | 9.2 | 7.5 |
| 5-9 | 1.5 | 1.6 | 1.2 | 1.6 | 1.8 | 1.3 | 0.7 | 0.4 | 1.0 |
| 10-14 | 1.0 | 0.9 | 1.0 | 0.9 | 0.9 | 1.0 | 1.2 | 0.9 | 1.5 |
| 15-19 | 1.7 | 1.3 | 2.2 | 1.7 | 1.1 | 2.4 | 1.5 | 2.1 | 0.9 |
| 20-24 | 2.3 | 2.2 | 2.4 | 2.3 | 2.1 | 2.6 | 2.0 | 2.9 | 1.0 |
| 25-29 | 2.2 | 2.3 | 2.0 | 2.4 | 2.4 | 2.2 | 1.1 | 1.2 | 0.9 |
| 30-34 | 1.4 | 1.1 | 1.9 | 1.5 | 1.1 | 2.1 | 1.1 | 1.2 | 1.0 |
| 35-39 | 2.4 | 2.7 | 1.9 | 2.1 | 2.3 | 1.7 | 4.5 | 5.5 | 3.3 |
| 40-44 | 3.1 | 3.8 | 2.1 | 2.9 | 3.6 | 2.0 | 4.2 | 5.4 | 2.8 |
| 45-49 | 3.2 | 4.1 | 2.2 | 3.3 | 4.1 | 2.2 | 3.0 | 3.7 | 2.3 |
| 50-54 | 6.6 | 6.0 | 7.4 | 7.0 | 6.2 | 8.0 | 4.6 | 4.8 | 4.3 |
| 55-59 | 6.6 | 7.2 | 5.8 | 6.6 | 7.2 | 5.7 | 6.7 | 6.8 | 6.5 |
| 60-64 | 8.2 | 8.8 | 7.4 | 8.4 | 9.0 | 7.6 | 7.1 | 7.8 | 6.3 |
| 65-69 | 9.4 | 9.9 | 8.7 | 9.5 | 10.1 | 8.6 | 8.7 | 8.4 | 9.0 |
| 70-74 | 8.8 | 8.7 | 8.9 | 9.1 | 9.1 | 9.0 | 7.1 | 6.0 | 8.3 |
| 75-79 | 9.4 | 9.2 | 9.6 | 8.7 | 8.4 | 9.1 | 13.2 | 14.4 | 11.9 |
| 80-84 | 9.1 | 8.4 | 10.0 | 8.7 | 8.3 | 9.3 | 11.5 | 9.4 | 14.0 |
| 85+ | 9.6 | 9.2 | 10.2 | 9.0 | 9.1 | 8.9 | 13.5 | 10.1 | 17.4 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Punjab** | | | | | |
| Below 1 | 5.6 | 4.9 | 6.5 | 5.6 | 5.2 | 6.1 | 5.6 | 4.4 | 7.2 |
| 1-4 | 0.9 | 1.1 | 0.5 | 1.1 | 1.5 | 0.7 | 0.3 | 0.5 | 0.0 |
| 0-4 | 6.4 | 6.1 | 7.0 | 6.7 | 6.7 | 6.8 | 5.9 | 4.9 | 7.2 |
| 5-9 | 0.4 | 0.6 | 0.1 | 0.4 | 0.6 | 0.2 | 0.3 | 0.6 | 0.0 |
| 10-14 | 1.2 | 0.4 | 2.2 | 0.4 | 0.7 | 0.0 | 2.6 | 0.0 | 6.4 |
| 15-19 | 1.4 | 1.3 | 1.6 | 1.6 | 1.6 | 1.6 | 1.0 | 0.6 | 1.6 |
| 20-24 | 3.1 | 3.8 | 2.1 | 2.4 | 2.8 | 1.9 | 4.3 | 5.6 | 2.4 |
| 25-29 | 2.4 | 3.5 | 0.9 | 2.5 | 3.4 | 1.4 | 2.3 | 3.9 | 0.0 |
| 30-34 | 2.9 | 3.1 | 2.7 | 2.7 | 2.9 | 2.5 | 3.3 | 3.4 | 3.2 |
| 35-39 | 2.6 | 3.8 | 1.0 | 2.9 | 4.4 | 1.1 | 1.9 | 2.7 | 0.8 |
| 40-44 | 4.1 | 5.0 | 3.0 | 4.1 | 4.7 | 3.4 | 4.2 | 5.5 | 2.3 |
| 45-49 | 5.4 | 6.3 | 4.0 | 5.6 | 5.9 | 5.3 | 4.8 | 7.1 | 1.6 |
| 50-54 | 6.5 | 6.1 | 7.0 | 6.5 | 6.2 | 6.9 | 6.6 | 6.1 | 7.3 |
| 55-59 | 6.8 | 7.7 | 5.7 | 6.7 | 7.1 | 6.2 | 7.1 | 8.8 | 4.8 |
| 60-64 | 8.7 | 7.8 | 9.8 | 7.7 | 6.6 | 9.3 | 10.4 | 10.0 | 11.0 |
| 65-69 | 9.6 | 9.1 | 10.3 | 9.2 | 9.2 | 9.2 | 10.4 | 8.9 | 12.5 |
| 70-74 | 9.0 | 8.9 | 9.1 | 9.9 | 9.6 | 10.4 | 7.2 | 7.8 | 6.4 |
| 75-79 | 9.6 | 8.7 | 10.8 | 9.1 | 8.9 | 9.5 | 10.4 | 8.3 | 13.3 |
| 80-84 | 10.3 | 9.4 | 11.5 | 10.9 | 10.0 | 12.0 | 9.2 | 8.4 | 10.4 |
| 85+ | 9.6 | 8.4 | 11.1 | 10.4 | 9.0 | 12.4 | 7.9 | 7.3 | 8.7 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

## Percentage distribution of deaths to total deaths by residence, sex and age-group, 2015

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Rajasthan** | | | | | |
| Below 1 | 16.1 | 14.9 | 17.8 | 17.5 | 15.8 | 19.8 | 11.2 | 11.4 | 11.0 |
| 1-4 | 2.1 | 1.4 | 3.1 | 2.4 | 1.5 | 3.5 | 1.3 | 0.9 | 1.7 |
| 0-4 | 18.3 | 16.3 | 20.9 | 19.8 | 17.3 | 23.3 | 12.5 | 12.3 | 12.7 |
| 5-9 | 1.2 | 1.3 | 1.2 | 1.0 | 1.2 | 0.8 | 2.0 | 1.9 | 2.2 |
| 10-14 | 0.7 | 1.0 | 0.3 | 0.7 | 1.0 | 0.3 | 0.7 | 1.0 | 0.4 |
| 15-19 | 1.6 | 1.1 | 2.2 | 1.5 | 1.2 | 1.9 | 1.8 | 0.6 | 3.1 |
| 20-24 | 1.1 | 1.2 | 1.0 | 1.1 | 1.0 | 1.2 | 1.2 | 1.8 | 0.6 |
| 25-29 | 2.1 | 2.6 | 1.4 | 1.8 | 2.3 | 1.1 | 3.1 | 3.6 | 2.6 |
| 30-34 | 1.8 | 2.3 | 1.1 | 2.1 | 2.5 | 1.5 | 0.6 | 1.2 | 0.0 |
| 35-39 | 2.9 | 3.6 | 1.9 | 2.9 | 3.6 | 2.1 | 2.7 | 3.8 | 1.4 |
| 40-44 | 3.1 | 3.7 | 2.4 | 3.1 | 3.7 | 2.4 | 3.1 | 3.5 | 2.6 |
| 45-49 | 4.1 | 4.3 | 3.8 | 4.5 | 4.6 | 4.4 | 2.6 | 3.3 | 1.8 |
| 50-54 | 5.5 | 5.5 | 5.5 | 5.5 | 5.3 | 5.7 | 5.7 | 6.4 | 5.0 |
| 55-59 | 7.3 | 7.8 | 6.7 | 7.2 | 7.6 | 6.6 | 7.8 | 8.5 | 7.0 |
| 60-64 | 9.4 | 9.3 | 9.5 | 9.4 | 9.1 | 9.9 | 9.1 | 9.8 | 8.2 |
| 65-69 | 8.5 | 9.3 | 7.5 | 9.0 | 9.7 | 8.1 | 6.7 | 7.9 | 5.3 |
| 70-74 | 8.7 | 8.7 | 8.7 | 8.1 | 8.4 | 7.7 | 11.0 | 9.9 | 12.3 |
| 75-79 | 8.2 | 7.8 | 8.8 | 8.1 | 8.1 | 8.2 | 8.5 | 6.6 | 10.8 |
| 80-84 | 7.5 | 7.2 | 7.8 | 7.2 | 6.9 | 7.5 | 8.7 | 8.4 | 8.9 |
| 85+ | 8.0 | 7.2 | 9.2 | 6.9 | 6.5 | 7.4 | 12.1 | 9.6 | 15.1 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Tamil Nadu** | | | | | |
| Below 1 | 4.1 | 3.7 | 4.6 | 4.5 | 4.2 | 4.9 | 3.6 | 3.1 | 4.4 |
| 1-4 | 0.3 | 0.2 | 0.5 | 0.5 | 0.4 | 0.7 | 0.1 | 0.0 | 0.2 |
| 0-4 | 4.4 | 3.9 | 5.1 | 5.0 | 4.6 | 5.6 | 3.7 | 3.1 | 4.6 |
| 5-9 | 0.8 | 0.5 | 1.1 | 0.3 | 0.1 | 0.6 | 1.4 | 1.0 | 1.9 |
| 10-14 | 1.0 | 1.0 | 1.0 | 0.5 | 0.8 | 0.1 | 1.5 | 1.1 | 2.1 |
| 15-19 | 1.3 | 1.1 | 1.7 | 1.1 | 1.0 | 1.2 | 1.7 | 1.2 | 2.3 |
| 20-24 | 1.4 | 1.5 | 1.3 | 1.2 | 1.3 | 1.0 | 1.6 | 1.7 | 1.6 |
| 25-29 | 1.7 | 2.0 | 1.2 | 1.7 | 2.3 | 0.8 | 1.6 | 1.7 | 1.6 |
| 30-34 | 2.3 | 2.8 | 1.6 | 1.9 | 2.1 | 1.6 | 2.8 | 3.6 | 1.6 |
| 35-39 | 2.9 | 3.7 | 1.8 | 2.8 | 3.1 | 2.3 | 3.0 | 4.4 | 1.1 |
| 40-44 | 3.5 | 3.7 | 3.1 | 3.7 | 3.6 | 3.8 | 3.3 | 3.9 | 2.4 |
| 45-49 | 4.7 | 5.3 | 4.0 | 4.9 | 5.2 | 4.6 | 4.5 | 5.4 | 3.3 |
| 50-54 | 6.7 | 7.1 | 6.2 | 6.8 | 6.7 | 7.0 | 6.6 | 7.6 | 5.2 |
| 55-59 | 8.0 | 8.4 | 7.3 | 7.6 | 7.5 | 7.8 | 8.3 | 9.5 | 6.7 |
| 60-64 | 8.7 | 8.9 | 8.4 | 9.8 | 9.8 | 9.7 | 7.5 | 7.9 | 6.9 |
| 65-69 | 9.7 | 9.5 | 10.0 | 9.6 | 9.1 | 10.3 | 9.9 | 10.0 | 9.8 |
| 70-74 | 11.0 | 10.5 | 11.6 | 10.9 | 10.8 | 11.1 | 11.0 | 10.1 | 12.3 |
| 75-79 | 10.7 | 10.2 | 11.3 | 10.5 | 10.6 | 10.3 | 10.8 | 9.7 | 12.4 |
| 80-84 | 10.3 | 9.5 | 11.5 | 10.5 | 10.2 | 10.8 | 10.1 | 8.6 | 12.3 |
| 85+ | 10.9 | 10.4 | 11.6 | 11.2 | 11.2 | 11.3 | 10.6 | 9.5 | 12.0 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

## Percentage distribution of deaths to total deaths by residence, sex and age-group, 2015

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Telangana** | | | | | |
| Below 1 | 9.2 | 8.8 | 9.6 | 9.1 | 8.6 | 9.7 | 9.5 | 9.3 | 9.6 |
| 1-4 | 0.1 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.6 |
| 0-4 | 9.3 | 8.8 | 9.8 | 9.1 | 8.6 | 9.7 | 9.7 | 9.3 | 10.2 |
| 5-9 | 0.5 | 0.6 | 0.4 | 0.4 | 0.3 | 0.6 | 0.8 | 1.4 | 0.0 |
| 10-14 | 0.5 | 0.4 | 0.7 | 0.6 | 0.6 | 0.7 | 0.3 | 0.0 | 0.6 |
| 15-19 | 1.0 | 0.7 | 1.4 | 0.7 | 0.6 | 0.8 | 1.8 | 0.9 | 2.8 |
| 20-24 | 1.5 | 1.2 | 1.9 | 1.5 | 0.9 | 2.3 | 1.6 | 1.9 | 1.1 |
| 25-29 | 2.4 | 2.3 | 2.4 | 2.3 | 2.0 | 2.7 | 2.6 | 3.3 | 1.7 |
| 30-34 | 2.4 | 2.3 | 2.6 | 2.1 | 2.2 | 2.0 | 3.1 | 2.4 | 4.0 |
| 35-39 | 3.0 | 4.0 | 1.8 | 3.4 | 4.1 | 2.5 | 2.0 | 3.8 | 0.0 |
| 40-44 | 4.3 | 4.7 | 3.7 | 4.1 | 4.5 | 3.6 | 4.6 | 5.2 | 4.0 |
| 45-49 | 5.2 | 5.9 | 4.4 | 5.7 | 6.0 | 5.3 | 4.1 | 5.6 | 2.3 |
| 50-54 | 7.0 | 6.9 | 7.2 | 7.0 | 6.3 | 7.9 | 7.1 | 8.3 | 5.6 |
| 55-59 | 8.2 | 7.5 | 8.9 | 9.2 | 8.7 | 9.9 | 5.6 | 4.7 | 6.6 |
| 60-64 | 9.6 | 8.8 | 10.6 | 10.1 | 9.3 | 11.0 | 8.5 | 7.5 | 9.6 |
| 65-69 | 10.2 | 10.3 | 10.1 | 10.7 | 10.6 | 10.8 | 9.1 | 9.7 | 8.3 |
| 70-74 | 9.9 | 9.3 | 10.6 | 10.2 | 10.0 | 10.4 | 9.2 | 7.6 | 11.1 |
| 75-79 | 8.7 | 9.3 | 8.0 | 8.8 | 9.5 | 7.8 | 8.7 | 8.8 | 8.5 |
| 80-84 | 9.0 | 8.9 | 9.1 | 8.1 | 8.5 | 7.5 | 11.2 | 9.9 | 12.8 |
| 85+ | 7.2 | 7.9 | 6.4 | 6.1 | 7.2 | 4.6 | 10.2 | 9.7 | 10.7 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Uttar Pradesh** | | | | | |
| Below 1 | 17.0 | 16.4 | 17.8 | 17.6 | 17.6 | 17.7 | 14.5 | 11.4 | 17.9 |
| 1-4 | 1.4 | 1.3 | 1.5 | 1.5 | 1.1 | 1.9 | 1.0 | 1.8 | 0.0 |
| 0-4 | 18.4 | 17.6 | 19.2 | 19.1 | 18.7 | 19.6 | 15.4 | 13.2 | 17.9 |
| 5-9 | 0.9 | 1.0 | 0.8 | 0.7 | 0.9 | 0.5 | 1.8 | 1.7 | 2.0 |
| 10-14 | 1.4 | 1.2 | 1.7 | 1.5 | 1.2 | 1.7 | 1.3 | 1.1 | 1.6 |
| 15-19 | 1.4 | 1.5 | 1.2 | 1.4 | 1.5 | 1.3 | 1.4 | 1.7 | 1.1 |
| 20-24 | 2.3 | 2.2 | 2.3 | 2.2 | 2.3 | 2.1 | 2.7 | 2.2 | 3.3 |
| 25-29 | 1.9 | 1.8 | 2.0 | 1.9 | 1.9 | 2.0 | 1.5 | 1.1 | 2.0 |
| 30-34 | 2.3 | 2.5 | 2.1 | 2.4 | 2.4 | 2.3 | 1.9 | 2.5 | 1.2 |
| 35-39 | 2.7 | 2.8 | 2.5 | 2.7 | 2.6 | 2.8 | 2.6 | 3.7 | 1.5 |
| 40-44 | 2.9 | 2.9 | 2.8 | 3.0 | 2.9 | 3.1 | 2.3 | 2.8 | 1.8 |
| 45-49 | 4.0 | 4.4 | 3.6 | 4.0 | 4.1 | 3.8 | 4.0 | 5.3 | 2.5 |
| 50-54 | 6.3 | 6.3 | 6.2 | 6.1 | 6.0 | 6.2 | 7.0 | 7.5 | 6.5 |
| 55-59 | 7.0 | 7.2 | 6.7 | 7.1 | 7.2 | 6.8 | 6.6 | 6.9 | 6.2 |
| 60-64 | 9.0 | 9.2 | 8.9 | 9.8 | 9.7 | 9.9 | 6.0 | 7.1 | 4.7 |
| 65-69 | 8.7 | 8.5 | 8.9 | 8.6 | 8.6 | 8.5 | 9.1 | 8.1 | 10.2 |
| 70-74 | 8.6 | 8.4 | 8.8 | 8.6 | 8.5 | 8.7 | 8.6 | 8.1 | 9.2 |
| 75-79 | 7.7 | 7.6 | 7.8 | 7.2 | 7.4 | 7.1 | 9.7 | 8.8 | 10.8 |
| 80-84 | 6.8 | 6.9 | 6.8 | 6.4 | 6.5 | 6.2 | 8.7 | 8.3 | 9.1 |
| 85+ | 7.8 | 7.9 | 7.6 | 7.4 | 7.5 | 7.4 | 9.2 | 9.8 | 8.6 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

## Percentage distribution of deaths to total deaths by residence, sex and age-group, 2015

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Uttarakhand** | | | | | |
| Below 1 | 9.4 | 8.3 | 11.0 | 8.2 | 6.9 | 9.9 | 13.6 | 12.7 | 14.7 |
| 1-4 | 1.5 | 1.5 | 1.5 | 1.6 | 1.5 | 1.6 | 1.4 | 1.5 | 1.2 |
| 0-4 | 11.0 | 9.8 | 12.5 | 9.7 | 8.4 | 11.5 | 15.0 | 14.2 | 15.9 |
| 5-9 | 0.7 | 0.6 | 0.7 | 0.7 | 0.6 | 0.8 | 0.7 | 0.9 | 0.4 |
| 10-14 | 0.5 | 0.4 | 0.6 | 0.4 | 0.5 | 0.4 | 0.7 | 0.3 | 1.3 |
| 15-19 | 1.8 | 1.6 | 2.1 | 1.9 | 1.6 | 2.3 | 1.7 | 1.8 | 1.6 |
| 20-24 | 2.8 | 2.6 | 3.1 | 3.0 | 2.9 | 3.2 | 2.2 | 1.8 | 2.9 |
| 25-29 | 2.0 | 2.4 | 1.4 | 1.7 | 2.3 | 0.9 | 2.8 | 2.7 | 2.9 |
| 30-34 | 2.2 | 1.7 | 2.9 | 2.0 | 1.0 | 3.3 | 2.9 | 3.7 | 1.6 |
| 35-39 | 2.7 | 3.2 | 2.1 | 2.6 | 3.2 | 1.8 | 3.3 | 3.5 | 2.9 |
| 40-44 | 3.9 | 4.9 | 2.5 | 4.0 | 5.2 | 2.4 | 3.4 | 3.9 | 2.9 |
| 45-49 | 3.1 | 4.7 | 0.9 | 2.9 | 4.5 | 0.7 | 3.9 | 5.5 | 1.6 |
| 50-54 | 4.8 | 5.7 | 3.7 | 4.8 | 5.7 | 3.6 | 5.0 | 5.7 | 4.1 |
| 55-59 | 7.6 | 8.6 | 6.2 | 7.9 | 8.9 | 6.6 | 6.3 | 7.4 | 4.9 |
| 60-64 | 9.0 | 9.0 | 9.0 | 8.7 | 8.6 | 8.8 | 9.9 | 10.3 | 9.4 |
| 65-69 | 9.8 | 10.1 | 9.2 | 9.8 | 10.3 | 9.0 | 9.8 | 9.4 | 10.2 |
| 70-74 | 10.8 | 11.2 | 10.2 | 11.3 | 11.7 | 10.7 | 9.1 | 9.5 | 8.6 |
| 75-79 | 9.6 | 9.2 | 10.1 | 10.3 | 9.5 | 11.4 | 7.4 | 8.3 | 6.1 |
| 80-84 | 7.3 | 5.4 | 9.8 | 7.6 | 5.6 | 10.2 | 6.4 | 4.7 | 8.6 |
| 85+ | 10.6 | 8.9 | 12.8 | 10.8 | 9.6 | 12.5 | 9.7 | 6.5 | 14.1 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **West Bengal** | | | | | |
| Below 1 | 6.8 | 6.2 | 7.6 | 8.0 | 7.3 | 8.8 | 4.3 | 3.8 | 4.9 |
| 1-4 | 0.9 | 0.8 | 1.1 | 1.2 | 1.0 | 1.4 | 0.4 | 0.4 | 0.3 |
| 0-4 | 7.7 | 7.0 | 8.6 | 9.2 | 8.3 | 10.3 | 4.7 | 4.3 | 5.1 |
| 5-9 | 0.5 | 0.7 | 0.4 | 0.5 | 0.6 | 0.4 | 0.6 | 0.8 | 0.2 |
| 10-14 | 0.9 | 0.5 | 1.4 | 0.9 | 0.6 | 1.3 | 0.8 | 0.2 | 1.5 |
| 15-19 | 1.4 | 1.4 | 1.4 | 1.4 | 1.5 | 1.3 | 1.3 | 1.0 | 1.6 |
| 20-24 | 1.7 | 1.5 | 2.0 | 1.6 | 1.6 | 1.7 | 2.0 | 1.2 | 2.9 |
| 25-29 | 1.9 | 1.8 | 2.0 | 2.1 | 2.2 | 2.1 | 1.4 | 1.1 | 1.8 |
| 30-34 | 1.7 | 2.3 | 0.9 | 1.7 | 2.2 | 1.1 | 1.6 | 2.4 | 0.5 |
| 35-39 | 2.2 | 2.6 | 1.7 | 2.1 | 2.3 | 1.8 | 2.4 | 3.3 | 1.4 |
| 40-44 | 2.6 | 2.9 | 2.3 | 2.9 | 3.0 | 2.8 | 2.0 | 2.5 | 1.3 |
| 45-49 | 4.8 | 6.2 | 3.0 | 4.8 | 6.2 | 3.1 | 4.7 | 6.2 | 2.9 |
| 50-54 | 6.3 | 6.4 | 6.2 | 6.6 | 6.6 | 6.6 | 5.6 | 5.8 | 5.3 |
| 55-59 | 8.9 | 9.0 | 8.9 | 9.6 | 10.0 | 9.2 | 7.4 | 6.8 | 8.2 |
| 60-64 | 11.1 | 11.2 | 11.0 | 11.6 | 11.5 | 11.8 | 10.0 | 10.5 | 9.4 |
| 65-69 | 10.3 | 10.6 | 10.0 | 10.9 | 10.6 | 11.2 | 9.1 | 10.6 | 7.3 |
| 70-74 | 10.7 | 11.7 | 9.6 | 10.4 | 11.1 | 9.7 | 11.4 | 13.1 | 9.3 |
| 75-79 | 10.1 | 8.7 | 11.7 | 9.2 | 8.0 | 10.7 | 11.8 | 10.2 | 13.8 |
| 80-84 | 8.7 | 8.4 | 9.2 | 7.4 | 7.4 | 7.5 | 11.6 | 10.5 | 12.9 |
| 85+ | 8.4 | 7.3 | 9.6 | 6.8 | 6.4 | 7.4 | 11.7 | 9.4 | 14.5 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

**Table 11**

**Birth rate, death rate and infant mortality rate by NSSO natural Division, 2015**

| Bigger States | Name of the natural Division | Number of ND | No. of Sample Units | | | Estimated vital rates | | |
|---|---|---|---|---|---|---|---|---|
| | | | Total | Rural | Urban | Birth rate | Death rate | Infant mortality rate |
| Jammu & Kashmir | Mountainous | 1 | 132 | 70 | 62 | 14.1 | 5.4 | 22 |
| | Outer Hills | 2 | 73 | 66 | 7 | 18.2 | 4.4 | 30 |
| | Jhelam Valley | 3 | 74 | 41 | 33 | | | |
| | Ladakh | 4 | 71 | 49 | 22 | 16.3 | 5.2 | 21 |
| | **Total** | | **350** | **226** | **124** | **16.2** | **4.9** | **26** |
| Punjab | Northern | 1 | 118 | 62 | 56 | 15.2 | 6.5 | 23 |
| | Southern | 2 | 131 | 68 | 63 | 15.2 | 5.8 | 23 |
| | **Total** | | **249** | **130** | **119** | **15.2** | **6.2** | **23** |
| Haryana | Eastern | 1 | 155 | 75 | 80 | 20.5 | 6.3 | 35 |
| | Western | 2 | 101 | 69 | 32 | 21.7 | 5.7 | 39 |
| | **Total** | | **256** | **144** | **112** | **20.9** | **6.1** | **36** |
| Rajasthan | Western | 1 | 73 | 51 | 22 | 23.9 | 5.3 | 45 |
| | North Eastern | 2 | 81 | 49 | 32 | 25.0 | 6.5 | 41 |
| | Southern | 3 | 49 | 39 | 10 | 27.3 | 7.2 | 57 |
| | South Eastern | 4 | 65 | 41 | 24 | 25.9 | 6.8 | 42 |
| | Northern | 5 | 82 | 56 | 26 | 23.1 | 6.4 | 35 |
| | **Total** | | **350** | **236** | **114** | **24.8** | **6.3** | **43** |
| Uttar Pradesh | Northern Upper G | 1 | 119 | 61 | 58 | 22.7 | 6.3 | 31 |
| | Central | 2 | 101 | 64 | 37 | 23.6 | 6.2 | 47 |
| | Eastern | 3 | 98 | 81 | 17 | 30.9 | 7.9 | 50 |
| | Southern | 4 | 96 | 66 | 30 | 24.6 | 7.6 | 40 |
| | Southern Upper G | 5 | 86 | 56 | 30 | 22.6 | 6.7 | 43 |
| | **Total** | | **500** | **328** | **172** | **26.7** | **7.2** | **46** |
| Bihar | Northern | 1 | 158 | 96 | 62 | 26.7 | 6.3 | 43 |
| | Central | 2 | 172 | 104 | 68 | 25.2 | 5.8 | 41 |
| | **Total** | | **330** | **200** | **130** | **26.3** | **6.2** | **42** |
| Assam | Plains Eastern | 1 | 70 | 21 | 49 | 21.7 | 7.4 | 37 |
| | Plains Western | 2 | 87 | 26 | 61 | 22.1 | 6.4 | 47 |
| | Cachar Plain | 3 | 73 | 22 | 51 | 22.9 | 7.6 | 54 |
| | Central Brahamp | 4 | 70 | 21 | 49 | 21.5 | 7.4 | 53 |
| | **Total** | | **300** | **90** | **210** | **22.0** | **7.1** | **47** |
| West Bengal | Himalayan | 1 | 93 | 62 | 31 | 15.2 | 6.0 | 25 |
| | Eastern Plains | 2 | 62 | 46 | 16 | 18.0 | 6.1 | 29 |
| | Southern Plains | 3 | 150 | 81 | 69 | 14.7 | 5.3 | 25 |
| | Central Plains | 4 | 155 | 54 | 101 | 13.8 | 6.2 | 23 |
| | Western Plains | 5 | 95 | 61 | 34 | 15.1 | 6.2 | 26 |
| | **Total** | | **555** | **304** | **251** | **15.5** | **5.9** | **26** |

## Table 11

## Birth rate, death rate and infant mortality rate by NSSO natural Division, 2015

| Bigger States | Name of the natural Division | Number of ND | No. of Sample Units | | | Estimated vital rates | | |
|---|---|---|---|---|---|---|---|---|
| | | | Total | Rural | Urban | Birth rate | Death rate | Infant mortality rate |
| Jharkhand | Ranchi Plateau | 1 | 119 | 51 | 68 | 22.9 | 5.5 | 31 |
| | Hazaribagh Platea | 2 | 93 | 40 | 53 | 24.0 | 6.0 | 33 |
| | **Total** | | **212** | **91** | **121** | **23.5** | **5.8** | **32** |
| Orissa | Coastal | 1 | 193 | 138 | 55 | 18.7 | 7.2 | 37 |
| | Southern | 2 | 137 | 98 | 39 | 20.0 | 7.9 | 47 |
| | Northern | 3 | 75 | 54 | 21 | 18.9 | 7.8 | 57 |
| | **Total** | | **405** | **290** | **115** | **19.2** | **7.6** | **46** |
| Chattisgarh | Northern Chhattis | 1 | 53 | 24 | 29 | 24.0 | 8.2 | 43 |
| | Mahanadi Basin | 2 | 71 | 33 | 38 | 22.9 | 7.3 | 40 |
| | Southern Chhattis | 3 | 34 | 16 | 18 | 24.6 | 7.9 | 39 |
| | **Total** | | **158** | **73** | **85** | **23.2** | **7.5** | **41** |
| Madhya Pradesh | Vindhya | 1 | 66 | 35 | 31 | 27.8 | 8.3 | 52 |
| | Central | 2 | 79 | 45 | 34 | 22.4 | 6.5 | 42 |
| | Malwa | 3 | 67 | 41 | 26 | 25.8 | 7.6 | 54 |
| | South | 4 | 90 | 59 | 31 | 22.9 | 7.4 | 40 |
| | South Western | 5 | 94 | 66 | 28 | 23.8 | 6.5 | 42 |
| | Northern | 6 | 53 | 39 | 14 | 28.6 | 8.2 | 61 |
| | **Total** | | **449** | **285** | **164** | **25.5** | **7.5** | **50** |
| Gujarat | South Eastern | 1 | 78 | 53 | 25 | 22.6 | 5.8 | 38 |
| | Plains Northern | 2 | 116 | 53 | 63 | 19.7 | 6.3 | 32 |
| | Dry areas | 3 | 122 | 51 | 71 | 21.9 | 7.0 | 36 |
| | Saurashtra | 4 | 162 | 74 | 88 | 17.4 | 5.9 | 25 |
| | **Total** | | **478** | **231** | **247** | **20.4** | **6.1** | **33** |
| Maharashtra | Coastal | 1 | 179 | 28 | 151 | 16.2 | 5.2 | 14 |
| | Inland Western | 2 | 95 | 65 | 30 | 15.3 | 5.4 | 18 |
| | Inland Northern | 3 | 83 | 46 | 37 | 18.8 | 5.6 | 19 |
| | Inland Central | 4 | 79 | 40 | 39 | 18.2 | 5.9 | 25 |
| | Inland Eastern | 5 | 142 | 73 | 69 | 14.7 | 6.7 | 31 |
| | Eastern | 6 | 84 | 54 | 30 | 14.2 | 7.7 | 26 |
| | **Total** | | **662** | **306** | **356** | **16.3** | **5.8** | **21** |
| Telangana | Inland North Wes | 1 | 111 | 46 | 65 | 17.6 | 6.5 | 34 |
| | Inland North East | 2 | 113 | 75 | 38 | 18.0 | 6.6 | 34 |
| | **Total** | | **224** | **121** | **103** | **17.8** | **6.5** | **34** |
| Andhra Pradesh | Coastal Northern | 1 | 115 | 73 | 42 | 15.9 | 7.0 | 38 |
| | Coastal Southern | 2 | 115 | 67 | 48 | 16.9 | 7.3 | 36 |
| | Inland Southern | 3 | 96 | 58 | 38 | 17.6 | 7.0 | 37 |
| | **Total** | | **326** | **198** | **128** | **16.8** | **7.1** | **37** |

**Table 11**

**Birth rate, death rate and infant mortality rate by NSSO natural Division, 2015**

| Bigger States | Name of the natural Division | Number of ND | No. of Sample Units | | | Estimated vital rates | | |
|---|---|---|---|---|---|---|---|---|
| | | | Total | Rural | Urban | Birth rate | Death rate | Infant mortality rate |
| Karnataka | Coastal & Ghats | 1 | 227 | 160 | 67 | 13.9 | 5.9 | 17 |
| | Inland Eastern | 2 | 119 | 84 | 35 | 14.6 | 7.0 | 21 |
| | Inland Southern | 3 | 58 | 41 | 17 | 16.6 | 6.5 | 31 |
| | Inland Northern | 4 | 107 | 76 | 31 | 20.0 | 6.8 | 28 |
| | **Total** | | **511** | **361** | **150** | **17.9** | **6.6** | **28** |
| Kerala | Northern | 1 | 110 | 66 | 44 | 17.2 | 5.8 | 12 |
| | Southern | 2 | 170 | 109 | 61 | 12.9 | 7.2 | 11 |
| | **Total** | | **280** | **175** | **105** | **14.8** | **6.6** | **12** |
| Tamil Nadu | Coastal Northern | 1 | 198 | 80 | 118 | 15.7 | 6.5 | 19 |
| | Coastal | 2 | 87 | 54 | 33 | 15.5 | 7.0 | 18 |
| | Southern | 3 | 138 | 57 | 81 | 15.4 | 7.1 | 20 |
| | Inland | 4 | 122 | 44 | 78 | 14.3 | 6.6 | 18 |
| | **Total** | | **545** | **235** | **310** | **15.2** | **6.7** | **19** |

# Table on Trend

## Table 12: Annual estimates of Birth rate by residence, India and bigger States/UTs, 2010-15

| India & bigger States/Uts | Total | | | | | | Rural | | | | | | Urban | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
| **India** | **22.1** | **21.8** | **21.6** | **21.4** | **21.0** | **20.8** | **23.7** | **23.3** | **23.1** | **22.9** | **22.7** | **22.4** | **18.0** | **17.6** | **17.4** | **17.3** | **17.4** | **17.3** |
| Andhra Pradesh | 17.9 | 17.5 | 17.5 | 17.4 | 17.0 | 16.8 | 18.3 | 17.8 | 17.9 | 17.7 | 17.3 | 17.1 | 16.7 | 16.6 | 16.6 | 16.7 | 16.3 | 16.1 |
| Assam | 23.2 | 22.8 | 22.5 | 22.4 | 22.4 | 22.0 | 24.4 | 24.0 | 23.7 | 23.5 | 23.6 | 23.2 | 15.8 | 15.5 | 15.6 | 15.4 | 15.5 | 15.3 |
| Bihar | 28.1 | 27.7 | 27.7 | 27.6 | 25.9 | 26.3 | 28.8 | 28.4 | 28.4 | 28.3 | 26.9 | 27.1 | 22.0 | 21.7 | 21.6 | 21.5 | 19.9 | 20.6 |
| Chhatisgarh | 25.3 | 24.9 | 24.5 | 24.4 | 23.4 | 23.2 | 26.8 | 26.3 | 26.0 | 25.8 | 25.0 | 24.8 | 18.6 | 18.3 | 18.0 | 17.9 | 18.4 | 18.3 |
| Delhi | 17.8 | 17.5 | 17.3 | 17.2 | 16.8 | 16.4 | 19.7 | 19.3 | 19.1 | 18.9 | 18.1 | 17.9 | 17.5 | 17.2 | 17.0 | 16.9 | 16.7 | 16.4 |
| Gujarat | 21.8 | 21.3 | 21.1 | 20.8 | 20.6 | 20.4 | 23.3 | 22.9 | 22.5 | 22.2 | 22.6 | 22.4 | 19.4 | 19.0 | 18.7 | 18.5 | 18.2 | 18.0 |
| Haryana | 22.3 | 21.8 | 21.6 | 21.3 | 21.2 | 20.9 | 23.3 | 22.9 | 22.6 | 22.4 | 22.6 | 22.3 | 19.8 | 19.5 | 19.2 | 19.0 | 18.7 | 18.4 |
| Himachal Pradesh | 16.9 | 16.5 | 16.2 | 16.0 | 16.4 | 16.3 | 17.5 | 17.1 | 16.7 | 16.5 | 16.9 | 16.8 | 11.5 | 11.2 | 11.0 | 10.9 | 10.8 | 10.6 |
| Jammu & Kashmir | 18.3 | 17.8 | 17.6 | 17.5 | 16.8 | 16.2 | 19.5 | 19.1 | 18.8 | 18.7 | 18.7 | 18.0 | 13.5 | 13.1 | 12.8 | 12.6 | 12.5 | 10.7 |
| Jharkhand | 25.3 | 25.0 | 24.7 | 24.6 | 23.8 | 23.5 | 26.7 | 26.3 | 26.1 | 25.9 | 25.2 | 25.0 | 19.3 | 19.0 | 18.7 | 18.5 | 19.3 | 19.2 |
| Karnataka | 19.2 | 18.8 | 18.5 | 18.3 | 18.1 | 17.9 | 20.2 | 19.7 | 19.4 | 19.1 | 19.0 | 18.8 | 17.5 | 17.2 | 16.9 | 16.7 | 16.6 | 16.5 |
| Kerala | 14.8 | 15.2 | 14.9 | 14.7 | 14.8 | 14.8 | 14.8 | 15.4 | 15.1 | 15.0 | 14.9 | 14.8 | 14.8 | 14.4 | 14.2 | 14.0 | 14.8 | 14.8 |
| Madhya Pradesh | 27.3 | 26.9 | 26.6 | 26.3 | 25.7 | 25.5 | 29.2 | 28.8 | 28.5 | 28.2 | 27.9 | 27.6 | 20.5 | 20.1 | 19.8 | 19.6 | 19.9 | 19.7 |
| Maharashtra | 17.1 | 16.7 | 16.6 | 16.5 | 16.5 | 16.3 | 17.6 | 17.3 | 17.4 | 17.2 | 16.8 | 16.6 | 16.4 | 15.8 | 15.5 | 15.4 | 16.0 | 15.9 |
| Odisha | 20.5 | 20.1 | 19.9 | 19.6 | 19.4 | 19.2 | 21.4 | 21.0 | 20.8 | 20.5 | 20.5 | 20.3 | 15.2 | 14.7 | 14.6 | 14.4 | 14.2 | 14.1 |
| Punjab | 16.6 | 16.2 | 15.9 | 15.7 | 15.5 | 15.2 | 17.2 | 16.8 | 16.5 | 16.3 | 16.2 | 15.9 | 15.6 | 15.2 | 14.8 | 14.7 | 14.5 | 14.2 |
| Rajasthan | 26.7 | 26.2 | 25.9 | 25.6 | 25.0 | 24.8 | 27.9 | 27.4 | 27.0 | 26.7 | 26.0 | 25.7 | 22.9 | 22.5 | 22.1 | 22.0 | 22.1 | 22.0 |
| Tamil Nadu | 15.9 | 15.9 | 15.7 | 15.6 | 15.4 | 15.2 | 16.0 | 16.0 | 15.8 | 15.7 | 15.5 | 15.3 | 15.8 | 15.7 | 15.6 | 15.5 | 15.4 | 15.2 |
| Telangana | Includes in Andhra Pradesh | | | | 18.0 | 17.8 | Includes in Andhra Pradesh | | | | 18.4 | 18.2 | Includes in Andhra Pradesh | | | | 17.4 | 17.2 |
| Uttar Pradesh | 28.3 | 27.8 | 27.4 | 27.2 | 27.0 | 26.7 | 29.2 | 28.8 | 28.4 | 28.1 | 28.3 | 27.9 | 24.2 | 23.7 | 23.5 | 23.3 | 23.3 | 23.0 |
| Uttarakhand | 19.3 | 18.9 | 18.5 | 18.2 | 18.2 | 17.8 | 20.2 | 19.7 | 19.1 | 18.9 | 18.5 | 18.0 | 16.2 | 16.0 | 15.9 | 15.7 | 17.3 | 17.1 |
| West Bengal | 16.8 | 16.3 | 16.1 | 16.0 | 15.6 | 15.5 | 18.6 | 18.1 | 17.8 | 17.7 | 17.6 | 17.3 | 11.9 | 11.5 | 11.5 | 11.4 | 11.1 | 11.6 |

**Table 13: Annual estimates of Death rate by sex, India and bigger States/UTs, 2010-15**

| India & | Total | | | | | | Male | | | | | | Female | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| bigger States/Uts | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
| **India** | **7.2** | **7.1** | **7.0** | **7.0** | **6.7** | **6.5** | **7.7** | **7.8** | **7.7** | **7.5** | **7.1** | **6.9** | **6.7** | **6.3** | **6.4** | **6.4** | **6.2** | **6.1** |
| Andhra Pradesh | 7.6 | 7.5 | 7.4 | 7.3 | 7.3 | 7.1 | 8.3 | 8.7 | 8.4 | 8.1 | 8.0 | 7.8 | 7.0 | 6.3 | 6.4 | 6.6 | 6.5 | 6.4 |
| Assam | 8.2 | 8.0 | 7.9 | 7.8 | 7.2 | 7.1 | 8.7 | 8.9 | 9.1 | 8.5 | 7.8 | 7.7 | 7.7 | 7.1 | 6.7 | 7.1 | 6.6 | 6.4 |
| Bihar | 6.8 | 6.7 | 6.6 | 6.6 | 6.2 | 6.2 | 7.1 | 7.0 | 6.7 | 6.7 | 6.3 | 5.8 | 6.6 | 6.5 | 6.5 | 6.5 | 6.1 | 6.6 |
| Chhattisgarh | 8.0 | 7.9 | 7.9 | 7.9 | 7.7 | 7.5 | 8.2 | 8.6 | 9.1 | 8.2 | 8.1 | 7.9 | 7.8 | 7.2 | 6.7 | 7.6 | 7.3 | 7.0 |
| Delhi | 4.2 | 4.3 | 4.2 | 4.1 | 3.8 | 3.6 | 4.5 | 4.7 | 4.6 | 4.4 | 4.3 | 3.8 | 3.9 | 3.9 | 3.7 | 3.8 | 3.4 | 3.3 |
| Gujarat | 6.7 | 6.7 | 6.6 | 6.5 | 6.2 | 6.1 | 7.1 | 7.4 | 7.3 | 7.2 | 6.7 | 6.6 | 6.3 | 6.0 | 5.9 | 5.8 | 5.6 | 5.6 |
| Haryana | 6.6 | 6.5 | 6.4 | 6.3 | 6.1 | 6.1 | 7.1 | 7.2 | 7.2 | 7.0 | 6.7 | 6.6 | 6.0 | 5.6 | 5.6 | 5.5 | 5.5 | 5.4 |
| Himachal Pradesh | 6.9 | 6.7 | 6.7 | 6.7 | 6.7 | 6.6 | 7.8 | 7.7 | 8.2 | 7.5 | 8.2 | 8.1 | 6.1 | 5.7 | 5.2 | 5.9 | 5.1 | 5.1 |
| Jammu & Kashmir | 5.7 | 5.5 | 5.4 | 5.3 | 5.1 | 4.9 | 5.6 | 6.0 | 6.0 | 6.2 | 6.0 | 5.7 | 5.7 | 5.0 | 4.8 | 4.4 | 4.2 | 4.0 |
| Jharkhand | 7.0 | 6.9 | 6.8 | 6.8 | 5.9 | 5.8 | 7.2 | 7.0 | 6.9 | 7.0 | 5.8 | 5.7 | 6.9 | 6.8 | 6.6 | 6.5 | 6.0 | 5.9 |
| Karnataka | 7.1 | 7.1 | 7.1 | 7.0 | 6.8 | 6.6 | 7.7 | 8.2 | 7.8 | 7.5 | 7.1 | 7.0 | 6.6 | 5.9 | 6.4 | 6.5 | 6.4 | 6.3 |
| Kerala | 7.0 | 7.0 | 6.9 | 6.9 | 6.6 | 6.6 | 7.7 | 8.3 | 8.2 | 7.9 | 7.6 | 7.6 | 6.3 | 5.8 | 5.7 | 6.0 | 5.8 | 5.7 |
| Madhya Pradesh | 8.3 | 8.2 | 8.1 | 8.0 | 7.8 | 7.5 | 9.1 | 8.8 | 8.7 | 8.7 | 8.3 | 8.1 | 7.6 | 7.5 | 7.4 | 7.2 | 7.2 | 6.9 |
| Maharashtra | 6.5 | 6.3 | 6.3 | 6.2 | 6.0 | 5.8 | 7.0 | 7.1 | 6.8 | 6.8 | 6.6 | 6.0 | 6.0 | 5.5 | 5.7 | 5.5 | 5.3 | 5.5 |
| Odisha | 8.6 | 8.5 | 8.5 | 8.4 | 7.9 | 7.6 | 9.3 | 8.8 | 9.2 | 8.9 | 8.8 | 8.5 | 8.0 | 8.2 | 7.9 | 7.9 | 7.0 | 6.7 |
| Punjab | 7.0 | 6.8 | 6.8 | 6.7 | 6.4 | 6.2 | 7.6 | 7.6 | 7.6 | 7.1 | 6.8 | 6.5 | 6.4 | 5.8 | 5.8 | 6.2 | 5.8 | 5.7 |
| Rajasthan | 6.7 | 6.7 | 6.6 | 6.5 | 6.4 | 6.3 | 7.2 | 7.3 | 7.2 | 7.0 | 7.0 | 6.9 | 6.2 | 6.0 | 5.9 | 5.9 | 5.8 | 5.7 |
| Tamil Nadu | 7.6 | 7.4 | 7.4 | 7.3 | 7.0 | 6.7 | 8.4 | 8.3 | 8.4 | 8.2 | 7.9 | 7.6 | 6.8 | 6.4 | 6.4 | 6.4 | 6.2 | 5.8 |
| Telangana | Includes in Andhra Pradesh | | | | 6.7 | 6.5 | Includes in Andhra Pradesh | | | | 7.3 | 7.1 | Includes in Andhra Pradesh | | | | 6.1 | 6.0 |
| Uttar Pradesh | 8.1 | 7.9 | 7.7 | 7.7 | 7.4 | 7.2 | 8.6 | 8.6 | 8.3 | 8.1 | 7.5 | 7.3 | 7.5 | 7.0 | 7.1 | 7.1 | 7.3 | 7.1 |
| Uttarakhand | 6.3 | 6.2 | 6.1 | 6.1 | 6.0 | 6.4 | 6.7 | 7.1 | 7.2 | 6.9 | 6.8 | 7.2 | 5.9 | 5.2 | 4.9 | 5.2 | 5.1 | 5.6 |
| West Bengal | 6.0 | 6.2 | 6.3 | 6.4 | 6.1 | 5.9 | 6.5 | 6.7 | 6.9 | 6.9 | 6.5 | 6.3 | 5.6 | 5.6 | 5.7 | 5.9 | 5.6 | 5.5 |

## Table 14: Annual estimates of Infant mortality rate by sex, India and bigger States/UTs, 2010-15

| India & bigger States/Uts | Total | | | | | | Male | | | | | | Female | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
| **India** | **47** | **44** | **42** | **40** | **39** | **37** | **46** | **43** | **41** | **39** | **37** | **35** | **49** | **46** | **44** | **42** | **40** | **39** |
| Andhra Pradesh | 46 | 43 | 41 | 39 | 39 | 37 | 44 | 40 | 40 | 39 | 38 | 36 | 47 | 46 | 43 | 40 | 39 | 38 |
| Assam | 58 | 55 | 55 | 54 | 49 | 47 | 56 | 55 | 54 | 53 | 49 | 47 | 60 | 56 | 57 | 55 | 49 | 47 |
| Bihar | 48 | 44 | 43 | 42 | 42 | 42 | 46 | 44 | 42 | 40 | 39 | 36 | 50 | 45 | 45 | 43 | 46 | 50 |
| Chhatisgarh | 51 | 48 | 47 | 46 | 43 | 41 | 48 | 47 | 46 | 45 | 41 | 40 | 54 | 50 | 47 | 47 | 44 | 41 |
| Delhi | 30 | 28 | 25 | 24 | 20 | 18 | 29 | 25 | 24 | 23 | 18 | 18 | 31 | 31 | 26 | 25 | 22 | 19 |
| Gujarat | 44 | 41 | 38 | 36 | 35 | 33 | 41 | 39 | 36 | 35 | 34 | 33 | 47 | 42 | 39 | 37 | 37 | 34 |
| Haryana | 48 | 44 | 42 | 41 | 36 | 36 | 46 | 41 | 41 | 40 | 35 | 36 | 49 | 48 | 44 | 42 | 38 | 37 |
| Himachal Pradesh | 40 | 38 | 36 | 35 | 32 | 28 | 35 | 36 | 35 | 33 | 31 | 28 | 47 | 39 | 38 | 36 | 33 | 27 |
| Jammu & Kashmir | 43 | 41 | 39 | 37 | 34 | 26 | 41 | 40 | 38 | 36 | 33 | 25 | 45 | 41 | 40 | 38 | 36 | 27 |
| Jharkhand | 42 | 39 | 38 | 37 | 34 | 32 | 41 | 36 | 36 | 35 | 32 | 30 | 44 | 43 | 39 | 38 | 36 | 35 |
| Karnataka | 38 | 35 | 32 | 31 | 29 | 28 | 37 | 34 | 30 | 30 | 27 | 26 | 39 | 35 | 34 | 32 | 30 | 30 |
| Kerala | 13 | 12 | 12 | 12 | 12 | 12 | 13 | 11 | 10 | 10 | 10 | 10 | 14 | 13 | 13 | 13 | 13 | 13 |
| Madhya Pradesh | 62 | 59 | 56 | 54 | 52 | 50 | 62 | 57 | 54 | 52 | 51 | 51 | 63 | 62 | 59 | 55 | 53 | 48 |
| Maharashtra | 28 | 25 | 25 | 24 | 22 | 21 | 27 | 24 | 24 | 23 | 21 | 19 | 29 | 25 | 26 | 25 | 22 | 22 |
| Odisha | 61 | 57 | 53 | 51 | 49 | 46 | 60 | 55 | 52 | 50 | 48 | 45 | 61 | 58 | 54 | 52 | 51 | 47 |
| Punjab | 34 | 30 | 28 | 26 | 24 | 23 | 33 | 28 | 27 | 25 | 23 | 22 | 35 | 33 | 29 | 27 | 25 | 24 |
| Rajasthan | 55 | 52 | 49 | 47 | 46 | 43 | 52 | 50 | 47 | 45 | 44 | 40 | 57 | 53 | 51 | 49 | 49 | 47 |
| Tamil Nadu | 24 | 22 | 21 | 21 | 20 | 19 | 23 | 21 | 21 | 20 | 20 | 19 | 24 | 23 | 22 | 21 | 20 | 19 |
| Telangana | Includes in Andhra Pradesh | | | | 35 | 34 | Includes in Andhra Pradesh | | | | 34 | 33 | Includes in Andhra Pradesh | | | | 35 | 34 |
| Uttar Pradesh | 61 | 57 | 53 | 50 | 48 | 46 | 58 | 55 | 52 | 49 | 47 | 44 | 63 | 59 | 55 | 52 | 50 | 48 |
| Uttarakhand | 38 | 34 | 28 | 33 | 33 | 34 | 36 | 32 | 29 | 30 | 31 | 31 | 41 | 37 | 27 | 35 | 35 | 38 |
| West Bengal | 31 | 32 | 32 | 31 | 28 | 26 | 29 | 30 | 31 | 30 | 26 | 25 | 32 | 34 | 33 | 32 | 31 | 28 |

## Table 15: Annual estimates of Total Fertility rate by residence, India and bigger States/UTs, 2010-15

| India & | Total | | | | | | Rural | | | | | | Urban | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| bigger States/Uts | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
| **India** | **2.5** | **2.4** | **2.4** | **2.3** | **2.3** | **2.3** | **2.8** | **2.7** | **2.6** | **2.5** | **2.5** | **2.5** | **1.9** | **1.9** | **1.8** | **1.8** | **1.8** | **1.8** |
| Andhra Pradesh | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.7 | 1.9 | 1.9 | 1.9 | 1.9 | 1.8 | 1.8 | 1.6 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 |
| Assam | 2.5 | 2.4 | 2.4 | 2.3 | 2.3 | 2.3 | 2.7 | 2.6 | 2.5 | 2.4 | 2.5 | 2.4 | 1.6 | 1.5 | 1.5 | 1.5 | 1.6 | 1.6 |
| Bihar | 3.7 | 3.6 | 3.5 | 3.4 | 3.2 | 3.2 | 3.8 | 3.7 | 3.6 | 3.5 | 3.3 | 3.3 | 2.7 | 2.6 | 2.5 | 2.5 | 2.4 | 2.5 |
| Chhatisgarh | 2.8 | 2.7 | 2.7 | 2.6 | 2.6 | 2.5 | 3.0 | 2.9 | 2.9 | 2.8 | 2.8 | 2.7 | 1.9 | 1.9 | 1.8 | 1.8 | 1.9 | 1.9 |
| Delhi | 1.9 | 1.8 | 1.8 | 1.7 | 1.7 | 1.7 | 2.1 | 1.9 | 1.9 | 1.8 | 1.8 | 1.8 | 1.9 | 1.8 | 1.8 | 1.7 | 1.7 | 1.7 |
| Gujarat | 2.5 | 2.4 | 2.3 | 2.3 | 2.3 | 2.2 | 2.7 | 2.6 | 2.5 | 2.5 | 2.5 | 2.5 | 2.1 | 2.0 | 2 | 2.0 | 2.0 | 1.9 |
| Haryana | 2.3 | 2.3 | 2.3 | 2.2 | 2.3 | 2.2 | 2.5 | 2.4 | 2.4 | 2.3 | 2.4 | 2.4 | 2.0 | 2.0 | 2 | 2.0 | 2.0 | 2.0 |
| Himachal Pradesh | 1.8 | 1.8 | 1.7 | 1.7 | 1.7 | 1.7 | 1.9 | 1.8 | 1.7 | 1.7 | 1.7 | 1.7 | 1.3 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 |
| Jammu & Kashmir | 2.0 | 1.9 | 1.9 | 1.9 | 1.7 | 1.6 | 2.2 | 2.1 | 2 | 2.0 | 1.9 | 1.9 | 1.4 | 1.3 | 1.3 | 1.3 | 1.2 | 1.0 |
| Jharkhand | 3.0 | 2.9 | 2.8 | 2.7 | 2.8 | 2.7 | 3.2 | 3.2 | 3 | 2.9 | 3.0 | 2.9 | 2.1 | 2.1 | 2 | 2.0 | 2.1 | 2.1 |
| Karnataka | 2.0 | 1.9 | 1.9 | 1.9 | 1.8 | 1.8 | 2.1 | 2.0 | 2 | 2.0 | 1.9 | 1.9 | 1.7 | 1.7 | 1.7 | 1.6 | 1.7 | 1.7 |
| Kerala | 1.8 | 1.8 | 1.8 | 1.8 | 1.9 | 1.8 | 1.8 | 1.9 | 1.9 | 1.9 | 1.9 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 |
| Madhya Pradesh | 3.2 | 3.1 | 2.9 | 2.9 | 2.8 | 2.8 | 3.5 | 3.3 | 3.1 | 3.1 | 3.1 | 3.0 | 2.2 | 2.1 | 2 | 2.0 | 2.1 | 2.1 |
| Maharashtra | 1.9 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 2.0 | 1.9 | 2 | 1.9 | 1.9 | 2.0 | 1.7 | 1.6 | 1.6 | 1.6 | 1.7 | 1.6 |
| Odisha | 2.3 | 2.2 | 2.1 | 2.1 | 2.1 | 2.0 | 2.4 | 2.3 | 2.2 | 2.2 | 2.2 | 2.1 | 1.6 | 1.5 | 1.5 | 1.5 | 1.5 | 1.4 |
| Punjab | 1.8 | 1.8 | 1.7 | 1.7 | 1.7 | 1.7 | 1.8 | 1.8 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 | 1.5 |
| Rajasthan | 3.1 | 3.0 | 2.9 | 2.8 | 2.8 | 2.7 | 3.3 | 3.2 | 3.1 | 3.0 | 2.9 | 2.8 | 2.4 | 2.4 | 2.3 | 2.3 | 2.3 | 2.3 |
| Tamil Nadu | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.8 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 |
| Telangana | Includes in Andhra Pradesh | | | | 1.8 | 1.8 | Includes in Andhra Pradesh | | | | 1.9 | 1.9 | Includes in Andhra Pradesh | | | | 1.7 | 1.6 |
| Uttar Pradesh | 3.5 | 3.4 | 3.3 | 3.1 | 3.2 | 3.1 | 3.7 | 3.6 | 3.4 | 3.3 | 3.4 | 3.4 | 2.7 | 2.6 | 2.5 | 2.5 | 2.5 | 2.4 |
| Uttarakhand | Not available | | | | 2.0 | 2.0 | Not available | | | | 2.1 | 2.0 | Not available | | | | 1.9 | 1.8 |
| West Bengal | 1.8 | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 | 2.0 | 1.9 | 1.8 | 1.8 | 1.7 | 1.7 | 1.3 | 1.3 | 1.2 | 1.2 | 1.2 | 1.2 |

**Table 16: Sex ratio at birth (female per 1000 male) by residence, India and bigger States/UTs, 2009-11 to 2013-15**

| India & bigger States/Uts | Total | | | | | Rural | | | | | Urban | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 2009-11 | 2010-12 | 2011-13 | 2012-14 | 2013-15 | 2009-11 | 2010-12 | 2011-13 | 2012-14 | 2013-15 | 2009-11 | 2010-12 | 2011-13 | 2012-14 | 2013-15 |
| **India** | **906** | **908** | **909** | **906** | **900** | **907** | **909** | **910** | **907** | **903** | **900** | **904** | **906** | **905** | **890** |
| Andhra Pradesh* | 915 | 914 | 916 | 919 | 918 | 914 | 911 | 912 | 917 | 933 | 919 | 923 | 928 | 925 | 885 |
| Assam | 926 | 922 | 920 | 918 | 900 | 929 | 924 | 922 | 919 | 902 | 900 | 905 | 906 | 908 | 876 |
| Bihar | 910 | 909 | 911 | 907 | 916 | 912 | 911 | 912 | 909 | 921 | 884 | 891 | 894 | 889 | 870 |
| Chhattisgarh | 991 | 979 | 970 | 973 | 961 | 1001 | 986 | 977 | 982 | 987 | 930 | 933 | 927 | 921 | 839 |
| Delhi | 880 | 884 | 887 | 876 | 869 | 876 | 892 | 894 | 899 | 909 | 881 | 882 | 886 | 873 | 866 |
| Gujarat | 909 | 909 | 911 | 907 | 854 | 923 | 922 | 925 | 917 | 871 | 883 | 885 | 884 | 890 | 826 |
| Haryana | 854 | 857 | 864 | 866 | 831 | 856 | 859 | 867 | 869 | 836 | 848 | 852 | 855 | 859 | 821 |
| Himachal Pradesh | 938 | 939 | 943 | 938 | 924 | 940 | 941 | 946 | 940 | 929 | 909 | 904 | 902 | 901 | 844 |
| Jammu & Kashmir | 880 | 895 | 902 | 899 | 899 | 876 | 895 | 903 | 899 | 895 | 898 | 894 | 894 | 897 | 915 |
| Jharkhand | 915 | 918 | 913 | 910 | 902 | 928 | 929 | 923 | 918 | 914 | 844 | 856 | 854 | 867 | 852 |
| Karnataka | 945 | 950 | 958 | 950 | 939 | 948 | 958 | 966 | 957 | 967 | 939 | 935 | 942 | 936 | 887 |
| Kerala | 965 | 966 | 966 | 974 | 967 | 961 | 963 | 961 | 970 | 978 | 977 | 979 | 983 | 985 | 950 |
| Madhya Pradesh | 920 | 921 | 920 | 927 | 919 | 919 | 920 | 918 | 925 | 911 | 926 | 927 | 929 | 934 | 954 |
| Maharashtra | 893 | 896 | 902 | 896 | 878 | 881 | 882 | 892 | 888 | 871 | 911 | 917 | 916 | 908 | 890 |
| Odisha | 946 | 948 | 956 | 953 | 950 | 949 | 952 | 960 | 957 | 961 | 921 | 921 | 928 | 922 | 869 |
| Punjab | 841 | 863 | 867 | 870 | 889 | 829 | 856 | 861 | 863 | 869 | 863 | 875 | 878 | 881 | 924 |
| Rajasthan | 878 | 893 | 893 | 893 | 861 | 882 | 900 | 898 | 896 | 867 | 861 | 868 | 874 | 880 | 840 |
| Tamil Nadu | 926 | 928 | 927 | 921 | 911 | 933 | 934 | 932 | 923 | 920 | 918 | 920 | 921 | 918 | 901 |
| Uttar Pradesh | 875 | 874 | 878 | 869 | 879 | 874 | 872 | 877 | 866 | 869 | 881 | 883 | 887 | 882 | 923 |
| Uttarakhand | Not available | | | 871 | 844 | Not available | | | 879 | 850 | Not available | | | 848 | 828 |
| West Bengal | 941 | 944 | 943 | 952 | 951 | 938 | 940 | 939 | 949 | 953 | 955 | 960 | 962 | 964 | 944 |

* : Andhra Pradesh includes Telangana

**Table 17: Percent of live births where the mothers received medical attention at delivery either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2010-15**

| India & | Total | | | | | | Rural | | | | | | Urban | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| bigger States/Uts | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
| **India** | **60.5** | **66.6** | **73.1** | **74.4** | **78.5** | **79.3** | **53.9** | **60.7** | **67.9** | **69.7** | **73.2** | **74.2** | **84.2** | **87.9** | **92.0** | **92.1** | **93.2** | **93.5** |
| Andhra Pradesh | 88.1 | 90.7 | 92.1 | 93.6 | 94.9 | 95.5 | 84.4 | 87.5 | 89.4 | 91.3 | 92.6 | 93.6 | 98.1 | 98.6 | 99.2 | 99.7 | 99.8 | 99.8 |
| Assam | 54.0 | 61.8 | 71.1 | 73.7 | 77.7 | 79.3 | 51.1 | 58.9 | 69.0 | 71.6 | 75.8 | 77.6 | 80.9 | 88.4 | 89.6 | 93.2 | 94.3 | 94.7 |
| Bihar | 41.4 | 48.4 | 59.5 | 60.3 | 64.0 | 66.1 | 38.2 | 45.5 | 57.1 | 58.1 | 61.1 | 63.4 | 77.9 | 83.6 | 86.0 | 86.6 | 88.1 | 89.3 |
| Chhattisgarh | 47.4 | 54.1 | 63.3 | 66.5 | 71.8 | 73.6 | 43.0 | 50.3 | 60.5 | 64.0 | 68.2 | 70.2 | 76.9 | 79.2 | 81.7 | 83.3 | 85.2 | 86.1 |
| Delhi | 78.3 | 85.6 | 88.7 | 91.1 | 92.3 | 93.5 | 77.6 | 81.3 | 85.9 | 89.6 | 91.8 | 92.4 | 78.4 | 86.5 | 89.3 | 91.3 | 92.3 | 93.6 |
| Gujarat | 79.8 | 84.4 | 86.1 | 88.6 | 91.1 | 92.2 | 72.1 | 78.6 | 80.3 | 83.3 | 85.7 | 87.0 | 94.1 | 95.6 | 97.0 | 98.7 | 99.7 | 99.4 |
| Haryana | 63.0 | 69.9 | 74.5 | 77.3 | 80.4 | 81.8 | 58.9 | 66.9 | 72.4 | 74.8 | 77.8 | 79.4 | 74.0 | 77.7 | 80.0 | 84.1 | 86.0 | 86.5 |
| Himachal Pradesh | 57.9 | 64.1 | 68.8 | 70.8 | 74.2 | 75.4 | 55.7 | 62.3 | 67.3 | 69.2 | 72.9 | 74.3 | 89.6 | 91.1 | 91.8 | 94.1 | 94.9 | 95.2 |
| Jammu & Kashmir | 69.7 | 74.1 | 78.6 | 81.6 | 85.2 | 84.8 | 65.3 | 70.1 | 75.7 | 79.0 | 81.1 | 82.0 | 93.0 | 95.6 | 95.6 | 96.4 | 96.3 | 96.6 |
| Jharkhand | 28.9 | 36.3 | 46.5 | 51.2 | 56.7 | 58.3 | 21.9 | 29.0 | 40.5 | 45.3 | 52.1 | 54.2 | 69.7 | 79.3 | 82.5 | 86.6 | 87.2 | 88.0 |
| Karnataka | 85.7 | 88.4 | 90.8 | 92.9 | 95.7 | 96.5 | 83.1 | 85.9 | 88.3 | 90.7 | 93.7 | 94.7 | 90.9 | 93.6 | 96.0 | 97.3 | 98.9 | 99.4 |
| Kerala | 99.5 | 99.7 | 99.4 | 99.5 | 99.7 | 99.7 | 99.5 | 99.6 | 99.7 | 99.6 | 99.6 | 99.7 | 99.6 | 99.5 | 98.8 | 99.3 | 99.7 | 99.8 |
| Madhya Pradesh | 60.0 | 66.6 | 71.9 | 75.5 | 79.3 | 80.4 | 54.8 | 62.0 | 68.0 | 71.9 | 75.0 | 76.1 | 86.9 | 91.0 | 92.6 | 94.2 | 95.9 | 96.3 |
| Maharashtra | 86.3 | 90.7 | 92.8 | 94.5 | 95.2 | 96.0 | 78.4 | 85.4 | 89.1 | 91.6 | 92.3 | 93.6 | 97.8 | 98.3 | 98.6 | 99.0 | 99.3 | 99.5 |
| Odisha | 57.6 | 62.6 | 69.0 | 72.3 | 77.2 | 78.3 | 54.6 | 59.8 | 66.6 | 70.3 | 74.8 | 75.9 | 82.6 | 87.5 | 90.3 | 91.0 | 92.5 | 93.1 |
| Punjab | 67.6 | 73.4 | 80.3 | 84.3 | 86.2 | 87.5 | 59.9 | 66.8 | 75.0 | 80.1 | 81.9 | 82.9 | 81.4 | 85.3 | 90.1 | 92.1 | 92.8 | 93.7 |
| Rajasthan | 68.0 | 76.6 | 80.8 | 83.0 | 85.8 | 86.7 | 63.5 | 74.0 | 78.8 | 81.1 | 83.8 | 84.9 | 85.4 | 86.9 | 88.7 | 90.6 | 92.2 | 93.0 |
| Tamil Nadu | 91.2 | 92.4 | 92.7 | 93.4 | 95.0 | 95.2 | 85.8 | 87.5 | 87.8 | 89.3 | 90.4 | 90.7 | 98.5 | 99.1 | 99.5 | 99.0 | 99.5 | 99.6 |
| Telangana | Includes in Andhra Pradesh | | | | 90.6 | 92.0 | Includes in Andhra Pradesh | | | | 88.3 | 89.5 | Includes in Andhra Pradesh | | | | 94.4 | 95.6 |
| Uttar Pradesh | 40.1 | 48.4 | 53.9 | 58.1 | 62.2 | 63.2 | 36.6 | 44.7 | 50.2 | 54.7 | 58.2 | 59.0 | 58.2 | 67.6 | 73.4 | 76.0 | 79.2 | 80.0 |
| Uttarakhand | Not available | | | | 68.0 | 69.5 | Not available | | | | 65.9 | 67.1 | Not available | | | | 74.4 | 76.2 |
| West Bengal | 66.1 | 70.5 | 74.7 | 77.2 | 81.8 | 83.4 | 61.8 | 66.5 | 71.2 | 73.9 | 78.0 | 80.0 | 84.3 | 87.8 | 89.2 | 90.9 | 92.6 | 93.3 |

**Table 18: Percent of deaths where medical attention received before death was either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2010-15**

| India & | Total | | | | | | Rural | | | | | | Urban | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| bigger States/Uts | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
| **India** | **33.9** | **34.2** | **34.6** | **39.2** | **42.6** | **44.4** | **29.7** | **30.0** | **30.4** | **35.3** | **38.0** | **39.6** | **48.9** | **49.3** | **49.6** | **53.5** | **56.7** | **57.2** |
| Andhra Pradesh | 32.6 | 32.9 | 33.4 | 38.7 | 43.2 | 45.4 | 30.3 | 30.6 | 31.1 | 35.3 | 40.3 | 41.2 | 41.5 | 41.8 | 42.2 | 51.9 | 55.2 | 56.6 |
| Assam | 25.5 | 25.9 | 26.5 | 28.9 | 31.8 | 32.8 | 24.5 | 24.9 | 25.4 | 28.6 | 30.4 | 31.3 | 34.4 | 34.8 | 35.4 | 38.7 | 40.9 | 41.9 |
| Bihar | 22.1 | 22.4 | 23.0 | 26.1 | 28.2 | 29.0 | 20.6 | 20.9 | 21.5 | 24.7 | 25.9 | 26.7 | 38.9 | 39.2 | 39.7 | 42.3 | 45.6 | 46.5 |
| Chhattisgarh | 25.8 | 26.2 | 26.5 | 32.1 | 35.9 | 36.7 | 21.7 | 22.2 | 22.7 | 28.8 | 31.5 | 32.3 | 50.6 | 50.9 | 51.3 | 53.7 | 56.8 | 58.8 |
| Delhi | 53.3 | 53.5 | 54.1 | 57.1 | 63.5 | 64.1 | 26.9 | 27.1 | 27.7 | 35.6 | 38.6 | 39.3 | 58.3 | 58.5 | 59.1 | 61.3 | 63.9 | 64.6 |
| Gujarat | 34.9 | 35.5 | 36.1 | 38.6 | 40.7 | 42.8 | 28.8 | 29.3 | 29.8 | 32.4 | 33.3 | 34.6 | 48.0 | 48.4 | 49.0 | 51.4 | 56.1 | 56.9 |
| Haryana | 25.9 | 26.3 | 26.9 | 30.0 | 32.8 | 34.2 | 24.8 | 25.2 | 25.8 | 29.2 | 31.5 | 32.9 | 29.3 | 29.5 | 30.0 | 32.2 | 35.8 | 36.8 |
| Himachal Pradesh | 58.5 | 58.8 | 59.3 | 62.1 | 64.4 | 65.3 | 58.4 | 58.7 | 59.2 | 62.0 | 64.4 | 65.2 | 59.6 | 59.8 | 60.4 | 62.5 | 65.4 | 66.7 |
| Jammu & Kashmir | 45.3 | 45.5 | 45.9 | 48.8 | 56.4 | 54.3 | 40.3 | 40.5 | 40.9 | 44.0 | 46.4 | 46.6 | 68.6 | 68.8 | 69.4 | 71.7 | 72.8 | 73.3 |
| Jharkhand | 22.2 | 22.4 | 22.9 | 28.0 | 30.8 | 31.4 | 17.3 | 17.6 | 18.3 | 23.8 | 26.7 | 27.4 | 50.7 | 51.0 | 51.4 | 54.4 | 56.7 | 57.5 |
| Karnataka | 39.6 | 40.0 | 40.6 | 44.1 | 44.5 | 46.9 | 33.0 | 33.2 | 33.9 | 37.7 | 40.4 | 41.7 | 57.7 | 57.9 | 58.5 | 61.9 | 62.4 | 63.1 |
| Kerala | 73.2 | 73.5 | 73.9 | 76.8 | 75.1 | 76.5 | 76.8 | 77.0 | 77.4 | 80.3 | 83.1 | 83.5 | 61.6 | 61.8 | 62.2 | 65.7 | 69.1 | 69.7 |
| Madhya Pradesh | 44.2 | 44.4 | 44.9 | 48.4 | 52.4 | 53.6 | 41.0 | 41.1 | 41.7 | 44.9 | 47.9 | 48.4 | 60.9 | 61.2 | 61.7 | 66.0 | 69.2 | 70.4 |
| Maharashtra | 40.8 | 41.0 | 41.5 | 44.2 | 46.3 | 46.9 | 34.3 | 34.5 | 35.1 | 37.5 | 40.5 | 41.0 | 53.2 | 53.5 | 54.1 | 57.3 | 58.7 | 59.6 |
| Odisha | 24.7 | 25.0 | 25.6 | 29.1 | 43.4 | 44.6 | 23.5 | 23.8 | 24.4 | 27.9 | 42.2 | 43.3 | 34.6 | 34.9 | 35.4 | 39.1 | 52.0 | 54.1 |
| Punjab | 45.1 | 45.3 | 45.7 | 49.8 | 50.7 | 52.9 | 40.1 | 40.3 | 40.8 | 45.1 | 47.3 | 47.9 | 56.1 | 56.4 | 56.9 | 60.8 | 61.1 | 62.6 |
| Rajasthan | 33.3 | 33.6 | 34.2 | 38.5 | 42.2 | 42.6 | 30.2 | 30.6 | 31.2 | 36.1 | 39.4 | 40.0 | 44.7 | 45.1 | 45.7 | 48.4 | 50.6 | 51.5 |
| Tamil Nadu | 34.3 | 34.5 | 35.0 | 38.7 | 41.6 | 43.0 | 25.7 | 26.3 | 26.9 | 31.1 | 32.8 | 34.1 | 47.5 | 48.0 | 48.6 | 51.5 | 53.2 | 54.1 |
| Telangana | Includes in Andhra Pradesh | | | | 39.9 | 41.4 | Includes in Andhra Pradesh | | | | 37.3 | 37.9 | Includes in Andhra Pradesh | | | | 53.2 | 54.1 |
| Uttar Pradesh | 29.5 | 29.7 | 30.2 | 39.2 | 44.9 | 45.6 | 27.0 | 27.2 | 27.7 | 37.5 | 43.2 | 43.8 | 44.2 | 44.4 | 44.7 | 49.2 | 51.5 | 53.3 |
| Uttarakhand | Not available | | | | 50.1 | 51.3 | Not available | | | | 49.4 | 50.4 | Not available | | | | 52.5 | 54.3 |
| West Bengal | 31.6 | 31.8 | 32.3 | 36.0 | 40.4 | 41.9 | 24.6 | 24.9 | 25.4 | 29.1 | 32.8 | 33.5 | 49.3 | 49.6 | 50.0 | 53.6 | 56.3 | 57.1 |

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| 01 | Jammu & Kashmir | 1 | Mountainous | 007 | 07 | Kathua |
| | | | | 021 | 21 | Jammu |
| | | | | 022 | 22 | Samba |
| | | 2 | Outer Hills | 005 | 05 | Punch |
| | | | | 006 | 06 | Rajouri |
| | | | | 016 | 16 | Doda |
| | | | | 017 | 17 | Ramban |
| | | | | 018 | 18 | Kishtwar |
| | | | | 019 | 19 | Udhampur |
| | | | | 020 | 20 | Reasi |
| | | 3 | Jhelam Valley | 001 | 01 | Kupwara |
| | | | | 002 | 02 | Badgam |
| | | | | 008 | 08 | Baramula |
| | | | | 009 | 09 | Bandipore |
| | | | | 010 | 10 | Srinagar |
| | | | | 011 | 11 | Ganderbal |
| | | | | 012 | 12 | Pulwama |
| | | | | 013 | 13 | Shupiyan |
| | | | | 014 | 14 | Anantnag |
| | | | | 015 | 15 | Kulgam |
| | | 4 | Ladakh | 003 | 03 | Leh(Ladakh) |
| | | | | 004 | 04 | Kargil |
| 02 | Himachal Pradesh | 1 | Himachal Pradesh | 023 | 01 | Chamba |
| | | | | 024 | 02 | Kangra |
| | | | | 025 | 03 | Lahul & Spiti |
| | | | | 026 | 04 | Kullu |
| | | | | 027 | 05 | Mandi |
| | | | | 028 | 06 | Hamirpur |
| | | | | 029 | 07 | Una |
| | | | | 030 | 08 | Bilaspur |
| | | | | 031 | 09 | Solan |
| | | | | 032 | 10 | Sirmaur |
| | | | | 033 | 11 | Shimla |
| | | | | 034 | 12 | Kinnaur |
| 03 | Punjab | 1 | Northern | 035 | 01 | Gurdaspur |
| | | | | 036 | 02 | Kapurthala |
| | | | | 037 | 03 | Jalandhar |
| | | | | 038 | 04 | Hoshiarpur |
| | | | | 039 | 05 | Shahid Bhagat Singh Nagar |
| | | | | 049 | 15 | Amritsar |
| | | | | 050 | 16 | Tarn Taran |
| | | | | 051 | 17 | Rupnagar |
| | | | | 052 | 18 | Sahibzada Ajit Singh Nagar |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 2 | Southern | 040 | 06 | Fatehgarh Sahib |
| | | | | 041 | 07 | Ludhiana |
| | | | | 042 | 08 | Moga |
| | | | | 043 | 09 | Firozpur |
| | | | | 044 | 10 | Muktsar |
| | | | | 045 | 11 | Faridkot |
| | | | | 046 | 12 | Bathinda |
| | | | | 047 | 13 | Mansa |
| | | | | 048 | 14 | Patiala |
| | | | | 053 | 19 | Sangrur |
| | | | | 054 | 20 | Barnala |
| 04 | Chandigarh | 1 | Chandigarh | 055 | 01 | Chandigarh |
| 05 | Uttarakhand | 1 | Uttarakhand | 056 | 01 | Uttarkashi |
| | | | | 057 | 02 | Chamoli |
| | | | | 058 | 03 | Rudraprayag |
| | | | | 059 | 04 | Tehri Garhwal |
| | | | | 060 | 05 | Dehradun |
| | | | | 061 | 06 | Garhwal |
| | | | | 062 | 07 | Pithoragarh |
| | | | | 063 | 08 | Bageshwar |
| | | | | 064 | 09 | Almora |
| | | | | 065 | 10 | Champawat |
| | | | | 066 | 11 | Nainital |
| | | | | 067 | 12 | Udham Singh Nagar |
| | | | | 068 | 13 | Hardwar |
| 06 | Haryana | 1 | Eastern | 069 | 01 | Panchkula |
| | | | | 070 | 02 | Ambala |
| | | | | 071 | 03 | Yamunanagar |
| | | | | 072 | 04 | Kurukshetra |
| | | | | 073 | 05 | Kaithal |
| | | | | 074 | 06 | Karnal |
| | | | | 075 | 07 | Panipat |
| | | | | 076 | 08 | Sonipat |
| | | | | 082 | 14 | Rohtak |
| | | | | 083 | 15 | Jhajjar |
| | | | | 086 | 18 | Gurgaon |
| | | | | 087 | 19 | Mewat |
| | | | | 088 | 20 | Faridabad |
| | | | | 089 | 21 | Palwal |
| | | 2 | Western | 077 | 09 | Jind |
| | | | | 078 | 10 | Fatehabad |
| | | | | 079 | 11 | Sirsa |
| | | | | 080 | 12 | Hisar |
| | | | | 081 | 13 | Bhiwani |
| | | | | 084 | 16 | Mahendragarh |
| | | | | 085 | 17 | Rewari |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| 07 | Delhi | 1 | Delhi | 090 | 01 | North West |
| | | | | 091 | 02 | North |
| | | | | 092 | 03 | North East |
| | | | | 093 | 04 | East |
| | | | | 094 | 05 | New Delhi |
| | | | | 095 | 06 | Central |
| | | | | 096 | 07 | West |
| | | | | 097 | 08 | South West |
| | | | | 098 | 09 | South |
| 08 | Rajasthan | 1 | Western | 101 | 03 | Bikaner |
| | | | | 113 | 15 | Jodhpur |
| | | | | 114 | 16 | Jaisalmer |
| | | | | 115 | 17 | Barmer |
| | | | | 116 | 18 | Jalor |
| | | | | 117 | 19 | Sirohi |
| | | | | 118 | 20 | Pali |
| | | 2 | North Eastern | 104 | 06 | Alwar |
| | | | | 105 | 07 | Bharatpur |
| | | | | 106 | 08 | Dhaulpur |
| | | | | 107 | 09 | Karauli |
| | | | | 108 | 10 | Sawai Madhopur |
| | | | | 109 | 11 | Dausa |
| | | | | 110 | 12 | Jaipur |
| | | | | 119 | 21 | Ajmer |
| | | | | 120 | 22 | Tonk |
| | | | | 122 | 24 | Bhilwara |
| | | 3 | Southern | 123 | 25 | Rajsamand |
| | | | | 124 | 26 | Dungarpur |
| | | | | 125 | 27 | Banswara |
| | | | | 130 | 32 | Udaipur |
| | | 4 | South Eastern | 121 | 23 | Bundi |
| | | | | 126 | 28 | Chittaurgarh |
| | | | | 127 | 29 | Kota |
| | | | | 128 | 30 | Baran |
| | | | | 129 | 31 | Jhalawar |
| | | | | 131 | 33 | Pratapgarh |
| | | 5 | Northern | 99 | 01 | Ganganagar |
| | | | | 100 | 02 | Hanumangarh |
| | | | | 102 | 04 | Churu |
| | | | | 103 | 05 | Jhunjhunun |
| | | | | 111 | 13 | Sikar |
| | | | | 112 | 14 | Nagaur |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| 09 | Uttar Pradesh | 1 | Northern Upper Ganga Plain | 132 | 01 | Saharanpur |
| | | | | 133 | 02 | Muzaffarnagar |
| | | | | 134 | 03 | Bijnor |
| | | | | 135 | 04 | Moradabad |
| | | | | 136 | 05 | Rampur |
| | | | | 137 | 06 | Jyotiba Phule Nagar |
| | | | | 138 | 07 | Meerut |
| | | | | 139 | 08 | Baghpat |
| | | | | 140 | 09 | Ghaziabad |
| | | | | 141 | 10 | Gautam Buddha Nagar |
| | | 2 | Central | 154 | 23 | Sitapur |
| | | | | 155 | 24 | Hardoi |
| | | | | 156 | 25 | Unnao |
| | | | | 157 | 26 | Lucknow |
| | | | | 158 | 27 | Rae Bareli |
| | | | | 163 | 32 | Kanpur Dehat |
| | | | | 164 | 33 | Kanpur Nagar |
| | | | | 172 | 41 | Fatehpur |
| | | | | 176 | 45 | Bara Banki |
| | | 3 | Eastern | 173 | 42 | Pratapgarh |
| | | | | 174 | 43 | Kaushambi |
| | | | | 175 | 44 | Allahabad |
| | | | | 177 | 46 | Faizabad |
| | | | | 178 | 47 | Ambedkar Nagar |
| | | | | 179 | 48 | Sultanpur |
| | | | | 180 | 49 | Bahraich |
| | | | | 181 | 50 | Shrawasti |
| | | | | 182 | 51 | Balrampur |
| | | | | 183 | 52 | Gonda |
| | | | | 184 | 53 | Siddharthnagar |
| | | | | 185 | 54 | Basti |
| | | | | 186 | 55 | Sant Kabir Nagar |
| | | | | 187 | 56 | Mahrajganj |
| | | | | 188 | 57 | Gorakhpur |
| | | | | 189 | 58 | Kushinagar |
| | | | | 190 | 59 | Deoria |
| | | | | 191 | 60 | Azamgarh |
| | | | | 192 | 61 | Mau |
| | | | | 193 | 62 | Ballia |
| | | | | 194 | 63 | Jaunpur |
| | | | | 195 | 64 | Ghazipur |
| | | | | 196 | 65 | Chandauli |
| | | | | 197 | 66 | Varanasi |
| | | | | 198 | 67 | Sant Ravidas Nagar (Bhadohi) |
| | | | | 199 | 68 | Mirzapur |
| | | | | 200 | 69 | Sonbhadra |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 4 | Southern | 165 | 34 | Jalaun |
| | | | | 166 | 35 | Jhansi |
| | | | | 167 | 36 | Lalitpur |
| | | | | 168 | 37 | Hamirpur |
| | | | | 169 | 38 | Mahoba |
| | | | | 170 | 39 | Banda |
| | | | | 171 | 40 | Chitrakoot |
| | | 5 | Southern Upper Ganga Plain | 142 | 11 | Bulandshahr |
| | | | | 143 | 12 | Aligarh |
| | | | | 144 | 13 | Mahamaya Nagar (Hathras) |
| | | | | 145 | 14 | Mathura |
| | | | | 146 | 15 | Agra |
| | | | | 147 | 16 | Firozabad |
| | | | | 148 | 17 | Mainpuri |
| | | | | 149 | 18 | Budaun |
| | | | | 150 | 19 | Bareilly |
| | | | | 151 | 20 | Pilibhit |
| | | | | 152 | 21 | Shahjahanpur |
| | | | | 153 | 22 | Kheri |
| | | | | 159 | 28 | Farrukhabad |
| | | | | 160 | 29 | Kannauj |
| | | | | 161 | 30 | Etawah |
| | | | | 162 | 31 | Auraiya |
| | | | | 201 | 70 | Etah |
| | | | | 202 | 71 | Kanshiram Nagar |
| 10 | Bihar | 1 | Northern | 203 | 01 | Pashchim Champaran |
| | | | | 204 | 02 | Purba Champaran |
| | | | | 205 | 03 | Sheohar |
| | | | | 206 | 04 | Sitamarhi |
| | | | | 207 | 05 | Madhubani |
| | | | | 208 | 06 | Supaul |
| | | | | 209 | 07 | Araria |
| | | | | 210 | 08 | Kishanganj |
| | | | | 211 | 09 | Purnia |
| | | | | 212 | 10 | Katihar |
| | | | | 213 | 11 | Madhepura |
| | | | | 214 | 12 | Saharsa |
| | | | | 215 | 13 | Darbhanga |
| | | | | 216 | 14 | Muzaffarpur |
| | | | | 217 | 15 | Gopalganj |
| | | | | 218 | 16 | Siwan |
| | | | | 219 | 17 | Saran |
| | | | | 220 | 18 | Vaishali |
| | | | | 221 | 19 | Samastipur |
| | | | | 222 | 20 | Begusarai |
| | | | | 223 | 21 | Khagaria |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 2 | Central | 224 | 22 | Bhagalpur |
| | | | | 225 | 23 | Banka |
| | | | | 226 | 24 | Munger |
| | | | | 227 | 25 | Lakhisarai |
| | | | | 228 | 26 | Sheikhpura |
| | | | | 229 | 27 | Nalanda |
| | | | | 230 | 28 | Patna |
| | | | | 231 | 29 | Bhojpur |
| | | | | 232 | 30 | Buxar |
| | | | | 233 | 31 | Kaimur (Bhabua) |
| | | | | 234 | 32 | Rohtas |
| | | | | 235 | 33 | Aurangabad |
| | | | | 236 | 34 | Gaya |
| | | | | 237 | 35 | Nawada |
| | | | | 238 | 36 | Jamui |
| | | | | 239 | 37 | Jehanabad |
| | | | | 240 | 38 | Arwal |
| 11 | Sikkim | 1 | Sikkim | 241 | 01 | North District |
| | | | | 242 | 02 | West District |
| | | | | 243 | 03 | South District |
| | | | | 244 | 04 | East District |
| 12 | Arnachal Pradesh | 1 | Arnachal Pradesh | 245 | 01 | Tawang |
| | | | | 246 | 02 | West Kameng |
| | | | | 247 | 03 | East Kameng |
| | | | | 248 | 04 | Papum Pare |
| | | | | 249 | 05 | Upper Subansiri |
| | | | | 250 | 06 | West Siang |
| | | | | 251 | 07 | East Siang |
| | | | | 252 | 08 | Upper Siang |
| | | | | 253 | 09 | Changlang |
| | | | | 254 | 10 | Tirap |
| | | | | 255 | 11 | Lower Subansiri |
| | | | | 256 | 12 | Kurung Kumey |
| | | | | 257 | 13 | Dibang Valley |
| | | | | 258 | 14 | Lower Dibang Valley |
| | | | | 259 | 15 | Lohit |
| | | | | 260 | 16 | Anjaw |
| 13 | Nagaland | 1 | Nagaland | 261 | 01 | Mon |
| | | | | 262 | 02 | Mokokchung |
| | | | | 263 | 03 | Zunheboto |
| | | | | 264 | 04 | Wokha |
| | | | | 265 | 05 | Dimapur |
| | | | | 266 | 06 | Phek |
| | | | | 267 | 07 | Tuensang |
| | | | | 268 | 08 | Longleng |
| | | | | 269 | 09 | Kiphire |
| | | | | 270 | 10 | Kohima |
| | | | | 271 | 11 | Peren |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| 14 | Manipur | 1 | Manipur | 272 | 01 | Senapati |
| | | | | 273 | 02 | Tamenglong |
| | | | | 274 | 03 | Churachandpur |
| | | | | 275 | 04 | Bishnupur |
| | | | | 276 | 05 | Thoubal |
| | | | | 277 | 06 | Imphal West |
| | | | | 278 | 07 | Imphal East |
| | | | | 279 | 08 | Ukhrul |
| | | | | 280 | 09 | Chandel |
| 15 | Mizoram | 1 | Mizoram | 281 | 01 | Mamit |
| | | | | 282 | 02 | Kolasib |
| | | | | 283 | 03 | Aizawl |
| | | | | 284 | 04 | Champhai |
| | | | | 285 | 05 | Serchhip |
| | | | | 286 | 06 | Lunglei |
| | | | | 287 | 07 | Lawngtlai |
| | | | | 288 | 08 | Saiha |
| 16 | Tripura | 1 | Tripura | 289 | 01 | West Tripura |
| | | | | 290 | 02 | South Tripura |
| | | | | 291 | 03 | Dhalai |
| | | | | 292 | 04 | North Tripura |
| 17 | Meghalaya | 1 | Meghalaya | 293 | 01 | West Garo Hills |
| | | | | 294 | 02 | East Garo Hills |
| | | | | 295 | 03 | South Garo Hills |
| | | | | 296 | 04 | West Khasi Hills |
| | | | | 297 | 05 | Ribhoi |
| | | | | 298 | 06 | East Khasi Hills |
| | | | | 299 | 07 | Jaintia Hills |
| 18 | Assam | 1 | Plains Eastern | 307 | 08 | Lakhimpur |
| | | | | 308 | 09 | Dhemaji |
| | | | | 309 | 10 | Tinsukia |
| | | | | 310 | 11 | Dibrugarh |
| | | | | 311 | 12 | Sivasagar |
| | | | | 312 | 13 | Jorhat |
| | | | | 313 | 14 | Golaghat |
| | | 2 | Plains Western | 300 | 01 | Kokrajhar |
| | | | | 301 | 02 | Dhubri |
| | | | | 302 | 03 | Goalpara |
| | | | | 303 | 04 | Barpeta |
| | | | | 319 | 20 | Bongaigaon |
| | | | | 320 | 21 | Chirang |
| | | | | 321 | 22 | Kamrup |
| | | | | 322 | 23 | Kamrup Metropolitan |
| | | | | 323 | 24 | Nalbari |
| | | | | 324 | 25 | Baksa |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 3 | Cachar Plain | 314 | 15 | Karbi Anglong |
| | | | | 315 | 16 | Dima Hasao* |
| | | | | 316 | 17 | Cachar |
| | | | | 317 | 18 | Karimganj |
| | | | | 318 | 19 | Hailakandi |
| | | 4 | Central Brahamputra plains | 304 | 05 | Morigaon |
| | | | | 305 | 06 | Nagaon |
| | | | | 306 | 07 | Sonitpur |
| | | | | 325 | 26 | Darrang |
| | | | | 326 | 27 | Udalguri |
| 19 | West Bengal | 1 | Himalayan | 327 | 01 | Darjiling |
| | | | | 328 | 02 | Jalpaiguri |
| | | | | 329 | 03 | Koch Bihar |
| | | 2 | Eastern Plains | 330 | 04 | Uttar Dinajpur |
| | | | | 331 | 05 | Dakshin Dinajpur |
| | | | | 332 | 06 | Maldah |
| | | | | 333 | 07 | Murshidabad |
| | | | | 334 | 08 | Birbhum |
| | | | | 336 | 10 | Nadia |
| | | 3 | Southern Plains | 337 | 11 | North Twenty Four Parganas |
| | | | | 343 | 17 | Kolkata |
| | | | | 344 | 18 | South Twenty Four Parganas |
| | | 4 | Central Plains | 335 | 09 | Barddhaman |
| | | | | 338 | 12 | Hugli |
| | | | | 342 | 16 | Howrah |
| | | 5 | Western Plains | 339 | 13 | Bankura |
| | | | | 340 | 14 | Puruliya |
| | | | | 341 | 15 | Paschim Medinipur |
| | | | | 345 | 19 | Purba Medinipur |
| 20 | Jharkhand | 1 | Ranchi Plateau | 346 | 01 | Garhwa |
| | | | | 356 | 11 | Lohardaga |
| | | | | 357 | 12 | Purbi Singhbhum |
| | | | | 358 | 13 | Palamu |
| | | | | 359 | 14 | Latehar |
| | | | | 364 | 19 | Ranchi |
| | | | | 365 | 20 | Khunti |
| | | | | 366 | 21 | Gumla |
| | | | | 367 | 22 | Simdega |
| | | | | 368 | 23 | Pashchimi Singhbhum |
| | | | | 369 | 24 | Saraikela-Kharsawan |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 2 | Hazaribagh Plateau | 347 | 02 | Chatra |
| | | | | 349 | 04 | Giridih |
| | | | | 350 | 05 | Deoghar |
| | | | | 351 | 06 | Godda |
| | | | | 352 | 07 | Sahibganj |
| | | | | 353 | 08 | Pakur |
| | | | | 354 | 09 | Dhanbad |
| | | | | 355 | 10 | Bokaro |
| | | | | 360 | 15 | Hazaribagh |
| | | | | 361 | 16 | Ramgarh |
| | | | | 362 | 17 | Dumka |
| | | | | 363 | 18 | Jamtara |
| | | | | 348 | 03 | Kodarma |
| 21 | Odisha | 1 | Coastal | 377 | 08 | Baleshwar |
| | | | | 378 | 09 | Bhadrak |
| | | | | 379 | 10 | Kendrapara |
| | | | | 380 | 11 | Jagatsinghapur |
| | | | | 381 | 12 | Cuttack |
| | | | | 382 | 13 | Jajapur |
| | | | | 385 | 16 | Nayagarh |
| | | | | 386 | 17 | Khordha |
| | | | | 387 | 18 | Puri |
| | | 2 | Southern | 388 | 19 | Ganjam |
| | | | | 389 | 20 | Gajapati |
| | | | | 390 | 21 | Kandhamal |
| | | | | 391 | 22 | Baudh |
| | | | | 392 | 23 | Subarnapur |
| | | | | 393 | 24 | Balangir |
| | | | | 394 | 25 | Nuapada |
| | | | | 395 | 26 | Kalahandi |
| | | | | 396 | 27 | Rayagada |
| | | | | 397 | 28 | Nabarangapur |
| | | | | 398 | 29 | Koraput |
| | | | | 399 | 30 | Malkangiri |
| | | 3 | Northern | 370 | 01 | Bargarh |
| | | | | 371 | 02 | Jharsuguda |
| | | | | 372 | 03 | Sambalpur |
| | | | | 373 | 04 | Debagarh |
| | | | | 374 | 05 | Sundargarh |
| | | | | 375 | 06 | Kendujhar |
| | | | | 376 | 07 | Mayurbhanj |
| | | | | 383 | 14 | Dhenkanal |
| | | | | 384 | 15 | Anugul |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| 22 | Chhatisgarh | 1 | Northern Chhattisgarh | 400 | 01 | Koriya |
| | | | | 401 | 02 | Surguja |
| | | 2 | Mahanadi Basin | 402 | 03 | Jashpur |
| | | | | 403 | 04 | Raigarh |
| | | | | 404 | 05 | Korba |
| | | | | 405 | 06 | Janjgir - Champa |
| | | | | 406 | 07 | Bilaspur |
| | | | | 407 | 08 | Kabeerdham |
| | | | | 408 | 09 | Rajnandgaon |
| | | | | 409 | 10 | Durg |
| | | | | 410 | 11 | Raipur |
| | | | | 411 | 12 | Mahasamund |
| | | | | 412 | 13 | Dhamtari |
| | | 3 | Southern Chhattisgarh | 413 | 14 | Uttar Bastar Kanker |
| | | | | 414 | 15 | Bastar |
| | | | | 415 | 16 | Narayanpur |
| | | | | 416 | 17 | Dakshin Bastar Dantewada |
| | | | | 417 | 18 | Bijapur |
| 23 | Madhya Pradesh | 1 | Vindhya | 424 | 07 | Tikamgarh |
| | | | | 425 | 08 | Chhatarpur |
| | | | | 426 | 09 | Panna |
| | | | | 429 | 12 | Satna |
| | | | | 430 | 13 | Rewa |
| | | | | 431 | 14 | Umaria |
| | | | | 460 | 43 | Shahdol |
| | | | | 461 | 44 | Anuppur |
| | | | | 462 | 45 | Sidhi |
| | | | | 463 | 46 | Singrauli |
| | | 2 | Central | 427 | 10 | Sagar |
| | | | | 428 | 11 | Damoh |
| | | | | 443 | 26 | Vidisha |
| | | | | 444 | 27 | Bhopal |
| | | | | 445 | 28 | Sehore |
| | | | | 446 | 29 | Raisen |
| | | 3 | Malwa | 432 | 15 | Neemuch |
| | | | | 433 | 16 | Mandsaur |
| | | | | 434 | 17 | Ratlam |
| | | | | 435 | 18 | Ujjain |
| | | | | 436 | 19 | Shajapur |
| | | | | 437 | 20 | Dewas |
| | | | | 438 | 21 | Dhar |
| | | | | 439 | 22 | Indore |
| | | | | 442 | 25 | Rajgarh |
| | | | | 464 | 47 | Jhabua |
| | | | | 465 | 48 | Alirajpur |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 4 | South | 450 | 33 | Katni |
| | | | | 451 | 34 | Jabalpur |
| | | | | 452 | 35 | Narsimhapur |
| | | | | 453 | 36 | Dindori |
| | | | | 454 | 37 | Mandla |
| | | | | 455 | 38 | Chhindwara |
| | | | | 456 | 39 | Seoni |
| | | | | 457 | 40 | Balaghat |
| | | 5 | South Western | 440 | 23 | Khargone (West Nimar) |
| | | | | 441 | 24 | Barwani |
| | | | | 447 | 30 | Betul |
| | | | | 448 | 31 | Harda |
| | | | | 449 | 32 | Hoshangabad |
| | | | | 466 | 49 | Khandwa (East Nimar) |
| | | | | 467 | 50 | Burhanpur |
| | | 6 | Northern | 418 | 01 | Sheopur |
| | | | | 419 | 02 | Morena |
| | | | | 420 | 03 | Bhind |
| | | | | 421 | 04 | Gwalior |
| | | | | 422 | 05 | Datia |
| | | | | 423 | 06 | Shivpuri |
| | | | | 458 | 41 | Guna |
| | | | | 459 | 42 | Ashoknagar |
| 24 | Gujarat | 1 | South Eastern | 484 | 17 | Panch Mahals |
| | | | | 485 | 18 | Dohad |
| | | | | 486 | 19 | Vadodara |
| | | | | 487 | 20 | Narmada |
| | | | | 488 | 21 | Bharuch |
| | | | | 489 | 22 | The Dangs |
| | | | | 490 | 23 | Navsari |
| | | | | 491 | 24 | Valsad |
| | | | | 492 | 25 | Surat |
| | | | | 493 | 26 | Tapi |
| | | 2 | Plains Northern | 471 | 04 | Mahesana |
| | | | | 472 | 05 | Sabar Kantha |
| | | | | 473 | 06 | Gandhinagar |
| | | | | 474 | 07 | Ahmadabad |
| | | | | 482 | 15 | Anand |
| | | | | 483 | 16 | Kheda |
| | | 3 | Dry areas | 469 | 02 | Banas Kantha |
| | | | | 470 | 03 | Patan |
| | | | | 468 | 01 | Kachchh |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 4 | Saurashtra | 475 | 08 | Surendranagar |
| | | | | 476 | 09 | Rajkot |
| | | | | 477 | 10 | Jamnagar |
| | | | | 478 | 11 | Porbandar |
| | | | | 479 | 12 | Junagadh |
| | | | | 480 | 13 | Amreli |
| | | | | 481 | 14 | Bhavnagar |
| 25 | Daman & Diu | 1 | Daman & Diu | 494 | 01 | Diu |
| | | | | 495 | 02 | Daman |
| 26 | Dadra & Nagar Haveli | 1 | Dadra & Nagar Haveli | 496 | 01 | Dadra & Nagar Haveli |
| 27 | Maharashtra | 1 | Coastal | 517 | 21 | Thane |
| | | | | 518 | 22 | Mumbai Suburban |
| | | | | 519 | 23 | Mumbai |
| | | | | 520 | 24 | Raigarh |
| | | | | 528 | 32 | Ratnagiri |
| | | | | 529 | 33 | Sindhudurg |
| | | 2 | Inland Western | 521 | 25 | Pune |
| | | | | 522 | 26 | Ahmadnagar |
| | | | | 526 | 30 | Solapur |
| | | | | 527 | 31 | Satara |
| | | | | 530 | 34 | Kolhapur |
| | | | | 531 | 35 | Sangli |
| | | 3 | Inland Northern | 497 | 01 | Nandurbar |
| | | | | 498 | 02 | Dhule |
| | | | | 499 | 03 | Jalgaon |
| | | | | 516 | 20 | Nashik |
| | | 4 | Inland Central | 511 | 15 | Nanded |
| | | | | 512 | 16 | Hingoli |
| | | | | 513 | 17 | Parbhani |
| | | | | 514 | 18 | Jalna |
| | | | | 515 | 19 | Aurangabad |
| | | | | 523 | 27 | Bid |
| | | | | 524 | 28 | Latur |
| | | | | 525 | 29 | Osmanabad |
| | | 5 | Inland Eastern | 500 | 04 | Buldana |
| | | | | 501 | 05 | Akola |
| | | | | 502 | 06 | Washim |
| | | | | 503 | 07 | Amravati |
| | | | | 504 | 08 | Wardha |
| | | | | 505 | 09 | Nagpur |
| | | | | 510 | 14 | Yavatmal |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 6 | Eastern | 506 | 10 | Bhandara |
| | | | | 507 | 11 | Gondiya |
| | | | | 508 | 12 | Gadchiroli |
| | | | | 509 | 13 | Chandrapur |
| 36 | Telengana | 3 | Inland North Western | 532 | 01 | Adilabad |
| | | | | 533 | 02 | Nizamabad |
| | | | | 535 | 04 | Medak |
| | | | | 536 | 05 | Hyderabad |
| | | | | 537 | 06 | Rangareddy |
| | | | | 538 | 07 | Mahbubnagar |
| | | 4 | Inland North Eastern | 534 | 03 | Karimnagar |
| | | | | 539 | 08 | Nalgonda |
| | | | | 540 | 09 | Warangal |
| | | | | 541 | 10 | Khammam |
| 37 | Andhra Pradesh | 1 | Coastal Northern | 542 | 11 | Srikakulam |
| | | | | 543 | 12 | Vizianagaram |
| | | | | 544 | 13 | Visakhapatnam |
| | | | | 545 | 14 | East Godavari |
| | | | | 546 | 15 | West Godavari |
| | | 2 | Coastal Southern | 547 | 16 | Krishna |
| | | | | 548 | 17 | Guntur |
| | | | | 549 | 18 | Prakasam |
| | | | | 550 | 19 | Sri Potti Sriramulu Nellore |
| | | 5 | Inland Southern | 551 | 20 | Y.S.R. |
| | | | | 552 | 21 | Kurnool |
| | | | | 553 | 22 | Anantapur |
| | | | | 554 | 23 | Chittoor |
| 29 | Karnataka | 1 | Coastal & Ghats | 563 | 09 | Uttara Kannada |
| | | | | 569 | 15 | Udupi |
| | | | | 575 | 21 | Dakshina Kannada |
| | | 2 | Inland Eastern | 568 | 14 | Shimoga |
| | | | | 570 | 16 | Chikmagalur |
| | | | | 574 | 20 | Hassan |
| | | | | 576 | 22 | Kodagu |
| | | 3 | Inland Southern | 571 | 17 | Tumkur |
| | | | | 572 | 18 | Bangalore |
| | | | | 573 | 19 | Mandya |
| | | | | 577 | 23 | Mysore |
| | | | | 578 | 24 | Chamarajanagar |
| | | | | 581 | 27 | Kolar |
| | | | | 582 | 28 | Chikkaballapura |
| | | | | 583 | 29 | Bangalore Rural |
| | | | | 584 | 30 | Ramanagara |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 4 | Inland Northern | 555 | 01 | Belgaum |
| | | | | 556 | 02 | Bagalkot |
| | | | | 557 | 03 | Bijapur |
| | | | | 558 | 04 | Bidar |
| | | | | 559 | 05 | Raichur |
| | | | | 560 | 06 | Koppal |
| | | | | 561 | 07 | Gadag |
| | | | | 562 | 08 | Dharwad |
| | | | | 564 | 10 | Haveri |
| | | | | 565 | 11 | Bellary |
| | | | | 566 | 12 | Chitradurga |
| | | | | 567 | 13 | Davanagere |
| | | | | 579 | 25 | Gulbarga |
| | | | | 580 | 26 | Yadgir |
| 30 | Goa | 1 | Goa | 585 | 01 | North Goa |
| | | | | 586 | 02 | South Goa |
| 31 | Lakshadweep | 1 | Lakshadweep | 587 | 01 | Lakshadweep |
| 32 | Kerala | 1 | Northern | 588 | 01 | Kasaragod |
| | | | | 589 | 02 | Kannur |
| | | | | 590 | 03 | Wayanad |
| | | | | 591 | 04 | Kozhikode |
| | | | | 592 | 05 | Malappuram |
| | | | | 593 | 06 | Palakkad |
| | | 2 | Southern | 594 | 07 | Thrissur |
| | | | | 595 | 08 | Ernakulam |
| | | | | 596 | 09 | Idukki |
| | | | | 597 | 10 | Kottayam |
| | | | | 598 | 11 | Alappuzha |
| | | | | 599 | 12 | Pathanamthitta |
| | | | | 600 | 13 | Kollam |
| | | | | 601 | 14 | Thiruvananthapuram |
| 33 | Tamil Nadu | 1 | Coastal Northern | 602 | 01 | Thiruvallur |
| | | | | 603 | 02 | Chennai |
| | | | | 604 | 03 | Kancheepuram |
| | | | | 605 | 04 | Vellore |
| | | | | 606 | 05 | Tiruvannamalai |
| | | | | 607 | 06 | Viluppuram |
| | | | | 617 | 16 | Cuddalore |
| | | 2 | Coastal | 613 | 12 | Karur |
| | | | | 614 | 13 | Tiruchirappalli |
| | | | | 615 | 14 | Perambalur |
| | | | | 616 | 15 | Ariyalur |
| | | | | 618 | 17 | Nagapattinam |
| | | | | 619 | 18 | Thiruvarur |
| | | | | 620 | 19 | Thanjavur |
| | | | | 621 | 20 | Pudukkottai |

## SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 3 | Southern | 612 | 11 | Dindigul |
| | | | | 622 | 21 | Sivaganga |
| | | | | 623 | 22 | Madurai |
| | | | | 624 | 23 | Theni |
| | | | | 625 | 24 | Virudhunagar |
| | | | | 626 | 25 | Ramanathapuram |
| | | | | 627 | 26 | Thoothukkudi |
| | | | | 628 | 27 | Tirunelveli |
| | | | | 629 | 28 | Kanniyakumari |
| | | 4 | Inland | 608 | 07 | Salem |
| | | | | 609 | 08 | Namakkal |
| | | | | 610 | 09 | Erode |
| | | | | 611 | 10 | The Nilgiris |
| | | | | 630 | 29 | Dharmapuri |
| | | | | 631 | 30 | Krishnagiri |
| | | | | 632 | 31 | Coimbatore |
| | | | | 633 | 32 | Tiruppur |
| 34 | Pondicherry | 1 | Pondicherry | 634 | 01 | Yanam |
| | | | | 635 | 02 | Puducherry |
| | | | | 636 | 03 | Mahe |
| | | | | 637 | 04 | Karaikal |
| 35 | Andaman & Nicobar Island | 1 | Andaman & Nicobar Island | 638 | 01 | Nicobars |
| | | | | 639 | 02 | North & Middle Andaman |
| | | | | 640 | 03 | South Andaman |

## LIST OF OFFICERS ASSOCIATED WITH THE REPORT
## SRS UNIT

| | |
|---|---|
| **Shri Kameshwar Ojha** | Additional Registrar General |
| **Shri Rohit Bhardwaj** | Deputy Registrar General |
| **Smt Sandhya Singh** | Deputy Registrar General |
| **Shri Rajeev Kumar** | Senior Research Officer |
| **Muhammed. Yasir F.** | Senior Research Officer |
| **Shri Subhash Dasgupta** | Deputy Director |
| **Shri Mohan Kumar Tiwary** | Assistant Director |
| **Shri Ram Kesh** | Research Officer |

| | |
|---|---|
| **Data Processing** | **Shri Ravi Kant,** Statistical Investigator Grade-II |
| | **Km. Prabha Agarwal,** Data Entry Operator, Grade-B |