सत्यमेव जयते

# SAMPLE REGISTRATION SYSTEM STATISTICAL REPORT 2018

**OFFICE OF THE REGISTRAR GENERAL &**
**CENSUS COMMISSIONER, INDIA**
**MINISTRY OF HOME AFFAIRS**
**GOVERNMENT OF INDIA**
**NEW DELHI**

# SAMPLE REGISTRATION SYSTEM
# STATISTICAL REPORT 2018

**OFFICE OF THE REGISTRAR GENERAL &**
**CENSUS COMMISSIONER, INDIA**
**MINISTRY OF HOME AFFAIRS**
**GOVERNMENT OF INDIA**
**NEW DELHI**

# PREFACE

The Sample Registration System (SRS) in India is carried out by the Office of Registrar General & Census Commissioner, India with an objective of providing reliable annual estimates of birth rate, death rate, infant mortality rate and various other fertility and mortality indicators. SRS is one of the largest demographic surveys in the world covering about 8.1 million population. It serves as the main source of information on fertility and mortality both at the State and National levels. Apart from the large sample size and geographic spread in most of the Districts, the system has a unique feature of dual recording, which involves continuous enumeration and retrospective half-yearly surveys. The continuous enumeration and retrospective surveys are followed by the process of matching of the two records and subsequent field verification of unmatched and partially matched events. The system provides for a cross check on the correctness and completeness of the events of birth and death listed by the two independent functionaries.

2. Based on the dual record system, the SRS has been providing reliable estimates of fertility and mortality indicators on a regular basis from 1971 onwards. It includes data on population composition by broad age groups, sex and marital status. Apart from the crude birth rate, various other fertility indicators like Total Fertility Rate, Age-specific fertility rate, General fertility rate, mean age of fertility and many more are also estimated under SRS. All these indicators have been included in this report. For providing information on mortality, various indicators like crude death rate, infant mortality rate, under-five mortality rate, age-specific death rates, neo-natal mortality rate etc. have also been included in this report. Certain other indicators of demographic interest such as mean age at effective marriage for females, interval between current and previous live birth and also distribution of live births by birth order have continued to form part of the SRS report. The sex ratio at birth has also been estimated in this Report as in the past. The indicators in this report are brought out for India and bigger States/UTs (with population 10 million and above) separately for rural and urban areas.

3. The SRS sample is revised every ten years based on the latest census frame. The present Report is the fifth in the series that has been prepared based on data collected from new SRS sample units selected from 2011 Census frame. Apart from the fertility and mortality indicators, this Report includes data on crude birth rate, crude death rate and infant mortality rates at Natural Division (group of contiguous districts) level.

4. The SRS has been a joint effort of the Central and State Governments. This study has been made possible with the active involvement of staff and officers of the Directorates of Census Operations, Map Division and the SRS Wing of the Vital Statistics Division at the headquarters. I am thankful to all of them for their efforts and support.

New Delhi
June, 2020

**(VIVEK JOSHI)**
Registrar General & Census Commissioner of India

# C O N T E N T S


| | Page |
|---|---|
| List of statements | ix- xii |
| List of charts | xiii-xviii |
| Definitions | xix-xx |
| Figures at a glance, India – 2018 | xxi-xxiii |
| National level trends for few core indicators 2013-18 | xxv |
| Executive Summary | xxvii-xxviii |
| Map - Birth rate by NSS Natural Division, 2018 | xxix |
| Map - Death rate by NSS Natural Division, 2018 | xxxi |
| Map - Infant mortality rate by NSS Natural Division, 2018 | xxxiii |
| Chapter 1- Introduction | 1-9 |
| Chapter 2 - Population Composition | 11-46 |
| Chapter 3 - Estimates of Fertility Indicators | 47-119 |
| Chapter 4 - Estimates of Mortality Indicators | 121-183 |


## Detailed Tables


| | | |
|---|---|---|
| 1. | Percentage distribution of estimated population by age-group, sex and residence, 2018 | 187-198 |
| 2. | Percentage distribution of population by sex, marital status and age-group, 2018 | 199-221 |
| 3. | Fertility Indicators, 2018 | 222-228 |
| 4. | Fertility indicators by level of education of women, 2018 | 229-251 |
| 5. | Percentage distribution of live births by order of birth, 2018 | 252-258 |
| 6. | Percentage distribution of current live births by birth interval, 2018 | 259-260 |
| 7. | Percentage distribution of current live births by birth interval and birth order, 2018 | 261-267 |
| 8. | Age-specific death rate by sex and residence, 2018 | 268-290 |
| 9. | Child (Aged 0-4 years) and infant mortality indicators, 2018 | 268-290 |
| 10. | Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018 | 291-302 |
| 11. | Birth rate, death rate and infant mortality rate by NSSO natural division, 2018 | 303-305 |

## Tables on Trend


| | | |
|---|---|---|
| 12. | Annual estimates of Birth rate by residence, India and bigger States/UTs, 2013-18 | 309 |
| 13. | Annual estimates of Death rate by sex, India and bigger States/UTs, 2013-18 | 310 |
| 14. | Annual estimates of Infant mortality rate by sex, India and bigger States/UTs, 2013-18 | 311 |
| 15. | Annual estimates of Total Fertility rate by residence, India and bigger States/UTs, 2013-18 | 312 |
| 16. | Sex ratio at birth (female per 1000 male) by residence, India and bigger States/UTs, 2012-14 to 2016-18 | 313 |
| 17. | Percent of live births where the mothers received medical attention at delivery either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2013-18 | 314 |
| 18. | Percent of deaths where medical attention received before death was either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2013-18 | 315 |


## Annexure


| | | |
|---|---|---|
| I | Map of natural divisions | 319 |
| II | List of natural divisions along with their districts | 321-335 |

# LIST OF STATEMENTS


| | | Page |
|---|---|---|
| **General** | | |
| 1 | Number of sample units at different replacement period | 2 |
| 2 | Number of sample units and population covered, India, States and union territories, 2018 | 5 |
| **Population Composition** | | |
| 3 | Percentage distribution of population by broad age groups to total population by sex and residence, India, 2018 | 12 |
| 4 | Percentage of population in the age group 0-4 years to total population by sex and residence, India and bigger States/UTs, 2018 | 15 |
| 5 | Percentage of population in the age group 0-14 years to total population by sex and residence, India and bigger States/UTs, 2018 | 17 |
| 6 | Percentage of population in the age group 15-59 years to total population by sex and residence, India and bigger States/UTs, 2018 | 19 |
| 7 | Percentage of population in the age group 60 years and above to total population by sex and residence, India and bigger States/UTs, 2018 | 21 |
| 8 | Percentage distribution of population by marital status and sex, India and bigger States/UTs, 2018 | 23 |
| 9 | Percentage distribution of population age 10+ by marital status and sex, India and bigger States/UTs, 2018 | 27 |
| 10 | Percentage distribution of female age 10+ by marital status and residence, India and bigger States/UTs, 2018 | 31 |
| 11 | Percentage distribution of female age 15+ by marital status and residence, India and bigger States/UTs, 2018 | 35 |
| 12 | Percentage of females by age at effective marriage and by residence, India and bigger States/UTs, 2018 | 39 |
| 13 | Mean age at effective marriage of female by residence, India and bigger States/UTs, 2018 | 43 |

## Fertility Indicators


| | | Page |
|---|---|---|
| 14 | CBR (Crude birth rate) by residence, India and bigger States/UTs, 2018 | 48 |
| 15 | Percent change in average crude birth rate between 2006-08 and 2016-18 by residence, India and bigger States/UTs | 51 |
| 16 | Sex ratio (female per 1000 male) at birth by residence, India and bigger States/UTs 2016-18 | 56 |
| 17 | GFR (General fertility rate) by residence, India and bigger States/UTs, 2018 | 58 |
| 18 | Percentage change in average GFR (General fertility rate) between 2006-08 and 2016-18, by residence, India and bigger States/UTs | 61 |
| 19 | ASFRs (Age specific fertility rates) by residence, 2018 | 66 |
| 20 | Percentage change in age specific fertility rates by residence between 2006-08 and 2016-18, India | 68 |
| 21 | ASFRs (Age specific fertility rates), India and bigger States/UTs, 2018 | 73 |
| 22 | Percentage distribution of cumulative fertility by age group, India and bigger States/UTs, 2018 | 74 |
| 23 | Mean age of fertility and associated standard deviation, India and bigger States/UTs, 2018 | 76 |
| 24 | TFR (Total fertility rate) by residence, India and bigger States/UTs, 2018 | 78 |
| 25 | Percentage change in average TFR (Total fertility rate) between 2006-08 and 2016-18 by residence, India and bigger States/UTs | 81 |
| 26 | GRR (Gross reproduction rate) by residence, India and bigger States/UTs, 2018 | 86 |
| 27 | ASMFRs (Age specific marital fertility rates) by residence, India 2018 | 88 |
| 28 | ASMFRs (Age specific marital fertility rates) India and bigger States/UTs, 2018 | 90 |
| 29 | TMFRs (Total marital fertility rates) by residence, India and bigger States/UTs, 2018 | 91 |

| | | Page |
|---|---|---|
| 30 | Percentage change in average Total Marital Fertility rate (TMFR) between 2006-08 and 201-18 by residence, India and bigger States/UTs | 93 |
| 31 | Percentage female population in the age group 15-49 by level of education, India and bigger States/UTs, 2018 | 98 |
| 32 | GFR (General fertility rate) by level of education of women, India and bigger States/UTs, 2018 | 99 |
| 33 | ASFR (Age specific fertility rate) by level of education of women and residence, India, 2018 | 100 |
| 34 | TFR (Total fertility rate) by level of education of women, India and bigger States/UTs, 2018 | 104 |
| 35 | Percentage distribution of current live births by birth order, India and bigger States/UTs, 2018 | 106 |
| 36 | Percentage distribution of current live births by birth order and residence, India and bigger States/UTs, 2018 | 108 |
| 37 | Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2018 | 111 |
| 38 | Percentage distribution of second and higher order live births by interval and residence, India and bigger States/UTs, 2018 | 113 |
| 39 | Percentage distribution of live births by type of medical attention received by the mother at delivery by residence, India and bigger States/UTs, 2018 | 116 |

## Mortality Indicators

| | | |
|---|---|---|
| 40 | CDR (Crude death rate) by residence, India and bigger States/UTs, 2018 | 122 |
| 41 | Percentage change in average crude death rate between 2006-08 and 2016-18, by residence, India and bigger States/UTs | 125 |
| 42 | CDR (Crude death rate) by sex and residence, India, 2018 | 130 |
| 43 | CDR (Crude death rate) by sex, India and bigger States/UTs, 2018 | 131 |
| 44 | Percentage distribution of deaths by broad age groups, India and bigger States/UTs, 2018 | 133 |
| 45 | Percentage of infant deaths to total deaths by residence, India and bigger States/UTs, 2018 | 135 |

| | | Page |
|---|---|---|
| 46 | IMR (Infant mortality rate) by sex and residence, India and bigger States/UTs, 2018 | 137 |
| 47 | Percentage change in average IMR (Infant mortality rate) between 2006-08 and 2016-18 by residence, India and bigger States/UTs | 142 |
| 48 | Neo-natal mortality rate and percentage share of neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2018 | 147 |
| 49 | Early neo-natal mortality rate and percentage share of early neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2018 | 151 |
| 50 | Peri-natal mortality rate and Still birth rates by residence, India and bigger States/UTs, 2018 | 155 |
| 51 | Percentage of deaths in the age group 0-4 years to total deaths by residence, India and bigger States/UTs, 2018 | 158 |
| 52 | Estimated death rate for children age 0-4 years by sex and residence, India and bigger States/UTs, 2018 | 160 |
| 53 | Under-five Mortality Rate by sex and residence, India and bigger States/UTs, 2018 | 164 |
| 54 | Death rates for children age 5-14 years by sex and residence, India and bigger States/UTs, 2018 | 168 |
| 55 | Death rate for persons age 15-59 years by sex and residence, India and bigger States/UTs, 2018 | 172 |
| 56 | Death rate for persons age 60 years and above by sex and residence, India and bigger States/UTs, 2018 | 176 |
| 57 | Percentage distribution of deaths by type of medical attention received before death by residence, India and bigger States/UTs, 2018 | 180 |

# LIST OF CHARTS


| | | Page |
|---|---|---|
| 1. | Flow chart | 9 |
| 2. | Percentage distribution of population by broad age-groups and residence, India, 2018 | 13 |
| 3. | Population Pyramid, India, 2018 | 14 |
| 4. | Percentage of child population (0-4 years) to total population by residence, India and bigger States/UTs, 2018 | 16 |
| 5. | Percentage of population age 0-14 years to total population by residence, India and bigger States/UTs, 2018 | 18 |
| 6. | Percentage of population age 15-59 years to total population by residence, India and bigger States/UTs, 2018 | 20 |
| 7. | Percentage of population age 60+ to total population by residence, India and bigger States/UTs, 2018 | 22 |
| 8. | Percentage distribution of population by marital status, India and bigger states/UTs, 2018 | 24 |
| 9. | Percentage distribution of MALE population by marital status, India and bigger states/UTs, 2018 | 25 |
| 10. | Percentage distribution of FEMALE population by marital status, India and bigger states/UTs, 2018 | 26 |
| 11. | Percentage distribution of population aged 10+ by marital status, India and bigger states/UTs, 2018 | 28 |
| 12. | Percentage distribution of MALE population aged 10+ by marital status, India and bigger states/UTs, 2018 | 29 |
| 13. | Percentage distribution of FEMALE population aged 10+ by marital status, India and bigger states/UTs, 2018 | 30 |
| 14. | Percentage distribution of female aged 10+ by marital status India and bigger states/UTs, 2018 | 32 |
| 15. | Percentage distribution of female aged 10+ by marital status India and bigger states/UTs, 2018 –RURAL | 33 |
| 16. | Percentage distribution of female aged 10+ by marital status India and bigger states/UTs, 2018 – URBAN | 34 |
| 17. | Percentage distribution of female aged 15+ by marital status India and | 36 |

bigger states/UTs, 2018
18. Percentage distribution of female aged 15+ by marital status India and bigger states/UTs, 2018 –RURAL 37
19. Percentage distribution of female aged 15+ by marital status India and bigger states/UTs, 2018- URBAN 38
20. Female by age at Effective Marriage, India and bigger States/UTs, 2018 40
21. Female by age at Effective Marriage, India and bigger States/UTs, 2018 – RURAL 41
22. Female by age at Effective Marriage, India and bigger States/UTs, 2018 – URBAN 42
23. Mean age at effective marriage of female, India and bigger States/UTs, 2018 44
24. Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2018 – RURAL 45
25. Mean Age at Effective Marriage of Female, India and bigger States/UTs, 2018 - URBAN 46
26. CBR (Crude birth rate) by residence, India and bigger States/UTs, 2018 49
27. Distribution of bigger States/UTs by values of birth rate for rural and urban areas, 2018 50
28. Average birth rate between 2006-08 and 2016-18, India and bigger states/UTs 52
29. Average birth rate between 2006-08 and 2016-18, India and bigger states/UTs -RURAL 53
30. Average birth rate between 2006-08 and 2016-18, India and bigger states/UTs - URBAN 54
31. Per cent change in average birth rate between 2006-08 and 2016-18 by residence, India and bigger states/UTs 55
32. Sex ratio at birth by residence, India and bigger States, 2016-2018 57
33. GFR (General fertility rate) by residence, India and bigger States/UTs, 2018 59
34. Distribution of bigger States/UTs by values of GFR (General fertility rate) for rural and urban areas, 2018 60
35. GFR (General Fertility Rate) between 2006-08 and 2016-18, India and bigger States/UTs 62
36. GFR (General Fertility Rate) between 2006-08 and 2016-18, India and bigger States/UTs -RURAL 63
37. GFR (General Fertility Rate) between 2006-08 and 2016-18, India and bigger States/UTs - URBAN 64

| | | |
|---|---|---|
| 38. | Percent change in average GFR (General Fertility Rate) between, 2006-08 and 2016-18 by residence, India and bigger States/UTs | 65 |
| 39. | ASFRs (Age-specific fertility rates) by residence, India, 2018 | 67 |
| 40 | Age specific fertility rates, India: 2006-08 and 2016-18 | 69 |
| 41 | Per cent change in age specific fertility rates between 2006-08 and 2016-18, India -RURAL | 70 |
| 42 | Per cent change in age specific fertility rates between 2006-08 and 2016-18, India -URBAN | 71 |
| 43 | Per cent change in age specific fertility rates by residence between 2006-08 and 2016-18, India | 72 |
| 44. | Per cent distribution of cumulative fertility by residence, 2018 | 75 |
| 45. | Mean age of fertility, India and bigger states/UTs, 2018 | 77 |
| 46. | TFR (Total fertility rate) by residence, India and bigger States/UTs, 2018 | 79 |
| 47. | Distribution of bigger States/UTs by values of TFR (Total fertility rate) for rural and urban areas, 2018 | 80 |
| 48. | Total fertility rate (TFR) between 2006-08 and 2016-18, India and bigger States/UTs | 82 |
| 49. | Total fertility rate (TFR) between 2006-08 and 2016-18, India and bigger States/UTs - RURAL | 83 |
| 50. | Total fertility rate (TFR) between 2006-08 and 2016-18, India and bigger States/UTs - URBAN | 84 |
| 51. | Per cent change in average Total fertility rate (TFR) between 2006-08 and 2016-18 by residence, India and bigger States/UTs | 85 |
| 52. | Gross reproduction rate (GRR) by residence, India and bigger states/UTs, 2018 | 87 |
| 53. | Age specific marital fertility rates (ASMFRs) by residence, India, 2018 | 89 |
| 54. | Total marital fertility rate (TMFRs) by residence, India and bigger states/UTs, 2018 | 92 |
| 55. | Average Total Marital fertility rate (TMFR) between 2006-08 and 2016-18, India and bigger States/UTs | 94 |
| 56. | Average Total Marital fertility rate (TMFR) between 2006-08 and 2016-18, India and bigger States/UTs -RURAL | 95 |
| 57. | Average Total Marital fertility rate (TMFR) between 2006-08 and 2016-18, India and bigger States/UTs - URBAN | 96 |

| | | |
|---|---|---|
| 58. | Percent change in average Total Marital fertility rate (TMFR) between 2006-08 and 2016-18, India and bigger States/UTs | 97 |
| 59. | Age specific fertility rate by level of education of women, India, 2018 | 101 |
| 60. | Age specific fertility rate by level of education of women, India, 2018 -RURAL | 102 |
| 61. | Age specific fertility rate by level of education of women, India, 2018 -URBAN | 103 |
| 62. | Total fertility rate by level of education of women, India, 2018 | 105 |
| 63. | Percentage distribution of current live births by birth order, 2018 | 107 |
| 64. | Percentage distribution of current live births by birth order - RURAL | 109 |
| 65. | Percentage distribution of current live births by birth order - URBAN | 110 |
| 66. | Percentage distribution of second and higher order live births by interval, 2018 | 112 |
| 67. | Percentage distribution of second and higher order live births by interval- RURAL | 114 |
| 68. | Percentage distribution of second and higher order live births by interval-URBAN | 115 |
| 69. | Distribution of live births by type of Medical Attention received by the mother at delivery | 117 |
| 70. | Distribution of live births by type of Medical Attention received by the mother at delivery - RURAL | 118 |
| 71. | Distribution of live births by type of Medical Attention received by the mother at delivery - URBAN | 119 |
| 72. | CDR (Crude death rate) by residence, India and bigger States/UTs, 2018 | 123 |
| 73. | Distribution of bigger States/UTs by values of death rate for rural and urban areas, 2018 | 124 |
| 74. | Average Death rate between 2006-08 and 2016-18, India and bigger States/UTs | 126 |
| 75. | Average Death rate between 2006-08 and 2016-18, India and bigger States/UTs -RURAL | 127 |
| 76. | Average Death rate between 2006-08 and 2016-18, India and bigger States/UTs - URBAN | 128 |
| 77. | Per cent change in average death rates between 2006-08 and 2016-18, India and bigger States/UTs | 129 |
| 78. | Crude death rates by sex and residence, India, 2018 | 130 |
| 79. | Crude death rates by sex, India and bigger States/UTs, 2018 | 132 |
| 80. | Distribution of deaths by broad age groups India and bigger States/UTs, 2018 | 134 |
| 81. | Percentage of Infant deaths to total deaths by residence, 2018 | 136 |
| 82. | Infant mortality rates by sex, India and major states, 2018 | 138 |

| | | |
|---|---|---|
| 83. | Infant mortality rates by sex, India and major states, 2018 -RURAL | 139 |
| 84. | Infant mortality rates by sex, India and major states, 2018 -URBAN | 140 |
| 85. | Distribution of bigger States/UTs by IMR (Infant mortality rate) for rural and urban areas, 2018 | 141 |
| 86. | Average Infant mortality rate between 2006-08 and 2016-18, India and bigger States/UTs, 2018 | 143 |
| 87. | Average Infant mortality rate between 2006-08 and 2016-18, India and bigger States/UTs -RURAL | 144 |
| 88. | Average Infant mortality rate between 2006-08 and 2016-18, India and bigger States/UTs - URBAN | 145 |
| 89. | Per cent change in average Infant mortality rates between 2006-08 and 2016-18, India and bigger States/UTs | 146 |
| 90. | Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 | 148 |
| 91. | Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 - RURAL | 149 |
| 92. | Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2018 - URBAN | 150 |
| 93. | Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 | 152 |
| 94. | Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 - RURAL | 153 |
| 95. | Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 - URBAN | 154 |
| 96. | Perinatal mortality rates, India & bigger States/UTs, 2018 | 156 |
| 97. | Still birth rates, India & bigger States/UTs, 2018 | 157 |
| 98. | Percentage of deaths in the age group 0-4 years to total deaths, India and bigger States/UTs | 159 |
| 99. | Estimated death rate for children age 0-4 years by sex, 2018 | 161 |
| 100. | Estimated death rate for children age0-4 years by sex, 2018 – RURAL | 162 |
| 101. | Estimated death rate for children age0-4 years by sex, 2018 - URBAN | 163 |
| 102. | Under-five Mortality Rates (U5MR) by sex, India & bigger States/UTs, 2018 | 165 |

| | | |
|---|---|---|
| 103. | Under-five Mortality Rates (U5MR) by sex, India & bigger States/UTs, 2018- RURAL | 166 |
| 104. | Under-five Mortality Rates (U5MR) by sex, India & bigger States/UTs, 2018-URBAN | 167 |
| 105. | Death rates for children aged 5-14 years by sex, India and bigger States/UTs, 2018 | 169 |
| 106. | Death rates for children aged 5-14 years by sex, India and bigger States/UTs, 2018 - RURAL | 170 |
| 107. | Death rates for children aged 5-14 years by sex, India and bigger States/UTs, 2018 - URBAN | 171 |
| 108. | Death rates for Persons aged 15-59 years by sex, India and bigger States/UTs, 2018 | 173 |
| 109. | Death rates for Persons aged 15-59 years by sex, India and bigger States/UTs, 2018 - RURAL | 174 |
| 110. | Death rates for Persons aged 15-59 years by sex, India and bigger States/UTs, 2018 - URBAN | 175 |
| 111. | Death rates for Persons aged 60 years and above by sex, India and bigger States/UTs, 2018 | 177 |
| 112. | Death rates for Persons aged 60 years and above by sex, India and bigger States/UTs, 2018 - RURAL | 178 |
| 113. | Death rates for Persons aged 60 years and above by sex, India and bigger States/UTs, 2018 - URBAN | 179 |
| 114. | Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2018 | 181 |
| 115. | Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2018 - RURAL | 182 |
| 116. | Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2018 - URBAN | 183 |

# D E F I N I T I O N S

Crude birth rate (CBR) = Number of live births during the year / Mid-year population x 1000

Age-specific fertility rate (ASFR) = Number of live births in a particular age-group / Mid-year female population of the same age-group x 1000

General fertility rate (GFR) = Number of live births in a year / Mid-year female population in the age-group (15-49) years x 1000

Total fertility rate (TFR) = $\frac{5 \times \sum_{15\text{-}19}^{45\text{-}49} \text{ASFR}}{1000}$

Gross reproduction rate (GRR) = $\frac{5 \times \sum_{15\text{-}19}^{45\text{-}49} \text{ASFR for female live births}}{1000}$

Age-specific marital fertility rate (ASMFR) = Number of live births in a particular age-group / Mid-year married female population of the same age-group x 1000

General marital fertility rate (GMFR) = Number of live births in a year / Mid-year married female population in the age-group (15-49) year x 1000

Total marital fertility rate (TMFR) = $\frac{5 \times \sum_{15\text{-}19}^{45\text{-}49} \text{ASMFR}}{1000}$

Crude death rate (CDR) = Number of deaths during the year / Mid-year population x 1000

Age-specific mortality rate (ASMR) = Number of deaths in a particular age-group / Mid-year population of the same age-group x 1000

Under-five Mortality Rate = The under-five mortality is the probability (${}_5q_0$) that a child born in a specific year or time period will die before reaching the age of five, subject to current age specific mortality rates. It is expressed as a rate per 1,000 live births.

Infant mortality rate (IMR) = Number of infant deaths during the year / Number of live births during the year x 1000

Infant mortality rate comprises of two parts viz. Neo-natal mortality rate and Post neo-natal mortality rate. The neo-natal mortality rate also comprises of two parts viz. Early neo-natal mortality rate and late neo-natal mortality rate. These are defined as:

Neo-natal mortality rate (NMR) = Number of infant deaths of < than 29 days during the year / Number of live births during the year x 1000

Early neo-natal mortality rate = Number of infant deaths of < than 7 days during the year / Number of live births during the year x 1000

Late neo-natal mortality rate = Number of infant deaths of 7 days to < than 29 days during the year / Number of live births during the year x 1000

Post neo-natal mortality rate (PNMR) = Number of infant deaths of 29 days to < than one year during the year / Number of live births during the year x 1000

Peri-natal mortality rate (PMR) = Number of still births and infant deaths of < than 7 days during the year / Number of live births and still births during the year x 1000

Still birth rate (SBR) = Number of still births during the year / Number of live births and still births during the year x 1000

# FIGURES AT A GLANCE, INDIA - 2018

| | Item | Total | Rural | Urban |
|---|---|---|---|---|
| **I.** | **Percentage distribution of population by broad age groups** | | | |
| | 0-14 | 25.9 | 27.5 | 22.6 |
| | 15-59 | 66.0 | 64.5 | 69.1 |
| | 60+ | 8.1 | 8.0 | 8.3 |
| **II.** | **Fertility Indicators** | | | |
| | Crude Birth Rate | 20.0 | 21.6 | 16.7 |
| | General Fertility Rate | 70.4 | 77.4 | 56.7 |
| | Age-specific Fertility Rate | | | |
| | 15-19 | 12.2 | 13.5 | 8.4 |
| | 20-24 | 122.9 | 135.9 | 91.5 |
| | 25-29 | 146.4 | 160.1 | 119.1 |
| | 30-34 | 94.7 | 101.3 | 81.7 |
| | 35-39 | 36.9 | 40.7 | 30.2 |
| | 40-44 | 12.7 | 14.8 | 9.1 |
| | 45-49 | 4.4 | 5.5 | 2.4 |
| | Total Fertility Rate | 2.2 | 2.4 | 1.7 |
| | Gross Reproduction Rate | 1.0 | 1.1 | 0.8 |
| | General Marital Fertility Rate | 109.2 | 119.1 | 89.3 |
| | Total Marital Fertility Rate | 4.9 | 5.1 | 4.4 |
| | Mean age at effective marriage for females | 22.3 | 21.8 | 23.4 |
| **III.** | **Total Fertility Rate by level of education of the mother** | | | |
| | Illiterate | 3.0 | 3.2 | 2.2 |
| | Literate | 2.1 | 2.3 | 1.7 |
| | Without any formal education | 2.5 | 2.6 | 2.1 |
| | Below primary | 2.9 | 3.0 | 2.4 |
| | Primary | 2.5 | 2.7 | 2.1 |
| | Middle | 2.2 | 2.3 | 1.8 |
| | Class X | 1.9 | 2.0 | 1.7 |
| | Class XII | 1.8 | 1.9 | 1.6 |
| | Graduate and above | 1.7 | 1.9 | 1.5 |
| **IV.** | **Percentage distribution of live births by birth order** | | | |
| | 1 | 49.5 | 47.3 | 55.2 |
| | 2 | 29.9 | 29.5 | 30.7 |
| | 3 | 12.6 | 13.7 | 9.8 |
| | 4+ | 8.1 | 9.5 | 4.3 |


## FIGURES AT A GLANCE, INDIA - 2018

| | Item | Total | Rural | Urban |
|---|---|---|---|---|
| **V.** | **Percentage distribution of Current live births by birth interval (in months)** | | | |
| | 10-12 | 1.6 | 1.6 | 1.7 |
| | 12-18 | 7.8 | 8.2 | 6.4 |
| | 18-24 | 13.8 | 14.7 | 11.3 |
| | 24-30 | 14.3 | 15.4 | 10.9 |
| | 30-36 | 12.9 | 13.5 | 11.1 |
| | 36+ | 49.6 | 46.7 | 58.6 |
| **VI.** | **Mortality Indicators** | | | |
| | Crude Death Rate | 6.2 | 6.7 | 5.1 |
| | Percentage of infant deaths to total deaths | 10.5 | 11.6 | 7.4 |
| | Percentage of deaths of less than one week to total infant deaths | 54.6 | 56.9 | 44.9 |
| | Under-five Mortality Rate | 36 | 40 | 26 |
| | Infant Mortality Rate | 32 | 36 | 23 |
| | Neo-natal mortality rate | 23 | 27 | 14 |
| | Early neo-natal mortality rate | 18 | 20 | 10 |
| | Late neo-natal mortality rate | 6 | 6 | 3 |
| | Post neo-natal mortality rate | 9 | 9 | 9 |
| | Peri-natal Mortality Rate | 22 | 25 | 14 |
| | Still Birth Rate | 4 | 4 | 4 |
| **VII.** | **Percentage distribution of births by type of medical attention at delivery** | | | |
| | Government Hospital | 54.5 | 53.8 | 56.3 |
| | Private Hospital | 28.0 | 24.2 | 38.4 |
| | Qualified Professional | 9.7 | 11.6 | 4.5 |
| | Untrained Functionary and Others | 7.8 | 10.3 | 0.8 |
| **VIII.** | **Percentage distribution of deaths by type of medical attention before death** | | | |
| | Government Hospital | 29.4 | 27.1 | 35.4 |
| | Private Hospital | 18.5 | 16.1 | 24.9 |
| | Qualified Professional | 33.0 | 33.7 | 31.0 |
| | Untrained Functionary and Others | 19.2 | 23.1 | 8.7 |

## FIGURES AT A GLANCE, NATURAL DIVISIONS - 2018

| Indicators | State | Natural Division | Max./Min. | Values |
|---|---|---|---|---|
| **Birth rate** | | | | |
| | Uttar Pradesh | Eastern | Maximum | 29.3 |
| | Kerala | Southern | Minimum | 11.9 |
| **Death rate** | | | | |
| | Chattisgarh | Southern Chhattisgarh | Maximum | 8.9 |
| | Jammu & Kashmir | Outer Hills | Minimum | 4.5 |
| **Infant mortality rate** | | | | |
| | Madhya Pradesh | Northern | Maximum | 54 |
| | Kerala | Southern | Minimum | 7 |

## Trend of Birth rate, Death rate, Infant Mortality rate, Total Fertility rate, Sex ratio at Birth and Sex ratio of children (0-4 age group), India



# EXECUTIVE SUMMARY

The Sample Registration System (SRS) is the largest demographic survey in the country mandated to provide annual estimates of fertility as well as mortality indicators at the State and National level. The present Report contains data on fertility and mortality indicators for the year 2018 for India and bigger States/UTs. The estimates are segregated by residence and also by gender, wherever required.

2. The salient features of the report are as summarized below.

- The Crude Birth Rate (CBR) at the National level during 2018 stands at 20.0 exhibiting a decline of 0.2 points over 2017. The maximum CBR has been reported in Bihar (26.2) and the minimum in Kerala (13.9).

- There has been a decline of 1.4 points in the CBR for the country from 2013 to 2018. The corresponding decline in rural CBR is 1.3 points and in urban CBR 0.6 points.

- The Crude Death Rate (CDR) for the country is 6.2 in 2018. The maximum CDR has been reported for Chhattisgarh (8.0) and the minimum for Delhi (3.3).

- During the last five years, the decline in National CDR has been to the tune of 0.8 points. The corresponding decline in female CDR is 0.7 points whereas in male CDR it is 0.9 points.

- The Infant Mortality Rate (IMR) has also registered 1-point decline to 32 in 2018 from 33 in 2017 at the National level. The maximum IMR has been observed in Madhya Pradesh (48) and the minimum in Kerala (7).

- IMR for the country has come down to 32 in 2018 from 40 in 2013, a decline of 8 points over last 5 years and an annual average decline of about 1.6 points. The corresponding decline in rural IMR has been to the tune of 8 points (44 in 2013 to 36 in 2018) against a decline of 4 points in urban IMR (27 in 2013 to 23 in 2018). Both the gender have shown decline in the period 2013-18.

- Despite this decline, one in every 31 infants at the National level, one in every 28 infants in rural areas and one in every 43 infants in urban areas still die within one year of life.

- In 2018, U5MR for the country has shown a decline of 1 point over 2018 (36 in 2018 against 37 in 2017). There has been a decline of 2 points in female U5MR during the period, while the male U5MR has remained same.

- Sex Ratio at Birth for the country has gone up by 3 points to 899 in 2016-18 from 896 in 2015-2017.Chhattisgarh has reported the highest Sex Ratio at Birth (958) while Uttarakhand, the lowest (840).

- Total Fertility Rate (TFR) for the country is stable at 2.2 in 2018 and 2017. During 2018, Bihar has reported the highest TFR (3.2) while Delhi and West Bengal have reported the lowest TFR (1.5). It is noteworthy that the


replacement level TFR, viz. 2.1, has been attained by Delhi (1.5), West Bengal (1.5), Tamil Nadu (1.6), Andhra Pradesh (1.6), Jammu & Kashmir (1.6), Punjab (1.6), Himachal Pradesh (1.6), Telangana (1.6), Maharashtra (1.7), Kerala (1.7), Karnataka (1.7), Uttarakhand (1.8), Odisha (1.9) and Gujarat (2.1).


- At present, a rural woman (having a TFR of 2.4) at the National level would have about one child more than an urban woman (having a TFR of 1.7), on an average.


- During 2013-2018, there has been a decline of 0.1 point in TFR at the National level. The corresponding decline in rural and urban TFRs has also been to the extent of 0.1 point.

- In case of about 82.5 percent live births, the mothers have received the medical attention at delivery either at Government hospital or at Private hospital in 2018 against the 81.8 percent in 2017.

- There has been an increase of 0.8 percentage points in 2018 (47.8) over 2017 (47) in case of deaths where the deceased have received medical attention before death, either at Government hospital or at Private hospital. There has been an increase of about 8.6 percentage points in deaths where the deceased had received medical attention before death in hospitals during 2013-2018 (last 5 years).


INDIA
BIRTH RATE BY NSS
NATURAL DIVISIONS 2018
BOUNDARY, INTERNATIONAL
BOUNDARY, NATURAL DIVISIONS
BOUNDARY, STATE / U.T.
KILOMETRES
100 0 100 200 300 400
BIRTH RATE AT NATURAL DIVISION LEVEL
16.0 AND BELOW
16.1 - 20.0
20.1 - 24.0
24.1 AND ABOVE
P - PUDUCHERRY
CH - CHANDIGARH
DATA NOT AVAILABLE
The State boundary between Andhra Pradesh and Telangana have not been verified by the Government Concerned.
AFGHANISTAN
PAKISTAN
CHINA
NEPAL
BHUTAN
BANGLADESH
MYANMAR
SRI LANKA
ARABIAN SEA
BAY OF BENGAL
ANDAMAN SEA
INDIAN OCEAN
LAKSHADWEEP SEA
JAMMU & KASHMIR
JHELAM VALLEY
LADAKH
OUTER HILLS MOUNTAINOUS
HIMACHAL PRADESH
NORTHERN
PUNJAB
SOUTHERN
EASTERN
WESTERN
HARYANA
UTTARAKHAND
NORTHERN-UPPER GANGA PLAIN
NORTHERN
SOUTHERN UPPER GANGA PLAIN
WESTERN
RAJASTHAN
CENTRAL
NORTH EASTERN
UTTAR PRADESH
EASTERN
NORTHERN
SOUTHERN
SOUTH EASTERN
NORTHERN BIHAR
CENTRAL
VINDHYA
RANN OF KACHCHH
SOUTHERN
DRY AREA
PLAINS NORTHERN
MALWA
CENTRAL
MADHYA PRADESH
HAZARIBAGH PLATEAU
EASTERN PLAINS
JHARKHAND
WEST BENGAL
NORTHERN CHHATTISGARH
RANCHI PLATEAU
WESTERN PLAINS
CENTRAL PLAINS
GUJARAT
SOUTH EASTERN
SOUTH WESTERN
SOUTH
SAURASHTRA
SOUTHERN PLAINS
CHHATTISGARH
MAHANADI BASIN
NORTHERN
DAMAN & DIU
INLAND NORTHERN
INLAND EASTERN
ODISHA
DADRA & NAGAR HAVELI
EASTERN
COASTAL
COASTAL
SOUTHERN
INLAND CENTRAL
SOUTHERN CHHATTISGARH
MAHARASHTRA
TELANGANA
INLAND WESTERN
INLAND NORTH WESTERN
INLAND NORTH EASTERN
COASTAL NORTHERN
INLAND NORTHERN
COASTAL SOUTHERN
KARNATAKA
ANDHRA PRADESH
GOA
COASTAL & GHATS
INLAND SOUTHERN
INLAND EASTERN
INLAND SOUTHERN
COASTAL NORTHERN
PUDUCHERRY
NORTHERN
INLAND
TAMIL NADU
COASTAL
KERALA
SOUTHERN
SOUTHERN
A
DELHI
KILOMETRES 0 2.4 6
SIKKIM
HIMALAYAN
ARUNACHAL PRADESH
PLAINS EASTERN
ASSAM
BRAHAMPUTRA PLAINS
CENTRAL
PLAINS WESTERN
CACHAR PLAIN
NAGALAND
MEGHALAYA
MANIPUR
TRIPURA
MIZORAM
New Moore I. (INDIA)
Coco Is. (MYANMAR)
Narcondam I. (INDIA)
Barren I. (INDIA)
ANDAMAN AND NICOBAR ISLANDS (INDIA)
INDIRA POINT
LAKSHADWEEP (INDIA)
68 72 76 80 84 88 92 96
36 32 28 24 20 16 12 8
North
72 East 76 80 84 88 92


INDIA
DEATH RATE BY NSS
NATURAL DIVISIONS 2018
BOUNDARY, INTERNATIONAL
BOUNDARY, NATURAL DIVISIONS
BOUNDARY, STATE / U.T.
KILOMETRES
100 0 100 200 300 400
AFGHANISTAN
PAKISTAN
CHINA
NEPAL
BHUTAN
BANGLADESH
MYANMAR
SRI LANKA
ARABIAN SEA
BAY OF BENGAL
ANDAMAN SEA
INDIAN OCEAN
LAKSHADWEEP SEA
JAMMU & KASHMIR
JHELAM VALLEY
LADAKH
OUTER HILLS MOUNTAINOUS
HIMACHAL PRADESH
NORTHERN
PUNJAB
SOUTHERN
EASTERN
WESTERN
HARYANA
UTTARAKHAND
NORTHERN-UPPER GANGA PLAIN
NORTHERN
SOUTHERN UPPER GANGA PLAIN
WESTERN
RAJASTHAN
NORTH EASTERN
CENTRAL
UTTAR PRADESH
EASTERN
NORTHERN
SOUTHERN
SOUTH EASTERN
NORTHERN BIHAR
CENTRAL
VINDHYA
RANN OF KACHCHH
SOUTHERN
DRY AREA
PLAINS NORTHERN
MALWA
CENTRAL
MADHYA PRADESH
HAZARIBAGH PLATEAU
EASTERN PLAINS
JHARKHAND
WEST BENGAL
NORTHERN CHHATTISGARH
RANCHI PLATEAU
WESTERN PLAINS
CENTRAL PLAINS
SOUTHERN PLAINS
GUJARAT
SAURASHTRA
SOUTH EASTERN
SOUTH WESTERN
SOUTH
CHHATTISGARH
MAHANADI BASIN
NORTHERN
ODISHA
COASTAL
EASTERN
SOUTHERN
SOUTHERN CHHATTISGARH
DAMAN & DIU
DADRA & NAGAR HAVELI
INLAND NORTHERN
INLAND EASTERN
COASTAL
INLAND CENTRAL
MAHARASHTRA
TELANGANA
INLAND WESTERN
INLAND NORTH WESTERN
INLAND NORTH EASTERN
COASTAL NORTHERN
INLAND NORTHERN
COASTAL SOUTHERN
GOA
KARNATAKA
ANDHRA PRADESH
COASTAL & GHATS
INLAND SOUTHERN
INLAND EASTERN
INLAND SOUTHERN
COASTAL NORTHERN
PUDUCHERRY
INLAND
NORTHERN
TAMIL NADU
COASTAL
KERALA
SOUTHERN
SOUTHERN
DELHI
KILOMETRES 0 2.4 6
ARUNACHAL PRADESH
PLAINS EASTERN
SIKKIM
HIMALAYAN
ASSAM
BRAHAMPUTRA PLAINS
CENTRAL
PLAINS WESTERN
CACHAR PLAIN
NAGALAND
MEGHALAYA
MANIPUR
TRIPURA
MIZORAM
New Moore I. (INDIA)
Coco Is. (MYANMAR)
Narcondam I. (INDIA)
Barren I. (INDIA)
ANDAMAN AND NICOBAR ISLANDS (INDIA)
INDIRA POINT
LAKSHADWEEP (INDIA)
DEATH RATE AT NATURAL DIVISION LEVEL
6.0 AND BELOW
6.1 - 7.0
7.1 - 8.0
8.1 AND ABOVE
P - PUDUCHERRY
CH - CHANDIGARH
DATA NOT AVAILABLE
The State boundary between Andhra Pradesh and Telangana have not been verified by the Government Concerned.
68° 72° 76° 80° 84° 88° 92° 96°
36° 32° 28° 24° 20° 16° 12° 8°
North
72° East 76° 80° 84° 88° 92°


INDIA
INFANT MORTALITY RATE BY
NSS NATURAL DIVISIONS 2018
BOUNDARY, INTERNATIONAL
BOUNDARY, STATE / U.T.
BOUNDARY, NATURAL DIVISIONS
KILOMETRES
100 0 100 200 300 400
AFGHANISTAN
PAKISTAN
CHINA
NEPAL
BHUTAN
BANGLADESH
MYANMAR
SRI LANKA
INDIAN OCEAN
ARABIAN SEA
BAY OF BENGAL
ANDAMAN SEA
LAKSHADWEEP SEA
JAMMU & KASHMIR
JHELAM VALLEY
LADAKH
OUTER HILLS MOUNTAINOUS
HIMACHAL PRADESH
NORTHERN
PUNJAB
SOUTHERN
EASTERN
WESTERN
HARYANA
UTTARAKHAND
NORTHERN-UPPER GANGA PLAIN
SOUTHERN UPPER GANGA PLAIN
NORTHERN
WESTERN
RAJASTHAN
NORTH EASTERN
CENTRAL
UTTAR PRADESH
EASTERN
NORTHERN
SOUTHERN
SOUTH EASTERN
NORTHERN BIHAR
CENTRAL
VINDHYA
RANN OF KACHCHH
SOUTHERN
DRY AREA
PLAINS NORTHERN
MALWA
CENTRAL
MADHYA PRADESH
GUJARAT
SAURASHTRA
SOUTH EASTERN
SOUTH WESTERN
SOUTH
HAZARIBAGH PLATEAU
EASTERN PLAINS
JHARKHAND
WEST BENGAL
NORTHERN CHHATTISGARH
RANCHI PLATEAU
WESTERN PLAINS
CENTRAL PLAINS
SOUTHERN PLAINS
CHHATTISGARH
MAHANADI BASIN
NORTHERN
ODISHA
COASTAL
SOUTHERN
SOUTHERN CHHATTISGARH
DAMAN & DIU
DADRA & NAGAR HAVELI
INLAND NORTHERN
INLAND EASTERN
EASTERN
COASTAL
INLAND CENTRAL
MAHARASHTRA
TELANGANA
INLAND WESTERN
INLAND NORTH WESTERN
INLAND NORTH EASTERN
COASTAL NORTHERN
INLAND NORTHERN
KARNATAKA
GOA
COASTAL & GHATS
ANDHRA PRADESH
COASTAL SOUTHERN
INLAND SOUTHERN
INLAND EASTERN
INLAND SOUTHERN
COASTAL NORTHERN
PUDUCHERRY
INLAND
NORTHERN
TAMIL NADU
COASTAL
KERALA
SOUTHERN
SOUTHERN
ARUNACHAL PRADESH
PLAINS EASTERN
SIKKIM
HIMALAYAN
ASSAM
BRAHAMPUTRA PLAINS
PLAINS WESTERN
CACHAR PLAIN
NAGALAND
MEGHALAYA
MANIPUR
TRIPURA
MIZORAM
New Moore I. (INDIA)
Coco Is. (MYANMAR)
Narcondam I. (INDIA)
Barren I. (INDIA)
ANDAMAN AND NICOBAR ISLANDS (INDIA)
INDIRA POINT
LAKSHADWEEP (INDIA)
A
DELHI
KILOMETRES 0 2 4 6
INFANT MORTALITY RATE AT NATURAL DIVISION LEVEL
30 AND BELOW
31 - 40
41 - 50
51 AND ABOVE
P - PUDUCHERRY
CH - CHANDIGARH
DATA NOT AVAILABLE
The State boundary between Andhra Pradesh and Telangana have not been verified by the Government Concerned.
68 0
72 0
76 0
80 0
84 0
88 0
92 0
96 0
36 0
32 0
28 0
24 0
20 0
16 0
12 0
8 0
North
72 0 East

# CHAPTER - 1

# INTRODUCTION

Registration of births and deaths is an important source for demographic data for socio-economic development and population control in developing countries. The data on population growth, fertility and mortality serves as the prime constituent for population projections. Apart from these vital indicators, an adequate evaluation of a number of programs in the health sector, including family planning, maternal and reproductive health, immunization programs, is dependent upon the availability of accurate, up-to-date fertility and mortality data. In India, the need for dependable demographic data was felt soon after independence heralding the era of five-year planning. The registration of births and deaths started on voluntary basis and there was no uniformity in statistical returns resulting in both under-registration and incomplete coverage. In order to unify the Civil Registration activities, the Registration of Births & Deaths Act, 1969 was enacted. Despite having the registration of birth & death compulsory under the statute, the level of registration of births and deaths under the Act has continued to be far from satisfactory in several States/UTs. With a view to generate reliable and continuous data on these indicators, the Office of Registrar General, India, initiated the scheme of sample registration of births and deaths in India popularly known as Sample Registration System (SRS) in 1964-65 on a pilot basis and on full scale from 1969-70. The SRS since then has been providing data on a regular basis.

1.2 The demographic scenario in the country has been undergoing a change since the inception of SRS; however, the profile and rate of change is not uniform across all the States/UTs. Overall, the crude birth rate in the country has come down from 36.9 per one thousand population in 1971 to 20.0 in 2018, whereas the crude death rate has declined from 14.9 to a low of 6.2 in the same period. The infant mortality rate, which is an important indicator of the health status of the country, has registered a significant decline from 129 per one thousand live births in 1971 to 32 in 2018. During the period, the total fertility rate of the country has declined from 5.2 to 2.2. To fulfill its objective of monitoring the changes in vital indicators, the SRS sampling units are retained for about ten years, making it a panel household survey.

1.3 Various methods based on the application of sampling techniques have been tried and tested in many developing countries. Such methods include single and multi-round retrospective surveys and the dual record system. The SRS in India is based on a dual record system. The field investigation under Sample Registration System consists of continuous enumeration of births and deaths in a sample of villages/urban blocks by a resident part-time enumerator, and an independent six-monthly retrospective survey by a full-time supervisor. The data obtained through these two sources are matched. The unmatched and partially matched events are re-verified in the field to get an unduplicated count of correct events. The advantage of this procedure, in addition to elimination of errors of duplication, is that it leads to a quantitative assessment of the sources of distortion in the two sets of records making it a self-evaluating technique.

1.4 The revision of SRS sampling frame is undertaken every ten years based on the results of latest census. While changing the sample, modifications in the sampling design; wider representation of population; overcoming the limitations in the existing scheme; meeting the additional requirements etc. are taken into account. The first replacement was carried out in 1977-78 and the last being in 2014. Whereas the replacement of samples in earlier years was undertaken in phases spread over 2-3 years, the replacements in 2004 and 2014 were done in one go within a year. The following table provides the sample size in different replacement period.

**Statement 1**
**Number of sample units at different replacement period**

| Residence | 1969-70 | 1977-78 | 1983-85 | 1993-95 | 2004 | 2014 |
|---|---|---|---|---|---|---|
| Rural | 2432 | 3684 | 4176 | 4436 | 4433 | 4961 |
| Urban | 1290 | 1738 | 1846 | 2235 | 3164 | 3892 |
| Total | 3722 | 5422 | 6022 | 6671 | 7597 | 8853 |

1.5 The earlier sample was based on the reliability of birth rate at the State level, whereas the 2004 and 2014 sample is estimated using IMR reliability at natural division level. The present report 'SRS Statistical Report, 2018' is based on the latest sample from Census 2011 frame.

1.6 The main objective of SRS is to provide reliable estimates of birth rate, death rate and infant mortality rate at the natural division level for major States and at the State level for smaller States. Natural divisions are National Sample Survey (NSS) classified group of contiguous administrative districts with distinct geographical and other natural characteristics. It also provides data for other measures of fertility and mortality including total fertility, infant and child mortality rate at higher geographical levels.

**Structure of the Sample Registration System**

1.8 The main components of SRS are:

(i) Base-line survey of the sample units to obtain demographic details of the usual resident population of the sample areas;

(ii) Continuous (longitudinal) enumeration of vital events pertaining to usual resident population by the enumerator;

(iii) Independent retrospective half-yearly surveys for recording births and deaths which occurred during the half-year under reference and up-dating the Houselist, Household schedule and the list of women in the reproductive age group along with their pregnancy status by the Supervisor;

(iv) Matching of events recorded during continuous enumeration and those listed in course of half- yearly survey;

(v) Field verification of unmatched and partially matched events; and

(vi) Filling of Verbal Autopsy Forms for finalized deaths.

1.9 **Baseline Survey:** The base-line survey is carried out prior to the start of continuous enumeration. This involves preparation of a notional map of the area to be surveyed, house numbering and house listing and filling of a household schedule. The supervisor prepares a notional map with the help of the enumerator showing important landmarks and location of the houses to be covered in the sample unit. Subsequently, a list of houses/households to be covered by the sample in the House List (Form-1) is prepared and the Household Schedule (Form-2) is filled in. In the Household Schedule (Form-2), the residential status and other demographic particulars of each individual residing in the household viz. identification code, name, sex, date of birth, age, educational/marital status and relation to head of household, etc. are recorded. The inmates of public institutions like hotels, inns, schools and hospitals are excluded, but households living permanently within the compound of such institutions are covered. A list of all women in the reproductive span along with their pregnancy status is also prepared in Form 3 at the time of the base line survey.

1.10 **Continuous enumeration:** The enumerator maintains a Birth Record (Form 4) and a Death Record (Form 5) in respect of his/her area. The enumerator is expected to record all births and deaths occurring within the sample unit, as well as those of the usual residents occurring outside the sample unit. The events in respect of visitors occurring within the sample unit are also listed, but these are not taken into account while calculating rates. Thus, the events to be netted by the enumerator are those pertaining to: (i) usual residents inside the sample unit; (ii) usual residents outside the sample unit; (iii) in-migrants present; (iv) in-migrants absent; and (v) visitors inside the sample unit.

1.11 For ensuring complete netting, the enumerator uses different sources to get information of the occurrence of vital events in the sample unit. These include the help of the village priest, barber, village headman, midwife and such other functionaries. The enumerators maintain contact with these informants at frequent intervals and collects information about the occurrence of births and deaths. On being informed about the occurrence of an event, the enumerator visits the concerned household and records the prescribed particulars. The enumerator also keeps in touch with other socially important persons and visits local or nearby hospitals, nursing homes, cremation or burial grounds, at frequent intervals to keep updated about the occurrence of events. Besides, enumerator maintains and updates a list of all women in the reproductive span along with their pregnancy status, which helps in better netting of all the births. Despite all these efforts, the enumerator may miss information about some of the events and is, therefore, required to visit all the households once a month in urban area and once in a quarter in rural areas so as to ensure that all the events have been recorded.

1.12 **Half-yearly survey:** Half-yearly survey is carried out independently in each sample unit by a full-time supervisor. The supervisor belonging to the statistical cadre of the State Census Directorates (either a Compiler or a Sr. Compiler or a Statistical Investigator or any suitable official) visits each household in the sample unit and records the particulars of births and deaths in Forms 9 & 10 respectively in respect of all the usual residents and visitors (only those occurring within the sample unit) which had occurred during the half-yearly period (January-June or July-December) under reference. Simultaneously, the house-list, the household schedule and the pregnancy status of women are updated by making entries of changes, if any. While carrying out this survey the supervisor does not have access to the birth and death records of the enumerator for the same periods which are withdrawn from the field before the supervisor's visit for the half yearly survey. The Half Yearly Surveys are retrospective in nature and therefore the first HYS for reference period January-June of a year takes place in July- November period of that year and the Second HYS pertaining to July-December of a year takes place in January-May of the subsequent Year.

1.13 **Matching:** On completion of the half-yearly survey, the events captured in the Forms 9 & 10 (filled-in by the supervisors) are compared with those in the Forms 4 & 5 (filled-in by the enumerators). This is done at the office of Directorate of Census Operations for all States except for rural areas of Kerala and Maharashtra, where it is done at the Directorate of Economics and Statistics of the respective States. Selected important entries in the enumerator's and supervisor's record are matched item by item and events are classified as fully matched, partially matched and unmatched. The items generally considered for matching for birth events are: Identification code of the head of Household and mother, Relationship of the mother to head, date of live birth, month in case of still birth/abortion, sex in case of live birth /still birth and the items considered for death events are: identification code of the head of household and mother in infant death, relationship of the deceased to head, date of death and sex of the deceased.

1.14 **Field verification of unmatched and partially matched events:** Every unmatched or partially matched event is verified by a visit to the concerned household. This is done either by a third person or jointly by the supervisor and the enumerator, depending upon the availability of staff.

**Sample design**

1.15 The Sample design adopted for SRS is a uni-stage stratified simple random sample without replacement except in stratum II (larger villages) of rural areas, where two stage stratification has been applied. In rural areas of bigger States/UTs (population with ten million or more as per Census 2011), the NSS natural division is the first level of geographical stratification. The overall stratification in rural areas has been done on size of villages with villages having population less than 2,000 forming Stratum I and villages with population 2,000 or more forming Stratum II. Smaller villages with population less than 200 were excluded from the sampling frame in such a manner that the total population of villages so excluded did not exceed 2 per cent of the total population of the State. The number of sample villages in each State was allocated to the substrata proportionally to their size (population). The villages within each size stratum were ordered by the female literacy rate based on the Census 2011 data, and three equal size substrata were established. The sample villages within each substratum were selected at random with equal probability. In the case of villages of Stratum II, each sample village with a population of 2,000 or more was subdivided into two or more segments in a way that none of the segments cut across the Census Enumeration Blocks (CEBs) and the population of each segment formed by grouping the contiguous CEBs was approximately equal and did not exceed 2000. A frame of segments was then prepared and the selection of segments was done at random at the second sampling stage for the SRS enumeration.

1.16 In urban areas, the categories of towns/cities have been divided into four strata based on the size classes in contrast to the six strata in the earlier sampling frame. Towns with population less than one lakh have been placed under stratum I, towns/cities with population one lakh or more but less than 5 lakhs under stratum II, towns/cities with population 5 lakh or more under stratum III and four metro cities of Delhi, Mumbai, Chennai and Kolkata as separate strata viz. stratum IV. The sampling unit in urban area is a Census Enumeration Block. The Census Enumeration Blocks within each size stratum were ordered by the female literacy rate based on the Census 2011 data, and three equal size substrata were established. The sample Census Enumeration Block within each substratum was selected at random with equal probability. A simple random sample of these enumeration blocks has been selected within each sub-strata without replacement from each of the size classes of towns/cities in each State/Union Territory.

**Sample size**

1.17 The Infant Mortality is the decisive indicator for estimation of sample size. The permissible level of error has been taken as within 15 prse (percentage relative standard error) at Natural Division level in respect of major States having population more than 10 million as per Census 2011. For minor States, 15 prse has been fixed at the total State level. By and large the above criteria have been followed. However, there have been a few exceptions on account of operational constraints. Half Yearly survey 2018 was conducted in 8847 sample units, covering about 8 million sample population.

**Statement 2**
**Number of sample units and population covered**
**India, States and Union Territories, 2018**

| India/States/ Union Territories | Number of sample units | | | Population covered (in'000) | | |
|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **8847** | **4961** | **3886** | **8079** | **5912** | **2167** |
| **Bigger States/UTs** | | | | | | |
| 1. Andhra Pradesh | 325 | 198 | 127 | 337 | 268 | 69 |
| 2. Assam | 300 | 90 | 210 | 223 | 110 | 113 |
| 3. Bihar | 330 | 200 | 130 | 374 | 295 | 79 |
| 4. Chhattisgarh | 158 | 73 | 85 | 117 | 72 | 45 |
| 5. Delhi | 198 | 10 | 188 | 140 | 16 | 124 |
| 6. Gujarat | 478 | 231 | 247 | 427 | 295 | 132 |
| 7. Haryana | 256 | 144 | 112 | 243 | 183 | 60 |
| 8. Jammu & Kashmir | 350 | 226 | 124 | 284 | 233 | 51 |
| 9. Jharkhand | 210 | 91 | 119 | 160 | 97 | 63 |
| 10. Karnataka | 511 | 361 | 150 | 495 | 414 | 81 |
| 11. Kerala | 280 | 175 | 105 | 368 | 314 | 54 |
| 12. Madhya Pradesh | 448 | 285 | 163 | 408 | 312 | 96 |
| 13. Maharashtra | 662 | 306 | 356 | 525 | 351 | 174 |
| 14. Odisha | 405 | 290 | 115 | 360 | 296 | 64 |
| 15. Punjab | 249 | 130 | 119 | 212 | 148 | 64 |
| 16. Rajasthan | 350 | 236 | 114 | 337 | 277 | 60 |
| 17. Tamil Nadu | 545 | 235 | 310 | 527 | 338 | 189 |
| 18. Telangana | 224 | 121 | 103 | 215 | 157 | 58 |
| 19. Uttar Pradesh | 500 | 328 | 172 | 527 | 423 | 104 |
| 20. Uttarakhand | 374 | 195 | 179 | 296 | 187 | 109 |
| 21. West Bengal | 555 | 304 | 251 | 556 | 424 | 132 |
| **Smaller States** | | | | | | |
| 1. Arunachal Pradesh | 65 | 50 | 15 | 44 | 33 | 11 |
| 2. Goa | 95 | 45 | 50 | 91 | 67 | 24 |
| 3. Himachal Pradesh | 210 | 155 | 55 | 118 | 91 | 27 |
| 4. Manipur | 165 | 120 | 45 | 150 | 123 | 27 |
| 5. Meghalaya | 130 | 95 | 35 | 84 | 64 | 20 |
| 6. Mizoram | 45 | 25 | 20 | 36 | 24 | 12 |
| 7. Nagaland | 50 | 35 | 15 | 35 | 25 | 10 |
| 8. Sikkim | 65 | 50 | 15 | 62 | 50 | 12 |
| 9. Tripura | 90 | 65 | 25 | 112 | 96 | 16 |
| **Union Territories** | | | | | | |
| 1. Andaman & Nicobar Islands | 55 | 37 | 18 | 48 | 38 | 10 |
| 2. Chandigarh | 40 | 5 | 35 | 35 | 11 | 24 |
| 3. Dadra & Nagar Haveli | 35 | 15 | 20 | 41 | 27 | 14 |
| 4. Daman & Diu | 25 | 15 | 10 | 29 | 22 | 7 |
| 5. Lakshadweep | 14 | 2 | 12 | 14 | 4 | 10 |
| 6. Puducherry | 55 | 18 | 37 | 49 | 27 | 22 |

Note: 'Total' population may not add up to 'Rural' and 'Urban' population due to rounding.

**Estimation procedure**

1.18 For major States, estimates of population, births, deaths and infant deaths are generated for rural/urban areas separately at the natural division level. For smaller States, these estimates are generated for rural/urban areas separately at the State level. The estimates of birth, death and infant death rates are obtained as the ratios of the 'estimated births to estimated population', 'estimated deaths to estimated population' and 'estimated infant deaths to estimated births' respectively expressed in terms of per thousand.

**Organization**

1.19 From 1995, the SRS is being implemented mainly through the Directorates of Census Operations in both rural and urban areas. However, in the States of Kerala and Maharashtra the implementation of field work and their monitoring for rural units has been entrusted to the Directorate of Economics & Statistics of the respective State Government and the urban units to the Directorate of Census Operations.

1.20 For continuous enumeration, there is a resident part-time enumerator for each of the sample unit, who is usually an anganwadi worker/teacher and is paid honorarium for this work. The independent retrospective half-yearly surveys are carried out by the full-time supervisors who are the regular staff of the State Directorate of Census Operations. One supervisor is usually assigned a set of 10 to 12 sample units for conducting half-yearly surveys. Each State headquarters has a complement of staff necessary for planning and organizing various field operations, imparting training to the field staff, effecting proper supervision and control, ensuring regular flow of returns from the field, forwarding of various returns to the Office of the Registrar General, India and for undertaking certain minimum tabulations.

1.21 At the National level, the Vital Statistics Division of the office of the Registrar General, India coordinates the implementation work, formulates and prescribes necessary standards, provides necessary instructions and guidance, undertakes tabulation, analysis and dissemination of data.

**Training and Supervision**

1.22 Before the commencement of work, requisite training is imparted to the enumerators to make them understand their role and responsibility. This is followed by trainings at periodic intervals to clarify the doubts and also to keep the enumerators update with the improvements introduced in the system from time to time. Besides, they are also provided with a manual of instructions for day-to-day consultation to remove the difficulties in course of work. Supervisors are also given necessary training with a view to enabling them to carry out the half-yearly surveys properly and efficiently. They are also provided with a manual of instructions named "Instruction cum operating Manual" for this purpose. In addition to these, various State officials associated with the implementation of the SRS are also given necessary training. The detailed instructions and guidance, with regard to the various stages of work, to these officials have also been explained in the Instruction cum operating Manual.

1.23 Supervision of the field work is an important component of SRS. The supervisory level officials such as the Investigator, Assistant Director, Deputy Director, Joint Director and Director undertake this. Officers at the State headquarters undertake visits to sample units and inspect the work at the field level. Officers of Vital Statistics Division in the headquarters also undertake surprise checks and visits in SRS units for control of the quality of work.

**Data collection**

1.24 In the baseline survey, which is conducted jointly by both the enumerator and the supervisor, the data is being collected in Forms 1, 2 and 3 and Form 0 is also filled at the end of survey in a unit. The baseline survey is a decennial exercise which takes place after availability of new frame through latest census. The data collection in the field is carried out by the enumerators for continuous enumeration and supervisors for retrospective survey. Half Yearly Survey is conducted by the full-time supervisor. In Half Yearly Survey, besides updating the Forms 1, 2 and 3, the details of births and deaths occurred in the sample units in the reference period are also collected in Forms 9 and 10 respectively.

**Introduction of Automation in SRS**

1.25 The quality of data collection is of paramount importance in any survey especially in Sample Registration System considering its focus on data of births, deaths, infant deaths, details of pregnancy etc which are to be collected with utmost care. Towards fulfilling this objective, dual record system has been in practice in SRS apart from other quality measures in the field. To take the credibility and efficiency of the field survey to greatest heights, it was the endeavor of the Office of the Registrar, India, to implement full automation in Sample Registration System. Accordingly from Baseline 2014 onwards the entire process of data collection and processing has been automated. This pioneering step of a paper-less survey, for the first time in the history of SRS, can be viewed as greatly contributed to the recent Digital India initiatives of the Government of India.

1.26 In the automated procedure, the supervisor is now carrying a hand held device to the sample units and the data is collected directly to the machine saving time and cost of survey with efficiency. A dedicated server is installed at all the Directorates of Census Operations (DCO)to enable the activities like file creation, download and upload of files, generation of various Forms etc. The Directorate of Census Operation after finalizing the data directly uploads it on the central server which makes the system almost paper less as there is no need to send finalized results in paper format. At the Head Quarters validations are undertaken before preparing the vital rates.

**SRS Forms and their flow**

1.27 For collecting information on population and vital events various forms/schedules have been prescribed under the SRS. Depending upon various operations under the system, the following 17 types of forms are in use:

**A. Baseline Survey Forms**

Form 1: House List
Form 2: Household Schedule
Form 3: Pregnancy Status of women

**B. Continuous Enumeration Forms**

Form 4: Outcome of Pregnancy recorded by Enumerator (January-June/July-December)
Form 5: Deaths recorded by Enumerator (January-June/July-December)
Form 6: Monthly report of Outcome of Pregnancy
Form 7: Monthly report of Deaths

**C. Half yearly Survey Forms**

Form 9: Outcome of Pregnancy recorded by Supervisor (January-June/July-December)
Form 10: Deaths recorded by Supervisor (January-June/July-December)
Form 15: Distribution of usual resident population by age, sex and marital status (as on 1st July/1st January)

Form 16: Distribution of Female population by broad age groups and levels of education (as on 1st July/1st January)


Form 17: Number of females who got married by age at effective marriage (January-June/July-December)

**D. Compilation/Tabulation Forms**

Form 8: Consolidated monthly report on births and deaths
Form 11: Finalized list of Outcome of Pregnancy (January-June/July-December)
Form 12: Finalized list of Deaths (January-June/July-December)
Form 13: Results of the HYS for Outcome of Pregnancy (January-June/July-December)
Form 14: Results of the HYS for Deaths (January-June/July-December)

1.28 The enumerator records the details of each birth and death event occurred during the reference period in Forms 4 and 5 respectively on a continuous basis. A monthly report on births and deaths (Forms 6 and 7) is required to be sent by the enumerators to the State headquarters in the first week of the following month. The relevant entries of birth and death records in monthly report are copied from six monthly records and sent to the State headquarter. On the basis of the monthly reports received from the sample units, the State headquarters are required to prepare a consolidated monthly report (Form 8) and forward the same to the Office of the Registrar General, India by the end of the following month. The monthly reports for the individual units remain at the State headquarters. The supervisor records the details of each birth and death event occurring during the six-month reference period in Forms 9 and 10 respectively. After matching of each birth and death event recorded in Forms 4 and 5 with those in Forms 9 and 10 and verification of partially and unmatched events in the field, finalized Forms 11 and 12 are prepared after necessary corrections and inclusion of additional events recorded during the survey. These forms are sent to the Office of the Registrar General, India along with the half-yearly survey results in Forms 13, 14, 15, 16 and 17. The processes of matching, re verification, generation of Forms 11 to 17 are now automated leading to less time consumption for data processing and more time for data collection in the field leading to improvement in quality of data. Flow chart of SRS returns is shown in Chart 1. Due to automation most of the errors in terms of wrong classification of sex or invalid coding, not legible details are taken care of. We do not get birth and death without sex classification or without essential details as the application does not allow for such omission /commission.

## Chart 1: Flow Chart



# CHAPTER - 2

# POPULATION COMPOSITION

The data on population by age and sex is vital for demographers, health administrators etc. for planning and evaluation of various developmental and health programs. The classification of rural/urban, sex and marital status by age unveils the characteristics of population composition and provides disaggregated data for target-oriented projects. Being one of the most important demographic characteristics, data on age is collected and updated in both half-yearly surveys of SRS for all the members of the household covered in the sample units.

**2.2** As per available data from SRS, there has been a gradual decline in the share of population in the age group 0-14 from 41.2 to 38.1 per cent during 1971 to 1981 and 36.3 to 25.9 percent during 1991 to 2018, whereas, the proportion of economically active population (15-59 years) has increased from 53.4 to 56.3 percent during 1971 to 1981 and 57.7 to 66.0 percent during 1991 to 2018. On account of better education, health facilities and increase in life expectancy, the percentage of elderly population (60+) has gone up from 5.3 to 5.7 percent and 6.0 to 8.1 percent respectively during the periods under reference. Marital status and Female mean age at marriage are essential constituents to monitor fertility and population growth. The data on marital status has been included in SRS from 1991, whereas on Female mean age at marriage from 1990. There is a marginal increase in the proportion of married Females from 45.7 in 1991 to 49.5 in 2018, whereas the proportion of widowed/divorced/separated females has decreased from 8.1 in 1991 to 5.5 in 2018. The mean age at effective marriage for Females has increased from 19.3 years in 1990 to 22.3 years in 2018.

**2.3** This chapter provides data on percentage distribution of population by age, sex and residence for all broad age groups from 0-4, 0-14, 15-59 and 60+ for India and bigger States/UTs. It also includes data on percentage distribution of population by marital status for total population, 10+ and 15+ ages by sex and residence. The State-wise variations in Female age at effective marriage and their corresponding proportions have also been presented in this chapter.

**2.4** Instances of age heaping, under reporting and over reporting have been observed in different age groups and at single age. Accordingly, corrective actions have been taken to rectify such instances.

## Age composition

**2.5** Age composition by residence and broad age groups 0-14, 15-59 and 60+ for the year 2018 at the National level is shown below in Statement 3. The age group 0-14 is further sub-categorized into the age groups 0-4, 5-9 and 10-14. It is observed that for most of the age groups, Male-Female differences in the age distribution of population are negligible except in the combined age-group of 0-14, 15-59, 60+, 15-64 & 65+. In the age-group 0-14, Male population is about one percent more than Female, whereas in the older age-groups 15-59, 60+, 15-64 and 65+, percentage of Females are more than that of Males by 0.6, 0.6, 0.6 and 0.5 percentage points. The proportion of young children in the age group 0-4 and also the proportion of population in the age group 0-14 are higher in rural areas than in urban areas both for Males and Females. A higher proportion of Males and Females in the working age group 15-59 live in urban areas as compared to rural areas. Chart 2 gives pictorial presentation of data shown in Statement 3. Table 1 gives percentage distribution of estimated population by quinquennial age groups, sex and residence for India and bigger States/UTs. The population pyramid of India is presented in Chart 3.


**Statement 3**


**Percentage distribution of Population by broad age groups to Total Population by sex and residence, India, 2018**

| Residence | Sex | Broad age groups (years) | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 0-4 | 5-9 | 10-14 | 0-14 | 15-59 | 60+ | 15-64 | 65+ |
| Total | Total | 8.0 | 8.6 | 9.3 | 25.9 | 66.0 | 8.1 | 69.0 | 5.1 |
| | Male | 8.2 | 8.8 | 9.5 | 26.4 | 65.7 | 7.8 | 68.7 | 4.9 |
| | Female | 7.8 | 8.4 | 9.1 | 25.3 | 66.3 | 8.4 | 69.3 | 5.4 |
| Rural | Total | 8.6 | 9.1 | 9.8 | 27.5 | 64.5 | 8.0 | 67.4 | 5.1 |
| | Male | 8.8 | 9.3 | 10.0 | 28.1 | 64.3 | 7.6 | 67.1 | 4.9 |
| | Female | 8.4 | 8.9 | 9.6 | 27.0 | 64.7 | 8.4 | 67.6 | 5.4 |
| Urban | Total | 6.8 | 7.6 | 8.2 | 22.6 | 69.1 | 8.3 | 72.3 | 5.1 |
| | Male | 6.9 | 7.8 | 8.4 | 23.1 | 68.7 | 8.2 | 71.9 | 5.0 |
| | Female | 6.6 | 7.4 | 8.0 | 22.0 | 69.6 | 8.4 | 72.7 | 5.3 |

Note: Total percentage may not add to 100 on account of rounding in broad age groups

**Chart 2 : Percentage distribution of population by broad age groups and residence, India, 2018**





Chart 3: Population pyramid, India, 2018
Females
Males
85+
80-84
75-79
70-74
65-69
60-64
55-59
50-54
45-49
40-44
35-39
30-34
25-29
20-24
15-19
10-14
5-9
0-4
Age group
15
10
5
0
5
10
15
Percentage

**2.6** Percentage share of population in the selected age groups for bigger States/UTs by residence and sex are given in Statements 4 to 7. Statement 4 gives the percentage of population below 5 years of age. At the National level, 6.8 percent population in urban areas constitutes below 5 years of age as against 8.6 percent for rural areas. Sex differences in the share of child population at the national level are negligible both in rural and urban areas. The difference in the share of male child population to female child is maximum (about 1 percent higher) in rural areas of Uttarakhand. Among the bigger States/UTs, the percentage of child population in rural areas varies from 5.3 in Telangana to 11.9 in Bihar. In urban areas, such variation is from 5.4 in Himachal Pradesh to 10.6 in Uttarakhand. Chart 4 shows the pictorial presentation of percentage of child population for bigger States/UTs.

**Statement 4**

**Percentage of Population in the age group 0-4 years to Total Population by sex and residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | 8.0 | 8.2 | 7.8 | 8.6 | 8.8 | 8.4 | 6.8 | 6.9 | 6.6 |
| Andhra Pradesh | 5.6 | 5.6 | 5.7 | 5.8 | 5.7 | 5.8 | 5.4 | 5.4 | 5.4 |
| Assam | 8.8 | 8.9 | 8.6 | 9.1 | 9.3 | 9.0 | 6.9 | 6.9 | 6.8 |
| Bihar | 11.5 | 11.8 | 11.2 | 11.9 | 12.1 | 11.6 | 9.1 | 9.4 | 8.9 |
| Chhattisgarh | 9.0 | 9.1 | 9.0 | 9.5 | 9.5 | 9.4 | 7.6 | 7.7 | 7.5 |
| Delhi | 6.5 | 6.6 | 6.5 | 6.5 | 6.0 | 7.1 | 6.5 | 6.6 | 6.5 |
| Gujarat | 7.5 | 7.7 | 7.2 | 7.9 | 8.2 | 7.6 | 6.9 | 7.1 | 6.7 |
| Haryana | 8.2 | 8.5 | 7.9 | 8.6 | 9.0 | 8.1 | 7.6 | 7.7 | 7.4 |
| Himachal Pradesh | 6.2 | 6.4 | 6.0 | 6.3 | 6.5 | 6.1 | 5.4 | 5.3 | 5.5 |
| Jammu & Kashmir | 6.4 | 6.6 | 6.2 | 6.8 | 7.0 | 6.7 | 5.6 | 5.9 | 5.3 |
| Jharkhand | 9.1 | 9.2 | 8.9 | 9.8 | 10.0 | 9.6 | 6.9 | 7.0 | 6.8 |
| Karnataka | 7.2 | 7.4 | 7.1 | 7.3 | 7.5 | 7.2 | 7.0 | 7.2 | 6.9 |
| Kerala | 6.7 | 7.1 | 6.3 | 6.9 | 7.2 | 6.6 | 6.4 | 6.9 | 5.9 |
| Madhya Pradesh | 9.4 | 9.4 | 9.4 | 9.9 | 9.8 | 9.9 | 8.1 | 8.2 | 7.9 |
| Maharashtra | 7.6 | 7.9 | 7.4 | 8.3 | 8.6 | 7.9 | 6.9 | 7.0 | 6.8 |
| Odisha | 7.3 | 7.4 | 7.1 | 7.4 | 7.5 | 7.2 | 6.9 | 6.9 | 6.8 |
| Punjab | 6.1 | 6.2 | 6.0 | 6.2 | 6.3 | 6.2 | 5.9 | 6.0 | 5.7 |
| Rajasthan | 9.2 | 9.5 | 8.9 | 9.7 | 10.1 | 9.3 | 7.7 | 7.8 | 7.6 |
| Tamil Nadu | 6.3 | 6.4 | 6.1 | 6.8 | 7.0 | 6.6 | 5.8 | 5.9 | 5.7 |
| Telangana | 5.9 | 6.1 | 5.7 | 5.3 | 5.3 | 5.2 | 6.9 | 7.2 | 6.5 |
| Uttar Pradesh | 8.5 | 8.7 | 8.2 | 9.0 | 9.3 | 8.7 | 6.9 | 7.1 | 6.6 |
| Uttarakhand | 10.5 | 10.9 | 10.2 | 10.5 | 11.0 | 10.1 | 10.6 | 10.6 | 10.6 |
| West Bengal | 7.0 | 7.1 | 6.9 | 7.5 | 7.7 | 7.4 | 5.7 | 5.8 | 5.7 |



Chart 4: Percentage of child population (0-4 years) to total population by residence, India and bigger States,/UTs 2018
Percentage of population (0-4 years)
14
12
10
8
6
4
2
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban

**2.7** Percentage of population of age less than 15 years for India and bigger States/UTs by sex and residence is given below in Statement 5. At the National level, 27.5 percent of rural population in the year 2018 is below 15 years of age against 22.6 percent for urban areas. Percentage of population below 15 years of age in rural areas varies from 19.8 in Andhra Pradesh and Telangana to 34.8 in Bihar. In urban areas, it varies from 17.9 in Jammu & Kashmir to 29.6 in Bihar. Chart 5 gives the pictorial presentation of percentage of persons below 15 years of age for bigger States/UTs by residence.

**Statement 5**

**Percentage of Population in the age group 0-14 years to Total Population by sex and residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | 25.9 | 26.4 | 25.3 | 27.5 | 28.1 | 27.0 | 22.6 | 23.1 | 22.0 |
| Andhra Pradesh | 19.8 | 19.9 | 19.7 | 19.8 | 19.9 | 19.7 | 19.7 | 19.7 | 19.7 |
| Assam | 27.7 | 28.1 | 27.3 | 28.9 | 29.4 | 28.5 | 20.5 | 20.8 | 20.3 |
| Bihar | 34.2 | 34.6 | 33.6 | 34.8 | 35.4 | 34.3 | 29.6 | 29.8 | 29.4 |
| Chhattisgarh | 28.3 | 28.5 | 28.0 | 29.3 | 29.4 | 29.2 | 25.1 | 25.8 | 24.4 |
| Delhi | 23.7 | 23.6 | 23.7 | 23.3 | 22.9 | 23.8 | 23.7 | 23.6 | 23.7 |
| Gujarat | 24.9 | 25.7 | 24.1 | 26.4 | 27.1 | 25.7 | 23.1 | 24.0 | 22.2 |
| Haryana | 26.1 | 27.2 | 24.9 | 27.0 | 28.0 | 25.8 | 24.7 | 25.9 | 23.3 |
| Himachal Pradesh | 21.9 | 23.0 | 20.8 | 22.1 | 23.3 | 20.9 | 20.3 | 20.3 | 20.2 |
| Jammu & Kashmir | 21.2 | 21.9 | 20.6 | 22.7 | 23.3 | 22.1 | 17.9 | 18.6 | 17.1 |
| Jharkhand | 29.7 | 30.4 | 28.9 | 31.2 | 32.1 | 30.2 | 24.9 | 25.1 | 24.8 |
| Karnataka | 23.2 | 23.7 | 22.7 | 23.4 | 23.9 | 22.8 | 22.9 | 23.3 | 22.5 |
| Kerala | 21.2 | 22.8 | 19.8 | 21.6 | 23.2 | 20.2 | 20.8 | 22.4 | 19.4 |
| Madhya Pradesh | 29.6 | 29.8 | 29.4 | 30.9 | 30.9 | 30.9 | 25.9 | 26.6 | 25.2 |
| Maharashtra | 24.0 | 24.7 | 23.3 | 26.0 | 26.8 | 25.1 | 21.7 | 22.1 | 21.2 |
| Odisha | 23.6 | 23.8 | 23.3 | 23.9 | 24.1 | 23.7 | 21.9 | 22.3 | 21.6 |
| Punjab | 20.7 | 21.4 | 19.9 | 20.9 | 21.6 | 20.0 | 20.4 | 21.0 | 19.7 |
| Rajasthan | 29.0 | 30.0 | 27.9 | 30.3 | 31.3 | 29.2 | 25.3 | 26.2 | 24.5 |
| Tamil Nadu | 20.4 | 20.9 | 19.9 | 21.7 | 22.4 | 21.0 | 19.2 | 19.5 | 18.9 |
| Telangana | 20.8 | 21.1 | 20.5 | 19.8 | 20.1 | 19.6 | 22.2 | 22.6 | 21.9 |
| Uttar Pradesh | 28.8 | 29.3 | 28.3 | 30.0 | 30.4 | 29.6 | 25.0 | 25.8 | 24.2 |
| Uttarakhand | 29.0 | 29.9 | 28.0 | 29.7 | 30.9 | 28.4 | 27.2 | 27.4 | 26.9 |
| West Bengal | 22.6 | 22.7 | 22.5 | 24.4 | 24.5 | 24.2 | 18.6 | 18.7 | 18.6 |



Chart 5: Percentage of population age 0-14 years to total population by residence, India and bigger States/UTs, 2018
Percentage of population (0-14 years)
40
35
30
25
20
15
10
5
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban

**2.8** Statement 6 given below provides percentage of population in the working age group 15-59 years for India and bigger States/UTs by sex and residence. At the National level, the age group 15-59 contributes 64.5 percent in rural areas and 69.1 percent population in urban areas. In rural areas, the percentage varies from 59.2 in Bihar to 70.6 in Telangana. In urban areas, the same varies from 62.4 in Bihar to 72.5 percent in Andhra Pradesh. Chart 6 gives the pictorial presentation of percentage of population in the age group 15-59 years for bigger States/UTs by residence.

**Statement 6**

**Percentage of Population in the working age group 15-59 years by sex and residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **66.0** | **65.7** | **66.3** | **64.5** | **64.3** | **64.7** | **69.1** | **68.7** | **69.6** |
| Andhra Pradesh | 70.8 | 70.4 | 71.1 | 70.0 | 69.6 | 70.4 | 72.5 | 72.4 | 72.7 |
| Assam | 65.9 | 65.2 | 66.6 | 64.9 | 64.3 | 65.6 | 71.2 | 70.2 | 72.2 |
| Bihar | 59.6 | 59.0 | 60.2 | 59.2 | 58.6 | 59.8 | 62.4 | 61.9 | 62.9 |
| Chhattisgarh | 64.8 | 65.0 | 64.5 | 63.5 | 63.9 | 63.2 | 68.8 | 68.5 | 69.1 |
| Delhi | 69.9 | 70.2 | 69.5 | 70.5 | 71.5 | 69.4 | 69.9 | 70.2 | 69.5 |
| Gujarat | 66.7 | 66.8 | 66.6 | 64.9 | 65.1 | 64.6 | 69.0 | 68.8 | 69.1 |
| Haryana | 66.7 | 66.1 | 67.4 | 65.6 | 65.1 | 66.2 | 68.5 | 67.7 | 69.2 |
| Himachal Pradesh | 67.1 | 66.3 | 67.9 | 66.7 | 65.8 | 67.6 | 70.9 | 70.8 | 71.0 |
| Jammu & Kashmir | 69.7 | 69.1 | 70.4 | 68.6 | 68.0 | 69.2 | 72.2 | 71.4 | 73.0 |
| Jharkhand | 63.9 | 63.5 | 64.4 | 62.6 | 62.0 | 63.3 | 67.9 | 68.1 | 67.7 |
| Karnataka | 68.7 | 68.7 | 68.8 | 68.1 | 68.2 | 68.0 | 69.7 | 69.4 | 70.0 |
| Kerala | 65.8 | 65.0 | 66.5 | 65.1 | 64.3 | 65.8 | 66.5 | 65.8 | 67.2 |
| Madhya Pradesh | 63.3 | 63.4 | 63.1 | 62.0 | 62.4 | 61.6 | 66.8 | 66.4 | 67.2 |
| Maharashtra | 67.0 | 66.8 | 67.3 | 64.1 | 64.0 | 64.1 | 70.6 | 70.2 | 71.1 |
| Odisha | 66.4 | 66.0 | 66.8 | 65.7 | 65.3 | 66.1 | 69.7 | 69.1 | 70.3 |
| Punjab | 69.3 | 69.0 | 69.7 | 68.3 | 68.0 | 68.7 | 70.7 | 70.4 | 71.1 |
| Rajasthan | 63.8 | 63.7 | 64.0 | 62.6 | 62.6 | 62.7 | 67.3 | 67.0 | 67.7 |
| Tamil Nadu | 68.6 | 68.2 | 69.0 | 67.8 | 67.4 | 68.2 | 69.3 | 69.0 | 69.7 |
| Telangana | 71.1 | 70.8 | 71.4 | 70.6 | 70.3 | 70.8 | 71.9 | 71.4 | 72.4 |
| Uttar Pradesh | 64.4 | 64.2 | 64.5 | 63.1 | 63.1 | 63.1 | 68.2 | 67.6 | 68.8 |
| Uttarakhand | 62.5 | 62.2 | 62.8 | 61.2 | 60.8 | 61.7 | 65.8 | 65.9 | 65.7 |
| West Bengal | 68.8 | 68.7 | 68.9 | 68.1 | 68.4 | 67.8 | 70.4 | 69.6 | 71.3 |



Chart 6: Percentage of population age 15-59 years to total population by residence, India and bigger States/UTs, 2018
Percentage of population (15-59 years)
75
70
65
60
55
50
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban

**2.9** Percentage of aged persons (60 years and above) for India and bigger States/UTs by sex and residence is given below in Statement 7. At the National level, percentage of aged (60+) population is 8.1. Composition of 60+ aged female population is higher than males in all of the bigger States/UTs except Andhra Pradesh, Assam, Bihar, Jammu & Kashmir, Odisha and Telangana. In rural areas, population in the age group 60+ constitutes 8.0 percent of the total population and variation in aged population ranges from 6.0 percent in Bihar to 13.3 percent in Kerala. The proportion of aged population in urban areas is 8.3 percent. The Pictorial presentation of percentage of old age population by residence for bigger States/UTs is given in Chart 7.

**Statement 7**

**Percentage of Population in the age group 60 years and above to Total Population by sex and residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **8.1** | **7.8** | **8.4** | **8.0** | **7.6** | **8.4** | **8.3** | **8.2** | **8.4** |
| Andhra Pradesh | 9.4 | 9.7 | 9.2 | 10.2 | 10.5 | 9.9 | 7.7 | 8.0 | 7.5 |
| Assam | 6.5 | 6.8 | 6.1 | 6.1 | 6.4 | 5.9 | 8.3 | 9.1 | 7.5 |
| Bihar | 6.3 | 6.3 | 6.2 | 6.0 | 6.0 | 5.9 | 8.0 | 8.3 | 7.7 |
| Chhattisgarh | 6.9 | 6.4 | 7.4 | 7.2 | 6.7 | 7.7 | 6.1 | 5.7 | 6.6 |
| Delhi | 6.5 | 6.2 | 6.8 | 6.2 | 5.7 | 6.8 | 6.5 | 6.2 | 6.8 |
| Gujarat | 8.4 | 7.5 | 9.2 | 8.7 | 7.8 | 9.7 | 7.9 | 7.2 | 8.7 |
| Haryana | 7.2 | 6.7 | 7.7 | 7.3 | 6.8 | 7.9 | 6.9 | 6.3 | 7.4 |
| Himachal Pradesh | 11.0 | 10.7 | 11.3 | 11.2 | 10.9 | 11.5 | 8.9 | 8.9 | 8.8 |
| Jammu & Kashmir | 9.1 | 9.1 | 9.0 | 8.6 | 8.6 | 8.6 | 10.0 | 10.1 | 9.8 |
| Jharkhand | 6.4 | 6.2 | 6.7 | 6.2 | 5.9 | 6.5 | 7.2 | 6.9 | 7.5 |
| Karnataka | 8.1 | 7.6 | 8.6 | 8.6 | 7.9 | 9.3 | 7.4 | 7.3 | 7.5 |
| Kerala | 12.9 | 12.2 | 13.7 | 13.3 | 12.5 | 14.0 | 12.6 | 11.8 | 13.3 |
| Madhya Pradesh | 7.1 | 6.8 | 7.5 | 7.1 | 6.7 | 7.5 | 7.3 | 7.0 | 7.6 |
| Maharashtra | 9.0 | 8.5 | 9.4 | 10.0 | 9.2 | 10.8 | 7.7 | 7.7 | 7.7 |
| Odisha | 10.0 | 10.2 | 9.8 | 10.4 | 10.6 | 10.2 | 8.4 | 8.6 | 8.1 |
| Punjab | 10.0 | 9.6 | 10.4 | 10.8 | 10.4 | 11.3 | 8.9 | 8.5 | 9.3 |
| Rajasthan | 7.2 | 6.3 | 8.1 | 7.1 | 6.1 | 8.2 | 7.3 | 6.8 | 7.8 |
| Tamil Nadu | 11.0 | 10.9 | 11.1 | 10.5 | 10.2 | 10.8 | 11.5 | 11.5 | 11.4 |
| Telangana | 8.1 | 8.1 | 8.1 | 9.6 | 9.6 | 9.6 | 5.9 | 6.0 | 5.8 |
| Uttar Pradesh | 6.8 | 6.5 | 7.2 | 6.9 | 6.5 | 7.3 | 6.8 | 6.6 | 7.0 |
| Uttarakhand | 8.5 | 7.8 | 9.2 | 9.1 | 8.3 | 9.9 | 7.0 | 6.7 | 7.4 |
| West Bengal | 8.6 | 8.5 | 8.6 | 7.5 | 7.1 | 8.0 | 10.9 | 11.7 | 10.1 |


Chart 7: Percentage of population aged 60+ to total population by residence, India and bigger States/UTs, 2018
Percentage of population (60+ years)
13
11
9
7
5
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban

## Marital Status

**2.10** Besides age, the other important demographic characteristic collected and subsequently updated during each half yearly survey of the SRS is the marital status. Distribution of the population by marital status is thus available from SRS.


**2.11** Statement 8 given below shows the percentage distribution of population by sex and marital status for India and bigger States/UTs for the year 2018. During this year, 50.3 percent of the population at the National level is reported as never married. Married population constitutes 46.3 percent of the total population whereas widowed/divorced/separated constitutes 3.5 percent. The proportion of W/D/S female population is higher than males at the National level as well as in all the bigger States/UTs. The gap is significantly wide (around 8 percentage points) in respect of Kerala. Andhra Pradesh (53.5) recorded the highest percentage of married population whereas the lowest was recorded for Bihar (39.9). Married Females recorded a higher percentage as compared to Males at the National level and similarly for all of the bigger States/UTs. The percentage distribution of population by sex, marital status and age-group for urban and rural areas of India and bigger States/UTs is detailed in Table-2. Charts 8, 9 and 10 show the distribution of population by marital status of India and bigger States/UTs for Person, Male and Female respectively.


**Statement 8**


**Percentage distribution of Population by Marital Status and sex, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Never married | | | Married | | | W/D/S | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **50.3** | **55.2** | **45.1** | **46.3** | **43.2** | **49.5** | **3.5** | **1.6** | **5.5** |
| Andhra Pradesh | 41.5 | 46.4 | 36.5 | 53.5 | 51.3 | 55.7 | 5.0 | 2.3 | 7.8 |
| Assam | 53.3 | 57.4 | 48.8 | 43.7 | 41.2 | 46.4 | 3.0 | 1.4 | 4.8 |
| Bihar | 58.4 | 62.5 | 53.9 | 39.9 | 36.5 | 43.7 | 1.7 | 1.0 | 2.4 |
| Chhattisgarh | 50.0 | 53.7 | 46.4 | 45.6 | 44.2 | 47.0 | 4.4 | 2.1 | 6.6 |
| Delhi | 52.0 | 55.6 | 47.9 | 45.4 | 43.2 | 47.9 | 2.6 | 1.2 | 4.2 |
| Gujarat | 47.6 | 52.1 | 42.8 | 48.7 | 46.1 | 51.5 | 3.7 | 1.8 | 5.7 |
| Haryana | 49.4 | 54.5 | 43.6 | 48.3 | 44.2 | 52.8 | 2.3 | 1.3 | 3.6 |
| Himachal Pradesh | 44.4 | 50.3 | 38.7 | 51.2 | 48.1 | 54.3 | 4.4 | 1.7 | 7.0 |
| Jammu & Kashmir | 55.4 | 58.6 | 52.1 | 42.5 | 40.3 | 44.9 | 2.0 | 1.2 | 3.0 |
| Jharkhand | 55.0 | 59.9 | 49.7 | 42.7 | 39.0 | 46.6 | 2.3 | 1.0 | 3.7 |
| Karnataka | 47.4 | 54.1 | 40.4 | 47.7 | 44.4 | 51.1 | 4.9 | 1.5 | 8.5 |
| Kerala | 43.0 | 51.0 | 35.7 | 51.5 | 47.7 | 55.0 | 5.4 | 1.2 | 9.3 |
| Madhya Pradesh | 51.0 | 55.3 | 46.4 | 45.4 | 42.6 | 48.5 | 3.6 | 2.1 | 5.2 |
| Maharashtra | 48.9 | 54.6 | 42.7 | 47.6 | 44.0 | 51.5 | 3.5 | 1.4 | 5.9 |
| Odisha | 47.2 | 51.7 | 42.5 | 48.6 | 46.5 | 50.8 | 4.2 | 1.8 | 6.8 |
| Punjab | 48.5 | 53.6 | 42.7 | 48.5 | 44.7 | 52.9 | 3.0 | 1.8 | 4.5 |
| Rajasthan | 50.7 | 55.2 | 45.9 | 46.5 | 43.5 | 49.7 | 2.8 | 1.3 | 4.4 |
| Tamil Nadu | 43.2 | 48.8 | 37.4 | 51.1 | 48.8 | 53.4 | 5.7 | 2.3 | 9.2 |
| Telangana | 46.0 | 51.5 | 40.2 | 49.6 | 46.7 | 52.6 | 4.4 | 1.7 | 7.1 |
| Uttar Pradesh | 56.0 | 60.1 | 51.7 | 41.6 | 38.3 | 45.1 | 2.4 | 1.5 | 3.2 |
| Uttarakhand | 53.7 | 61.0 | 46.1 | 42.8 | 37.6 | 48.3 | 3.5 | 1.4 | 5.6 |
| West Bengal | 46.3 | 51.6 | 40.9 | 49.9 | 47.2 | 52.8 | 3.8 | 1.3 | 6.3 |

Note: Total may not add to 100 due to rounding off. W/D/S- Widowed/Divorced/Separated


Chart 8: Percentage distribution of population by marital status, India and bigger States/UTs, 2018
60.0
50.0
40.0
30.0
20.0
10.0
0.0
Percentage
Never married
Married
W/D/S
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs


Chart 9: Percentage distribution of MALE population by marital status, India and bigger States/UTs, 2018
Percentage
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Never married
Married
W/D/S



Chart 10: Percentage distribution of FEMALE population by marital status, India and bigger States/UTs, 2018
Percentage
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Never married
Married
W/D/S


**2.12** Persons below 10 years of age, in the SRS, are being treated as unmarried. Marital distribution of population would be more meaningful if such percentages are worked out for persons of age 10 years and above. Statement 9 given below provides percentage distribution of population for age 10 years and above by marital status and sex for India and bigger States/UTs. At the National level, the percentage share of married population is 55.5. Among the bigger States/UTs Jammu & Kashmir (49.2) recorded the lowest percentage of married population whereas the highest percentage was recorded for Andhra Pradesh (61.1). Charts 11, 12 and 13 show the distribution of population aged 10 years and above by marital status of India and bigger States/UTs for Person, Male and Female respectively.


**Statement 9**
**Percentage distribution of Population aged 10+ by Marital Status and sex**
**India and bigger States/UTs, 2018**

| India and bigger States/UTs | Never married | | | Married | | | W/D/S | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **40.4** | **46.0** | **34.4** | **55.5** | **52.1** | **59.1** | **4.1** | **1.9** | **6.5** |
| Andhra Pradesh | 33.2 | 38.7 | 27.4 | 61.1 | 58.6 | 63.7 | 5.7 | 2.7 | 8.9 |
| Assam | 43.1 | 48.1 | 37.9 | 53.2 | 50.3 | 56.3 | 3.7 | 1.7 | 5.8 |
| Bihar | 46.2 | 51.3 | 40.8 | 51.6 | 47.4 | 56.1 | 2.2 | 1.3 | 3.1 |
| Chhattisgarh | 38.7 | 43.0 | 34.3 | 56.0 | 54.4 | 57.6 | 5.4 | 2.6 | 8.1 |
| Delhi | 43.7 | 47.9 | 39.0 | 53.3 | 50.7 | 56.2 | 3.0 | 1.4 | 4.9 |
| Gujarat | 37.9 | 42.9 | 32.6 | 57.7 | 55.0 | 60.7 | 4.4 | 2.2 | 6.8 |
| Haryana | 39.0 | 44.7 | 32.6 | 58.2 | 53.7 | 63.1 | 2.8 | 1.5 | 4.3 |
| Himachal Pradesh | 35.6 | 41.9 | 29.5 | 59.4 | 56.2 | 62.5 | 5.1 | 1.9 | 8.0 |
| Jammu & Kashmir | 48.5 | 51.9 | 45.0 | 49.2 | 46.8 | 51.6 | 2.3 | 1.3 | 3.4 |
| Jharkhand | 44.6 | 50.3 | 38.4 | 52.6 | 48.4 | 57.0 | 2.8 | 1.3 | 4.5 |
| Karnataka | 38.1 | 45.8 | 30.1 | 56.1 | 52.5 | 59.9 | 5.8 | 1.8 | 10.0 |
| Kerala | 34.1 | 42.8 | 26.3 | 59.6 | 55.8 | 63.0 | 6.3 | 1.4 | 10.6 |
| Madhya Pradesh | 39.5 | 44.8 | 33.9 | 56.0 | 52.6 | 59.7 | 4.4 | 2.6 | 6.4 |
| Maharashtra | 39.6 | 46.1 | 32.6 | 56.3 | 52.3 | 60.5 | 4.2 | 1.6 | 6.9 |
| Odisha | 37.8 | 43.0 | 32.5 | 57.2 | 54.8 | 59.6 | 5.0 | 2.1 | 7.9 |
| Punjab | 40.8 | 46.5 | 34.3 | 55.7 | 51.5 | 60.6 | 3.5 | 2.1 | 5.1 |
| Rajasthan | 39.2 | 44.3 | 33.7 | 57.4 | 54.1 | 60.9 | 3.4 | 1.6 | 5.4 |
| Tamil Nadu | 34.7 | 41.0 | 28.3 | 58.7 | 56.3 | 61.2 | 6.6 | 2.7 | 10.5 |
| Telangana | 37.8 | 44.0 | 31.5 | 57.1 | 53.9 | 60.3 | 5.0 | 2.0 | 8.2 |
| Uttar Pradesh | 46.2 | 51.0 | 41.1 | 50.9 | 47.1 | 55.0 | 2.9 | 1.9 | 3.9 |
| Uttarakhand | 42.4 | 51.1 | 33.6 | 53.2 | 47.1 | 59.5 | 4.3 | 1.8 | 6.9 |
| West Bengal | 37.3 | 43.3 | 31.1 | 58.3 | 55.2 | 61.5 | 4.4 | 1.5 | 7.4 |

Note: Total may not add to 100 due to rounding off. W/D/S- Widowed/Divorced/Separated


Chart 11: Percentage distribution of population aged 10+ by marital status, India and bigger States/UTs, 2018
Percentage
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Never married
Married
W/D/S


Chart 12: Percentage distribution of MALE population aged 10+ by marital status, India and bigger States/UTs, 2018
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
Percentage
Never married
Married
W/D/S
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs


Chart 13: Percentage distribution of FEMALE population aged 10+ by marital status, India and bigger States/UTs, 2018
Percentage
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Never married
Married
W/D/S

**2.13** Statement 10 placed below shows the percentage distribution of Females aged 10 years and more by marital status and residence. At the National level, 59.1 percent of such females are married. Among the bigger States/UTs the lowest percentage of married females is found to be in Jammu & Kashmir (51.6) and the highest in Andhra Pradesh (63.7). Percentage of never married Females in the bigger States/UTs varies from 26.3 in Kerala to 45.0 in Jammu & Kashmir. The percentage of females in the category "Widowed/Divorced/Separated" varies from 3.1 in Bihar to 10.6 in Kerala. Charts 14, 15 and 16 show the distribution of female population aged 10 years and above by marital status of India and bigger States/UTs for Total, Rural and Urban areas respectively.


**Statement 10**


**Percentage distribution of Females aged 10+ by Marital Status and residence**


**India and bigger States/UTs, 2018**

| India and bigger States/UTs | Never married | | | Married | | | W/D/S | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **34.4** | **34.7** | **33.9** | **59.1** | **59.0** | **59.2** | **6.5** | **6.3** | **6.9** |
| Andhra Pradesh | 27.4 | 26.3 | 29.7 | 63.7 | 64.4 | 62.1 | 8.9 | 9.3 | 8.1 |
| Assam | 37.9 | 38.4 | 35.1 | 56.3 | 56.0 | 58.0 | 5.8 | 5.6 | 7.0 |
| Bihar | 40.8 | 40.9 | 39.8 | 56.1 | 56.2 | 55.9 | 3.1 | 2.9 | 4.3 |
| Chhattisgarh | 34.3 | 34.0 | 35.1 | 57.6 | 57.6 | 57.6 | 8.1 | 8.4 | 7.2 |
| Delhi | 39.0 | 35.9 | 39.0 | 56.2 | 59.4 | 56.1 | 4.9 | 4.7 | 4.9 |
| Gujarat | 32.6 | 32.4 | 32.8 | 60.7 | 60.6 | 60.8 | 6.8 | 7.0 | 6.5 |
| Haryana | 32.6 | 32.9 | 32.1 | 63.1 | 62.8 | 63.6 | 4.3 | 4.3 | 4.4 |
| Himachal Pradesh | 29.5 | 29.0 | 35.4 | 62.5 | 62.8 | 59.3 | 8.0 | 8.3 | 5.3 |
| Jammu & Kashmir | 45.0 | 46.2 | 42.4 | 51.6 | 50.6 | 53.8 | 3.4 | 3.2 | 3.9 |
| Jharkhand | 38.4 | 38.3 | 38.9 | 57.0 | 57.3 | 56.3 | 4.5 | 4.4 | 4.8 |
| Karnataka | 30.1 | 29.0 | 31.7 | 59.9 | 60.1 | 59.7 | 10.0 | 10.9 | 8.6 |
| Kerala | 26.3 | 26.0 | 26.6 | 63.0 | 63.3 | 62.8 | 10.6 | 10.7 | 10.6 |
| Madhya Pradesh | 33.9 | 33.6 | 34.7 | 59.7 | 60.2 | 58.6 | 6.4 | 6.2 | 6.8 |
| Maharashtra | 32.6 | 32.4 | 32.9 | 60.5 | 60.7 | 60.2 | 6.9 | 6.9 | 6.9 |
| Odisha | 32.5 | 32.1 | 33.9 | 59.6 | 59.9 | 58.3 | 7.9 | 8.0 | 7.7 |
| Punjab | 34.3 | 34.0 | 34.8 | 60.6 | 60.6 | 60.5 | 5.1 | 5.4 | 4.7 |
| Rajasthan | 33.7 | 34.0 | 32.9 | 60.9 | 60.7 | 61.4 | 5.4 | 5.3 | 5.7 |
| Tamil Nadu | 28.3 | 29.3 | 27.4 | 61.2 | 60.1 | 62.1 | 10.5 | 10.6 | 10.5 |
| Telangana | 31.5 | 29.3 | 34.8 | 60.3 | 61.2 | 59.0 | 8.2 | 9.4 | 6.2 |
| Uttar Pradesh | 41.1 | 40.6 | 42.6 | 55.0 | 55.6 | 53.2 | 3.9 | 3.9 | 4.2 |
| Uttarakhand | 33.6 | 31.9 | 38.0 | 59.5 | 60.8 | 56.1 | 6.9 | 7.3 | 5.9 |
| West Bengal | 31.1 | 31.6 | 30.2 | 61.5 | 61.5 | 61.6 | 7.4 | 7.0 | 8.3 |

Note: Total may not add to 100 due to rounding off. W/D/S- Widowed/Divorced/Separated


Chart 14: Percentage distribution of female aged 10+ by marital status, India and bigger States/UTs, 2018
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
Percentage
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Never married
Married
W/D/S


Chart 15: Percentage distribution of female aged 10+ by marital status, India and bigger States/UTs, 2018 -RURAL
Percentage
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Never married
Married
W/D/S


Chart 16: Percentage distribution of female aged 10+ by marital status
India and bigger States/UTs, 2018 - URBAN
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
Percentage
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Never married
Married
W/D/S


**2.14** Statement 11 given below presents the marital distribution of female population aged 15 years and above by residence. At the National level, 66.3 percent of females aged 15+ are married, the proportion being 66.8 percent in rural and 65.3 percent in urban areas. Among the bigger States/UTs, percentage of such married females varies from 56.6 in Jammu & Kashmir to 70.3 in Haryana. The percentage of never married females varies from 19.8 in Kerala to 39.7 in Jammu & Kashmir. The maximum percentage of Widowed/Divorced/Separated females is 11.6 in Kerala and the minimum is 3.6 in Bihar. Charts 17, 18 and 19 show the distribution of female population aged 15 years and above by marital status of India and bigger States/UTs for Total, Rural and Urban areas respectively.


**Statement 11**


**Percentage distribution of Females aged 15+ by Marital Status and residence India and bigger States/UTs, 2018**

| India and bigger States/UTs | Never married | | | Married | | | W/D/S | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **26.4** | **26.1** | **27.1** | **66.3** | **66.8** | **65.3** | **7.3** | **7.1** | **7.6** |
| Andhra Pradesh | 20.9 | 19.8 | 23.2 | 69.4 | 70.1 | 67.9 | 9.7 | 10.2 | 8.9 |
| Assam | 29.6 | 29.6 | 29.5 | 63.8 | 64.0 | 62.9 | 6.6 | 6.4 | 7.6 |
| Bihar | 30.5 | 30.5 | 30.6 | 65.9 | 66.1 | 64.4 | 3.6 | 3.4 | 5.0 |
| Chhattisgarh | 25.5 | 24.7 | 27.9 | 65.3 | 65.7 | 64.1 | 9.2 | 9.6 | 8.0 |
| Delhi | 31.7 | 29.1 | 31.7 | 62.8 | 65.7 | 62.8 | 5.5 | 5.2 | 5.5 |
| Gujarat | 24.6 | 23.7 | 25.6 | 67.8 | 68.4 | 67.2 | 7.6 | 7.9 | 7.2 |
| Haryana | 24.9 | 24.8 | 25.0 | 70.3 | 70.4 | 70.2 | 4.8 | 4.8 | 4.8 |
| Himachal Pradesh | 22.5 | 21.9 | 29.0 | 68.6 | 69.0 | 65.1 | 8.8 | 9.1 | 5.9 |
| Jammu & Kashmir | 39.7 | 40.5 | 38.1 | 56.6 | 56.0 | 57.8 | 3.7 | 3.5 | 4.2 |
| Jharkhand | 29.3 | 28.7 | 31.0 | 65.5 | 66.2 | 63.6 | 5.2 | 5.1 | 5.5 |
| Karnataka | 22.9 | 21.8 | 24.7 | 66.1 | 66.2 | 65.8 | 11.0 | 12.0 | 9.5 |
| Kerala | 19.8 | 19.5 | 20.1 | 68.6 | 68.9 | 68.4 | 11.6 | 11.6 | 11.6 |
| Madhya Pradesh | 24.0 | 22.9 | 26.9 | 68.6 | 69.8 | 65.6 | 7.3 | 7.2 | 7.6 |
| Maharashtra | 25.2 | 24.1 | 26.5 | 67.1 | 68.1 | 65.9 | 7.7 | 7.7 | 7.6 |
| Odisha | 24.9 | 24.4 | 27.5 | 66.2 | 66.7 | 64.1 | 8.8 | 8.9 | 8.5 |
| Punjab | 28.4 | 28.0 | 29.0 | 66.0 | 66.1 | 65.9 | 5.6 | 5.9 | 5.1 |
| Rajasthan | 24.9 | 24.8 | 25.3 | 69.0 | 69.2 | 68.3 | 6.1 | 6.0 | 6.3 |
| Tamil Nadu | 21.8 | 22.4 | 21.3 | 66.7 | 65.9 | 67.3 | 11.5 | 11.6 | 11.4 |
| Telangana | 24.8 | 22.7 | 28.1 | 66.2 | 67.0 | 65.0 | 9.0 | 10.3 | 6.9 |
| Uttar Pradesh | 32.6 | 31.5 | 35.7 | 62.9 | 64.0 | 59.7 | 4.5 | 4.5 | 4.7 |
| Uttarakhand | 25.1 | 23.0 | 30.9 | 67.1 | 68.8 | 62.5 | 7.8 | 8.2 | 6.6 |
| West Bengal | 23.8 | 23.5 | 24.4 | 68.1 | 68.7 | 66.7 | 8.2 | 7.8 | 8.9 |

Note: Total may not add to 100 due to rounding off. W/D/S- Widowed/Divorced/Separated


Chart 17: Percentage distribution of female aged 15+ by marital status, India and bigger States/UTs, 2018
Percentage
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Never married
Married
W/D/S


Chart 18: Percentage distribution of female aged 15+ by marital status, India and bigger States/UTs, 2018 - RURAL
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
Percentage
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Never married
Married
W/D/S


Chart 19: Percentage distribution of female aged 15+ by marital status, India and bigger States/UTs, 2018 - URBAN
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
Percentage
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Never married
Married
W/D/S


**2.15** In addition to the marital status of males and females, information on the number of females who got effectively married during the reference period of six months of each half yearly survey is also being collected in the SRS from 1990. Based on the information on the number of females who got effectively married during the last one year, mean age at effective marriage for female has been worked out. Statement 12 given below presents percentage distribution of such females by age at effective marriage separately for rural and urban areas. The percentage of females who got effectively married before reaching 18 years of age is 2.3 at the National level and varies from 0.9 in Kerala to 3.7 in West Bengal. Percentage of females marrying at age 21 years and above is 64.5 at the National level and varies from 49.1 in West Bengal to 86.2 in Jammu & Kashmir. About 37.4 percent of the rural females, at the National level, marry between 18 and 20 years of age compared to about 23.2 percent in urban areas. Charts 20, 21 and 22 show the distribution of females, who got effectively married during the last one year, by age at effective marriage of India and bigger States/UTs for Total, Rural and Urban areas respectively.


**Statement 12**


**Percentage of Females by age at Effective Marriage and by residence**
**India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | | | | Rural | | | | Urban | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | <18 | 18-20 | 21+ | All ages | <18 | 18-20 | 21+ | All ages | <18 | 18-20 | 21+ | All ages |
| **India** | **2.3** | **33.2** | **64.5** | **100.0** | **2.6** | **37.4** | **60.0** | **100.0** | **1.6** | **23.2** | **75.3** | **100.0** |
| Andhra Pradesh | 2.3 | 33.8 | 63.9 | 100.0 | 2.4 | 37.4 | 60.1 | 100.0 | 2.1 | 23.2 | 74.7 | 100.0 |
| Assam | 2.4 | 35.0 | 62.6 | 100.0 | 2.5 | 36.9 | 60.6 | 100.0 | 1.4 | 21.1 | 77.6 | 100.0 |
| Bihar | 3.2 | 37.4 | 59.4 | 100.0 | 3.2 | 39.1 | 57.8 | 100.0 | 3.4 | 27.6 | 69.0 | 100.0 |
| Chhattisgarh | 2.0 | 36.4 | 61.6 | 100.0 | 2.1 | 38.1 | 59.8 | 100.0 | 1.9 | 28.5 | 69.6 | 100.0 |
| Delhi | 1.3 | 21.6 | 77.1 | 100.0 | 0.0 | 22.2 | 77.8 | 100.0 | 1.3 | 21.6 | 77.1 | 100.0 |
| Gujarat | 2.0 | 30.3 | 67.7 | 100.0 | 2.6 | 34.9 | 62.5 | 100.0 | 1.0 | 22.5 | 76.5 | 100.0 |
| Haryana | 1.4 | 29.3 | 69.3 | 100.0 | 1.2 | 31.7 | 67.2 | 100.0 | 1.9 | 22.4 | 75.7 | 100.0 |
| Himachal Pradesh | 1.7 | 21.8 | 76.5 | 100.0 | 1.7 | 22.3 | 76.0 | 100.0 | 1.6 | 10.3 | 88.1 | 100.0 |
| Jammu & Kashmir | 1.5 | 12.3 | 86.2 | 100.0 | 1.8 | 14.1 | 84.1 | 100.0 | 1.2 | 9.8 | 89.0 | 100.0 |
| Jharkhand | 2.5 | 33.1 | 64.4 | 100.0 | 3.1 | 36.9 | 60.0 | 100.0 | 1.8 | 28.5 | 69.7 | 100.0 |
| Karnataka | 1.5 | 31.9 | 66.5 | 100.0 | 1.6 | 37.8 | 60.6 | 100.0 | 1.4 | 23.4 | 75.2 | 100.0 |
| Kerala | 0.9 | 25.1 | 74.0 | 100.0 | 1.5 | 27.1 | 71.4 | 100.0 | 0.4 | 23.2 | 76.4 | 100.0 |
| Madhya Pradesh | 2.5 | 42.4 | 55.1 | 100.0 | 2.7 | 46.2 | 51.0 | 100.0 | 1.7 | 27.2 | 71.2 | 100.0 |
| Maharashtra | 2.2 | 29.3 | 68.5 | 100.0 | 2.3 | 33.1 | 64.6 | 100.0 | 2.0 | 23.9 | 74.2 | 100.0 |
| Odisha | 2.9 | 37.4 | 59.7 | 100.0 | 3.1 | 39.1 | 57.8 | 100.0 | 1.6 | 25.8 | 72.5 | 100.0 |
| Punjab | 1.7 | 21.6 | 76.8 | 100.0 | 1.6 | 23.2 | 75.2 | 100.0 | 1.8 | 19.7 | 78.5 | 100.0 |
| Rajasthan | 3.5 | 37.5 | 58.9 | 100.0 | 4.0 | 41.2 | 54.8 | 100.0 | 2.4 | 29.0 | 68.6 | 100.0 |
| Tamil Nadu | 1.9 | 20.8 | 77.3 | 100.0 | 2.1 | 24.1 | 73.8 | 100.0 | 1.8 | 17.4 | 80.8 | 100.0 |
| Telangana | 1.8 | 35.6 | 62.6 | 100.0 | 2.0 | 39.1 | 58.9 | 100.0 | 1.3 | 29.3 | 69.3 | 100.0 |
| Uttar Pradesh | 2.1 | 31.0 | 66.9 | 100.0 | 2.4 | 33.9 | 63.7 | 100.0 | 1.1 | 20.6 | 78.4 | 100.0 |
| Uttarakhand | 1.7 | 26.7 | 71.6 | 100.0 | 1.8 | 29.0 | 69.2 | 100.0 | 1.3 | 19.5 | 79.2 | 100.0 |
| West Bengal | 3.7 | 47.2 | 49.1 | 100.0 | 3.8 | 51.0 | 45.2 | 100.0 | 3.5 | 33.9 | 62.6 | 100.0 |

## Chart 20: Percentage of Females by age at Effective Marriage, India and bigger States/UTs, 2018




Chart 21: Percentage of Females by age at Effective Marriage, India and bigger States/UTs, 2018 - RURAL
Percentage
90
80
70
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
<18 years
18-20 years
21+ years



Chart 22: Percentage of Females by age at Effective Marriage, India and bigger States/UTs, 2018 - URBAN
Percentage
100
90
80
70
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
<18 years
18-20 years
21+ years


**2.16** Statement 13 given below provides the mean age at effective marriage of these females by residence for India and bigger States/UTs. At the National level, the mean age at effective marriage for females in the year 2018 is 22.3 years and varies from 21.8 years in rural areas to 23.4 years in urban areas. Among the bigger States/UTs, the mean age varies from 20.9 years in West Bengal to 25.6 years in Jammu & Kashmir. Charts 23, 24 and 25 show the distribution of females, who got married in the last one year, by age at effective marriage of India and bigger States/UTs for Total, Rural and Urban areas respectively.


**Statement 13**

**Mean Age at Effective Marriage of Females by residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Age at effective marriage | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | Rural | | | | Urban | | | |
| | < 18 | 18-20 | 21+ | All Ages | < 18 | 18-20 | 21+ | All Ages | < 18 | 18-20 | 21+ | All Ages |
| **India** | **16.8** | **19.2** | **24.0** | **22.3** | **16.8** | **19.2** | **23.6** | **21.8** | **16.9** | **19.3** | **24.8** | **23.4** |
| Andhra Pradesh | 16.9 | 19.3 | 23.8 | 22.1 | 16.9 | 19.3 | 23.6 | 21.8 | 16.9 | 19.2 | 24.1 | 22.8 |
| Assam | 17.0 | 19.0 | 24.0 | 22.1 | 17.0 | 19.0 | 23.7 | 21.8 | 17.0 | 19.2 | 25.5 | 24.0 |
| Bihar | 16.8 | 19.2 | 23.6 | 21.7 | 16.8 | 19.2 | 23.4 | 21.5 | 16.8 | 19.4 | 24.6 | 22.9 |
| Chhattisgarh | 16.9 | 19.2 | 23.8 | 22.0 | 16.9 | 19.2 | 23.5 | 21.7 | 17.0 | 19.3 | 24.9 | 23.2 |
| Delhi | 17.0 | 19.4 | 25.1 | 23.7 | - | 18.5 | 27.0 | 25.1 | 17.0 | 19.4 | 25.0 | 23.7 |
| Gujarat | 16.9 | 19.3 | 24.2 | 22.6 | 16.8 | 19.3 | 23.6 | 22.0 | 17.0 | 19.5 | 25.0 | 23.7 |
| Haryana | 16.9 | 19.2 | 23.9 | 22.4 | 16.8 | 19.2 | 23.7 | 22.2 | 17.0 | 19.4 | 24.4 | 23.2 |
| Himachal Pradesh | 16.8 | 19.1 | 25.1 | 23.6 | 16.9 | 19.1 | 25.0 | 23.5 | 16.5 | 19.5 | 26.2 | 25.4 |
| Jammu & Kashmir | 17.0 | 19.3 | 26.7 | 25.6 | 17.0 | 19.3 | 25.9 | 24.8 | 17.0 | 19.3 | 27.7 | 26.8 |
| Jharkhand | 17.0 | 19.3 | 25.8 | 23.4 | 17.0 | 19.1 | 25.1 | 22.6 | 17.0 | 19.5 | 26.6 | 24.4 |
| Karnataka | 16.9 | 19.3 | 24.3 | 22.6 | 16.9 | 19.3 | 23.6 | 21.9 | 17.0 | 19.4 | 25.2 | 23.7 |
| Kerala | 17.0 | 19.1 | 24.6 | 23.2 | 17.0 | 19.0 | 24.6 | 23.0 | 17.0 | 19.2 | 24.7 | 23.4 |
| Madhya Pradesh | 16.8 | 19.1 | 23.3 | 21.4 | 16.8 | 19.1 | 22.9 | 21.0 | 16.8 | 19.4 | 24.5 | 23.0 |
| Maharashtra | 17.0 | 19.2 | 24.2 | 22.6 | 17.0 | 19.2 | 23.4 | 21.8 | 17.0 | 19.2 | 25.2 | 23.6 |
| Odisha | 16.7 | 19.1 | 24.0 | 21.9 | 16.6 | 19.1 | 23.8 | 21.7 | 16.9 | 19.3 | 25.0 | 23.4 |
| Punjab | 16.8 | 19.4 | 25.2 | 23.8 | 16.5 | 19.3 | 24.9 | 23.5 | 17.0 | 19.5 | 25.5 | 24.2 |
| Rajasthan | 16.8 | 19.0 | 23.7 | 21.7 | 16.8 | 18.9 | 23.5 | 21.4 | 17.0 | 19.3 | 24.0 | 22.5 |
| Tamil Nadu | 16.9 | 19.3 | 24.4 | 23.2 | 16.9 | 19.3 | 24.1 | 22.8 | 16.9 | 19.2 | 24.7 | 23.6 |
| Telangana | 16.9 | 19.3 | 23.5 | 21.9 | 17.0 | 19.2 | 23.3 | 21.6 | 16.9 | 19.4 | 24.0 | 22.5 |
| Uttar Pradesh | 17.0 | 19.4 | 23.8 | 22.3 | 17.0 | 19.4 | 23.3 | 21.9 | 17.0 | 19.7 | 25.3 | 24.1 |
| Uttarakhand | 16.9 | 19.4 | 23.5 | 22.3 | 17.0 | 19.4 | 23.2 | 22.0 | 16.8 | 19.5 | 24.0 | 23.1 |
| West Bengal | 16.7 | 18.9 | 23.1 | 20.9 | 16.7 | 18.9 | 22.6 | 20.5 | 16.8 | 19.1 | 24.3 | 22.3 |


Chart 23: Mean Age at Effective Marriage of Females, India and bigger States/UTs, 2018
Percentage
28
26
24
22
20
18
16
14
12
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
< 18 years
18-20 years
21+ years
All Ages


Chart 24: Mean Age at Effective Marriage of Females, India and bigger States/UTs, 2018 - RURAL
Percentage
28
26
24
22
20
18
16
14
12
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
< 18 years
18-20 years
21+ years
All Ages


Chart 25: Mean Age at Effective Marriage of Females, India and bigger States/UTs, 2018 - URBAN
Percentage
28
26
24
22
20
18
16
14
12
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
< 18 years
18-20 years
21+ years
All Ages

# CHAPTER - 3

# ESTIMATES OF FERTILITY INDICATORS

Since inception, SRS has been providing data for estimating various fertility measures. The fertility indicators considered in this chapter are Crude Birth Rate, General Fertility Rate, Age Specific/Marital Fertility Rates, Total /Marital Fertility Rates and Gross Reproduction Rate. Apart from this, the chapter includes sex ratio at birth. To examine the changes in the levels of fertility during the last decade, the average values of these fertility indicators for the years 2016-18 are compared with that for 2006-08.

**3.2** The crude birth rate (CBR) at all India level had declined from 36.9 in 1971 to 33.9 in 1981, registering a fall of about 8 per cent. During 1991-2018, the decline has been about 32 percent, from 29.5 to 20.0. The rural-urban differential has also narrowed over these years. However, the CBR has continued to be higher in rural areas compared to urban areas in the last three decades. The total fertility rate (TFR) has declined from 5.2 to 4.5 during 1971 to 1981 and from 3.6 to 2.2 during 1991 to 2018. The TFR in rural areas has declined from 5.4 to 2.4 from 1971 to 2018 whereas the corresponding decline in urban areas has been from 4.1 to 1.7 during the same period. In 2018, around 82.5 percent of the deliveries were institutional which includes Government as well as private hospitals. The percentage of institutional deliveries in urban areas is 94.7 as against about 78.1 percent recorded in rural areas.

**3.3** The data on most of the fertility indicators has been presented by age, sex and residence for all bigger States/UTs and India. This chapter also includes data on fertility by level of education, order of birth, birth interval and medical attention at birth.


**3.4** Apart from the fertility indicators at State and National levels, the SRS report 2018 also provides estimates of birth rates at sub-State, viz. NSS Natural Division Level. NSS natural divisions have been formed taking into consideration the geography of the State and by grouping contiguous districts having similar topography, population density, cropping pattern and rainfall etc. The Table 11 of this report contains data on birth rate besides death and infant mortality rate for 71 Natural Divisions of 22 bigger States/UTs.


**3.5** Statement 14 below provides the Crude Birth Rate (CBR) by residence for India and bigger States/UTs for the year 2018. The CBR at national level is 20.0 varying from 21.6 in rural to16.7 in urban areas. Andhra Pradesh, Delhi, Gujarat, Himachal Pradesh, Jammu & Kashmir, Karnataka, Kerala, Maharashtra, Odisha, Punjab, Tamil Nadu, Telangana, Uttarakhand and West Bengal are the States having birth rate below 20. On the other hand, Bihar has the highest birth rate in rural areas (26.8) followed by Uttar Pradesh (26.6); whereas Uttar Pradesh has the highest birth rate in urban areas (22.5) followed by Bihar (21.9). The lowest CBR was recorded in rural areas of Kerala (13.8) and in urban areas of Himachal Pradesh (10.3). Based on the figures in the Statement 14 given below, the graphical representation of birth rate of bigger States/UTs by residence is depicted in Chart 26. Chart 27 gives the distribution of bigger States/UTs by values of birth rate for rural and urban areas.

**Statement 14**

**CBR (Crude Birth Rate) by residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **20.0** | **21.6** | **16.7** |
| Andhra Pradesh | 16.0 | 16.4 | 15.3 |
| Assam | 21.1 | 22.2 | 14.6 |
| Bihar | 26.2 | 26.8 | 21.9 |
| Chhattisgarh | 22.5 | 24.0 | 17.8 |
| Delhi | 14.7 | 16.2 | 14.7 |
| Gujarat | 19.7 | 21.6 | 17.4 |
| Haryana | 20.3 | 21.7 | 18.0 |
| Himachal Pradesh | 15.7 | 16.2 | 10.3 |
| Jammu & Kashmir | 15.4 | 17.0 | 11.7 |
| Jharkhand | 22.6 | 24.0 | 18.1 |
| Karnataka | 17.2 | 18.1 | 15.9 |
| Kerala | 13.9 | 13.8 | 14.0 |
| Madhya Pradesh | 24.6 | 26.6 | 19.1 |
| Maharashtra | 15.6 | 15.9 | 15.2 |
| Odisha | 18.2 | 19.2 | 13.4 |
| Punjab | 14.8 | 15.3 | 14.0 |
| Rajasthan | 24.0 | 24.9 | 21.3 |
| Tamil Nadu | 14.7 | 14.8 | 14.6 |
| Telangana | 16.9 | 17.2 | 16.5 |
| Uttar Pradesh | 25.6 | 26.6 | 22.5 |
| Uttarakhand | 16.7 | 16.8 | 16.4 |
| West Bengal | 15.0 | 16.5 | 11.5 |


Chart 26: Crude Birth Rate by residence, India and bigger States/UTs, 2018
Crude Birth Rate
30.0
25.0
20.0
15.0
10.0
5.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban


Chart 27: Distribution of bigger States/UTs by values of Birth Rate for rural and urban areas, 2018
Urban Birth Rate
Rural Birth Rate
Line of equity
Uttar Pradesh
Bihar
Rajasthan
Madhya Pradesh
Chhattisgarh
Haryana
Jharkhand
Gujarat
India
Uttarakhand
Telangana
Karnataka
Maharashtra
Andhra Pradesh
Tamil Nadu
Delhi
Assam
Kerala
Punjab
Odisha
West Bengal
Jammu & Kashmir
Himachal Pradesh


**3.6** Statement 15 below provides the percentage change in average crude birth rate between the periods 2006-08 and 2016-18 for India and bigger States/UTs separately for rural and urban areas. At the national level, the rate of decline in birth rate is 12.6 percent. The rate of decline in average birth rate varies from 18.0 percent in Jammu & Kashmir to 4.1 percent in Kerala. Such decline in rural areas is from 20.1 percent in Uttarakhand to 4.7 percent in Kerala. The 3-year average crude birth rate has declined in both rural and urban areas of all bigger States/UTs. Charts 28, 29 and 30 depict the average birth rate between 2006-08 and 2016-18 of India and bigger States/UTs for Total, Rural and Urban areas respectively. Chart 31 shows the percentage change in average birth rate between 2006-08 and 2016-18 by residence for India and bigger States/UTs.


**Statement 15**

**Percentage change in average Crude Birth Rate between 2006-08 and 2016-18 by residence, India and bigger States/UTs**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change |
| **India** | **23.1** | **20.2** | **-12.6** | **24.8** | **21.8** | **-12.1** | **18.6** | **16.8** | **-9.7** |
| Andhra Pradesh* | 18.7 | 16.6 | -11.2 | 19.5 | 16.9 | -13.3 | 16.7 | 16.2 | -3.0 |
| Assam | 24.3 | 21.3 | -12.3 | 25.7 | 22.5 | -12.5 | 15.5 | 14.8 | -4.5 |
| Bihar | 29.4 | 26.2 | -10.9 | 30.2 | 27.0 | -10.6 | 22.8 | 20.8 | -8.8 |
| Chhattisgarh | 26.7 | 22.7 | -15.0 | 28.1 | 24.1 | -14.2 | 19.6 | 18.0 | -8.2 |
| Delhi | 18.3 | 15.1 | -17.5 | 19.9 | 16.6 | -16.6 | 18.1 | 15.1 | -16.6 |
| Gujarat | 23.0 | 19.9 | -13.5 | 24.5 | 21.8 | -11.0 | 20.7 | 17.5 | -15.5 |
| Haryana | 23.4 | 20.5 | -12.4 | 24.6 | 21.9 | -11.0 | 20.8 | 18.2 | -12.5 |
| Himachal Pradesh | 18.0 | 15.8 | -12.2 | 18.6 | 16.3 | -12.4 | 12.4 | 10.4 | -16.1 |
| Jammu & Kashmir | 18.9 | 15.5 | -18.0 | 20.2 | 17.1 | -15.3 | 14.1 | 11.8 | -16.3 |
| Jharkhand | 26.0 | 22.7 | -12.7 | 27.8 | 24.2 | -12.9 | 18.9 | 18.2 | -3.7 |
| Karnataka | 20.0 | 17.4 | -13.0 | 21.2 | 18.3 | -13.7 | 17.7 | 16.1 | -9.0 |
| Kerala | 14.7 | 14.1 | -4.1 | 14.8 | 14.1 | -4.7 | 14.5 | 14.2 | -2.1 |
| Madhya Pradesh | 28.5 | 24.7 | -13.3 | 30.6 | 26.6 | -13.1 | 21.5 | 19.3 | -10.2 |
| Maharashtra | 18.2 | 15.7 | -13.7 | 18.8 | 16.0 | -14.9 | 17.3 | 15.4 | -11.0 |
| Odisha | 21.6 | 18.4 | -14.8 | 22.5 | 19.4 | -13.8 | 16.1 | 13.6 | -15.5 |
| Punjab | 17.6 | 14.9 | -15.3 | 18.2 | 15.5 | -14.8 | 16.5 | 14.1 | -14.5 |
| Rajasthan | 27.9 | 24.1 | -13.6 | 29.2 | 25.0 | -14.4 | 23.7 | 21.5 | -9.3 |
| Tamil Nadu | 16.0 | 14.9 | -6.9 | 16.2 | 15.0 | -7.4 | 15.7 | 14.8 | -5.7 |
| Uttar Pradesh | 29.6 | 25.7 | -13.2 | 30.5 | 26.8 | -12.1 | 25.5 | 22.5 | -11.8 |
| Uttarakhand | 20.5 | 16.9 | -17.6 | 21.4 | 17.1 | -20.1 | 16.9 | 16.3 | -3.6 |
| West Bengal | 17.9 | 15.2 | -15.1 | 20.0 | 16.7 | -16.5 | 12.5 | 11.7 | -6.4 |

***** Andhra Pradesh includes Telangana.


Chart 28: Average birth rate between 2006-08 & 2016-18 , India and bigger States/UTs
35.0
30.0
25.0
20.0
15.0
10.0
Percentage
2006-08
2016-18
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs


Chart 29: Average birth rate between 2006-08 & 2016-18, India and bigger States/UTs -RURAL
35.0
30.0
25.0
20.0
15.0
10.0
Percentage
2006-08
2016-18
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs




Chart 30: Average birth rate between 2006-08 & 2016-18, India and bigger States/UTs - URBAN
Percentage
28.0
26.0
24.0
22.0
20.0
18.0
16.0
14.0
12.0
10.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
2006-08
2016-18

**Chart 31: Per cent change in average birth rate between 2006-08 & 2016-18 by residence, India and bigger States/UTs**




**3.7** The Statement 16 below presents sex ratio at birth during the period 2016-18. The sex ratio at birth for the country for the period 2016-18 (3-years average) has been estimated at 899. At National level, it is 900 in rural areas and 897 in urban areas. Among the bigger States/UTs, the sex ratio at birth varies from 958 in Chhattisgarh to 840 in Uttarakhand. In the rural areas, the highest and the lowest sex ratio at birth are in the States of Chhattisgarh (976) and Haryana (840) respectively. The sex ratio at birth in urban areas varies from 968 in Madhya Pradesh to 810 in Uttarakhand. Chart 32 depicts the variation in sex ratio at birth by residence among bigger States/UTs in the country.

**Statement 16**

**Sex ratio (female per 1000 male) at birth by residence, India and bigger States/UTs, 2016-2018**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **899** | **900** | **897** |
| Andhra Pradesh | 920 | 930 | 898 |
| Assam | 925 | 927 | 905 |
| Bihar | 895 | 896 | 883 |
| Chhattisgarh | 958 | 976 | 881 |
| Delhi | 844 | 960 | 841 |
| Gujarat | 866 | 866 | 865 |
| Haryana | 843 | 840 | 847 |
| Himachal Pradesh | 930 | 932 | 891 |
| Jammu & Kashmir | 927 | 930 | 917 |
| Jharkhand | 923 | 932 | 888 |
| Karnataka | 924 | 949 | 881 |
| Kerala | 957 | 967 | 947 |
| Madhya Pradesh | 925 | 914 | 968 |
| Maharashtra | 880 | 878 | 881 |
| Odisha | 933 | 940 | 891 |
| Punjab | 890 | 878 | 908 |
| Rajasthan | 871 | 874 | 860 |
| Tamil Nadu | 908 | 913 | 903 |
| Telangana | 901 | 918 | 875 |
| Uttar Pradesh | 880 | 865 | 934 |
| Uttarakhand | 840 | 851 | 810 |
| West Bengal | 941 | 947 | 923 |



Chart 32: Sex ratio at birth by residence, India and bigger States/UTs, 2016-2018
1000
950
900
850
800
750
700
Sex Ratio at Birth
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban


**3.9** Estimates of General Fertility Rate (GFR), a refined measure of fertility, being defined as the number of live births per thousand women in the reproductive age group 15-49 years, is a useful tool for measuring fertility. The GFR for all-India and bigger States/UTs are given below in Statement 17 separately for rural and urban areas. At the national level, 70.4 children were born to every thousand women aged 15-49 years. This number varies from 56.7 in urban areas to 77.4 in rural areas. Among the bigger States/UTs, GFR varies from 48.6 in Kerala to 99.8 in Bihar. Chart 33 gives a pictorial comparison of bigger States/UTs by level of GFR. It can be seen that GFR in rural areas of Kerala is just higher than urban areas with a difference of 0.3. Chart 34 gives the distribution of bigger States/UTs by values of GFR for rural and urban areas.

**Statement 17**

**GFR (General Fertility Rate) by residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **70.4** | **77.4** | **56.7** |
| Andhra Pradesh | 53.5 | 55.5 | 49.4 |
| Assam | 73.4 | 77.7 | 49.2 |
| Bihar | 99.8 | 102.5 | 82.8 |
| Chhattisgarh | 78.7 | 85.2 | 58.9 |
| Delhi | 50.3 | 57.1 | 50.1 |
| Gujarat | 70.1 | 78.5 | 60.2 |
| Haryana | 72.7 | 78.7 | 63.2 |
| Himachal Pradesh | 53.7 | 55.4 | 34.7 |
| Jammu & Kashmir | 50.4 | 56.3 | 37.6 |
| Jharkhand | 80.8 | 86.7 | 63.4 |
| Karnataka | 57.8 | 61.4 | 52.4 |
| Kerala | 48.6 | 48.7 | 48.4 |
| Madhya Pradesh | 91.2 | 100.5 | 67.3 |
| Maharashtra | 55.1 | 59.4 | 50.4 |
| Odisha | 63.4 | 67.6 | 44.6 |
| Punjab | 52.3 | 54.7 | 49.1 |
| Rajasthan | 86.0 | 90.5 | 73.7 |
| Tamil Nadu | 51.2 | 52.0 | 50.6 |
| Telangana | 55.0 | 56.9 | 52.2 |
| Uttar Pradesh | 91.4 | 96.7 | 76.4 |
| Uttarakhand | 61.5 | 62.4 | 59.2 |
| West Bengal | 50.0 | 55.0 | 38.5 |


Chart 33: General fertility rate (GFR) by residence, India & bigger States/UTs, 2018
General Fertility Rate
110.0
100.0
90.0
80.0
70.0
60.0
50.0
40.0
30.0
20.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban


Chart 34: Distribution of bigger States/UTs by values of General Fertility Rate (GFR) for rural and urban areas, 2018
Urban General Fertility Rate
Rural General Fertility Rate
140
130
120
110
100
90
80
70
60
50
40
30
30
40
50
60
70
80
90
100
110
120
130
140
Bihar
Uttar Pradesh
Rajasthan
Madhya Pradesh
Haryana
Jharkhand
Gujarat
Chhattisgarh
Uttarakhand
India
Telangana
Karnataka
Tamil Nadu
Delhi
Maharashtra
Andhra Pradesh
Assam
Kerala
Punjab
Odisha
West Bengal
Jammu & Kashmir
Himachal Pradesh


**3.10** Changes in the average level of General Fertility Rate (GFR) between 2006-08 and 2016-18 for India and bigger States/UTs are shown below in Statement 18. At the all India level, a decline of 19.8 percent in GFR has been registered during the decade and it varies from 20.1 percent in rural to 14.1 percent in urban areas. Among the bigger States/UTs, the percentage decline in GFR varies from 26.8 in Jammu & Kashmir to 4.8 in Kerala. Charts 35, 36 and 37 depict the average GFR between 2006-08 and 2016-18 of India and bigger States/UTs for Total, Rural and Urban areas respectively. Chart 38 shows the percentage change in average GFR between 2006-08 and 2016-18 by residence for India and bigger States/UTs.


**Statement 18**

**Percent change in average GFR (General Fertility Rate) between 2006-08 and 2016-18 by residence, India and bigger States/UTs**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change |
| **India** | **90.3** | **72.4** | **-19.8** | **99.6** | **79.6** | **-20.1** | **67.6** | **58.1** | **-14.1** |
| Andhra Pradesh* | 66.4 | 55.8 | -16.0 | 70.6 | 57.7 | -18.3 | 56.8 | 52.4 | -7.7 |
| Assam | 92.1 | 75.6 | -17.9 | 99.7 | 80.1 | -19.7 | 52.9 | 50.6 | -4.3 |
| Bihar | 124.7 | 101.2 | -18.8 | 131.1 | 104.9 | -20.0 | 85.2 | 78.9 | -7.4 |
| Chhattisgarh | 102.5 | 80.2 | -21.8 | 111.2 | 86.9 | -21.9 | 68.9 | 60.0 | -12.9 |
| Delhi | 69.3 | 52.8 | -23.8 | 75.9 | 60.5 | -20.3 | 68.1 | 52.6 | -22.8 |
| Gujarat | 88.4 | 72.0 | -18.6 | 96.1 | 80.6 | -16.1 | 76.9 | 61.8 | -19.6 |
| Haryana | 90.9 | 75.1 | -17.4 | 97.1 | 81.2 | -16.4 | 77.4 | 65.1 | -15.9 |
| Himachal Pradesh | 63.8 | 55.0 | -13.8 | 66.2 | 56.7 | -14.4 | 42.4 | 35.4 | -16.5 |
| Jammu & Kashmir | 70.8 | 51.8 | -26.8 | 77.7 | 58.2 | -25.1 | 48.6 | 38.3 | -21.2 |
| Jharkhand | 107.6 | 82.7 | -23.1 | 117.2 | 88.7 | -24.3 | 72.2 | 64.6 | -10.5 |
| Karnataka | 71.6 | 59.6 | -16.8 | 78.0 | 63.3 | -18.8 | 60.8 | 54.1 | -11.0 |
| Kerala | 52.3 | 49.8 | -4.8 | 52.7 | 50.1 | -4.9 | 51.2 | 49.5 | -3.3 |
| Madhya Pradesh | 112.3 | 91.7 | -18.3 | 123.2 | 100.8 | -18.2 | 77.0 | 68.2 | -11.4 |
| Maharashtra | 68.8 | 56.8 | -17.4 | 74.4 | 61.0 | -18.0 | 62.0 | 52.0 | -16.1 |
| Odisha | 80.8 | 64.7 | -19.9 | 85.2 | 68.9 | -19.1 | 56.2 | 45.5 | -19.0 |
| Punjab | 66.6 | 53.9 | -19.1 | 70.0 | 56.5 | -19.3 | 61.2 | 50.4 | -17.6 |
| Rajasthan | 116.3 | 87.8 | -24.5 | 125.4 | 92.4 | -26.3 | 90.7 | 75.2 | -17.1 |
| Tamil Nadu | 56.6 | 52.4 | -7.4 | 59.0 | 53.5 | -9.3 | 53.5 | 51.3 | -4.1 |
| Uttar Pradesh* | 124.2 | 93.3 | -24.9 | 131.5 | 98.8 | -24.9 | 97.1 | 77.4 | -20.3 |
| West Bengal | 66.8 | 51.7 | -22.6 | 75.8 | 56.9 | -24.9 | 44.5 | 39.8 | -10.6 |

*: Andhra Pradesh and Uttar Pradesh include Telangana and Uttarakhand respectively


Chart 35: GFR (General Fertility Rate) between 2006-08 & 2016-18 , India and bigger States/UTs
General Fertility Rate
140.0
130.0
120.0
110.0
100.0
90.0
80.0
70.0
60.0
50.0
40.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
India and bigger States/UTs
2006-08
2016-18


Chart 36: GFR (General Fertility Rate) between 2006-08 & 2016-18 ,
India and bigger States/UTs -RURAL
General Fertility Rate
140.0
130.0
120.0
110.0
100.0
90.0
80.0
70.0
60.0
50.0
40.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
India and bigger States/UTs
2006-08
2016-18




Chart 37: GFR (General Fertility Rate) between 2006-08 & 2016-18 ,
India and bigger States/UTs - URBAN
General Fertility Rate
100.0
90.0
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
-
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
India and bigger States/UTs
2006-08
2016-18

**Chart 38: Percent change in average GFR (General Fertility Rate) between, 2006-08 & 2016-18 by residence, India and bigger States/UTs**



**Fertility by age of women**


**3.11** Age of women is an important factor affecting the fertility levels. On the basis of data on births to women by specific age groups in the reproductive span 15-49 years as available from SRS, age specific fertility rates have been calculated. Statement 19 below presents the age specific fertility rates for India by residence.

**3.12** The data reveals that fertility in all the age groups is higher in rural areas than in urban areas. This distribution of age-specific fertility by residence is presented in chart 39. The fertility reaches the peak in the age group 25-29 and declines thereafter, irrespective of the place of residence. ASFR curve for urban areas falls under the ASFR curve of rural areas. Both Rural and Urban ASFR curves have declined very steeply after attaining peak for age 25-29.

**Statement 19**

**ASFRs (Age Specific Fertility Rates) by residence, India, 2018**

| Age Groups | Total | Rural | Urban |
|---|---|---|---|
| 15-19 | 12.2 | 13.5 | 8.4 |
| 20-24 | 122.9 | 135.9 | 91.5 |
| 25-29 | 146.4 | 160.1 | 119.1 |
| 30-34 | 94.7 | 101.3 | 81.7 |
| 35-39 | 36.9 | 40.7 | 30.2 |
| 40-44 | 12.7 | 14.8 | 9.1 |
| 45-49 | 4.4 | 5.5 | 2.4 |


Chart 39: Age-Specific Fertility Rates by residence, India, 2018
180.0
160.0
140.0
120.0
100.0
80.0
60.0
40.0
20.0
0.0
Age-Specific Fertility Rate
15-19
20-24
25-29
30-34
35-39
40-44
45-49
Age Group
Total
Rural
Urban


**3.13** The percentage change in age specific fertility rate during the last decade is presented below in Statement 20 separately for rural and urban areas. The data pertains to changes in the age specific fertility rates for the quinquennial age groups based on average value for three years period viz. 2006-08 and 2016-18 for all-India.


**3.14** During the last decade, the fertility declined in the older age groups in rural areas while it increased for the corresponding age groups in urban areas. The decline in fertility is slower in the middle age groups 20-34 for both the areas. At the national level, fertility has declined in all age-groups except in the age-group 30-34. Charts 40, 41 and 42 depict the average Age-Specific Fertility Rates of India between 2006-08 and 2016-18 for Total, Rural and Urban areas respectively. Chart 43 shows the percentage change in average Age-Specific Fertility Rates between 2006-08 and 2016-18 by residence.


**Statement 20**


**Percent change in Age Specific Fertility Rates by residence between 2006-08 and 2016-18, India**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change |
| **15-19** | 42.7 | 12.0 | -71.9 | 49.2 | 13.6 | -72.4 | 24.6 | 7.8 | -68.3 |
| **20-24** | 207.3 | 131.8 | -36.4 | 227.2 | 147.1 | -35.3 | 158.6 | 97.2 | -38.7 |
| **25-29** | 161.5 | 156.5 | -3.1 | 173.3 | 170.6 | -1.6 | 134.2 | 129.5 | -3.5 |
| **30-34** | 75.9 | 90.2 | 18.8 | 83.7 | 97.2 | 16.1 | 56.5 | 77.4 | 37.0 |
| **35-39** | 33.4 | 33.2 | -0.6 | 39.7 | 36.6 | -7.8 | 18.7 | 27.1 | 44.9 |
| **40-44** | 13.2 | 11.6 | -12.1 | 16.5 | 13.5 | -18.2 | 5.5 | 8.3 | 50.9 |
| **45-49** | 5.0 | 4.0 | -20.0 | 6.6 | 4.8 | -27.3 | 1.6 | 2.4 | 50.0 |


Chart 40: Age specific fertility rates, India: 2006-08 and 2016-18
250
200
150
100
50
0
Age-Specific Fertility Rate
15-19
20-24
25-29
30-34
35-39
40-44
45-49
Age Group
2006-08
2016-18


Chart 41: Age specific fertility rates between : 2006-08 and 2016-18, India - RURAL
250
200
150
100
50
0
Age-Specific Fertility Rate
15-19
20-24
25-29
30-34
35-39
40-44
45-49
Age Group
2006-08
2016-18


Chart 42: Age specific fertility rates between : 2006-08 and 2016-18, India - URBAN
180
160
140
120
100
80
60
40
20
0
Age-Specific Fertility Rate
15-19
20-24
25-29
30-34
35-39
40-44
45-49
Age Group
2006-08
2016-18


Chart 43: Per cent change in age specific fertility rates by residence between : 2006-08 and 2016-18, India
15-19
20-24
25-29
30-34
35-39
40-44
45-49
60.0
40.0
20.0
0.0
-20.0
-40.0
-60.0
-80.0
Percentage Change
Age Group
Total
Rural
Urban

**3.15** The fertility pattern by age groups in different States is presented below in Statement 21. Except for Andhra Pradesh, Maharashtra and West Bengal where fertility reached its peak in the age group 20-24 and Jammu & Kashmir where fertility reached its peak in the age group 30-34, the highest fertility in all the other bigger States/UTs has been attained in the age group 25-29. Fertility, however, declines from age 30 in all the bigger States/UTs, except Jammu & Kashmir where it declines from age 35. The ASFR in the younger age group 15-19 varies from 3.1 in Jammu & Kashmir to 33.4 in West Bengal. In the age group 30-34, the variation in the level of ASFR is from 46.8 in Andhra Pradesh to 171.4 in Bihar. The rural-urban levels in ASFR for bigger States/UTs are shown in Table 3.

**Statement 21**

**ASFRs (Age Specific Fertility Rates), India and bigger States/UTs, 2018**


| India and bigger States/UTs | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 |
|---|---|---|---|---|---|---|---|
| **India** | **12.2** | **122.9** | **146.4** | **94.7** | **36.9** | **12.7** | **4.4** |
| Andhra Pradesh | 10.2 | 124.3 | 110.5 | 46.8 | 16.1 | 6.6 | 2.8 |
| Assam | 22.0 | 104.1 | 136.6 | 112.5 | 51.1 | 16.1 | 6.2 |
| Bihar | 11.9 | 139.7 | 219.7 | 171.4 | 59.9 | 22.8 | 6.6 |
| Chhattisgarh | 15.1 | 157.6 | 163.2 | 96.2 | 36.1 | 10.6 | 2.3 |
| Delhi | 3.2 | 74.1 | 114.7 | 65.7 | 24.6 | 8.0 | 1.7 |
| Gujarat | 10.9 | 135.5 | 153.6 | 82.5 | 28.1 | 8.8 | 3.4 |
| Haryana | 5.0 | 118.3 | 169.1 | 91.4 | 33.7 | 10.6 | 7.0 |
| Himachal Pradesh | 11.5 | 80.9 | 117.3 | 79.3 | 26.5 | 4.5 | 1.4 |
| Jammu & Kashmir | 3.1 | 39.8 | 84.2 | 104.2 | 60.3 | 19.8 | 6.5 |
| Jharkhand | 13.9 | 139.2 | 162.9 | 108.4 | 44.9 | 23.5 | 4.6 |
| Karnataka | 7.9 | 102.2 | 120.7 | 76.7 | 22.8 | 5.9 | 3.2 |
| Kerala | 11.9 | 88.2 | 111.6 | 83.5 | 29.3 | 6.2 | 0.7 |
| Madhya Pradesh | 15.5 | 165.6 | 198.8 | 102.7 | 42.2 | 13.0 | 4.0 |
| Maharashtra | 8.8 | 119.1 | 107.2 | 69.0 | 21.1 | 6.1 | 1.6 |
| Odisha | 10.3 | 112.8 | 129.2 | 78.5 | 28.9 | 11.8 | 2.7 |
| Punjab | 4.5 | 78.7 | 109.0 | 76.8 | 32.4 | 9.9 | 3.5 |
| Rajasthan | 9.0 | 154.0 | 187.6 | 100.1 | 39.0 | 11.8 | 6.0 |
| Tamil Nadu | 8.6 | 95.6 | 122.7 | 64.3 | 19.3 | 3.1 | 1.3 |
| Telangana | 7.0 | 112.5 | 117.5 | 59.1 | 16.6 | 7.4 | 2.5 |
| Uttar Pradesh | 8.5 | 124.9 | 189.1 | 147.8 | 72.8 | 28.7 | 10.4 |
| Uttarakhand | 5.5 | 93.6 | 133.7 | 77.9 | 34.9 | 9.6 | 3.5 |
| West Bengal | 33.4 | 115.0 | 69.9 | 56.6 | 18.5 | 7.9 | 3.5 |

**3.16** The percentage distribution of cumulative fertility by woman's age is shown below in Statement 22 for India and bigger States/UTs for the year 2018. The percentage share of fertility by woman in the age group 15-19 varies from 0.9 in Jammu & Kashmir to 10.7 in West Bengal. By the age 34, the percentage share of cumulative fertility varies from 79.7 in Jammu & Kashmir to 94.0 in Telangana. The percentage share in cumulative fertility for women by the age 39 years varies from 94.9 in Jammu & Kashmir to 99.0 in Tamil Nadu. Chart 44 gives percentage cumulative age specific fertility rate for India by residence.

**Statement 22**

**Percentage distribution of cumulative fertility by age group, India and bigger States/UTs, 2018**

| India and bigger States/UTs | 15-19 | 15-24 | 15-29 | 15-34 | 15-39 | 15-44 | 15-49 |
|---|---|---|---|---|---|---|---|
| **India** | **2.9** | **35.5** | **71.8** | **90.9** | **97.5** | **99.4** | **100.0** |
| Andhra Pradesh | 2.6 | 43.2 | 80.6 | 93.7 | 98.1 | 99.5 | 100.0 |
| Assam | 5.1 | 32.6 | 65.2 | 88.4 | 97.0 | 99.3 | 100.0 |
| Bihar | 2.7 | 30.9 | 69.1 | 91.0 | 97.6 | 99.5 | 100.0 |
| Chhattisgarh | 3.3 | 41.0 | 76.1 | 92.3 | 98.3 | 99.7 | 100.0 |
| Delhi | 1.0 | 27.8 | 70.3 | 91.8 | 98.1 | 99.7 | 100.0 |
| Gujarat | 2.5 | 37.5 | 75.5 | 93.1 | 98.1 | 99.5 | 100.0 |
| Haryana | 1.1 | 33.5 | 74.4 | 91.8 | 97.6 | 99.1 | 100.0 |
| Himachal Pradesh | 2.9 | 30.5 | 69.9 | 92.0 | 98.7 | 99.7 | 100.0 |
| Jammu & Kashmir | 0.9 | 15.6 | 49.0 | 79.7 | 94.9 | 98.9 | 100.0 |
| Jharkhand | 3.3 | 36.1 | 71.0 | 89.9 | 96.7 | 99.5 | 100.0 |
| Karnataka | 2.0 | 35.2 | 73.5 | 93.3 | 98.3 | 99.5 | 100.0 |
| Kerala | 3.5 | 29.3 | 63.9 | 89.4 | 98.1 | 99.8 | 100.0 |
| Madhya Pradesh | 3.1 | 39.4 | 76.8 | 92.7 | 98.2 | 99.6 | 100.0 |
| Maharashtra | 2.5 | 40.5 | 74.5 | 93.4 | 98.5 | 99.7 | 100.0 |
| Odisha | 2.7 | 35.4 | 72.6 | 92.0 | 97.8 | 99.6 | 100.0 |
| Punjab | 1.4 | 28.2 | 66.6 | 89.4 | 97.2 | 99.3 | 100.0 |
| Rajasthan | 1.9 | 38.5 | 76.4 | 92.6 | 98.1 | 99.4 | 100.0 |
| Tamil Nadu | 2.3 | 33.4 | 74.7 | 93.7 | 99.0 | 99.7 | 100.0 |
| Telangana | 1.9 | 39.3 | 78.2 | 94.0 | 98.1 | 99.6 | 100.0 |
| Uttar Pradesh | 1.9 | 29.8 | 66.0 | 87.0 | 96.1 | 99.1 | 100.0 |
| Uttarakhand | 1.6 | 32.7 | 72.3 | 91.5 | 98.2 | 99.6 | 100.0 |
| West Bengal | 11.1 | 55.9 | 81.7 | 95.1 | 98.2 | 99.4 | 100.0 |



Chart 44: Per cent distribution of comulative fertility by residence, India, 2018
110.0
100.0
90.0
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
Percentage Cumulative Fertility
15-19
15-24
15-29
15-34
15-39
15-44
15-49
Age Group
Total
Rural
Urban

**3.17** The difference in the pattern of child bearing can be measured in terms of the mean age of fertility, which describes the age pattern of fertility of synthetic cohort of hypothetical group of women viewed as having, in their lifetime, similar fertility experience recorded in a calendar year. The mean age of fertility has been calculated from the age specific fertility rates. The associated standard deviations are also shown. The States having lower values of standard deviation [obviously] recorded higher concentration of fertility about the mean age as compared to those with higher values. Statement 23 below shows the mean age of fertility for India and bigger States/UTs. At the National level, the mean age of fertility is 28.4 years and varies from 26.7 years in West Bengal to 31.7 years in Jammu & Kashmir with standard deviation 5.8, 6.4 and 6.0 respectively. Chart 45 shows the mean age of fertility of India and bigger States/UTs by residence.

**Statement 23**

**Mean age of Fertility and associated Standard Deviation, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Mean age of fertility | | | Standard deviation | | |
|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **28.4** | **28.4** | **28.5** | **5.8** | **5.9** | **5.6** |
| Andhra Pradesh | 27.0 | 26.8 | 27.4 | 5.4 | 5.5 | 5.3 |
| Assam | 29.1 | 29.0 | 29.8 | 6.3 | 6.3 | 6.5 |
| Bihar | 29.3 | 29.4 | 28.2 | 5.7 | 5.8 | 5.2 |
| Chhattisgarh | 27.7 | 27.6 | 28.2 | 5.5 | 5.5 | 5.6 |
| Delhi | 28.6 | 28.1 | 28.6 | 5.4 | 5.4 | 5.4 |
| Gujarat | 27.8 | 27.5 | 28.2 | 5.5 | 5.5 | 5.4 |
| Haryana | 28.5 | 28.7 | 28.2 | 5.6 | 5.6 | 5.7 |
| Himachal Pradesh | 28.2 | 28.2 | 29.3 | 5.4 | 5.4 | 4.9 |
| Jammu & Kashmir | 31.7 | 31.6 | 32.1 | 6.0 | 5.9 | 6.2 |
| Jharkhand | 28.7 | 28.8 | 28.6 | 6.1 | 6.1 | 6.1 |
| Karnataka | 28.0 | 27.4 | 29.1 | 5.4 | 5.1 | 5.8 |
| Kerala | 28.3 | 28.5 | 28.0 | 5.5 | 5.7 | 5.3 |
| Madhya Pradesh | 27.9 | 27.6 | 29.1 | 5.6 | 5.5 | 5.7 |
| Maharashtra | 27.5 | 27.1 | 28.0 | 5.4 | 5.2 | 5.6 |
| Odisha | 28.2 | 28.2 | 27.7 | 5.7 | 5.8 | 5.4 |
| Punjab | 29.0 | 29.0 | 29.2 | 5.8 | 5.8 | 5.6 |
| Rajasthan | 28.1 | 28.2 | 28.0 | 5.6 | 5.7 | 5.2 |
| Tamil Nadu | 27.6 | 27.5 | 27.7 | 5.0 | 5.1 | 5.0 |
| Telangana | 27.5 | 27.1 | 28.1 | 5.4 | 5.3 | 5.4 |
| Uttar Pradesh | 29.9 | 29.8 | 30.4 | 6.2 | 6.2 | 5.9 |
| Uttarakhand | 28.7 | 28.4 | 29.4 | 5.6 | 5.6 | 5.7 |
| West Bengal | 26.7 | 26.7 | 27.0 | 6.4 | 6.6 | 5.9 |


Chart 45: Mean age of fertility, India and bigger States/UTs, 2018
Mean age of Fertility
33.0
32.0
31.0
30.0
29.0
28.0
27.0
26.0
25.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban


**3.18** The cumulative value of the age specific fertility rates at the end of the child bearing ages gives a measure of fertility known as Total Fertility Rate (TFR). TFR indicates the average number of children expected to be born per woman during her entire span of reproductive period assuming that the age specific fertility rates, to which she is exposed to, continue to be the same and that there is no mortality. The TFRs worked out on the basis of the ASFRs for the year 2018 are given below in Statement 24 for India and bigger States/UTs separately for rural and urban areas. The TFR for India in the year 2018 was 2.2 per woman and varies from 2.4 in rural areas to 1.7 in urban areas. Among the bigger States/UTs, it varies from 1.5 in Delhi and West Bengal to 3.2 in Bihar. For rural areas, it varies from 1.5 in Delhi to 3.3 in Bihar. For urban areas, such variation is from 1.1 in Himachal Pradesh to 2.5 in Bihar. Chart 46 presents levels of TFR by residence for India and bigger States/UTs. Distribution of bigger States/UTs by values of TFR in rural and urban areas is shown in Chart 47.


**Statement 24**

**TFR (Total Fertility Rate) by residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **2.2** | **2.4** | **1.7** |
| Andhra Pradesh | 1.6 | 1.7 | 1.5 |
| Assam | 2.2 | 2.4 | 1.6 |
| Bihar | 3.2 | 3.3 | 2.5 |
| Chhattisgarh | 2.4 | 2.6 | 1.8 |
| Delhi | 1.5 | 1.5 | 1.5 |
| Gujarat | 2.1 | 2.4 | 1.8 |
| Haryana | 2.2 | 2.4 | 1.9 |
| Himachal Pradesh | 1.6 | 1.7 | 1.1 |
| Jammu & Kashmir | 1.6 | 1.8 | 1.2 |
| Jharkhand | 2.5 | 2.7 | 1.9 |
| Karnataka | 1.7 | 1.8 | 1.6 |
| Kerala | 1.7 | 1.7 | 1.7 |
| Madhya Pradesh | 2.7 | 3.0 | 2.1 |
| Maharashtra | 1.7 | 1.8 | 1.5 |
| Odisha | 1.9 | 2.0 | 1.3 |
| Punjab | 1.6 | 1.7 | 1.5 |
| Rajasthan | 2.5 | 2.7 | 2.2 |
| Tamil Nadu | 1.6 | 1.6 | 1.6 |
| Telangana | 1.6 | 1.7 | 1.5 |
| Uttar Pradesh | 2.9 | 3.1 | 2.4 |
| Uttarakhand | 1.8 | 1.8 | 1.8 |
| West Bengal | 1.5 | 1.7 | 1.2 |

Note: Rounded off to one decimal point.


Chart 46: Total fertility rate (TFR) by residence, India and bigger States/UTs, 2018
Total Fertility Rate
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban


Chart 47: Distribution of bigger States/UTs by values of TFR (Total Fertility Rate) for rural and urban areas, 2018
3.0
2.5
2.0
1.5
1.0
1.0
1.5
2.0
2.5
3.0
3.5
Urban Total Fertility Rate
Rural Total Fertility Rate
Line of equity
Bihar
Uttar Pradesh
Rajasthan
Madhya Pradesh
Jharkhand
Haryana
Chhattisgarh
Gujarat
INDIA
Assam
Uttarakhand
Kerala
Tamil Nadu
Andhra Pradesh
Karnataka
Maharashtra
Punjab
Telangana
Delhi
Odisha
West Bengal
Jammu & Kashmir
Himachal Pradesh

**3.19** Statement 25 below presents the percentage change in the average level of TFR between the periods 2006-08 and 2016-18 in India and bigger States/UTs. During the period TFR has declined by 18.5 percent at the National level. Among the bigger States/UTs, the decline varies from 27.3 percent in Jammu & Kashmir to 0.0% in Kerala. All bigger States/UTs have shown decline in both rural and urban areas except in Kerala and in the urban areas of Assam and Tamil Nadu, where the average TFR in 2016-18 is at par with that in 2006-08.


**3.20** Among bigger States/UTs, Andhra Pradesh, Delhi, Himachal Pradesh, Jammu & Kashmir, Karnataka, Kerala, Maharashtra, Odisha, Punjab, Tamil Nadu and West Bengal have the average TFR below 2.0 during 2016-18. Charts 48, 49 and 50 depict the average TFR between 2006-08 and 2016-18 of India and bigger States/UTs for Total, Rural and Urban areas respectively. Chart 51 shows the percentage change in average TFR between 2006-08 and 2016-18 by residence for India and bigger States/UTs.


**Statement 25**


**Percent change in average TFR (Total Fertility Rate) between 2006-08 and 2016-18 by residence, India and bigger States/UTs**


| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change |
| **India** | **2.7** | **2.2** | **-18.5** | **3.0** | **2.4** | **-20.0** | **2.0** | **1.7** | **-15.0** |
| Andhra Pradesh* | 1.9 | 1.6 | -15.8 | 2.0 | 1.7 | -15.0 | 1.6 | 1.5 | -6.3 |
| Assam | 2.7 | 2.3 | -14.8 | 2.9 | 2.4 | -17.2 | 1.6 | 1.6 | 0.0 |
| Bihar | 3.8 | 3.2 | -15.8 | 4.0 | 3.3 | -17.5 | 2.6 | 2.4 | -7.7 |
| Chhattisgarh | 3.1 | 2.4 | -22.6 | 3.4 | 2.6 | -23.5 | 2.1 | 1.9 | -9.5 |
| Delhi | 2.0 | 1.5 | -25.0 | 2.1 | 1.6 | -23.8 | 2.0 | 1.5 | -25.0 |
| Gujarat | 2.6 | 2.2 | -15.4 | 2.9 | 2.4 | -17.2 | 2.2 | 1.8 | -18.2 |
| Haryana | 2.6 | 2.2 | -15.4 | 2.8 | 2.4 | -14.3 | 2.3 | 1.9 | -17.4 |
| Himachal Pradesh | 2.0 | 1.6 | -20.0 | 2.0 | 1.7 | -15.0 | 1.4 | 1.1 | -21.4 |
| Jammu & Kashmir | 2.2 | 1.6 | -27.3 | 2.5 | 1.8 | -28.0 | 1.5 | 1.2 | -20.0 |
| Jharkhand | 3.3 | 2.5 | -24.2 | 3.6 | 2.8 | -22.2 | 2.2 | 2.0 | -9.1 |
| Karnataka | 2.1 | 1.7 | -19.0 | 2.3 | 1.8 | -21.7 | 1.7 | 1.6 | -5.9 |
| Kerala | 1.7 | 1.7 | 0.0 | 1.7 | 1.7 | 0.0 | 1.7 | 1.7 | 0.0 |
| Madhya Pradesh | 3.3 | 2.7 | -18.2 | 3.7 | 3.0 | -18.9 | 2.3 | 2.1 | -8.7 |
| Maharashtra | 2.0 | 1.7 | -15.0 | 2.2 | 1.9 | -13.6 | 1.8 | 1.6 | -11.1 |
| Odisha | 2.4 | 1.9 | -20.8 | 2.5 | 2.0 | -20.0 | 1.7 | 1.4 | -17.6 |
| Punjab | 2.0 | 1.6 | -20.0 | 2.1 | 1.7 | -19.0 | 1.8 | 1.5 | -16.7 |
| Rajasthan | 3.4 | 2.6 | -23.5 | 3.7 | 2.7 | -27.0 | 2.6 | 2.2 | -15.4 |
| Tamil Nadu | 1.7 | 1.6 | -5.9 | 1.7 | 1.6 | -5.9 | 1.6 | 1.6 | 0.0 |
| Uttar Pradesh* | 3.9 | 3.0 | -23.1 | 4.1 | 3.2 | -22.0 | 3.0 | 2.4 | -20.0 |
| West Bengal | 1.9 | 1.6 | -15.8 | 2.2 | 1.7 | -22.7 | 1.4 | 1.3 | -7.1 |

***** Andhra Pradesh and Uttar Pradesh include Telangana and Uttarakhand respectively.


Chart 48: Total fertility rate (TFR) between 2006-08 and 2016-18, India and bigger States/UTs
Total Fertility Rate
4.0
3.5
3.0
2.5
2.0
1.5
1.0
2006-08
2016-18
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
India and bigger States/UTs


Chart 49: Total fertility rate (TFR) between 2006-08 and 2016-18,
India and bigger States/UTs -RURAL
Total Fertility Rate
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
1.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
India and bigger States/UTs
2006-08
2016-18


Chart 50: Total fertility rate (TFR) between 2006-08 and 2016-18,
India and bigger States/UTs-URBAN
Total Fertility Rate
4.0
3.5
3.0
2.5
2.0
1.5
1.0
2006-08
2016-18
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
India and bigger States/UTs



Chart 51: Per cent change in average Total fertility rate (TFR) between 2006-08 and 2016-18by residence, India and bigger States/UTs
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
0.0
-5.0
-10.0
-15.0
-20.0
-25.0
-30.0
Percentage Change
Total
Rural
Urban
India and bigger States/UTs

**3.21** Another refined measure of fertility which accounts for future mothers is the Gross Reproduction Rate (GRR). It measures the average number of female children a woman is expected to give birth during her entire reproductive span conforming to the age specific fertility rates (ASFRs) for a given year, if there is no mortality. The estimated value of GRR for India in the year 2018 is 1.0 and varies from 0.8 in urban areas to 1.1 in rural areas. Values of GRR by residence for India and bigger States/UTs for the year 2018 are presented below in Statement 26. Chart 52 presents levels of GRR by residence for India and bigger States/UTs.

**Statement 26**

**GRR (Gross Reproduction Rate) by residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **1.0** | **1.1** | **0.8** |
| Andhra Pradesh | 0.8 | 0.8 | 0.7 |
| Assam | 1.1 | 1.1 | 0.7 |
| Bihar | 1.5 | 1.6 | 1.2 |
| Chhattisgarh | 1.1 | 1.2 | 0.9 |
| Delhi | 0.6 | 0.8 | 0.6 |
| Gujarat | 1.0 | 1.1 | 0.8 |
| Haryana | 1.0 | 1.1 | 0.9 |
| Himachal Pradesh | 0.8 | 0.8 | 0.5 |
| Jammu & Kashmir | 0.8 | 0.9 | 0.6 |
| Jharkhand | 1.2 | 1.3 | 0.9 |
| Karnataka | 0.8 | 0.9 | 0.7 |
| Kerala | 0.9 | 0.8 | 0.9 |
| Madhya Pradesh | 1.3 | 1.4 | 1.0 |
| Maharashtra | 0.8 | 0.8 | 0.7 |
| Odisha | 0.9 | 1.0 | 0.7 |
| Punjab | 0.7 | 0.8 | 0.7 |
| Rajasthan | 1.2 | 1.3 | 1.1 |
| Tamil Nadu | 0.8 | 0.8 | 0.8 |
| Telangana | 0.8 | 0.8 | 0.8 |
| Uttar Pradesh | 1.4 | 1.4 | 1.2 |
| Uttarakhand | 0.8 | 0.8 | 0.8 |
| West Bengal | 0.7 | 0.8 | 0.6 |


Chart 52: Gross Reproduction Rate (GRR) by residence, India and bigger States/UTs, 2018
Gross Reproduction Rate (GRR)
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban

## Marital Fertility


**3.22** Marriage is an important event in the social life of any population. In India, population censuses and large-scale demographic sample surveys invariably collect data on the marital status of population separately for males and females. Age at effective marriage of females is a key factor that influences fertility. Marital distribution of the population enumerated through SRS and the age at effective marriage of females has been discussed in Chapter 2. Based on the distribution of live births by age of married females, age specific marital fertility rates (ASMFRs) are calculated. Statement 27 below provides the estimates of the ASMFRs for India separately for rural and urban areas for the year 2018. Marital fertility is higher in rural areas than in urban areas in all the age groups. A perceptible decline in marital fertility is seen for females aged 30 years and above both in rural and urban areas. Chart 53 depicts ASMFRs by residence for India in 2018.

**Statement 27**

**ASMFRs (Age Specific Marital Fertility Rates) by residence, India, 2018**

(Per thousand)

| Age group | Total | Rural | Urban |
|---|---|---|---|
| 15-19 | 322.7 | 332.4 | 289.7 |
| 20-24 | 299.8 | 309.0 | 273.6 |
| 25-29 | 190.9 | 199.0 | 173.2 |
| 30-34 | 103.4 | 109.2 | 92.6 |
| 35-39 | 39.5 | 43.2 | 32.7 |
| 40-44 | 13.7 | 15.9 | 9.9 |
| 45-49 | 4.9 | 6.1 | 2.7 |


Chart 53: Age specific marital fertility rates (ASMFRs) by residence, India, 2018
350.0
300.0
250.0
200.0
150.0
100.0
50.0
0.0
Age-specific Marital Fertility Rate
15-19
20-24
25-29
30-34
35-39
40-44
45-49
Age Group
Total
Rural
Urban

**3.23** Values of the age specific marital fertility rates (ASMFR) for the year 2018 in bigger States/UTs are given below in Statement 28. It is observed that the age pattern of marital fertility is almost similar to the pattern of age specific fertility. ASMFR is at peak level in the age group 20-24 at the national level and in majority of the bigger States/UTs. There is significant decline in marital fertility for women aged 30 years onwards, for all major States.

**Statement 28**

**ASMFRs (Age Specific Marital Fertility Rates), India and bigger States/UTs, 2018**


| India and bigger States/UTs | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 |
|---|---|---|---|---|---|---|---|
| **India** | **322.7** | **299.8** | **190.9** | **103.4** | **39.5** | **13.7** | **4.9** |
| Andhra Pradesh | 204.3 | 267.0 | 138.1 | 51.1 | 17.3 | 7.3 | 3.2 |
| Assam | 612.9 | 249.6 | 183.3 | 129.0 | 57.0 | 18.0 | 7.1 |
| Bihar | 380.5 | 350.2 | 260.1 | 177.9 | 61.3 | 23.6 | 6.9 |
| Chhattisgarh | 390.9 | 350.1 | 205.9 | 106.5 | 39.6 | 11.7 | 2.6 |
| Delhi | 291.9 | 277.0 | 183.9 | 76.5 | 26.4 | 8.4 | 1.9 |
| Gujarat | 394.3 | 330.2 | 198.1 | 89.1 | 29.5 | 9.4 | 3.7 |
| Haryana | 195.1 | 261.7 | 208.0 | 95.6 | 34.8 | 11.1 | 7.5 |
| Himachal Pradesh | 301.5 | 215.9 | 156.8 | 86.2 | 27.8 | 4.7 | 1.6 |
| Jammu & Kashmir | 313.0 | 280.3 | 212.8 | 150.7 | 71.6 | 21.5 | 6.9 |
| Jharkhand | 486.5 | 329.8 | 211.9 | 119.8 | 48.4 | 25.0 | 4.9 |
| Karnataka | 180.5 | 207.3 | 153.0 | 85.0 | 25.1 | 6.7 | 3.8 |
| Kerala | 515.1 | 235.2 | 138.8 | 89.3 | 31.4 | 6.8 | 0.8 |
| Madhya Pradesh | 264.2 | 322.7 | 234.7 | 108.9 | 44.4 | 13.9 | 4.4 |
| Maharashtra | 200.3 | 272.9 | 147.2 | 78.6 | 23.0 | 6.7 | 1.8 |
| Odisha | 215.7 | 246.1 | 168.4 | 87.4 | 31.8 | 13.1 | 3.0 |
| Punjab | 250.0 | 291.9 | 178.1 | 90.5 | 34.6 | 10.6 | 3.8 |
| Rajasthan | 229.7 | 329.6 | 219.0 | 103.9 | 40.4 | 12.4 | 6.4 |
| Tamil Nadu | 225.6 | 253.7 | 162.8 | 70.8 | 21.0 | 3.4 | 1.5 |
| Telangana | 192.4 | 271.2 | 156.4 | 64.8 | 18.0 | 8.1 | 2.9 |
| Uttar Pradesh | 395.9 | 424.3 | 260.8 | 159.4 | 75.7 | 30.0 | 11.0 |
| Uttarakhand | 33.3 | 203.9 | 184.8 | 84.5 | 36.7 | 10.2 | 3.8 |
| West Bengal | 584.7 | 230.2 | 87.8 | 62.7 | 20.0 | 8.6 | 3.9 |

**3.24** Like TFR, Total Marital Fertility Rate (TMFR) is the cumulative value of age specific marital fertility rates at the end of the reproductive period. It indicates the average number of children expected to be born per married woman during the entire span of her reproductive period, if the ASMFRs continue to be the same and if there is no mortality. The TMFRs worked out on the basis of ASMFRs for the year 2018 are given below in Statement 29 for India and bigger States/UTs separately for rural and urban areas. The TMFR for India is found to be 4.9 and varies from 4.4 in urban areas to 5.1 in rural areas. The TMFR is 5 and above in Assam, Bihar, Chhattisgarh, Gujarat, Jammu & Kashmir, Jharkhand, Kerala and Uttar Pradesh. Chart 54 presents the TMFRs by residence for India and bigger States/UTs.

**Statement 29**

**TMFRs (Total Marital Fertility Rates) by residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **4.9** | **5.1** | **4.4** |
| Andhra Pradesh | 3.4 | 3.8 | 2.8 |
| Assam | 6.3 | 6.4 | 5.2 |
| Bihar | 6.3 | 6.3 | 6.2 |
| Chhattisgarh | 5.5 | 5.9 | 4.4 |
| Delhi | 4.3 | 5.2 | 4.3 |
| Gujarat | 5.3 | 5.4 | 5.1 |
| Haryana | 4.1 | 3.8 | 5.3 |
| Himachal Pradesh | 4.0 | 4.0 | 2.4 |
| Jammu & Kashmir | 5.3 | 6.1 | 3.8 |
| Jharkhand | 6.1 | 6.0 | 7.0 |
| Karnataka | 3.3 | 3.4 | 3.1 |
| Kerala | 5.1 | 4.5 | 5.9 |
| Madhya Pradesh | 5.0 | 5.2 | 4.1 |
| Maharashtra | 3.7 | 3.6 | 3.8 |
| Odisha | 3.8 | 3.9 | 3.4 |
| Punjab | 4.3 | 4.4 | 4.2 |
| Rajasthan | 4.7 | 4.8 | 4.5 |
| Tamil Nadu | 3.7 | 3.8 | 3.6 |
| Telangana | 3.6 | 3.5 | 3.6 |
| Uttar Pradesh | 6.8 | 6.7 | 7.6 |
| Uttarakhand | 2.8 | 2.6 | 4.8 |
| West Bengal | 5.0 | 5.2 | 4.1 |


Chart 54: Total marital fertility rate (TMFRs) by residence, India and bigger States/UTs, 2018
Total Marital Fertility Rate
8.0
7.0
6.0
5.0
4.0
3.0
2.0
1.0
Total
Rural
Urban
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telengana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs


**3.25** Statement 30 below presents the percentage change in the average level of TMFR between the period 2006-08 and 2016-18 in India and bigger States/UTs. Among the bigger States/UTs, Himachal Pradesh and Karnataka have witnessed a decline of about 12.5 percent. Charts 55, 56 and 57 depict the average TMFR between 2006-08 and 2016-18 of India and bigger States/UTs for Total, Rural and Urban areas respectively. Chart 58 shows the percentage change in average TMFR between 2006-08 and 2016-18 by residence for India and bigger States/UTs.


**Statement 30**

**Percentage change in average Total Marital Fertility Rate (TMFR) between 2006-08 and 2016-18, by residence, India and bigger States/UTs**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change |
| **India** | **4.4** | **4.8** | **9.1** | **4.5** | **5.0** | **11.1** | **3.9** | **4.2** | **7.7** |
| Andhra Pradesh* | 3.5 | 3.7 | 5.7 | 3.5 | 3.9 | 11.4 | 3.2 | 3.3 | 3.1 |
| Assam | 5.5 | 5.7 | 3.6 | 5.7 | 5.8 | 1.8 | 4.0 | 4.7 | 17.5 |
| Bihar | 5.0 | 6.2 | 24.0 | 5.1 | 6.3 | 23.5 | 4.5 | 6.0 | 33.3 |
| Chhattisgarh | 4.9 | 5.4 | 10.2 | 5.1 | 5.7 | 11.8 | 4.0 | 4.2 | 5.0 |
| Delhi | 4.0 | 4.3 | 7.5 | 3.5 | 4.2 | 20.0 | 4.1 | 4.3 | 4.9 |
| Gujarat | 4.0 | 5.0 | 25.0 | 4.2 | 5.2 | 23.8 | 3.6 | 4.6 | 27.8 |
| Haryana | 4.3 | 4.1 | -4.7 | 4.3 | 4.1 | -4.7 | 4.4 | 4.3 | -2.3 |
| Himachal Pradesh | 4.8 | 4.2 | -12.5 | 4.8 | 4.2 | -12.5 | 4.2 | 2.9 | -31.0 |
| Jammu & Kashmir | 5.0 | 5.3 | 6.0 | 5.3 | 5.9 | 11.3 | 3.9 | 4.3 | 10.3 |
| Jharkhand | 4.8 | 5.5 | 14.6 | 5.0 | 5.5 | 10.0 | 4.0 | 6.1 | 52.5 |
| Karnataka | 4.0 | 3.5 | -12.5 | 4.1 | 3.6 | -12.2 | 3.7 | 3.4 | -8.1 |
| Kerala | 3.8 | 4.6 | 21.1 | 3.8 | 4.4 | 15.8 | 4.1 | 5.0 | 22.0 |
| Madhya Pradesh | 4.8 | 5.2 | 8.3 | 5.1 | 5.4 | 5.9 | 4.0 | 4.2 | 5.0 |
| Maharashtra | 3.5 | 3.7 | 5.7 | 3.4 | 3.8 | 11.8 | 3.5 | 3.6 | 2.9 |
| Odisha | 4.2 | 4.1 | -2.4 | 4.3 | 4.2 | -2.3 | 3.6 | 3.6 | 0.0 |
| Punjab | 4.1 | 4.2 | 2.4 | 4.2 | 4.3 | 2.4 | 3.9 | 4.2 | 7.7 |
| Rajasthan | 4.6 | 4.7 | 2.2 | 4.8 | 4.7 | -2.1 | 4.0 | 4.4 | 10.0 |
| Tamil Nadu | 3.9 | 3.8 | -2.6 | 3.9 | 4.0 | 2.6 | 3.9 | 3.7 | -5.1 |
| Uttar Pradesh* | 5.5 | 6.3 | 14.5 | 5.6 | 6.2 | 10.7 | 5.5 | 7.1 | 29.1 |
| West Bengal | 3.5 | 4.1 | 17.1 | 3.6 | 4.3 | 19.4 | 3.0 | 3.4 | 13.3 |

*: Andhra Pradesh and Uttar Pradesh include Telangana and Uttarakhand respectively


Chart 55: Average Total Marital fertility rate (TMFR) between 2006-08 & 2016-18, India and bigger States/UTs
Average TMFR
7.0
6.5
6.0
5.5
5.0
4.5
4.0
3.5
3.0
2.5
2.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
India and bigger States/UTs
2006-08
2016-18


Chart 56: Average Total Marital fertility rate (TMFR) between 2006-08 & 2016-18, India and bigger States/UTs - RURAL
Average TMFR
7.0
6.5
6.0
5.5
5.0
4.5
4.0
3.5
3.0
2.5
2.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
India and bigger States/UTs
2006-08
2016-18




Chart 57: Average Total Marital fertility rate (TMFR) between 2006-08 & 2016-18, India and bigger States/UTs - URBAN
Average TMFR
8.0
7.0
6.0
5.0
4.0
3.0
2.0
2006-08
2016-18
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal
India and bigger States/UTs

**Chart 58: Per cent change in average Total Marital fertility rate (TMFR) between 2006-08 & 2016-18, India and bigger States/UTs**



**Fertility by level of education of the women**

**3.26** Education, more precisely the female education, has a direct impact on fertility. To ascertain levels of fertility by educational status of the women, three indicators viz. general fertility rate, age-specific fertility rate and total fertility rate by educational status of the women have been worked out separately for rural and urban areas. These are discussed in the subsequent paragraphs.

**3.27** Statement 31 below indicates the percentage of female population in the age group 15-49 by level of education, at the National level and for the bigger States/UTs. At the National level, 13.0 percent of the female population is reported 'Illiterate' as against 87.0 percent in the 'Literate' category. About 18.9 percent have education up to Class X, 12.5 percent women have education level of Class XII, and only 9.8 percent have reported education level of graduate and above. Among the illiterates, Kerala 0.5 has the lowest and Bihar 23.5 the highest percentage of illiterate women.

**Statement 31**

**Percentage of female population in the age group 15-49 by level of education, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Educational level of women | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Illiterate | Literate | | | | | | | |
| | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **India** | **13.0** | **87.0** | **4.9** | **7.2** | **13.9** | **19.8** | **18.9** | **12.5** | **9.8** |
| Andhra Pradesh | 13.5 | 86.5 | 5.1 | 7.7 | 14.7 | 17.0 | 22.0 | 12.0 | 7.9 |
| Assam | 10.1 | 89.9 | 6.1 | 12.0 | 18.7 | 26.2 | 16.6 | 6.8 | 3.6 |
| Bihar | 23.5 | 76.5 | 9.3 | 8.3 | 14.3 | 18.6 | 15.4 | 6.6 | 4.0 |
| Chhattisgarh | 17.0 | 83.0 | 5.1 | 5.3 | 13.8 | 23.1 | 15.2 | 12.9 | 7.8 |
| Delhi | 7.8 | 92.2 | 2.8 | 3.5 | 12.3 | 16.3 | 17.7 | 17.9 | 21.6 |
| Gujarat | 13.2 | 86.8 | 2.2 | 7.8 | 19.3 | 19.1 | 17.3 | 12.3 | 8.7 |
| Haryana | 10.6 | 89.4 | 5.3 | 10.9 | 12.2 | 16.6 | 19.8 | 14.5 | 10.2 |
| Himachal Pradesh | 1.2 | 98.8 | 1.3 | 2.2 | 8.7 | 13.8 | 25.3 | 31.6 | 15.8 |
| Jammu & Kashmir | 14.3 | 85.7 | 4.3 | 3.7 | 7.8 | 17.1 | 27.3 | 16.9 | 8.7 |
| Jharkhand | 22.6 | 77.4 | 7.2 | 5.9 | 12.9 | 20.9 | 16.0 | 8.6 | 5.8 |
| Karnataka | 4.8 | 95.2 | 2.5 | 6.0 | 13.2 | 19.2 | 28.3 | 14.8 | 11.1 |
| Kerala | 0.5 | 99.5 | 0.3 | 1.8 | 4.7 | 18.1 | 26.9 | 25.9 | 21.8 |
| Madhya Pradesh | 16.9 | 83.1 | 5.0 | 7.6 | 17.2 | 24.4 | 14.0 | 8.0 | 6.9 |
| Maharashtra | 4.0 | 96.0 | 3.1 | 5.7 | 11.3 | 20.2 | 26.4 | 16.6 | 12.8 |
| Odisha | 10.2 | 89.8 | 4.9 | 9.6 | 15.7 | 22.9 | 19.2 | 10.3 | 7.2 |
| Punjab | 7.8 | 92.2 | 5.0 | 7.1 | 11.4 | 16.5 | 23.3 | 17.6 | 11.4 |
| Rajasthan | 20.0 | 80.0 | 8.4 | 7.0 | 13.6 | 15.4 | 14.3 | 11.3 | 10.0 |
| Tamil Nadu | 3.2 | 96.8 | 1.8 | 6.1 | 11.2 | 17.9 | 24.0 | 18.4 | 17.3 |
| Telangana | 15.1 | 84.9 | 7.7 | 3.9 | 9.9 | 15.7 | 20.9 | 14.3 | 12.5 |
| Uttar Pradesh | 20.3 | 79.7 | 4.8 | 7.1 | 14.5 | 19.0 | 14.1 | 11.6 | 8.7 |
| Uttarakhand | 9.3 | 90.7 | 4.3 | 3.3 | 11.1 | 18.9 | 19.4 | 17.9 | 15.9 |
| West Bengal | 10.1 | 89.9 | 6.9 | 10.8 | 17.6 | 24.6 | 15.9 | 7.6 | 6.4 |

**3.28** Statement 32 below presents the estimates of General Fertility Rate (GFR) by educational status of the women for India and bigger States/UTs. It is apparent from the Statement that there is a difference between the GFRs of the Illiterate and Literate women with the latter depicting lower levels of GFR at the National level.

**Statement 32**

**General Fertility Rate by level of education of women, India and bigger States/UTs, 2018**


| India and bigger States/UTs | Educational level of women | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Illiterate | Literate | | | | | | | |
| | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **India** | **73.7** | **70.3** | **70.6** | **84.2** | **77.0** | **66.6** | **63.2** | **68.4** | **73.7** |
| Andhra Pradesh | 29.3 | 57.5 | 31.6 | 39.7 | 47.5 | 52.4 | 70.8 | 68.8 | 67.0 |
| Assam | 47.4 | 76.5 | 54.3 | 78.5 | 87.6 | 71.8 | 73.8 | 85.5 | 79.6 |
| Bihar | 121.3 | 93.5 | 126.8 | 128.6 | 89.8 | 78.2 | 80.2 | 83.6 | 94.6 |
| Chhattisgarh | 43.4 | 86.8 | 40.9 | 132.7 | 99.7 | 84.4 | 84.8 | 74.4 | 94.7 |
| Delhi | 47.7 | 50.8 | 33.0 | 94.6 | 51.3 | 42.8 | 49.4 | 45.3 | 57.5 |
| Gujarat | 56.0 | 72.5 | 63.5 | 104.1 | 83.7 | 73.5 | 66.3 | 54.5 | 57.4 |
| Haryana | 60.1 | 74.7 | 65.8 | 88.6 | 75.9 | 62.7 | 72.2 | 79.9 | 79.9 |
| Himachal Pradesh | 30.7 | 54.2 | 9.7 | 23.3 | 27.1 | 33.0 | 44.7 | 67.1 | 84.9 |
| Jammu & Kashmir | 46.9 | 51.0 | 52.8 | 94.8 | 69.1 | 49.8 | 45.2 | 43.0 | 52.1 |
| Jharkhand | 91.2 | 77.9 | 89.0 | 159.5 | 111.1 | 66.4 | 59.7 | 47.2 | 44.3 |
| Karnataka | 31.7 | 59.5 | 33.4 | 51.5 | 58.4 | 70.7 | 57.8 | 55.0 | 61.7 |
| Kerala | 34.9 | 48.9 | 0.0 | 14.7 | 12.5 | 19.3 | 39.8 | 58.4 | 84.9 |
| Madhya Pradesh | 82.5 | 93.5 | 82.6 | 113.1 | 118.0 | 87.4 | 64.2 | 100.7 | 91.2 |
| Maharashtra | 40.4 | 56.0 | 41.8 | 38.1 | 55.5 | 52.5 | 57.7 | 66.6 | 55.8 |
| Odisha | 45.5 | 66.2 | 54.7 | 82.0 | 79.7 | 68.3 | 54.8 | 56.2 | 61.1 |
| Punjab | 35.3 | 54.0 | 25.0 | 40.4 | 64.0 | 61.0 | 55.2 | 53.2 | 53.9 |
| Rajasthan | 100.5 | 83.0 | 96.8 | 180.2 | 119.0 | 84.5 | 43.4 | 54.7 | 40.7 |
| Tamil Nadu | 11.9 | 52.8 | 21.5 | 20.4 | 28.7 | 36.4 | 57.6 | 59.4 | 86.1 |
| Telangana | 35.2 | 58.6 | 41.1 | 59.6 | 54.4 | 48.8 | 67.0 | 60.3 | 68.5 |
| Uttar Pradesh | 87.4 | 92.8 | 97.0 | 101.4 | 86.3 | 83.5 | 84.7 | 101.7 | 116.1 |
| Uttarakhand | 54.9 | 62.7 | 60.5 | 72.2 | 71.5 | 54.6 | 51.5 | 60.9 | 80.6 |
| West Bengal | 25.1 | 53.1 | 25.3 | 46.2 | 61.1 | 59.1 | 57.6 | 52.9 | 38.1 |


**3.29** Statement 33 below presents, at the National level, age specific fertility rates by level of education of women separately for rural and urban areas. Fertility attains the peak in the age-group 25-29 years both in the rural and urban areas for illiterate as well as literate female population. On an average, 'Illiterate' women have higher levels of age-specific fertility rates than the 'Literate'. Within the 'Literate' group there is a general decline in the fertility rates with the increase in the educational status both in the rural and urban areas, barring a few exceptions. Charts 59, 60 and 61 depict the Age Specific Fertility Rate by level of education of women for Total, Rural and Urban areas respectively.


**Statement 33**

**Age Specific Fertility Rate by level of education of women and residence, India, 2018**

| Age group | Educational level of women | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Illiterate | Literate | | | | | | | |
| | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| | | | | **Total** | | | | | |
| 15-19 | 30.0 | 11.7 | 20.2 | 20.2 | 16.4 | 10.4 | 8.1 | 10.6 | 0.0 |
| 20-24 | 187.2 | 119.3 | 151.1 | 218.6 | 190.0 | 143.0 | 104.7 | 71.4 | 86.7 |
| 25-29 | 196.1 | 141.0 | 166.2 | 176.7 | 164.0 | 151.6 | 143.4 | 126.6 | 103.7 |
| 30-34 | 113.4 | 91.1 | 96.8 | 104.4 | 90.7 | 88.4 | 78.5 | 97.1 | 95.1 |
| 35-39 | 49.2 | 34.0 | 39.3 | 39.7 | 32.2 | 29.8 | 30.2 | 35.9 | 39.0 |
| 40-44 | 17.6 | 11.2 | 17.8 | 13.4 | 12.0 | 9.7 | 10.0 | 7.9 | 8.3 |
| 45-49 | 6.1 | 3.8 | 4.3 | 5.8 | 2.7 | 4.4 | 3.3 | 4.1 | 1.5 |
| | | | | **Rural** | | | | | |
| 15-19 | 32.9 | 13.1 | 21.6 | 22.2 | 18.7 | 11.7 | 8.6 | 11.5 | 0.0 |
| 20-24 | 198.3 | 132.8 | 157.1 | 228.3 | 194.9 | 149.0 | 111.6 | 84.1 | 100.4 |
| 25-29 | 205.5 | 154.3 | 171.3 | 182.9 | 175.0 | 159.7 | 150.8 | 135.3 | 115.9 |
| 30-34 | 119.8 | 97.2 | 104.3 | 110.3 | 97.8 | 94.6 | 83.4 | 103.3 | 99.2 |
| 35-39 | 52.2 | 36.9 | 40.0 | 40.4 | 35.0 | 33.9 | 34.6 | 40.2 | 43.4 |
| 40-44 | 18.7 | 13.0 | 16.0 | 13.6 | 13.3 | 12.6 | 11.7 | 8.5 | 12.7 |
| 45-49 | 7.1 | 4.7 | 5.2 | 6.5 | 3.0 | 6.1 | 3.2 | 3.7 | 2.1 |
| | | | | **Urban** | | | | | |
| 15-19 | 16.2 | 8.3 | 15.4 | 12.6 | 9.6 | 7.0 | 7.0 | 9.3 | 0.0 |
| 20-24 | 135.6 | 90.7 | 126.4 | 182.2 | 173.2 | 123.5 | 88.7 | 52.7 | 75.0 |
| 25-29 | 148.1 | 118.3 | 146.7 | 155.8 | 132.4 | 130.6 | 130.2 | 114.2 | 95.7 |
| 30-34 | 81.6 | 81.9 | 68.9 | 85.6 | 72.5 | 75.5 | 71.5 | 90.6 | 93.3 |
| 35-39 | 34.2 | 29.8 | 36.5 | 37.2 | 25.3 | 22.5 | 24.8 | 32.2 | 37.5 |
| 40-44 | 12.6 | 8.7 | 24.1 | 12.7 | 9.3 | 5.0 | 8.3 | 7.5 | 7.0 |
| 45-49 | 1.8 | 2.5 | 1.2 | 3.9 | 2.2 | 1.7 | 3.4 | 4.3 | 1.4 |


Chart 59: Age specific fertility rate by level of education of women, India, 2018
Fertility rate
250.0
200.0
150.0
100.0
50.0
0.0
Total
Without any formal education
Below primary
Primary
Middle
Class X
Class XII
Graduate and above
Illiterate
Literate
Educational level of women
15-19 years
20-24 years
25-29 years
30-34 years
35-39 years
40-44 years
45-49 years


Chart 60: Age specific fertility rate by level of education of women, India, 2018 - RURAL
Fertility rate
350.0
300.0
250.0
200.0
150.0
100.0
50.0
0.0
Total
Without any formal education
Below primary
Primary
Middle
Class X
Class XII
Graduate and above
Illiterate
Literate
Educational level of women
15-19 years
20-24 years
25-29 years
30-34 years
35-39 years
40-44 years
45-49 years



Chart 61: Age specific fertility rate by level of education of women, India, 2018 - URBAN
Fertility rate
200.0
180.0
160.0
140.0
120.0
100.0
80.0
60.0
40.0
20.0
0.0
Total
Without any formal education
Below primary
Primary
Middle
Class X
Class XII
Graduate and above
Illiterate
Literate
Educational level of women
15-19 years
20-24 years
25-29 years
30-34 years
35-39 years
40-44 years
45-49 years

**3.30** Total fertility rates by education levels of the women for India and bigger States/UTs are presented below in Statement 34. At the National level, total fertility rate for the women having educational status 'Illiterate' for 2018 is 3.0. This is much higher than the 'Literate' group of women. Among the 'Literate' (2.1); there is, in general, a gradual decline of TFR with the increase in the level of education. Chart 62 presents, at the National level, total fertility rate by level of education of women separately for rural and urban areas for the year 2018. The TFR by levels of education of the women for India and bigger States/UTs by place of residence are given in Table-4.

**Statement 34**

**Total Fertility Rate by level of education of women, India and bigger States/UTs, 2018**

| India and Bigger States/UTs | Educational level of women | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Illiterate | Literate | | | | | | | |
| | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **India** | **3.0** | **2.1** | **2.5** | **2.9** | **2.5** | **2.2** | **1.9** | **1.8** | **1.7** |
| Andhra Pradesh | 1.5 | 1.6 | 1.6 | 2.0 | 1.9 | 1.8 | 1.8 | 1.5 | 1.4 |
| Assam | 1.6 | 2.3 | 1.8 | 2.6 | 2.6 | 2.2 | 2.1 | 2.3 | 2.2 |
| Bihar | 4.0 | 3.0 | 3.7 | 4.1 | 3.3 | 3.1 | 2.5 | 2.1 | 2.1 |
| Chhattisgarh | 2.7 | 2.5 | 2.5 | 4.4 | 3.2 | 2.7 | 2.4 | 1.8 | 2.3 |
| Delhi | 2.2 | 1.5 | 1.1 | 3.1 | 1.9 | 1.6 | 1.6 | 1.2 | 1.4 |
| Gujarat | 2.5 | 2.1 | 2.1 | 3.1 | 2.6 | 2.3 | 2.0 | 1.5 | 1.4 |
| Haryana | 2.6 | 2.2 | 2.1 | 3.1 | 2.8 | 2.2 | 2.2 | 1.9 | 1.8 |
| Himachal Pradesh | 1.7 | 1.6 | 0.7 | 1.7 | 1.5 | 1.6 | 1.6 | 1.6 | 1.8 |
| Jammu & Kashmir | 1.7 | 1.6 | 2.0 | 3.1 | 2.5 | 1.8 | 1.5 | 1.2 | 1.1 |
| Jharkhand | 3.4 | 2.3 | 2.8 | 5.2 | 3.8 | 2.2 | 1.7 | 1.4 | 1.2 |
| Karnataka | 1.8 | 1.7 | 1.6 | 2.3 | 2.1 | 2.1 | 1.7 | 1.5 | 1.3 |
| Kerala | 1.8 | 1.7 | 0.0 | 1.3 | 1.4 | 1.2 | 1.8 | 1.6 | 2.1 |
| Madhya Pradesh | 4.1 | 2.6 | 4.0 | 3.6 | 3.3 | 2.5 | 2.1 | 3.0 | 2.2 |
| Maharashtra | 1.9 | 1.7 | 1.5 | 1.6 | 2.2 | 1.9 | 1.7 | 1.7 | 1.3 |
| Odisha | 2.1 | 1.9 | 2.2 | 2.7 | 2.3 | 2.0 | 1.7 | 1.7 | 1.4 |
| Punjab | 1.8 | 1.6 | 0.8 | 1.4 | 2.3 | 2.2 | 1.8 | 1.4 | 1.3 |
| Rajasthan | 4.0 | 2.3 | 4.0 | 4.9 | 3.0 | 2.3 | 1.6 | 2.5 | 0.9 |
| Tamil Nadu | 1.4 | 1.6 | 1.3 | 1.3 | 1.5 | 1.6 | 1.8 | 1.6 | 1.8 |
| Telangana | 1.9 | 1.6 | 1.4 | 2.5 | 2.2 | 1.8 | 1.8 | 1.4 | 1.5 |
| Uttar Pradesh | 3.2 | 2.9 | 3.2 | 3.8 | 3.1 | 3.0 | 2.8 | 2.6 | 2.6 |
| Uttarakhand | 2.4 | 1.8 | 2.5 | 2.3 | 2.2 | 1.8 | 1.7 | 1.5 | 1.8 |
| West Bengal | 1.2 | 1.6 | 1.0 | 1.7 | 1.9 | 1.7 | 1.5 | 1.3 | 1.0 |


Chart 62: Total Fertility Rate by level of education of women, India, 2018
Total Fertility Rate
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
Illiterate
Total literate
Without any formal education
Below primary
Primary
Middle
Class X
Class XII
Graduate and above
Educational level of women
Total
Rural
Urban


**Birth order**

**3.31** Information on order of the live birth and interval between current and previous live births are also collected in SRS from 1990 onwards. These provide useful information on spacing of children and level of fertility. The estimated percentages on order of live birth and birth interval for India and bigger States/UTs are given in Tables 5, 6 and 7. Based on these tables, State-wise comparative Statements are presented below.

**3.32** The percentage distribution of live births by birth order for India and bigger States/UTs for the year 2018 is presented below in Statement 35. It is observed 49.5 percent of the current live births in India are first order births, and 29.9 percent of total births are second order births. The fourth and higher order births account for 8.1 percent of the total births. Among the bigger States/UTs, the percentage share of first order birth varies from 34.1 percent in Bihar to 68.8 percent in Jammu & Kashmir. On the other hand, the percentage share of fourth and higher order births varies from 0.6 percent in Tamil Nadu to 17.4 percent in Bihar. Chart 63 shows the percentage distribution of current live births by birth order for India and bigger States/UTs.

**Statement 35**
**Percentage distribution of current live births by Birth Order, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Birth order | | | |
|---|---|---|---|---|
| | 1st | 2nd | 3rd | 4th & above |
| **India** | **49.5** | **29.9** | **12.6** | **8.1** |
| Andhra Pradesh | 57.7 | 35.7 | 5.5 | 1.1 |
| Assam | 53.9 | 27.8 | 12.7 | 5.5 |
| Bihar | 34.1 | 28.9 | 19.6 | 17.4 |
| Chhattisgarh | 41.3 | 36.0 | 15.5 | 7.2 |
| Delhi | 54.9 | 29.5 | 10.6 | 5.0 |
| Gujarat | 61.3 | 26.5 | 8.0 | 4.1 |
| Haryana | 47.3 | 31.4 | 13.7 | 7.6 |
| Himachal Pradesh | 52.9 | 37.3 | 7.3 | 2.4 |
| Jammu & Kashmir | 68.8 | 18.8 | 8.1 | 4.3 |
| Jharkhand | 42.7 | 31.2 | 16.7 | 9.3 |
| Karnataka | 49.6 | 36.5 | 10.5 | 3.4 |
| Kerala | 46.1 | 39.1 | 11.2 | 3.6 |
| Madhya Pradesh | 42.2 | 34.2 | 14.4 | 9.2 |
| Maharashtra | 59.6 | 29.4 | 8.7 | 2.4 |
| Odisha | 48.8 | 34.0 | 12.1 | 5.2 |
| Punjab | 67.6 | 22.2 | 7.7 | 2.4 |
| Rajasthan | 45.9 | 30.5 | 14.0 | 9.6 |
| Tamil Nadu | 58.6 | 34.9 | 5.9 | 0.6 |
| Telangana | 56.8 | 32.6 | 9.1 | 1.5 |
| Uttar Pradesh | 45.9 | 26.3 | 15.0 | 12.8 |
| Uttarakhand | 43.6 | 33.3 | 14.9 | 8.2 |
| West Bengal | 66.4 | 24.1 | 7.1 | 2.3 |



Chart 63: Percentage distribution of current live births by birth order, India and bigger States/UTs, 2018
Percentage of current live births by birth order
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Birth Order
4th & above
3rd
2nd
1st


**3.33** Statement 36 below presents the percentage distribution of current live births by birth order and residence for India and bigger States/UTs. It may be observed that the percentage of current live births for 'first' and 'second' order taken together is generally higher for urban areas if compared to the rural areas for bigger States/UTs except Delhi, Maharashtra, Punjab, Telangana and West Bengal. For 'third', 'fourth & above' order live births, the percentage contribution at National level is significantly higher in rural areas (23.2) compared to urban areas (14.1). Charts 64 and 65 depict the percentage distribution of current live births by birth order for rural and urban areas respectively.

**Statement 36**

**Percentage distribution of current live births by Birth Order and residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Birth order | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | Rural | | | | Urban | | | |
| | 1st | 2nd | 3rd | 4th & above | 1st | 2nd | 3rd | 4th & above |
| **India** | **47.3** | **29.5** | **13.7** | **9.5** | **55.2** | **30.7** | **9.8** | **4.3** |
| Andhra Pradesh | 58.3 | 34.7 | 5.9 | 1.1 | 56.3 | 38.2 | 4.5 | 0.9 |
| Assam | 52.9 | 27.8 | 13.3 | 6.0 | 62.8 | 28.1 | 7.7 | 1.5 |
| Bihar | 33.5 | 28.6 | 19.9 | 18.0 | 39.4 | 31.2 | 17.6 | 11.9 |
| Chhattisgarh | 39.7 | 35.3 | 16.6 | 8.4 | 48.0 | 39.1 | 10.9 | 1.9 |
| Delhi | 61.4 | 23.2 | 12.6 | 2.8 | 54.7 | 29.7 | 10.5 | 5.1 |
| Gujarat | 58.3 | 27.3 | 9.1 | 5.3 | 66.0 | 25.4 | 6.3 | 2.3 |
| Haryana | 45.5 | 31.6 | 13.6 | 9.4 | 51.0 | 31.1 | 14.0 | 3.9 |
| Himachal Pradesh | 52.8 | 37.3 | 7.4 | 2.5 | 54.5 | 37.2 | 7.2 | 1.1 |
| Jammu & Kashmir | 67.0 | 19.9 | 8.1 | 5.1 | 74.8 | 15.3 | 8.3 | 1.7 |
| Jharkhand | 41.7 | 31.0 | 17.2 | 10.0 | 46.8 | 32.2 | 14.7 | 6.4 |
| Karnataka | 48.1 | 35.7 | 12.0 | 4.2 | 52.2 | 37.8 | 8.0 | 2.0 |
| Kerala | 45.9 | 38.5 | 12.5 | 3.1 | 46.2 | 39.7 | 10.0 | 4.1 |
| Madhya Pradesh | 41.1 | 33.3 | 15.6 | 10.1 | 46.4 | 37.7 | 9.9 | 6.0 |
| Maharashtra | 59.5 | 29.8 | 8.3 | 2.4 | 59.7 | 28.8 | 9.1 | 2.3 |
| Odisha | 48.0 | 33.8 | 12.5 | 5.7 | 54.4 | 34.8 | 9.3 | 1.5 |
| Punjab | 67.4 | 23.0 | 7.5 | 2.1 | 68.1 | 21.0 | 8.2 | 2.8 |
| Rajasthan | 44.0 | 30.5 | 14.8 | 10.7 | 52.3 | 30.3 | 11.4 | 6.0 |
| Tamil Nadu | 58.1 | 33.5 | 7.3 | 1.0 | 59.0 | 36.2 | 4.6 | 0.2 |
| Telangana | 56.8 | 32.6 | 9.1 | 1.5 | 56.8 | 32.6 | 9.1 | 1.5 |
| Uttar Pradesh | 44.2 | 26.3 | 15.5 | 14.0 | 52.1 | 26.4 | 13.3 | 8.1 |
| Uttarakhand | 43.8 | 32.5 | 14.9 | 8.8 | 43.3 | 35.5 | 14.9 | 6.4 |
| West Bengal | 66.1 | 24.9 | 6.9 | 2.1 | 67.5 | 21.5 | 7.7 | 3.2 |


Chart 64: Percentage distribution of current live births by birth order, India and bigger States/UTs, 2018 - RURAL
Percentage of current live births by birth order
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Birth Order
4th & above
3rd
2nd
1st


Chart 65: Percentage distribution of current live births by birth order, India and bigger States/UTs, 2018 - URBAN
Percentage of current live births by birth order
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Birth Order
4th & above
3rd
2nd
1st


**Birth interval**

**3.34** The percentage distribution of second and higher order live births by interval between current and previous live birth is shown below in Statement 37 for India and bigger States/UTs for the year 2018. At the National level, 1.6 percent of the live births occur within one year from the previous live birth. Such percentage varies from 0.4 in Kerala to 3.2 in Jammu & Kashmir. The percentage of births beyond three years of birth interval from the previous live birth for India is 49.6. It varies from 37.1 in Bihar to 73.7 in West Bengal. Chart 66 presents the percentage distribution of second and higher order live births by interval for India and bigger States/UTs.

**Statement 37**

**Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Interval between current and previous live birth (in months) | | | |
|---|---|---|---|---|
| | 10-12 | 12-24 | 24-36 | 36+ |
| **India** | **1.6** | **21.6** | **27.2** | **49.6** |
| Andhra Pradesh | 1.6 | 28.3 | 31.4 | 38.7 |
| Assam | 1.2 | 9.4 | 19.3 | 70.1 |
| Bihar | 1.6 | 29.9 | 31.3 | 37.1 |
| Chhattisgarh | 1.3 | 15.9 | 30.3 | 52.5 |
| Delhi | 0.5 | 10.6 | 19.6 | 69.3 |
| Gujarat | 1.7 | 21.4 | 26.9 | 50.0 |
| Haryana | 2.6 | 24.8 | 24.7 | 47.9 |
| Himachal Pradesh | 1.3 | 19.1 | 25.0 | 54.6 |
| Jammu & Kashmir | 3.2 | 20.5 | 24.3 | 52.0 |
| Jharkhand | 0.8 | 19.7 | 36.4 | 43.1 |
| Karnataka | 0.9 | 23.4 | 27.4 | 48.3 |
| Kerala | 0.4 | 9.8 | 17.8 | 72.0 |
| Madhya Pradesh | 2.1 | 28.4 | 31.9 | 37.6 |
| Maharashtra | 1.3 | 19.8 | 26.2 | 52.7 |
| Odisha | 0.8 | 8.6 | 20.7 | 69.9 |
| Punjab | 2.3 | 18.5 | 23.5 | 55.0 |
| Rajasthan | 2.6 | 25.3 | 30.9 | 41.2 |
| Tamil Nadu | 1.1 | 21.0 | 28.0 | 49.8 |
| Telangana | 1.8 | 27.2 | 27.3 | 43.5 |
| Uttar Pradesh | 1.4 | 20.5 | 25.5 | 52.6 |
| Uttarakhand | 2.4 | 17.8 | 26.5 | 53.4 |
| West Bengal | 2.3 | 7.8 | 16.4 | 73.7 |



Chart 66: Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2018
Percentage
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Birth Interval
36+
24-36
12-24
10-12


**3.35** Statement 38 below presents the percentage distribution of second and higher order live births by interval between current and previous live birth separately for rural and urban areas. At the National level, 1.6 percent of live births have been reported within an interval of one year for rural areas and 1.7 percent in urban areas. More than 75 percent of births have birth interval of 24 and more months both in rural and urban areas. Charts 67 and 68 give the percentage distribution of second and higher order live births by interval for rural and urban areas respectively.

**Statement 38**

**Percentage distribution of second and higher order live births by interval and residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Interval between current and previous live birth ( in months) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | Rural | | | | Urban | | | |
| | 10-12 | 12-24 | 24-36 | 36+ | 10-12 | 12-24 | 24-36 | 36+ |
| **India** | **1.6** | **22.9** | **28.9** | **46.7** | **1.7** | **17.6** | **22.1** | **58.6** |
| Andhra Pradesh | 1.6 | 28.1 | 34.6 | 35.7 | 1.4 | 28.9 | 24.0 | 45.7 |
| Assam | 1.3 | 9.7 | 19.4 | 69.7 | 1.0 | 5.9 | 18.6 | 74.3 |
| Bihar | 1.6 | 30.1 | 31.3 | 36.9 | 1.7 | 28.2 | 31.3 | 38.9 |
| Chhattisgarh | 0.8 | 16.9 | 31.8 | 50.5 | 3.5 | 11.3 | 22.8 | 62.4 |
| Delhi | 1.6 | 8.0 | 27.5 | 60.7 | 0.5 | 10.7 | 19.4 | 69.5 |
| Gujarat | 1.6 | 23.0 | 30.2 | 45.1 | 1.9 | 18.2 | 20.6 | 59.4 |
| Haryana | 3.2 | 26.1 | 27.2 | 43.5 | 1.1 | 22.0 | 19.1 | 57.8 |
| Himachal Pradesh | 1.3 | 19.3 | 25.5 | 53.9 | 1.7 | 14.5 | 17.0 | 66.8 |
| Jammu & Kashmir | 3.3 | 19.4 | 24.6 | 52.7 | 2.6 | 25.6 | 23.2 | 48.6 |
| Jharkhand | 0.8 | 20.2 | 36.9 | 42.1 | 0.9 | 17.0 | 34.1 | 47.9 |
| Karnataka | 0.9 | 27.9 | 30.8 | 40.5 | 1.1 | 15.0 | 21.1 | 62.8 |
| Kerala | 0.5 | 10.0 | 18.0 | 71.5 | 0.3 | 9.7 | 17.5 | 72.5 |
| Madhya Pradesh | 2.1 | 30.9 | 33.7 | 33.3 | 2.2 | 17.7 | 24.4 | 55.7 |
| Maharashtra | 1.6 | 21.5 | 30.1 | 46.9 | 0.9 | 17.6 | 21.2 | 60.3 |
| Odisha | 0.7 | 8.8 | 21.4 | 69.0 | 1.4 | 7.0 | 14.8 | 76.8 |
| Punjab | 1.3 | 23.0 | 25.5 | 49.2 | 3.8 | 11.4 | 20.4 | 64.1 |
| Rajasthan | 2.5 | 26.9 | 32.0 | 38.6 | 2.9 | 19.3 | 26.4 | 51.3 |
| Tamil Nadu | 1.0 | 24.4 | 30.9 | 43.6 | 1.1 | 17.9 | 25.4 | 55.6 |
| Telangana | 2.0 | 30.2 | 27.7 | 39.9 | 1.5 | 24.2 | 26.9 | 47.1 |
| Uttar Pradesh | 1.2 | 20.7 | 27.3 | 50.8 | 2.5 | 19.5 | 18.2 | 59.8 |
| Uttarakhand | 2.8 | 19.6 | 27.8 | 49.8 | 1.2 | 12.7 | 22.8 | 63.3 |
| West Bengal | 2.7 | 7.9 | 16.4 | 72.9 | 0.8 | 7.6 | 16.3 | 76.5 |


Chart 67: Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2018- RURAL
Percentage
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Birth Interval
36+
24-36
12-24
10-12


Chart 68: Percentage distribution of second and higher order live births by interval, India and bigger States/UTs, 2018-URBAN
Percentage
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Birth Interval
36+
24-36
12-24
10-12


## Medical attention at delivery


**3.36** While recording details of every outcome of pregnancy during continuous enumeration and half yearly survey, the enumerators and supervisors are required to enquire about the type of medical attention received by the mother at the time of delivery/abortion of the new born. From 2004 onwards, the options on types of medical attention received by the mother at delivery have been modified to capture the deliveries specifically at private hospital/nursing homes. The new options include 'Government Hospital', 'Private Hospital', 'Qualified professional', 'Untrained functionary and others' in comparison to 'Institutional'; 'Doctor, Nurse or trained midwife'; 'Traditional birth attendants'; and 'relatives or others' adopted till 1991 SRS sample. Statement 39 below gives the percentage distribution of live births recorded in the year 2018 by type of medical attention received by the mother at the time of delivery for India and bigger States/UTs separately by rural and urban areas. At the National level, 54.5 percent births were attended by Government Hospitals and vary from 53.8 percent in rural areas to 56.3 percent in urban areas. Among the bigger States/UTs, it varies from 40.0 percent in Jharkhand and Punjab to 70.8 percent in Rajasthan. About 28.0 percent of births occurred at Private Hospital. Medical attention by qualified professionals constitutes 9.7 percent of total deliveries whereas untrained and others constitute 7.8 percent. More than three fourth of deliveries are occurring in institutions and conducted by the qualified professional. Charts 69, 70 and 71 depict the percentage distribution of live births by type of Medical Attention received by the mother for Total, Rural and Urban areas respectively.


**Statement 39**

**Percentage distribution of live births by type of Medical Attention received by the mother at delivery by residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Govt. Hospital | | | Private Hospital | | | Qualified professional | | | Untrained functionary and others | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **54.5** | **53.8** | **56.3** | **28.0** | **24.2** | **38.4** | **9.7** | **11.6** | **4.5** | **7.8** | **10.3** | **0.8** |
| Andhra Pradesh | 53.9 | 56.7 | 46.0 | 43.5 | 39.9 | 53.8 | 2.4 | 3.2 | 0.1 | 0.2 | 0.2 | 0.1 |
| Assam | 55.0 | 53.9 | 64.0 | 27.8 | 27.3 | 32.4 | 12.3 | 13.4 | 3.4 | 4.9 | 5.4 | 0.2 |
| Bihar | 46.2 | 45.5 | 52.5 | 24.1 | 22.4 | 39.0 | 10.7 | 11.2 | 6.7 | 19.0 | 20.9 | 1.8 |
| Chhattisgarh | 49.9 | 47.0 | 61.3 | 27.2 | 26.7 | 28.8 | 17.2 | 19.3 | 8.8 | 5.8 | 7.0 | 1.1 |
| Delhi | 64.1 | 66.0 | 64.0 | 31.7 | 30.5 | 31.7 | 4.1 | 3.0 | 4.1 | 0.1 | 0.5 | 0.1 |
| Gujarat | 47.3 | 49.2 | 44.0 | 47.3 | 42.3 | 55.5 | 4.8 | 7.4 | 0.4 | 0.6 | 1.0 | 0.0 |
| Haryana | 44.1 | 46.1 | 40.4 | 41.5 | 37.7 | 48.6 | 13.1 | 14.7 | 10.1 | 1.3 | 1.5 | 0.9 |
| Himachal Pradesh | 60.8 | 59.7 | 80.4 | 18.1 | 18.2 | 16.1 | 17.3 | 18.1 | 3.0 | 3.8 | 4.0 | 0.5 |
| Jammu & Kashmir | 70.0 | 66.4 | 81.3 | 18.9 | 20.0 | 15.8 | 6.4 | 7.7 | 2.7 | 4.6 | 6.0 | 0.2 |
| Jharkhand | 40.0 | 38.1 | 52.9 | 21.7 | 19.3 | 38.9 | 17.0 | 18.9 | 3.7 | 21.3 | 23.7 | 4.5 |
| Karnataka | 66.3 | 70.1 | 60.4 | 31.3 | 26.2 | 39.3 | 1.9 | 3.1 | 0.2 | 0.4 | 0.6 | 0.2 |
| Kerala | 44.9 | 50.1 | 39.2 | 54.9 | 49.7 | 60.5 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 |
| Madhya Pradesh | 57.2 | 53.6 | 70.1 | 25.9 | 25.5 | 27.4 | 9.7 | 11.8 | 2.0 | 7.2 | 9.0 | 0.4 |
| Maharashtra | 55.7 | 54.8 | 57.0 | 41.3 | 40.4 | 42.5 | 2.6 | 4.2 | 0.3 | 0.4 | 0.6 | 0.1 |
| Odisha | 63.2 | 62.0 | 70.7 | 17.8 | 17.0 | 23.2 | 9.3 | 9.8 | 5.6 | 9.8 | 11.2 | 0.5 |
| Punjab | 40.0 | 40.4 | 39.5 | 49.7 | 45.6 | 55.5 | 9.7 | 13.1 | 4.8 | 0.6 | 0.9 | 0.2 |
| Rajasthan | 70.8 | 70.3 | 72.5 | 17.7 | 16.6 | 21.5 | 9.9 | 11.1 | 5.7 | 1.6 | 2.0 | 0.3 |
| Tamil Nadu | 61.5 | 65.6 | 57.4 | 34.5 | 26.6 | 42.4 | 3.7 | 7.4 | 0.1 | 0.2 | 0.4 | 0.1 |
| Telangana | 50.0 | 52.8 | 45.2 | 44.2 | 39.6 | 52.1 | 3.4 | 4.8 | 0.9 | 2.4 | 2.7 | 1.8 |
| Uttar Pradesh | 48.3 | 47.7 | 50.7 | 19.2 | 15.9 | 31.6 | 18.6 | 19.2 | 16.1 | 13.9 | 17.3 | 1.6 |
| Uttarakhand | 51.8 | 53.5 | 47.0 | 21.3 | 17.1 | 32.9 | 18.2 | 19.2 | 15.3 | 8.8 | 10.2 | 4.8 |
| West Bengal | 67.9 | 68.0 | 67.6 | 18.2 | 14.9 | 27.3 | 6.3 | 7.3 | 3.5 | 7.6 | 9.8 | 1.6 |


Chart 69: Distribution of live births by type of Medical Attention received by the mother at delivery, India and bigger States/UTs, 2018
Percentage
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Govt. Hospital
Private Hospital
Qualified professional
Untrained functionary & Others


Chart 70: Distribution of live births by type of Medical Attention received by the mother at delivery, India and bigger States/UTs, 2018 - RURAL
Percentage
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Govt. Hospital
Private Hospital
Qualified professional
Untrained functionary & Others


Chart 71: Distribution of live births by type of Medical Attention received by the mother at delivery, India and bigger States/UTs, 2018 - URBAN
Percentage
90.0
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Govt. Hospital
Private Hospital
Qualified professional
Untrained functionary & Others

# CHAPTER – 4

# ESTIMATES OF MORTALITY INDICATORS

Mortality is one of the basic components of population change and the related data is essential for demographic studies and public health administration. It is the principal ingredient for population projections and life tables. Information on death events recorded in SRS is used to estimate mortality indicators. The various measures of mortality published under SRS are Crude Death Rate (CDR), Under-five Mortality Rate (U5MR), Infant Mortality Rate (IMR) and its components, Age Specific Mortality Rates (ASMR), Still Birth Rate (SBR) and Peri-Natal Mortality Rate (PMR).

**4.2** SRS has continued to provide data for estimating various mortality measures since its inception. The crude death rate at all India level has declined significantly from 14.9 to 12.5 during 1971 to 1981 and thereafter from 9.8 to 6.2 during 1991 to 2018. The decline has been steeper in rural areas as compared to urban areas. The infant mortality rate, which plays an important role in health planning, has shown a considerable decline from 129 per 1000 live births in 1971 to 110 in 1981 and from 80 in 1991 to 32 in 2018. The child mortality rate has depicted a perceptible decline from 51.9 in 1971 to 41.2 in 1981 and from 26.5 in 1991 to 8.9 in 2018. In 2018, about 47.8 percent of the deaths were institutional and 52.2 percent received medical attention other than in institutions.

**4.3** Apart from the all India scenario, this chapter presents data on mortality indicators for bigger States/UTs by sex, residence and broad age-groups. Besides Under-five mortality rate, it includes data on infant mortality and its components viz., neo-natal mortality and post neo-natal, peri-natal mortality and changes in mortality over the last decade. It also includes data on medical attention before death.


**4.4** Apart from the mortality indicators at State and National levels, this report also includes estimates of death rates at sub-State, viz. NSS Natural Division Level. The Table 11 in the annexure to this report contains data on death rate and infant mortality rate besides birth rate for 71 Natural Divisions of 22 bigger States/UTs.


**4.5** Statement 40 below provides the Crude Death Rate (CDR) by residence for India and bigger States/UTs for the year 2018. The CDR at national level is 6.2 varying from 6.7 in rural to 5.1 in urban areas. Among the bigger States/UTs, it varies from 3.3 in Delhi to 8.0 in Chhattisgarh. The CDR of the rural areas is higher than that of the urban areas in all the bigger States/UTs, except for West Bengal. The States having death rate higher than or equal to the National level are Telangana 6.3, Karnataka 6.3, Assam 6.4, Tamil Nadu 6.5, Punjab 6.6, Uttar Pradesh 6.6, Madhya Pradesh 6.7, Andhra Pradesh 6.7, Kerala 6.9, Himachal Pradesh 6.9, Odisha 7.3 and Chhattisgarh 8.0. The graphical representation of death rate of bigger States/UTs by residence is depicted in Chart 72. Distribution of bigger States/UTs by level of CDR in rural and urban areas is shown in Chart 73. The estimated age-specific death rate by sex and residence for India and bigger States/UTs has been detailed in Table 8.

**Statement 40**

**CDR (Crude Death Rates) by residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **6.2** | **6.7** | **5.1** |
| Andhra Pradesh | 6.7 | 7.4 | 5.0 |
| Assam | 6.4 | 6.6 | 5.1 |
| Bihar | 5.8 | 5.9 | 5.1 |
| Chhattisgarh | 8.0 | 8.6 | 6.3 |
| Delhi | 3.3 | 3.7 | 3.3 |
| Gujarat | 5.9 | 6.3 | 5.3 |
| Haryana | 5.9 | 6.6 | 4.9 |
| Himachal Pradesh | 6.9 | 7.1 | 4.8 |
| Jammu & Kashmir | 4.9 | 5.1 | 4.2 |
| Jharkhand | 5.4 | 5.7 | 4.5 |
| Karnataka | 6.3 | 7.2 | 4.8 |
| Kerala | 6.9 | 7.1 | 6.7 |
| Madhya Pradesh | 6.7 | 7.1 | 5.5 |
| Maharashtra | 5.5 | 6.3 | 4.5 |
| Odisha | 7.3 | 7.6 | 5.9 |
| Punjab | 6.6 | 7.7 | 5.1 |
| Rajasthan | 5.9 | 6.1 | 5.0 |
| Tamil Nadu | 6.5 | 7.8 | 5.3 |
| Telangana | 6.3 | 7.5 | 4.5 |
| Uttar Pradesh | 6.6 | 7.0 | 5.3 |
| Uttarakhand | 6.2 | 6.5 | 5.3 |
| West Bengal | 5.6 | 5.6 | 5.7 |


Chart 72: Crude death rates by residence, India and bigger States/UTs, 2018
Crude Death Rate
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban


Chart 73:Distribution of bigger States/UTs by values of death rate for rural and urban areas, 2018
Urban death rate
Rural death rate
Line of equity
Kerala
Chhattisgarh
Odisha
West Bengal
Madhya Pradesh
Uttarakhand
Uttar Pradesh
Tamil Nadu
Gujarat
Haryana
Andhra Pradesh
Bihar
INDIA
Punjab
Rajasthan
Assam
Karnataka
Himachal Pradesh
Jharkhand
Telangana
Jammu & Kashmir
Maharashtra
Delhi
10.0
9.5
9.0
8.5
8.0
7.5
7.0
6.5
6.0
5.5
5.0
4.5
4.0
3.5
3.0
3.0
3.5
4.0
4.5
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
9.5
10.0


**4.6** Statement 41 given below shows the percentage change in the level of Crude Death Rate between the period 2006-08 and 2016-18 for India and bigger States/UTs. During this period CDR in India has declined by 14.9 percent. In Kerala, average CDR have shown marginal increase during 2006-08 to 2016-18 period, which could possibly be due to the changes in age structure of the population.


**Statement 41**


**Percentage change in average Crude Death Rate between 2006-08 and 2016-2018, by residence, India and bigger States/UTs**


| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change |
| **India** | 7.4 | 6.3 | -14.9 | 8.0 | 6.8 | -15.0 | 6.0 | 5.2 | -13.3 |
| Andhra Pradesh* | 7.4 | 6.7 | -9.5 | 8.1 | 7.6 | -6.2 | 5.8 | 4.8 | -17.2 |
| Assam | 8.6 | 6.5 | -24.4 | 9.1 | 6.8 | -25.3 | 5.7 | 5.1 | -10.5 |
| Bihar | 7.5 | 5.9 | -21.3 | 7.6 | 6.0 | -21.1 | 6.2 | 5.3 | -14.5 |
| Chhattisgarh | 8.1 | 7.7 | -4.9 | 8.5 | 8.2 | -3.5 | 6.4 | 6.0 | -6.3 |
| Delhi | 4.7 | 3.7 | -21.3 | 5.2 | 4.1 | -21.2 | 4.7 | 3.7 | -21.3 |
| Gujarat | 7.1 | 6.1 | -14.1 | 8.1 | 6.6 | -18.5 | 5.7 | 5.4 | -5.3 |
| Haryana | 6.7 | 5.9 | -11.9 | 7.1 | 6.4 | -9.9 | 5.7 | 5.0 | -12.3 |
| Himachal Pradesh | 7.1 | 6.8 | -4.2 | 7.3 | 7.0 | -4.1 | 4.8 | 4.4 | -8.3 |
| Jammu & Kashmir | 5.8 | 4.9 | -15.5 | 6.0 | 5.1 | -15.0 | 4.9 | 4.3 | -12.2 |
| Jharkhand | 7.3 | 5.5 | -24.7 | 7.7 | 5.8 | -24.7 | 5.7 | 4.6 | -19.3 |
| Karnataka | 7.3 | 6.5 | -11.0 | 8.3 | 7.6 | -8.4 | 5.5 | 4.9 | -10.9 |
| Kerala | 6.7 | 7.1 | 6.0 | 6.8 | 7.2 | 5.9 | 6.4 | 7.0 | 9.4 |
| Madhya Pradesh | 8.7 | 6.9 | -20.7 | 9.4 | 7.3 | -22.3 | 6.2 | 5.6 | -9.7 |
| Maharashtra | 6.7 | 5.7 | -14.9 | 7.4 | 6.6 | -10.8 | 5.7 | 4.6 | -19.3 |
| Odisha | 9.2 | 7.5 | -18.5 | 9.5 | 7.8 | -17.9 | 6.9 | 6.0 | -13.0 |
| Punjab | 7.0 | 6.5 | -7.1 | 7.7 | 7.3 | -5.2 | 5.9 | 5.4 | -8.5 |
| Rajasthan | 6.8 | 6.0 | -11.8 | 7.1 | 6.3 | -11.3 | 6.1 | 5.1 | -16.4 |
| Tamil Nadu | 7.4 | 6.5 | -12.2 | 8.2 | 7.5 | -8.5 | 6.3 | 5.6 | -11.1 |
| Uttar Pradesh | 8.5 | 6.7 | -21.2 | 9.0 | 7.2 | -20.0 | 6.6 | 5.4 | -18.2 |
| Uttarakhand | 6.6 | 6.5 | -1.5 | 6.9 | 6.8 | -1.4 | 5.5 | 5.6 | 1.8 |
| West Bengal | 6.3 | 5.7 | -9.5 | 6.2 | 5.7 | -8.1 | 6.4 | 5.9 | -7.8 |

* Andhra Pradesh includes Telangana.


Chart 74: Average Death rate between 2006-08 and 2016-18, India and bigger States/UTs
Average Death Rate
10.0
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
2006-08
2016-18


Chart 75: Average Death rate between 2006-08 and 2016-18,
India and bigger States/UTs -RURAL
Average Death Rate
10.0
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
2006-08
2016-18


Chart 76: Average Death rate between 2006-08 and 2016-18,
India and bigger States/UTs - URBAN
Average Death Rate
8.0
7.0
6.0
5.0
4.0
3.0
2.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
2006-08
2016-18



Chart 77: Percentage change in average death rates between 2006-08 and 2016-18, India and bigger States/UTs
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
15.0
10.0
5.0
0.0
-5.0
-10.0
-15.0
-20.0
-25.0
-30.0
Percentage change
Total
Rural
Urban
India and bigger States/UTs

**4.7** Statement 42 given below presents the estimated Crude Death Rate for India by residence separately for males and females. It is observed that female death rate is lower than male death rate both in rural and urban areas. Chart 78 represents the crude death rate by sex and residence for India.

**Statement 42**

**Crude Death Rate by sex and residence, India, 2018**

| Residence | Total | Males | Females |
|---|---|---|---|
| Total | 6.2 | 6.6 | 5.7 |
| Rural | 6.7 | 7.2 | 6.2 |
| Urban | 5.1 | 5.5 | 4.7 |




**4.8** Crude death rates for males and females in the bigger States/UTs are shown below in Statement 43. It is observed that male death rate exceeds female death rate in all bigger States/UTs except Bihar and Jharkhand.

**Statement 43**

**Crude Death Rate by sex, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | Males | Females |
|---|---|---|---|
| **India** | **6.2** | **6.6** | **5.7** |
| Andhra Pradesh | 6.7 | 7.4 | 5.9 |
| Assam | 6.4 | 6.9 | 5.8 |
| Bihar | 5.8 | 5.7 | 6.0 |
| Chhattisgarh | 8.0 | 8.4 | 7.7 |
| Delhi | 3.3 | 3.6 | 3.1 |
| Gujarat | 5.9 | 6.6 | 5.1 |
| Haryana | 5.9 | 6.9 | 4.8 |
| Himachal Pradesh | 6.9 | 8.3 | 5.5 |
| Jammu & Kashmir | 4.9 | 5.6 | 4.1 |
| Jharkhand | 5.4 | 4.9 | 6.0 |
| Karnataka | 6.3 | 6.8 | 5.8 |
| Kerala | 6.9 | 7.9 | 5.9 |
| Madhya Pradesh | 6.7 | 7.2 | 6.1 |
| Maharashtra | 5.5 | 6.0 | 4.9 |
| Odisha | 7.3 | 7.8 | 6.7 |
| Punjab | 6.6 | 7.4 | 5.7 |
| Rajasthan | 5.9 | 6.4 | 5.3 |
| Tamil Nadu | 6.5 | 7.4 | 5.5 |
| Telangana | 6.3 | 6.9 | 5.6 |
| Uttar Pradesh | 6.6 | 6.8 | 6.4 |
| Uttarakhand | 6.2 | 6.9 | 5.4 |
| West Bengal | 5.6 | 6.3 | 5.0 |


Chart 79: Crude Death Rates by sex, India and bigger States/UTs, 2018
Crude Death Rate
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Males
Females


**4.9** Statement 44 given below provides the percentage distribution of deaths by broad age groups for India and bigger States/UTs. At the National level, 10.5 percent of the deaths are of infant deaths (<1 year) whereas 56.0 percent of the deaths pertain to persons aged 60 years and above. Toddlers (1-4 years) account for 1.1 percent of the deaths. The percentage of infant deaths to total deaths varies from a low 1.4 percent in Kerala to a high of 17.9 percent in Madhya Pradesh. Percentage contribution of deaths from persons aged 60 years and above varies from 47.0 in Assam to 77.8 in Kerala. The percentage distribution of deaths to total deaths, by residence, sex and age-group at the National level and for the bigger States/UTs are given in Table 10.

**Statement 44**

**Percentage distribution of deaths by broad age groups, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Broad age-groups | | | | | |
|---|---|---|---|---|---|---|
| | <1 | 1-4 | 0-4 | 5-14 | 15-59 | 60+ |
| **India** | **10.5** | **1.1** | **11.5** | **1.5** | **31.0** | **56.0** |
| Andhra Pradesh | 7.0 | 0.6 | 7.7 | 1.0 | 37.7 | 53.6 |
| Assam | 13.7 | 1.6 | 15.3 | 0.7 | 37.0 | 47.0 |
| Bihar | 14.4 | 1.8 | 16.1 | 2.7 | 19.9 | 61.3 |
| Chhattisgarh | 11.5 | 1.0 | 12.5 | 1.6 | 35.0 | 50.9 |
| Delhi | 5.7 | 2.2 | 7.9 | 2.0 | 35.1 | 54.9 |
| Gujarat | 9.3 | 0.8 | 10.1 | 1.1 | 33.0 | 55.8 |
| Haryana | 10.3 | 1.7 | 12.0 | 1.5 | 36.0 | 50.6 |
| Himachal Pradesh | 4.0 | 1.3 | 5.2 | 0.7 | 24.5 | 69.5 |
| Jammu & Kashmir | 7.0 | 0.2 | 7.3 | 1.3 | 33.9 | 57.6 |
| Jharkhand | 12.6 | 1.4 | 14.0 | 1.5 | 31.3 | 53.2 |
| Karnataka | 6.3 | 1.2 | 7.5 | 1.2 | 33.7 | 57.6 |
| Kerala | 1.4 | 0.6 | 2.0 | 0.5 | 19.7 | 77.8 |
| Madhya Pradesh | 17.9 | 2.2 | 20.0 | 2.2 | 28.8 | 49.0 |
| Maharashtra | 5.5 | 0.7 | 6.2 | 1.0 | 32.2 | 60.6 |
| Odisha | 9.9 | 0.8 | 10.7 | 1.6 | 30.0 | 57.7 |
| Punjab | 4.6 | 0.4 | 5.0 | 1.0 | 37.2 | 56.8 |
| Rajasthan | 15.2 | 1.0 | 16.2 | 2.0 | 31.2 | 50.6 |
| Tamil Nadu | 3.4 | 0.5 | 3.9 | 0.7 | 33.8 | 61.6 |
| Telangana | 7.2 | 0.6 | 7.7 | 1.4 | 36.9 | 54.0 |
| Uttar Pradesh | 16.7 | 1.0 | 17.7 | 2.0 | 30.1 | 50.2 |
| Uttarakhand | 8.3 | 0.8 | 9.1 | 1.4 | 31.0 | 58.5 |
| West Bengal | 5.8 | 1.1 | 6.9 | 0.9 | 29.9 | 62.3 |

Note: Total may not add up to 100 due to rounding off.



Chart 80: Distribution of deaths by broad age groups India and bigger States/UTs, 2018
Percentage
100.0
90.0
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
JharKhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
60+ years
15-59 years
5-14 years
0-4 years

**4.10** The percentage share of infant deaths to total deaths by residence is shown below in Statement 45 for India and bigger States/UTs. At the National level, such share in the year 2018 is 10.5 percent and varies from 11.6 percent in rural areas to 7.4 percent in urban areas. In rural areas, Kerala registered 1.8 percent, the lowest percentage share of infant deaths as compared to 19.4 in Madhya Pradesh. In urban areas, the variation is from 1.1 percent in Kerala to 14.8 percent in Uttar Pradesh.

**Statement 45**

**Percentage of Infant Deaths to total deaths by residence**
**India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **10.5** | **11.6** | **7.4** |
| Andhra Pradesh | 7.0 | 7.3 | 6.4 |
| Assam | 13.7 | 14.7 | 5.8 |
| Bihar | 14.4 | 14.6 | 12.7 |
| Chhattisgarh | 11.5 | 11.8 | 9.9 |
| Delhi | 5.7 | 3.4 | 5.8 |
| Gujarat | 9.3 | 11.2 | 6.5 |
| Haryana | 10.3 | 10.7 | 9.2 |
| Himachal Pradesh | 4.0 | 4.0 | 3.9 |
| Jammu & Kashmir | 7.0 | 7.6 | 5.4 |
| Jharkhand | 12.6 | 13.1 | 10.4 |
| Karnataka | 6.3 | 6.2 | 6.6 |
| Kerala | 1.4 | 1.8 | 1.1 |
| Madhya Pradesh | 17.9 | 19.4 | 12.4 |
| Maharashtra | 5.5 | 6.0 | 4.7 |
| Odisha | 9.9 | 10.4 | 7.0 |
| Punjab | 4.6 | 4.3 | 5.3 |
| Rajasthan | 15.2 | 16.4 | 11.0 |
| Tamil Nadu | 3.4 | 3.4 | 3.4 |
| Telangana | 7.2 | 6.9 | 7.8 |
| Uttar Pradesh | 16.7 | 17.2 | 14.8 |
| Uttarakhand | 8.3 | 8.1 | 9.0 |
| West Bengal | 5.8 | 6.6 | 4.1 |


Chart 81: Percentage of Infant deaths to total deaths by residence, 2018
Percentage
20.0
18.0
16.0
14.0
12.0
10.0
8.0
6.0
4.0
2.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban


**4.11** Statement 46 given below presents Infant Mortality Rate (IMR) by sex and residence for the year 2018 for India and bigger States/UTs. Infant Mortality Rate is defined as the infant deaths (less than one year) per thousand live births. At the National level, IMR is reported to be 32 and varies from 36 in rural areas to 23 in urban areas. Among the bigger States/UTs, it varies from 7 in Kerala to 48 in Madhya Pradesh. Female infants experienced a higher mortality than male infants at the national level and States except Andhra Pradesh, Chhattisgarh, Delhi, Gujarat, Haryana, Kerala, Madhya Pradesh, Odisha, Punjab, Tamil Nadu, Telangana and Uttarakhand. Charts 82, 83 and 84 provide the values of IMR by residence for India and bigger States/UTs for total, rural and urban areas respectively. Distribution of bigger States by level of IMR in rural and urban areas is shown in Chart 85. The estimates on child and infant mortality indicators by residence have been detailed in Table 9.


**Statement 46**


**Infant Mortality Rates by sex and residence, India and bigger States/UTs, 2018**


| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| **India** | **32** | **32** | **33** | **36** | **36** | **36** | **23** | **22** | **23** |
| Andhra Pradesh | 29 | 30 | 29 | 33 | 34 | 32 | 21 | 20 | 22 |
| Assam | 41 | 40 | 44 | 44 | 42 | 46 | 20 | 20 | 21 |
| Bihar | 32 | 30 | 35 | 32 | 30 | 35 | 30 | 26 | 34 |
| Chhattisgarh | 41 | 42 | 39 | 42 | 44 | 40 | 35 | 34 | 36 |
| Delhi | 13 | 14 | 12 | 8 | 16 | 0 | 13 | 14 | 12 |
| Gujarat | 28 | 29 | 27 | 33 | 34 | 32 | 20 | 21 | 19 |
| Haryana | 30 | 31 | 29 | 33 | 34 | 31 | 25 | 24 | 25 |
| Himachal Pradesh* | 19 | 19 | 20 | 20 | 19 | 20 | 14 | 15 | 12 |
| Jammu & Kashmir | 22 | 22 | 23 | 23 | 23 | 24 | 20 | 19 | 20 |
| Jharkhand | 30 | 27 | 34 | 31 | 28 | 35 | 26 | 24 | 28 |
| Karnataka | 23 | 21 | 25 | 25 | 23 | 26 | 20 | 18 | 22 |
| Kerala | 7 | 9 | 5 | 9 | 8 | 10 | 5 | 11 | 0 |
| Madhya Pradesh | 48 | 51 | 46 | 52 | 54 | 49 | 36 | 37 | 35 |
| Maharashtra | 19 | 19 | 19 | 24 | 23 | 25 | 14 | 14 | 13 |
| Odisha | 40 | 40 | 39 | 41 | 41 | 40 | 31 | 31 | 30 |
| Punjab | 20 | 21 | 20 | 21 | 21 | 21 | 19 | 20 | 19 |
| Rajasthan | 37 | 37 | 38 | 41 | 40 | 41 | 26 | 24 | 28 |
| Tamil Nadu | 15 | 16 | 14 | 18 | 19 | 17 | 12 | 13 | 12 |
| Telangana | 27 | 27 | 26 | 30 | 31 | 29 | 21 | 19 | 23 |
| Uttar Pradesh | 43 | 43 | 44 | 46 | 45 | 46 | 35 | 32 | 38 |
| Uttarakhand | 31 | 33 | 28 | 31 | 34 | 28 | 29 | 29 | 30 |
| West Bengal | 22 | 22 | 22 | 22 | 23 | 22 | 20 | 18 | 22 |

*Based on three-year period 2016-18


Chart 82: Infant mortality rates by sex, India and bigger States/UTs, 2018
Infant Mortality Rate
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Males
Females


Chart 83: Infant mortality rates by sex, India and bigger States/UTs, 2018-RURAL
Infant Mortality Rate
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Males
Females


Chart 84: Infant mortality rates by sex, , India and bigger States/UTs, 2018, -URBAN
Infant Mortality Rate
40
35
30
25
20
15
10
5
0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Males
Females


Chart 85:Distribution of bigger States/UTs by Infant Mortality Rate for rural and urban areas, 2018
Urban infant mortality rate
Rural infant mortality rate
Line of equity
0
10
20
30
40
50
60
Madhya Pradesh
Chhattisgarh
Uttar Pradesh
Odisha
Bihar
Uttarakhand
Jharkhand
Rajasthan
Haryana
INDIA
West Bengal
Telangana
Andhra Pradesh
Karnataka
Gujarat
Assam
Punjab
Jammu & Kashmir
Delhi
Himachal Pradesh
Maharashtra
Tamil Nadu
Kerala


**4.12** The percentage change in the average level of infant mortality between 2006-08 and 2016-18 is given below in Statement 47. During this period, IMR, at the National level, declined by 40.3 percent. Among the bigger States/UTs, the decline varies from 54.5 percent in Jammu & Kashmir to 25.3 percent in Uttarakhand. In the rural areas, decline in IMR varies from 63.9 percent in Delhi to 32.2 percent in Chhattisgarh. In urban areas, the highest decline in IMR during the period has been 56.4 percent in Delhi.


**Statement 47**

**Percent change in average Infant Mortality Rates between 2006-08 and 2016-18 by residence, India and bigger States/UTs**

| India and Bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change | 2006-08 | 2016-18 | % Change |
| **India** | 55.4 | 33.1 | -40.3 | 60.5 | 36.8 | -39.2 | 37.3 | 22.9 | -38.6 |
| Andhra Pradesh* | 54.2 | 30.3 | -44.1 | 60.2 | 34.2 | -43.2 | 37.3 | 22.7 | -39.1 |
| Assam | 65.6 | 43.1 | -34.3 | 68.1 | 45.4 | -33.3 | 40.7 | 21.2 | -47.9 |
| Bihar | 57.8 | 35.1 | -39.3 | 59.1 | 35.7 | -39.6 | 43.7 | 29.8 | -31.8 |
| Chhattisgarh | 59.0 | 39.5 | -33.1 | 60.6 | 41.1 | -32.2 | 49.0 | 32.6 | -33.5 |
| Delhi | 36.1 | 15.7 | -56.5 | 40.7 | 14.7 | -63.9 | 35.3 | 15.4 | -56.4 |
| Gujarat | 51.7 | 29.3 | -43.3 | 60.3 | 35.5 | -41.1 | 35.8 | 20.2 | -43.6 |
| Haryana | 55.4 | 30.8 | -44.4 | 59.7 | 33.2 | -44.4 | 43.9 | 25.6 | -41.7 |
| Himachal Pradesh | 47.0 | 22.2 | -52.8 | 48.5 | 22.5 | -53.6 | 25.9 | 15.9 | -38.6 |
| Jammu & Kashmir | 50.5 | 23.0 | -54.5 | 53.0 | 24.0 | -54.7 | 37.7 | 20.5 | -45.6 |
| Jharkhand | 47.8 | 29.4 | -38.5 | 50.5 | 30.8 | -39.0 | 31.9 | 23.8 | -25.4 |
| Karnataka | 46.5 | 24.0 | -48.4 | 52.0 | 26.1 | -49.8 | 34.6 | 20.3 | -41.3 |
| Kerala | 13.1 | 8.9 | -32.1 | 13.9 | 9.4 | -32.4 | 10.7 | 8.5 | -20.6 |
| Madhya Pradesh | 72.2 | 47.3 | -34.5 | 76.8 | 50.7 | -34.0 | 49.8 | 33.5 | -32.7 |
| Maharashtra | 34.2 | 19.1 | -44.2 | 40.9 | 23.4 | -42.8 | 24.4 | 13.7 | -43.9 |
| Odisha | 71.0 | 41.4 | -41.7 | 73.4 | 42.9 | -41.6 | 51.1 | 32.4 | -36.6 |
| Punjab | 42.7 | 20.8 | -51.3 | 47.0 | 22.2 | -52.8 | 34.8 | 18.6 | -46.6 |
| Rajasthan | 64.9 | 38.9 | -40.1 | 71.4 | 42.4 | -40.6 | 39.7 | 28.0 | -29.5 |
| Tamil Nadu | 34.5 | 16.1 | -53.3 | 37.1 | 18.9 | -49.1 | 30.9 | 13.6 | -56.0 |
| Uttar Pradesh | 68.9 | 42.5 | -38.3 | 72.5 | 45.0 | -37.9 | 50.8 | 33.9 | -33.3 |
| Uttarakhand | 45.0 | 33.6 | -25.3 | 51.9 | 35.1 | -32.4 | 23.6 | 29.5 | 25.0 |
| West Bengal | 36.8 | 23.5 | -36.1 | 38.6 | 23.8 | -38.3 | 29.1 | 21.5 | -26.1 |

* Andhra Pradesh includes Telangana.


Chart 86: Average Infant Mortality Rate between 2006-08 & 2016-18, India and bigger States/UTs
Average Infant Mortality Rate
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
2006-08
2016-18


Chart 87: Average Infant Mortality Rate between 2006-08 & 2016-18, India and bigger States/UTs -RURAL
Average Infant Moratlity Rate
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
-
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
2006-08
2016-18




Chart 88: Average Infant Mortality Rate between 2006-08 & 2016-18, India and bigger States/UTs - URBAN
Average Infant Mortality Rate
60.0
50.0
40.0
30.0
20.0
10.0
-
India
Andhra Pradesh
Assam
Bihar
Chattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
2006-08
2016-18

**Chart 89: Percentage change in average Infant mortality rates between 2006-08 & 2016-18, India and bigger States/UTs**



**4.13** Statement 48 given below presents the neo-natal (less than 29 days) mortality rate and the percentage of neo-natal deaths to infant deaths for the year 2018 both at the National and State levels. At the National level, the neo-natal mortality rate is 23 and ranges from 14 in urban areas to 27 in rural areas. Among the bigger States/UTs, neo-natal mortality ranges from 5 in Kerala to 35 in Madhya Pradesh. The percentage of neo-natal deaths to total infant deaths is 71.7 percent at the National level and varies from 60.1 percent in urban areas to 74.4 percent in rural areas. Among the bigger States/UTs, Odisha (79.4 percent) registered the highest percentage of neo-natal deaths to infant deaths and the lowest in Assam (51.4 percent).


**Statement 48**

**Neo-Natal Mortality Rates and percentage share of Neo-Natal Deaths to Infant Deaths by residence, India and bigger States, 2018**

| India and Bigger States/UTs | Neo-natal mortality rate | | | Percentage of Neo-natal deaths to Infant deaths | | |
|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **23** | **27** | **14** | **71.7** | **74.4** | **60.1** |
| Andhra Pradesh | 21 | 25 | 10 | 70.8 | 77.5 | 46.0 |
| Assam | 21 | 22 | 12 | 51.4 | 51.0 | 60.3 |
| Bihar | 25 | 26 | 20 | 78.7 | 80.1 | 66.3 |
| Chhattisgarh | 29 | 30 | 22 | 70.1 | 71.3 | 63.8 |
| Delhi | 10 | 8 | 10 | 74.8 | 100.0 | 74.4 |
| Gujarat | 19 | 24 | 11 | 69.2 | 74.7 | 55.2 |
| Haryana | 22 | 24 | 16 | 72.5 | 75.1 | 65.9 |
| Himachal Pradesh* | 13 | 13 | 9 | 68.4 | 68.6 | 63.4 |
| Jammu & Kashmir | 17 | 18 | 14 | 75.4 | 76.3 | 71.7 |
| Jharkhand | 21 | 22 | 14 | 68.0 | 71.2 | 52.6 |
| Karnataka | 16 | 20 | 10 | 70.6 | 80.2 | 49.9 |
| Kerala | 5 | 6 | 4 | 73.1 | 69.5 | 79.5 |
| Madhya Pradesh | 35 | 38 | 23 | 71.8 | 73.4 | 63.1 |
| Maharashtra | 13 | 18 | 8 | 68.4 | 74.2 | 55.6 |
| Odisha | 31 | 33 | 22 | 79.4 | 80.2 | 72.5 |
| Punjab | 13 | 13 | 11 | 61.2 | 62.4 | 59.2 |
| Rajasthan | 26 | 29 | 15 | 70.6 | 72.8 | 59.4 |
| Tamil Nadu | 10 | 14 | 6 | 65.3 | 76.2 | 50.8 |
| Telangana | 19 | 21 | 14 | 69.7 | 70.1 | 68.9 |
| Uttar Pradesh | 32 | 34 | 21 | 73.2 | 75.8 | 60.9 |
| Uttarakhand | 22 | 23 | 21 | 73.2 | 73.3 | 73.1 |
| West Bengal | 16 | 17 | 12 | 72.3 | 75.8 | 59.6 |

*Based on three-year period 2016-18

**Chart 90: Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2018**






Chart 91: Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 - RURAL
120
100
80
60
40
20
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Neo-natal mortality rate
NNDs as percentage of IDs

**Chart 92: Neo-natal mortality rates and percentage share of neo-natal deaths to infant deaths by residence, India and bigger States/UTs, 2018 - URBAN**



**4.14** Early neo-natal mortality rate, i.e. number of infant deaths less than seven days of life per thousand live births, forms an important component of infant mortality rate and more specifically of the neo-natal mortality rate. Statement 49 given below presents the early neo-natal mortality rate along with the percentage of early neo-natal deaths to the total infant deaths. At the National level, the early neo-natal mortality rate for the year 2018 has been estimated at 18 and ranges from 20 in rural areas to 10 in urban areas. Among the bigger States/UTs, early neonatal mortality rate ranges from 5 in Kerala to 26 in Madhya Pradesh. The percentage of early neo-natal deaths to the total infant deaths during the year 2018, at the National level, has been 54.6 and it varies from 56.9 in rural areas to 44.9 in urban areas. In this indicator, in most of the States, rural proportion is relatively higher than the urban proportion except for Assam, Chhattisgarh, Delhi, Kerala, Punjab and Uttarakhand. Among the bigger States/UTs the percentage for total, varies from 37.2 in Assam to 65.7 in Delhi.


**Statement 49**

**Early Neo-Natal Mortality rates and percentage share of Early Neo-Natal Deaths to Infant Deaths by residence, India and bigger States/UTs, 2018**

| India and Bigger States/UTs | Early neo-natal mortality rate | | | Percentage of Early neo-natal deaths to Infant deaths | | |
|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **18** | **20** | **10** | **54.6** | **56.9** | **44.9** |
| Andhra Pradesh | 15 | 19 | 7 | 51.7 | 57.1 | 31.9 |
| Assam | 15 | 16 | 8 | 37.2 | 37.2 | 37.5 |
| Bihar | 20 | 20 | 14 | 61.8 | 63.5 | 47.3 |
| Chhattisgarh | 22 | 23 | 19 | 54.5 | 54.4 | 55.5 |
| Delhi | 9 | 4 | 9 | 65.7 | 50.0 | 66.0 |
| Gujarat | 15 | 18 | 9 | 52.5 | 55.2 | 45.7 |
| Haryana | 15 | 17 | 11 | 50.7 | 52.7 | 45.4 |
| Himachal Pradesh* | 10 | 10 | 6 | 50.9 | 51.1 | 44.9 |
| Jammu & Kashmir | 12 | 13 | 9 | 53.4 | 55.2 | 46.8 |
| Jharkhand | 17 | 19 | 10 | 56.5 | 60.1 | 39.1 |
| Karnataka | 12 | 16 | 7 | 54.2 | 62.7 | 35.7 |
| Kerala | 5 | 5 | 4 | 64.7 | 56.5 | 79.5 |
| Madhya Pradesh | 26 | 27 | 19 | 52.8 | 53.0 | 51.8 |
| Maharashtra | 10 | 14 | 6 | 52.7 | 58.6 | 40.1 |
| Odisha | 24 | 25 | 16 | 59.9 | 60.7 | 53.3 |
| Punjab | 9 | 9 | 9 | 43.2 | 40.6 | 47.4 |
| Rajasthan | 20 | 23 | 12 | 54.2 | 55.7 | 46.5 |
| Tamil Nadu | 7 | 10 | 4 | 47.9 | 57.2 | 35.7 |
| Telangana | 13 | 16 | 9 | 49.3 | 53.2 | 40.9 |
| Uttar Pradesh | 24 | 27 | 15 | 56.4 | 59.2 | 43.5 |
| Uttarakhand | 17 | 17 | 18 | 55.6 | 53.5 | 61.6 |
| West Bengal | 12 | 13 | 9 | 53.2 | 55.7 | 44.3 |

*Based on three-year period 2016-18

**Chart 93: Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2018**






Chart 94: Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 - RURAL
70
60
50
40
30
20
10
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Early Neo-Natal mortality rate
Early neo-natal deaths as Percentage of infant deaths

**Chart 95: Early neo-natal mortality rates and percentage share of early neo-natal deaths to infant deaths, India and bigger States/UTs, 2018 - URBAN**




**4.15** Statement 50 given below presents the peri-natal mortality rate and still birth rate for the year 2018 by residence, for India and bigger States/UTs. Peri-natal mortality rate (PMR) is defined as the number of still births and infant deaths of less than 7 days per one thousand live births (LB) and still births (SB) taken together during the year. The still birth rate (SBR) is estimated as the ratio of the number of still births per one thousand live births (LB) and still births (SB) during the year. At the National level, peri-natal mortality rate has been estimated to be 22 and ranges from 25 in rural areas to 14 in urban areas. Among the bigger States/UTs, Kerala (10) and Odisha (34) are the extremes. The estimate of still birth rate for the year 2018, at the National level is 4. Among the bigger States/UTs, the highest level of still birth rate has been estimated for Odisha (10) and the lowest for Jammu & Kashmir, and Jharkhand (1). Still births are extremely difficult to capture and there is a room for considerable improvement in netting the events.


**Statement 50**

**Peri-Natal Mortality Rates and Still Birth Rates by residence, India and bigger States/UTs, 2018**

| India and | Peri-natal mortality rate | | | Still birth rate | | |
|---|---|---|---|---|---|---|
| Bigger States/UTs | Total | Rural | Urban | Total | Rural | Urban |
| **India** | 22 | 25 | 14 | 4 | 4 | 4 |
| Andhra Pradesh | 18 | 21 | 11 | 3 | 2 | 5 |
| Assam | 17 | 18 | 10 | 2 | 2 | 2 |
| Bihar | 22 | 22 | 16 | 2 | 2 | 2 |
| Chhattisgarh | 32 | 33 | 27 | 9 | 10 | 8 |
| Delhi | 13 | 4 | 13 | 5 | 0 | 5 |
| Gujarat | 19 | 23 | 11 | 4 | 5 | 2 |
| Haryana | 21 | 23 | 18 | 6 | 6 | 7 |
| Himachal Pradesh* | 16 | 17 | 11 | 7 | 7 | 5 |
| Jammu & Kashmir | 13 | 14 | 10 | 1 | 1 | 1 |
| Jharkhand | 18 | 20 | 11 | 1 | 1 | 1 |
| Karnataka | 18 | 22 | 10 | 5 | 7 | 3 |
| Kerala | 10 | 9 | 11 | 5 | 4 | 7 |
| Madhya Pradesh | 30 | 32 | 24 | 5 | 5 | 5 |
| Maharashtra | 15 | 20 | 8 | 5 | 6 | 3 |
| Odisha | 34 | 35 | 25 | 10 | 11 | 9 |
| Punjab | 14 | 13 | 14 | 5 | 4 | 5 |
| Rajasthan | 26 | 28 | 21 | 6 | 6 | 9 |
| Tamil Nadu | 11 | 15 | 8 | 4 | 5 | 3 |
| Telangana | 15 | 18 | 10 | 2 | 2 | 1 |
| Uttar Pradesh | 28 | 30 | 18 | 3 | 3 | 3 |
| Uttarakhand | 24 | 24 | 25 | 8 | 8 | 7 |
| West Bengal | 17 | 17 | 16 | 5 | 5 | 7 |

*Based on three-year period 2016-18


Chart 96: Perinatal Mortality Rates, India & bigger States/UTs, 2018
Perinatal Mortality Rate
40
35
30
25
20
15
10
5
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban



Chart 97: Still Birth Rates , India & bigger States/UTs, 2018
Still Birth Rate
12
10
8
6
4
2
0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban

**4.16** Percentage share of deaths to children below age five to total deaths by residence for India and bigger States/UTs is shown below in Statement 51. At the National level, such percentage is 11.5 and it varies from 12.8 in rural areas to 8.2 in urban areas. Among the bigger States/UTs, the variation is from 2.0 in Kerala to 20.0 in Madhya Pradesh. In rural areas, it varies from 2.1 in Kerala to 21.9 in Madhya Pradesh, and in urban areas, it is 1.9 in Kerala to 15.7 in Uttar Pradesh.

**Statement 51**

**Percentage of Deaths in the age group 0-4 years to total Deaths by residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | Rural | Urban |
|---|---|---|---|
| **India** | **11.5** | **12.8** | **8.2** |
| Andhra Pradesh | 7.7 | 7.9 | 7.0 |
| Assam | 15.3 | 16.5 | 6.3 |
| Bihar | 16.1 | 16.4 | 13.7 |
| Chhattisgarh | 12.5 | 12.9 | 10.7 |
| Delhi | 7.9 | 6.9 | 8.0 |
| Gujarat | 10.1 | 12.2 | 6.9 |
| Haryana | 12.0 | 12.5 | 10.8 |
| Himachal Pradesh | 5.2 | 5.3 | 4.7 |
| Jammu & Kashmir | 7.3 | 7.9 | 5.5 |
| Jharkhand | 14.0 | 14.6 | 11.4 |
| Karnataka | 7.5 | 7.4 | 7.8 |
| Kerala | 2.0 | 2.1 | 1.9 |
| Madhya Pradesh | 20.0 | 21.9 | 13.4 |
| Maharashtra | 6.2 | 7.0 | 4.8 |
| Odisha | 10.7 | 11.1 | 7.8 |
| Punjab | 5.0 | 4.5 | 5.9 |
| Rajasthan | 16.2 | 17.2 | 12.7 |
| Tamil Nadu | 3.9 | 4.1 | 3.7 |
| Telangana | 7.7 | 7.5 | 8.3 |
| Uttar Pradesh | 17.7 | 18.2 | 15.7 |
| Uttarakhand | 9.1 | 8.7 | 10.4 |
| West Bengal | 6.9 | 7.8 | 5.1 |



Chart 98: Pecentage of deaths in the age group 0-4 years to total deaths, India and bigger States/UTs, 2018
Percentage
25.0
20.0
15.0
10.0
5.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Rural
Urban


**4.17** The death rates for children below age 5 by residence are given below in Statement 52 separately for males and females. At the National level, child mortality rate is estimated at 8.9 and it varies from 9.9 in rural areas to 6.1 in urban areas. Among the bigger States/UTs, this varies from 2.1 in Kerala to 14.2 in Madhya Pradesh. Charts 99 to 101 depict the estimated death rate for children aged 0-4 years by sex for India and Bigger States/UTs, for total, rural and urban areas respectively.


**Statement 52**

**Estimated Death Rates for Children aged 0-4 years by sex and residence**
**India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | 8.9 | 8.7 | 9.0 | 9.9 | 9.8 | 10.0 | 6.1 | 5.8 | 6.6 |
| Andhra Pradesh | 9.0 | 9.6 | 8.5 | 10.1 | 10.9 | 9.3 | 6.5 | 6.3 | 6.7 |
| Assam | 11.1 | 10.2 | 12.1 | 11.9 | 10.9 | 13.0 | 4.6 | 4.6 | 4.7 |
| Bihar | 8.2 | 7.5 | 8.9 | 8.2 | 7.6 | 8.9 | 7.6 | 6.7 | 8.8 |
| Chhattisgarh | 11.1 | 11.6 | 10.6 | 11.6 | 12.5 | 10.8 | 8.9 | 8.1 | 9.6 |
| Delhi | 4.1 | 4.4 | 3.7 | 3.9 | 5.8 | 2.0 | 4.1 | 4.3 | 3.7 |
| Gujarat | 8.0 | 8.3 | 7.5 | 9.8 | 10.4 | 9.2 | 5.3 | 5.5 | 5.2 |
| Haryana | 8.7 | 8.3 | 9.1 | 9.6 | 9.3 | 10.0 | 6.9 | 6.4 | 7.6 |
| Himachal Pradesh | 5.8 | 6.8 | 4.8 | 5.9 | 6.9 | 5.0 | 4.2 | 5.5 | 2.8 |
| Jammu & Kashmir | 5.5 | 5.2 | 5.8 | 6.0 | 5.7 | 6.2 | 4.2 | 3.7 | 4.7 |
| Jharkhand | 8.4 | 7.3 | 9.6 | 8.6 | 7.4 | 9.8 | 7.5 | 6.5 | 8.6 |
| Karnataka | 6.5 | 6.2 | 6.9 | 7.2 | 6.9 | 7.6 | 5.3 | 5.0 | 5.7 |
| Kerala | 2.1 | 2.2 | 2.0 | 2.1 | 2.2 | 2.1 | 2.0 | 2.1 | 1.8 |
| Madhya Pradesh | 14.2 | 14.8 | 13.6 | 15.7 | 16.7 | 14.7 | 9.2 | 8.7 | 9.7 |
| Maharashtra | 4.5 | 4.3 | 4.6 | 5.3 | 5.1 | 5.5 | 3.2 | 3.1 | 3.3 |
| Odisha | 10.7 | 10.8 | 10.6 | 11.5 | 11.6 | 11.4 | 6.7 | 6.9 | 6.6 |
| Punjab | 5.4 | 5.4 | 5.4 | 5.6 | 5.6 | 5.5 | 5.1 | 5.0 | 5.3 |
| Rajasthan | 10.3 | 9.9 | 10.8 | 10.9 | 10.5 | 11.3 | 8.3 | 7.7 | 9.0 |
| Tamil Nadu | 4.0 | 4.1 | 3.9 | 4.7 | 4.8 | 4.5 | 3.3 | 3.4 | 3.3 |
| Telangana | 8.2 | 8.0 | 8.5 | 10.7 | 11.6 | 9.8 | 5.4 | 4.1 | 6.8 |
| Uttar Pradesh | 13.8 | 13.5 | 14.2 | 14.2 | 14.1 | 14.4 | 12.1 | 10.9 | 13.5 |
| Uttarakhand | 5.3 | 5.6 | 5.0 | 5.3 | 5.8 | 4.8 | 5.2 | 5.1 | 5.3 |
| West Bengal | 5.6 | 5.5 | 5.6 | 5.8 | 5.8 | 5.7 | 5.0 | 4.7 | 5.3 |


Chart 99: Death rate for children age 0-4 years by sex, India and bigger States/UTs, 2018
Death Rate (0-4 years)
16.0
14.0
12.0
10.0
8.0
6.0
4.0
2.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female


Chart 100: Death rate for children age0-4 years by sex,
India and bigger States/UTs, 2018 - RURAL
Death Rate (0-4 years)
18.0
16.0
14.0
12.0
10.0
8.0
6.0
4.0
2.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female


Chart 101: Death rate for children age0-4 years by sex,
India and bigger States/UTs, 2018 - URBAN
Death Rate (0-4 years)
16.0
14.0
12.0
10.0
8.0
6.0
4.0
2.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female


**4.18** The Under-five mortality rates by residence are given below in Statement 53 separately for males and females. At the National level, under-five mortality rate is estimated at 36 and it varies from 40 in rural areas to 26 in urban areas. Among the bigger States/UTs, it varies from 10 in Kerala to 56 in Madhya Pradesh. On an average, the Under-five mortality rates of female are higher than that of male except in Andhra Pradesh, Chhattisgarh, Delhi, Gujarat, Kerala, Madhya Pradesh, Odisha, Punjab, Tamil Nadu and Uttarakhand.


**Statement 53**


**Under-Five Mortality Rates (U5MR) by sex and residence, India and bigger States/UTs, 2018**

| India & bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **36** | **36** | **37** | **40** | **40** | **41** | **26** | **24** | **27** |
| Andhra Pradesh | 33 | 34 | 32 | 37 | 39 | 36 | 24 | 23 | 25 |
| Assam | 47 | 44 | 51 | 50 | 46 | 54 | 23 | 23 | 22 |
| Bihar | 37 | 34 | 39 | 37 | 35 | 40 | 32 | 30 | 35 |
| Chhattisgarh | 45 | 46 | 45 | 47 | 48 | 45 | 38 | 35 | 42 |
| Delhi | 19 | 19 | 18 | 17 | 24 | 10 | 19 | 19 | 18 |
| Gujarat | 31 | 32 | 29 | 37 | 38 | 35 | 21 | 22 | 21 |
| Haryana | 36 | 36 | 36 | 39 | 39 | 39 | 30 | 28 | 32 |
| Himachal Pradesh* | 23 | 22 | 25 | 23 | 22 | 25 | 17 | 17 | 17 |
| Jammu & Kashmir | 23 | 23 | 23 | 24 | 24 | 24 | 20 | 19 | 21 |
| Jharkhand | 34 | 30 | 39 | 36 | 31 | 41 | 29 | 26 | 33 |
| Karnataka | 28 | 26 | 30 | 30 | 30 | 31 | 24 | 21 | 28 |
| Kerala | 10 | 11 | 9 | 11 | 11 | 10 | 9 | 11 | 9 |
| Madhya Pradesh | 56 | 58 | 53 | 60 | 63 | 57 | 39 | 40 | 39 |
| Maharashtra | 22 | 21 | 23 | 27 | 26 | 29 | 15 | 14 | 15 |
| Odisha | 44 | 44 | 43 | 45 | 45 | 45 | 35 | 37 | 32 |
| Punjab | 23 | 23 | 22 | 23 | 23 | 22 | 22 | 22 | 22 |
| Rajasthan | 40 | 40 | 41 | 43 | 43 | 43 | 31 | 30 | 32 |
| Tamil Nadu | 17 | 18 | 17 | 22 | 22 | 21 | 14 | 14 | 13 |
| Telangana | 30 | 29 | 30 | 35 | 36 | 33 | 23 | 19 | 27 |
| Uttar Pradesh | 47 | 46 | 48 | 49 | 48 | 50 | 38 | 36 | 40 |
| Uttarakhand | 33 | 34 | 32 | 33 | 35 | 31 | 33 | 31 | 34 |
| West Bengal | 26 | 26 | 26 | 27 | 27 | 26 | 25 | 24 | 27 |

*Based on three-year period 2016-18


Chart 102: Under-five Mortality Rates (U5MR) by sex , India & bigger States/UTs, 2018
Under-five Mortality Rate
70
60
50
40
30
20
10
0
India
Andhra pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female


Chart 103: Under-five Mortality Rates (U5MR) by sex , India & bigger States/UTs, 2018- RURAL
Under-five Mortality Rate
70
60
50
40
30
20
10
0
India
Andhra pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female



Chart 104: Under-five Mortality Rates (U5MR) by sex , India & bigger States/UTs, 2018 - URBAN
Under -five Mortality Rate
45
40
35
30
25
20
15
10
5
0
India
Andhra pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female


**4.19** Death rates for children in the age group 5-14 are given below in Statement 54. As revealed by the data, at the National level, the death rate in this age group is estimated to be 0.5. Rural-urban differentials are small at the national level and for many States/UTs. Among the bigger States/UTs, the lowest death rate of 0.2 in this age group is registered in Assam and Kerala; and the highest in Odisha, Madhya Pradesh, Bihar and Chhattisgarh at 0.7.


**Statement 54**

**Death Rates for Children aged 5-14 years by sex and residence**
**India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **0.5** | **0.5** | **0.5** | **0.6** | **0.5** | **0.6** | **0.4** | **0.4** | **0.4** |
| Andhra Pradesh | 0.5 | 0.5 | 0.4 | 0.4 | 0.5 | 0.4 | 0.5 | 0.4 | 0.7 |
| Assam | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.5 | 0.2 |
| Bihar | 0.7 | 0.6 | 0.8 | 0.7 | 0.6 | 0.8 | 0.6 | 0.4 | 0.8 |
| Chhattisgarh | 0.7 | 0.9 | 0.5 | 0.7 | 1.0 | 0.4 | 0.7 | 0.7 | 0.7 |
| Delhi | 0.4 | 0.5 | 0.3 | 0.8 | 0.7 | 0.9 | 0.4 | 0.5 | 0.3 |
| Gujarat | 0.4 | 0.3 | 0.4 | 0.5 | 0.4 | 0.5 | 0.2 | 0.2 | 0.2 |
| Haryana | 0.5 | 0.5 | 0.5 | 0.4 | 0.5 | 0.3 | 0.5 | 0.4 | 0.8 |
| Himachal Pradesh | 0.3 | 0.2 | 0.4 | 0.3 | 0.2 | 0.4 | 0.8 | 0.5 | 1.1 |
| Jammu & Kashmir | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 |
| Jharkhand | 0.4 | 0.3 | 0.5 | 0.4 | 0.3 | 0.5 | 0.4 | 0.3 | 0.6 |
| Karnataka | 0.5 | 0.4 | 0.5 | 0.6 | 0.5 | 0.6 | 0.3 | 0.3 | 0.3 |
| Kerala | 0.2 | 0.3 | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 |
| Madhya Pradesh | 0.7 | 0.8 | 0.6 | 0.8 | 1.0 | 0.6 | 0.5 | 0.3 | 0.7 |
| Maharashtra | 0.3 | 0.3 | 0.4 | 0.3 | 0.2 | 0.4 | 0.4 | 0.5 | 0.4 |
| Odisha | 0.7 | 0.9 | 0.6 | 0.8 | 1.0 | 0.5 | 0.6 | 0.5 | 0.7 |
| Punjab | 0.4 | 0.4 | 0.5 | 0.4 | 0.4 | 0.5 | 0.4 | 0.4 | 0.5 |
| Rajasthan | 0.6 | 0.5 | 0.7 | 0.6 | 0.6 | 0.7 | 0.5 | 0.4 | 0.6 |
| Tamil Nadu | 0.3 | 0.4 | 0.2 | 0.3 | 0.4 | 0.3 | 0.2 | 0.3 | 0.2 |
| Telangana | 0.6 | 0.5 | 0.7 | 0.8 | 0.8 | 0.8 | 0.2 | 0.0 | 0.4 |
| Uttar Pradesh | 0.6 | 0.5 | 0.8 | 0.7 | 0.5 | 0.9 | 0.4 | 0.4 | 0.5 |
| Uttarakhand | 0.5 | 0.5 | 0.5 | 0.4 | 0.5 | 0.4 | 0.6 | 0.4 | 0.8 |
| West Bengal | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.4 |


Chart 105: Death rates for children aged 5-14 years by sex, India and bigger States/UT, 2018
Death Rate (5-14 years)
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female


Chart 106: Death rates for children aged 5-14 years by sex, India and bigger States/UT, 2018 - RURAL
Death Rate (5-14 years)
1.2
1.0
0.8
0.6
0.4
0.2
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female



Chart 107: Death rates for children aged 5-14 years by sex, India and bigger States/UT, 2018 - URBAN
Death Rate (5-14 years)
1.2
1.0
0.8
0.6
0.4
0.2
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female


**4.20** Death rates in the age group 15-59, by sex and residence, are given below in Statement 55. At the National level, death rate in this age group is estimated to be 2.9 and it varies from 3.2 in rural areas to 2.3 in urban areas. The female death rate is lower than that of males in all the bigger States/UTs in 2018.


**Statement 55**

**Death Rates for persons aged 15-59 years by sex and residence**
**India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **2.9** | **3.4** | **2.4** | **3.2** | **3.7** | **2.6** | **2.3** | **2.8** | **1.9** |
| Andhra Pradesh | 3.5 | 4.2 | 2.9 | 4.0 | 4.7 | 3.3 | 2.6 | 3.2 | 2.0 |
| Assam | 3.6 | 3.9 | 3.2 | 3.8 | 4.0 | 3.5 | 2.7 | 3.4 | 1.9 |
| Bihar | 1.9 | 2.0 | 1.9 | 2.0 | 2.1 | 1.9 | 1.6 | 1.8 | 1.4 |
| Chhattisgarh | 4.3 | 4.7 | 4.0 | 4.8 | 5.0 | 4.5 | 3.1 | 3.6 | 2.6 |
| Delhi | 1.7 | 1.9 | 1.4 | 2.1 | 2.1 | 2.1 | 1.7 | 1.9 | 1.4 |
| Gujarat | 2.9 | 3.5 | 2.2 | 3.4 | 4.4 | 2.3 | 2.4 | 2.6 | 2.1 |
| Haryana | 3.2 | 4.2 | 2.1 | 3.5 | 4.6 | 2.3 | 2.7 | 3.5 | 1.8 |
| Himachal Pradesh | 2.5 | 3.3 | 1.7 | 2.6 | 3.4 | 1.8 | 1.9 | 2.4 | 1.3 |
| Jammu & Kashmir | 2.4 | 2.9 | 1.8 | 2.7 | 3.2 | 2.2 | 1.6 | 2.0 | 1.2 |
| Jharkhand | 2.7 | 2.7 | 2.6 | 2.9 | 2.9 | 2.8 | 2.1 | 2.2 | 1.9 |
| Karnataka | 3.1 | 3.6 | 2.5 | 3.6 | 4.5 | 2.7 | 2.3 | 2.4 | 2.2 |
| Kerala | 2.1 | 2.8 | 1.4 | 1.9 | 2.7 | 1.2 | 2.2 | 2.9 | 1.5 |
| Madhya Pradesh | 3.0 | 3.7 | 2.3 | 3.2 | 4.0 | 2.4 | 2.5 | 3.0 | 2.1 |
| Maharashtra | 2.6 | 3.3 | 2.0 | 3.0 | 3.7 | 2.3 | 2.2 | 2.8 | 1.5 |
| Odisha | 3.3 | 3.9 | 2.7 | 3.4 | 4.0 | 2.9 | 2.6 | 3.4 | 1.9 |
| Punjab | 3.5 | 4.5 | 2.4 | 4.1 | 5.3 | 2.6 | 2.8 | 3.4 | 2.2 |
| Rajasthan | 2.9 | 3.5 | 2.2 | 3.0 | 3.8 | 2.3 | 2.4 | 2.7 | 2.0 |
| Tamil Nadu | 3.2 | 4.2 | 2.1 | 3.9 | 5.2 | 2.6 | 2.6 | 3.4 | 1.8 |
| Telangana | 3.2 | 3.9 | 2.5 | 4.1 | 5.0 | 3.2 | 2.0 | 2.4 | 1.5 |
| Uttar Pradesh | 3.1 | 3.2 | 2.9 | 3.4 | 3.5 | 3.2 | 2.3 | 2.5 | 2.1 |
| Uttarakhand | 3.1 | 3.8 | 2.3 | 3.2 | 4.0 | 2.4 | 2.7 | 3.2 | 2.1 |
| West Bengal | 2.4 | 2.9 | 1.9 | 2.5 | 2.9 | 2.0 | 2.4 | 3.0 | 1.9 |


Chart 108: Death rates for Persons aged 15-59 years by sex, India and bigger States/UT, 2018
Death Rate (15-59 years)
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female


Chart 109: Death rates for Persons aged 15-59 years by sex, India and bigger States/UT, 2018 - RURAL
Death Rate (15-59 yeras)
6.0
5.0
4.0
3.0
2.0
1.0
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female



Chart 110: Death rates for Persons aged 15-59 years by sex, India and bigger States/UT, 2018-URBAN
Death Rate ( 15-59 years)
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female


**4.21** Death rates for persons aged 60 years and above by sex and residence are given below in Statement 56. At the National level, death rate in this age group is estimated to be 42.6 and males have higher mortality rate (45.9) than females (39.5). This difference exists in both rural and urban areas. The death rate for this age group, among the bigger States/UTs, varies from 28.3 in Delhi to 58.9 in Chhattisgarh.


**Statement 56**

**Death Rates for persons aged 60 years and above by sex and residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **India** | **42.6** | **45.9** | **39.5** | **45.9** | **49.9** | **42.1** | **36.1** | **38.0** | **34.0** |
| Andhra Pradesh | 37.9 | 39.2 | 36.4 | 38.8 | 40.4 | 37.0 | 35.3 | 35.7 | 34.9 |
| Assam | 46.5 | 49.9 | 42.4 | 49.5 | 54.4 | 43.9 | 33.6 | 31.9 | 35.8 |
| Bihar | 57.1 | 54.4 | 60.1 | 60.4 | 57.7 | 63.4 | 41.0 | 39.1 | 43.2 |
| Chhattisgarh | 58.9 | 63.7 | 54.7 | 60.0 | 64.4 | 56.2 | 54.6 | 61.0 | 48.8 |
| Delhi | 28.3 | 30.3 | 26.3 | 30.0 | 32.7 | 27.2 | 28.3 | 30.2 | 26.3 |
| Gujarat | 39.2 | 46.9 | 32.6 | 37.9 | 47.3 | 30.0 | 41.0 | 46.3 | 36.1 |
| Haryana | 41.9 | 49.7 | 34.3 | 45.9 | 53.9 | 37.9 | 35.1 | 42.4 | 28.1 |
| Himachal Pradesh | 43.6 | 52.4 | 35.4 | 44.2 | 53.4 | 35.7 | 35.8 | 39.7 | 31.7 |
| Jammu & Kashmir | 31.0 | 35.5 | 26.2 | 32.5 | 37.2 | 27.5 | 28.0 | 32.1 | 23.7 |
| Jharkhand | 44.9 | 40.1 | 49.7 | 48.5 | 41.5 | 55.4 | 35.4 | 36.6 | 34.2 |
| Karnataka | 44.7 | 49.2 | 40.6 | 48.6 | 53.1 | 44.6 | 37.8 | 42.6 | 33.0 |
| Kerala | 41.2 | 48.3 | 35.4 | 42.3 | 48.6 | 37.1 | 40.0 | 48.0 | 33.6 |
| Madhya Pradesh | 45.6 | 48.6 | 42.8 | 47.3 | 50.3 | 44.4 | 41.2 | 43.9 | 38.4 |
| Maharashtra | 37.3 | 40.4 | 34.2 | 38.8 | 43.9 | 34.0 | 34.9 | 35.2 | 34.7 |
| Odisha | 41.9 | 42.3 | 41.5 | 41.9 | 42.7 | 41.0 | 42.4 | 40.2 | 44.8 |
| Punjab | 37.3 | 40.2 | 34.4 | 41.4 | 43.0 | 39.7 | 30.7 | 35.5 | 25.6 |
| Rajasthan | 41.4 | 49.0 | 35.1 | 42.9 | 53.2 | 34.6 | 37.2 | 38.1 | 36.3 |
| Tamil Nadu | 36.1 | 38.5 | 33.7 | 45.3 | 48.2 | 42.5 | 28.6 | 30.8 | 26.2 |
| Telangana | 41.7 | 43.4 | 39.9 | 40.5 | 44.4 | 36.5 | 44.7 | 41.3 | 48.4 |
| Uttar Pradesh | 48.4 | 52.9 | 44.0 | 50.9 | 56.0 | 45.9 | 40.9 | 43.7 | 37.9 |
| Uttarakhand | 42.2 | 49.4 | 35.9 | 42.5 | 49.7 | 36.3 | 41.4 | 48.4 | 34.5 |
| West Bengal | 41.0 | 44.4 | 37.5 | 45.7 | 52.7 | 39.2 | 33.5 | 32.8 | 34.4 |


Chart 111: Death rates for Persons aged 60 years and above by sex, India and bigger States/UT, 2018
Death Rate (60 + years)
70.0
65.0
60.0
55.0
50.0
45.0
40.0
35.0
30.0
25.0
20.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female


Chart 112: Death rates for Persons aged 60 years and above by sex, India and bigger States/UT, 2018 - RURAL
Death Rate (60+ years)
70.0
65.0
60.0
55.0
50.0
45.0
40.0
35.0
30.0
25.0
20.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female


Chart 113: Death rates for Persons aged 60 years and above by sex, India and bigger States/UT, 2018 - URBAN
Death Rate (60+ years)
65.0
60.0
55.0
50.0
45.0
40.0
35.0
30.0
25.0
20.0
India
Andhra Pradesh
Assam
Bihar
Chhattisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & Kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Total
Male
Female


**Medical attention before death**

**4.22** The type of medical attention received before death is also collected in the SRS. In the new samples from 2004 onwards, the options on types of medical attention received before death have been modified to capture the deaths occurred specifically at private hospital/nursing homes. The options include 'Government Hospital', 'Private Hospital', 'Qualified professional', 'Untrained functionary' and 'others'. The options for the sample based on 1991 sample were 'Institutional'; 'Medical attention other than institution'; and 'No medical attention'**.** Statement 57 given below presents the percentage distribution of deaths by type of medical attention received before death for India and bigger States/UTs separately for rural and urban areas for the year 2018. At the National level, 29.4 percent of the deaths occurred at Government Hospitals and varies from 27.1 percent in rural areas to 35.4 percent in urban areas. Among the bigger States/UTs, Himachal Pradesh 51.0 has the highest percentage of deaths in Government Hospitals and Bihar (19.9) has the lowest. Deaths in private hospitals account for 18.5 percent and it varies from 11.9 percent in Jammu & Kashmir and West Bengal to 36.8 percent in Kerala. About 19.2 percent deaths were attended by untrained functionaries and others.

**Statement 57**

**Percent distribution of deaths by Type of Medical Attention received before death by residence, India and bigger States/UTs, 2018**

| India and bigger States/UTs | Government Hospital | | | Private Hospital | | | Qualified professional | | | Untrained functionary & others | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| **India** | **29.4** | **27.1** | **35.4** | **18.5** | **16.1** | **24.9** | **33.0** | **33.7** | **31.0** | **19.2** | **23.1** | **8.7** |
| Andhra Pradesh | 25.4 | 23.8 | 31.5 | 21.8 | 20.1 | 28.5 | 32.6 | 32.6 | 32.4 | 20.2 | 23.5 | 7.6 |
| Assam | 20.4 | 19.0 | 29.8 | 15.1 | 14.9 | 16.8 | 52.2 | 52.7 | 49.2 | 12.2 | 13.4 | 4.2 |
| Bihar | 19.9 | 18.9 | 27.4 | 12.2 | 10.7 | 23.2 | 41.3 | 41.4 | 40.3 | 26.6 | 29.0 | 9.1 |
| Chhattisgarh | 25.5 | 21.6 | 41.3 | 14.7 | 13.4 | 19.9 | 27.7 | 27.7 | 27.6 | 32.2 | 37.3 | 11.2 |
| Delhi | 49.5 | 25.2 | 50.2 | 17.2 | 16.3 | 17.2 | 23.8 | 43.7 | 23.3 | 9.4 | 14.8 | 9.3 |
| Gujarat | 25.7 | 21.8 | 34.0 | 19.1 | 16.4 | 25.0 | 45.5 | 48.0 | 40.1 | 9.7 | 13.8 | 0.9 |
| Haryana | 21.1 | 20.9 | 21.8 | 16.2 | 15.4 | 18.3 | 50.4 | 51.3 | 48.2 | 12.2 | 12.4 | 11.7 |
| Himachal Pradesh | 51.0 | 51.5 | 41.7 | 15.8 | 15.2 | 27.6 | 28.5 | 28.9 | 21.3 | 4.7 | 4.4 | 9.4 |
| Jammu & Kashmir | 44.9 | 38.0 | 61.9 | 11.9 | 11.1 | 13.9 | 31.7 | 34.9 | 24.0 | 11.4 | 16.0 | 0.2 |
| Jharkhand | 20.2 | 17.8 | 35.0 | 14.6 | 12.9 | 25.2 | 31.2 | 30.7 | 34.0 | 34.1 | 38.6 | 5.8 |
| Karnataka | 31.4 | 28.3 | 39.5 | 19.4 | 16.4 | 27.3 | 15.5 | 17.8 | 9.6 | 33.7 | 37.5 | 23.6 |
| Kerala | 42.8 | 46.3 | 39.3 | 36.8 | 39.9 | 33.7 | 15.4 | 7.0 | 23.7 | 5.0 | 6.8 | 3.3 |
| Madhya Pradesh | 37.3 | 34.6 | 46.9 | 18.6 | 16.5 | 26.1 | 26.0 | 26.1 | 25.6 | 18.1 | 22.8 | 1.4 |
| Maharashtra | 30.4 | 27.4 | 37.3 | 19.5 | 16.8 | 25.7 | 37.1 | 39.1 | 32.6 | 12.9 | 16.7 | 4.4 |
| Odisha | 29.9 | 28.9 | 36.4 | 17.8 | 17.5 | 19.8 | 15.4 | 15.0 | 18.2 | 36.9 | 38.6 | 25.6 |
| Punjab | 20.1 | 20.5 | 19.5 | 36.3 | 31.2 | 45.6 | 40.8 | 44.1 | 34.8 | 2.7 | 4.2 | 0.1 |
| Rajasthan | 35.3 | 34.6 | 37.5 | 13.8 | 12.4 | 18.1 | 35.3 | 34.7 | 37.2 | 15.6 | 18.3 | 7.2 |
| Tamil Nadu | 26.3 | 23.1 | 30.0 | 20.6 | 14.9 | 27.0 | 22.3 | 21.8 | 22.9 | 30.7 | 40.2 | 20.1 |
| Telangana | 23.9 | 21.7 | 29.2 | 21.0 | 18.1 | 27.8 | 35.2 | 35.7 | 34.0 | 19.9 | 24.5 | 9.0 |
| Uttar Pradesh | 29.1 | 29.3 | 28.3 | 20.7 | 18.7 | 28.0 | 39.8 | 39.4 | 41.1 | 10.4 | 12.6 | 2.6 |
| Uttarakhand | 31.9 | 32.2 | 30.8 | 23.2 | 22.2 | 26.3 | 37.1 | 36.7 | 38.4 | 7.8 | 8.9 | 4.5 |
| West Bengal | 33.7 | 29.7 | 41.8 | 11.9 | 9.1 | 17.5 | 40.9 | 41.1 | 40.4 | 13.5 | 20.1 | 0.3 |


Chart 114: Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2018
60.0
50.0
40.0
30.0
20.0
10.0
0.0
Percentage
India
Andhra Pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Govt. Hospital
Private Hospital
Qualified professional
Untrained functionary & Others




Chart 115: Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2018 - RURAL
60.0
50.0
40.0
30.0
20.0
10.0
0.0
Percentage
India
Andhra Pradesh
Assam
Bihar
Chhatisgarh
Delhi
Gujarat
Haryana
Himachal Pradesh
Jammu & kashmir
Jharkhand
Karnataka
Kerala
Madhya Pradesh
Maharashtra
Orissa
Punjab
Rajasthan
Tamil Nadu
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
India and bigger States/UTs
Govt. Hospital
Private Hospital
Qualified professional
Untrained functionary & Others

**Chart 116: Distribution of deaths by Type of Medical Attention received before death, India & bigger States/UTs, 2018 - URBAN**



# DETAILED TABLES

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2018**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **India** | | | | | |
| 0-4 | 8.0 | 8.2 | 7.8 | 8.6 | 8.8 | 8.4 | 6.8 | 6.9 | 6.6 |
| 5-9 | 8.6 | 8.8 | 8.4 | 9.1 | 9.3 | 8.9 | 7.6 | 7.8 | 7.4 |
| 10-14 | 9.3 | 9.5 | 9.1 | 9.8 | 10.0 | 9.6 | 8.2 | 8.4 | 8.0 |
| 15-19 | 10.2 | 10.4 | 10.0 | 10.7 | 11.0 | 10.5 | 9.2 | 9.4 | 9.0 |
| 20-24 | 10.8 | 10.5 | 11.0 | 11.0 | 10.8 | 11.2 | 10.4 | 10.1 | 10.6 |
| 25-29 | 10.1 | 9.9 | 10.2 | 9.8 | 9.8 | 9.9 | 10.6 | 10.2 | 11.0 |
| 30-34 | 8.4 | 8.5 | 8.4 | 8.0 | 8.0 | 7.9 | 9.4 | 9.4 | 9.4 |
| 35-39 | 7.3 | 7.2 | 7.3 | 6.9 | 6.8 | 7.0 | 8.0 | 8.0 | 8.1 |
| 40-44 | 6.2 | 6.2 | 6.2 | 5.8 | 5.8 | 5.9 | 6.9 | 7.0 | 6.9 |
| 45-49 | 5.3 | 5.3 | 5.3 | 5.1 | 5.1 | 5.1 | 5.8 | 5.8 | 5.8 |
| 50-54 | 4.2 | 4.3 | 4.2 | 3.9 | 4.0 | 3.8 | 4.9 | 4.9 | 5.0 |
| 55-59 | 3.5 | 3.4 | 3.6 | 3.2 | 3.1 | 3.5 | 3.9 | 4.0 | 3.9 |
| 60-64 | 3.0 | 2.9 | 3.0 | 2.9 | 2.8 | 3.0 | 3.2 | 3.2 | 3.1 |
| 65-69 | 2.1 | 2.1 | 2.2 | 2.1 | 2.0 | 2.2 | 2.1 | 2.2 | 2.1 |
| 70-74 | 1.4 | 1.3 | 1.5 | 1.4 | 1.3 | 1.5 | 1.4 | 1.4 | 1.5 |
| 75-79 | 0.9 | 0.8 | 0.9 | 0.9 | 0.8 | 0.9 | 0.8 | 0.8 | 0.9 |
| 80-84 | 0.5 | 0.4 | 0.5 | 0.4 | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 |
| 85+ | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2018**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Andhra Pradesh** | | | | | |
| 0-4 | 5.6 | 5.6 | 5.7 | 5.8 | 5.7 | 5.8 | 5.4 | 5.4 | 5.4 |
| 5-9 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 |
| 10-14 | 7.3 | 7.4 | 7.2 | 7.2 | 7.4 | 7.1 | 7.4 | 7.4 | 7.4 |
| 15-19 | 8.6 | 8.8 | 8.4 | 8.5 | 8.8 | 8.3 | 8.6 | 8.7 | 8.5 |
| 20-24 | 10.4 | 10.2 | 10.7 | 10.5 | 10.4 | 10.5 | 10.3 | 9.6 | 11.0 |
| 25-29 | 10.7 | 10.3 | 11.0 | 10.4 | 10.1 | 10.8 | 11.1 | 10.8 | 11.5 |
| 30-34 | 9.1 | 9.1 | 9.2 | 8.8 | 8.8 | 8.9 | 9.7 | 9.7 | 9.8 |
| 35-39 | 8.7 | 8.6 | 8.8 | 8.4 | 8.3 | 8.6 | 9.3 | 9.3 | 9.3 |
| 40-44 | 7.3 | 7.5 | 7.1 | 7.1 | 7.3 | 7.0 | 7.6 | 7.9 | 7.2 |
| 45-49 | 6.2 | 6.4 | 5.9 | 6.2 | 6.4 | 6.0 | 6.0 | 6.4 | 5.6 |
| 50-54 | 5.5 | 5.3 | 5.7 | 5.4 | 5.2 | 5.6 | 5.6 | 5.5 | 5.8 |
| 55-59 | 4.4 | 4.4 | 4.4 | 4.5 | 4.4 | 4.6 | 4.2 | 4.4 | 4.1 |
| 60-64 | 3.5 | 3.4 | 3.5 | 3.6 | 3.5 | 3.8 | 3.1 | 3.1 | 3.0 |
| 65-69 | 2.7 | 2.9 | 2.4 | 2.9 | 3.1 | 2.6 | 2.1 | 2.3 | 2.0 |
| 70-74 | 1.7 | 1.8 | 1.6 | 1.9 | 2.0 | 1.8 | 1.3 | 1.3 | 1.2 |
| 75-79 | 0.9 | 0.9 | 0.8 | 0.9 | 1.0 | 0.9 | 0.7 | 0.8 | 0.7 |
| 80-84 | 0.5 | 0.4 | 0.5 | 0.5 | 0.5 | 0.6 | 0.3 | 0.3 | 0.4 |
| 85+ | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.1 | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Assam** | | | | | |
| 0-4 | 8.8 | 8.9 | 8.6 | 9.1 | 9.3 | 9.0 | 6.9 | 6.9 | 6.8 |
| 5-9 | 9.0 | 9.1 | 8.9 | 9.4 | 9.5 | 9.3 | 6.8 | 6.8 | 6.7 |
| 10-14 | 9.9 | 10.0 | 9.7 | 10.4 | 10.5 | 10.2 | 6.9 | 7.0 | 6.8 |
| 15-19 | 9.9 | 9.8 | 10.1 | 10.2 | 10.0 | 10.4 | 8.3 | 8.3 | 8.3 |
| 20-24 | 10.8 | 10.1 | 11.5 | 11.0 | 10.3 | 11.8 | 9.5 | 9.1 | 10.0 |
| 25-29 | 9.9 | 9.5 | 10.4 | 9.9 | 9.4 | 10.3 | 10.3 | 9.7 | 10.9 |
| 30-34 | 8.8 | 8.7 | 9.0 | 8.7 | 8.5 | 8.9 | 9.6 | 9.5 | 9.8 |
| 35-39 | 7.4 | 7.4 | 7.4 | 7.1 | 7.2 | 7.1 | 8.9 | 8.8 | 9.0 |
| 40-44 | 6.4 | 6.7 | 6.1 | 6.2 | 6.5 | 5.9 | 7.4 | 7.5 | 7.2 |
| 45-49 | 5.2 | 5.5 | 4.9 | 5.0 | 5.4 | 4.6 | 6.4 | 6.4 | 6.4 |
| 50-54 | 4.0 | 4.3 | 3.7 | 3.7 | 4.0 | 3.3 | 5.9 | 5.8 | 6.1 |
| 55-59 | 3.4 | 3.3 | 3.5 | 3.1 | 2.9 | 3.3 | 4.9 | 5.2 | 4.5 |
| 60-64 | 2.4 | 2.5 | 2.3 | 2.3 | 2.3 | 2.2 | 3.2 | 3.7 | 2.8 |
| 65-69 | 1.7 | 1.8 | 1.6 | 1.6 | 1.6 | 1.5 | 2.3 | 2.5 | 2.1 |
| 70-74 | 1.1 | 1.2 | 1.0 | 1.0 | 1.1 | 0.9 | 1.3 | 1.4 | 1.2 |
| 75-79 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.8 | 0.8 | 0.7 |
| 80-84 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.4 |
| 85+ | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2018**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Bihar** | | | | | |
| 0-4 | 11.5 | 11.8 | 11.2 | 11.9 | 12.1 | 11.6 | 9.1 | 9.4 | 8.9 |
| 5-9 | 11.1 | 11.2 | 10.9 | 11.3 | 11.5 | 11.1 | 9.7 | 9.7 | 9.6 |
| 10-14 | 11.6 | 11.6 | 11.5 | 11.7 | 11.8 | 11.6 | 10.8 | 10.8 | 10.8 |
| 15-19 | 12.2 | 12.2 | 12.3 | 12.4 | 12.4 | 12.5 | 10.8 | 10.7 | 10.9 |
| 20-24 | 10.8 | 10.6 | 11.0 | 10.7 | 10.5 | 11.0 | 11.3 | 11.3 | 11.4 |
| 25-29 | 9.4 | 9.3 | 9.5 | 9.4 | 9.3 | 9.5 | 9.4 | 9.4 | 9.4 |
| 30-34 | 7.0 | 7.0 | 7.0 | 6.9 | 6.9 | 6.9 | 7.7 | 7.7 | 7.7 |
| 35-39 | 6.0 | 6.0 | 5.9 | 5.9 | 6.0 | 5.9 | 6.3 | 6.2 | 6.3 |
| 40-44 | 4.6 | 4.5 | 4.6 | 4.4 | 4.4 | 4.5 | 5.5 | 5.6 | 5.4 |
| 45-49 | 4.1 | 3.9 | 4.4 | 4.1 | 3.9 | 4.3 | 4.1 | 3.8 | 4.4 |
| 50-54 | 3.1 | 3.1 | 3.1 | 3.0 | 3.0 | 3.0 | 3.7 | 3.7 | 3.8 |
| 55-59 | 2.5 | 2.5 | 2.5 | 2.3 | 2.3 | 2.3 | 3.6 | 3.5 | 3.6 |
| 60-64 | 2.3 | 2.4 | 2.2 | 2.2 | 2.3 | 2.1 | 3.1 | 3.1 | 3.1 |
| 65-69 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 | 2.2 | 2.2 | 2.1 |
| 70-74 | 1.0 | 1.1 | 1.0 | 1.0 | 1.0 | 1.0 | 1.3 | 1.4 | 1.2 |
| 75-79 | 0.7 | 0.6 | 0.7 | 0.6 | 0.6 | 0.7 | 0.8 | 0.9 | 0.7 |
| 80-84 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 |
| 85+ | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Chhattisgarh** | | | | | |
| 0-4 | 9.0 | 9.1 | 9.0 | 9.5 | 9.5 | 9.4 | 7.6 | 7.7 | 7.5 |
| 5-9 | 9.5 | 9.6 | 9.4 | 9.8 | 9.8 | 9.8 | 8.8 | 9.2 | 8.4 |
| 10-14 | 9.7 | 9.8 | 9.6 | 10.0 | 10.1 | 10.0 | 8.7 | 8.9 | 8.5 |
| 15-19 | 10.0 | 10.1 | 9.9 | 10.1 | 10.3 | 9.9 | 9.8 | 9.7 | 9.9 |
| 20-24 | 10.8 | 10.7 | 10.9 | 10.8 | 10.8 | 10.9 | 10.7 | 10.6 | 10.8 |
| 25-29 | 9.6 | 9.6 | 9.7 | 9.4 | 9.4 | 9.4 | 10.3 | 10.2 | 10.4 |
| 30-34 | 8.0 | 8.3 | 7.7 | 7.8 | 8.2 | 7.3 | 8.7 | 8.6 | 8.8 |
| 35-39 | 7.4 | 7.4 | 7.3 | 7.1 | 7.2 | 7.1 | 8.1 | 8.1 | 8.2 |
| 40-44 | 6.1 | 5.9 | 6.2 | 5.8 | 5.6 | 6.0 | 7.0 | 7.1 | 6.9 |
| 45-49 | 5.6 | 5.5 | 5.8 | 5.5 | 5.4 | 5.6 | 6.2 | 6.0 | 6.3 |
| 50-54 | 4.0 | 4.2 | 3.9 | 3.8 | 4.0 | 3.7 | 4.7 | 4.9 | 4.5 |
| 55-59 | 3.2 | 3.1 | 3.2 | 3.1 | 3.0 | 3.2 | 3.3 | 3.3 | 3.2 |
| 60-64 | 2.6 | 2.6 | 2.5 | 2.6 | 2.8 | 2.5 | 2.4 | 2.3 | 2.5 |
| 65-69 | 2.1 | 2.0 | 2.2 | 2.2 | 2.1 | 2.3 | 1.8 | 1.7 | 2.0 |
| 70-74 | 1.2 | 0.9 | 1.5 | 1.3 | 0.9 | 1.6 | 1.1 | 1.1 | 1.1 |
| 75-79 | 0.6 | 0.6 | 0.7 | 0.7 | 0.6 | 0.8 | 0.5 | 0.4 | 0.5 |
| 80-84 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 |
| 85+ | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2018**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Delhi** | | | | | |
| 0-4 | 6.5 | 6.6 | 6.5 | 6.5 | 6.0 | 7.1 | 6.5 | 6.6 | 6.5 |
| 5-9 | 8.1 | 8.1 | 8.1 | 8.4 | 8.2 | 8.6 | 8.1 | 8.1 | 8.1 |
| 10-14 | 9.0 | 8.9 | 9.1 | 8.4 | 8.7 | 8.1 | 9.0 | 8.9 | 9.1 |
| 15-19 | 9.7 | 9.8 | 9.6 | 9.4 | 10.1 | 8.7 | 9.7 | 9.8 | 9.6 |
| 20-24 | 11.2 | 10.9 | 11.4 | 12.6 | 13.2 | 11.8 | 11.1 | 10.9 | 11.4 |
| 25-29 | 11.4 | 11.2 | 11.7 | 13.9 | 13.9 | 13.9 | 11.3 | 11.1 | 11.6 |
| 30-34 | 10.3 | 10.3 | 10.2 | 9.9 | 9.4 | 10.5 | 10.3 | 10.3 | 10.2 |
| 35-39 | 8.2 | 8.3 | 8.1 | 7.9 | 8.3 | 7.5 | 8.2 | 8.3 | 8.1 |
| 40-44 | 6.7 | 6.8 | 6.5 | 5.8 | 5.7 | 6.0 | 6.7 | 6.9 | 6.6 |
| 45-49 | 5.2 | 5.4 | 5.0 | 4.6 | 4.4 | 4.9 | 5.2 | 5.4 | 5.0 |
| 50-54 | 4.0 | 4.1 | 3.9 | 3.3 | 3.4 | 3.1 | 4.0 | 4.1 | 3.9 |
| 55-59 | 3.2 | 3.4 | 3.1 | 3.1 | 3.2 | 3.0 | 3.2 | 3.4 | 3.1 |
| 60-64 | 2.6 | 2.6 | 2.7 | 2.4 | 2.3 | 2.6 | 2.6 | 2.6 | 2.7 |
| 65-69 | 1.7 | 1.8 | 1.7 | 1.5 | 1.4 | 1.6 | 1.7 | 1.8 | 1.7 |
| 70-74 | 1.0 | 0.9 | 1.1 | 1.0 | 1.0 | 1.0 | 1.0 | 0.9 | 1.1 |
| 75-79 | 0.6 | 0.6 | 0.7 | 0.6 | 0.4 | 0.8 | 0.6 | 0.6 | 0.7 |
| 80-84 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.4 |
| 85+ | 0.2 | 0.1 | 0.3 | 0.3 | 0.2 | 0.4 | 0.2 | 0.1 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Gujarat** | | | | | |
| 0-4 | 7.5 | 7.7 | 7.2 | 7.9 | 8.2 | 7.6 | 6.9 | 7.1 | 6.7 |
| 5-9 | 8.2 | 8.5 | 8.0 | 8.7 | 8.8 | 8.6 | 7.7 | 8.1 | 7.2 |
| 10-14 | 9.2 | 9.5 | 9.0 | 9.9 | 10.1 | 9.6 | 8.5 | 8.7 | 8.3 |
| 15-19 | 9.7 | 9.9 | 9.5 | 10.3 | 10.5 | 10.0 | 9.0 | 9.2 | 8.9 |
| 20-24 | 10.4 | 10.3 | 10.5 | 10.6 | 10.4 | 10.8 | 10.1 | 10.1 | 10.2 |
| 25-29 | 10.1 | 10.1 | 10.1 | 9.5 | 9.5 | 9.5 | 10.8 | 10.7 | 11.0 |
| 30-34 | 9.1 | 9.4 | 8.7 | 8.2 | 8.7 | 7.8 | 10.1 | 10.3 | 9.9 |
| 35-39 | 7.3 | 7.4 | 7.3 | 6.7 | 6.8 | 6.7 | 8.1 | 8.0 | 8.2 |
| 40-44 | 6.6 | 6.6 | 6.6 | 6.3 | 6.3 | 6.3 | 6.9 | 6.9 | 6.9 |
| 45-49 | 5.5 | 5.4 | 5.6 | 5.4 | 5.4 | 5.4 | 5.6 | 5.4 | 5.8 |
| 50-54 | 4.5 | 4.5 | 4.5 | 4.3 | 4.3 | 4.3 | 4.7 | 4.7 | 4.6 |
| 55-59 | 3.5 | 3.4 | 3.8 | 3.5 | 3.2 | 3.8 | 3.6 | 3.5 | 3.7 |
| 60-64 | 3.1 | 2.9 | 3.3 | 3.2 | 3.0 | 3.4 | 3.0 | 2.8 | 3.2 |
| 65-69 | 2.1 | 1.9 | 2.4 | 2.3 | 2.1 | 2.6 | 1.9 | 1.7 | 2.1 |
| 70-74 | 1.5 | 1.3 | 1.6 | 1.5 | 1.3 | 1.7 | 1.4 | 1.3 | 1.5 |
| 75-79 | 0.9 | 0.8 | 1.0 | 0.9 | 0.8 | 1.1 | 0.9 | 0.8 | 1.0 |
| 80-84 | 0.4 | 0.4 | 0.5 | 0.4 | 0.3 | 0.5 | 0.5 | 0.4 | 0.5 |
| 85+ | 0.3 | 0.2 | 0.4 | 0.3 | 0.2 | 0.4 | 0.3 | 0.2 | 0.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2018**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Haryana** | | | | | |
| 0-4 | 8.2 | 8.5 | 7.9 | 8.6 | 9.0 | 8.1 | 7.6 | 7.7 | 7.4 |
| 5-9 | 8.8 | 9.2 | 8.4 | 9.0 | 9.3 | 8.8 | 8.5 | 9.1 | 7.9 |
| 10-14 | 9.1 | 9.6 | 8.6 | 9.4 | 9.8 | 8.9 | 8.6 | 9.2 | 8.0 |
| 15-19 | 10.1 | 10.4 | 9.8 | 10.4 | 10.7 | 10.1 | 9.6 | 9.9 | 9.3 |
| 20-24 | 11.5 | 11.1 | 11.9 | 11.7 | 11.3 | 12.2 | 11.1 | 10.9 | 11.3 |
| 25-29 | 10.6 | 10.7 | 10.5 | 10.3 | 10.5 | 10.1 | 11.1 | 11.0 | 11.2 |
| 30-34 | 8.4 | 8.5 | 8.2 | 8.2 | 8.4 | 8.0 | 8.7 | 8.8 | 8.6 |
| 35-39 | 7.2 | 7.0 | 7.5 | 7.1 | 6.9 | 7.4 | 7.4 | 7.2 | 7.7 |
| 40-44 | 6.3 | 6.1 | 6.6 | 6.2 | 6.1 | 6.4 | 6.5 | 6.1 | 6.9 |
| 45-49 | 5.3 | 5.2 | 5.3 | 5.0 | 5.0 | 5.1 | 5.7 | 5.7 | 5.6 |
| 50-54 | 4.2 | 4.1 | 4.3 | 3.9 | 3.8 | 3.9 | 4.7 | 4.6 | 4.9 |
| 55-59 | 3.1 | 2.9 | 3.3 | 2.8 | 2.4 | 3.1 | 3.6 | 3.6 | 3.7 |
| 60-64 | 2.6 | 2.4 | 2.7 | 2.5 | 2.3 | 2.6 | 2.7 | 2.6 | 2.8 |
| 65-69 | 1.9 | 1.7 | 2.0 | 1.9 | 1.8 | 2.1 | 1.8 | 1.6 | 1.9 |
| 70-74 | 1.2 | 1.1 | 1.4 | 1.3 | 1.2 | 1.4 | 1.1 | 1.0 | 1.3 |
| 75-79 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.9 | 0.6 | 0.6 | 0.7 |
| 80-84 | 0.5 | 0.4 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | 0.5 |
| 85+ | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.2 | 0.1 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Himachal Pradesh** | | | | | |
| 0-4 | 6.2 | 6.4 | 6.0 | 6.3 | 6.5 | 6.1 | 5.4 | 5.3 | 5.5 |
| 5-9 | 7.5 | 8.0 | 7.0 | 7.6 | 8.1 | 7.0 | 6.8 | 6.8 | 6.9 |
| 10-14 | 8.2 | 8.6 | 7.8 | 8.2 | 8.6 | 7.8 | 8.0 | 8.2 | 7.8 |
| 15-19 | 8.2 | 8.8 | 7.7 | 8.2 | 8.8 | 7.6 | 8.5 | 8.3 | 8.8 |
| 20-24 | 9.7 | 8.8 | 10.6 | 9.8 | 8.8 | 10.7 | 9.3 | 9.2 | 9.4 |
| 25-29 | 10.0 | 9.5 | 10.4 | 10.0 | 9.6 | 10.5 | 9.3 | 8.9 | 9.7 |
| 30-34 | 8.6 | 8.5 | 8.6 | 8.5 | 8.5 | 8.5 | 9.3 | 8.9 | 9.7 |
| 35-39 | 7.7 | 7.6 | 7.8 | 7.6 | 7.5 | 7.7 | 8.5 | 8.0 | 8.9 |
| 40-44 | 6.8 | 6.7 | 6.9 | 6.7 | 6.6 | 6.7 | 8.3 | 8.3 | 8.4 |
| 45-49 | 5.8 | 5.9 | 5.6 | 5.7 | 5.8 | 5.6 | 6.8 | 7.5 | 6.2 |
| 50-54 | 5.6 | 5.6 | 5.5 | 5.5 | 5.5 | 5.5 | 6.1 | 6.7 | 5.6 |
| 55-59 | 4.8 | 4.9 | 4.7 | 4.8 | 4.8 | 4.8 | 4.7 | 5.1 | 4.3 |
| 60-64 | 3.7 | 3.8 | 3.6 | 3.8 | 3.9 | 3.7 | 3.1 | 3.2 | 2.9 |
| 65-69 | 2.7 | 2.6 | 2.7 | 2.7 | 2.6 | 2.7 | 2.4 | 2.4 | 2.3 |
| 70-74 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 2.0 | 1.4 | 1.5 | 1.4 |
| 75-79 | 1.2 | 1.1 | 1.3 | 1.2 | 1.1 | 1.3 | 1.0 | 1.0 | 1.0 |
| 80-84 | 0.9 | 0.8 | 1.0 | 0.9 | 0.8 | 1.0 | 0.6 | 0.5 | 0.7 |
| 85+ | 0.6 | 0.5 | 0.7 | 0.7 | 0.6 | 0.8 | 0.4 | 0.3 | 0.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2018**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Jammu & Kashmir** | | | | | |
| 0-4 | 6.4 | 6.6 | 6.2 | 6.8 | 7.0 | 6.7 | 5.6 | 5.9 | 5.3 |
| 5-9 | 7.0 | 7.3 | 6.8 | 7.6 | 7.9 | 7.3 | 5.8 | 5.9 | 5.6 |
| 10-14 | 7.8 | 7.9 | 7.6 | 8.3 | 8.5 | 8.2 | 6.5 | 6.7 | 6.2 |
| 15-19 | 9.6 | 9.8 | 9.4 | 10.2 | 10.3 | 10.1 | 8.2 | 8.6 | 7.9 |
| 20-24 | 11.3 | 11.1 | 11.6 | 11.7 | 11.3 | 12.0 | 10.5 | 10.4 | 10.6 |
| 25-29 | 11.9 | 11.3 | 12.5 | 11.8 | 11.4 | 12.4 | 12.1 | 11.3 | 12.9 |
| 30-34 | 9.2 | 9.1 | 9.3 | 8.9 | 8.9 | 9.0 | 10.0 | 9.8 | 10.2 |
| 35-39 | 7.7 | 7.6 | 7.9 | 7.4 | 7.3 | 7.6 | 8.5 | 8.3 | 8.7 |
| 40-44 | 6.4 | 6.5 | 6.4 | 6.1 | 6.2 | 6.0 | 7.1 | 7.0 | 7.2 |
| 45-49 | 5.3 | 5.2 | 5.5 | 4.9 | 4.9 | 5.0 | 6.2 | 6.0 | 6.4 |
| 50-54 | 4.6 | 4.7 | 4.5 | 4.2 | 4.3 | 4.0 | 5.4 | 5.4 | 5.4 |
| 55-59 | 3.6 | 3.8 | 3.4 | 3.3 | 3.5 | 3.2 | 4.2 | 4.5 | 3.8 |
| 60-64 | 3.1 | 3.0 | 3.2 | 3.0 | 2.9 | 3.1 | 3.4 | 3.3 | 3.4 |
| 65-69 | 2.3 | 2.4 | 2.2 | 2.2 | 2.3 | 2.1 | 2.5 | 2.7 | 2.4 |
| 70-74 | 1.5 | 1.5 | 1.5 | 1.4 | 1.4 | 1.3 | 1.7 | 1.7 | 1.8 |
| 75-79 | 1.1 | 1.1 | 1.1 | 1.0 | 1.0 | 1.1 | 1.1 | 1.2 | 1.1 |
| 80-84 | 0.6 | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 | 0.7 | 0.7 | 0.7 |
| 85+ | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 | 0.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Jharkhand** | | | | | |
| 0-4 | 9.1 | 9.2 | 8.9 | 9.8 | 10.0 | 9.6 | 6.9 | 7.0 | 6.8 |
| 5-9 | 9.8 | 10.1 | 9.4 | 10.2 | 10.5 | 9.8 | 8.6 | 8.8 | 8.3 |
| 10-14 | 10.8 | 11.0 | 10.6 | 11.3 | 11.6 | 10.9 | 9.5 | 9.3 | 9.7 |
| 15-19 | 11.3 | 11.6 | 11.1 | 11.8 | 12.1 | 11.5 | 10.0 | 10.1 | 9.9 |
| 20-24 | 10.9 | 10.7 | 11.1 | 10.9 | 10.7 | 11.1 | 10.7 | 10.7 | 10.8 |
| 25-29 | 9.9 | 9.7 | 10.0 | 9.5 | 9.4 | 9.6 | 10.9 | 10.6 | 11.2 |
| 30-34 | 8.1 | 8.0 | 8.2 | 7.7 | 7.5 | 7.9 | 9.3 | 9.4 | 9.1 |
| 35-39 | 7.0 | 6.9 | 7.1 | 6.7 | 6.7 | 6.8 | 7.8 | 7.7 | 7.9 |
| 40-44 | 5.6 | 5.6 | 5.7 | 5.4 | 5.3 | 5.5 | 6.5 | 6.6 | 6.4 |
| 45-49 | 4.8 | 4.8 | 4.8 | 4.6 | 4.6 | 4.7 | 5.4 | 5.5 | 5.3 |
| 50-54 | 3.5 | 3.6 | 3.3 | 3.2 | 3.4 | 3.1 | 4.2 | 4.2 | 4.1 |
| 55-59 | 2.8 | 2.6 | 3.1 | 2.7 | 2.3 | 3.1 | 3.2 | 3.3 | 3.0 |
| 60-64 | 2.5 | 2.4 | 2.5 | 2.4 | 2.3 | 2.4 | 2.8 | 2.7 | 2.9 |
| 65-69 | 1.9 | 1.8 | 1.9 | 1.8 | 1.7 | 1.8 | 2.1 | 2.1 | 2.2 |
| 70-74 | 1.1 | 1.0 | 1.3 | 1.2 | 1.0 | 1.3 | 1.1 | 1.0 | 1.1 |
| 75-79 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | 0.5 | 0.7 | 0.6 | 0.7 |
| 80-84 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 |
| 85+ | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2018**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Karnataka** | | | | | |
| 0-4 | 7.2 | 7.4 | 7.1 | 7.3 | 7.5 | 7.2 | 7.0 | 7.2 | 6.9 |
| 5-9 | 7.8 | 8.0 | 7.7 | 8.0 | 8.2 | 7.7 | 7.7 | 7.6 | 7.7 |
| 10-14 | 8.1 | 8.3 | 7.9 | 8.1 | 8.2 | 7.9 | 8.2 | 8.5 | 7.9 |
| 15-19 | 9.1 | 9.3 | 8.9 | 9.4 | 9.6 | 9.2 | 8.7 | 8.9 | 8.5 |
| 20-24 | 11.0 | 10.6 | 11.4 | 11.3 | 11.3 | 11.4 | 10.4 | 9.5 | 11.3 |
| 25-29 | 11.0 | 10.8 | 11.2 | 10.8 | 10.8 | 10.8 | 11.2 | 10.7 | 11.6 |
| 30-34 | 9.2 | 9.3 | 9.1 | 8.7 | 8.7 | 8.7 | 9.9 | 10.1 | 9.7 |
| 35-39 | 7.6 | 7.7 | 7.6 | 7.3 | 7.2 | 7.3 | 8.2 | 8.4 | 8.0 |
| 40-44 | 6.8 | 6.8 | 6.8 | 6.6 | 6.5 | 6.7 | 7.1 | 7.2 | 7.0 |
| 45-49 | 5.7 | 5.7 | 5.8 | 5.7 | 5.5 | 5.8 | 5.8 | 5.9 | 5.7 |
| 50-54 | 4.7 | 4.9 | 4.5 | 4.6 | 4.8 | 4.3 | 4.9 | 5.0 | 4.7 |
| 55-59 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.5 | 3.6 | 3.5 |
| 60-64 | 3.1 | 3.0 | 3.2 | 3.2 | 3.0 | 3.4 | 2.9 | 3.1 | 2.8 |
| 65-69 | 2.3 | 2.2 | 2.3 | 2.4 | 2.2 | 2.5 | 2.1 | 2.1 | 2.1 |
| 70-74 | 1.2 | 1.1 | 1.4 | 1.4 | 1.2 | 1.6 | 1.0 | 0.9 | 1.1 |
| 75-79 | 0.9 | 0.8 | 1.0 | 1.0 | 0.9 | 1.1 | 0.7 | 0.7 | 0.7 |
| 80-84 | 0.4 | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 | 0.4 | 0.3 | 0.4 |
| 85+ | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Kerala** | | | | | |
| 0-4 | 6.7 | 7.1 | 6.3 | 6.9 | 7.2 | 6.6 | 6.4 | 6.9 | 5.9 |
| 5-9 | 6.9 | 7.4 | 6.4 | 7.0 | 7.5 | 6.6 | 6.7 | 7.2 | 6.3 |
| 10-14 | 7.7 | 8.4 | 7.1 | 7.7 | 8.5 | 7.0 | 7.7 | 8.3 | 7.2 |
| 15-19 | 8.2 | 8.6 | 7.8 | 8.1 | 8.6 | 7.7 | 8.3 | 8.7 | 7.9 |
| 20-24 | 7.9 | 8.1 | 7.9 | 7.9 | 8.0 | 7.8 | 8.0 | 8.1 | 8.0 |
| 25-29 | 8.0 | 7.7 | 8.3 | 8.0 | 7.5 | 8.5 | 8.0 | 7.8 | 8.1 |
| 30-34 | 7.9 | 7.7 | 8.2 | 7.8 | 7.5 | 8.1 | 8.1 | 7.9 | 8.2 |
| 35-39 | 7.6 | 7.3 | 7.9 | 7.5 | 7.2 | 7.8 | 7.8 | 7.4 | 8.1 |
| 40-44 | 7.4 | 7.1 | 7.6 | 7.2 | 6.9 | 7.5 | 7.5 | 7.3 | 7.7 |
| 45-49 | 7.3 | 7.1 | 7.5 | 7.2 | 7.1 | 7.4 | 7.3 | 7.1 | 7.6 |
| 50-54 | 6.2 | 6.3 | 6.1 | 6.1 | 6.2 | 5.9 | 6.3 | 6.3 | 6.2 |
| 55-59 | 5.3 | 5.2 | 5.3 | 5.2 | 5.2 | 5.2 | 5.3 | 5.2 | 5.4 |
| 60-64 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 4.7 | 4.6 | 4.7 | 4.4 |
| 65-69 | 3.2 | 3.1 | 3.2 | 3.2 | 3.3 | 3.2 | 3.1 | 2.9 | 3.3 |
| 70-74 | 2.2 | 2.1 | 2.4 | 2.2 | 2.0 | 2.4 | 2.3 | 2.2 | 2.3 |
| 75-79 | 1.5 | 1.3 | 1.8 | 1.6 | 1.4 | 1.8 | 1.5 | 1.2 | 1.7 |
| 80-84 | 0.9 | 0.7 | 1.0 | 0.9 | 0.8 | 1.1 | 0.8 | 0.6 | 0.9 |
| 85+ | 0.6 | 0.4 | 0.7 | 0.6 | 0.5 | 0.8 | 0.5 | 0.3 | 0.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2018**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Madhya Pradesh** | | | | | |
| 0-4 | 9.4 | 9.4 | 9.4 | 9.9 | 9.8 | 9.9 | 8.1 | 8.2 | 7.9 |
| 5-9 | 9.5 | 9.6 | 9.5 | 9.9 | 9.9 | 9.9 | 8.6 | 8.8 | 8.3 |
| 10-14 | 10.7 | 10.8 | 10.5 | 11.1 | 11.2 | 11.1 | 9.3 | 9.6 | 8.9 |
| 15-19 | 10.7 | 11.1 | 10.2 | 10.9 | 11.3 | 10.5 | 10.1 | 10.5 | 9.6 |
| 20-24 | 11.1 | 10.9 | 11.2 | 11.2 | 11.1 | 11.2 | 10.8 | 10.6 | 11.1 |
| 25-29 | 9.5 | 9.4 | 9.6 | 9.2 | 9.3 | 9.2 | 10.3 | 9.9 | 10.7 |
| 30-34 | 8.0 | 8.1 | 7.9 | 7.7 | 7.8 | 7.6 | 8.8 | 8.8 | 8.8 |
| 35-39 | 6.5 | 6.5 | 6.6 | 6.3 | 6.2 | 6.3 | 7.3 | 7.2 | 7.4 |
| 40-44 | 5.8 | 5.9 | 5.7 | 5.6 | 5.8 | 5.5 | 6.4 | 6.4 | 6.5 |
| 45-49 | 4.7 | 4.7 | 4.7 | 4.5 | 4.5 | 4.4 | 5.3 | 5.2 | 5.4 |
| 50-54 | 3.9 | 3.9 | 3.9 | 3.7 | 3.7 | 3.7 | 4.3 | 4.2 | 4.3 |
| 55-59 | 3.1 | 3.0 | 3.2 | 2.9 | 2.7 | 3.1 | 3.5 | 3.6 | 3.5 |
| 60-64 | 2.7 | 2.5 | 2.8 | 2.6 | 2.5 | 2.8 | 2.8 | 2.6 | 2.9 |
| 65-69 | 1.8 | 1.7 | 1.9 | 1.7 | 1.6 | 1.9 | 1.9 | 1.9 | 1.9 |
| 70-74 | 1.3 | 1.2 | 1.4 | 1.3 | 1.2 | 1.4 | 1.3 | 1.2 | 1.3 |
| 75-79 | 0.8 | 0.9 | 0.7 | 0.8 | 0.9 | 0.8 | 0.7 | 0.7 | 0.7 |
| 80-84 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 |
| 85+ | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Maharashtra** | | | | | |
| 0-4 | 7.6 | 7.9 | 7.4 | 8.3 | 8.6 | 7.9 | 6.9 | 7.0 | 6.8 |
| 5-9 | 7.8 | 8.0 | 7.5 | 8.3 | 8.6 | 8.0 | 7.1 | 7.3 | 6.9 |
| 10-14 | 8.6 | 8.8 | 8.4 | 9.4 | 9.7 | 9.2 | 7.7 | 7.8 | 7.5 |
| 15-19 | 9.5 | 9.7 | 9.3 | 10.1 | 10.3 | 9.8 | 8.8 | 8.9 | 8.7 |
| 20-24 | 10.2 | 10.1 | 10.3 | 10.3 | 10.2 | 10.4 | 10.1 | 10.0 | 10.3 |
| 25-29 | 10.1 | 9.9 | 10.2 | 9.2 | 9.4 | 9.0 | 11.1 | 10.5 | 11.7 |
| 30-34 | 8.9 | 8.8 | 8.9 | 7.7 | 7.7 | 7.8 | 10.2 | 10.2 | 10.3 |
| 35-39 | 7.8 | 7.8 | 7.7 | 7.0 | 7.0 | 7.1 | 8.6 | 8.8 | 8.5 |
| 40-44 | 6.6 | 6.7 | 6.6 | 6.1 | 6.2 | 6.0 | 7.3 | 7.2 | 7.3 |
| 45-49 | 5.7 | 5.6 | 5.7 | 5.6 | 5.6 | 5.6 | 5.8 | 5.8 | 5.8 |
| 50-54 | 4.6 | 4.6 | 4.6 | 4.3 | 4.3 | 4.4 | 4.9 | 5.0 | 4.8 |
| 55-59 | 3.7 | 3.6 | 3.9 | 3.7 | 3.4 | 4.0 | 3.8 | 3.9 | 3.8 |
| 60-64 | 3.2 | 3.1 | 3.3 | 3.3 | 3.0 | 3.5 | 3.1 | 3.1 | 3.1 |
| 65-69 | 2.3 | 2.2 | 2.4 | 2.6 | 2.4 | 2.9 | 2.0 | 2.1 | 1.8 |
| 70-74 | 1.7 | 1.5 | 1.9 | 2.0 | 1.7 | 2.2 | 1.3 | 1.2 | 1.4 |
| 75-79 | 1.0 | 1.0 | 1.0 | 1.2 | 1.2 | 1.2 | 0.7 | 0.8 | 0.7 |
| 80-84 | 0.5 | 0.5 | 0.5 | 0.6 | 0.6 | 0.6 | 0.4 | 0.4 | 0.4 |
| 85+ | 0.3 | 0.3 | 0.4 | 0.4 | 0.3 | 0.4 | 0.2 | 0.1 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2018**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Odisha** | | | | | |
| 0-4 | 7.3 | 7.4 | 7.1 | 7.4 | 7.5 | 7.2 | 6.9 | 6.9 | 6.8 |
| 5-9 | 7.8 | 7.9 | 7.7 | 7.9 | 8.0 | 7.8 | 7.3 | 7.4 | 7.1 |
| 10-14 | 8.5 | 8.5 | 8.5 | 8.7 | 8.6 | 8.7 | 7.8 | 7.9 | 7.7 |
| 15-19 | 9.6 | 9.6 | 9.7 | 9.7 | 9.7 | 9.7 | 9.3 | 9.2 | 9.3 |
| 20-24 | 10.2 | 9.7 | 10.8 | 10.2 | 9.7 | 10.8 | 10.4 | 10.1 | 10.7 |
| 25-29 | 10.1 | 9.5 | 10.7 | 10.1 | 9.5 | 10.7 | 10.4 | 9.6 | 11.2 |
| 30-34 | 8.8 | 8.6 | 9.1 | 8.7 | 8.5 | 9.0 | 9.4 | 9.0 | 9.8 |
| 35-39 | 7.5 | 7.6 | 7.4 | 7.3 | 7.5 | 7.2 | 8.3 | 8.2 | 8.4 |
| 40-44 | 6.1 | 6.4 | 5.8 | 5.9 | 6.2 | 5.6 | 7.1 | 7.5 | 6.8 |
| 45-49 | 5.4 | 5.7 | 5.1 | 5.3 | 5.5 | 5.0 | 5.9 | 6.5 | 5.4 |
| 50-54 | 4.5 | 4.8 | 4.3 | 4.4 | 4.7 | 4.1 | 5.0 | 5.2 | 4.9 |
| 55-59 | 4.0 | 4.1 | 4.0 | 4.1 | 4.1 | 4.0 | 3.9 | 4.0 | 3.7 |
| 60-64 | 3.5 | 3.7 | 3.3 | 3.6 | 3.8 | 3.4 | 3.2 | 3.4 | 2.9 |
| 65-69 | 2.3 | 2.4 | 2.2 | 2.4 | 2.5 | 2.3 | 1.8 | 1.9 | 1.6 |
| 70-74 | 1.8 | 1.7 | 1.9 | 1.9 | 1.8 | 1.9 | 1.5 | 1.5 | 1.6 |
| 75-79 | 1.0 | 1.0 | 1.1 | 1.1 | 1.1 | 1.1 | 0.8 | 0.8 | 0.7 |
| 80-84 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.8 | 0.7 | 0.8 |
| 85+ | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 | 0.3 | 0.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Punjab** | | | | | |
| 0-4 | 6.1 | 6.2 | 6.0 | 6.2 | 6.3 | 6.2 | 5.9 | 6.0 | 5.7 |
| 5-9 | 6.9 | 7.1 | 6.7 | 6.9 | 7.2 | 6.7 | 6.9 | 7.0 | 6.8 |
| 10-14 | 7.7 | 8.1 | 7.2 | 7.7 | 8.1 | 7.2 | 7.7 | 8.1 | 7.2 |
| 15-19 | 9.1 | 9.6 | 8.6 | 9.4 | 10.0 | 8.7 | 8.8 | 9.1 | 8.5 |
| 20-24 | 10.9 | 11.0 | 10.7 | 11.0 | 11.2 | 10.8 | 10.7 | 10.7 | 10.7 |
| 25-29 | 10.9 | 10.7 | 11.2 | 10.8 | 10.6 | 11.1 | 11.1 | 10.9 | 11.3 |
| 30-34 | 9.3 | 9.2 | 9.4 | 9.0 | 8.8 | 9.1 | 9.7 | 9.7 | 9.7 |
| 35-39 | 7.6 | 7.5 | 7.6 | 7.3 | 7.1 | 7.5 | 8.0 | 8.1 | 7.8 |
| 40-44 | 6.6 | 6.3 | 6.8 | 6.4 | 6.1 | 6.7 | 6.8 | 6.7 | 7.0 |
| 45-49 | 5.9 | 5.7 | 6.1 | 5.8 | 5.6 | 6.2 | 6.0 | 5.9 | 6.0 |
| 50-54 | 5.1 | 4.8 | 5.3 | 4.8 | 4.7 | 4.9 | 5.5 | 5.0 | 5.9 |
| 55-59 | 4.0 | 4.0 | 4.0 | 3.8 | 3.9 | 3.8 | 4.2 | 4.2 | 4.2 |
| 60-64 | 3.2 | 3.1 | 3.3 | 3.2 | 3.0 | 3.3 | 3.1 | 3.1 | 3.2 |
| 65-69 | 2.4 | 2.4 | 2.5 | 2.6 | 2.5 | 2.7 | 2.2 | 2.2 | 2.2 |
| 70-74 | 1.9 | 1.8 | 2.1 | 2.1 | 2.0 | 2.3 | 1.6 | 1.5 | 1.8 |
| 75-79 | 1.2 | 1.2 | 1.3 | 1.4 | 1.4 | 1.4 | 1.0 | 1.0 | 1.1 |
| 80-84 | 0.7 | 0.7 | 0.7 | 0.9 | 0.9 | 0.8 | 0.6 | 0.5 | 0.6 |
| 85+ | 0.5 | 0.4 | 0.6 | 0.6 | 0.6 | 0.7 | 0.3 | 0.2 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2018**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Rajasthan** | | | | | |
| 0-4 | 9.2 | 9.5 | 8.9 | 9.7 | 10.1 | 9.3 | 7.7 | 7.8 | 7.6 |
| 5-9 | 9.8 | 10.0 | 9.5 | 10.2 | 10.4 | 9.9 | 8.7 | 9.0 | 8.4 |
| 10-14 | 10.0 | 10.5 | 9.5 | 10.4 | 10.9 | 9.9 | 8.9 | 9.4 | 8.5 |
| 15-19 | 10.7 | 11.1 | 10.4 | 11.0 | 11.4 | 10.7 | 9.9 | 10.2 | 9.5 |
| 20-24 | 11.5 | 11.1 | 11.8 | 11.7 | 11.4 | 12.0 | 10.8 | 10.4 | 11.2 |
| 25-29 | 10.0 | 10.0 | 10.0 | 9.7 | 9.7 | 9.7 | 10.8 | 10.8 | 10.8 |
| 30-34 | 8.2 | 8.4 | 8.0 | 7.9 | 8.2 | 7.6 | 9.0 | 8.9 | 9.0 |
| 35-39 | 7.0 | 7.0 | 7.0 | 6.8 | 6.7 | 6.8 | 7.6 | 7.9 | 7.4 |
| 40-44 | 5.5 | 5.4 | 5.6 | 5.2 | 5.2 | 5.3 | 6.3 | 6.1 | 6.5 |
| 45-49 | 4.7 | 4.6 | 4.9 | 4.5 | 4.4 | 4.7 | 5.2 | 5.2 | 5.3 |
| 50-54 | 3.4 | 3.5 | 3.3 | 3.1 | 3.3 | 2.9 | 4.3 | 4.1 | 4.4 |
| 55-59 | 2.8 | 2.6 | 3.1 | 2.6 | 2.4 | 2.9 | 3.5 | 3.4 | 3.6 |
| 60-64 | 2.6 | 2.4 | 2.7 | 2.5 | 2.4 | 2.7 | 2.7 | 2.6 | 2.7 |
| 65-69 | 1.8 | 1.6 | 2.1 | 1.8 | 1.5 | 2.2 | 1.7 | 1.7 | 1.8 |
| 70-74 | 1.3 | 1.1 | 1.5 | 1.3 | 1.0 | 1.6 | 1.3 | 1.1 | 1.5 |
| 75-79 | 0.8 | 0.7 | 1.0 | 0.8 | 0.7 | 1.0 | 0.9 | 0.8 | 0.9 |
| 80-84 | 0.4 | 0.4 | 0.5 | 0.4 | 0.3 | 0.5 | 0.6 | 0.5 | 0.6 |
| 85+ | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Tamil Nadu** | | | | | |
| 0-4 | 6.3 | 6.4 | 6.1 | 6.8 | 7.0 | 6.6 | 5.8 | 5.9 | 5.7 |
| 5-9 | 6.7 | 6.8 | 6.6 | 7.0 | 7.2 | 6.8 | 6.4 | 6.5 | 6.4 |
| 10-14 | 7.4 | 7.6 | 7.2 | 7.9 | 8.2 | 7.6 | 7.0 | 7.1 | 6.8 |
| 15-19 | 8.1 | 8.4 | 7.8 | 8.5 | 8.9 | 8.2 | 7.7 | 7.9 | 7.5 |
| 20-24 | 9.3 | 8.9 | 9.7 | 9.9 | 9.5 | 10.3 | 8.7 | 8.4 | 9.1 |
| 25-29 | 9.7 | 9.4 | 10.0 | 10.1 | 10.0 | 10.1 | 9.4 | 8.8 | 9.9 |
| 30-34 | 9.0 | 9.2 | 8.8 | 8.6 | 8.9 | 8.2 | 9.3 | 9.4 | 9.3 |
| 35-39 | 8.1 | 8.0 | 8.2 | 7.7 | 7.6 | 7.7 | 8.5 | 8.5 | 8.6 |
| 40-44 | 7.3 | 7.4 | 7.3 | 6.8 | 6.7 | 7.0 | 7.8 | 8.0 | 7.5 |
| 45-49 | 6.5 | 6.6 | 6.3 | 6.3 | 6.1 | 6.4 | 6.6 | 7.0 | 6.3 |
| 50-54 | 5.8 | 5.7 | 5.9 | 5.2 | 5.3 | 5.1 | 6.4 | 6.1 | 6.7 |
| 55-59 | 4.8 | 4.6 | 4.9 | 4.7 | 4.3 | 5.1 | 4.8 | 4.9 | 4.8 |
| 60-64 | 4.0 | 4.0 | 3.9 | 3.7 | 3.7 | 3.7 | 4.2 | 4.3 | 4.1 |
| 65-69 | 3.0 | 2.9 | 3.0 | 3.0 | 2.8 | 3.2 | 3.0 | 3.1 | 2.9 |
| 70-74 | 1.9 | 1.9 | 1.9 | 1.7 | 1.7 | 1.8 | 2.1 | 2.1 | 2.1 |
| 75-79 | 1.2 | 1.1 | 1.2 | 1.2 | 1.2 | 1.3 | 1.1 | 1.1 | 1.1 |
| 80-84 | 0.6 | 0.6 | 0.6 | 0.5 | 0.5 | 0.5 | 0.7 | 0.6 | 0.7 |
| 85+ | 0.4 | 0.3 | 0.4 | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2018**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Telengana** | | | | | |
| 0-4 | 5.9 | 6.1 | 5.7 | 5.3 | 5.3 | 5.2 | 6.9 | 7.2 | 6.5 |
| 5-9 | 7.2 | 7.3 | 7.0 | 6.9 | 7.1 | 6.8 | 7.5 | 7.5 | 7.4 |
| 10-14 | 7.7 | 7.8 | 7.7 | 7.6 | 7.7 | 7.6 | 7.9 | 7.9 | 7.9 |
| 15-19 | 9.9 | 10.2 | 9.6 | 9.9 | 10.2 | 9.6 | 9.9 | 10.1 | 9.6 |
| 20-24 | 11.5 | 11.6 | 11.4 | 11.7 | 12.1 | 11.1 | 11.2 | 10.7 | 11.8 |
| 25-29 | 11.1 | 10.9 | 11.4 | 10.9 | 10.8 | 10.9 | 11.5 | 10.9 | 12.1 |
| 30-34 | 9.1 | 9.0 | 9.2 | 8.5 | 8.3 | 8.7 | 9.9 | 9.9 | 9.9 |
| 35-39 | 8.1 | 7.8 | 8.5 | 7.9 | 7.5 | 8.2 | 8.6 | 8.3 | 8.8 |
| 40-44 | 7.2 | 7.3 | 7.1 | 7.0 | 7.0 | 6.9 | 7.5 | 7.6 | 7.3 |
| 45-49 | 5.8 | 6.1 | 5.4 | 5.8 | 6.0 | 5.5 | 5.8 | 6.2 | 5.3 |
| 50-54 | 4.7 | 4.4 | 5.1 | 5.0 | 4.5 | 5.5 | 4.3 | 4.2 | 4.4 |
| 55-59 | 3.7 | 3.6 | 3.8 | 4.0 | 3.7 | 4.3 | 3.3 | 3.5 | 3.0 |
| 60-64 | 3.0 | 2.9 | 3.0 | 3.4 | 3.3 | 3.6 | 2.3 | 2.3 | 2.2 |
| 65-69 | 2.3 | 2.4 | 2.3 | 2.7 | 2.7 | 2.8 | 1.8 | 2.0 | 1.6 |
| 70-74 | 1.5 | 1.5 | 1.4 | 1.8 | 2.0 | 1.7 | 0.9 | 1.0 | 0.9 |
| 75-79 | 0.7 | 0.7 | 0.7 | 0.9 | 0.9 | 0.9 | 0.5 | 0.5 | 0.5 |
| 80-84 | 0.4 | 0.4 | 0.4 | 0.5 | 0.5 | 0.5 | 0.3 | 0.3 | 0.3 |
| 85+ | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | 0.1 | 0.1 | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Uttar Pradesh** | | | | | |
| 0-4 | 8.5 | 8.7 | 8.2 | 9.0 | 9.3 | 8.7 | 6.9 | 7.1 | 6.6 |
| 5-9 | 9.8 | 9.9 | 9.7 | 10.2 | 10.3 | 10.2 | 8.6 | 8.9 | 8.4 |
| 10-14 | 10.5 | 10.6 | 10.4 | 10.8 | 10.9 | 10.7 | 9.5 | 9.8 | 9.2 |
| 15-19 | 12.1 | 12.3 | 11.8 | 12.4 | 12.7 | 12.1 | 11.0 | 11.1 | 10.9 |
| 20-24 | 11.8 | 11.6 | 11.9 | 11.7 | 11.6 | 11.8 | 11.9 | 11.6 | 12.2 |
| 25-29 | 10.3 | 10.3 | 10.2 | 9.9 | 10.1 | 9.7 | 11.4 | 11.0 | 11.8 |
| 30-34 | 7.8 | 8.0 | 7.5 | 7.5 | 7.7 | 7.2 | 8.6 | 8.7 | 8.4 |
| 35-39 | 6.5 | 6.4 | 6.7 | 6.3 | 6.1 | 6.5 | 7.3 | 7.3 | 7.2 |
| 40-44 | 5.4 | 5.3 | 5.5 | 5.3 | 5.1 | 5.4 | 5.9 | 6.0 | 5.8 |
| 45-49 | 4.5 | 4.4 | 4.6 | 4.4 | 4.3 | 4.5 | 4.9 | 4.8 | 5.1 |
| 50-54 | 3.4 | 3.4 | 3.3 | 3.2 | 3.2 | 3.1 | 3.9 | 3.9 | 4.0 |
| 55-59 | 2.7 | 2.4 | 3.0 | 2.5 | 2.2 | 2.8 | 3.3 | 3.2 | 3.3 |
| 60-64 | 2.5 | 2.4 | 2.7 | 2.5 | 2.4 | 2.6 | 2.6 | 2.6 | 2.7 |
| 65-69 | 1.8 | 1.7 | 1.9 | 1.8 | 1.7 | 1.9 | 1.8 | 1.7 | 1.8 |
| 70-74 | 1.2 | 1.1 | 1.2 | 1.2 | 1.1 | 1.3 | 1.2 | 1.2 | 1.1 |
| 75-79 | 0.8 | 0.7 | 0.9 | 0.8 | 0.7 | 0.9 | 0.7 | 0.7 | 0.8 |
| 80-84 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 |
| 85+ | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 1**

**Percent distribution of estimated population by age-group, sex and residence, 2018**

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Uttarakhand** | | | | | |
| 0-4 | 10.5 | 10.9 | 10.2 | 10.5 | 11.0 | 10.1 | 10.6 | 10.6 | 10.6 |
| 5-9 | 9.0 | 9.3 | 8.6 | 9.3 | 9.7 | 8.9 | 8.1 | 8.3 | 8.0 |
| 10-14 | 9.4 | 9.7 | 9.1 | 9.8 | 10.2 | 9.4 | 8.4 | 8.5 | 8.3 |
| 15-19 | 10.2 | 10.4 | 10.0 | 10.4 | 10.6 | 10.2 | 9.7 | 10.0 | 9.4 |
| 20-24 | 11.9 | 12.5 | 11.3 | 11.8 | 12.3 | 11.3 | 12.2 | 13.0 | 11.4 |
| 25-29 | 9.7 | 9.4 | 10.1 | 9.5 | 9.1 | 9.8 | 10.4 | 10.1 | 10.8 |
| 30-34 | 8.1 | 7.8 | 8.4 | 7.8 | 7.5 | 8.1 | 8.9 | 8.6 | 9.2 |
| 35-39 | 6.4 | 6.4 | 6.5 | 6.2 | 6.1 | 6.3 | 7.1 | 7.1 | 7.2 |
| 40-44 | 5.3 | 5.5 | 5.1 | 5.0 | 5.2 | 4.8 | 6.1 | 6.2 | 5.9 |
| 45-49 | 3.9 | 3.8 | 4.0 | 3.7 | 3.6 | 3.8 | 4.3 | 4.2 | 4.3 |
| 50-54 | 3.7 | 3.4 | 4.1 | 3.6 | 3.2 | 3.9 | 4.0 | 3.7 | 4.4 |
| 55-59 | 3.2 | 3.0 | 3.3 | 3.2 | 3.0 | 3.4 | 3.1 | 3.0 | 3.2 |
| 60-64 | 3.4 | 3.1 | 3.7 | 3.5 | 3.1 | 3.9 | 3.0 | 2.8 | 3.2 |
| 65-69 | 1.9 | 1.7 | 2.1 | 2.0 | 1.8 | 2.3 | 1.6 | 1.5 | 1.6 |
| 70-74 | 1.6 | 1.5 | 1.6 | 1.7 | 1.7 | 1.7 | 1.2 | 1.1 | 1.3 |
| 75-79 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.8 | 0.5 | 0.6 | 0.5 |
| 80-84 | 0.6 | 0.5 | 0.7 | 0.7 | 0.6 | 0.8 | 0.4 | 0.4 | 0.5 |
| 85+ | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.2 | 0.2 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **West Bengal** | | | | | |
| 0-4 | 7.0 | 7.1 | 6.9 | 7.5 | 7.7 | 7.4 | 5.7 | 5.8 | 5.7 |
| 5-9 | 7.4 | 7.5 | 7.3 | 7.9 | 8.0 | 7.8 | 6.3 | 6.3 | 6.2 |
| 10-14 | 8.2 | 8.2 | 8.3 | 8.9 | 8.8 | 9.0 | 6.6 | 6.6 | 6.7 |
| 15-19 | 9.9 | 10.0 | 9.8 | 10.5 | 10.7 | 10.4 | 8.4 | 8.4 | 8.3 |
| 20-24 | 10.7 | 10.2 | 11.1 | 11.1 | 10.7 | 11.6 | 9.6 | 9.1 | 10.1 |
| 25-29 | 10.1 | 9.9 | 10.2 | 10.2 | 10.1 | 10.2 | 9.9 | 9.5 | 10.3 |
| 30-34 | 8.6 | 8.4 | 8.7 | 8.3 | 8.3 | 8.4 | 9.1 | 8.8 | 9.4 |
| 35-39 | 7.9 | 7.8 | 8.0 | 7.8 | 7.7 | 7.8 | 8.2 | 8.0 | 8.3 |
| 40-44 | 6.9 | 7.0 | 6.9 | 6.6 | 6.7 | 6.6 | 7.6 | 7.7 | 7.6 |
| 45-49 | 6.2 | 6.3 | 6.1 | 5.9 | 6.0 | 5.8 | 6.9 | 6.9 | 6.9 |
| 50-54 | 4.6 | 5.0 | 4.3 | 4.1 | 4.7 | 3.5 | 5.8 | 5.7 | 6.0 |
| 55-59 | 3.9 | 4.0 | 3.9 | 3.5 | 3.4 | 3.6 | 5.0 | 5.4 | 4.5 |
| 60-64 | 3.3 | 3.4 | 3.3 | 2.9 | 2.8 | 3.1 | 4.3 | 4.8 | 3.7 |
| 65-69 | 2.1 | 2.2 | 2.0 | 1.9 | 1.9 | 1.9 | 2.7 | 2.9 | 2.5 |
| 70-74 | 1.5 | 1.5 | 1.5 | 1.4 | 1.3 | 1.5 | 1.8 | 1.9 | 1.7 |
| 75-79 | 0.9 | 0.8 | 0.9 | 0.8 | 0.7 | 0.9 | 1.1 | 1.1 | 1.1 |
| 80-84 | 0.5 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 | 0.7 | 0.7 | 0.7 |
| 85+ | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | 0.4 | 0.4 | 0.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**India**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 16.6 | 0.0 | 0.0 | 16.6 | 17.0 | 0.0 | 0.0 | 17.0 | 16.3 | 0.0 | 0.0 | 16.3 |
| 10-14 | 9.3 | 0.0 | 0.0 | 9.3 | 9.5 | 0.0 | 0.0 | 9.5 | 9.1 | 0.0 | 0.0 | 9.1 |
| 15-19 | 10.0 | 0.2 | 0.0 | 10.2 | 10.4 | 0.1 | 0.0 | 10.4 | 9.6 | 0.4 | 0.0 | 10.0 |
| 20-24 | 7.9 | 2.8 | 0.0 | 10.8 | 9.3 | 1.2 | 0.0 | 10.5 | 6.5 | 4.5 | 0.0 | 11.0 |
| 25-29 | 4.0 | 6.0 | 0.0 | 10.1 | 5.6 | 4.3 | 0.0 | 9.9 | 2.3 | 7.8 | 0.1 | 10.2 |
| 30-34 | 1.3 | 7.0 | 0.1 | 8.4 | 2.0 | 6.5 | 0.1 | 8.5 | 0.6 | 7.6 | 0.1 | 8.4 |
| 35-39 | 0.5 | 6.7 | 0.2 | 7.3 | 0.7 | 6.5 | 0.1 | 7.2 | 0.2 | 6.9 | 0.2 | 7.3 |
| 40-44 | 0.2 | 5.8 | 0.2 | 6.2 | 0.3 | 5.8 | 0.1 | 6.2 | 0.1 | 5.7 | 0.3 | 6.2 |
| 45-49 | 0.1 | 4.9 | 0.3 | 5.3 | 0.2 | 5.0 | 0.1 | 5.3 | 0.1 | 4.8 | 0.4 | 5.3 |
| 50-54 | 0.1 | 3.8 | 0.3 | 4.2 | 0.1 | 4.0 | 0.2 | 4.3 | 0.1 | 3.6 | 0.5 | 4.2 |
| 55-59 | 0.1 | 3.1 | 0.4 | 3.5 | 0.1 | 3.1 | 0.2 | 3.4 | 0.0 | 3.0 | 0.6 | 3.6 |
| 60-64 | 0.0 | 2.5 | 0.4 | 3.0 | 0.0 | 2.7 | 0.2 | 2.9 | 0.0 | 2.3 | 0.7 | 3.0 |
| 65-69 | 0.0 | 1.6 | 0.5 | 2.1 | 0.0 | 1.8 | 0.2 | 2.1 | 0.0 | 1.4 | 0.8 | 2.2 |
| 70-74 | 0.0 | 1.0 | 0.4 | 1.4 | 0.0 | 1.1 | 0.2 | 1.3 | 0.0 | 0.8 | 0.7 | 1.5 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.9 | 0.0 | 0.7 | 0.2 | 0.8 | 0.0 | 0.4 | 0.5 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.5 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 50.3 | 46.3 | 3.5 | 100.0 | 55.2 | 43.2 | 1.6 | 100.0 | 45.1 | 49.5 | 5.5 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 17.7 | 0.0 | 0.0 | 17.7 | 18.1 | 0.0 | 0.0 | 18.1 | 17.3 | 0.0 | 0.0 | 17.3 |
| 10-14 | 9.8 | 0.0 | 0.0 | 9.8 | 10.0 | 0.0 | 0.0 | 10.0 | 9.6 | 0.0 | 0.0 | 9.6 |
| 15-19 | 10.5 | 0.3 | 0.0 | 10.7 | 10.9 | 0.1 | 0.0 | 11.0 | 10.1 | 0.4 | 0.0 | 10.5 |
| 20-24 | 7.8 | 3.1 | 0.0 | 11.0 | 9.3 | 1.5 | 0.0 | 10.8 | 6.2 | 4.9 | 0.0 | 11.2 |
| 25-29 | 3.5 | 6.2 | 0.1 | 9.8 | 5.1 | 4.6 | 0.0 | 9.8 | 1.9 | 8.0 | 0.1 | 9.9 |
| 30-34 | 1.0 | 6.9 | 0.1 | 8.0 | 1.6 | 6.4 | 0.1 | 8.0 | 0.4 | 7.3 | 0.1 | 7.9 |
| 35-39 | 0.4 | 6.4 | 0.2 | 6.9 | 0.5 | 6.2 | 0.1 | 6.8 | 0.2 | 6.6 | 0.2 | 7.0 |
| 40-44 | 0.2 | 5.5 | 0.2 | 5.8 | 0.2 | 5.5 | 0.1 | 5.8 | 0.1 | 5.5 | 0.3 | 5.9 |
| 45-49 | 0.1 | 4.7 | 0.3 | 5.1 | 0.1 | 4.8 | 0.1 | 5.1 | 0.1 | 4.6 | 0.4 | 5.1 |
| 50-54 | 0.1 | 3.6 | 0.3 | 3.9 | 0.1 | 3.8 | 0.2 | 4.0 | 0.0 | 3.3 | 0.4 | 3.8 |
| 55-59 | 0.0 | 2.9 | 0.3 | 3.2 | 0.0 | 2.9 | 0.2 | 3.1 | 0.0 | 2.9 | 0.5 | 3.5 |
| 60-64 | 0.0 | 2.4 | 0.4 | 2.9 | 0.0 | 2.6 | 0.2 | 2.8 | 0.0 | 2.3 | 0.6 | 3.0 |
| 65-69 | 0.0 | 1.6 | 0.5 | 2.1 | 0.0 | 1.8 | 0.2 | 2.0 | 0.0 | 1.4 | 0.7 | 2.2 |
| 70-74 | 0.0 | 1.0 | 0.4 | 1.4 | 0.0 | 1.1 | 0.2 | 1.3 | 0.0 | 0.8 | 0.7 | 1.5 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.9 | 0.0 | 0.7 | 0.2 | 0.8 | 0.0 | 0.4 | 0.5 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 51.2 | 45.4 | 3.4 | 100.0 | 56.1 | 42.3 | 1.6 | 100.0 | 46.0 | 48.8 | 5.2 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 14.4 | 0.0 | 0.0 | 14.4 | 14.7 | 0.0 | 0.0 | 14.7 | 14.0 | 0.0 | 0.0 | 14.0 |
| 10-14 | 8.2 | 0.0 | 0.0 | 8.2 | 8.4 | 0.0 | 0.0 | 8.4 | 8.0 | 0.0 | 0.0 | 8.0 |
| 15-19 | 9.1 | 0.1 | 0.0 | 9.2 | 9.4 | 0.0 | 0.0 | 9.4 | 8.8 | 0.3 | 0.0 | 9.0 |
| 20-24 | 8.2 | 2.1 | 0.0 | 10.4 | 9.3 | 0.8 | 0.0 | 10.1 | 7.1 | 3.6 | 0.0 | 10.6 |
| 25-29 | 5.1 | 5.5 | 0.0 | 10.6 | 6.7 | 3.5 | 0.0 | 10.2 | 3.4 | 7.5 | 0.1 | 11.0 |
| 30-34 | 1.9 | 7.4 | 0.1 | 9.4 | 2.7 | 6.6 | 0.0 | 9.4 | 1.0 | 8.2 | 0.1 | 9.4 |
| 35-39 | 0.7 | 7.2 | 0.2 | 8.0 | 1.0 | 7.0 | 0.1 | 8.0 | 0.4 | 7.4 | 0.3 | 8.1 |
| 40-44 | 0.3 | 6.4 | 0.2 | 6.9 | 0.4 | 6.4 | 0.1 | 7.0 | 0.2 | 6.3 | 0.4 | 6.9 |
| 45-49 | 0.2 | 5.3 | 0.3 | 5.8 | 0.3 | 5.4 | 0.1 | 5.8 | 0.1 | 5.2 | 0.5 | 5.8 |
| 50-54 | 0.1 | 4.4 | 0.4 | 4.9 | 0.2 | 4.5 | 0.2 | 4.9 | 0.1 | 4.3 | 0.6 | 5.0 |
| 55-59 | 0.1 | 3.4 | 0.4 | 3.9 | 0.1 | 3.7 | 0.2 | 4.0 | 0.1 | 3.1 | 0.7 | 3.9 |
| 60-64 | 0.1 | 2.7 | 0.5 | 3.2 | 0.1 | 3.0 | 0.2 | 3.2 | 0.0 | 2.3 | 0.8 | 3.1 |
| 65-69 | 0.0 | 1.6 | 0.5 | 2.1 | 0.0 | 1.9 | 0.2 | 2.2 | 0.0 | 1.3 | 0.8 | 2.1 |
| 70-74 | 0.0 | 1.0 | 0.4 | 1.4 | 0.0 | 1.2 | 0.2 | 1.4 | 0.0 | 0.8 | 0.7 | 1.5 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.7 | 0.1 | 0.8 | 0.0 | 0.3 | 0.5 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.5 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.3 | 0.3 |
| All ages | 48.4 | 48.0 | 3.7 | 100.0 | 53.3 | 45.2 | 1.5 | 100.0 | 43.2 | 50.9 | 6.0 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Andhra Pradesh**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 12.5 | 0.0 | 0.0 | 12.5 | 12.5 | 0.0 | 0.0 | 12.5 | 12.6 | 0.0 | 0.0 | 12.6 |
| 10-14 | 7.3 | 0.0 | 0.0 | 7.3 | 7.4 | 0.0 | 0.0 | 7.4 | 7.2 | 0.0 | 0.0 | 7.2 |
| 15-19 | 8.3 | 0.2 | 0.0 | 8.6 | 8.7 | 0.1 | 0.0 | 8.8 | 8.0 | 0.4 | 0.0 | 8.4 |
| 20-24 | 7.4 | 3.0 | 0.0 | 10.4 | 9.1 | 1.1 | 0.0 | 10.2 | 5.7 | 5.0 | 0.0 | 10.7 |
| 25-29 | 4.0 | 6.6 | 0.1 | 10.7 | 5.9 | 4.4 | 0.0 | 10.3 | 2.1 | 8.8 | 0.1 | 11.0 |
| 30-34 | 1.2 | 7.8 | 0.2 | 9.1 | 1.8 | 7.2 | 0.1 | 9.1 | 0.5 | 8.4 | 0.2 | 9.2 |
| 35-39 | 0.4 | 8.1 | 0.3 | 8.7 | 0.6 | 7.9 | 0.1 | 8.6 | 0.2 | 8.2 | 0.4 | 8.8 |
| 40-44 | 0.1 | 6.8 | 0.3 | 7.3 | 0.2 | 7.1 | 0.1 | 7.5 | 0.1 | 6.4 | 0.6 | 7.1 |
| 45-49 | 0.1 | 5.6 | 0.5 | 6.2 | 0.1 | 6.1 | 0.2 | 6.4 | 0.1 | 5.1 | 0.7 | 5.9 |
| 50-54 | 0.1 | 4.8 | 0.6 | 5.5 | 0.1 | 5.0 | 0.2 | 5.3 | 0.0 | 4.7 | 1.0 | 5.7 |
| 55-59 | 0.0 | 3.8 | 0.6 | 4.4 | 0.0 | 4.0 | 0.3 | 4.4 | 0.0 | 3.5 | 0.9 | 4.4 |
| 60-64 | 0.0 | 2.8 | 0.6 | 3.5 | 0.0 | 3.1 | 0.3 | 3.4 | 0.0 | 2.5 | 1.0 | 3.5 |
| 65-69 | 0.0 | 2.0 | 0.7 | 2.7 | 0.0 | 2.5 | 0.4 | 2.9 | 0.0 | 1.4 | 1.0 | 2.4 |
| 70-74 | 0.0 | 1.1 | 0.6 | 1.7 | 0.0 | 1.5 | 0.3 | 1.8 | 0.0 | 0.7 | 0.8 | 1.6 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.9 | 0.0 | 0.7 | 0.2 | 0.9 | 0.0 | 0.3 | 0.5 | 0.8 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.5 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 41.5 | 53.5 | 5.0 | 100.0 | 46.4 | 51.3 | 2.3 | 100.0 | 36.5 | 55.7 | 7.8 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 12.6 | 0.0 | 0.0 | 12.6 | 12.6 | 0.0 | 0.0 | 12.6 | 12.7 | 0.0 | 0.0 | 12.7 |
| 10-14 | 7.2 | 0.0 | 0.0 | 7.2 | 7.4 | 0.0 | 0.0 | 7.4 | 7.1 | 0.0 | 0.0 | 7.1 |
| 15-19 | 8.3 | 0.2 | 0.0 | 8.5 | 8.7 | 0.1 | 0.0 | 8.8 | 7.9 | 0.4 | 0.0 | 8.3 |
| 20-24 | 7.3 | 3.1 | 0.0 | 10.5 | 9.2 | 1.2 | 0.0 | 10.4 | 5.3 | 5.2 | 0.0 | 10.5 |
| 25-29 | 3.7 | 6.7 | 0.1 | 10.4 | 5.6 | 4.5 | 0.0 | 10.1 | 1.8 | 8.9 | 0.1 | 10.8 |
| 30-34 | 1.0 | 7.7 | 0.2 | 8.8 | 1.5 | 7.2 | 0.1 | 8.8 | 0.4 | 8.3 | 0.2 | 8.9 |
| 35-39 | 0.3 | 7.9 | 0.3 | 8.4 | 0.4 | 7.7 | 0.1 | 8.3 | 0.2 | 8.0 | 0.4 | 8.6 |
| 40-44 | 0.1 | 6.7 | 0.3 | 7.1 | 0.2 | 7.0 | 0.1 | 7.3 | 0.1 | 6.4 | 0.6 | 7.0 |
| 45-49 | 0.1 | 5.7 | 0.4 | 6.2 | 0.1 | 6.2 | 0.2 | 6.4 | 0.1 | 5.2 | 0.7 | 6.0 |
| 50-54 | 0.0 | 4.8 | 0.6 | 5.4 | 0.1 | 4.9 | 0.2 | 5.2 | 0.0 | 4.7 | 0.9 | 5.6 |
| 55-59 | 0.0 | 3.8 | 0.6 | 4.5 | 0.0 | 4.0 | 0.3 | 4.4 | 0.0 | 3.6 | 0.9 | 4.6 |
| 60-64 | 0.0 | 3.0 | 0.7 | 3.6 | 0.0 | 3.2 | 0.3 | 3.5 | 0.0 | 2.7 | 1.0 | 3.8 |
| 65-69 | 0.0 | 2.1 | 0.7 | 2.9 | 0.0 | 2.7 | 0.4 | 3.1 | 0.0 | 1.5 | 1.1 | 2.6 |
| 70-74 | 0.0 | 1.3 | 0.6 | 1.9 | 0.0 | 1.7 | 0.3 | 2.0 | 0.0 | 0.8 | 0.9 | 1.8 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.7 | 0.2 | 1.0 | 0.0 | 0.3 | 0.5 | 0.9 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.4 | 0.6 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 40.8 | 53.9 | 5.3 | 100.0 | 45.8 | 51.7 | 2.5 | 100.0 | 35.6 | 56.2 | 8.1 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 12.3 | 0.0 | 0.0 | 12.3 | 12.3 | 0.0 | 0.0 | 12.3 | 12.3 | 0.0 | 0.0 | 12.3 |
| 10-14 | 7.4 | 0.0 | 0.0 | 7.4 | 7.4 | 0.0 | 0.0 | 7.4 | 7.4 | 0.0 | 0.0 | 7.4 |
| 15-19 | 8.4 | 0.3 | 0.0 | 8.6 | 8.7 | 0.1 | 0.0 | 8.7 | 8.0 | 0.5 | 0.0 | 8.5 |
| 20-24 | 7.7 | 2.6 | 0.0 | 10.3 | 8.9 | 0.8 | 0.0 | 9.6 | 6.4 | 4.5 | 0.0 | 11.0 |
| 25-29 | 4.7 | 6.3 | 0.0 | 11.1 | 6.7 | 4.1 | 0.0 | 10.8 | 2.7 | 8.7 | 0.1 | 11.5 |
| 30-34 | 1.5 | 8.1 | 0.1 | 9.7 | 2.3 | 7.4 | 0.1 | 9.7 | 0.8 | 8.8 | 0.2 | 9.8 |
| 35-39 | 0.5 | 8.5 | 0.2 | 9.3 | 0.8 | 8.4 | 0.1 | 9.3 | 0.3 | 8.6 | 0.4 | 9.3 |
| 40-44 | 0.2 | 7.0 | 0.3 | 7.6 | 0.3 | 7.5 | 0.1 | 7.9 | 0.1 | 6.5 | 0.6 | 7.2 |
| 45-49 | 0.1 | 5.5 | 0.5 | 6.0 | 0.1 | 6.1 | 0.2 | 6.4 | 0.1 | 4.8 | 0.8 | 5.6 |
| 50-54 | 0.1 | 5.0 | 0.6 | 5.6 | 0.1 | 5.2 | 0.2 | 5.5 | 0.1 | 4.7 | 1.0 | 5.8 |
| 55-59 | 0.1 | 3.6 | 0.5 | 4.2 | 0.1 | 4.0 | 0.2 | 4.4 | 0.0 | 3.2 | 0.9 | 4.1 |
| 60-64 | 0.0 | 2.4 | 0.6 | 3.1 | 0.1 | 2.8 | 0.2 | 3.1 | 0.0 | 2.1 | 0.9 | 3.0 |
| 65-69 | 0.0 | 1.5 | 0.6 | 2.1 | 0.0 | 1.9 | 0.3 | 2.3 | 0.0 | 1.1 | 0.9 | 2.0 |
| 70-74 | 0.0 | 0.8 | 0.4 | 1.3 | 0.0 | 1.1 | 0.2 | 1.3 | 0.0 | 0.5 | 0.7 | 1.2 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.7 | 0.0 | 0.7 | 0.2 | 0.8 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 43.1 | 52.4 | 4.5 | 100.0 | 47.7 | 50.4 | 1.9 | 100.0 | 38.4 | 54.5 | 7.1 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Assam**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 17.8 | 0.0 | 0.0 | 17.8 | 18.1 | 0.0 | 0.0 | 18.1 | 17.6 | 0.0 | 0.0 | 17.6 |
| 10-14 | 9.9 | 0.0 | 0.0 | 9.9 | 10.0 | 0.0 | 0.0 | 10.0 | 9.7 | 0.0 | 0.0 | 9.7 |
| 15-19 | 9.7 | 0.2 | 0.0 | 9.9 | 9.7 | 0.1 | 0.0 | 9.8 | 9.7 | 0.4 | 0.0 | 10.1 |
| 20-24 | 7.9 | 2.9 | 0.0 | 10.8 | 9.0 | 1.1 | 0.0 | 10.1 | 6.7 | 4.8 | 0.0 | 11.5 |
| 25-29 | 4.1 | 5.7 | 0.1 | 9.9 | 5.7 | 3.8 | 0.0 | 9.5 | 2.5 | 7.7 | 0.1 | 10.4 |
| 30-34 | 1.8 | 6.9 | 0.1 | 8.8 | 2.6 | 6.0 | 0.0 | 8.7 | 1.0 | 7.9 | 0.1 | 9.0 |
| 35-39 | 0.9 | 6.4 | 0.1 | 7.4 | 1.1 | 6.2 | 0.1 | 7.4 | 0.6 | 6.6 | 0.2 | 7.4 |
| 40-44 | 0.4 | 5.8 | 0.2 | 6.4 | 0.6 | 6.0 | 0.1 | 6.7 | 0.3 | 5.5 | 0.3 | 6.1 |
| 45-49 | 0.3 | 4.7 | 0.3 | 5.2 | 0.3 | 5.1 | 0.1 | 5.5 | 0.2 | 4.3 | 0.4 | 4.9 |
| 50-54 | 0.2 | 3.5 | 0.3 | 4.0 | 0.2 | 3.9 | 0.2 | 4.3 | 0.1 | 3.1 | 0.4 | 3.7 |
| 55-59 | 0.1 | 2.9 | 0.4 | 3.4 | 0.1 | 3.0 | 0.2 | 3.3 | 0.1 | 2.8 | 0.6 | 3.5 |
| 60-64 | 0.1 | 1.9 | 0.4 | 2.4 | 0.1 | 2.3 | 0.1 | 2.5 | 0.1 | 1.5 | 0.7 | 2.3 |
| 65-69 | 0.1 | 1.3 | 0.4 | 1.7 | 0.0 | 1.6 | 0.1 | 1.8 | 0.1 | 0.9 | 0.6 | 1.6 |
| 70-74 | 0.0 | 0.7 | 0.3 | 1.1 | 0.0 | 1.0 | 0.1 | 1.2 | 0.0 | 0.5 | 0.5 | 1.0 |
| 75-79 | 0.0 | 0.4 | 0.2 | 0.7 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.2 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.2 |
| All ages | 53.3 | 43.7 | 3.0 | 100.0 | 57.4 | 41.2 | 1.4 | 100.0 | 48.8 | 46.4 | 4.8 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 18.5 | 0.0 | 0.0 | 18.5 | 18.8 | 0.0 | 0.0 | 18.8 | 18.3 | 0.0 | 0.0 | 18.3 |
| 10-14 | 10.4 | 0.0 | 0.0 | 10.4 | 10.5 | 0.0 | 0.0 | 10.5 | 10.2 | 0.0 | 0.0 | 10.2 |
| 15-19 | 10.0 | 0.2 | 0.0 | 10.2 | 10.0 | 0.1 | 0.0 | 10.0 | 10.0 | 0.4 | 0.0 | 10.4 |
| 20-24 | 7.9 | 3.1 | 0.0 | 11.0 | 9.1 | 1.2 | 0.0 | 10.3 | 6.7 | 5.1 | 0.0 | 11.8 |
| 25-29 | 3.9 | 5.9 | 0.1 | 9.9 | 5.4 | 4.1 | 0.0 | 9.4 | 2.3 | 8.0 | 0.1 | 10.3 |
| 30-34 | 1.6 | 7.0 | 0.1 | 8.7 | 2.3 | 6.2 | 0.1 | 8.5 | 0.9 | 7.9 | 0.1 | 8.9 |
| 35-39 | 0.7 | 6.3 | 0.1 | 7.1 | 1.0 | 6.1 | 0.1 | 7.2 | 0.5 | 6.4 | 0.2 | 7.1 |
| 40-44 | 0.4 | 5.7 | 0.2 | 6.2 | 0.5 | 5.9 | 0.1 | 6.5 | 0.3 | 5.3 | 0.3 | 5.9 |
| 45-49 | 0.2 | 4.5 | 0.3 | 5.0 | 0.3 | 4.9 | 0.1 | 5.4 | 0.2 | 4.1 | 0.4 | 4.6 |
| 50-54 | 0.1 | 3.3 | 0.3 | 3.7 | 0.1 | 3.7 | 0.2 | 4.0 | 0.1 | 2.8 | 0.4 | 3.3 |
| 55-59 | 0.1 | 2.7 | 0.4 | 3.1 | 0.1 | 2.7 | 0.2 | 2.9 | 0.1 | 2.6 | 0.6 | 3.3 |
| 60-64 | 0.1 | 1.8 | 0.4 | 2.3 | 0.1 | 2.1 | 0.1 | 2.3 | 0.1 | 1.5 | 0.7 | 2.2 |
| 65-69 | 0.0 | 1.2 | 0.4 | 1.6 | 0.0 | 1.5 | 0.1 | 1.6 | 0.1 | 0.9 | 0.6 | 1.5 |
| 70-74 | 0.0 | 0.7 | 0.3 | 1.0 | 0.0 | 1.0 | 0.1 | 1.1 | 0.0 | 0.4 | 0.4 | 0.9 |
| 75-79 | 0.0 | 0.4 | 0.2 | 0.7 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.3 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.2 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.2 |
| All ages | 54.0 | 43.0 | 2.9 | 100.0 | 58.1 | 40.5 | 1.4 | 100.0 | 49.7 | 45.8 | 4.6 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 13.6 | 0.0 | 0.0 | 13.6 | 13.8 | 0.0 | 0.0 | 13.8 | 13.5 | 0.0 | 0.0 | 13.5 |
| 10-14 | 6.9 | 0.0 | 0.0 | 6.9 | 7.0 | 0.0 | 0.0 | 7.0 | 6.8 | 0.0 | 0.0 | 6.8 |
| 15-19 | 8.2 | 0.1 | 0.0 | 8.3 | 8.2 | 0.0 | 0.0 | 8.3 | 8.1 | 0.2 | 0.0 | 8.3 |
| 20-24 | 7.6 | 1.9 | 0.0 | 9.5 | 8.4 | 0.6 | 0.0 | 9.1 | 6.7 | 3.3 | 0.0 | 10.0 |
| 25-29 | 5.9 | 4.4 | 0.0 | 10.3 | 7.3 | 2.4 | 0.0 | 9.7 | 4.3 | 6.5 | 0.1 | 10.9 |
| 30-34 | 3.1 | 6.4 | 0.1 | 9.6 | 4.3 | 5.2 | 0.0 | 9.5 | 1.8 | 7.8 | 0.1 | 9.8 |
| 35-39 | 1.6 | 7.1 | 0.2 | 8.9 | 2.2 | 6.6 | 0.0 | 8.8 | 0.9 | 7.8 | 0.3 | 9.0 |
| 40-44 | 0.8 | 6.4 | 0.2 | 7.4 | 1.0 | 6.5 | 0.1 | 7.5 | 0.5 | 6.3 | 0.4 | 7.2 |
| 45-49 | 0.4 | 5.6 | 0.3 | 6.4 | 0.5 | 5.8 | 0.1 | 6.4 | 0.4 | 5.5 | 0.5 | 6.4 |
| 50-54 | 0.3 | 5.2 | 0.5 | 5.9 | 0.3 | 5.3 | 0.2 | 5.8 | 0.3 | 5.0 | 0.8 | 6.1 |
| 55-59 | 0.2 | 4.2 | 0.5 | 4.9 | 0.2 | 4.8 | 0.2 | 5.2 | 0.1 | 3.6 | 0.8 | 4.5 |
| 60-64 | 0.1 | 2.7 | 0.4 | 3.2 | 0.1 | 3.4 | 0.2 | 3.7 | 0.1 | 1.9 | 0.8 | 2.8 |
| 65-69 | 0.1 | 1.7 | 0.5 | 2.3 | 0.1 | 2.2 | 0.1 | 2.5 | 0.1 | 1.1 | 0.8 | 2.1 |
| 70-74 | 0.0 | 0.9 | 0.3 | 1.3 | 0.0 | 1.2 | 0.1 | 1.4 | 0.1 | 0.6 | 0.6 | 1.2 |
| 75-79 | 0.0 | 0.5 | 0.2 | 0.8 | 0.0 | 0.7 | 0.1 | 0.8 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.1 | 0.2 | 0.4 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 48.8 | 47.6 | 3.6 | 100.0 | 53.4 | 45.3 | 1.3 | 100.0 | 43.8 | 50.2 | 6.0 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Bihar**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 22.6 | 0.0 | 0.0 | 22.6 | 23.0 | 0.0 | 0.0 | 23.0 | 22.1 | 0.0 | 0.0 | 22.1 |
| 10-14 | 11.6 | 0.0 | 0.0 | 11.6 | 11.6 | 0.0 | 0.0 | 11.6 | 11.5 | 0.0 | 0.0 | 11.5 |
| 15-19 | 12.0 | 0.2 | 0.0 | 12.2 | 12.1 | 0.1 | 0.0 | 12.2 | 11.9 | 0.4 | 0.0 | 12.3 |
| 20-24 | 8.1 | 2.7 | 0.0 | 10.8 | 9.5 | 1.1 | 0.0 | 10.6 | 6.6 | 4.4 | 0.0 | 11.0 |
| 25-29 | 3.2 | 6.2 | 0.0 | 9.4 | 4.8 | 4.5 | 0.0 | 9.3 | 1.4 | 8.0 | 0.0 | 9.5 |
| 30-34 | 0.6 | 6.3 | 0.0 | 7.0 | 1.0 | 5.9 | 0.0 | 7.0 | 0.2 | 6.7 | 0.1 | 7.0 |
| 35-39 | 0.2 | 5.8 | 0.1 | 6.0 | 0.2 | 5.7 | 0.0 | 6.0 | 0.1 | 5.8 | 0.1 | 5.9 |
| 40-44 | 0.0 | 4.4 | 0.1 | 4.6 | 0.1 | 4.4 | 0.0 | 4.5 | 0.0 | 4.4 | 0.1 | 4.6 |
| 45-49 | 0.0 | 3.9 | 0.1 | 4.1 | 0.0 | 3.8 | 0.1 | 3.9 | 0.0 | 4.2 | 0.2 | 4.4 |
| 50-54 | 0.0 | 2.9 | 0.1 | 3.1 | 0.0 | 2.9 | 0.1 | 3.1 | 0.0 | 2.9 | 0.2 | 3.1 |
| 55-59 | 0.0 | 2.3 | 0.1 | 2.5 | 0.0 | 2.3 | 0.1 | 2.5 | 0.0 | 2.3 | 0.2 | 2.5 |
| 60-64 | 0.0 | 2.1 | 0.2 | 2.3 | 0.0 | 2.3 | 0.1 | 2.4 | 0.0 | 2.0 | 0.2 | 2.2 |
| 65-69 | 0.0 | 1.4 | 0.3 | 1.7 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.3 | 0.4 | 1.7 |
| 70-74 | 0.0 | 0.8 | 0.2 | 1.0 | 0.0 | 0.9 | 0.1 | 1.1 | 0.0 | 0.7 | 0.3 | 1.0 |
| 75-79 | 0.0 | 0.4 | 0.2 | 0.7 | 0.0 | 0.5 | 0.1 | 0.6 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 58.4 | 39.9 | 1.7 | 100.0 | 62.5 | 36.5 | 1.0 | 100.0 | 53.9 | 43.7 | 2.4 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 23.2 | 0.0 | 0.0 | 23.2 | 23.6 | 0.0 | 0.0 | 23.6 | 22.7 | 0.0 | 0.0 | 22.7 |
| 10-14 | 11.7 | 0.0 | 0.0 | 11.7 | 11.8 | 0.0 | 0.0 | 11.8 | 11.6 | 0.0 | 0.0 | 11.6 |
| 15-19 | 12.2 | 0.2 | 0.0 | 12.4 | 12.3 | 0.1 | 0.0 | 12.4 | 12.1 | 0.4 | 0.0 | 12.5 |
| 20-24 | 8.0 | 2.8 | 0.0 | 10.7 | 9.3 | 1.2 | 0.0 | 10.5 | 6.5 | 4.5 | 0.0 | 11.0 |
| 25-29 | 3.0 | 6.4 | 0.0 | 9.4 | 4.5 | 4.8 | 0.0 | 9.3 | 1.2 | 8.2 | 0.0 | 9.5 |
| 30-34 | 0.5 | 6.3 | 0.0 | 6.9 | 0.9 | 6.0 | 0.0 | 6.9 | 0.1 | 6.7 | 0.1 | 6.9 |
| 35-39 | 0.1 | 5.8 | 0.1 | 5.9 | 0.2 | 5.8 | 0.0 | 6.0 | 0.0 | 5.8 | 0.1 | 5.9 |
| 40-44 | 0.0 | 4.3 | 0.1 | 4.4 | 0.1 | 4.3 | 0.0 | 4.4 | 0.0 | 4.3 | 0.1 | 4.5 |
| 45-49 | 0.0 | 4.0 | 0.1 | 4.1 | 0.0 | 3.8 | 0.1 | 3.9 | 0.0 | 4.2 | 0.2 | 4.3 |
| 50-54 | 0.0 | 2.8 | 0.1 | 3.0 | 0.0 | 2.9 | 0.1 | 3.0 | 0.0 | 2.8 | 0.2 | 3.0 |
| 55-59 | 0.0 | 2.2 | 0.1 | 2.3 | 0.0 | 2.2 | 0.1 | 2.3 | 0.0 | 2.2 | 0.1 | 2.3 |
| 60-64 | 0.0 | 2.0 | 0.2 | 2.2 | 0.0 | 2.2 | 0.1 | 2.3 | 0.0 | 1.9 | 0.2 | 2.1 |
| 65-69 | 0.0 | 1.4 | 0.2 | 1.6 | 0.0 | 1.5 | 0.2 | 1.6 | 0.0 | 1.3 | 0.3 | 1.6 |
| 70-74 | 0.0 | 0.8 | 0.2 | 1.0 | 0.0 | 0.9 | 0.1 | 1.0 | 0.0 | 0.7 | 0.3 | 1.0 |
| 75-79 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.4 | 0.1 | 0.6 | 0.0 | 0.4 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 58.7 | 39.7 | 1.6 | 100.0 | 62.8 | 36.2 | 1.0 | 100.0 | 54.3 | 43.4 | 2.2 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 18.8 | 0.0 | 0.0 | 18.8 | 19.0 | 0.0 | 0.0 | 19.0 | 18.5 | 0.0 | 0.0 | 18.5 |
| 10-14 | 10.8 | 0.0 | 0.0 | 10.8 | 10.8 | 0.0 | 0.0 | 10.8 | 10.8 | 0.0 | 0.0 | 10.8 |
| 15-19 | 10.6 | 0.1 | 0.0 | 10.8 | 10.6 | 0.0 | 0.0 | 10.7 | 10.7 | 0.2 | 0.0 | 10.9 |
| 20-24 | 9.0 | 2.3 | 0.0 | 11.3 | 10.4 | 0.9 | 0.0 | 11.3 | 7.5 | 3.9 | 0.0 | 11.4 |
| 25-29 | 4.6 | 4.8 | 0.0 | 9.4 | 6.3 | 3.1 | 0.0 | 9.4 | 2.7 | 6.7 | 0.0 | 9.4 |
| 30-34 | 1.4 | 6.3 | 0.0 | 7.7 | 2.2 | 5.5 | 0.0 | 7.7 | 0.6 | 7.1 | 0.1 | 7.7 |
| 35-39 | 0.4 | 5.8 | 0.1 | 6.3 | 0.6 | 5.6 | 0.0 | 6.2 | 0.1 | 6.0 | 0.1 | 6.3 |
| 40-44 | 0.1 | 5.3 | 0.1 | 5.5 | 0.2 | 5.4 | 0.1 | 5.6 | 0.0 | 5.2 | 0.2 | 5.4 |
| 45-49 | 0.0 | 3.9 | 0.2 | 4.1 | 0.1 | 3.7 | 0.1 | 3.8 | 0.0 | 4.1 | 0.3 | 4.4 |
| 50-54 | 0.0 | 3.5 | 0.2 | 3.7 | 0.1 | 3.6 | 0.1 | 3.7 | 0.0 | 3.5 | 0.2 | 3.8 |
| 55-59 | 0.0 | 3.3 | 0.2 | 3.6 | 0.0 | 3.3 | 0.2 | 3.5 | 0.0 | 3.2 | 0.3 | 3.6 |
| 60-64 | 0.0 | 2.8 | 0.4 | 3.1 | 0.0 | 2.9 | 0.2 | 3.1 | 0.0 | 2.6 | 0.5 | 3.1 |
| 65-69 | 0.0 | 1.8 | 0.4 | 2.2 | 0.0 | 2.0 | 0.2 | 2.2 | 0.0 | 1.6 | 0.5 | 2.1 |
| 70-74 | 0.0 | 1.0 | 0.3 | 1.3 | 0.0 | 1.2 | 0.2 | 1.4 | 0.0 | 0.8 | 0.4 | 1.2 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.7 | 0.2 | 0.9 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.2 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 55.9 | 41.7 | 2.4 | 100.0 | 60.3 | 38.2 | 1.4 | 100.0 | 51.0 | 45.5 | 3.5 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Chhattisgarh**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 18.6 | 0.0 | 0.0 | 18.6 | 18.7 | 0.0 | 0.0 | 18.7 | 18.4 | 0.0 | 0.0 | 18.4 |
| 10-14 | 9.7 | 0.0 | 0.0 | 9.7 | 9.8 | 0.0 | 0.0 | 9.8 | 9.6 | 0.0 | 0.0 | 9.6 |
| 15-19 | 9.8 | 0.3 | 0.0 | 10.0 | 10.0 | 0.1 | 0.0 | 10.1 | 9.5 | 0.4 | 0.0 | 9.9 |
| 20-24 | 7.5 | 3.3 | 0.0 | 10.8 | 9.0 | 1.7 | 0.0 | 10.7 | 5.9 | 4.9 | 0.0 | 10.9 |
| 25-29 | 3.0 | 6.5 | 0.1 | 9.6 | 4.2 | 5.3 | 0.1 | 9.6 | 1.9 | 7.7 | 0.1 | 9.7 |
| 30-34 | 0.8 | 7.0 | 0.2 | 8.0 | 1.1 | 7.1 | 0.1 | 8.3 | 0.5 | 6.9 | 0.3 | 7.7 |
| 35-39 | 0.3 | 6.8 | 0.3 | 7.4 | 0.4 | 6.9 | 0.1 | 7.4 | 0.2 | 6.7 | 0.4 | 7.3 |
| 40-44 | 0.1 | 5.7 | 0.3 | 6.1 | 0.2 | 5.7 | 0.1 | 5.9 | 0.1 | 5.7 | 0.5 | 6.2 |
| 45-49 | 0.1 | 5.1 | 0.4 | 5.6 | 0.1 | 5.2 | 0.2 | 5.5 | 0.1 | 5.0 | 0.7 | 5.8 |
| 50-54 | 0.0 | 3.6 | 0.4 | 4.0 | 0.0 | 4.0 | 0.2 | 4.2 | 0.0 | 3.1 | 0.7 | 3.9 |
| 55-59 | 0.0 | 2.7 | 0.4 | 3.2 | 0.0 | 2.8 | 0.2 | 3.1 | 0.0 | 2.6 | 0.6 | 3.2 |
| 60-64 | 0.0 | 2.1 | 0.5 | 2.6 | 0.0 | 2.4 | 0.3 | 2.6 | 0.0 | 1.8 | 0.7 | 2.5 |
| 65-69 | 0.0 | 1.4 | 0.6 | 2.1 | 0.0 | 1.7 | 0.3 | 2.0 | 0.0 | 1.2 | 1.0 | 2.2 |
| 70-74 | 0.0 | 0.7 | 0.5 | 1.2 | 0.0 | 0.8 | 0.2 | 0.9 | 0.0 | 0.7 | 0.8 | 1.5 |
| 75-79 | 0.0 | 0.3 | 0.3 | 0.6 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.2 | 0.5 | 0.7 |
| 80-84 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.2 | 0.2 |
| All ages | 50.0 | 45.6 | 4.4 | 100.0 | 53.7 | 44.2 | 2.1 | 100.0 | 46.4 | 47.0 | 6.6 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 19.2 | 0.0 | 0.0 | 19.2 | 19.3 | 0.0 | 0.0 | 19.3 | 19.2 | 0.0 | 0.0 | 19.2 |
| 10-14 | 10.0 | 0.0 | 0.0 | 10.0 | 10.1 | 0.0 | 0.0 | 10.1 | 10.0 | 0.0 | 0.0 | 10.0 |
| 15-19 | 9.9 | 0.2 | 0.0 | 10.1 | 10.2 | 0.1 | 0.0 | 10.3 | 9.5 | 0.4 | 0.0 | 9.9 |
| 20-24 | 7.3 | 3.6 | 0.0 | 10.8 | 8.9 | 1.9 | 0.0 | 10.8 | 5.6 | 5.2 | 0.0 | 10.9 |
| 25-29 | 2.6 | 6.7 | 0.1 | 9.4 | 3.7 | 5.6 | 0.1 | 9.4 | 1.6 | 7.7 | 0.1 | 9.4 |
| 30-34 | 0.6 | 7.0 | 0.2 | 7.8 | 0.9 | 7.3 | 0.1 | 8.2 | 0.3 | 6.7 | 0.3 | 7.3 |
| 35-39 | 0.2 | 6.6 | 0.3 | 7.1 | 0.3 | 6.8 | 0.1 | 7.2 | 0.2 | 6.5 | 0.4 | 7.1 |
| 40-44 | 0.1 | 5.4 | 0.3 | 5.8 | 0.2 | 5.3 | 0.1 | 5.6 | 0.1 | 5.5 | 0.5 | 6.0 |
| 45-49 | 0.1 | 5.0 | 0.5 | 5.5 | 0.1 | 5.1 | 0.3 | 5.4 | 0.0 | 4.9 | 0.7 | 5.6 |
| 50-54 | 0.0 | 3.3 | 0.5 | 3.8 | 0.0 | 3.7 | 0.2 | 4.0 | 0.0 | 2.9 | 0.7 | 3.7 |
| 55-59 | 0.0 | 2.7 | 0.4 | 3.1 | 0.0 | 2.7 | 0.2 | 3.0 | 0.0 | 2.7 | 0.5 | 3.2 |
| 60-64 | 0.0 | 2.2 | 0.5 | 2.6 | 0.0 | 2.5 | 0.3 | 2.8 | 0.0 | 1.8 | 0.7 | 2.5 |
| 65-69 | 0.0 | 1.5 | 0.7 | 2.2 | 0.0 | 1.8 | 0.3 | 2.1 | 0.0 | 1.2 | 1.0 | 2.3 |
| 70-74 | 0.0 | 0.7 | 0.6 | 1.3 | 0.0 | 0.7 | 0.2 | 0.9 | 0.0 | 0.7 | 0.9 | 1.6 |
| 75-79 | 0.0 | 0.3 | 0.4 | 0.7 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.2 | 0.6 | 0.8 |
| 80-84 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.2 | 0.2 |
| All ages | 50.2 | 45.3 | 4.5 | 100.0 | 53.7 | 44.1 | 2.3 | 100.0 | 46.7 | 46.5 | 6.8 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 16.4 | 0.0 | 0.0 | 16.4 | 16.9 | 0.0 | 0.0 | 16.9 | 15.9 | 0.0 | 0.0 | 15.9 |
| 10-14 | 8.7 | 0.0 | 0.0 | 8.7 | 8.9 | 0.0 | 0.0 | 8.9 | 8.5 | 0.0 | 0.0 | 8.5 |
| 15-19 | 9.5 | 0.3 | 0.0 | 9.8 | 9.5 | 0.2 | 0.0 | 9.7 | 9.5 | 0.4 | 0.0 | 9.9 |
| 20-24 | 8.3 | 2.4 | 0.0 | 10.7 | 9.5 | 1.1 | 0.0 | 10.6 | 7.0 | 3.8 | 0.0 | 10.8 |
| 25-29 | 4.3 | 5.9 | 0.1 | 10.3 | 5.8 | 4.4 | 0.1 | 10.2 | 2.9 | 7.4 | 0.2 | 10.4 |
| 30-34 | 1.4 | 7.1 | 0.2 | 8.7 | 2.0 | 6.5 | 0.1 | 8.6 | 0.8 | 7.8 | 0.2 | 8.8 |
| 35-39 | 0.5 | 7.3 | 0.3 | 8.1 | 0.7 | 7.3 | 0.1 | 8.1 | 0.3 | 7.3 | 0.5 | 8.2 |
| 40-44 | 0.2 | 6.5 | 0.3 | 7.0 | 0.2 | 6.8 | 0.1 | 7.1 | 0.2 | 6.3 | 0.4 | 6.9 |
| 45-49 | 0.1 | 5.6 | 0.4 | 6.2 | 0.2 | 5.7 | 0.1 | 6.0 | 0.1 | 5.6 | 0.7 | 6.3 |
| 50-54 | 0.1 | 4.3 | 0.4 | 4.7 | 0.1 | 4.7 | 0.2 | 4.9 | 0.1 | 3.8 | 0.6 | 4.5 |
| 55-59 | 0.0 | 2.8 | 0.5 | 3.3 | 0.0 | 3.1 | 0.2 | 3.3 | 0.0 | 2.5 | 0.7 | 3.2 |
| 60-64 | 0.0 | 1.9 | 0.4 | 2.4 | 0.1 | 2.1 | 0.1 | 2.3 | 0.0 | 1.7 | 0.7 | 2.5 |
| 65-69 | 0.0 | 1.3 | 0.5 | 1.8 | 0.0 | 1.4 | 0.2 | 1.7 | 0.0 | 1.2 | 0.8 | 2.0 |
| 70-74 | 0.0 | 0.7 | 0.3 | 1.1 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.5 | 0.5 | 1.1 |
| 75-79 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.5 |
| 80-84 | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.2 | 0.0 | 0.0 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.2 | 0.2 |
| All ages | 49.6 | 46.5 | 3.8 | 100.0 | 53.7 | 44.6 | 1.7 | 100.0 | 45.4 | 48.5 | 6.1 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Delhi**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 14.7 | 0.0 | 0.0 | 14.7 | 14.7 | 0.0 | 0.0 | 14.7 | 14.6 | 0.0 | 0.0 | 14.6 |
| 10-14 | 9.0 | 0.0 | 0.0 | 9.0 | 8.9 | 0.0 | 0.0 | 8.9 | 9.1 | 0.0 | 0.0 | 9.1 |
| 15-19 | 9.6 | 0.1 | 0.0 | 9.7 | 9.8 | 0.0 | 0.0 | 9.8 | 9.5 | 0.1 | 0.0 | 9.6 |
| 20-24 | 9.3 | 1.8 | 0.0 | 11.2 | 10.2 | 0.8 | 0.0 | 10.9 | 8.3 | 3.1 | 0.0 | 11.4 |
| 25-29 | 6.0 | 5.4 | 0.0 | 11.4 | 7.4 | 3.7 | 0.0 | 11.2 | 4.3 | 7.3 | 0.1 | 11.7 |
| 30-34 | 2.2 | 8.0 | 0.1 | 10.3 | 3.0 | 7.2 | 0.1 | 10.3 | 1.3 | 8.8 | 0.1 | 10.2 |
| 35-39 | 0.6 | 7.4 | 0.1 | 8.2 | 0.9 | 7.3 | 0.1 | 8.3 | 0.4 | 7.5 | 0.2 | 8.1 |
| 40-44 | 0.2 | 6.3 | 0.2 | 6.7 | 0.3 | 6.5 | 0.1 | 6.8 | 0.1 | 6.2 | 0.2 | 6.5 |
| 45-49 | 0.1 | 4.8 | 0.2 | 5.2 | 0.2 | 5.1 | 0.1 | 5.4 | 0.1 | 4.6 | 0.4 | 5.0 |
| 50-54 | 0.1 | 3.7 | 0.2 | 4.0 | 0.1 | 3.9 | 0.1 | 4.1 | 0.1 | 3.4 | 0.4 | 3.9 |
| 55-59 | 0.0 | 2.9 | 0.3 | 3.2 | 0.1 | 3.2 | 0.1 | 3.4 | 0.0 | 2.6 | 0.5 | 3.1 |
| 60-64 | 0.0 | 2.3 | 0.3 | 2.6 | 0.0 | 2.4 | 0.1 | 2.6 | 0.0 | 2.1 | 0.5 | 2.7 |
| 65-69 | 0.0 | 1.4 | 0.3 | 1.7 | 0.0 | 1.6 | 0.1 | 1.8 | 0.0 | 1.1 | 0.5 | 1.7 |
| 70-74 | 0.0 | 0.7 | 0.3 | 1.0 | 0.0 | 0.8 | 0.1 | 0.9 | 0.0 | 0.7 | 0.4 | 1.1 |
| 75-79 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.5 | 0.1 | 0.6 | 0.0 | 0.3 | 0.3 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 52.0 | 45.4 | 2.6 | 100.0 | 55.6 | 43.2 | 1.2 | 100.0 | 47.9 | 47.9 | 4.2 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 14.8 | 0.0 | 0.0 | 14.8 | 14.2 | 0.0 | 0.0 | 14.2 | 15.7 | 0.0 | 0.0 | 15.7 |
| 10-14 | 8.4 | 0.0 | 0.0 | 8.4 | 8.7 | 0.0 | 0.0 | 8.7 | 8.1 | 0.0 | 0.0 | 8.1 |
| 15-19 | 9.4 | 0.0 | 0.0 | 9.4 | 10.1 | 0.0 | 0.0 | 10.1 | 8.6 | 0.1 | 0.0 | 8.7 |
| 20-24 | 10.3 | 2.3 | 0.0 | 12.6 | 12.3 | 0.9 | 0.0 | 13.2 | 7.8 | 4.0 | 0.0 | 11.8 |
| 25-29 | 7.1 | 6.8 | 0.0 | 13.9 | 9.4 | 4.5 | 0.0 | 13.9 | 4.2 | 9.7 | 0.1 | 13.9 |
| 30-34 | 2.1 | 7.6 | 0.1 | 9.9 | 2.9 | 6.4 | 0.1 | 9.4 | 1.2 | 9.2 | 0.2 | 10.5 |
| 35-39 | 0.6 | 7.1 | 0.2 | 7.9 | 0.9 | 7.1 | 0.2 | 8.3 | 0.2 | 7.1 | 0.1 | 7.5 |
| 40-44 | 0.1 | 5.5 | 0.2 | 5.8 | 0.2 | 5.3 | 0.1 | 5.7 | 0.0 | 5.7 | 0.3 | 6.0 |
| 45-49 | 0.1 | 4.3 | 0.2 | 4.6 | 0.1 | 4.2 | 0.2 | 4.4 | 0.2 | 4.4 | 0.3 | 4.9 |
| 50-54 | 0.1 | 2.9 | 0.3 | 3.3 | 0.1 | 3.2 | 0.1 | 3.4 | 0.0 | 2.7 | 0.4 | 3.1 |
| 55-59 | 0.0 | 2.9 | 0.2 | 3.1 | 0.0 | 3.0 | 0.2 | 3.2 | 0.0 | 2.7 | 0.3 | 3.0 |
| 60-64 | 0.0 | 2.1 | 0.3 | 2.4 | 0.0 | 2.1 | 0.1 | 2.3 | 0.0 | 2.0 | 0.6 | 2.6 |
| 65-69 | 0.0 | 1.2 | 0.3 | 1.5 | 0.0 | 1.3 | 0.1 | 1.4 | 0.0 | 1.2 | 0.4 | 1.6 |
| 70-74 | 0.0 | 0.7 | 0.2 | 1.0 | 0.0 | 0.9 | 0.1 | 1.0 | 0.0 | 0.6 | 0.4 | 1.0 |
| 75-79 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.4 | 0.1 | 0.4 | 0.0 | 0.4 | 0.3 | 0.8 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 53.1 | 44.2 | 2.6 | 100.0 | 59.0 | 39.5 | 1.5 | 100.0 | 46.0 | 50.0 | 4.0 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 14.7 | 0.0 | 0.0 | 14.7 | 14.7 | 0.0 | 0.0 | 14.7 | 14.6 | 0.0 | 0.0 | 14.6 |
| 10-14 | 9.0 | 0.0 | 0.0 | 9.0 | 8.9 | 0.0 | 0.0 | 8.9 | 9.1 | 0.0 | 0.0 | 9.1 |
| 15-19 | 9.6 | 0.1 | 0.0 | 9.7 | 9.8 | 0.0 | 0.0 | 9.8 | 9.5 | 0.1 | 0.0 | 9.6 |
| 20-24 | 9.3 | 1.8 | 0.0 | 11.1 | 10.1 | 0.8 | 0.0 | 10.9 | 8.4 | 3.0 | 0.0 | 11.4 |
| 25-29 | 6.0 | 5.4 | 0.0 | 11.3 | 7.4 | 3.7 | 0.0 | 11.1 | 4.3 | 7.2 | 0.1 | 11.6 |
| 30-34 | 2.2 | 8.0 | 0.1 | 10.3 | 3.0 | 7.3 | 0.1 | 10.3 | 1.3 | 8.8 | 0.1 | 10.2 |
| 35-39 | 0.6 | 7.4 | 0.1 | 8.2 | 0.9 | 7.3 | 0.1 | 8.3 | 0.4 | 7.5 | 0.2 | 8.1 |
| 40-44 | 0.2 | 6.4 | 0.2 | 6.7 | 0.3 | 6.5 | 0.1 | 6.9 | 0.1 | 6.2 | 0.2 | 6.6 |
| 45-49 | 0.1 | 4.9 | 0.2 | 5.2 | 0.2 | 5.1 | 0.1 | 5.4 | 0.1 | 4.6 | 0.4 | 5.0 |
| 50-54 | 0.1 | 3.7 | 0.2 | 4.0 | 0.1 | 3.9 | 0.1 | 4.1 | 0.1 | 3.4 | 0.4 | 3.9 |
| 55-59 | 0.0 | 2.9 | 0.3 | 3.2 | 0.1 | 3.2 | 0.1 | 3.4 | 0.0 | 2.6 | 0.5 | 3.1 |
| 60-64 | 0.0 | 2.3 | 0.3 | 2.6 | 0.0 | 2.4 | 0.1 | 2.6 | 0.0 | 2.1 | 0.5 | 2.7 |
| 65-69 | 0.0 | 1.4 | 0.3 | 1.7 | 0.0 | 1.6 | 0.1 | 1.8 | 0.0 | 1.1 | 0.5 | 1.7 |
| 70-74 | 0.0 | 0.7 | 0.3 | 1.0 | 0.0 | 0.8 | 0.1 | 0.9 | 0.0 | 0.7 | 0.4 | 1.1 |
| 75-79 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.5 | 0.1 | 0.6 | 0.0 | 0.3 | 0.3 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 51.9 | 45.5 | 2.6 | 100.0 | 55.5 | 43.3 | 1.2 | 100.0 | 47.9 | 47.9 | 4.2 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Gujarat**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 15.7 | 0.0 | 0.0 | 15.7 | 16.2 | 0.0 | 0.0 | 16.2 | 15.2 | 0.0 | 0.0 | 15.2 |
| 10-14 | 9.2 | 0.0 | 0.0 | 9.2 | 9.5 | 0.0 | 0.0 | 9.5 | 9.0 | 0.0 | 0.0 | 9.0 |
| 15-19 | 9.5 | 0.2 | 0.0 | 9.7 | 9.8 | 0.1 | 0.0 | 9.9 | 9.2 | 0.3 | 0.0 | 9.5 |
| 20-24 | 7.4 | 3.0 | 0.0 | 10.4 | 8.5 | 1.7 | 0.0 | 10.3 | 6.2 | 4.3 | 0.0 | 10.5 |
| 25-29 | 3.5 | 6.5 | 0.0 | 10.1 | 4.7 | 5.3 | 0.0 | 10.1 | 2.2 | 7.9 | 0.1 | 10.1 |
| 30-34 | 1.2 | 7.8 | 0.1 | 9.1 | 1.8 | 7.5 | 0.1 | 9.4 | 0.5 | 8.1 | 0.1 | 8.7 |
| 35-39 | 0.4 | 6.8 | 0.2 | 7.3 | 0.7 | 6.5 | 0.1 | 7.4 | 0.2 | 7.0 | 0.2 | 7.3 |
| 40-44 | 0.2 | 6.1 | 0.2 | 6.6 | 0.4 | 6.1 | 0.1 | 6.6 | 0.1 | 6.2 | 0.3 | 6.6 |
| 45-49 | 0.2 | 5.0 | 0.3 | 5.5 | 0.2 | 5.0 | 0.1 | 5.4 | 0.1 | 5.0 | 0.4 | 5.6 |
| 50-54 | 0.1 | 4.0 | 0.3 | 4.5 | 0.1 | 4.1 | 0.2 | 4.5 | 0.1 | 4.0 | 0.4 | 4.5 |
| 55-59 | 0.0 | 3.2 | 0.3 | 3.5 | 0.1 | 3.1 | 0.2 | 3.4 | 0.0 | 3.2 | 0.5 | 3.8 |
| 60-64 | 0.0 | 2.6 | 0.5 | 3.1 | 0.0 | 2.7 | 0.2 | 2.9 | 0.0 | 2.5 | 0.7 | 3.3 |
| 65-69 | 0.0 | 1.6 | 0.5 | 2.1 | 0.0 | 1.7 | 0.2 | 1.9 | 0.0 | 1.5 | 0.8 | 2.4 |
| 70-74 | 0.0 | 1.0 | 0.4 | 1.5 | 0.0 | 1.1 | 0.2 | 1.3 | 0.0 | 0.9 | 0.7 | 1.6 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.4 | 0.6 | 1.0 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.4 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 47.6 | 48.7 | 3.7 | 100.0 | 52.1 | 46.1 | 1.8 | 100.0 | 42.8 | 51.5 | 5.7 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 16.6 | 0.0 | 0.0 | 16.6 | 17.0 | 0.0 | 0.0 | 17.0 | 16.2 | 0.0 | 0.0 | 16.2 |
| 10-14 | 9.9 | 0.0 | 0.0 | 9.9 | 10.1 | 0.0 | 0.0 | 10.1 | 9.6 | 0.0 | 0.0 | 9.6 |
| 15-19 | 10.0 | 0.3 | 0.0 | 10.3 | 10.3 | 0.2 | 0.0 | 10.5 | 9.6 | 0.4 | 0.0 | 10.0 |
| 20-24 | 6.9 | 3.7 | 0.0 | 10.6 | 8.0 | 2.4 | 0.0 | 10.4 | 5.7 | 5.1 | 0.0 | 10.8 |
| 25-29 | 2.7 | 6.7 | 0.1 | 9.5 | 3.7 | 5.7 | 0.0 | 9.5 | 1.6 | 7.8 | 0.1 | 9.5 |
| 30-34 | 0.9 | 7.2 | 0.1 | 8.2 | 1.4 | 7.1 | 0.1 | 8.7 | 0.3 | 7.3 | 0.1 | 7.8 |
| 35-39 | 0.4 | 6.2 | 0.2 | 6.7 | 0.6 | 6.1 | 0.1 | 6.8 | 0.1 | 6.4 | 0.2 | 6.7 |
| 40-44 | 0.2 | 5.9 | 0.2 | 6.3 | 0.3 | 5.8 | 0.2 | 6.3 | 0.1 | 5.9 | 0.3 | 6.3 |
| 45-49 | 0.1 | 4.9 | 0.3 | 5.4 | 0.2 | 5.0 | 0.2 | 5.4 | 0.1 | 4.8 | 0.5 | 5.4 |
| 50-54 | 0.1 | 3.9 | 0.3 | 4.3 | 0.1 | 3.9 | 0.2 | 4.3 | 0.0 | 3.9 | 0.4 | 4.3 |
| 55-59 | 0.0 | 3.1 | 0.3 | 3.5 | 0.0 | 3.0 | 0.2 | 3.2 | 0.0 | 3.2 | 0.5 | 3.8 |
| 60-64 | 0.0 | 2.7 | 0.5 | 3.2 | 0.0 | 2.8 | 0.2 | 3.0 | 0.0 | 2.6 | 0.8 | 3.4 |
| 65-69 | 0.0 | 1.8 | 0.6 | 2.3 | 0.0 | 1.9 | 0.2 | 2.1 | 0.0 | 1.7 | 0.9 | 2.6 |
| 70-74 | 0.0 | 1.0 | 0.5 | 1.5 | 0.0 | 1.1 | 0.2 | 1.3 | 0.0 | 0.9 | 0.8 | 1.7 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.5 | 0.6 | 1.1 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.3 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 47.8 | 48.3 | 3.9 | 100.0 | 52.1 | 46.0 | 2.0 | 100.0 | 43.3 | 50.8 | 5.9 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 14.6 | 0.0 | 0.0 | 14.6 | 15.2 | 0.0 | 0.0 | 15.2 | 13.9 | 0.0 | 0.0 | 13.9 |
| 10-14 | 8.5 | 0.0 | 0.0 | 8.5 | 8.7 | 0.0 | 0.0 | 8.7 | 8.3 | 0.0 | 0.0 | 8.3 |
| 15-19 | 8.9 | 0.1 | 0.0 | 9.0 | 9.1 | 0.0 | 0.0 | 9.2 | 8.7 | 0.1 | 0.0 | 8.9 |
| 20-24 | 8.0 | 2.1 | 0.0 | 10.1 | 9.1 | 1.0 | 0.0 | 10.1 | 6.9 | 3.3 | 0.0 | 10.2 |
| 25-29 | 4.5 | 6.3 | 0.0 | 10.8 | 5.9 | 4.8 | 0.0 | 10.7 | 2.9 | 8.0 | 0.1 | 11.0 |
| 30-34 | 1.5 | 8.5 | 0.1 | 10.1 | 2.2 | 8.0 | 0.1 | 10.3 | 0.8 | 9.0 | 0.1 | 9.9 |
| 35-39 | 0.6 | 7.4 | 0.1 | 8.1 | 0.8 | 7.1 | 0.1 | 8.0 | 0.2 | 7.7 | 0.2 | 8.2 |
| 40-44 | 0.3 | 6.4 | 0.2 | 6.9 | 0.4 | 6.4 | 0.1 | 6.9 | 0.1 | 6.5 | 0.3 | 6.9 |
| 45-49 | 0.2 | 5.2 | 0.2 | 5.6 | 0.2 | 5.1 | 0.1 | 5.4 | 0.1 | 5.3 | 0.4 | 5.8 |
| 50-54 | 0.1 | 4.2 | 0.3 | 4.7 | 0.2 | 4.3 | 0.2 | 4.7 | 0.1 | 4.1 | 0.4 | 4.6 |
| 55-59 | 0.0 | 3.2 | 0.4 | 3.6 | 0.1 | 3.3 | 0.2 | 3.5 | 0.0 | 3.1 | 0.5 | 3.7 |
| 60-64 | 0.0 | 2.5 | 0.4 | 3.0 | 0.0 | 2.6 | 0.2 | 2.8 | 0.0 | 2.4 | 0.7 | 3.2 |
| 65-69 | 0.0 | 1.4 | 0.5 | 1.9 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.3 | 0.8 | 2.1 |
| 70-74 | 0.0 | 1.0 | 0.4 | 1.4 | 0.0 | 1.1 | 0.2 | 1.3 | 0.0 | 0.8 | 0.7 | 1.5 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.3 | 0.6 | 1.0 |
| 80-84 | 0.0 | 0.2 | 0.3 | 0.5 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.4 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.1 | 0.0 | 0.2 | 0.0 | 0.1 | 0.4 | 0.4 |
| All ages | 47.4 | 49.1 | 3.5 | 100.0 | 52.1 | 46.2 | 1.6 | 100.0 | 42.1 | 52.3 | 5.6 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Haryana**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 17.0 | 0.0 | 0.0 | 17.0 | 17.7 | 0.0 | 0.0 | 17.7 | 16.3 | 0.0 | 0.0 | 16.3 |
| 10-14 | 9.1 | 0.0 | 0.0 | 9.1 | 9.6 | 0.0 | 0.0 | 9.6 | 8.6 | 0.0 | 0.0 | 8.6 |
| 15-19 | 9.9 | 0.2 | 0.0 | 10.1 | 10.3 | 0.1 | 0.0 | 10.4 | 9.5 | 0.2 | 0.0 | 9.8 |
| 20-24 | 8.1 | 3.4 | 0.0 | 11.5 | 9.5 | 1.6 | 0.0 | 11.1 | 6.5 | 5.4 | 0.0 | 11.9 |
| 25-29 | 3.5 | 7.0 | 0.0 | 10.6 | 4.9 | 5.7 | 0.0 | 10.7 | 1.9 | 8.6 | 0.0 | 10.5 |
| 30-34 | 0.9 | 7.5 | 0.0 | 8.4 | 1.4 | 7.1 | 0.0 | 8.5 | 0.3 | 7.9 | 0.1 | 8.2 |
| 35-39 | 0.3 | 6.8 | 0.1 | 7.2 | 0.4 | 6.5 | 0.1 | 7.0 | 0.1 | 7.3 | 0.1 | 7.5 |
| 40-44 | 0.2 | 6.0 | 0.2 | 6.3 | 0.2 | 5.8 | 0.1 | 6.1 | 0.1 | 6.3 | 0.2 | 6.6 |
| 45-49 | 0.1 | 5.0 | 0.2 | 5.3 | 0.1 | 5.0 | 0.1 | 5.2 | 0.0 | 4.9 | 0.3 | 5.3 |
| 50-54 | 0.1 | 3.9 | 0.3 | 4.2 | 0.1 | 3.9 | 0.1 | 4.1 | 0.0 | 3.8 | 0.4 | 4.3 |
| 55-59 | 0.0 | 2.8 | 0.2 | 3.1 | 0.1 | 2.7 | 0.1 | 2.9 | 0.0 | 2.9 | 0.4 | 3.3 |
| 60-64 | 0.0 | 2.3 | 0.3 | 2.6 | 0.0 | 2.3 | 0.1 | 2.4 | 0.0 | 2.3 | 0.4 | 2.7 |
| 65-69 | 0.0 | 1.5 | 0.3 | 1.9 | 0.0 | 1.6 | 0.1 | 1.7 | 0.0 | 1.5 | 0.4 | 2.0 |
| 70-74 | 0.0 | 0.9 | 0.3 | 1.2 | 0.0 | 1.0 | 0.1 | 1.1 | 0.0 | 0.9 | 0.4 | 1.4 |
| 75-79 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.5 | 0.3 | 0.8 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.3 | 0.2 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 49.4 | 48.3 | 2.3 | 100.0 | 54.5 | 44.2 | 1.3 | 100.0 | 43.6 | 52.8 | 3.6 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 17.6 | 0.0 | 0.0 | 17.6 | 18.2 | 0.0 | 0.0 | 18.2 | 16.9 | 0.0 | 0.0 | 16.9 |
| 10-14 | 9.4 | 0.0 | 0.0 | 9.4 | 9.8 | 0.0 | 0.0 | 9.8 | 8.9 | 0.0 | 0.0 | 8.9 |
| 15-19 | 10.2 | 0.2 | 0.0 | 10.4 | 10.6 | 0.1 | 0.0 | 10.7 | 9.8 | 0.3 | 0.0 | 10.1 |
| 20-24 | 8.0 | 3.7 | 0.0 | 11.7 | 9.4 | 1.9 | 0.0 | 11.3 | 6.4 | 5.8 | 0.0 | 12.2 |
| 25-29 | 3.2 | 7.1 | 0.0 | 10.3 | 4.6 | 5.9 | 0.0 | 10.5 | 1.6 | 8.4 | 0.0 | 10.1 |
| 30-34 | 0.8 | 7.4 | 0.1 | 8.2 | 1.3 | 7.0 | 0.0 | 8.4 | 0.2 | 7.7 | 0.1 | 8.0 |
| 35-39 | 0.3 | 6.7 | 0.1 | 7.1 | 0.4 | 6.4 | 0.0 | 6.9 | 0.1 | 7.1 | 0.1 | 7.4 |
| 40-44 | 0.2 | 5.9 | 0.2 | 6.2 | 0.3 | 5.8 | 0.1 | 6.1 | 0.1 | 6.1 | 0.2 | 6.4 |
| 45-49 | 0.1 | 4.7 | 0.2 | 5.0 | 0.2 | 4.7 | 0.1 | 5.0 | 0.0 | 4.8 | 0.3 | 5.1 |
| 50-54 | 0.1 | 3.6 | 0.2 | 3.9 | 0.1 | 3.6 | 0.1 | 3.8 | 0.0 | 3.5 | 0.4 | 3.9 |
| 55-59 | 0.0 | 2.5 | 0.2 | 2.8 | 0.1 | 2.3 | 0.1 | 2.4 | 0.0 | 2.8 | 0.3 | 3.1 |
| 60-64 | 0.0 | 2.2 | 0.3 | 2.5 | 0.0 | 2.1 | 0.1 | 2.3 | 0.0 | 2.2 | 0.4 | 2.6 |
| 65-69 | 0.0 | 1.6 | 0.3 | 1.9 | 0.0 | 1.6 | 0.1 | 1.8 | 0.0 | 1.6 | 0.4 | 2.1 |
| 70-74 | 0.0 | 1.0 | 0.3 | 1.3 | 0.0 | 1.1 | 0.1 | 1.2 | 0.0 | 1.0 | 0.4 | 1.4 |
| 75-79 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.6 | 0.1 | 0.8 | 0.0 | 0.5 | 0.3 | 0.9 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.3 | 0.2 | 0.5 |
| 85+ | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.4 |
| All ages | 50.1 | 47.6 | 2.3 | 100.0 | 55.1 | 43.7 | 1.2 | 100.0 | 44.3 | 52.2 | 3.5 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 16.1 | 0.0 | 0.0 | 16.1 | 16.7 | 0.0 | 0.0 | 16.7 | 15.3 | 0.0 | 0.0 | 15.3 |
| 10-14 | 8.6 | 0.0 | 0.0 | 8.6 | 9.2 | 0.0 | 0.0 | 9.2 | 8.0 | 0.0 | 0.0 | 8.0 |
| 15-19 | 9.5 | 0.1 | 0.0 | 9.6 | 9.9 | 0.1 | 0.0 | 9.9 | 9.1 | 0.1 | 0.0 | 9.3 |
| 20-24 | 8.2 | 2.8 | 0.0 | 11.1 | 9.6 | 1.3 | 0.0 | 10.9 | 6.7 | 4.6 | 0.0 | 11.3 |
| 25-29 | 4.1 | 7.0 | 0.0 | 11.1 | 5.5 | 5.4 | 0.0 | 11.0 | 2.4 | 8.8 | 0.0 | 11.2 |
| 30-34 | 1.0 | 7.7 | 0.0 | 8.7 | 1.5 | 7.3 | 0.0 | 8.8 | 0.5 | 8.1 | 0.1 | 8.6 |
| 35-39 | 0.3 | 7.0 | 0.1 | 7.4 | 0.5 | 6.6 | 0.1 | 7.2 | 0.1 | 7.4 | 0.1 | 7.7 |
| 40-44 | 0.2 | 6.2 | 0.2 | 6.5 | 0.2 | 5.8 | 0.1 | 6.1 | 0.1 | 6.6 | 0.2 | 6.9 |
| 45-49 | 0.1 | 5.3 | 0.2 | 5.7 | 0.1 | 5.4 | 0.1 | 5.7 | 0.0 | 5.2 | 0.4 | 5.6 |
| 50-54 | 0.0 | 4.4 | 0.3 | 4.7 | 0.1 | 4.4 | 0.1 | 4.6 | 0.0 | 4.5 | 0.4 | 4.9 |
| 55-59 | 0.1 | 3.3 | 0.3 | 3.6 | 0.1 | 3.3 | 0.2 | 3.6 | 0.0 | 3.2 | 0.5 | 3.7 |
| 60-64 | 0.0 | 2.4 | 0.3 | 2.7 | 0.0 | 2.5 | 0.2 | 2.6 | 0.0 | 2.3 | 0.5 | 2.8 |
| 65-69 | 0.0 | 1.4 | 0.3 | 1.8 | 0.0 | 1.5 | 0.1 | 1.6 | 0.0 | 1.4 | 0.5 | 1.9 |
| 70-74 | 0.0 | 0.8 | 0.3 | 1.1 | 0.0 | 0.8 | 0.1 | 1.0 | 0.0 | 0.8 | 0.4 | 1.3 |
| 75-79 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.5 | 0.1 | 0.6 | 0.0 | 0.4 | 0.3 | 0.7 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.2 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 48.3 | 49.3 | 2.4 | 100.0 | 53.5 | 45.2 | 1.3 | 100.0 | 42.5 | 53.8 | 3.7 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Himachal Pradesh**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 13.7 | 0.0 | 0.0 | 13.7 | 14.4 | 0.0 | 0.0 | 14.4 | 13.0 | 0.0 | 0.0 | 13.0 |
| 10-14 | 8.2 | 0.0 | 0.0 | 8.2 | 8.6 | 0.0 | 0.0 | 8.6 | 7.8 | 0.0 | 0.0 | 7.8 |
| 15-19 | 8.1 | 0.2 | 0.0 | 8.2 | 8.7 | 0.0 | 0.0 | 8.8 | 7.4 | 0.3 | 0.0 | 7.7 |
| 20-24 | 7.4 | 2.3 | 0.0 | 9.7 | 8.3 | 0.6 | 0.0 | 8.8 | 6.6 | 4.0 | 0.0 | 10.6 |
| 25-29 | 4.4 | 5.5 | 0.0 | 10.0 | 6.3 | 3.2 | 0.0 | 9.5 | 2.6 | 7.8 | 0.0 | 10.4 |
| 30-34 | 1.5 | 7.0 | 0.1 | 8.6 | 2.4 | 6.0 | 0.0 | 8.5 | 0.6 | 7.9 | 0.1 | 8.6 |
| 35-39 | 0.4 | 7.1 | 0.1 | 7.7 | 0.7 | 6.8 | 0.0 | 7.6 | 0.2 | 7.5 | 0.2 | 7.8 |
| 40-44 | 0.2 | 6.5 | 0.1 | 6.8 | 0.3 | 6.4 | 0.1 | 6.7 | 0.1 | 6.6 | 0.2 | 6.9 |
| 45-49 | 0.1 | 5.4 | 0.2 | 5.8 | 0.2 | 5.7 | 0.1 | 5.9 | 0.1 | 5.2 | 0.4 | 5.6 |
| 50-54 | 0.1 | 5.1 | 0.4 | 5.6 | 0.1 | 5.4 | 0.1 | 5.6 | 0.1 | 4.8 | 0.6 | 5.5 |
| 55-59 | 0.1 | 4.3 | 0.4 | 4.8 | 0.1 | 4.6 | 0.1 | 4.9 | 0.1 | 4.0 | 0.7 | 4.7 |
| 60-64 | 0.1 | 3.1 | 0.5 | 3.7 | 0.1 | 3.6 | 0.2 | 3.8 | 0.1 | 2.7 | 0.9 | 3.6 |
| 65-69 | 0.0 | 2.0 | 0.6 | 2.7 | 0.0 | 2.4 | 0.2 | 2.6 | 0.0 | 1.7 | 1.0 | 2.7 |
| 70-74 | 0.0 | 1.3 | 0.5 | 1.9 | 0.0 | 1.7 | 0.2 | 1.9 | 0.0 | 1.0 | 0.9 | 1.9 |
| 75-79 | 0.0 | 0.7 | 0.5 | 1.2 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.5 | 0.8 | 1.3 |
| 80-84 | 0.0 | 0.4 | 0.4 | 0.9 | 0.0 | 0.5 | 0.2 | 0.8 | 0.0 | 0.3 | 0.6 | 1.0 |
| 85+ | 0.0 | 0.2 | 0.4 | 0.6 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.1 | 0.6 | 0.7 |
| All ages | 44.4 | 51.2 | 4.4 | 100.0 | 50.3 | 48.1 | 1.7 | 100.0 | 38.7 | 54.3 | 7.0 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 13.9 | 0.0 | 0.0 | 13.9 | 14.7 | 0.0 | 0.0 | 14.7 | 13.1 | 0.0 | 0.0 | 13.1 |
| 10-14 | 8.2 | 0.0 | 0.0 | 8.2 | 8.6 | 0.0 | 0.0 | 8.6 | 7.8 | 0.0 | 0.0 | 7.8 |
| 15-19 | 8.0 | 0.2 | 0.0 | 8.2 | 8.8 | 0.0 | 0.0 | 8.8 | 7.3 | 0.3 | 0.0 | 7.6 |
| 20-24 | 7.4 | 2.4 | 0.0 | 9.8 | 8.2 | 0.6 | 0.0 | 8.8 | 6.5 | 4.2 | 0.0 | 10.7 |
| 25-29 | 4.3 | 5.7 | 0.0 | 10.0 | 6.2 | 3.4 | 0.0 | 9.6 | 2.4 | 8.0 | 0.0 | 10.5 |
| 30-34 | 1.4 | 7.0 | 0.1 | 8.5 | 2.3 | 6.1 | 0.0 | 8.5 | 0.5 | 7.9 | 0.1 | 8.5 |
| 35-39 | 0.4 | 7.1 | 0.1 | 7.6 | 0.7 | 6.8 | 0.0 | 7.5 | 0.2 | 7.4 | 0.2 | 7.7 |
| 40-44 | 0.2 | 6.3 | 0.1 | 6.7 | 0.3 | 6.2 | 0.1 | 6.6 | 0.1 | 6.4 | 0.2 | 6.7 |
| 45-49 | 0.1 | 5.3 | 0.2 | 5.7 | 0.2 | 5.5 | 0.1 | 5.8 | 0.1 | 5.1 | 0.4 | 5.6 |
| 50-54 | 0.1 | 5.0 | 0.4 | 5.5 | 0.1 | 5.3 | 0.1 | 5.5 | 0.1 | 4.8 | 0.6 | 5.5 |
| 55-59 | 0.1 | 4.3 | 0.4 | 4.8 | 0.1 | 4.6 | 0.1 | 4.8 | 0.1 | 4.0 | 0.7 | 4.8 |
| 60-64 | 0.1 | 3.2 | 0.6 | 3.8 | 0.0 | 3.7 | 0.2 | 3.9 | 0.1 | 2.7 | 0.9 | 3.7 |
| 65-69 | 0.0 | 2.0 | 0.6 | 2.7 | 0.0 | 2.4 | 0.2 | 2.6 | 0.0 | 1.7 | 1.0 | 2.7 |
| 70-74 | 0.0 | 1.3 | 0.6 | 1.9 | 0.0 | 1.7 | 0.2 | 1.9 | 0.0 | 1.0 | 0.9 | 2.0 |
| 75-79 | 0.0 | 0.7 | 0.5 | 1.2 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.5 | 0.8 | 1.3 |
| 80-84 | 0.0 | 0.4 | 0.5 | 0.9 | 0.0 | 0.5 | 0.2 | 0.8 | 0.0 | 0.3 | 0.7 | 1.0 |
| 85+ | 0.0 | 0.2 | 0.4 | 0.7 | 0.0 | 0.3 | 0.2 | 0.6 | 0.0 | 0.1 | 0.6 | 0.8 |
| All ages | 44.2 | 51.3 | 4.5 | 100.0 | 50.3 | 48.0 | 1.7 | 100.0 | 38.3 | 54.5 | 7.2 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 12.2 | 0.0 | 0.0 | 12.2 | 12.1 | 0.0 | 0.0 | 12.1 | 12.4 | 0.0 | 0.0 | 12.4 |
| 10-14 | 8.0 | 0.0 | 0.0 | 8.0 | 8.2 | 0.0 | 0.0 | 8.2 | 7.8 | 0.0 | 0.0 | 7.8 |
| 15-19 | 8.5 | 0.1 | 0.0 | 8.5 | 8.3 | 0.0 | 0.0 | 8.3 | 8.7 | 0.1 | 0.0 | 8.8 |
| 20-24 | 8.2 | 1.1 | 0.0 | 9.3 | 8.8 | 0.3 | 0.0 | 9.2 | 7.5 | 1.8 | 0.0 | 9.4 |
| 25-29 | 5.6 | 3.7 | 0.0 | 9.3 | 6.8 | 2.0 | 0.0 | 8.9 | 4.3 | 5.4 | 0.0 | 9.7 |
| 30-34 | 2.5 | 6.7 | 0.1 | 9.3 | 3.5 | 5.4 | 0.0 | 8.9 | 1.4 | 8.2 | 0.1 | 9.7 |
| 35-39 | 0.8 | 7.5 | 0.1 | 8.5 | 1.2 | 6.8 | 0.0 | 8.0 | 0.5 | 8.3 | 0.1 | 8.9 |
| 40-44 | 0.4 | 7.8 | 0.1 | 8.3 | 0.5 | 7.7 | 0.1 | 8.3 | 0.3 | 8.0 | 0.2 | 8.4 |
| 45-49 | 0.2 | 6.5 | 0.2 | 6.8 | 0.3 | 7.1 | 0.1 | 7.5 | 0.1 | 5.8 | 0.3 | 6.2 |
| 50-54 | 0.1 | 5.7 | 0.3 | 6.1 | 0.2 | 6.4 | 0.1 | 6.7 | 0.1 | 5.0 | 0.5 | 5.6 |
| 55-59 | 0.1 | 4.3 | 0.3 | 4.7 | 0.1 | 4.9 | 0.1 | 5.1 | 0.1 | 3.7 | 0.6 | 4.3 |
| 60-64 | 0.1 | 2.7 | 0.3 | 3.1 | 0.1 | 3.0 | 0.1 | 3.2 | 0.0 | 2.4 | 0.5 | 2.9 |
| 65-69 | 0.0 | 1.9 | 0.4 | 2.4 | 0.0 | 2.2 | 0.2 | 2.4 | 0.1 | 1.6 | 0.7 | 2.3 |
| 70-74 | 0.0 | 1.1 | 0.3 | 1.4 | 0.0 | 1.3 | 0.2 | 1.5 | 0.0 | 0.9 | 0.4 | 1.4 |
| 75-79 | 0.0 | 0.7 | 0.3 | 1.0 | 0.0 | 0.9 | 0.2 | 1.0 | 0.0 | 0.5 | 0.4 | 1.0 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.6 | 0.0 | 0.3 | 0.1 | 0.5 | 0.0 | 0.3 | 0.4 | 0.7 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.5 |
| All ages | 46.9 | 50.3 | 2.9 | 100.0 | 50.1 | 48.7 | 1.2 | 100.0 | 43.4 | 52.0 | 4.7 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

### Percent distribution of population by sex, marital status and age-group, 2018

**Jammu & Kashmir**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 13.5 | 0.0 | 0.0 | 13.5 | 13.9 | 0.0 | 0.0 | 13.9 | 13.0 | 0.0 | 0.0 | 13.0 |
| 10-14 | 7.8 | 0.0 | 0.0 | 7.8 | 7.9 | 0.0 | 0.0 | 7.9 | 7.6 | 0.0 | 0.0 | 7.6 |
| 15-19 | 9.5 | 0.1 | 0.0 | 9.6 | 9.7 | 0.0 | 0.0 | 9.8 | 9.3 | 0.1 | 0.0 | 9.4 |
| 20-24 | 10.2 | 1.1 | 0.0 | 11.3 | 10.5 | 0.6 | 0.0 | 11.1 | 9.9 | 1.6 | 0.0 | 11.6 |
| 25-29 | 8.3 | 3.6 | 0.0 | 11.9 | 8.9 | 2.4 | 0.0 | 11.3 | 7.6 | 5.0 | 0.0 | 12.5 |
| 30-34 | 3.6 | 5.6 | 0.0 | 9.2 | 4.3 | 4.8 | 0.0 | 9.1 | 2.8 | 6.4 | 0.0 | 9.3 |
| 35-39 | 1.5 | 6.2 | 0.1 | 7.7 | 1.7 | 5.8 | 0.0 | 7.6 | 1.2 | 6.7 | 0.1 | 7.9 |
| 40-44 | 0.5 | 5.8 | 0.1 | 6.4 | 0.6 | 5.8 | 0.1 | 6.5 | 0.4 | 5.9 | 0.1 | 6.4 |
| 45-49 | 0.2 | 5.0 | 0.1 | 5.3 | 0.3 | 4.9 | 0.1 | 5.2 | 0.1 | 5.1 | 0.2 | 5.5 |
| 50-54 | 0.1 | 4.3 | 0.1 | 4.6 | 0.2 | 4.4 | 0.1 | 4.7 | 0.1 | 4.2 | 0.2 | 4.5 |
| 55-59 | 0.1 | 3.3 | 0.2 | 3.6 | 0.1 | 3.6 | 0.1 | 3.8 | 0.0 | 3.1 | 0.3 | 3.4 |
| 60-64 | 0.1 | 2.8 | 0.2 | 3.1 | 0.1 | 2.8 | 0.1 | 3.0 | 0.0 | 2.8 | 0.4 | 3.2 |
| 65-69 | 0.0 | 2.0 | 0.3 | 2.3 | 0.1 | 2.2 | 0.1 | 2.4 | 0.0 | 1.8 | 0.4 | 2.2 |
| 70-74 | 0.0 | 1.2 | 0.2 | 1.5 | 0.0 | 1.3 | 0.1 | 1.5 | 0.0 | 1.1 | 0.3 | 1.5 |
| 75-79 | 0.0 | 0.8 | 0.3 | 1.1 | 0.0 | 0.9 | 0.1 | 1.1 | 0.0 | 0.6 | 0.4 | 1.1 |
| 80-84 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.5 | 0.1 | 0.6 | 0.0 | 0.3 | 0.2 | 0.5 |
| 85+ | 0.0 | 0.3 | 0.2 | 0.5 | 0.1 | 0.3 | 0.1 | 0.5 | 0.0 | 0.2 | 0.3 | 0.5 |
| All ages | 55.4 | 42.5 | 2.0 | 100.0 | 58.6 | 40.3 | 1.2 | 100.0 | 52.1 | 44.9 | 3.0 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 14.4 | 0.0 | 0.0 | 14.4 | 14.8 | 0.0 | 0.0 | 14.8 | 13.9 | 0.0 | 0.0 | 13.9 |
| 10-14 | 8.3 | 0.0 | 0.0 | 8.3 | 8.5 | 0.0 | 0.0 | 8.5 | 8.2 | 0.0 | 0.0 | 8.2 |
| 15-19 | 10.1 | 0.1 | 0.0 | 10.2 | 10.2 | 0.0 | 0.0 | 10.3 | 10.0 | 0.1 | 0.0 | 10.1 |
| 20-24 | 10.4 | 1.2 | 0.0 | 11.7 | 10.7 | 0.6 | 0.0 | 11.3 | 10.1 | 1.8 | 0.0 | 12.0 |
| 25-29 | 7.9 | 4.0 | 0.0 | 11.8 | 8.6 | 2.7 | 0.0 | 11.4 | 7.0 | 5.3 | 0.0 | 12.4 |
| 30-34 | 3.2 | 5.6 | 0.0 | 8.9 | 3.9 | 4.9 | 0.0 | 8.9 | 2.5 | 6.4 | 0.0 | 9.0 |
| 35-39 | 1.3 | 6.1 | 0.1 | 7.4 | 1.5 | 5.7 | 0.0 | 7.3 | 1.1 | 6.4 | 0.1 | 7.6 |
| 40-44 | 0.5 | 5.6 | 0.1 | 6.1 | 0.6 | 5.6 | 0.1 | 6.2 | 0.3 | 5.6 | 0.1 | 6.0 |
| 45-49 | 0.2 | 4.6 | 0.1 | 4.9 | 0.2 | 4.6 | 0.1 | 4.9 | 0.2 | 4.7 | 0.2 | 5.0 |
| 50-54 | 0.1 | 3.9 | 0.1 | 4.2 | 0.1 | 4.1 | 0.1 | 4.3 | 0.1 | 3.8 | 0.2 | 4.0 |
| 55-59 | 0.1 | 3.1 | 0.2 | 3.3 | 0.1 | 3.3 | 0.1 | 3.5 | 0.0 | 2.9 | 0.2 | 3.2 |
| 60-64 | 0.1 | 2.7 | 0.2 | 3.0 | 0.1 | 2.7 | 0.1 | 2.9 | 0.0 | 2.7 | 0.4 | 3.1 |
| 65-69 | 0.0 | 1.9 | 0.3 | 2.2 | 0.1 | 2.1 | 0.2 | 2.3 | 0.0 | 1.7 | 0.4 | 2.1 |
| 70-74 | 0.0 | 1.1 | 0.2 | 1.4 | 0.0 | 1.3 | 0.2 | 1.4 | 0.0 | 1.0 | 0.3 | 1.3 |
| 75-79 | 0.0 | 0.8 | 0.3 | 1.0 | 0.0 | 0.9 | 0.2 | 1.0 | 0.0 | 0.7 | 0.4 | 1.1 |
| 80-84 | 0.0 | 0.3 | 0.1 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.3 | 0.2 | 0.5 |
| 85+ | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.3 | 0.5 |
| All ages | 56.7 | 41.3 | 1.9 | 100.0 | 59.6 | 39.2 | 1.2 | 100.0 | 53.7 | 43.6 | 2.7 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 11.4 | 0.0 | 0.0 | 11.4 | 11.8 | 0.0 | 0.0 | 11.8 | 10.9 | 0.0 | 0.0 | 10.9 |
| 10-14 | 6.5 | 0.0 | 0.0 | 6.5 | 6.7 | 0.0 | 0.0 | 6.7 | 6.2 | 0.0 | 0.0 | 6.2 |
| 15-19 | 8.1 | 0.1 | 0.0 | 8.2 | 8.5 | 0.1 | 0.0 | 8.6 | 7.8 | 0.1 | 0.0 | 7.9 |
| 20-24 | 9.7 | 0.8 | 0.0 | 10.5 | 10.0 | 0.4 | 0.0 | 10.4 | 9.4 | 1.2 | 0.0 | 10.6 |
| 25-29 | 9.1 | 2.9 | 0.0 | 12.1 | 9.6 | 1.7 | 0.0 | 11.3 | 8.7 | 4.1 | 0.0 | 12.9 |
| 30-34 | 4.4 | 5.5 | 0.0 | 10.0 | 5.3 | 4.5 | 0.0 | 9.8 | 3.6 | 6.5 | 0.1 | 10.2 |
| 35-39 | 1.8 | 6.6 | 0.0 | 8.5 | 2.2 | 6.0 | 0.0 | 8.3 | 1.3 | 7.3 | 0.1 | 8.7 |
| 40-44 | 0.6 | 6.4 | 0.1 | 7.1 | 0.8 | 6.2 | 0.1 | 7.0 | 0.4 | 6.6 | 0.2 | 7.2 |
| 45-49 | 0.3 | 5.8 | 0.1 | 6.2 | 0.4 | 5.5 | 0.1 | 6.0 | 0.1 | 6.1 | 0.2 | 6.4 |
| 50-54 | 0.2 | 5.1 | 0.2 | 5.4 | 0.2 | 5.1 | 0.1 | 5.4 | 0.1 | 5.1 | 0.2 | 5.4 |
| 55-59 | 0.1 | 3.8 | 0.2 | 4.2 | 0.2 | 4.2 | 0.1 | 4.5 | 0.0 | 3.4 | 0.4 | 3.8 |
| 60-64 | 0.1 | 3.0 | 0.3 | 3.4 | 0.1 | 3.1 | 0.1 | 3.3 | 0.0 | 3.0 | 0.4 | 3.4 |
| 65-69 | 0.0 | 2.2 | 0.3 | 2.5 | 0.0 | 2.5 | 0.1 | 2.7 | 0.0 | 1.9 | 0.4 | 2.4 |
| 70-74 | 0.1 | 1.4 | 0.3 | 1.7 | 0.1 | 1.5 | 0.1 | 1.7 | 0.0 | 1.3 | 0.4 | 1.8 |
| 75-79 | 0.0 | 0.8 | 0.3 | 1.1 | 0.0 | 1.0 | 0.1 | 1.2 | 0.0 | 0.6 | 0.5 | 1.1 |
| 80-84 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.4 | 0.2 | 0.7 |
| 85+ | 0.1 | 0.3 | 0.2 | 0.5 | 0.1 | 0.2 | 0.1 | 0.4 | 0.0 | 0.3 | 0.2 | 0.5 |
| All ages | 52.5 | 45.2 | 2.2 | 100.0 | 56.2 | 42.7 | 1.1 | 100.0 | 48.7 | 47.9 | 3.5 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Jharkhand**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 18.8 | 0.0 | 0.0 | 18.8 | 19.3 | 0.0 | 0.0 | 19.3 | 18.3 | 0.0 | 0.0 | 18.3 |
| 10-14 | 10.8 | 0.0 | 0.0 | 10.8 | 11.0 | 0.0 | 0.0 | 11.0 | 10.6 | 0.0 | 0.0 | 10.6 |
| 15-19 | 11.2 | 0.2 | 0.0 | 11.3 | 11.5 | 0.1 | 0.0 | 11.6 | 10.8 | 0.3 | 0.0 | 11.1 |
| 20-24 | 8.0 | 2.9 | 0.0 | 10.9 | 9.5 | 1.2 | 0.0 | 10.7 | 6.4 | 4.7 | 0.0 | 11.1 |
| 25-29 | 4.0 | 5.9 | 0.0 | 9.9 | 5.5 | 4.2 | 0.0 | 9.7 | 2.3 | 7.7 | 0.0 | 10.0 |
| 30-34 | 1.3 | 6.7 | 0.1 | 8.1 | 1.9 | 6.0 | 0.0 | 8.0 | 0.7 | 7.4 | 0.1 | 8.2 |
| 35-39 | 0.4 | 6.4 | 0.1 | 7.0 | 0.6 | 6.3 | 0.0 | 6.9 | 0.3 | 6.6 | 0.2 | 7.1 |
| 40-44 | 0.2 | 5.3 | 0.1 | 5.6 | 0.2 | 5.3 | 0.1 | 5.6 | 0.1 | 5.4 | 0.2 | 5.7 |
| 45-49 | 0.1 | 4.6 | 0.2 | 4.8 | 0.1 | 4.6 | 0.1 | 4.8 | 0.1 | 4.5 | 0.3 | 4.8 |
| 50-54 | 0.1 | 3.2 | 0.2 | 3.5 | 0.1 | 3.4 | 0.1 | 3.6 | 0.1 | 2.9 | 0.4 | 3.3 |
| 55-59 | 0.0 | 2.5 | 0.2 | 2.8 | 0.0 | 2.4 | 0.1 | 2.6 | 0.0 | 2.7 | 0.4 | 3.1 |
| 60-64 | 0.0 | 2.2 | 0.3 | 2.5 | 0.0 | 2.3 | 0.1 | 2.4 | 0.0 | 2.1 | 0.4 | 2.5 |
| 65-69 | 0.0 | 1.5 | 0.4 | 1.9 | 0.0 | 1.6 | 0.1 | 1.8 | 0.0 | 1.3 | 0.6 | 1.9 |
| 70-74 | 0.0 | 0.8 | 0.3 | 1.1 | 0.0 | 0.9 | 0.1 | 1.0 | 0.0 | 0.8 | 0.5 | 1.3 |
| 75-79 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.3 | 0.5 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 0.2 |
| All ages | 55.0 | 42.7 | 2.3 | 100.0 | 59.9 | 39.0 | 1.0 | 100.0 | 49.7 | 46.6 | 3.7 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 19.9 | 0.0 | 0.0 | 19.9 | 20.5 | 0.0 | 0.0 | 20.5 | 19.3 | 0.0 | 0.0 | 19.3 |
| 10-14 | 11.3 | 0.0 | 0.0 | 11.3 | 11.6 | 0.0 | 0.0 | 11.6 | 10.9 | 0.0 | 0.0 | 10.9 |
| 15-19 | 11.6 | 0.2 | 0.0 | 11.8 | 12.0 | 0.1 | 0.0 | 12.1 | 11.2 | 0.4 | 0.0 | 11.5 |
| 20-24 | 7.8 | 3.1 | 0.0 | 10.9 | 9.4 | 1.3 | 0.0 | 10.7 | 6.1 | 5.0 | 0.0 | 11.1 |
| 25-29 | 3.3 | 6.3 | 0.0 | 9.5 | 4.7 | 4.7 | 0.0 | 9.4 | 1.7 | 7.9 | 0.0 | 9.6 |
| 30-34 | 0.9 | 6.7 | 0.1 | 7.7 | 1.3 | 6.2 | 0.0 | 7.5 | 0.5 | 7.3 | 0.1 | 7.9 |
| 35-39 | 0.3 | 6.3 | 0.1 | 6.7 | 0.4 | 6.2 | 0.0 | 6.7 | 0.2 | 6.3 | 0.3 | 6.8 |
| 40-44 | 0.1 | 5.1 | 0.1 | 5.4 | 0.2 | 5.0 | 0.1 | 5.3 | 0.1 | 5.2 | 0.2 | 5.5 |
| 45-49 | 0.1 | 4.4 | 0.2 | 4.6 | 0.1 | 4.5 | 0.1 | 4.6 | 0.1 | 4.4 | 0.2 | 4.7 |
| 50-54 | 0.1 | 3.0 | 0.2 | 3.2 | 0.1 | 3.2 | 0.1 | 3.4 | 0.1 | 2.7 | 0.3 | 3.1 |
| 55-59 | 0.0 | 2.5 | 0.2 | 2.7 | 0.0 | 2.2 | 0.1 | 2.3 | 0.0 | 2.7 | 0.3 | 3.1 |
| 60-64 | 0.0 | 2.1 | 0.3 | 2.4 | 0.0 | 2.2 | 0.2 | 2.3 | 0.0 | 2.0 | 0.4 | 2.4 |
| 65-69 | 0.0 | 1.4 | 0.3 | 1.8 | 0.0 | 1.6 | 0.1 | 1.7 | 0.0 | 1.2 | 0.6 | 1.8 |
| 70-74 | 0.0 | 0.8 | 0.3 | 1.2 | 0.0 | 0.9 | 0.1 | 1.0 | 0.0 | 0.8 | 0.5 | 1.3 |
| 75-79 | 0.0 | 0.3 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.5 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 |
| All ages | 55.5 | 42.3 | 2.2 | 100.0 | 60.4 | 38.6 | 1.0 | 100.0 | 50.2 | 46.2 | 3.6 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 15.5 | 0.0 | 0.0 | 15.5 | 15.8 | 0.0 | 0.0 | 15.8 | 15.1 | 0.0 | 0.0 | 15.1 |
| 10-14 | 9.5 | 0.0 | 0.0 | 9.5 | 9.3 | 0.0 | 0.0 | 9.3 | 9.7 | 0.0 | 0.0 | 9.7 |
| 15-19 | 9.8 | 0.1 | 0.0 | 10.0 | 10.0 | 0.0 | 0.0 | 10.1 | 9.7 | 0.2 | 0.0 | 9.9 |
| 20-24 | 8.7 | 2.1 | 0.0 | 10.7 | 9.8 | 0.8 | 0.0 | 10.7 | 7.3 | 3.5 | 0.0 | 10.8 |
| 25-29 | 6.1 | 4.8 | 0.0 | 10.9 | 7.8 | 2.8 | 0.0 | 10.6 | 4.1 | 7.0 | 0.0 | 11.2 |
| 30-34 | 2.6 | 6.6 | 0.1 | 9.3 | 3.8 | 5.6 | 0.0 | 9.4 | 1.2 | 7.7 | 0.1 | 9.1 |
| 35-39 | 0.8 | 6.9 | 0.1 | 7.8 | 1.1 | 6.5 | 0.1 | 7.7 | 0.4 | 7.3 | 0.2 | 7.9 |
| 40-44 | 0.3 | 6.0 | 0.1 | 6.5 | 0.4 | 6.1 | 0.1 | 6.6 | 0.2 | 6.0 | 0.2 | 6.4 |
| 45-49 | 0.2 | 5.0 | 0.2 | 5.4 | 0.2 | 5.2 | 0.1 | 5.5 | 0.1 | 4.8 | 0.4 | 5.3 |
| 50-54 | 0.1 | 3.8 | 0.3 | 4.2 | 0.1 | 4.0 | 0.1 | 4.2 | 0.1 | 3.5 | 0.4 | 4.1 |
| 55-59 | 0.1 | 2.8 | 0.3 | 3.2 | 0.1 | 3.1 | 0.2 | 3.3 | 0.0 | 2.5 | 0.5 | 3.0 |
| 60-64 | 0.0 | 2.5 | 0.3 | 2.8 | 0.0 | 2.5 | 0.1 | 2.7 | 0.1 | 2.4 | 0.5 | 2.9 |
| 65-69 | 0.0 | 1.7 | 0.4 | 2.1 | 0.0 | 1.8 | 0.2 | 2.1 | 0.0 | 1.5 | 0.7 | 2.2 |
| 70-74 | 0.0 | 0.8 | 0.2 | 1.1 | 0.0 | 0.9 | 0.1 | 1.0 | 0.0 | 0.7 | 0.4 | 1.1 |
| 75-79 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.5 | 0.1 | 0.6 | 0.0 | 0.4 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.0 | 0.3 | 0.0 | 0.2 | 0.2 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 53.6 | 43.8 | 2.6 | 100.0 | 58.5 | 40.2 | 1.2 | 100.0 | 48.1 | 47.8 | 4.1 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Karnataka**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 15.1 | 0.0 | 0.0 | 15.1 | 15.4 | 0.0 | 0.0 | 15.4 | 14.8 | 0.0 | 0.0 | 14.8 |
| 10-14 | 8.1 | 0.0 | 0.0 | 8.1 | 8.3 | 0.0 | 0.0 | 8.3 | 7.9 | 0.0 | 0.0 | 7.9 |
| 15-19 | 8.9 | 0.2 | 0.0 | 9.1 | 9.3 | 0.0 | 0.0 | 9.3 | 8.5 | 0.4 | 0.0 | 8.9 |
| 20-24 | 7.9 | 3.1 | 0.0 | 11.0 | 9.9 | 0.7 | 0.0 | 10.6 | 5.7 | 5.6 | 0.0 | 11.4 |
| 25-29 | 4.8 | 6.1 | 0.1 | 11.0 | 7.2 | 3.5 | 0.0 | 10.8 | 2.2 | 8.8 | 0.1 | 11.2 |
| 30-34 | 1.6 | 7.4 | 0.2 | 9.2 | 2.6 | 6.6 | 0.1 | 9.3 | 0.6 | 8.2 | 0.3 | 9.1 |
| 35-39 | 0.5 | 6.9 | 0.3 | 7.6 | 0.7 | 6.9 | 0.1 | 7.7 | 0.2 | 6.9 | 0.5 | 7.6 |
| 40-44 | 0.2 | 6.3 | 0.4 | 6.8 | 0.3 | 6.5 | 0.1 | 6.8 | 0.1 | 6.0 | 0.6 | 6.8 |
| 45-49 | 0.1 | 5.2 | 0.4 | 5.7 | 0.1 | 5.4 | 0.1 | 5.7 | 0.1 | 4.9 | 0.7 | 5.8 |
| 50-54 | 0.1 | 4.1 | 0.5 | 4.7 | 0.1 | 4.6 | 0.2 | 4.9 | 0.1 | 3.5 | 0.9 | 4.5 |
| 55-59 | 0.0 | 3.1 | 0.5 | 3.7 | 0.1 | 3.5 | 0.2 | 3.7 | 0.0 | 2.7 | 0.9 | 3.7 |
| 60-64 | 0.0 | 2.4 | 0.6 | 3.1 | 0.0 | 2.8 | 0.2 | 3.0 | 0.0 | 2.0 | 1.1 | 3.2 |
| 65-69 | 0.0 | 1.6 | 0.7 | 2.3 | 0.0 | 2.0 | 0.2 | 2.2 | 0.0 | 1.2 | 1.1 | 2.3 |
| 70-74 | 0.0 | 0.7 | 0.5 | 1.2 | 0.0 | 0.9 | 0.1 | 1.1 | 0.0 | 0.5 | 0.8 | 1.4 |
| 75-79 | 0.0 | 0.4 | 0.4 | 0.9 | 0.0 | 0.6 | 0.2 | 0.8 | 0.0 | 0.2 | 0.7 | 1.0 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.4 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.2 | 0.2 |
| All ages | 47.4 | 47.7 | 4.9 | 100.0 | 54.1 | 44.4 | 1.5 | 100.0 | 40.4 | 51.1 | 8.5 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 15.3 | 0.0 | 0.0 | 15.3 | 15.7 | 0.0 | 0.0 | 15.7 | 14.9 | 0.0 | 0.0 | 14.9 |
| 10-14 | 8.1 | 0.0 | 0.0 | 8.1 | 8.2 | 0.0 | 0.0 | 8.2 | 7.9 | 0.0 | 0.0 | 7.9 |
| 15-19 | 9.2 | 0.2 | 0.0 | 9.4 | 9.6 | 0.0 | 0.0 | 9.6 | 8.7 | 0.4 | 0.0 | 9.2 |
| 20-24 | 7.8 | 3.5 | 0.0 | 11.3 | 10.5 | 0.8 | 0.0 | 11.3 | 5.1 | 6.3 | 0.0 | 11.4 |
| 25-29 | 4.7 | 6.1 | 0.1 | 10.8 | 7.3 | 3.5 | 0.0 | 10.8 | 1.9 | 8.8 | 0.2 | 10.8 |
| 30-34 | 1.5 | 7.0 | 0.2 | 8.7 | 2.6 | 6.1 | 0.1 | 8.7 | 0.5 | 7.8 | 0.4 | 8.7 |
| 35-39 | 0.4 | 6.5 | 0.3 | 7.3 | 0.6 | 6.5 | 0.1 | 7.2 | 0.2 | 6.6 | 0.5 | 7.3 |
| 40-44 | 0.2 | 6.1 | 0.4 | 6.6 | 0.2 | 6.2 | 0.1 | 6.5 | 0.1 | 5.9 | 0.7 | 6.7 |
| 45-49 | 0.1 | 5.1 | 0.5 | 5.7 | 0.1 | 5.3 | 0.1 | 5.5 | 0.1 | 4.9 | 0.8 | 5.8 |
| 50-54 | 0.1 | 4.0 | 0.5 | 4.6 | 0.1 | 4.6 | 0.2 | 4.8 | 0.1 | 3.3 | 0.9 | 4.3 |
| 55-59 | 0.0 | 3.2 | 0.5 | 3.7 | 0.0 | 3.5 | 0.2 | 3.7 | 0.0 | 2.8 | 0.9 | 3.7 |
| 60-64 | 0.0 | 2.4 | 0.7 | 3.2 | 0.0 | 2.7 | 0.2 | 3.0 | 0.0 | 2.1 | 1.2 | 3.4 |
| 65-69 | 0.0 | 1.6 | 0.7 | 2.4 | 0.0 | 2.0 | 0.2 | 2.2 | 0.0 | 1.2 | 1.3 | 2.5 |
| 70-74 | 0.0 | 0.8 | 0.6 | 1.4 | 0.0 | 1.0 | 0.2 | 1.2 | 0.0 | 0.6 | 1.0 | 1.6 |
| 75-79 | 0.0 | 0.5 | 0.5 | 1.0 | 0.0 | 0.7 | 0.2 | 0.9 | 0.0 | 0.3 | 0.9 | 1.1 |
| 80-84 | 0.0 | 0.2 | 0.3 | 0.5 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.4 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.2 | 0.2 |
| All ages | 47.4 | 47.2 | 5.4 | 100.0 | 55.0 | 43.3 | 1.7 | 100.0 | 39.6 | 51.2 | 9.3 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 14.7 | 0.0 | 0.0 | 14.7 | 14.9 | 0.0 | 0.0 | 14.9 | 14.6 | 0.0 | 0.0 | 14.6 |
| 10-14 | 8.2 | 0.0 | 0.0 | 8.2 | 8.5 | 0.0 | 0.0 | 8.5 | 7.9 | 0.0 | 0.0 | 7.9 |
| 15-19 | 8.5 | 0.2 | 0.0 | 8.7 | 8.8 | 0.0 | 0.0 | 8.9 | 8.1 | 0.3 | 0.0 | 8.5 |
| 20-24 | 7.9 | 2.5 | 0.0 | 10.4 | 9.0 | 0.5 | 0.0 | 9.5 | 6.7 | 4.5 | 0.1 | 11.3 |
| 25-29 | 4.9 | 6.2 | 0.1 | 11.2 | 7.1 | 3.6 | 0.0 | 10.7 | 2.7 | 8.9 | 0.1 | 11.6 |
| 30-34 | 1.7 | 8.0 | 0.1 | 9.9 | 2.7 | 7.4 | 0.0 | 10.1 | 0.7 | 8.7 | 0.2 | 9.7 |
| 35-39 | 0.6 | 7.4 | 0.2 | 8.2 | 0.9 | 7.5 | 0.0 | 8.4 | 0.3 | 7.3 | 0.4 | 8.0 |
| 40-44 | 0.2 | 6.5 | 0.3 | 7.1 | 0.3 | 6.8 | 0.1 | 7.2 | 0.2 | 6.2 | 0.6 | 7.0 |
| 45-49 | 0.2 | 5.3 | 0.4 | 5.8 | 0.2 | 5.6 | 0.1 | 5.9 | 0.1 | 5.0 | 0.6 | 5.7 |
| 50-54 | 0.2 | 4.2 | 0.5 | 4.9 | 0.3 | 4.6 | 0.1 | 5.0 | 0.2 | 3.7 | 0.9 | 4.7 |
| 55-59 | 0.1 | 3.0 | 0.5 | 3.5 | 0.1 | 3.4 | 0.1 | 3.6 | 0.1 | 2.6 | 0.9 | 3.5 |
| 60-64 | 0.1 | 2.4 | 0.5 | 2.9 | 0.1 | 2.9 | 0.1 | 3.1 | 0.1 | 1.9 | 0.9 | 2.8 |
| 65-69 | 0.0 | 1.5 | 0.5 | 2.1 | 0.0 | 2.0 | 0.2 | 2.1 | 0.1 | 1.1 | 0.9 | 2.1 |
| 70-74 | 0.0 | 0.7 | 0.4 | 1.0 | 0.0 | 0.8 | 0.1 | 0.9 | 0.0 | 0.5 | 0.6 | 1.1 |
| 75-79 | 0.0 | 0.4 | 0.3 | 0.7 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.1 | 0.5 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.3 | 0.3 |
| All ages | 47.3 | 48.5 | 4.2 | 100.0 | 52.8 | 46.0 | 1.2 | 100.0 | 41.7 | 51.0 | 7.3 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Kerala**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 13.5 | 0.0 | 0.0 | 13.5 | 14.4 | 0.0 | 0.0 | 14.4 | 12.7 | 0.0 | 0.0 | 12.7 |
| 10-14 | 7.7 | 0.0 | 0.0 | 7.7 | 8.4 | 0.0 | 0.0 | 8.4 | 7.1 | 0.0 | 0.0 | 7.1 |
| 15-19 | 8.1 | 0.1 | 0.0 | 8.2 | 8.6 | 0.0 | 0.0 | 8.6 | 7.6 | 0.2 | 0.0 | 7.8 |
| 20-24 | 6.3 | 1.6 | 0.0 | 7.9 | 7.9 | 0.1 | 0.0 | 8.1 | 4.9 | 2.9 | 0.0 | 7.9 |
| 25-29 | 3.7 | 4.2 | 0.0 | 8.0 | 6.1 | 1.6 | 0.0 | 7.7 | 1.6 | 6.7 | 0.1 | 8.3 |
| 30-34 | 1.6 | 6.3 | 0.1 | 7.9 | 2.9 | 4.8 | 0.0 | 7.7 | 0.4 | 7.6 | 0.2 | 8.2 |
| 35-39 | 0.7 | 6.8 | 0.2 | 7.6 | 1.2 | 6.0 | 0.1 | 7.3 | 0.3 | 7.4 | 0.3 | 7.9 |
| 40-44 | 0.4 | 6.7 | 0.3 | 7.4 | 0.6 | 6.4 | 0.1 | 7.1 | 0.2 | 7.0 | 0.4 | 7.6 |
| 45-49 | 0.3 | 6.7 | 0.4 | 7.3 | 0.3 | 6.6 | 0.1 | 7.1 | 0.2 | 6.7 | 0.6 | 7.5 |
| 50-54 | 0.2 | 5.5 | 0.5 | 6.2 | 0.2 | 6.0 | 0.1 | 6.3 | 0.2 | 5.1 | 0.8 | 6.1 |
| 55-59 | 0.2 | 4.6 | 0.6 | 5.3 | 0.1 | 5.0 | 0.1 | 5.2 | 0.2 | 4.2 | 1.0 | 5.3 |
| 60-64 | 0.1 | 3.8 | 0.7 | 4.6 | 0.1 | 4.4 | 0.1 | 4.6 | 0.1 | 3.2 | 1.2 | 4.6 |
| 65-69 | 0.1 | 2.4 | 0.7 | 3.2 | 0.1 | 2.9 | 0.1 | 3.1 | 0.1 | 2.0 | 1.2 | 3.2 |
| 70-74 | 0.1 | 1.5 | 0.7 | 2.2 | 0.0 | 1.9 | 0.1 | 2.1 | 0.1 | 1.1 | 1.2 | 2.4 |
| 75-79 | 0.0 | 0.9 | 0.6 | 1.5 | 0.0 | 1.1 | 0.1 | 1.3 | 0.0 | 0.6 | 1.1 | 1.8 |
| 80-84 | 0.0 | 0.4 | 0.4 | 0.9 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.3 | 0.7 | 1.0 |
| 85+ | 0.0 | 0.2 | 0.3 | 0.6 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.6 | 0.7 |
| All ages | 43.0 | 51.5 | 5.4 | 100.0 | 51.0 | 47.7 | 1.2 | 100.0 | 35.7 | 55.0 | 9.3 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 13.9 | 0.0 | 0.0 | 13.9 | 14.7 | 0.0 | 0.0 | 14.7 | 13.2 | 0.0 | 0.0 | 13.2 |
| 10-14 | 7.7 | 0.0 | 0.0 | 7.7 | 8.5 | 0.0 | 0.0 | 8.5 | 7.0 | 0.0 | 0.0 | 7.0 |
| 15-19 | 8.0 | 0.1 | 0.0 | 8.1 | 8.6 | 0.0 | 0.0 | 8.6 | 7.5 | 0.2 | 0.0 | 7.7 |
| 20-24 | 6.3 | 1.6 | 0.0 | 7.9 | 7.9 | 0.1 | 0.0 | 8.0 | 4.8 | 3.0 | 0.0 | 7.8 |
| 25-29 | 3.7 | 4.3 | 0.0 | 8.0 | 6.0 | 1.5 | 0.0 | 7.5 | 1.6 | 6.9 | 0.1 | 8.5 |
| 30-34 | 1.6 | 6.2 | 0.1 | 7.8 | 2.9 | 4.6 | 0.0 | 7.5 | 0.4 | 7.6 | 0.2 | 8.1 |
| 35-39 | 0.7 | 6.6 | 0.2 | 7.5 | 1.2 | 6.0 | 0.1 | 7.2 | 0.2 | 7.3 | 0.2 | 7.8 |
| 40-44 | 0.4 | 6.6 | 0.3 | 7.2 | 0.5 | 6.3 | 0.1 | 6.9 | 0.2 | 6.9 | 0.4 | 7.5 |
| 45-49 | 0.2 | 6.6 | 0.4 | 7.2 | 0.3 | 6.7 | 0.1 | 7.1 | 0.2 | 6.5 | 0.6 | 7.4 |
| 50-54 | 0.2 | 5.5 | 0.4 | 6.1 | 0.2 | 5.9 | 0.1 | 6.2 | 0.2 | 5.0 | 0.7 | 5.9 |
| 55-59 | 0.1 | 4.6 | 0.5 | 5.2 | 0.1 | 5.0 | 0.1 | 5.2 | 0.1 | 4.2 | 1.0 | 5.2 |
| 60-64 | 0.1 | 3.8 | 0.7 | 4.6 | 0.1 | 4.4 | 0.1 | 4.6 | 0.1 | 3.3 | 1.2 | 4.7 |
| 65-69 | 0.1 | 2.5 | 0.7 | 3.2 | 0.1 | 3.1 | 0.1 | 3.3 | 0.1 | 2.0 | 1.2 | 3.2 |
| 70-74 | 0.1 | 1.4 | 0.7 | 2.2 | 0.0 | 1.8 | 0.1 | 2.0 | 0.1 | 1.1 | 1.2 | 2.4 |
| 75-79 | 0.0 | 0.9 | 0.6 | 1.6 | 0.0 | 1.2 | 0.1 | 1.4 | 0.1 | 0.7 | 1.1 | 1.8 |
| 80-84 | 0.0 | 0.5 | 0.5 | 0.9 | 0.0 | 0.6 | 0.1 | 0.8 | 0.0 | 0.3 | 0.8 | 1.1 |
| 85+ | 0.0 | 0.2 | 0.4 | 0.6 | 0.0 | 0.3 | 0.1 | 0.5 | 0.0 | 0.2 | 0.6 | 0.8 |
| All ages | 43.1 | 51.5 | 5.4 | 100.0 | 51.0 | 47.7 | 1.3 | 100.0 | 35.8 | 55.0 | 9.3 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 13.1 | 0.0 | 0.0 | 13.1 | 14.1 | 0.0 | 0.0 | 14.1 | 12.2 | 0.0 | 0.0 | 12.2 |
| 10-14 | 7.7 | 0.0 | 0.0 | 7.7 | 8.3 | 0.0 | 0.0 | 8.3 | 7.2 | 0.0 | 0.0 | 7.2 |
| 15-19 | 8.2 | 0.1 | 0.0 | 8.3 | 8.7 | 0.0 | 0.0 | 8.7 | 7.7 | 0.2 | 0.0 | 7.9 |
| 20-24 | 6.4 | 1.6 | 0.0 | 8.0 | 7.9 | 0.1 | 0.0 | 8.1 | 5.0 | 2.9 | 0.0 | 8.0 |
| 25-29 | 3.8 | 4.1 | 0.0 | 8.0 | 6.2 | 1.6 | 0.0 | 7.8 | 1.6 | 6.5 | 0.0 | 8.1 |
| 30-34 | 1.6 | 6.4 | 0.1 | 8.1 | 2.9 | 4.9 | 0.0 | 7.9 | 0.4 | 7.7 | 0.2 | 8.2 |
| 35-39 | 0.7 | 6.9 | 0.2 | 7.8 | 1.2 | 6.1 | 0.1 | 7.4 | 0.3 | 7.6 | 0.3 | 8.1 |
| 40-44 | 0.4 | 6.8 | 0.3 | 7.5 | 0.7 | 6.5 | 0.1 | 7.3 | 0.2 | 7.1 | 0.4 | 7.7 |
| 45-49 | 0.3 | 6.7 | 0.3 | 7.3 | 0.4 | 6.6 | 0.1 | 7.1 | 0.2 | 6.9 | 0.6 | 7.6 |
| 50-54 | 0.2 | 5.5 | 0.5 | 6.3 | 0.3 | 6.0 | 0.1 | 6.3 | 0.2 | 5.2 | 0.8 | 6.2 |
| 55-59 | 0.2 | 4.5 | 0.6 | 5.3 | 0.2 | 4.9 | 0.1 | 5.2 | 0.2 | 4.2 | 1.0 | 5.4 |
| 60-64 | 0.1 | 3.8 | 0.7 | 4.6 | 0.1 | 4.5 | 0.1 | 4.7 | 0.1 | 3.2 | 1.2 | 4.4 |
| 65-69 | 0.1 | 2.3 | 0.7 | 3.1 | 0.1 | 2.7 | 0.1 | 2.9 | 0.1 | 1.9 | 1.2 | 3.3 |
| 70-74 | 0.1 | 1.5 | 0.7 | 2.3 | 0.0 | 2.0 | 0.1 | 2.2 | 0.1 | 1.0 | 1.2 | 2.3 |
| 75-79 | 0.0 | 0.8 | 0.6 | 1.5 | 0.0 | 1.0 | 0.1 | 1.2 | 0.0 | 0.6 | 1.1 | 1.7 |
| 80-84 | 0.0 | 0.4 | 0.4 | 0.8 | 0.0 | 0.5 | 0.1 | 0.6 | 0.0 | 0.2 | 0.7 | 0.9 |
| 85+ | 0.0 | 0.1 | 0.3 | 0.5 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.5 | 0.6 |
| All ages | 43.0 | 51.6 | 5.4 | 100.0 | 51.1 | 47.7 | 1.2 | 100.0 | 35.6 | 55.1 | 9.3 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Madhya Pradesh**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 18.9 | 0.0 | 0.0 | 18.9 | 19.0 | 0.0 | 0.0 | 19.0 | 18.9 | 0.0 | 0.0 | 18.9 |
| 10-14 | 10.7 | 0.0 | 0.0 | 10.7 | 10.8 | 0.0 | 0.0 | 10.8 | 10.5 | 0.0 | 0.0 | 10.5 |
| 15-19 | 10.3 | 0.4 | 0.0 | 10.7 | 10.9 | 0.2 | 0.0 | 11.1 | 9.6 | 0.6 | 0.0 | 10.2 |
| 20-24 | 7.0 | 4.0 | 0.0 | 11.1 | 8.5 | 2.4 | 0.0 | 10.9 | 5.4 | 5.7 | 0.0 | 11.2 |
| 25-29 | 2.7 | 6.7 | 0.1 | 9.5 | 3.9 | 5.4 | 0.1 | 9.4 | 1.4 | 8.1 | 0.1 | 9.6 |
| 30-34 | 0.7 | 7.1 | 0.1 | 8.0 | 1.1 | 6.8 | 0.1 | 8.1 | 0.3 | 7.5 | 0.2 | 7.9 |
| 35-39 | 0.2 | 6.1 | 0.2 | 6.5 | 0.4 | 6.0 | 0.1 | 6.5 | 0.1 | 6.3 | 0.2 | 6.6 |
| 40-44 | 0.1 | 5.5 | 0.2 | 5.8 | 0.2 | 5.5 | 0.2 | 5.9 | 0.0 | 5.4 | 0.3 | 5.7 |
| 45-49 | 0.1 | 4.3 | 0.3 | 4.7 | 0.1 | 4.4 | 0.2 | 4.7 | 0.0 | 4.2 | 0.4 | 4.7 |
| 50-54 | 0.1 | 3.5 | 0.3 | 3.9 | 0.1 | 3.5 | 0.2 | 3.9 | 0.0 | 3.4 | 0.5 | 3.9 |
| 55-59 | 0.0 | 2.7 | 0.3 | 3.1 | 0.0 | 2.7 | 0.2 | 3.0 | 0.0 | 2.7 | 0.5 | 3.2 |
| 60-64 | 0.0 | 2.2 | 0.4 | 2.7 | 0.0 | 2.3 | 0.2 | 2.5 | 0.0 | 2.2 | 0.6 | 2.8 |
| 65-69 | 0.0 | 1.3 | 0.5 | 1.8 | 0.0 | 1.4 | 0.2 | 1.7 | 0.0 | 1.2 | 0.7 | 1.9 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 1.0 | 0.2 | 1.2 | 0.0 | 0.7 | 0.6 | 1.4 |
| 75-79 | 0.0 | 0.4 | 0.4 | 0.8 | 0.0 | 0.6 | 0.2 | 0.9 | 0.0 | 0.3 | 0.5 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.2 | 0.3 |
| All ages | 51.0 | 45.4 | 3.6 | 100.0 | 55.3 | 42.6 | 2.1 | 100.0 | 46.4 | 48.5 | 5.2 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 19.8 | 0.0 | 0.0 | 19.8 | 19.7 | 0.0 | 0.0 | 19.7 | 19.8 | 0.0 | 0.0 | 19.8 |
| 10-14 | 11.1 | 0.0 | 0.0 | 11.1 | 11.2 | 0.0 | 0.0 | 11.2 | 11.1 | 0.0 | 0.0 | 11.1 |
| 15-19 | 10.4 | 0.5 | 0.0 | 10.9 | 11.0 | 0.2 | 0.0 | 11.3 | 9.8 | 0.7 | 0.0 | 10.5 |
| 20-24 | 6.6 | 4.5 | 0.0 | 11.2 | 8.2 | 2.8 | 0.0 | 11.1 | 4.9 | 6.3 | 0.0 | 11.2 |
| 25-29 | 2.2 | 7.0 | 0.1 | 9.2 | 3.3 | 5.9 | 0.1 | 9.3 | 0.9 | 8.2 | 0.1 | 9.2 |
| 30-34 | 0.5 | 7.1 | 0.1 | 7.7 | 0.8 | 6.9 | 0.1 | 7.8 | 0.1 | 7.3 | 0.2 | 7.6 |
| 35-39 | 0.2 | 5.9 | 0.2 | 6.3 | 0.3 | 5.8 | 0.1 | 6.2 | 0.0 | 6.1 | 0.2 | 6.3 |
| 40-44 | 0.1 | 5.3 | 0.2 | 5.6 | 0.2 | 5.4 | 0.2 | 5.8 | 0.0 | 5.2 | 0.3 | 5.5 |
| 45-49 | 0.1 | 4.1 | 0.3 | 4.5 | 0.1 | 4.2 | 0.2 | 4.5 | 0.0 | 4.0 | 0.4 | 4.4 |
| 50-54 | 0.1 | 3.3 | 0.3 | 3.7 | 0.1 | 3.4 | 0.2 | 3.7 | 0.0 | 3.3 | 0.5 | 3.7 |
| 55-59 | 0.0 | 2.6 | 0.3 | 2.9 | 0.0 | 2.5 | 0.2 | 2.7 | 0.0 | 2.7 | 0.4 | 3.1 |
| 60-64 | 0.0 | 2.2 | 0.4 | 2.6 | 0.0 | 2.2 | 0.2 | 2.5 | 0.0 | 2.2 | 0.6 | 2.8 |
| 65-69 | 0.0 | 1.3 | 0.5 | 1.7 | 0.0 | 1.4 | 0.2 | 1.6 | 0.0 | 1.1 | 0.7 | 1.9 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 0.9 | 0.2 | 1.2 | 0.0 | 0.8 | 0.6 | 1.4 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.8 | 0.0 | 0.6 | 0.3 | 0.9 | 0.0 | 0.2 | 0.5 | 0.8 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.2 | 0.2 |
| All ages | 51.1 | 45.3 | 3.6 | 100.0 | 55.2 | 42.6 | 2.2 | 100.0 | 46.8 | 48.2 | 5.0 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 16.6 | 0.0 | 0.0 | 16.6 | 17.0 | 0.0 | 0.0 | 17.0 | 16.2 | 0.0 | 0.0 | 16.2 |
| 10-14 | 9.3 | 0.0 | 0.0 | 9.3 | 9.6 | 0.0 | 0.0 | 9.6 | 8.9 | 0.0 | 0.0 | 8.9 |
| 15-19 | 9.9 | 0.2 | 0.0 | 10.1 | 10.5 | 0.0 | 0.0 | 10.5 | 9.3 | 0.3 | 0.0 | 9.6 |
| 20-24 | 8.1 | 2.7 | 0.0 | 10.8 | 9.3 | 1.3 | 0.0 | 10.6 | 6.8 | 4.2 | 0.0 | 11.1 |
| 25-29 | 4.2 | 6.0 | 0.1 | 10.3 | 5.6 | 4.3 | 0.0 | 9.9 | 2.7 | 7.9 | 0.1 | 10.7 |
| 30-34 | 1.4 | 7.2 | 0.1 | 8.8 | 2.1 | 6.6 | 0.1 | 8.8 | 0.7 | 7.9 | 0.2 | 8.8 |
| 35-39 | 0.5 | 6.7 | 0.2 | 7.3 | 0.7 | 6.4 | 0.1 | 7.2 | 0.2 | 6.9 | 0.3 | 7.4 |
| 40-44 | 0.2 | 5.9 | 0.3 | 6.4 | 0.4 | 5.9 | 0.1 | 6.4 | 0.1 | 6.0 | 0.4 | 6.5 |
| 45-49 | 0.1 | 4.9 | 0.3 | 5.3 | 0.2 | 4.8 | 0.2 | 5.2 | 0.1 | 4.9 | 0.5 | 5.4 |
| 50-54 | 0.1 | 3.8 | 0.4 | 4.3 | 0.1 | 3.9 | 0.2 | 4.2 | 0.1 | 3.7 | 0.5 | 4.3 |
| 55-59 | 0.1 | 3.1 | 0.4 | 3.5 | 0.1 | 3.3 | 0.2 | 3.6 | 0.0 | 2.8 | 0.6 | 3.5 |
| 60-64 | 0.0 | 2.3 | 0.4 | 2.8 | 0.1 | 2.4 | 0.2 | 2.6 | 0.0 | 2.1 | 0.7 | 2.9 |
| 65-69 | 0.0 | 1.4 | 0.4 | 1.9 | 0.0 | 1.6 | 0.2 | 1.9 | 0.0 | 1.2 | 0.7 | 1.9 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 1.0 | 0.2 | 1.2 | 0.0 | 0.7 | 0.6 | 1.3 |
| 75-79 | 0.0 | 0.4 | 0.3 | 0.7 | 0.0 | 0.5 | 0.1 | 0.7 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 50.7 | 45.7 | 3.7 | 100.0 | 55.6 | 42.6 | 1.8 | 100.0 | 45.3 | 49.1 | 5.7 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Maharashtra**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 15.4 | 0.0 | 0.0 | 15.4 | 15.9 | 0.0 | 0.0 | 15.9 | 14.9 | 0.0 | 0.0 | 14.9 |
| 10-14 | 8.6 | 0.0 | 0.0 | 8.6 | 8.8 | 0.0 | 0.0 | 8.8 | 8.4 | 0.0 | 0.0 | 8.4 |
| 15-19 | 9.3 | 0.2 | 0.0 | 9.5 | 9.6 | 0.1 | 0.0 | 9.7 | 8.9 | 0.4 | 0.0 | 9.3 |
| 20-24 | 7.6 | 2.6 | 0.0 | 10.2 | 9.3 | 0.8 | 0.0 | 10.1 | 5.8 | 4.5 | 0.0 | 10.3 |
| 25-29 | 4.6 | 5.4 | 0.0 | 10.1 | 6.4 | 3.4 | 0.0 | 9.9 | 2.7 | 7.5 | 0.1 | 10.2 |
| 30-34 | 1.8 | 7.0 | 0.1 | 8.9 | 2.6 | 6.2 | 0.0 | 8.8 | 1.0 | 7.8 | 0.1 | 8.9 |
| 35-39 | 0.6 | 7.0 | 0.1 | 7.8 | 0.9 | 6.8 | 0.0 | 7.8 | 0.4 | 7.1 | 0.3 | 7.7 |
| 40-44 | 0.3 | 6.1 | 0.2 | 6.6 | 0.4 | 6.2 | 0.1 | 6.7 | 0.2 | 6.1 | 0.4 | 6.6 |
| 45-49 | 0.2 | 5.2 | 0.3 | 5.7 | 0.2 | 5.3 | 0.1 | 5.6 | 0.1 | 5.1 | 0.5 | 5.7 |
| 50-54 | 0.1 | 4.1 | 0.3 | 4.6 | 0.1 | 4.3 | 0.1 | 4.6 | 0.1 | 3.9 | 0.6 | 4.6 |
| 55-59 | 0.1 | 3.3 | 0.4 | 3.7 | 0.1 | 3.4 | 0.1 | 3.6 | 0.1 | 3.2 | 0.6 | 3.9 |
| 60-64 | 0.0 | 2.7 | 0.4 | 3.2 | 0.1 | 2.8 | 0.2 | 3.1 | 0.0 | 2.5 | 0.7 | 3.3 |
| 65-69 | 0.1 | 1.8 | 0.5 | 2.3 | 0.1 | 2.0 | 0.2 | 2.2 | 0.0 | 1.6 | 0.8 | 2.4 |
| 70-74 | 0.0 | 1.2 | 0.5 | 1.7 | 0.0 | 1.3 | 0.2 | 1.5 | 0.0 | 1.0 | 0.8 | 1.9 |
| 75-79 | 0.0 | 0.6 | 0.3 | 1.0 | 0.0 | 0.8 | 0.1 | 1.0 | 0.0 | 0.4 | 0.5 | 1.0 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.4 |
| All ages | 48.9 | 47.6 | 3.5 | 100.0 | 54.6 | 44.0 | 1.4 | 100.0 | 42.7 | 51.5 | 5.9 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 16.6 | 0.0 | 0.0 | 16.6 | 17.2 | 0.0 | 0.0 | 17.2 | 15.9 | 0.0 | 0.0 | 15.9 |
| 10-14 | 9.4 | 0.0 | 0.0 | 9.4 | 9.7 | 0.0 | 0.0 | 9.7 | 9.2 | 0.0 | 0.0 | 9.2 |
| 15-19 | 9.8 | 0.3 | 0.0 | 10.1 | 10.2 | 0.1 | 0.0 | 10.3 | 9.3 | 0.4 | 0.0 | 9.8 |
| 20-24 | 7.3 | 3.0 | 0.0 | 10.3 | 9.2 | 1.0 | 0.0 | 10.2 | 5.2 | 5.1 | 0.0 | 10.4 |
| 25-29 | 4.1 | 5.1 | 0.0 | 9.2 | 5.9 | 3.5 | 0.0 | 9.4 | 2.1 | 6.9 | 0.1 | 9.0 |
| 30-34 | 1.5 | 6.2 | 0.1 | 7.7 | 2.2 | 5.4 | 0.0 | 7.7 | 0.7 | 6.9 | 0.1 | 7.8 |
| 35-39 | 0.5 | 6.4 | 0.1 | 7.0 | 0.7 | 6.2 | 0.0 | 7.0 | 0.2 | 6.6 | 0.2 | 7.1 |
| 40-44 | 0.2 | 5.7 | 0.2 | 6.1 | 0.3 | 5.9 | 0.1 | 6.2 | 0.1 | 5.6 | 0.3 | 6.0 |
| 45-49 | 0.1 | 5.2 | 0.3 | 5.6 | 0.2 | 5.3 | 0.1 | 5.6 | 0.1 | 5.1 | 0.4 | 5.6 |
| 50-54 | 0.1 | 4.0 | 0.3 | 4.3 | 0.1 | 4.0 | 0.1 | 4.3 | 0.1 | 3.9 | 0.5 | 4.4 |
| 55-59 | 0.0 | 3.3 | 0.3 | 3.7 | 0.1 | 3.2 | 0.1 | 3.4 | 0.0 | 3.4 | 0.5 | 4.0 |
| 60-64 | 0.0 | 2.8 | 0.4 | 3.3 | 0.0 | 2.8 | 0.2 | 3.0 | 0.0 | 2.8 | 0.7 | 3.5 |
| 65-69 | 0.0 | 2.1 | 0.5 | 2.6 | 0.0 | 2.1 | 0.2 | 2.4 | 0.0 | 2.0 | 0.9 | 2.9 |
| 70-74 | 0.0 | 1.4 | 0.5 | 2.0 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.3 | 0.9 | 2.2 |
| 75-79 | 0.0 | 0.8 | 0.4 | 1.2 | 0.0 | 1.0 | 0.2 | 1.2 | 0.0 | 0.6 | 0.6 | 1.2 |
| 80-84 | 0.0 | 0.3 | 0.2 | 0.6 | 0.0 | 0.4 | 0.1 | 0.6 | 0.0 | 0.2 | 0.3 | 0.6 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 49.8 | 46.8 | 3.5 | 100.0 | 55.9 | 42.8 | 1.3 | 100.0 | 43.2 | 51.1 | 5.8 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 14.0 | 0.0 | 0.0 | 14.0 | 14.2 | 0.0 | 0.0 | 14.2 | 13.7 | 0.0 | 0.0 | 13.7 |
| 10-14 | 7.7 | 0.0 | 0.0 | 7.7 | 7.8 | 0.0 | 0.0 | 7.8 | 7.5 | 0.0 | 0.0 | 7.5 |
| 15-19 | 8.6 | 0.2 | 0.0 | 8.8 | 8.8 | 0.0 | 0.0 | 8.9 | 8.3 | 0.4 | 0.0 | 8.7 |
| 20-24 | 8.0 | 2.1 | 0.0 | 10.1 | 9.4 | 0.6 | 0.0 | 10.0 | 6.5 | 3.8 | 0.0 | 10.3 |
| 25-29 | 5.4 | 5.6 | 0.0 | 11.1 | 7.1 | 3.3 | 0.0 | 10.5 | 3.5 | 8.1 | 0.1 | 11.7 |
| 30-34 | 2.2 | 8.0 | 0.1 | 10.2 | 3.0 | 7.2 | 0.0 | 10.2 | 1.2 | 8.9 | 0.1 | 10.3 |
| 35-39 | 0.8 | 7.6 | 0.2 | 8.6 | 1.1 | 7.6 | 0.0 | 8.8 | 0.5 | 7.7 | 0.3 | 8.5 |
| 40-44 | 0.4 | 6.6 | 0.2 | 7.3 | 0.6 | 6.6 | 0.1 | 7.2 | 0.3 | 6.6 | 0.4 | 7.3 |
| 45-49 | 0.2 | 5.2 | 0.3 | 5.8 | 0.3 | 5.3 | 0.1 | 5.8 | 0.2 | 5.1 | 0.6 | 5.8 |
| 50-54 | 0.1 | 4.3 | 0.4 | 4.9 | 0.2 | 4.7 | 0.2 | 5.0 | 0.1 | 4.0 | 0.7 | 4.8 |
| 55-59 | 0.1 | 3.3 | 0.4 | 3.8 | 0.1 | 3.6 | 0.1 | 3.9 | 0.1 | 3.0 | 0.7 | 3.8 |
| 60-64 | 0.1 | 2.5 | 0.5 | 3.1 | 0.1 | 2.8 | 0.2 | 3.1 | 0.1 | 2.2 | 0.8 | 3.1 |
| 65-69 | 0.1 | 1.5 | 0.4 | 2.0 | 0.1 | 1.8 | 0.2 | 2.1 | 0.1 | 1.1 | 0.7 | 1.8 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 1.0 | 0.1 | 1.2 | 0.0 | 0.7 | 0.7 | 1.4 |
| 75-79 | 0.0 | 0.4 | 0.3 | 0.7 | 0.0 | 0.6 | 0.1 | 0.8 | 0.0 | 0.3 | 0.4 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 47.8 | 48.6 | 3.6 | 100.0 | 53.1 | 45.6 | 1.4 | 100.0 | 42.1 | 51.9 | 6.0 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Odisha**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 15.1 | 0.0 | 0.0 | 15.1 | 15.3 | 0.0 | 0.0 | 15.3 | 14.8 | 0.0 | 0.0 | 14.8 |
| 10-14 | 8.5 | 0.0 | 0.0 | 8.5 | 8.5 | 0.0 | 0.0 | 8.5 | 8.5 | 0.0 | 0.0 | 8.5 |
| 15-19 | 9.4 | 0.3 | 0.0 | 9.6 | 9.5 | 0.1 | 0.0 | 9.6 | 9.2 | 0.5 | 0.0 | 9.7 |
| 20-24 | 7.3 | 2.9 | 0.0 | 10.2 | 8.7 | 1.0 | 0.0 | 9.7 | 5.8 | 4.9 | 0.0 | 10.8 |
| 25-29 | 4.3 | 5.7 | 0.1 | 10.1 | 6.1 | 3.3 | 0.0 | 9.5 | 2.4 | 8.2 | 0.1 | 10.7 |
| 30-34 | 1.6 | 7.1 | 0.1 | 8.8 | 2.4 | 6.1 | 0.1 | 8.6 | 0.7 | 8.2 | 0.2 | 9.1 |
| 35-39 | 0.5 | 6.8 | 0.2 | 7.5 | 0.7 | 6.9 | 0.0 | 7.6 | 0.4 | 6.7 | 0.3 | 7.4 |
| 40-44 | 0.2 | 5.7 | 0.2 | 6.1 | 0.2 | 6.1 | 0.1 | 6.4 | 0.2 | 5.2 | 0.4 | 5.8 |
| 45-49 | 0.1 | 5.0 | 0.3 | 5.4 | 0.1 | 5.5 | 0.1 | 5.7 | 0.2 | 4.5 | 0.5 | 5.1 |
| 50-54 | 0.1 | 4.1 | 0.3 | 4.5 | 0.1 | 4.6 | 0.1 | 4.8 | 0.1 | 3.6 | 0.5 | 4.3 |
| 55-59 | 0.0 | 3.6 | 0.4 | 4.0 | 0.0 | 3.9 | 0.2 | 4.1 | 0.0 | 3.3 | 0.6 | 4.0 |
| 60-64 | 0.0 | 3.0 | 0.5 | 3.5 | 0.0 | 3.5 | 0.2 | 3.7 | 0.0 | 2.5 | 0.7 | 3.3 |
| 65-69 | 0.0 | 1.8 | 0.5 | 2.3 | 0.0 | 2.1 | 0.2 | 2.4 | 0.0 | 1.4 | 0.8 | 2.2 |
| 70-74 | 0.0 | 1.2 | 0.5 | 1.8 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.0 | 0.9 | 1.9 |
| 75-79 | 0.0 | 0.6 | 0.4 | 1.0 | 0.0 | 0.8 | 0.2 | 1.0 | 0.0 | 0.4 | 0.7 | 1.1 |
| 80-84 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.6 | 0.2 | 0.9 | 0.0 | 0.3 | 0.6 | 0.9 |
| 85+ | 0.0 | 0.2 | 0.3 | 0.5 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.1 | 0.4 | 0.5 |
| All ages | 47.2 | 48.6 | 4.2 | 100.0 | 51.7 | 46.5 | 1.8 | 100.0 | 42.5 | 50.8 | 6.8 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 15.2 | 0.0 | 0.0 | 15.2 | 15.5 | 0.0 | 0.0 | 15.5 | 15.0 | 0.0 | 0.0 | 15.0 |
| 10-14 | 8.7 | 0.0 | 0.0 | 8.7 | 8.6 | 0.0 | 0.0 | 8.6 | 8.7 | 0.0 | 0.0 | 8.7 |
| 15-19 | 9.4 | 0.3 | 0.0 | 9.7 | 9.6 | 0.1 | 0.0 | 9.7 | 9.2 | 0.5 | 0.0 | 9.7 |
| 20-24 | 7.1 | 3.1 | 0.0 | 10.2 | 8.6 | 1.1 | 0.0 | 9.7 | 5.6 | 5.1 | 0.0 | 10.8 |
| 25-29 | 4.1 | 5.9 | 0.1 | 10.1 | 6.0 | 3.5 | 0.0 | 9.5 | 2.2 | 8.4 | 0.1 | 10.7 |
| 30-34 | 1.5 | 7.1 | 0.1 | 8.7 | 2.2 | 6.2 | 0.1 | 8.5 | 0.7 | 8.1 | 0.2 | 9.0 |
| 35-39 | 0.5 | 6.7 | 0.2 | 7.3 | 0.6 | 6.9 | 0.0 | 7.5 | 0.3 | 6.5 | 0.3 | 7.2 |
| 40-44 | 0.2 | 5.5 | 0.2 | 5.9 | 0.2 | 5.9 | 0.1 | 6.2 | 0.2 | 5.1 | 0.4 | 5.6 |
| 45-49 | 0.1 | 4.9 | 0.3 | 5.3 | 0.1 | 5.3 | 0.1 | 5.5 | 0.2 | 4.4 | 0.5 | 5.0 |
| 50-54 | 0.1 | 4.0 | 0.3 | 4.4 | 0.1 | 4.5 | 0.1 | 4.7 | 0.1 | 3.5 | 0.5 | 4.1 |
| 55-59 | 0.0 | 3.6 | 0.4 | 4.1 | 0.0 | 3.9 | 0.2 | 4.1 | 0.0 | 3.4 | 0.6 | 4.0 |
| 60-64 | 0.0 | 3.1 | 0.5 | 3.6 | 0.0 | 3.6 | 0.2 | 3.8 | 0.0 | 2.6 | 0.7 | 3.4 |
| 65-69 | 0.0 | 1.8 | 0.5 | 2.4 | 0.0 | 2.2 | 0.2 | 2.5 | 0.0 | 1.4 | 0.9 | 2.3 |
| 70-74 | 0.0 | 1.3 | 0.6 | 1.9 | 0.0 | 1.5 | 0.2 | 1.8 | 0.0 | 1.0 | 0.9 | 1.9 |
| 75-79 | 0.0 | 0.6 | 0.4 | 1.1 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.4 | 0.7 | 1.1 |
| 80-84 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.7 | 0.3 | 0.9 | 0.0 | 0.3 | 0.6 | 0.9 |
| 85+ | 0.0 | 0.2 | 0.3 | 0.5 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.1 | 0.4 | 0.5 |
| All ages | 47.0 | 48.7 | 4.3 | 100.0 | 51.4 | 46.7 | 1.9 | 100.0 | 42.3 | 50.9 | 6.8 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 14.2 | 0.0 | 0.0 | 14.2 | 14.3 | 0.0 | 0.0 | 14.3 | 14.0 | 0.0 | 0.0 | 14.0 |
| 10-14 | 7.8 | 0.0 | 0.0 | 7.8 | 7.9 | 0.0 | 0.0 | 7.9 | 7.7 | 0.0 | 0.0 | 7.7 |
| 15-19 | 9.1 | 0.2 | 0.0 | 9.3 | 9.1 | 0.0 | 0.0 | 9.2 | 9.1 | 0.3 | 0.0 | 9.3 |
| 20-24 | 8.1 | 2.3 | 0.0 | 10.4 | 9.4 | 0.6 | 0.0 | 10.1 | 6.7 | 4.0 | 0.0 | 10.7 |
| 25-29 | 5.2 | 5.1 | 0.1 | 10.4 | 7.0 | 2.6 | 0.0 | 9.6 | 3.4 | 7.7 | 0.1 | 11.2 |
| 30-34 | 2.1 | 7.2 | 0.1 | 9.4 | 3.1 | 5.8 | 0.0 | 9.0 | 1.0 | 8.6 | 0.2 | 9.8 |
| 35-39 | 0.9 | 7.3 | 0.2 | 8.3 | 1.2 | 6.9 | 0.1 | 8.2 | 0.5 | 7.6 | 0.3 | 8.4 |
| 40-44 | 0.4 | 6.5 | 0.2 | 7.1 | 0.4 | 7.0 | 0.1 | 7.5 | 0.3 | 6.0 | 0.4 | 6.8 |
| 45-49 | 0.2 | 5.4 | 0.3 | 5.9 | 0.2 | 6.1 | 0.1 | 6.5 | 0.2 | 4.7 | 0.5 | 5.4 |
| 50-54 | 0.2 | 4.5 | 0.4 | 5.0 | 0.1 | 4.9 | 0.1 | 5.2 | 0.2 | 4.0 | 0.7 | 4.9 |
| 55-59 | 0.0 | 3.4 | 0.4 | 3.9 | 0.1 | 3.8 | 0.1 | 4.0 | 0.0 | 3.0 | 0.7 | 3.7 |
| 60-64 | 0.0 | 2.7 | 0.4 | 3.2 | 0.1 | 3.2 | 0.2 | 3.4 | 0.0 | 2.1 | 0.7 | 2.9 |
| 65-69 | 0.0 | 1.3 | 0.4 | 1.8 | 0.0 | 1.7 | 0.1 | 1.9 | 0.0 | 0.9 | 0.7 | 1.6 |
| 70-74 | 0.0 | 1.1 | 0.5 | 1.5 | 0.0 | 1.3 | 0.2 | 1.5 | 0.0 | 0.8 | 0.8 | 1.6 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.7 | 0.1 | 0.8 | 0.0 | 0.2 | 0.5 | 0.7 |
| 80-84 | 0.0 | 0.4 | 0.4 | 0.8 | 0.0 | 0.5 | 0.1 | 0.7 | 0.0 | 0.2 | 0.6 | 0.8 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.4 | 0.4 |
| All ages | 48.2 | 47.8 | 4.0 | 100.0 | 53.1 | 45.5 | 1.4 | 100.0 | 43.2 | 50.2 | 6.6 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Punjab**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 13.0 | 0.0 | 0.0 | 13.0 | 13.3 | 0.0 | 0.0 | 13.3 | 12.7 | 0.0 | 0.0 | 12.7 |
| 10-14 | 7.7 | 0.0 | 0.0 | 7.7 | 8.1 | 0.0 | 0.0 | 8.1 | 7.2 | 0.0 | 0.0 | 7.2 |
| 15-19 | 9.0 | 0.1 | 0.0 | 9.1 | 9.6 | 0.0 | 0.0 | 9.6 | 8.4 | 0.2 | 0.0 | 8.6 |
| 20-24 | 9.1 | 1.8 | 0.0 | 10.9 | 10.1 | 0.8 | 0.0 | 11.0 | 7.8 | 2.9 | 0.0 | 10.7 |
| 25-29 | 5.7 | 5.2 | 0.0 | 10.9 | 7.0 | 3.7 | 0.0 | 10.7 | 4.3 | 6.8 | 0.1 | 11.2 |
| 30-34 | 2.1 | 7.1 | 0.1 | 9.3 | 2.8 | 6.3 | 0.1 | 9.2 | 1.3 | 8.0 | 0.1 | 9.4 |
| 35-39 | 0.7 | 6.8 | 0.1 | 7.6 | 1.1 | 6.4 | 0.1 | 7.5 | 0.3 | 7.2 | 0.1 | 7.6 |
| 40-44 | 0.3 | 6.0 | 0.2 | 6.6 | 0.5 | 5.8 | 0.1 | 6.3 | 0.2 | 6.4 | 0.3 | 6.8 |
| 45-49 | 0.2 | 5.4 | 0.2 | 5.9 | 0.3 | 5.3 | 0.1 | 5.7 | 0.1 | 5.6 | 0.4 | 6.1 |
| 50-54 | 0.1 | 4.6 | 0.3 | 5.1 | 0.2 | 4.5 | 0.2 | 4.8 | 0.1 | 4.8 | 0.4 | 5.3 |
| 55-59 | 0.1 | 3.6 | 0.3 | 4.0 | 0.1 | 3.7 | 0.2 | 4.0 | 0.0 | 3.5 | 0.4 | 4.0 |
| 60-64 | 0.1 | 2.8 | 0.3 | 3.2 | 0.1 | 2.8 | 0.2 | 3.1 | 0.0 | 2.8 | 0.5 | 3.3 |
| 65-69 | 0.1 | 2.0 | 0.4 | 2.4 | 0.1 | 2.1 | 0.2 | 2.4 | 0.0 | 2.0 | 0.5 | 2.5 |
| 70-74 | 0.1 | 1.5 | 0.4 | 1.9 | 0.1 | 1.5 | 0.2 | 1.8 | 0.0 | 1.4 | 0.6 | 2.1 |
| 75-79 | 0.1 | 0.9 | 0.3 | 1.2 | 0.1 | 1.0 | 0.2 | 1.2 | 0.0 | 0.7 | 0.5 | 1.3 |
| 80-84 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.5 | 0.2 | 0.7 | 0.0 | 0.4 | 0.3 | 0.7 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.5 | 0.0 | 0.2 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.6 |
| All ages | 48.5 | 48.5 | 3.0 | 100.0 | 53.6 | 44.7 | 1.8 | 100.0 | 42.7 | 52.9 | 4.5 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 13.2 | 0.0 | 0.0 | 13.2 | 13.5 | 0.0 | 0.0 | 13.5 | 12.8 | 0.0 | 0.0 | 12.8 |
| 10-14 | 7.7 | 0.0 | 0.0 | 7.7 | 8.1 | 0.0 | 0.0 | 8.1 | 7.2 | 0.0 | 0.0 | 7.2 |
| 15-19 | 9.3 | 0.1 | 0.0 | 9.4 | 10.0 | 0.0 | 0.0 | 10.0 | 8.5 | 0.2 | 0.0 | 8.7 |
| 20-24 | 9.2 | 1.8 | 0.0 | 11.0 | 10.3 | 0.9 | 0.0 | 11.2 | 7.9 | 2.9 | 0.0 | 10.8 |
| 25-29 | 5.6 | 5.2 | 0.0 | 10.8 | 6.9 | 3.7 | 0.0 | 10.6 | 4.2 | 6.9 | 0.1 | 11.1 |
| 30-34 | 1.8 | 7.0 | 0.1 | 9.0 | 2.5 | 6.2 | 0.1 | 8.8 | 1.1 | 7.9 | 0.1 | 9.1 |
| 35-39 | 0.6 | 6.6 | 0.1 | 7.3 | 1.0 | 6.1 | 0.1 | 7.1 | 0.2 | 7.1 | 0.1 | 7.5 |
| 40-44 | 0.3 | 5.9 | 0.2 | 6.4 | 0.5 | 5.6 | 0.1 | 6.1 | 0.2 | 6.3 | 0.3 | 6.7 |
| 45-49 | 0.2 | 5.4 | 0.3 | 5.8 | 0.3 | 5.1 | 0.1 | 5.6 | 0.1 | 5.7 | 0.4 | 6.2 |
| 50-54 | 0.1 | 4.4 | 0.3 | 4.8 | 0.2 | 4.3 | 0.2 | 4.7 | 0.1 | 4.4 | 0.4 | 4.9 |
| 55-59 | 0.1 | 3.5 | 0.3 | 3.8 | 0.1 | 3.6 | 0.2 | 3.9 | 0.0 | 3.3 | 0.4 | 3.8 |
| 60-64 | 0.1 | 2.8 | 0.3 | 3.2 | 0.1 | 2.7 | 0.2 | 3.0 | 0.0 | 2.8 | 0.5 | 3.3 |
| 65-69 | 0.1 | 2.2 | 0.4 | 2.6 | 0.1 | 2.2 | 0.2 | 2.5 | 0.0 | 2.1 | 0.5 | 2.7 |
| 70-74 | 0.1 | 1.6 | 0.4 | 2.1 | 0.1 | 1.7 | 0.2 | 2.0 | 0.0 | 1.6 | 0.6 | 2.3 |
| 75-79 | 0.1 | 1.0 | 0.4 | 1.4 | 0.1 | 1.1 | 0.2 | 1.4 | 0.0 | 0.8 | 0.5 | 1.4 |
| 80-84 | 0.0 | 0.5 | 0.3 | 0.9 | 0.1 | 0.6 | 0.2 | 0.9 | 0.0 | 0.4 | 0.4 | 0.8 |
| 85+ | 0.0 | 0.3 | 0.3 | 0.6 | 0.0 | 0.3 | 0.2 | 0.6 | 0.0 | 0.3 | 0.4 | 0.7 |
| All ages | 48.5 | 48.2 | 3.3 | 100.0 | 53.8 | 44.2 | 2.0 | 100.0 | 42.5 | 52.8 | 4.7 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 12.7 | 0.0 | 0.0 | 12.7 | 12.9 | 0.0 | 0.0 | 12.9 | 12.5 | 0.0 | 0.0 | 12.5 |
| 10-14 | 7.7 | 0.0 | 0.0 | 7.7 | 8.1 | 0.0 | 0.0 | 8.1 | 7.2 | 0.0 | 0.0 | 7.2 |
| 15-19 | 8.8 | 0.1 | 0.0 | 8.8 | 9.1 | 0.0 | 0.0 | 9.1 | 8.4 | 0.1 | 0.0 | 8.5 |
| 20-24 | 8.9 | 1.8 | 0.0 | 10.7 | 9.9 | 0.7 | 0.0 | 10.7 | 7.8 | 2.9 | 0.0 | 10.7 |
| 25-29 | 5.9 | 5.1 | 0.0 | 11.1 | 7.3 | 3.6 | 0.0 | 10.9 | 4.4 | 6.8 | 0.1 | 11.3 |
| 30-34 | 2.5 | 7.2 | 0.1 | 9.7 | 3.3 | 6.4 | 0.1 | 9.7 | 1.6 | 8.0 | 0.1 | 9.7 |
| 35-39 | 0.8 | 7.0 | 0.1 | 8.0 | 1.2 | 6.9 | 0.1 | 8.1 | 0.5 | 7.2 | 0.1 | 7.8 |
| 40-44 | 0.4 | 6.3 | 0.2 | 6.8 | 0.5 | 6.0 | 0.1 | 6.7 | 0.2 | 6.5 | 0.3 | 7.0 |
| 45-49 | 0.2 | 5.5 | 0.2 | 6.0 | 0.3 | 5.5 | 0.1 | 5.9 | 0.1 | 5.6 | 0.3 | 6.0 |
| 50-54 | 0.1 | 5.0 | 0.3 | 5.5 | 0.2 | 4.7 | 0.1 | 5.0 | 0.1 | 5.4 | 0.5 | 5.9 |
| 55-59 | 0.1 | 3.8 | 0.3 | 4.2 | 0.1 | 3.9 | 0.2 | 4.2 | 0.1 | 3.8 | 0.4 | 4.2 |
| 60-64 | 0.1 | 2.8 | 0.3 | 3.1 | 0.1 | 2.8 | 0.2 | 3.1 | 0.0 | 2.7 | 0.5 | 3.2 |
| 65-69 | 0.1 | 1.9 | 0.3 | 2.2 | 0.1 | 2.0 | 0.2 | 2.2 | 0.0 | 1.7 | 0.5 | 2.2 |
| 70-74 | 0.0 | 1.3 | 0.3 | 1.6 | 0.0 | 1.3 | 0.2 | 1.5 | 0.0 | 1.2 | 0.5 | 1.8 |
| 75-79 | 0.0 | 0.7 | 0.3 | 1.0 | 0.0 | 0.8 | 0.1 | 1.0 | 0.0 | 0.6 | 0.4 | 1.1 |
| 80-84 | 0.0 | 0.4 | 0.2 | 0.6 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.3 | 0.3 | 0.6 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 48.4 | 48.9 | 2.7 | 100.0 | 53.2 | 45.3 | 1.5 | 100.0 | 43.0 | 53.0 | 4.1 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Rajasthan**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 19.0 | 0.0 | 0.0 | 19.0 | 19.5 | 0.0 | 0.0 | 19.5 | 18.4 | 0.0 | 0.0 | 18.4 |
| 10-14 | 10.0 | 0.0 | 0.0 | 10.0 | 10.5 | 0.0 | 0.0 | 10.5 | 9.5 | 0.0 | 0.0 | 9.5 |
| 15-19 | 10.4 | 0.3 | 0.0 | 10.7 | 10.9 | 0.2 | 0.0 | 11.1 | 10.0 | 0.4 | 0.0 | 10.4 |
| 20-24 | 7.5 | 4.0 | 0.0 | 11.5 | 8.6 | 2.5 | 0.0 | 11.1 | 6.3 | 5.5 | 0.0 | 11.8 |
| 25-29 | 2.6 | 7.3 | 0.0 | 10.0 | 3.8 | 6.1 | 0.0 | 10.0 | 1.4 | 8.6 | 0.1 | 10.0 |
| 30-34 | 0.6 | 7.5 | 0.1 | 8.2 | 1.0 | 7.3 | 0.1 | 8.4 | 0.2 | 7.7 | 0.1 | 8.0 |
| 35-39 | 0.2 | 6.7 | 0.1 | 7.0 | 0.4 | 6.6 | 0.1 | 7.0 | 0.1 | 6.7 | 0.2 | 7.0 |
| 40-44 | 0.1 | 5.2 | 0.2 | 5.5 | 0.2 | 5.2 | 0.1 | 5.4 | 0.0 | 5.3 | 0.3 | 5.6 |
| 45-49 | 0.1 | 4.4 | 0.2 | 4.7 | 0.1 | 4.3 | 0.1 | 4.6 | 0.0 | 4.5 | 0.3 | 4.9 |
| 50-54 | 0.0 | 3.1 | 0.2 | 3.4 | 0.1 | 3.3 | 0.1 | 3.5 | 0.0 | 3.0 | 0.3 | 3.3 |
| 55-59 | 0.0 | 2.6 | 0.2 | 2.8 | 0.0 | 2.5 | 0.1 | 2.6 | 0.0 | 2.7 | 0.4 | 3.1 |
| 60-64 | 0.0 | 2.2 | 0.3 | 2.6 | 0.0 | 2.3 | 0.2 | 2.4 | 0.0 | 2.2 | 0.5 | 2.7 |
| 65-69 | 0.0 | 1.4 | 0.4 | 1.8 | 0.0 | 1.4 | 0.1 | 1.6 | 0.0 | 1.4 | 0.6 | 2.1 |
| 70-74 | 0.0 | 0.9 | 0.3 | 1.3 | 0.0 | 0.9 | 0.1 | 1.1 | 0.0 | 0.9 | 0.6 | 1.5 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.4 | 0.5 | 1.0 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 50.7 | 46.5 | 2.8 | 100.0 | 55.2 | 43.5 | 1.3 | 100.0 | 45.9 | 49.7 | 4.4 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 19.9 | 0.0 | 0.0 | 19.9 | 20.5 | 0.0 | 0.0 | 20.5 | 19.3 | 0.0 | 0.0 | 19.3 |
| 10-14 | 10.4 | 0.0 | 0.0 | 10.4 | 10.9 | 0.0 | 0.0 | 10.9 | 9.9 | 0.0 | 0.0 | 9.9 |
| 15-19 | 10.7 | 0.3 | 0.0 | 11.0 | 11.1 | 0.3 | 0.0 | 11.4 | 10.3 | 0.4 | 0.0 | 10.7 |
| 20-24 | 7.4 | 4.3 | 0.0 | 11.7 | 8.5 | 2.9 | 0.0 | 11.4 | 6.1 | 5.9 | 0.0 | 12.0 |
| 25-29 | 2.2 | 7.4 | 0.0 | 9.7 | 3.4 | 6.3 | 0.0 | 9.7 | 1.0 | 8.7 | 0.1 | 9.7 |
| 30-34 | 0.5 | 7.3 | 0.1 | 7.9 | 0.9 | 7.3 | 0.1 | 8.2 | 0.1 | 7.4 | 0.1 | 7.6 |
| 35-39 | 0.2 | 6.5 | 0.1 | 6.8 | 0.3 | 6.3 | 0.1 | 6.7 | 0.0 | 6.6 | 0.2 | 6.8 |
| 40-44 | 0.1 | 5.0 | 0.2 | 5.2 | 0.1 | 4.9 | 0.1 | 5.2 | 0.0 | 5.0 | 0.3 | 5.3 |
| 45-49 | 0.1 | 4.3 | 0.2 | 4.5 | 0.1 | 4.1 | 0.1 | 4.4 | 0.0 | 4.4 | 0.3 | 4.7 |
| 50-54 | 0.0 | 2.9 | 0.2 | 3.1 | 0.1 | 3.0 | 0.1 | 3.3 | 0.0 | 2.7 | 0.2 | 2.9 |
| 55-59 | 0.0 | 2.4 | 0.2 | 2.6 | 0.0 | 2.2 | 0.1 | 2.4 | 0.0 | 2.5 | 0.3 | 2.9 |
| 60-64 | 0.0 | 2.2 | 0.3 | 2.5 | 0.0 | 2.2 | 0.2 | 2.4 | 0.0 | 2.3 | 0.4 | 2.7 |
| 65-69 | 0.0 | 1.4 | 0.4 | 1.8 | 0.0 | 1.4 | 0.1 | 1.5 | 0.0 | 1.5 | 0.7 | 2.2 |
| 70-74 | 0.0 | 0.9 | 0.3 | 1.3 | 0.0 | 0.9 | 0.1 | 1.0 | 0.0 | 1.0 | 0.6 | 1.6 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.4 | 0.5 | 1.0 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 51.5 | 45.8 | 2.7 | 100.0 | 56.0 | 42.7 | 1.3 | 100.0 | 46.7 | 49.0 | 4.3 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 16.4 | 0.0 | 0.0 | 16.4 | 16.8 | 0.0 | 0.0 | 16.8 | 16.0 | 0.0 | 0.0 | 16.0 |
| 10-14 | 8.9 | 0.0 | 0.0 | 8.9 | 9.4 | 0.0 | 0.0 | 9.4 | 8.5 | 0.0 | 0.0 | 8.5 |
| 15-19 | 9.7 | 0.2 | 0.0 | 9.9 | 10.2 | 0.1 | 0.0 | 10.2 | 9.1 | 0.3 | 0.0 | 9.5 |
| 20-24 | 7.8 | 3.0 | 0.0 | 10.8 | 8.8 | 1.6 | 0.0 | 10.4 | 6.7 | 4.5 | 0.0 | 11.2 |
| 25-29 | 3.9 | 6.9 | 0.0 | 10.8 | 5.1 | 5.7 | 0.0 | 10.8 | 2.6 | 8.2 | 0.1 | 10.8 |
| 30-34 | 1.0 | 7.9 | 0.1 | 9.0 | 1.5 | 7.3 | 0.1 | 8.9 | 0.4 | 8.5 | 0.1 | 9.0 |
| 35-39 | 0.3 | 7.2 | 0.1 | 7.6 | 0.5 | 7.3 | 0.1 | 7.9 | 0.1 | 7.0 | 0.2 | 7.4 |
| 40-44 | 0.1 | 6.0 | 0.2 | 6.3 | 0.2 | 5.8 | 0.1 | 6.1 | 0.1 | 6.2 | 0.3 | 6.5 |
| 45-49 | 0.1 | 4.9 | 0.2 | 5.2 | 0.2 | 4.9 | 0.1 | 5.2 | 0.0 | 4.9 | 0.3 | 5.3 |
| 50-54 | 0.1 | 3.9 | 0.3 | 4.3 | 0.1 | 3.9 | 0.1 | 4.1 | 0.0 | 4.0 | 0.4 | 4.4 |
| 55-59 | 0.0 | 3.2 | 0.3 | 3.5 | 0.1 | 3.2 | 0.1 | 3.4 | 0.0 | 3.1 | 0.5 | 3.6 |
| 60-64 | 0.0 | 2.3 | 0.3 | 2.7 | 0.0 | 2.5 | 0.1 | 2.6 | 0.0 | 2.2 | 0.5 | 2.7 |
| 65-69 | 0.0 | 1.4 | 0.3 | 1.7 | 0.0 | 1.5 | 0.1 | 1.7 | 0.0 | 1.2 | 0.6 | 1.8 |
| 70-74 | 0.0 | 0.9 | 0.4 | 1.3 | 0.0 | 1.0 | 0.1 | 1.1 | 0.0 | 0.9 | 0.6 | 1.5 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.9 | 0.0 | 0.6 | 0.1 | 0.8 | 0.0 | 0.4 | 0.5 | 0.9 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.6 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.4 | 0.6 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 48.4 | 48.7 | 2.9 | 100.0 | 52.9 | 45.9 | 1.2 | 100.0 | 43.6 | 51.6 | 4.8 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Tamil Nadu**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 13.0 | 0.0 | 0.0 | 13.0 | 13.3 | 0.0 | 0.0 | 13.3 | 12.7 | 0.0 | 0.0 | 12.7 |
| 10-14 | 7.4 | 0.0 | 0.0 | 7.4 | 7.6 | 0.0 | 0.0 | 7.6 | 7.2 | 0.0 | 0.0 | 7.2 |
| 15-19 | 7.9 | 0.2 | 0.0 | 8.1 | 8.3 | 0.0 | 0.0 | 8.4 | 7.5 | 0.3 | 0.0 | 7.8 |
| 20-24 | 7.3 | 2.0 | 0.0 | 9.3 | 8.5 | 0.4 | 0.0 | 8.9 | 6.0 | 3.6 | 0.0 | 9.7 |
| 25-29 | 4.4 | 5.2 | 0.0 | 9.7 | 6.4 | 2.9 | 0.0 | 9.4 | 2.4 | 7.6 | 0.1 | 10.0 |
| 30-34 | 1.6 | 7.2 | 0.1 | 9.0 | 2.6 | 6.5 | 0.1 | 9.2 | 0.6 | 8.0 | 0.2 | 8.8 |
| 35-39 | 0.6 | 7.3 | 0.2 | 8.1 | 1.0 | 7.0 | 0.1 | 8.0 | 0.3 | 7.5 | 0.4 | 8.2 |
| 40-44 | 0.3 | 6.7 | 0.3 | 7.3 | 0.4 | 6.9 | 0.1 | 7.4 | 0.2 | 6.6 | 0.5 | 7.3 |
| 45-49 | 0.2 | 5.8 | 0.4 | 6.5 | 0.3 | 6.2 | 0.2 | 6.6 | 0.1 | 5.5 | 0.7 | 6.3 |
| 50-54 | 0.1 | 5.1 | 0.6 | 5.8 | 0.1 | 5.3 | 0.3 | 5.7 | 0.1 | 4.9 | 0.9 | 5.9 |
| 55-59 | 0.1 | 4.0 | 0.7 | 4.8 | 0.1 | 4.3 | 0.2 | 4.6 | 0.1 | 3.8 | 1.1 | 4.9 |
| 60-64 | 0.1 | 3.2 | 0.8 | 4.0 | 0.1 | 3.7 | 0.3 | 4.0 | 0.0 | 2.7 | 1.2 | 3.9 |
| 65-69 | 0.1 | 2.0 | 0.9 | 3.0 | 0.1 | 2.5 | 0.3 | 2.9 | 0.1 | 1.5 | 1.4 | 3.0 |
| 70-74 | 0.0 | 1.2 | 0.7 | 1.9 | 0.0 | 1.6 | 0.3 | 1.9 | 0.0 | 0.8 | 1.1 | 1.9 |
| 75-79 | 0.0 | 0.6 | 0.5 | 1.2 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.3 | 0.8 | 1.2 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.6 | 0.0 | 0.4 | 0.1 | 0.6 | 0.0 | 0.2 | 0.5 | 0.6 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.4 | 0.1 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 43.2 | 51.1 | 5.7 | 100.0 | 48.8 | 48.8 | 2.3 | 100.0 | 37.4 | 53.4 | 9.2 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 13.8 | 0.0 | 0.0 | 13.8 | 14.2 | 0.0 | 0.0 | 14.2 | 13.4 | 0.0 | 0.0 | 13.4 |
| 10-14 | 7.9 | 0.0 | 0.0 | 7.9 | 8.2 | 0.0 | 0.0 | 8.2 | 7.6 | 0.0 | 0.0 | 7.6 |
| 15-19 | 8.4 | 0.1 | 0.0 | 8.5 | 8.8 | 0.0 | 0.0 | 8.9 | 8.0 | 0.2 | 0.0 | 8.2 |
| 20-24 | 7.6 | 2.3 | 0.0 | 9.9 | 9.0 | 0.5 | 0.0 | 9.5 | 6.2 | 4.1 | 0.0 | 10.3 |
| 25-29 | 4.4 | 5.6 | 0.1 | 10.1 | 6.6 | 3.3 | 0.0 | 10.0 | 2.2 | 7.9 | 0.1 | 10.1 |
| 30-34 | 1.5 | 6.9 | 0.1 | 8.6 | 2.5 | 6.4 | 0.1 | 8.9 | 0.6 | 7.5 | 0.2 | 8.2 |
| 35-39 | 0.6 | 6.9 | 0.2 | 7.7 | 0.9 | 6.6 | 0.1 | 7.6 | 0.3 | 7.1 | 0.4 | 7.7 |
| 40-44 | 0.3 | 6.3 | 0.3 | 6.8 | 0.4 | 6.3 | 0.1 | 6.7 | 0.1 | 6.3 | 0.5 | 7.0 |
| 45-49 | 0.2 | 5.6 | 0.5 | 6.3 | 0.2 | 5.7 | 0.2 | 6.1 | 0.1 | 5.5 | 0.8 | 6.4 |
| 50-54 | 0.1 | 4.6 | 0.5 | 5.2 | 0.1 | 5.0 | 0.3 | 5.3 | 0.1 | 4.2 | 0.8 | 5.1 |
| 55-59 | 0.1 | 3.9 | 0.7 | 4.7 | 0.1 | 4.0 | 0.3 | 4.3 | 0.1 | 3.9 | 1.2 | 5.1 |
| 60-64 | 0.0 | 3.0 | 0.7 | 3.7 | 0.0 | 3.4 | 0.3 | 3.7 | 0.0 | 2.6 | 1.1 | 3.7 |
| 65-69 | 0.0 | 2.0 | 0.9 | 3.0 | 0.0 | 2.4 | 0.3 | 2.8 | 0.1 | 1.6 | 1.5 | 3.2 |
| 70-74 | 0.0 | 1.1 | 0.6 | 1.7 | 0.0 | 1.4 | 0.3 | 1.7 | 0.0 | 0.7 | 1.0 | 1.8 |
| 75-79 | 0.0 | 0.6 | 0.6 | 1.2 | 0.0 | 0.9 | 0.3 | 1.2 | 0.0 | 0.3 | 0.9 | 1.3 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.1 | 0.4 | 0.5 |
| 85+ | 0.1 | 0.1 | 0.2 | 0.4 | 0.1 | 0.1 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 45.1 | 49.1 | 5.8 | 100.0 | 51.3 | 46.3 | 2.4 | 100.0 | 38.7 | 52.1 | 9.2 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 12.3 | 0.0 | 0.0 | 12.3 | 12.4 | 0.0 | 0.0 | 12.4 | 12.1 | 0.0 | 0.0 | 12.1 |
| 10-14 | 7.0 | 0.0 | 0.0 | 7.0 | 7.1 | 0.0 | 0.0 | 7.1 | 6.8 | 0.0 | 0.0 | 6.8 |
| 15-19 | 7.5 | 0.2 | 0.0 | 7.7 | 7.9 | 0.0 | 0.0 | 7.9 | 7.2 | 0.4 | 0.0 | 7.5 |
| 20-24 | 6.9 | 1.8 | 0.0 | 8.7 | 8.0 | 0.4 | 0.0 | 8.4 | 5.8 | 3.3 | 0.0 | 9.1 |
| 25-29 | 4.4 | 4.9 | 0.0 | 9.4 | 6.2 | 2.6 | 0.0 | 8.8 | 2.6 | 7.3 | 0.1 | 9.9 |
| 30-34 | 1.7 | 7.5 | 0.1 | 9.3 | 2.7 | 6.6 | 0.1 | 9.4 | 0.7 | 8.5 | 0.2 | 9.3 |
| 35-39 | 0.7 | 7.6 | 0.2 | 8.5 | 1.0 | 7.3 | 0.1 | 8.5 | 0.3 | 8.0 | 0.4 | 8.6 |
| 40-44 | 0.3 | 7.1 | 0.3 | 7.8 | 0.5 | 7.4 | 0.1 | 8.0 | 0.2 | 6.9 | 0.5 | 7.5 |
| 45-49 | 0.2 | 6.0 | 0.4 | 6.6 | 0.3 | 6.5 | 0.2 | 7.0 | 0.1 | 5.5 | 0.6 | 6.3 |
| 50-54 | 0.1 | 5.6 | 0.6 | 6.4 | 0.2 | 5.7 | 0.3 | 6.1 | 0.1 | 5.5 | 1.0 | 6.7 |
| 55-59 | 0.1 | 4.1 | 0.6 | 4.8 | 0.1 | 4.6 | 0.2 | 4.9 | 0.1 | 3.6 | 1.1 | 4.8 |
| 60-64 | 0.1 | 3.4 | 0.8 | 4.2 | 0.1 | 4.0 | 0.3 | 4.3 | 0.1 | 2.8 | 1.3 | 4.1 |
| 65-69 | 0.1 | 2.1 | 0.8 | 3.0 | 0.1 | 2.7 | 0.3 | 3.1 | 0.1 | 1.5 | 1.4 | 2.9 |
| 70-74 | 0.0 | 1.3 | 0.7 | 2.1 | 0.0 | 1.7 | 0.3 | 2.1 | 0.0 | 0.9 | 1.1 | 2.1 |
| 75-79 | 0.0 | 0.6 | 0.5 | 1.1 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.3 | 0.8 | 1.1 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.7 | 0.0 | 0.5 | 0.2 | 0.6 | 0.0 | 0.2 | 0.5 | 0.7 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 41.4 | 52.8 | 5.7 | 100.0 | 46.6 | 51.1 | 2.3 | 100.0 | 36.2 | 54.6 | 9.2 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Telengana**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 13.1 | 0.0 | 0.0 | 13.1 | 13.4 | 0.0 | 0.0 | 13.4 | 12.8 | 0.0 | 0.0 | 12.8 |
| 10-14 | 7.7 | 0.0 | 0.0 | 7.7 | 7.8 | 0.0 | 0.0 | 7.8 | 7.7 | 0.0 | 0.0 | 7.7 |
| 15-19 | 9.7 | 0.2 | 0.0 | 9.9 | 10.1 | 0.1 | 0.0 | 10.2 | 9.2 | 0.3 | 0.0 | 9.6 |
| 20-24 | 8.7 | 2.8 | 0.0 | 11.5 | 10.7 | 0.9 | 0.0 | 11.6 | 6.6 | 4.7 | 0.0 | 11.4 |
| 25-29 | 4.8 | 6.3 | 0.0 | 11.1 | 6.8 | 4.1 | 0.0 | 10.9 | 2.7 | 8.6 | 0.1 | 11.4 |
| 30-34 | 1.2 | 7.7 | 0.1 | 9.1 | 1.8 | 7.1 | 0.0 | 9.0 | 0.6 | 8.4 | 0.2 | 9.2 |
| 35-39 | 0.4 | 7.5 | 0.3 | 8.1 | 0.5 | 7.3 | 0.1 | 7.8 | 0.2 | 7.8 | 0.4 | 8.5 |
| 40-44 | 0.1 | 6.7 | 0.3 | 7.2 | 0.2 | 7.0 | 0.1 | 7.3 | 0.1 | 6.4 | 0.5 | 7.1 |
| 45-49 | 0.1 | 5.3 | 0.4 | 5.8 | 0.1 | 5.8 | 0.2 | 6.1 | 0.0 | 4.7 | 0.7 | 5.4 |
| 50-54 | 0.0 | 4.2 | 0.5 | 4.7 | 0.0 | 4.1 | 0.2 | 4.4 | 0.0 | 4.2 | 0.9 | 5.1 |
| 55-59 | 0.0 | 3.2 | 0.5 | 3.7 | 0.1 | 3.4 | 0.2 | 3.6 | 0.0 | 2.9 | 0.9 | 3.8 |
| 60-64 | 0.0 | 2.4 | 0.5 | 3.0 | 0.0 | 2.7 | 0.2 | 2.9 | 0.0 | 2.2 | 0.8 | 3.0 |
| 65-69 | 0.0 | 1.7 | 0.6 | 2.3 | 0.0 | 2.1 | 0.3 | 2.4 | 0.0 | 1.4 | 0.9 | 2.3 |
| 70-74 | 0.0 | 1.0 | 0.5 | 1.5 | 0.0 | 1.3 | 0.2 | 1.5 | 0.0 | 0.7 | 0.7 | 1.4 |
| 75-79 | 0.0 | 0.4 | 0.3 | 0.7 | 0.0 | 0.6 | 0.2 | 0.7 | 0.0 | 0.2 | 0.5 | 0.7 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 46.0 | 49.6 | 4.4 | 100.0 | 51.5 | 46.7 | 1.7 | 100.0 | 40.2 | 52.6 | 7.1 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 12.2 | 0.0 | 0.0 | 12.2 | 12.4 | 0.0 | 0.0 | 12.4 | 12.0 | 0.0 | 0.0 | 12.0 |
| 10-14 | 7.6 | 0.0 | 0.0 | 7.6 | 7.7 | 0.0 | 0.0 | 7.7 | 7.6 | 0.0 | 0.0 | 7.6 |
| 15-19 | 9.7 | 0.2 | 0.0 | 9.9 | 10.2 | 0.1 | 0.0 | 10.2 | 9.2 | 0.4 | 0.0 | 9.6 |
| 20-24 | 8.6 | 3.1 | 0.0 | 11.7 | 11.1 | 1.1 | 0.0 | 12.1 | 6.0 | 5.1 | 0.0 | 11.1 |
| 25-29 | 4.2 | 6.6 | 0.1 | 10.9 | 6.4 | 4.4 | 0.0 | 10.8 | 2.1 | 8.7 | 0.1 | 10.9 |
| 30-34 | 0.9 | 7.4 | 0.2 | 8.5 | 1.4 | 6.9 | 0.1 | 8.3 | 0.5 | 8.0 | 0.3 | 8.7 |
| 35-39 | 0.3 | 7.3 | 0.3 | 7.9 | 0.3 | 7.1 | 0.1 | 7.5 | 0.2 | 7.5 | 0.5 | 8.2 |
| 40-44 | 0.1 | 6.5 | 0.4 | 7.0 | 0.1 | 6.8 | 0.1 | 7.0 | 0.1 | 6.2 | 0.6 | 6.9 |
| 45-49 | 0.1 | 5.2 | 0.5 | 5.8 | 0.1 | 5.8 | 0.2 | 6.0 | 0.0 | 4.6 | 0.8 | 5.5 |
| 50-54 | 0.0 | 4.4 | 0.6 | 5.0 | 0.0 | 4.3 | 0.2 | 4.5 | 0.0 | 4.5 | 1.0 | 5.5 |
| 55-59 | 0.0 | 3.4 | 0.6 | 4.0 | 0.0 | 3.5 | 0.2 | 3.7 | 0.0 | 3.3 | 1.0 | 4.3 |
| 60-64 | 0.0 | 2.8 | 0.6 | 3.4 | 0.0 | 3.1 | 0.2 | 3.3 | 0.0 | 2.6 | 1.0 | 3.6 |
| 65-69 | 0.0 | 2.0 | 0.7 | 2.7 | 0.0 | 2.3 | 0.3 | 2.7 | 0.0 | 1.7 | 1.1 | 2.8 |
| 70-74 | 0.0 | 1.2 | 0.6 | 1.8 | 0.0 | 1.6 | 0.3 | 2.0 | 0.0 | 0.8 | 0.9 | 1.7 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.7 | 0.2 | 0.9 | 0.0 | 0.3 | 0.5 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.5 | 0.0 | 0.3 | 0.1 | 0.5 | 0.0 | 0.1 | 0.3 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.3 |
| All ages | 43.9 | 50.9 | 5.2 | 100.0 | 49.8 | 48.0 | 2.1 | 100.0 | 37.8 | 53.9 | 8.3 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 14.3 | 0.0 | 0.0 | 14.3 | 14.7 | 0.0 | 0.0 | 14.7 | 13.9 | 0.0 | 0.0 | 13.9 |
| 10-14 | 7.9 | 0.0 | 0.0 | 7.9 | 7.9 | 0.0 | 0.0 | 7.9 | 7.9 | 0.0 | 0.0 | 7.9 |
| 15-19 | 9.7 | 0.2 | 0.0 | 9.9 | 10.1 | 0.1 | 0.0 | 10.1 | 9.3 | 0.3 | 0.0 | 9.6 |
| 20-24 | 8.9 | 2.3 | 0.0 | 11.2 | 10.1 | 0.6 | 0.0 | 10.7 | 7.5 | 4.2 | 0.0 | 11.8 |
| 25-29 | 5.6 | 5.9 | 0.0 | 11.5 | 7.4 | 3.5 | 0.0 | 10.9 | 3.8 | 8.3 | 0.0 | 12.1 |
| 30-34 | 1.6 | 8.2 | 0.1 | 9.9 | 2.4 | 7.5 | 0.0 | 9.9 | 0.8 | 9.0 | 0.2 | 9.9 |
| 35-39 | 0.5 | 7.9 | 0.2 | 8.6 | 0.7 | 7.5 | 0.0 | 8.3 | 0.3 | 8.2 | 0.3 | 8.8 |
| 40-44 | 0.2 | 7.0 | 0.3 | 7.5 | 0.3 | 7.3 | 0.1 | 7.6 | 0.2 | 6.7 | 0.5 | 7.3 |
| 45-49 | 0.1 | 5.3 | 0.3 | 5.8 | 0.2 | 5.9 | 0.1 | 6.2 | 0.0 | 4.7 | 0.5 | 5.3 |
| 50-54 | 0.0 | 3.8 | 0.4 | 4.3 | 0.0 | 4.0 | 0.1 | 4.2 | 0.0 | 3.7 | 0.7 | 4.4 |
| 55-59 | 0.0 | 2.8 | 0.4 | 3.3 | 0.1 | 3.3 | 0.1 | 3.5 | 0.0 | 2.4 | 0.7 | 3.0 |
| 60-64 | 0.0 | 1.9 | 0.4 | 2.3 | 0.0 | 2.2 | 0.1 | 2.3 | 0.0 | 1.6 | 0.6 | 2.2 |
| 65-69 | 0.0 | 1.4 | 0.4 | 1.8 | 0.0 | 1.8 | 0.2 | 2.0 | 0.0 | 0.9 | 0.6 | 1.6 |
| 70-74 | 0.0 | 0.6 | 0.3 | 0.9 | 0.0 | 0.8 | 0.1 | 1.0 | 0.0 | 0.5 | 0.5 | 0.9 |
| 75-79 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.3 | 0.5 |
| 80-84 | 0.0 | 0.1 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.2 | 0.2 |
| All ages | 49.0 | 47.8 | 3.2 | 100.0 | 53.9 | 44.9 | 1.2 | 100.0 | 43.9 | 50.8 | 5.4 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Uttar Pradesh**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 18.3 | 0.0 | 0.0 | 18.3 | 18.7 | 0.0 | 0.0 | 18.7 | 17.9 | 0.0 | 0.0 | 17.9 |
| 10-14 | 10.5 | 0.0 | 0.0 | 10.5 | 10.6 | 0.0 | 0.0 | 10.6 | 10.4 | 0.0 | 0.0 | 10.4 |
| 15-19 | 11.9 | 0.2 | 0.0 | 12.1 | 12.3 | 0.1 | 0.0 | 12.3 | 11.5 | 0.3 | 0.0 | 11.8 |
| 20-24 | 9.4 | 2.4 | 0.0 | 11.8 | 10.3 | 1.3 | 0.0 | 11.6 | 8.4 | 3.5 | 0.0 | 11.9 |
| 25-29 | 4.2 | 6.0 | 0.0 | 10.3 | 5.5 | 4.7 | 0.0 | 10.3 | 2.8 | 7.4 | 0.0 | 10.2 |
| 30-34 | 1.0 | 6.6 | 0.1 | 7.8 | 1.6 | 6.3 | 0.1 | 8.0 | 0.5 | 7.0 | 0.1 | 7.5 |
| 35-39 | 0.3 | 6.1 | 0.1 | 6.5 | 0.5 | 5.8 | 0.1 | 6.4 | 0.1 | 6.4 | 0.1 | 6.7 |
| 40-44 | 0.2 | 5.1 | 0.1 | 5.4 | 0.3 | 5.0 | 0.1 | 5.3 | 0.0 | 5.3 | 0.2 | 5.5 |
| 45-49 | 0.1 | 4.3 | 0.2 | 4.5 | 0.1 | 4.2 | 0.1 | 4.4 | 0.0 | 4.4 | 0.2 | 4.6 |
| 50-54 | 0.1 | 3.1 | 0.2 | 3.4 | 0.1 | 3.1 | 0.2 | 3.4 | 0.0 | 3.0 | 0.3 | 3.3 |
| 55-59 | 0.0 | 2.5 | 0.2 | 2.7 | 0.0 | 2.3 | 0.1 | 2.4 | 0.0 | 2.7 | 0.3 | 3.0 |
| 60-64 | 0.0 | 2.2 | 0.3 | 2.5 | 0.0 | 2.2 | 0.2 | 2.4 | 0.0 | 2.3 | 0.4 | 2.7 |
| 65-69 | 0.0 | 1.5 | 0.3 | 1.8 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.4 | 0.5 | 1.9 |
| 70-74 | 0.0 | 0.9 | 0.3 | 1.2 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.8 | 0.4 | 1.2 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.6 | 0.2 | 0.7 | 0.0 | 0.4 | 0.4 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 56.0 | 41.6 | 2.4 | 100.0 | 60.1 | 38.3 | 1.5 | 100.0 | 51.7 | 45.1 | 3.2 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 19.2 | 0.0 | 0.0 | 19.2 | 19.5 | 0.0 | 0.0 | 19.5 | 18.9 | 0.0 | 0.0 | 18.9 |
| 10-14 | 10.8 | 0.0 | 0.0 | 10.8 | 10.9 | 0.0 | 0.0 | 10.9 | 10.7 | 0.0 | 0.0 | 10.7 |
| 15-19 | 12.2 | 0.2 | 0.0 | 12.4 | 12.6 | 0.1 | 0.0 | 12.7 | 11.8 | 0.3 | 0.0 | 12.1 |
| 20-24 | 9.1 | 2.6 | 0.0 | 11.7 | 10.1 | 1.5 | 0.0 | 11.6 | 8.0 | 3.8 | 0.0 | 11.8 |
| 25-29 | 3.5 | 6.3 | 0.0 | 9.9 | 4.9 | 5.1 | 0.0 | 10.1 | 2.1 | 7.6 | 0.1 | 9.7 |
| 30-34 | 0.8 | 6.7 | 0.1 | 7.5 | 1.2 | 6.4 | 0.1 | 7.7 | 0.2 | 6.9 | 0.1 | 7.2 |
| 35-39 | 0.2 | 5.9 | 0.1 | 6.3 | 0.4 | 5.6 | 0.1 | 6.1 | 0.1 | 6.3 | 0.1 | 6.5 |
| 40-44 | 0.1 | 5.0 | 0.2 | 5.3 | 0.2 | 4.8 | 0.1 | 5.1 | 0.0 | 5.2 | 0.2 | 5.4 |
| 45-49 | 0.1 | 4.2 | 0.2 | 4.4 | 0.1 | 4.1 | 0.1 | 4.3 | 0.0 | 4.3 | 0.2 | 4.5 |
| 50-54 | 0.1 | 2.9 | 0.2 | 3.2 | 0.1 | 3.0 | 0.2 | 3.2 | 0.0 | 2.8 | 0.2 | 3.1 |
| 55-59 | 0.0 | 2.3 | 0.2 | 2.5 | 0.0 | 2.0 | 0.1 | 2.2 | 0.0 | 2.6 | 0.3 | 2.8 |
| 60-64 | 0.0 | 2.2 | 0.3 | 2.5 | 0.0 | 2.1 | 0.2 | 2.4 | 0.0 | 2.3 | 0.3 | 2.6 |
| 65-69 | 0.0 | 1.5 | 0.3 | 1.8 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.4 | 0.5 | 1.9 |
| 70-74 | 0.0 | 0.9 | 0.3 | 1.2 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.9 | 0.4 | 1.3 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.8 | 0.0 | 0.6 | 0.2 | 0.7 | 0.0 | 0.4 | 0.4 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.2 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.3 |
| All ages | 56.2 | 41.4 | 2.4 | 100.0 | 60.3 | 38.1 | 1.6 | 100.0 | 51.8 | 45.1 | 3.1 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 15.5 | 0.0 | 0.0 | 15.5 | 15.9 | 0.0 | 0.0 | 15.9 | 15.0 | 0.0 | 0.0 | 15.0 |
| 10-14 | 9.5 | 0.0 | 0.0 | 9.5 | 9.8 | 0.0 | 0.0 | 9.8 | 9.2 | 0.0 | 0.0 | 9.2 |
| 15-19 | 11.0 | 0.1 | 0.0 | 11.0 | 11.1 | 0.0 | 0.0 | 11.1 | 10.8 | 0.1 | 0.0 | 10.9 |
| 20-24 | 10.3 | 1.6 | 0.0 | 11.9 | 10.8 | 0.8 | 0.0 | 11.6 | 9.7 | 2.5 | 0.0 | 12.2 |
| 25-29 | 6.3 | 5.1 | 0.0 | 11.4 | 7.6 | 3.4 | 0.0 | 11.0 | 4.9 | 6.9 | 0.0 | 11.8 |
| 30-34 | 1.9 | 6.6 | 0.1 | 8.6 | 2.6 | 6.0 | 0.0 | 8.7 | 1.1 | 7.2 | 0.1 | 8.4 |
| 35-39 | 0.6 | 6.6 | 0.1 | 7.3 | 0.9 | 6.4 | 0.1 | 7.3 | 0.3 | 6.8 | 0.2 | 7.2 |
| 40-44 | 0.2 | 5.5 | 0.1 | 5.9 | 0.4 | 5.6 | 0.1 | 6.0 | 0.1 | 5.5 | 0.2 | 5.8 |
| 45-49 | 0.1 | 4.6 | 0.2 | 4.9 | 0.2 | 4.5 | 0.1 | 4.8 | 0.0 | 4.7 | 0.3 | 5.1 |
| 50-54 | 0.1 | 3.6 | 0.2 | 3.9 | 0.1 | 3.6 | 0.2 | 3.9 | 0.0 | 3.7 | 0.3 | 4.0 |
| 55-59 | 0.0 | 3.0 | 0.2 | 3.3 | 0.1 | 3.0 | 0.1 | 3.2 | 0.0 | 3.0 | 0.4 | 3.3 |
| 60-64 | 0.0 | 2.3 | 0.3 | 2.6 | 0.0 | 2.4 | 0.1 | 2.6 | 0.0 | 2.2 | 0.5 | 2.7 |
| 65-69 | 0.0 | 1.4 | 0.3 | 1.8 | 0.0 | 1.5 | 0.1 | 1.7 | 0.0 | 1.3 | 0.5 | 1.8 |
| 70-74 | 0.0 | 0.9 | 0.3 | 1.2 | 0.0 | 1.1 | 0.1 | 1.2 | 0.0 | 0.7 | 0.4 | 1.1 |
| 75-79 | 0.0 | 0.5 | 0.3 | 0.7 | 0.0 | 0.5 | 0.1 | 0.7 | 0.0 | 0.4 | 0.4 | 0.8 |
| 80-84 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 0.2 |
| All ages | 55.6 | 42.0 | 2.4 | 100.0 | 59.6 | 39.1 | 1.3 | 100.0 | 51.2 | 45.2 | 3.6 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**Uttarakhand**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | **Total** | | | | | | | |
| <10 yrs | 19.5 | 0.0 | 0.0 | 19.5 | 20.2 | 0.0 | 0.0 | 20.2 | 18.8 | 0.0 | 0.0 | 18.8 |
| 10-14 | 9.4 | 0.0 | 0.0 | 9.4 | 9.7 | 0.0 | 0.0 | 9.7 | 9.1 | 0.0 | 0.0 | 9.1 |
| 15-19 | 9.4 | 0.8 | 0.0 | 10.2 | 10.4 | 0.0 | 0.0 | 10.4 | 8.3 | 1.6 | 0.0 | 10.0 |
| 20-24 | 8.9 | 3.0 | 0.0 | 11.9 | 11.6 | 0.9 | 0.0 | 12.5 | 6.1 | 5.2 | 0.0 | 11.3 |
| 25-29 | 4.4 | 5.3 | 0.0 | 9.7 | 5.9 | 3.5 | 0.0 | 9.4 | 2.7 | 7.3 | 0.0 | 10.1 |
| 30-34 | 1.3 | 6.8 | 0.1 | 8.1 | 2.0 | 5.8 | 0.0 | 7.8 | 0.6 | 7.7 | 0.1 | 8.4 |
| 35-39 | 0.4 | 6.0 | 0.1 | 6.4 | 0.6 | 5.7 | 0.1 | 6.4 | 0.1 | 6.2 | 0.2 | 6.5 |
| 40-44 | 0.1 | 5.0 | 0.2 | 5.3 | 0.2 | 5.2 | 0.1 | 5.5 | 0.1 | 4.8 | 0.3 | 5.1 |
| 45-49 | 0.1 | 3.6 | 0.2 | 3.9 | 0.1 | 3.6 | 0.1 | 3.8 | 0.0 | 3.6 | 0.3 | 4.0 |
| 50-54 | 0.1 | 3.4 | 0.3 | 3.7 | 0.1 | 3.2 | 0.1 | 3.4 | 0.0 | 3.5 | 0.5 | 4.1 |
| 55-59 | 0.0 | 2.8 | 0.3 | 3.2 | 0.1 | 2.9 | 0.1 | 3.0 | 0.0 | 2.8 | 0.5 | 3.3 |
| 60-64 | 0.0 | 2.8 | 0.5 | 3.4 | 0.1 | 2.8 | 0.2 | 3.1 | 0.0 | 2.9 | 0.8 | 3.7 |
| 65-69 | 0.0 | 1.4 | 0.5 | 1.9 | 0.0 | 1.5 | 0.2 | 1.7 | 0.0 | 1.3 | 0.8 | 2.1 |
| 70-74 | 0.0 | 1.1 | 0.5 | 1.6 | 0.0 | 1.3 | 0.2 | 1.5 | 0.0 | 0.8 | 0.8 | 1.6 |
| 75-79 | 0.0 | 0.4 | 0.3 | 0.7 | 0.0 | 0.5 | 0.1 | 0.7 | 0.0 | 0.3 | 0.5 | 0.7 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.6 | 0.0 | 0.4 | 0.1 | 0.5 | 0.0 | 0.2 | 0.5 | 0.7 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 53.7 | 42.8 | 3.5 | 100.0 | 61.0 | 37.6 | 1.4 | 100.0 | 46.1 | 48.3 | 5.6 | 100.0 |
| | | | | | **Rural** | | | | | | | |
| <10 Yrs | 19.8 | 0.0 | 0.0 | 19.8 | 20.7 | 0.0 | 0.0 | 20.7 | 18.9 | 0.0 | 0.0 | 18.9 |
| 10-14 | 9.8 | 0.0 | 0.0 | 9.8 | 10.2 | 0.0 | 0.0 | 10.2 | 9.4 | 0.0 | 0.0 | 9.4 |
| 15-19 | 9.3 | 1.1 | 0.0 | 10.4 | 10.6 | 0.0 | 0.0 | 10.6 | 8.0 | 2.2 | 0.0 | 10.2 |
| 20-24 | 8.4 | 3.4 | 0.0 | 11.8 | 11.4 | 0.9 | 0.0 | 12.3 | 5.4 | 5.9 | 0.0 | 11.3 |
| 25-29 | 4.0 | 5.4 | 0.0 | 9.5 | 5.6 | 3.5 | 0.0 | 9.1 | 2.4 | 7.4 | 0.0 | 9.8 |
| 30-34 | 1.1 | 6.6 | 0.1 | 7.8 | 1.8 | 5.7 | 0.0 | 7.5 | 0.4 | 7.6 | 0.1 | 8.1 |
| 35-39 | 0.3 | 5.8 | 0.1 | 6.2 | 0.5 | 5.5 | 0.1 | 6.1 | 0.1 | 6.0 | 0.2 | 6.3 |
| 40-44 | 0.1 | 4.8 | 0.2 | 5.0 | 0.2 | 5.0 | 0.1 | 5.2 | 0.0 | 4.5 | 0.2 | 4.8 |
| 45-49 | 0.1 | 3.5 | 0.2 | 3.7 | 0.1 | 3.4 | 0.1 | 3.6 | 0.0 | 3.5 | 0.3 | 3.8 |
| 50-54 | 0.1 | 3.2 | 0.3 | 3.6 | 0.1 | 3.1 | 0.1 | 3.2 | 0.0 | 3.4 | 0.5 | 3.9 |
| 55-59 | 0.0 | 2.8 | 0.3 | 3.2 | 0.1 | 2.9 | 0.1 | 3.0 | 0.0 | 2.8 | 0.6 | 3.4 |
| 60-64 | 0.0 | 3.0 | 0.5 | 3.5 | 0.1 | 2.9 | 0.2 | 3.1 | 0.0 | 3.0 | 0.8 | 3.9 |
| 65-69 | 0.0 | 1.5 | 0.5 | 2.0 | 0.0 | 1.6 | 0.2 | 1.8 | 0.0 | 1.4 | 0.9 | 2.3 |
| 70-74 | 0.0 | 1.1 | 0.6 | 1.7 | 0.0 | 1.4 | 0.2 | 1.7 | 0.0 | 0.8 | 0.9 | 1.7 |
| 75-79 | 0.0 | 0.4 | 0.3 | 0.7 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.3 | 0.5 | 0.8 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.7 | 0.0 | 0.4 | 0.1 | 0.6 | 0.0 | 0.3 | 0.5 | 0.8 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.2 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.4 |
| All ages | 53.1 | 43.2 | 3.7 | 100.0 | 61.3 | 37.2 | 1.5 | 100.0 | 44.8 | 49.3 | 5.9 | 100.0 |
| | | | | | **Urban** | | | | | | | |
| <10 Yrs | 18.8 | 0.0 | 0.0 | 18.8 | 19.0 | 0.0 | 0.0 | 19.0 | 18.6 | 0.0 | 0.0 | 18.6 |
| 10-14 | 8.4 | 0.0 | 0.0 | 8.4 | 8.5 | 0.0 | 0.0 | 8.5 | 8.3 | 0.0 | 0.0 | 8.3 |
| 15-19 | 9.6 | 0.1 | 0.0 | 9.7 | 10.0 | 0.0 | 0.0 | 10.0 | 9.2 | 0.2 | 0.0 | 9.4 |
| 20-24 | 10.2 | 2.0 | 0.0 | 12.2 | 12.2 | 0.8 | 0.0 | 13.0 | 8.2 | 3.2 | 0.0 | 11.4 |
| 25-29 | 5.3 | 5.1 | 0.0 | 10.4 | 6.8 | 3.3 | 0.0 | 10.1 | 3.7 | 7.0 | 0.1 | 10.8 |
| 30-34 | 1.7 | 7.1 | 0.1 | 8.9 | 2.4 | 6.2 | 0.0 | 8.6 | 0.9 | 8.1 | 0.1 | 9.2 |
| 35-39 | 0.5 | 6.5 | 0.1 | 7.1 | 0.8 | 6.2 | 0.1 | 7.1 | 0.3 | 6.7 | 0.2 | 7.2 |
| 40-44 | 0.2 | 5.7 | 0.2 | 6.1 | 0.3 | 5.8 | 0.1 | 6.2 | 0.1 | 5.5 | 0.3 | 5.9 |
| 45-49 | 0.1 | 3.9 | 0.2 | 4.3 | 0.2 | 3.9 | 0.1 | 4.2 | 0.1 | 3.9 | 0.3 | 4.3 |
| 50-54 | 0.1 | 3.7 | 0.3 | 4.0 | 0.1 | 3.5 | 0.1 | 3.7 | 0.1 | 3.9 | 0.5 | 4.4 |
| 55-59 | 0.0 | 2.8 | 0.3 | 3.1 | 0.1 | 2.9 | 0.1 | 3.0 | 0.0 | 2.7 | 0.5 | 3.2 |
| 60-64 | 0.0 | 2.5 | 0.5 | 3.0 | 0.0 | 2.6 | 0.2 | 2.8 | 0.0 | 2.4 | 0.8 | 3.2 |
| 65-69 | 0.0 | 1.2 | 0.4 | 1.6 | 0.0 | 1.4 | 0.2 | 1.5 | 0.0 | 1.0 | 0.6 | 1.6 |
| 70-74 | 0.0 | 0.8 | 0.4 | 1.2 | 0.0 | 1.0 | 0.2 | 1.1 | 0.0 | 0.7 | 0.6 | 1.3 |
| 75-79 | 0.0 | 0.3 | 0.2 | 0.5 | 0.0 | 0.5 | 0.1 | 0.6 | 0.0 | 0.2 | 0.3 | 0.5 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.4 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.2 | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.3 | 0.3 |
| All ages | 55.1 | 41.9 | 3.0 | 100.0 | 60.3 | 38.4 | 1.3 | 100.0 | 49.5 | 45.7 | 4.8 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 2

## Percent distribution of population by sex, marital status and age-group, 2018

**West Bengal**

| Age group | Total | | | | Males | | | | Females | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total | Never Married | Married | W/D/S | Total |
| | | | | | | **Total** | | | | | | |
| <10 yrs | 14.4 | 0.0 | 0.0 | 14.4 | 14.6 | 0.0 | 0.0 | 14.6 | 14.2 | 0.0 | 0.0 | 14.2 |
| 10-14 | 8.2 | 0.0 | 0.0 | 8.2 | 8.2 | 0.0 | 0.0 | 8.2 | 8.3 | 0.0 | 0.0 | 8.3 |
| 15-19 | 9.6 | 0.3 | 0.0 | 9.9 | 9.9 | 0.1 | 0.0 | 10.0 | 9.2 | 0.6 | 0.0 | 9.8 |
| 20-24 | 7.3 | 3.4 | 0.0 | 10.7 | 8.9 | 1.3 | 0.0 | 10.2 | 5.5 | 5.6 | 0.0 | 11.1 |
| 25-29 | 3.8 | 6.2 | 0.1 | 10.1 | 5.6 | 4.3 | 0.0 | 9.9 | 2.0 | 8.2 | 0.1 | 10.2 |
| 30-34 | 1.4 | 7.0 | 0.1 | 8.6 | 2.2 | 6.2 | 0.0 | 8.4 | 0.7 | 7.9 | 0.2 | 8.7 |
| 35-39 | 0.6 | 7.1 | 0.2 | 7.9 | 0.9 | 6.9 | 0.1 | 7.8 | 0.3 | 7.4 | 0.3 | 8.0 |
| 40-44 | 0.3 | 6.4 | 0.2 | 6.9 | 0.4 | 6.5 | 0.1 | 7.0 | 0.2 | 6.3 | 0.3 | 6.9 |
| 45-49 | 0.2 | 5.7 | 0.3 | 6.2 | 0.3 | 5.9 | 0.1 | 6.3 | 0.2 | 5.5 | 0.5 | 6.1 |
| 50-54 | 0.2 | 4.2 | 0.3 | 4.6 | 0.2 | 4.7 | 0.1 | 5.0 | 0.1 | 3.7 | 0.5 | 4.3 |
| 55-59 | 0.1 | 3.5 | 0.4 | 3.9 | 0.1 | 3.7 | 0.2 | 4.0 | 0.1 | 3.2 | 0.6 | 3.9 |
| 60-64 | 0.1 | 2.7 | 0.5 | 3.3 | 0.1 | 3.1 | 0.1 | 3.4 | 0.1 | 2.3 | 0.9 | 3.3 |
| 65-69 | 0.0 | 1.6 | 0.5 | 2.1 | 0.1 | 2.0 | 0.1 | 2.2 | 0.0 | 1.1 | 0.9 | 2.0 |
| 70-74 | 0.0 | 1.0 | 0.5 | 1.5 | 0.0 | 1.3 | 0.2 | 1.5 | 0.0 | 0.7 | 0.8 | 1.5 |
| 75-79 | 0.0 | 0.5 | 0.4 | 0.9 | 0.0 | 0.7 | 0.1 | 0.8 | 0.0 | 0.3 | 0.6 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.5 | 0.0 | 0.4 | 0.1 | 0.4 | 0.0 | 0.1 | 0.4 | 0.5 |
| 85+ | 0.0 | 0.1 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.0 | 0.1 | 0.3 | 0.3 |
| All ages | 46.3 | 49.9 | 3.8 | 100.0 | 51.6 | 47.2 | 1.3 | 100.0 | 40.9 | 52.8 | 6.3 | 100.0 |
| | | | | | | **Rural** | | | | | | |
| <10 Yrs | 15.5 | 0.0 | 0.0 | 15.5 | 15.7 | 0.0 | 0.0 | 15.7 | 15.2 | 0.0 | 0.0 | 15.2 |
| 10-14 | 8.9 | 0.0 | 0.0 | 8.9 | 8.8 | 0.0 | 0.0 | 8.8 | 9.0 | 0.0 | 0.0 | 9.0 |
| 15-19 | 10.2 | 0.3 | 0.0 | 10.5 | 10.6 | 0.1 | 0.0 | 10.7 | 9.7 | 0.6 | 0.0 | 10.4 |
| 20-24 | 7.3 | 3.8 | 0.0 | 11.1 | 9.3 | 1.4 | 0.0 | 10.7 | 5.4 | 6.2 | 0.0 | 11.6 |
| 25-29 | 3.4 | 6.7 | 0.1 | 10.2 | 5.3 | 4.8 | 0.0 | 10.1 | 1.6 | 8.6 | 0.1 | 10.2 |
| 30-34 | 1.1 | 7.1 | 0.1 | 8.3 | 1.8 | 6.5 | 0.0 | 8.3 | 0.4 | 7.8 | 0.2 | 8.4 |
| 35-39 | 0.4 | 7.2 | 0.2 | 7.8 | 0.6 | 7.0 | 0.0 | 7.7 | 0.2 | 7.3 | 0.3 | 7.8 |
| 40-44 | 0.2 | 6.2 | 0.2 | 6.6 | 0.3 | 6.4 | 0.1 | 6.7 | 0.1 | 6.1 | 0.3 | 6.6 |
| 45-49 | 0.2 | 5.5 | 0.3 | 5.9 | 0.2 | 5.8 | 0.1 | 6.0 | 0.1 | 5.2 | 0.5 | 5.8 |
| 50-54 | 0.1 | 3.8 | 0.3 | 4.1 | 0.1 | 4.5 | 0.1 | 4.7 | 0.1 | 3.0 | 0.4 | 3.5 |
| 55-59 | 0.1 | 3.1 | 0.3 | 3.5 | 0.1 | 3.2 | 0.1 | 3.4 | 0.0 | 3.0 | 0.5 | 3.6 |
| 60-64 | 0.1 | 2.4 | 0.5 | 2.9 | 0.1 | 2.6 | 0.1 | 2.8 | 0.0 | 2.2 | 0.8 | 3.1 |
| 65-69 | 0.0 | 1.4 | 0.5 | 1.9 | 0.0 | 1.7 | 0.1 | 1.9 | 0.0 | 1.0 | 0.8 | 1.9 |
| 70-74 | 0.0 | 0.9 | 0.5 | 1.4 | 0.0 | 1.1 | 0.1 | 1.3 | 0.0 | 0.6 | 0.8 | 1.5 |
| 75-79 | 0.0 | 0.4 | 0.4 | 0.8 | 0.0 | 0.6 | 0.1 | 0.7 | 0.0 | 0.3 | 0.6 | 0.9 |
| 80-84 | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.3 | 0.4 |
| 85+ | 0.0 | 0.1 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 | 0.2 | 0.0 | 0.0 | 0.2 | 0.3 |
| All ages | 47.5 | 49.0 | 3.4 | 100.0 | 52.9 | 46.1 | 1.0 | 100.0 | 42.0 | 52.1 | 5.9 | 100.0 |
| | | | | | | **Urban** | | | | | | |
| <10 Yrs | 12.0 | 0.0 | 0.0 | 12.0 | 12.1 | 0.0 | 0.0 | 12.1 | 11.8 | 0.0 | 0.0 | 11.8 |
| 10-14 | 6.6 | 0.0 | 0.0 | 6.6 | 6.6 | 0.0 | 0.0 | 6.6 | 6.7 | 0.0 | 0.0 | 6.7 |
| 15-19 | 8.2 | 0.2 | 0.0 | 8.4 | 8.4 | 0.0 | 0.0 | 8.4 | 7.9 | 0.4 | 0.0 | 8.3 |
| 20-24 | 7.1 | 2.5 | 0.0 | 9.6 | 8.2 | 0.9 | 0.0 | 9.1 | 5.9 | 4.1 | 0.0 | 10.1 |
| 25-29 | 4.7 | 5.2 | 0.1 | 9.9 | 6.4 | 3.1 | 0.0 | 9.5 | 3.0 | 7.2 | 0.1 | 10.3 |
| 30-34 | 2.2 | 6.8 | 0.1 | 9.1 | 3.2 | 5.6 | 0.0 | 8.8 | 1.2 | 8.0 | 0.2 | 9.4 |
| 35-39 | 1.0 | 7.0 | 0.2 | 8.2 | 1.4 | 6.6 | 0.1 | 8.0 | 0.6 | 7.5 | 0.3 | 8.3 |
| 40-44 | 0.6 | 6.8 | 0.2 | 7.6 | 0.8 | 6.8 | 0.1 | 7.7 | 0.3 | 6.9 | 0.4 | 7.6 |
| 45-49 | 0.4 | 6.1 | 0.4 | 6.9 | 0.5 | 6.3 | 0.1 | 6.9 | 0.3 | 6.0 | 0.6 | 6.9 |
| 50-54 | 0.3 | 5.2 | 0.4 | 5.8 | 0.3 | 5.2 | 0.2 | 5.7 | 0.2 | 5.1 | 0.6 | 6.0 |
| 55-59 | 0.2 | 4.3 | 0.5 | 5.0 | 0.2 | 4.9 | 0.3 | 5.4 | 0.1 | 3.6 | 0.8 | 4.5 |
| 60-64 | 0.2 | 3.5 | 0.6 | 4.3 | 0.2 | 4.4 | 0.2 | 4.8 | 0.1 | 2.7 | 1.0 | 3.7 |
| 65-69 | 0.1 | 2.0 | 0.6 | 2.7 | 0.1 | 2.6 | 0.2 | 2.9 | 0.1 | 1.4 | 1.0 | 2.5 |
| 70-74 | 0.1 | 1.2 | 0.5 | 1.8 | 0.1 | 1.7 | 0.2 | 1.9 | 0.1 | 0.8 | 0.8 | 1.7 |
| 75-79 | 0.0 | 0.7 | 0.4 | 1.1 | 0.0 | 0.9 | 0.2 | 1.1 | 0.0 | 0.4 | 0.6 | 1.1 |
| 80-84 | 0.0 | 0.3 | 0.3 | 0.7 | 0.0 | 0.5 | 0.1 | 0.7 | 0.0 | 0.2 | 0.5 | 0.7 |
| 85+ | 0.0 | 0.2 | 0.2 | 0.4 | 0.0 | 0.3 | 0.1 | 0.4 | 0.0 | 0.1 | 0.4 | 0.5 |
| All ages | 43.6 | 52.0 | 4.5 | 100.0 | 48.6 | 49.7 | 1.7 | 100.0 | 38.4 | 54.3 | 7.3 | 100.0 |

W/D/S - Widowed/Divorced/Separated.

## Table 3

## Fertility Indicators, 2018

| Indicators | Age group | Total | Rural | Urban |
|---|---|---|---|---|
| | | **India** | | |
| Age specific fertility rates | 15-19 | 12.2 | 13.5 | 8.4 |
| | 20-24 | 122.9 | 135.9 | 91.5 |
| | 25-29 | 146.4 | 160.1 | 119.1 |
| | 30-34 | 94.7 | 101.3 | 81.7 |
| | 35-39 | 36.9 | 40.7 | 30.2 |
| | 40-44 | 12.7 | 14.8 | 9.1 |
| | 45-49 | 4.4 | 5.5 | 2.4 |
| Age specific marital fertility rates | 15-19 | 322.7 | 332.4 | 289.7 |
| | 20-24 | 299.8 | 309.0 | 273.6 |
| | 25-29 | 190.9 | 199.0 | 173.2 |
| | 30-34 | 103.4 | 109.2 | 92.6 |
| | 35-39 | 39.5 | 43.2 | 32.7 |
| | 40-44 | 13.7 | 15.9 | 9.9 |
| | 45-49 | 4.9 | 6.1 | 2.7 |
| Crude birth rate | | 20.0 | 21.6 | 16.7 |
| General fertility rate | | 70.4 | 77.4 | 56.7 |
| Total fertility rate | | 2.2 | 2.4 | 1.7 |
| Gross reproduction rate | | 1.0 | 1.1 | 0.8 |
| General marital fertility rate | | 109.2 | 119.1 | 89.3 |
| Total marital fertility rate | | 4.9 | 5.1 | 4.4 |

## Table 3

## Fertility Indicators, 2018

| Indicators | Age group | Total | Rural | Urban | Total | Rural | Urban |
|---|---|---|---|---|---|---|---|
| | | **Andhra Pradesh** | | | **Bihar** | | |
| Age specific fertility rates | 15-19 | 10.2 | 12.9 | 4.6 | 11.9 | 12.2 | 9.6 |
| | 20-24 | 124.3 | 132.8 | 106.5 | 139.7 | 141.5 | 128.5 |
| | 25-29 | 110.5 | 113.8 | 103.8 | 219.7 | 222.8 | 199.2 |
| | 30-34 | 46.8 | 44.6 | 51.4 | 171.4 | 181.1 | 114.6 |
| | 35-39 | 16.1 | 16.1 | 16.0 | 59.9 | 64.4 | 32.0 |
| | 40-44 | 6.6 | 7.2 | 5.4 | 22.8 | 25.0 | 11.1 |
| | 45-49 | 2.8 | 2.8 | 2.7 | 6.6 | 7.3 | 1.8 |
| Age specific marital fertility rates | 15-19 | 204.3 | 275.9 | 80.6 | 380.5 | 376.6 | 421.8 |
| | 20-24 | 267.0 | 270.8 | 257.7 | 350.2 | 347.1 | 373.4 |
| | 25-29 | 138.1 | 138.4 | 137.5 | 260.1 | 257.7 | 279.7 |
| | 30-34 | 51.1 | 48.1 | 57.2 | 177.9 | 186.4 | 124.7 |
| | 35-39 | 17.3 | 17.3 | 17.2 | 61.3 | 65.7 | 33.5 |
| | 40-44 | 7.3 | 7.9 | 6.0 | 23.6 | 25.8 | 11.6 |
| | 45-49 | 3.2 | 3.2 | 3.2 | 6.9 | 7.6 | 1.9 |
| Crude birth rate | | 16.0 | 16.4 | 15.3 | 26.2 | 26.8 | 21.9 |
| General fertility rate | | 53.5 | 55.5 | 49.4 | 99.8 | 102.5 | 82.8 |
| Total fertility rate | | 1.6 | 1.7 | 1.5 | 3.2 | 3.3 | 2.5 |
| Gross reproduction rate | | 0.8 | 0.8 | 0.7 | 1.5 | 1.6 | 1.2 |
| General marital fertility rate | | 77.1 | 78.9 | 73.3 | 160.9 | 164.3 | 138.2 |
| Total marital fertility rate | | 3.4 | 3.8 | 2.8 | 6.3 | 6.3 | 6.2 |
| | | | **Assam** | | | **Chhattisgarh** | |
| Age specific fertility rates | 15-19 | 22.0 | 23.1 | 13.8 | 15.1 | 16.7 | 10.0 |
| | 20-24 | 104.1 | 110.0 | 63.4 | 157.6 | 175.7 | 97.6 |
| | 25-29 | 136.6 | 145.7 | 85.8 | 163.2 | 169.5 | 144.3 |
| | 30-34 | 112.5 | 117.9 | 84.0 | 96.2 | 104.1 | 74.4 |
| | 35-39 | 51.1 | 53.0 | 42.2 | 36.1 | 40.2 | 24.3 |
| | 40-44 | 16.1 | 16.1 | 16.5 | 10.6 | 10.3 | 11.6 |
| | 45-49 | 6.2 | 6.6 | 4.5 | 2.3 | 2.0 | 3.2 |
| Age specific marital fertility rates | 15-19 | 612.9 | 620.5 | 532.9 | 390.9 | 427.4 | 266.0 |
| | 20-24 | 249.6 | 255.9 | 193.0 | 350.1 | 365.1 | 281.3 |
| | 25-29 | 183.3 | 188.9 | 143.5 | 205.9 | 206.9 | 202.6 |
| | 30-34 | 129.0 | 133.1 | 105.0 | 106.5 | 114.3 | 84.1 |
| | 35-39 | 57.0 | 58.6 | 48.8 | 39.6 | 43.8 | 27.2 |
| | 40-44 | 18.0 | 17.8 | 18.9 | 11.7 | 11.3 | 12.9 |
| | 45-49 | 7.1 | 7.6 | 5.2 | 2.6 | 2.3 | 3.7 |
| Crude birth rate | | 21.1 | 22.2 | 14.6 | 22.5 | 24.0 | 17.8 |
| General fertility rate | | 73.4 | 77.7 | 49.2 | 78.7 | 85.2 | 58.9 |
| Total fertility rate | | 2.2 | 2.4 | 1.6 | 2.4 | 2.6 | 1.8 |
| Gross reproduction rate | | 1.1 | 1.1 | 0.7 | 1.1 | 1.2 | 0.9 |
| General marital fertility rate | | 117.5 | 123.7 | 81.1 | 121.4 | 130.1 | 94.0 |
| Total marital fertility rate | | 6.3 | 6.4 | 5.2 | 5.5 | 5.9 | 4.4 |

## Table 3

## Fertility Indicators, 2018

| Indicators | Age group | Total | Rural | Urban | Total | Rural | Urban |
|---|---|---|---|---|---|---|---|
| | | | **Delhi** | | | **Haryana** | |
| Age specific fertility rates | 15-19 | 3.2 | 4.9 | 3.2 | 5.0 | 3.5 | 7.5 |
| | 20-24 | 74.1 | 99.1 | 73.5 | 118.3 | 123.9 | 108.5 |
| | 25-29 | 114.7 | 103.8 | 115.0 | 169.1 | 185.3 | 145.6 |
| | 30-34 | 65.7 | 69.5 | 65.6 | 91.4 | 105.6 | 70.2 |
| | 35-39 | 24.6 | 22.9 | 24.6 | 33.7 | 37.1 | 28.4 |
| | 40-44 | 8.0 | 9.6 | 7.9 | 10.6 | 14.0 | 5.5 |
| | 45-49 | 1.7 | 0.0 | 1.7 | 7.0 | 6.7 | 7.5 |
| Age specific marital fertility rates | 15-19 | 291.9 | 479.5 | 288.1 | 195.1 | 112.5 | 496.2 |
| | 20-24 | 277.0 | 289.5 | 276.6 | 261.7 | 260.1 | 264.8 |
| | 25-29 | 183.9 | 149.4 | 185.0 | 208.0 | 222.0 | 186.5 |
| | 30-34 | 76.5 | 79.5 | 76.4 | 95.6 | 109.3 | 74.6 |
| | 35-39 | 26.4 | 24.0 | 26.5 | 34.8 | 38.3 | 29.4 |
| | 40-44 | 8.4 | 10.1 | 8.4 | 11.1 | 14.6 | 5.8 |
| | 45-49 | 1.9 | 0.0 | 1.9 | 7.5 | 7.1 | 8.1 |
| Crude birth rate | | 14.7 | 16.2 | 14.7 | 20.3 | 21.7 | 18.0 |
| General fertility rate | | 50.3 | 57.1 | 50.1 | 72.7 | 78.7 | 63.2 |
| Total fertility rate | | 1.5 | 1.5 | 1.5 | 2.2 | 2.4 | 1.9 |
| Gross reproduction rate | | 0.6 | 0.8 | 0.6 | 1.0 | 1.1 | 0.9 |
| General marital fertility rate | | 83.9 | 89.8 | 83.7 | 107.2 | 115.7 | 93.8 |
| Total marital fertility rate | | 4.3 | 5.2 | 4.3 | 4.1 | 3.8 | 5.3 |
| | | | **Gujarat** | | | **Himachal Pradesh** | |
| Age specific fertility rates | 15-19 | 10.9 | 13.9 | 6.7 | 11.5 | 12.7 | 0.0 |
| | 20-24 | 135.5 | 165.2 | 96.0 | 80.9 | 84.0 | 41.2 |
| | 25-29 | 153.6 | 160.6 | 145.9 | 117.3 | 119.2 | 94.6 |
| | 30-34 | 82.5 | 89.3 | 75.8 | 79.3 | 81.2 | 60.2 |
| | 35-39 | 28.1 | 31.9 | 24.1 | 26.5 | 27.0 | 21.5 |
| | 40-44 | 8.8 | 10.0 | 7.4 | 4.5 | 4.6 | 3.7 |
| | 45-49 | 3.4 | 3.0 | 3.8 | 1.4 | 1.4 | 1.3 |
| Age specific marital fertility rates | 15-19 | 394.3 | 388.6 | 412.3 | 301.5 | 309.3 | 0.0 |
| | 20-24 | 330.2 | 349.4 | 293.3 | 215.9 | 216.0 | 212.3 |
| | 25-29 | 198.1 | 196.0 | 200.8 | 156.8 | 155.9 | 171.5 |
| | 30-34 | 89.1 | 94.9 | 83.2 | 86.2 | 87.6 | 71.5 |
| | 35-39 | 29.5 | 33.5 | 25.4 | 27.8 | 28.3 | 23.1 |
| | 40-44 | 9.4 | 10.7 | 7.8 | 4.7 | 4.8 | 3.9 |
| | 45-49 | 3.7 | 3.3 | 4.2 | 1.6 | 1.6 | 1.4 |
| Crude birth rate | | 19.7 | 21.6 | 17.4 | 15.7 | 16.2 | 10.3 |
| General fertility rate | | 70.1 | 78.5 | 60.2 | 53.7 | 55.4 | 34.7 |
| Total fertility rate | | 2.1 | 2.4 | 1.8 | 1.6 | 1.7 | 1.1 |
| Gross reproduction rate | | 1.0 | 1.1 | 0.8 | 0.8 | 0.8 | 0.5 |
| General marital fertility rate | | 105.6 | 117.6 | 91.4 | 79.0 | 80.9 | 56.6 |
| Total marital fertility rate | | 5.3 | 5.4 | 5.1 | 4.0 | 4.0 | 2.4 |

## Table 3

## Fertility Indicators, 2018

| Indicators | Age group | Total | Rural | Urban | Total | Rural | Urban |
|---|---|---|---|---|---|---|---|
| | | **Jammu & Kashmir** | | | **Karnataka** | | |
| Age specific fertility rates | 15-19 | 3.1 | 3.7 | 1.6 | 7.9 | 8.8 | 6.4 |
| | 20-24 | 39.8 | 42.1 | 33.8 | 102.2 | 122.5 | 70.5 |
| | 25-29 | 84.2 | 100.4 | 49.1 | 120.7 | 129.1 | 108.7 |
| | 30-34 | 104.2 | 118.4 | 76.1 | 76.7 | 71.7 | 83.8 |
| | 35-39 | 60.3 | 63.3 | 54.4 | 22.8 | 18.3 | 29.2 |
| | 40-44 | 19.8 | 21.7 | 16.2 | 5.9 | 5.7 | 6.2 |
| | 45-49 | 6.5 | 7.2 | 5.2 | 3.2 | 1.4 | 6.1 |
| Age specific marital fertility rates | 15-19 | 313.0 | 435.9 | 107.0 | 180.5 | 191.0 | 160.3 |
| | 20-24 | 280.3 | 276.0 | 294.9 | 207.3 | 221.8 | 176.3 |
| | 25-29 | 212.8 | 233.6 | 152.9 | 153.0 | 159.7 | 142.7 |
| | 30-34 | 150.7 | 165.3 | 118.3 | 85.0 | 79.4 | 92.7 |
| | 35-39 | 71.6 | 74.9 | 64.9 | 25.1 | 20.2 | 32.1 |
| | 40-44 | 21.5 | 23.4 | 17.8 | 6.7 | 6.5 | 6.9 |
| | 45-49 | 6.9 | 7.7 | 5.5 | 3.8 | 1.7 | 7.0 |
| Crude birth rate | | 15.4 | 17.0 | 11.7 | 17.2 | 18.1 | 15.9 |
| General fertility rate | | 50.4 | 56.3 | 37.6 | 57.8 | 61.4 | 52.4 |
| Total fertility rate | | 1.6 | 1.8 | 1.2 | 1.7 | 1.8 | 1.6 |
| Gross reproduction rate | | 0.8 | 0.9 | 0.6 | 0.8 | 0.9 | 0.7 |
| General marital fertility rate | | 102.4 | 115.2 | 75.1 | 85.9 | 90.3 | 79.1 |
| Total marital fertility rate | | 5.3 | 6.1 | 3.8 | 3.3 | 3.4 | 3.1 |
| | | **Jharkhand** | | | **Kerala** | | |
| Age specific fertility rates | 15-19 | 13.9 | 13.5 | 15.5 | 11.9 | 11.0 | 12.8 |
| | 20-24 | 139.2 | 148.9 | 107.5 | 88.2 | 88.4 | 87.9 |
| | 25-29 | 162.9 | 180.0 | 116.3 | 111.6 | 103.6 | 120.2 |
| | 30-34 | 108.4 | 115.2 | 89.7 | 83.5 | 86.5 | 80.5 |
| | 35-39 | 44.9 | 48.1 | 36.2 | 29.3 | 30.9 | 27.7 |
| | 40-44 | 23.5 | 26.4 | 15.9 | 6.2 | 8.6 | 3.8 |
| | 45-49 | 4.6 | 5.1 | 3.0 | 0.7 | 0.9 | 0.5 |
| Age specific marital fertility rates | 15-19 | 486.5 | 441.7 | 720.8 | 515.1 | 408.6 | 664.4 |
| | 20-24 | 329.8 | 329.0 | 333.7 | 235.2 | 232.2 | 238.3 |
| | 25-29 | 211.9 | 219.4 | 185.3 | 138.8 | 128.3 | 150.3 |
| | 30-34 | 119.8 | 124.7 | 105.3 | 89.3 | 92.6 | 86.0 |
| | 35-39 | 48.4 | 51.8 | 39.3 | 31.4 | 33.0 | 29.8 |
| | 40-44 | 25.0 | 27.9 | 17.0 | 6.8 | 9.4 | 4.1 |
| | 45-49 | 4.9 | 5.5 | 3.2 | 0.8 | 1.1 | 0.5 |
| Crude birth rate | | 22.6 | 24.0 | 18.1 | 13.9 | 13.8 | 14.0 |
| General fertility rate | | 80.8 | 86.7 | 63.4 | 48.6 | 48.7 | 48.4 |
| Total fertility rate | | 2.5 | 2.7 | 1.9 | 1.7 | 1.7 | 1.7 |
| Gross reproduction rate | | 1.2 | 1.3 | 0.9 | 0.9 | 0.8 | 0.9 |
| General marital fertility rate | | 128.5 | 136.0 | 104.9 | 69.5 | 69.6 | 69.5 |
| Total marital fertility rate | | 6.1 | 6.0 | 7.0 | 5.1 | 4.5 | 5.9 |

## Table 3

## Fertility Indicators, 2018

| Indicators | Age group | Total | Rural | Urban | Total | Rural | Urban |
|---|---|---|---|---|---|---|---|
| | | **Madhya Pradesh** | | | **Odisha** | | |
| Age specific fertility rates | 15-19 | 15.5 | 18.8 | 5.7 | 10.3 | 10.9 | 7.3 |
| | 20-24 | 165.6 | 187.0 | 104.9 | 112.8 | 119.1 | 83.0 |
| | 25-29 | 198.8 | 227.5 | 129.6 | 129.2 | 136.3 | 97.3 |
| | 30-34 | 102.7 | 99.3 | 110.8 | 78.5 | 84.5 | 52.7 |
| | 35-39 | 42.2 | 40.5 | 46.5 | 28.9 | 32.0 | 16.4 |
| | 40-44 | 13.0 | 14.0 | 10.6 | 11.8 | 13.5 | 5.0 |
| | 45-49 | 4.0 | 4.4 | 2.9 | 2.7 | 2.8 | 2.0 |
| Age specific marital fertility rates | 15-19 | 264.2 | 278.6 | 173.6 | 215.7 | 213.2 | 236.8 |
| | 20-24 | 322.7 | 334.1 | 275.2 | 246.1 | 249.6 | 224.6 |
| | 25-29 | 234.7 | 255.2 | 175.4 | 168.4 | 173.5 | 141.8 |
| | 30-34 | 108.9 | 103.3 | 123.3 | 87.4 | 93.5 | 60.0 |
| | 35-39 | 44.4 | 42.2 | 49.9 | 31.8 | 35.1 | 18.2 |
| | 40-44 | 13.9 | 14.9 | 11.6 | 13.1 | 14.9 | 5.6 |
| | 45-49 | 4.4 | 4.9 | 3.3 | 3.0 | 3.2 | 2.3 |
| Crude birth rate | | 24.6 | 26.6 | 19.1 | 18.2 | 19.2 | 13.4 |
| General fertility rate | | 91.2 | 100.5 | 67.3 | 63.4 | 67.6 | 44.6 |
| Total fertility rate | | 2.7 | 3.0 | 2.1 | 1.9 | 2.0 | 1.3 |
| Gross reproduction rate | | 1.3 | 1.4 | 1.0 | 0.9 | 1.0 | 0.7 |
| General marital fertility rate | | 135.0 | 145.7 | 105.2 | 97.1 | 102.8 | 70.7 |
| Total marital fertility rate | | 5.0 | 5.2 | 4.1 | 3.8 | 3.9 | 3.4 |
| | | **Maharashtra** | | | **Punjab** | | |
| Age specific fertility rates | 15-19 | 8.8 | 8.1 | 9.7 | 4.5 | 4.6 | 4.4 |
| | 20-24 | 119.1 | 138.2 | 95.6 | 78.7 | 86.2 | 68.4 |
| | 25-29 | 107.2 | 126.0 | 89.5 | 109.0 | 112.0 | 105.0 |
| | 30-34 | 69.0 | 60.3 | 77.2 | 76.8 | 81.3 | 71.2 |
| | 35-39 | 21.1 | 20.3 | 22.0 | 32.4 | 31.1 | 34.2 |
| | 40-44 | 6.1 | 6.0 | 6.3 | 9.9 | 10.1 | 9.6 |
| | 45-49 | 1.6 | 1.5 | 1.8 | 3.5 | 4.8 | 1.7 |
| Age specific marital fertility rates | 15-19 | 200.3 | 175.6 | 238.6 | 250.0 | 228.8 | 288.4 |
| | 20-24 | 272.9 | 279.4 | 262.1 | 291.9 | 322.0 | 251.4 |
| | 25-29 | 147.2 | 164.6 | 129.0 | 178.1 | 180.8 | 174.4 |
| | 30-34 | 78.6 | 67.8 | 88.8 | 90.5 | 93.7 | 86.3 |
| | 35-39 | 23.0 | 21.8 | 24.2 | 34.6 | 32.8 | 37.0 |
| | 40-44 | 6.7 | 6.4 | 6.9 | 10.6 | 10.7 | 10.3 |
| | 45-49 | 1.8 | 1.6 | 2.1 | 3.8 | 5.2 | 1.8 |
| Crude birth rate | | 15.6 | 15.9 | 15.2 | 14.8 | 15.3 | 14.0 |
| General fertility rate | | 55.1 | 59.4 | 50.4 | 52.3 | 54.7 | 49.1 |
| Total fertility rate | | 1.7 | 1.8 | 1.5 | 1.6 | 1.7 | 1.5 |
| Gross reproduction rate | | 0.8 | 0.8 | 0.7 | 0.7 | 0.8 | 0.7 |
| General marital fertility rate | | 84.2 | 90.1 | 77.7 | 85.3 | 88.8 | 80.6 |
| Total marital fertility rate | | 3.7 | 3.6 | 3.8 | 4.3 | 4.4 | 4.2 |

## Table 3

## Fertility Indicators, 2018

| Indicators | Age group | Total | Rural | Urban | Total | Rural | Urban |
|---|---|---|---|---|---|---|---|
| | | | **Rajasthan** | | | **Telengana** | |
| Age specific fertility rates | 15-19 | 9.0 | 9.4 | 8.0 | 7.0 | 7.3 | 6.5 |
| | 20-24 | 154.0 | 162.5 | 128.0 | 112.5 | 129.8 | 88.3 |
| | 25-29 | 187.6 | 197.6 | 162.0 | 117.5 | 119.7 | 114.4 |
| | 30-34 | 100.1 | 103.5 | 92.0 | 59.1 | 52.1 | 68.2 |
| | 35-39 | 39.0 | 40.9 | 33.9 | 16.6 | 16.9 | 16.1 |
| | 40-44 | 11.8 | 13.8 | 7.1 | 7.4 | 5.1 | 10.6 |
| | 45-49 | 6.0 | 7.8 | 1.5 | 2.5 | 3.4 | 1.3 |
| Age specific marital fertility rates | 15-19 | 229.7 | 233.2 | 217.4 | 192.4 | 187.4 | 201.5 |
| | 20-24 | 329.6 | 332.5 | 318.9 | 271.2 | 284.8 | 246.8 |
| | 25-29 | 219.0 | 220.9 | 213.4 | 156.4 | 149.7 | 166.9 |
| | 30-34 | 103.9 | 106.3 | 97.8 | 64.8 | 56.7 | 75.5 |
| | 35-39 | 40.4 | 42.3 | 35.5 | 18.0 | 18.5 | 17.4 |
| | 40-44 | 12.4 | 14.6 | 7.5 | 8.1 | 5.7 | 11.5 |
| | 45-49 | 6.4 | 8.3 | 1.6 | 2.9 | 4.0 | 1.4 |
| Crude birth rate | | 24.0 | 24.9 | 21.3 | 16.9 | 17.2 | 16.5 |
| General fertility rate | | 86.0 | 90.5 | 73.7 | 55.0 | 56.9 | 52.2 |
| Total fertility rate | | 2.5 | 2.7 | 2.2 | 1.6 | 1.7 | 1.5 |
| Gross reproduction rate | | 1.2 | 1.3 | 1.1 | 0.8 | 0.8 | 0.8 |
| General marital fertility rate | | 127.8 | 133.9 | 110.9 | 84.0 | 85.6 | 81.8 |
| Total marital fertility rate | | 4.7 | 4.8 | 4.5 | 3.6 | 3.5 | 3.6 |
| | | | **Tamil Nadu** | | | **Uttar Pradesh** | |
| Age specific fertility rates | 15-19 | 8.6 | 7.3 | 9.9 | 8.5 | 9.3 | 5.8 |
| | 20-24 | 95.6 | 102.6 | 88.6 | 124.9 | 138.3 | 85.1 |
| | 25-29 | 122.7 | 119.6 | 125.5 | 189.1 | 206.1 | 146.4 |
| | 30-34 | 64.3 | 61.2 | 66.7 | 147.8 | 150.2 | 141.6 |
| | 35-39 | 19.3 | 19.1 | 19.4 | 72.8 | 74.6 | 67.6 |
| | 40-44 | 3.1 | 3.0 | 3.2 | 28.7 | 29.2 | 27.1 |
| | 45-49 | 1.3 | 1.5 | 1.1 | 10.4 | 12.9 | 3.6 |
| Age specific marital fertility rates | 15-19 | 225.6 | 252.0 | 209.9 | 395.9 | 374.5 | 576.2 |
| | 20-24 | 253.7 | 259.6 | 247.1 | 424.3 | 426.0 | 416.2 |
| | 25-29 | 162.8 | 153.7 | 171.5 | 260.8 | 263.9 | 250.3 |
| | 30-34 | 70.8 | 67.4 | 73.4 | 159.4 | 157.5 | 164.9 |
| | 35-39 | 21.0 | 20.9 | 21.1 | 75.7 | 76.9 | 72.1 |
| | 40-44 | 3.4 | 3.3 | 3.5 | 30.0 | 30.5 | 28.6 |
| | 45-49 | 1.5 | 1.8 | 1.3 | 11.0 | 13.6 | 3.9 |
| Crude birth rate | | 14.7 | 14.8 | 14.6 | 25.6 | 26.6 | 22.5 |
| General fertility rate | | 51.2 | 52.0 | 50.6 | 91.4 | 96.7 | 76.4 |
| Total fertility rate | | 1.6 | 1.6 | 1.6 | 2.9 | 3.1 | 2.4 |
| Gross reproduction rate | | 0.8 | 0.8 | 0.8 | 1.4 | 1.4 | 1.2 |
| General marital fertility rate | | 76.1 | 78.2 | 74.3 | 155.6 | 160.8 | 139.2 |
| Total marital fertility rate | | 3.7 | 3.8 | 3.6 | 6.8 | 6.7 | 7.6 |

**Table 3**

**Fertility Indicators, 2018**

| Indicators | Age group | Total | Rural | Urban | Total | Rural | Urban |
|---|---|---|---|---|---|---|---|
| | | **Uttarakhand** | | | **West Bengal** | | |
| Age specific fertility rates | 15-19 | 5.5 | 5.3 | 6.0 | 33.4 | 38.2 | 19.6 |
| | 20-24 | 93.6 | 100.4 | 75.3 | 115.0 | 126.4 | 85.1 |
| | 25-29 | 133.7 | 138.5 | 121.9 | 69.9 | 70.9 | 67.7 |
| | 30-34 | 77.9 | 72.4 | 90.9 | 56.6 | 61.2 | 47.3 |
| | 35-39 | 34.9 | 31.4 | 43.2 | 18.5 | 19.6 | 16.2 |
| | 40-44 | 9.6 | 9.5 | 9.8 | 7.9 | 9.4 | 5.1 |
| | 45-49 | 3.5 | 3.6 | 3.1 | 3.5 | 4.7 | 1.0 |
| Age specific marital fertility rates | 15-19 | 33.3 | 24.8 | 342.8 | 584.7 | 625.8 | 428.9 |
| | 20-24 | 203.9 | 191.3 | 268.4 | 230.2 | 236.4 | 208.8 |
| | 25-29 | 184.8 | 183.9 | 187.3 | 87.8 | 84.8 | 96.1 |
| | 30-34 | 84.5 | 77.3 | 102.9 | 62.7 | 65.9 | 55.5 |
| | 35-39 | 36.7 | 33.0 | 46.0 | 20.0 | 20.8 | 18.0 |
| | 40-44 | 10.2 | 10.0 | 10.6 | 8.6 | 10.0 | 5.7 |
| | 45-49 | 3.8 | 4.0 | 3.4 | 3.9 | 5.3 | 1.1 |
| Crude birth rate | | 16.7 | 16.8 | 16.4 | 15.0 | 16.5 | 11.5 |
| General fertility rate | | 61.5 | 62.4 | 59.2 | 50.0 | 55.0 | 38.5 |
| Total fertility rate | | 1.8 | 1.8 | 1.8 | 1.5 | 1.7 | 1.2 |
| Gross reproduction rate | | 0.8 | 0.8 | 0.8 | 0.7 | 0.8 | 0.6 |
| General marital fertility rate | | 93.4 | 91.3 | 99.4 | 73.5 | 79.8 | 58.4 |
| Total marital fertility rate | | 2.8 | 2.6 | 4.8 | 5.0 | 5.2 | 4.1 |

## Table 4

## Fertility indicators by level of education of women, 2018

**India**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 30.0 | 11.7 | 20.2 | 20.2 | 16.4 | 10.4 | 8.1 | 10.6 | 0.0 |
| | 20-24 | 187.2 | 119.3 | 151.1 | 218.6 | 190.0 | 143.0 | 104.7 | 71.4 | 86.7 |
| | 25-29 | 196.1 | 141.0 | 166.2 | 176.7 | 164.0 | 151.6 | 143.4 | 126.6 | 103.7 |
| | 30-34 | 113.4 | 91.1 | 96.8 | 104.4 | 90.7 | 88.4 | 78.5 | 97.1 | 95.1 |
| | 35-39 | 49.2 | 34.0 | 39.3 | 39.7 | 32.2 | 29.8 | 30.2 | 35.9 | 39.0 |
| | 40-44 | 17.6 | 11.2 | 17.8 | 13.4 | 12.0 | 9.7 | 10.0 | 7.9 | 8.3 |
| | 45-49 | 6.1 | 3.8 | 4.3 | 5.8 | 2.7 | 4.4 | 3.3 | 4.1 | 1.5 |
| General fertility rate | | 73.7 | 70.3 | 70.6 | 84.2 | 77.0 | 66.6 | 63.2 | 68.4 | 73.7 |
| Total fertility rate | | 3.0 | 2.1 | 2.5 | 2.9 | 2.5 | 2.2 | 1.9 | 1.8 | 1.7 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 32.9 | 13.1 | 21.6 | 22.2 | 18.7 | 11.7 | 8.6 | 11.5 | 0.0 |
| | 20-24 | 198.3 | 132.8 | 157.1 | 228.3 | 194.9 | 149.0 | 111.6 | 84.1 | 100.4 |
| | 25-29 | 205.5 | 154.3 | 171.3 | 182.9 | 175.0 | 159.7 | 150.8 | 135.3 | 115.9 |
| | 30-34 | 119.8 | 97.2 | 104.3 | 110.3 | 97.8 | 94.6 | 83.4 | 103.3 | 99.2 |
| | 35-39 | 52.2 | 36.9 | 40.0 | 40.4 | 35.0 | 33.9 | 34.6 | 40.2 | 43.4 |
| | 40-44 | 18.7 | 13.0 | 16.0 | 13.6 | 13.3 | 12.6 | 11.7 | 8.5 | 12.7 |
| | 45-49 | 7.1 | 4.7 | 5.2 | 6.5 | 3.0 | 6.1 | 3.2 | 3.7 | 2.1 |
| General fertility rate | | 78.4 | 77.6 | 73.8 | 89.0 | 83.9 | 73.2 | 69.6 | 78.4 | 89.3 |
| Total fertility rate | | 3.2 | 2.3 | 2.6 | 3.0 | 2.7 | 2.3 | 2.0 | 1.9 | 1.9 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 16.2 | 8.3 | 15.4 | 12.6 | 9.6 | 7.0 | 7.0 | 9.3 | 0.0 |
| | 20-24 | 135.6 | 90.7 | 126.4 | 182.2 | 173.2 | 123.5 | 88.7 | 52.7 | 75.0 |
| | 25-29 | 148.1 | 118.3 | 146.7 | 155.8 | 132.4 | 130.6 | 130.2 | 114.2 | 95.7 |
| | 30-34 | 81.6 | 81.9 | 68.9 | 85.6 | 72.5 | 75.5 | 71.5 | 90.6 | 93.3 |
| | 35-39 | 34.2 | 29.8 | 36.5 | 37.2 | 25.3 | 22.5 | 24.8 | 32.2 | 37.5 |
| | 40-44 | 12.6 | 8.7 | 24.1 | 12.7 | 9.3 | 5.0 | 8.3 | 7.5 | 7.0 |
| | 45-49 | 1.8 | 2.5 | 1.2 | 3.9 | 2.2 | 1.7 | 3.4 | 4.3 | 1.4 |
| General fertility rate | | 51.6 | 57.3 | 58.4 | 68.4 | 58.9 | 51.3 | 52.3 | 55.9 | 65.5 |
| Total fertility rate | | 2.2 | 1.7 | 2.1 | 2.4 | 2.1 | 1.8 | 1.7 | 1.6 | 1.5 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Andhra Pradesh**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 26.2 | 10.0 | 34.9 | 23.8 | 14.6 | 7.3 | 9.1 | 8.8 | 0.0 |
| | 20-24 | 120.3 | 124.8 | 167.2 | 210.0 | 206.4 | 169.9 | 138.6 | 77.3 | 67.2 |
| | 25-29 | 89.8 | 112.9 | 74.8 | 126.4 | 109.6 | 107.1 | 126.8 | 119.2 | 96.0 |
| | 30-34 | 34.3 | 49.1 | 30.5 | 19.7 | 36.8 | 55.5 | 50.5 | 63.3 | 86.3 |
| | 35-39 | 24.5 | 14.0 | 8.4 | 12.8 | 13.7 | 12.5 | 11.6 | 24.7 | 23.4 |
| | 40-44 | 7.8 | 6.4 | 14.2 | 2.8 | 4.5 | 5.0 | 12.5 | 0.0 | 0.0 |
| | 45-49 | 1.1 | 3.5 | 0.0 | 1.3 | 0.9 | 7.1 | 9.5 | 11.9 | 0.0 |
| General fertility rate | | 29.3 | 57.5 | 31.6 | 39.7 | 47.5 | 52.4 | 70.8 | 68.8 | 67.0 |
| Total fertility rate | | 1.5 | 1.6 | 1.6 | 2.0 | 1.9 | 1.8 | 1.8 | 1.5 | 1.4 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 36.1 | 12.6 | 52.1 | 22.5 | 16.3 | 9.2 | 12.5 | 12.3 | 0.0 |
| | 20-24 | 126.9 | 133.3 | 173.3 | 206.1 | 214.8 | 171.3 | 139.8 | 84.5 | 64.1 |
| | 25-29 | 102.6 | 115.4 | 74.6 | 115.7 | 121.0 | 111.8 | 127.4 | 112.9 | 101.1 |
| | 30-34 | 37.3 | 46.2 | 21.2 | 19.5 | 30.7 | 60.4 | 55.9 | 54.5 | 103.8 |
| | 35-39 | 20.7 | 14.8 | 7.1 | 13.0 | 14.8 | 17.6 | 10.7 | 29.8 | 28.6 |
| | 40-44 | 6.3 | 7.5 | 18.9 | 3.4 | 6.3 | 7.5 | 7.7 | 0.0 | 0.0 |
| | 45-49 | 1.4 | 3.5 | 0.0 | 1.6 | 1.3 | 11.0 | 10.2 | 0.0 | 0.0 |
| General fertility rate | | 30.6 | 60.2 | 30.6 | 37.8 | 51.0 | 56.9 | 77.3 | 73.1 | 77.5 |
| Total fertility rate | | 1.7 | 1.7 | 1.7 | 1.9 | 2.0 | 1.9 | 1.8 | 1.5 | 1.5 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 4.7 | 0.0 | 29.0 | 10.3 | 2.2 | 2.8 | 4.6 | 0.0 |
| | 20-24 | 96.1 | 107.3 | 149.9 | 232.0 | 180.2 | 166.0 | 135.8 | 65.5 | 70.0 |
| | 25-29 | 49.6 | 107.9 | 75.0 | 159.8 | 75.8 | 94.5 | 125.4 | 130.2 | 91.6 |
| | 30-34 | 24.5 | 54.6 | 51.7 | 20.5 | 55.4 | 43.6 | 41.2 | 73.4 | 77.9 |
| | 35-39 | 37.5 | 12.5 | 11.9 | 11.8 | 11.0 | 2.1 | 12.7 | 19.3 | 21.8 |
| | 40-44 | 12.6 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 17.6 | 0.0 | 0.0 |
| | 45-49 | 0.0 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 8.8 | 20.8 | 0.0 |
| General fertility rate | | 25.2 | 52.3 | 34.2 | 47.3 | 38.1 | 41.6 | 58.8 | 62.8 | 60.3 |
| Total fertility rate | | 1.1 | 1.5 | 1.4 | 2.3 | 1.7 | 1.5 | 1.7 | 1.6 | 1.3 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Assam**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 8.0 | 22.4 | 7.5 | 32.0 | 31.9 | 19.8 | 12.7 | 78.6 | 0.0 |
| | 20-24 | 69.0 | 105.7 | 60.4 | 135.5 | 129.1 | 105.5 | 94.8 | 83.4 | 158.9 |
| | 25-29 | 95.6 | 140.7 | 83.9 | 164.3 | 169.7 | 145.6 | 128.5 | 143.1 | 76.7 |
| | 30-34 | 83.0 | 116.5 | 103.6 | 102.0 | 132.7 | 110.7 | 130.8 | 106.0 | 109.1 |
| | 35-39 | 46.0 | 52.0 | 65.4 | 66.8 | 51.7 | 43.4 | 39.6 | 32.3 | 85.0 |
| | 40-44 | 19.0 | 15.5 | 33.8 | 11.8 | 11.9 | 16.1 | 16.0 | 12.5 | 16.0 |
| | 45-49 | 6.5 | 6.1 | 14.3 | 6.5 | 1.0 | 4.9 | 6.8 | 13.1 | 0.0 |
| General fertility rate | | 47.4 | 76.5 | 54.3 | 78.5 | 87.6 | 71.8 | 73.8 | 85.5 | 79.6 |
| Total fertility rate | | 1.6 | 2.3 | 1.8 | 2.6 | 2.6 | 2.2 | 2.1 | 2.3 | 2.2 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 8.7 | 23.5 | 8.5 | 30.9 | 34.3 | 20.6 | 13.3 | 83.2 | 0.0 |
| | 20-24 | 70.8 | 112.0 | 64.7 | 136.0 | 131.8 | 107.9 | 101.9 | 101.6 | 209.1 |
| | 25-29 | 98.6 | 150.7 | 89.0 | 168.9 | 175.2 | 151.9 | 132.8 | 168.0 | 98.2 |
| | 30-34 | 85.3 | 122.7 | 113.5 | 104.1 | 137.4 | 114.8 | 141.6 | 111.3 | 128.4 |
| | 35-39 | 49.0 | 53.9 | 68.5 | 69.7 | 50.5 | 48.4 | 37.3 | 20.2 | 121.3 |
| | 40-44 | 18.4 | 15.5 | 36.7 | 9.3 | 12.0 | 18.6 | 16.4 | 6.1 | 14.7 |
| | 45-49 | 7.2 | 6.4 | 16.0 | 5.7 | 0.0 | 5.2 | 8.1 | 19.6 | 0.0 |
| General fertility rate | | 49.0 | 81.4 | 58.2 | 80.7 | 91.4 | 75.6 | 78.7 | 100.1 | 107.8 |
| Total fertility rate | | 1.7 | 2.4 | 2.0 | 2.6 | 2.7 | 2.3 | 2.3 | 2.6 | 2.9 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 14.0 | 0.0 | 42.7 | 10.9 | 13.9 | 9.4 | 60.4 | 0.0 |
| | 20-24 | 44.7 | 63.9 | 24.7 | 127.5 | 88.5 | 85.8 | 57.3 | 32.8 | 76.2 |
| | 25-29 | 64.2 | 87.3 | 47.3 | 105.7 | 107.9 | 102.0 | 107.5 | 80.1 | 52.0 |
| | 30-34 | 56.9 | 85.9 | 35.5 | 74.9 | 83.6 | 87.8 | 90.1 | 94.1 | 89.5 |
| | 35-39 | 12.6 | 44.5 | 39.7 | 37.5 | 63.4 | 21.6 | 45.8 | 51.4 | 60.8 |
| | 40-44 | 26.2 | 15.5 | 11.9 | 33.6 | 11.2 | 5.2 | 14.5 | 22.7 | 16.8 |
| | 45-49 | 0.0 | 5.0 | 0.0 | 13.0 | 6.8 | 3.9 | 4.2 | 6.2 | 0.0 |
| General fertility rate | | 29.6 | 50.5 | 24.1 | 55.6 | 51.4 | 48.7 | 52.7 | 53.3 | 53.1 |
| Total fertility rate | | 1.0 | 1.6 | 0.8 | 2.2 | 1.9 | 1.6 | 1.6 | 1.7 | 1.5 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Bihar**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 36.7 | 10.7 | 20.2 | 16.7 | 8.6 | 10.5 | 9.2 | 10.3 | 0.0 |
| | 20-24 | 210.4 | 130.7 | 212.1 | 239.9 | 184.1 | 122.2 | 98.3 | 68.3 | 101.6 |
| | 25-29 | 264.0 | 206.3 | 248.1 | 241.7 | 237.6 | 228.5 | 190.0 | 146.6 | 133.2 |
| | 30-34 | 186.1 | 164.5 | 185.4 | 201.6 | 161.8 | 172.4 | 137.1 | 145.8 | 115.9 |
| | 35-39 | 70.5 | 53.5 | 53.1 | 70.8 | 52.8 | 56.2 | 43.6 | 41.1 | 50.9 |
| | 40-44 | 28.8 | 18.2 | 21.8 | 33.5 | 15.6 | 18.8 | 5.6 | 9.4 | 20.4 |
| | 45-49 | 5.5 | 7.6 | 7.9 | 6.6 | 8.4 | 11.2 | 6.2 | 0.0 | 7.0 |
| General fertility rate | | 121.3 | 93.5 | 126.8 | 128.6 | 89.8 | 78.2 | 80.2 | 83.6 | 94.6 |
| Total fertility rate | | 4.0 | 3.0 | 3.7 | 4.1 | 3.3 | 3.1 | 2.5 | 2.1 | 2.1 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 37.9 | 10.9 | 20.7 | 16.1 | 8.6 | 11.0 | 9.2 | 11.5 | 0.0 |
| | 20-24 | 207.6 | 132.2 | 210.5 | 233.3 | 176.5 | 122.0 | 98.5 | 71.9 | 98.2 |
| | 25-29 | 260.7 | 210.0 | 246.1 | 237.3 | 239.3 | 225.9 | 183.8 | 151.5 | 145.9 |
| | 30-34 | 190.2 | 176.2 | 192.5 | 208.3 | 174.4 | 180.8 | 142.4 | 170.2 | 109.7 |
| | 35-39 | 72.8 | 58.6 | 54.6 | 75.4 | 56.1 | 64.3 | 51.0 | 45.7 | 50.9 |
| | 40-44 | 29.5 | 20.8 | 23.0 | 36.3 | 17.6 | 23.4 | 4.7 | 9.7 | 24.1 |
| | 45-49 | 5.7 | 9.0 | 8.7 | 7.5 | 9.2 | 14.0 | 8.1 | 0.0 | 8.7 |
| General fertility rate | | 122.1 | 96.0 | 128.7 | 128.9 | 90.7 | 80.0 | 81.1 | 90.4 | 100.8 |
| Total fertility rate | | 4.0 | 3.1 | 3.8 | 4.1 | 3.4 | 3.2 | 2.5 | 2.3 | 2.2 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 19.5 | 9.3 | 14.4 | 22.0 | 9.2 | 7.0 | 9.5 | 4.6 | 0.0 |
| | 20-24 | 261.1 | 122.3 | 230.0 | 307.8 | 260.5 | 124.2 | 96.9 | 57.4 | 107.8 |
| | 25-29 | 324.5 | 186.2 | 274.3 | 291.1 | 221.9 | 248.7 | 221.6 | 130.4 | 112.7 |
| | 30-34 | 119.7 | 114.6 | 107.4 | 146.8 | 74.7 | 128.3 | 120.2 | 97.0 | 121.9 |
| | 35-39 | 34.0 | 31.6 | 36.7 | 30.6 | 30.7 | 20.9 | 20.7 | 34.6 | 50.9 |
| | 40-44 | 19.0 | 9.3 | 11.8 | 14.5 | 5.7 | 0.0 | 7.8 | 9.0 | 17.8 |
| | 45-49 | 1.9 | 1.8 | 0.0 | 0.0 | 4.2 | 0.0 | 1.9 | 0.0 | 5.0 |
| General fertility rate | | 107.7 | 80.1 | 106.2 | 125.6 | 82.1 | 66.4 | 76.4 | 65.3 | 86.5 |
| Total fertility rate | | 3.9 | 2.4 | 3.4 | 4.1 | 3.0 | 2.6 | 2.4 | 1.7 | 2.1 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Chhattisgarh**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 162.4 | 13.1 | 0.0 | 106.8 | 14.9 | 7.8 | 10.2 | 30.4 | 0.0 |
| | 20-24 | 158.2 | 158.7 | 203.8 | 249.8 | 251.4 | 178.7 | 187.4 | 74.0 | 157.7 |
| | 25-29 | 107.9 | 173.7 | 181.4 | 216.5 | 206.4 | 172.0 | 197.1 | 128.7 | 155.2 |
| | 30-34 | 71.3 | 103.1 | 93.6 | 206.9 | 98.5 | 95.0 | 51.4 | 79.9 | 133.1 |
| | 35-39 | 38.4 | 36.6 | 10.2 | 76.0 | 41.3 | 52.3 | 35.1 | 41.3 | 7.5 |
| | 40-44 | 8.0 | 12.0 | 10.0 | 33.8 | 19.7 | 13.8 | 1.3 | 0.0 | 0.0 |
| | 45-49 | 1.6 | 2.8 | 2.5 | 0.0 | 0.0 | 13.2 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 43.4 | 86.8 | 40.9 | 132.7 | 99.7 | 84.4 | 84.8 | 74.4 | 94.7 |
| Total fertility rate | | 2.7 | 2.5 | 2.5 | 4.4 | 3.2 | 2.7 | 2.4 | 1.8 | 2.3 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 169.5 | 14.1 | 0.0 | 125.4 | 14.2 | 8.9 | 12.6 | 28.1 | 0.0 |
| | 20-24 | 154.7 | 178.2 | 202.8 | 243.1 | 244.9 | 187.6 | 225.4 | 85.9 | 184.9 |
| | 25-29 | 105.2 | 184.0 | 173.2 | 227.3 | 208.3 | 186.0 | 214.1 | 141.4 | 138.5 |
| | 30-34 | 75.6 | 114.7 | 100.7 | 233.7 | 116.1 | 110.7 | 50.9 | 72.6 | 158.4 |
| | 35-39 | 40.8 | 41.8 | 10.6 | 49.0 | 51.6 | 66.7 | 41.7 | 59.2 | 0.0 |
| | 40-44 | 7.9 | 12.0 | 3.7 | 24.7 | 27.9 | 10.2 | 2.4 | 0.0 | 0.0 |
| | 45-49 | 1.8 | 2.2 | 3.1 | 0.0 | 0.0 | 8.7 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 44.8 | 96.9 | 40.2 | 138.5 | 107.9 | 95.4 | 100.4 | 85.8 | 108.3 |
| Total fertility rate | | 2.8 | 2.7 | 2.5 | 4.5 | 3.3 | 2.9 | 2.7 | 1.9 | 2.4 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 45.2 | 9.9 | 0.0 | 23.5 | 19.2 | 4.3 | 4.0 | 35.6 | 0.0 |
| | 20-24 | 194.7 | 96.1 | 211.6 | 309.9 | 309.3 | 122.4 | 86.5 | 50.2 | 125.3 |
| | 25-29 | 147.0 | 146.8 | 234.6 | 162.8 | 197.6 | 112.1 | 159.4 | 100.3 | 169.5 |
| | 30-34 | 13.7 | 78.2 | 46.7 | 118.6 | 35.3 | 44.5 | 52.2 | 92.2 | 118.5 |
| | 35-39 | 9.2 | 25.5 | 6.6 | 150.2 | 3.9 | 19.8 | 23.6 | 19.7 | 11.9 |
| | 40-44 | 9.1 | 12.0 | 51.3 | 59.0 | 0.0 | 24.2 | 0.0 | 0.0 | 0.0 |
| | 45-49 | 0.0 | 3.9 | 0.0 | 0.0 | 0.0 | 20.2 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 28.4 | 61.2 | 44.9 | 111.0 | 65.9 | 44.6 | 50.3 | 53.9 | 85.5 |
| Total fertility rate | | 2.1 | 1.9 | 2.8 | 4.1 | 2.8 | 1.7 | 1.6 | 1.5 | 2.1 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Delhi**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 35.9 | 2.9 | 0.0 | 19.5 | 2.5 | 1.8 | 2.8 | 3.1 | 0.0 |
| | 20-24 | 192.2 | 70.2 | 58.3 | 293.2 | 143.2 | 92.7 | 68.5 | 37.1 | 68.4 |
| | 25-29 | 135.5 | 114.2 | 94.5 | 191.0 | 119.7 | 128.9 | 161.2 | 93.6 | 93.2 |
| | 30-34 | 53.8 | 67.4 | 44.4 | 71.6 | 74.6 | 67.1 | 66.0 | 65.9 | 68.0 |
| | 35-39 | 10.5 | 26.5 | 24.2 | 23.6 | 29.0 | 11.4 | 15.8 | 26.4 | 39.7 |
| | 40-44 | 8.3 | 7.9 | 8.1 | 29.8 | 7.9 | 9.6 | 0.7 | 16.5 | 3.5 |
| | 45-49 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.4 |
| General fertility rate | | 47.7 | 50.8 | 33.0 | 94.6 | 51.3 | 42.8 | 49.4 | 45.3 | 57.5 |
| Total fertility rate | | 2.2 | 1.5 | 1.1 | 3.1 | 1.9 | 1.6 | 1.6 | 1.2 | 1.4 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.3 | 24.3 | 0.0 |
| | 20-24 | 57.5 | 101.2 | 0.0 | 190.9 | 260.7 | 147.7 | 79.9 | 45.7 | 135.5 |
| | 25-29 | 79.1 | 105.6 | 0.0 | 155.4 | 196.8 | 142.9 | 161.7 | 73.3 | 41.8 |
| | 30-34 | 0.0 | 78.4 | 604.6 | 125.1 | 0.0 | 56.1 | 181.4 | 115.4 | 17.7 |
| | 35-39 | 67.3 | 15.3 | 0.0 | 0.0 | 0.0 | 38.6 | 0.0 | 0.0 | 28.3 |
| | 40-44 | 0.0 | 11.3 | 0.0 | 0.0 | 44.0 | 0.0 | 25.6 | 0.0 | 0.0 |
| | 45-49 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 32.3 | 59.5 | 65.4 | 109.4 | 75.7 | 55.9 | 75.2 | 49.7 | 32.9 |
| Total fertility rate | | 1.0 | 1.6 | 3.0 | 2.4 | 2.5 | 1.9 | 2.3 | 1.3 | 1.1 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 36.9 | 2.9 | 0.0 | 19.7 | 2.5 | 1.9 | 2.6 | 2.7 | 0.0 |
| | 20-24 | 197.3 | 69.5 | 59.8 | 299.8 | 139.9 | 91.2 | 68.1 | 36.9 | 67.6 |
| | 25-29 | 137.4 | 114.4 | 97.3 | 193.0 | 117.6 | 128.4 | 161.2 | 94.1 | 94.4 |
| | 30-34 | 55.6 | 67.1 | 38.9 | 70.3 | 76.7 | 67.4 | 63.0 | 64.6 | 69.1 |
| | 35-39 | 9.0 | 26.8 | 24.5 | 24.4 | 29.6 | 10.6 | 16.2 | 27.0 | 40.0 |
| | 40-44 | 8.5 | 7.8 | 8.2 | 30.4 | 7.1 | 9.9 | 0.0 | 16.9 | 3.5 |
| | 45-49 | 0.0 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.5 |
| General fertility rate | | 48.1 | 50.6 | 32.5 | 94.1 | 50.7 | 42.4 | 48.7 | 45.1 | 58.0 |
| Total fertility rate | | 2.2 | 1.5 | 1.1 | 3.2 | 1.9 | 1.5 | 1.6 | 1.2 | 1.4 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Gujarat**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 11.1 | 11.0 | 54.1 | 29.3 | 14.8 | 7.0 | 7.1 | 7.7 | 0.0 |
| | 20-24 | 177.9 | 134.3 | 139.2 | 271.5 | 204.6 | 162.5 | 101.7 | 50.5 | 85.6 |
| | 25-29 | 174.1 | 152.2 | 123.9 | 181.3 | 156.9 | 172.9 | 176.6 | 130.5 | 98.1 |
| | 30-34 | 91.7 | 81.2 | 72.4 | 105.1 | 85.9 | 70.7 | 76.9 | 82.8 | 77.6 |
| | 35-39 | 29.5 | 27.8 | 19.7 | 28.4 | 39.6 | 32.7 | 22.9 | 17.6 | 17.3 |
| | 40-44 | 12.2 | 7.8 | 8.0 | 16.3 | 8.6 | 3.7 | 13.3 | 2.9 | 0.6 |
| | 45-49 | 5.3 | 2.6 | 2.0 | -7.4 | 5.8 | 10.2 | 0.0 | 0.0 | 5.0 |
| General fertility rate | | 56.0 | 72.5 | 63.5 | 104.1 | 83.7 | 73.5 | 66.3 | 54.5 | 57.4 |
| Total fertility rate | | 2.5 | 2.1 | 2.1 | 3.1 | 2.6 | 2.3 | 2.0 | 1.5 | 1.4 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 15.3 | 14.0 | 82.6 | 43.6 | 22.9 | 9.0 | 8.1 | 2.4 | 0.0 |
| | 20-24 | 210.4 | 163.1 | 149.1 | 326.8 | 231.5 | 174.7 | 112.9 | 62.0 | 101.4 |
| | 25-29 | 183.4 | 158.0 | 143.6 | 201.1 | 157.4 | 164.4 | 194.5 | 123.0 | 76.6 |
| | 30-34 | 100.7 | 86.5 | 108.2 | 87.6 | 89.8 | 83.6 | 71.6 | 93.2 | 91.6 |
| | 35-39 | 30.6 | 32.8 | 6.4 | 26.7 | 39.7 | 46.4 | 27.4 | 23.5 | 26.4 |
| | 40-44 | 11.1 | 9.4 | 8.1 | 14.5 | 14.0 | 4.9 | 6.0 | 6.7 | 0.0 |
| | 45-49 | 4.1 | 2.3 | 3.2 | 4.6 | 1.5 | 4.6 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 59.8 | 83.7 | 76.2 | 120.4 | 97.5 | 80.6 | 69.9 | 58.6 | 63.5 |
| Total fertility rate | | 2.8 | 2.3 | 2.5 | 3.5 | 2.8 | 2.4 | 2.1 | 1.6 | 1.5 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 6.7 | 0.0 | 2.6 | 4.0 | 4.2 | 5.5 | 14.3 | 0.0 |
| | 20-24 | 58.2 | 97.2 | 114.7 | 152.1 | 151.1 | 143.5 | 88.5 | 41.0 | 77.6 |
| | 25-29 | 134.4 | 146.5 | 81.4 | 146.5 | 156.1 | 182.7 | 162.6 | 136.7 | 106.1 |
| | 30-34 | 59.6 | 76.9 | 13.4 | 138.2 | 81.4 | 59.5 | 80.5 | 75.4 | 73.5 |
| | 35-39 | 25.1 | 24.1 | 41.0 | 31.4 | 39.6 | 21.9 | 20.0 | 14.1 | 15.2 |
| | 40-44 | 17.1 | 6.6 | 7.9 | 19.3 | 3.4 | 2.7 | 18.5 | 1.0 | 0.7 |
| | 45-49 | 10.2 | 2.9 | 0.0 | -24.0 | 10.3 | 14.2 | 0.0 | 0.0 | 6.0 |
| General fertility rate | | 40.4 | 61.5 | 38.9 | 75.1 | 66.2 | 65.5 | 63.0 | 51.4 | 55.5 |
| Total fertility rate | | 1.5 | 1.8 | 1.3 | 2.3 | 2.2 | 2.1 | 1.9 | 1.4 | 1.4 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Haryana**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 12.8 | 5.0 | 0.9 | 29.6 | 4.5 | 1.9 | 4.0 | 7.5 | 0.0 |
| | 20-24 | 175.0 | 117.0 | 85.1 | 228.8 | 212.3 | 161.0 | 106.0 | 78.3 | 90.5 |
| | 25-29 | 156.7 | 171.3 | 150.1 | 213.3 | 188.0 | 172.0 | 189.6 | 168.2 | 125.9 |
| | 30-34 | 93.2 | 91.6 | 115.8 | 98.4 | 96.4 | 71.8 | 93.2 | 96.9 | 89.2 |
| | 35-39 | 52.8 | 30.2 | 68.5 | 31.1 | 25.9 | 27.7 | 26.5 | 21.7 | 37.6 |
| | 40-44 | 15.2 | 9.3 | 5.8 | 12.4 | 17.3 | 5.0 | 7.2 | 7.8 | 4.4 |
| | 45-49 | 7.4 | 6.9 | 0.0 | 10.2 | 8.2 | 6.8 | 4.5 | 5.0 | 8.3 |
| General fertility rate | | 60.1 | 74.7 | 65.8 | 88.6 | 75.9 | 62.7 | 72.2 | 79.9 | 79.9 |
| Total fertility rate | | 2.6 | 2.2 | 2.1 | 3.1 | 2.8 | 2.2 | 2.2 | 1.9 | 1.8 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 21.8 | 3.4 | 1.1 | 15.3 | 3.2 | 2.0 | 2.6 | 7.5 | 0.0 |
| | 20-24 | 200.0 | 121.8 | 84.0 | 238.8 | 216.6 | 156.5 | 111.3 | 81.2 | 96.0 |
| | 25-29 | 178.5 | 186.8 | 146.2 | 236.8 | 202.1 | 181.1 | 188.7 | 189.6 | 140.4 |
| | 30-34 | 120.5 | 104.3 | 126.2 | 118.7 | 116.7 | 78.9 | 103.8 | 110.1 | 80.0 |
| | 35-39 | 56.3 | 33.2 | 72.7 | 31.5 | 30.6 | 28.7 | 29.6 | 26.3 | 48.7 |
| | 40-44 | 18.7 | 12.5 | 8.3 | 16.3 | 19.1 | 7.9 | 8.7 | 11.0 | 0.0 |
| | 45-49 | 8.9 | 5.7 | 0.0 | 11.4 | 2.7 | 7.1 | 4.2 | 0.0 | 0.0 |
| General fertility rate | | 68.3 | 80.6 | 66.6 | 95.0 | 81.8 | 65.1 | 76.5 | 91.5 | 96.8 |
| Total fertility rate | | 3.0 | 2.3 | 2.2 | 3.3 | 3.0 | 2.3 | 2.2 | 2.1 | 1.8 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 7.7 | 0.0 | 56.7 | 6.5 | 1.9 | 6.6 | 7.5 | 0.0 |
| | 20-24 | 129.8 | 108.7 | 90.5 | 202.9 | 205.0 | 170.1 | 96.3 | 73.7 | 85.8 |
| | 25-29 | 122.7 | 149.1 | 161.3 | 158.2 | 166.2 | 157.3 | 191.2 | 135.4 | 116.7 |
| | 30-34 | 43.3 | 73.2 | 81.1 | 35.1 | 57.5 | 59.9 | 75.0 | 81.5 | 93.0 |
| | 35-39 | 45.2 | 25.9 | 57.9 | 29.5 | 17.6 | 25.7 | 21.9 | 17.4 | 34.1 |
| | 40-44 | 8.2 | 5.0 | 0.0 | 0.0 | 14.1 | 0.0 | 5.4 | 5.5 | 5.3 |
| | 45-49 | 3.8 | 8.4 | 0.0 | 6.8 | 17.9 | 6.4 | 4.7 | 7.9 | 9.3 |
| General fertility rate | | 44.0 | 65.7 | 63.0 | 70.3 | 66.1 | 58.4 | 65.1 | 64.9 | 71.8 |
| Total fertility rate | | 1.8 | 1.9 | 2.0 | 2.4 | 2.4 | 2.1 | 2.0 | 1.6 | 1.7 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Himachal Pradesh**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 50.9 | 11.5 | 0.0 | 0.0 | 16.5 | 10.3 | 9.2 | 11.9 | 0.0 |
| | 20-24 | 97.1 | 81.1 | 66.9 | 245.1 | 116.6 | 115.2 | 99.1 | 68.6 | 76.3 |
| | 25-29 | 50.3 | 118.1 | 58.2 | 51.2 | 122.0 | 112.3 | 109.0 | 122.0 | 123.4 |
| | 30-34 | 94.7 | 79.5 | 7.9 | 28.6 | 40.7 | 48.8 | 74.2 | 95.4 | 103.6 |
| | 35-39 | 29.3 | 26.8 | 6.4 | 15.3 | 11.0 | 23.2 | 27.5 | 23.0 | 48.8 |
| | 40-44 | 0.0 | 4.6 | 0.0 | 0.0 | 0.0 | 5.9 | 1.0 | 8.0 | 13.2 |
| | 45-49 | 17.6 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 2.8 | 0.0 | 0.0 |
| General fertility rate | | 30.7 | 54.2 | 9.7 | 23.3 | 27.1 | 33.0 | 44.7 | 67.1 | 84.9 |
| Total fertility rate | | 1.7 | 1.6 | 0.7 | 1.7 | 1.5 | 1.6 | 1.6 | 1.6 | 1.8 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 53.7 | 12.7 | 0.0 | 0.0 | 17.4 | 11.3 | 10.2 | 13.1 | 0.0 |
| | 20-24 | 55.7 | 84.4 | 70.8 | 254.2 | 116.7 | 117.1 | 101.6 | 71.2 | 84.0 |
| | 25-29 | 0.0 | 120.3 | 61.5 | 50.7 | 126.6 | 112.6 | 108.0 | 123.0 | 130.2 |
| | 30-34 | 101.4 | 81.4 | 8.3 | 30.3 | 41.9 | 49.0 | 74.0 | 97.5 | 113.8 |
| | 35-39 | 29.9 | 27.3 | 6.8 | 15.9 | 11.4 | 24.3 | 28.4 | 22.5 | 55.3 |
| | 40-44 | 0.0 | 4.7 | 0.0 | 0.0 | 0.0 | 6.2 | 1.0 | 8.4 | 16.1 |
| | 45-49 | 17.8 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 2.6 | 0.0 | 0.0 |
| General fertility rate | | 23.7 | 56.1 | 10.3 | 24.0 | 27.6 | 33.7 | 45.9 | 69.6 | 94.8 |
| Total fertility rate | | 1.3 | 1.7 | 0.7 | 1.8 | 1.6 | 1.6 | 1.6 | 1.7 | 2.0 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 20-24 | 768.1 | 38.6 | 0.0 | 0.0 | 114.9 | 86.9 | 59.4 | 31.2 | 22.4 |
| | 25-29 | 811.2 | 91.7 | 0.0 | 57.3 | 31.6 | 106.0 | 127.6 | 103.9 | 80.6 |
| | 30-34 | 0.0 | 61.3 | 0.0 | 0.0 | 18.0 | 44.9 | 77.8 | 70.2 | 61.2 |
| | 35-39 | 0.0 | 21.6 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 27.0 | 28.5 |
| | 40-44 | 0.0 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 6.2 |
| | 45-49 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 4.7 | 0.0 | 0.0 |
| General fertility rate | | 316.9 | 34.0 | 0.0 | 9.7 | 15.4 | 20.9 | 29.6 | 37.0 | 41.8 |
| Total fertility rate | | 7.9 | 1.1 | 0.0 | 0.3 | 0.8 | 1.2 | 1.4 | 1.2 | 1.0 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Jammu & Kashmir**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 22.2 | 2.9 | 0.0 | 23.8 | 2.9 | 1.2 | 3.2 | 0.3 | 0.0 |
| | 20-24 | 38.9 | 39.9 | 58.7 | 108.0 | 62.1 | 52.8 | 38.8 | 25.0 | 33.0 |
| | 25-29 | 117.5 | 81.3 | 105.3 | 173.0 | 127.3 | 96.8 | 79.9 | 72.5 | 47.8 |
| | 30-34 | 90.1 | 106.9 | 131.8 | 196.6 | 170.5 | 105.2 | 104.2 | 74.4 | 83.9 |
| | 35-39 | 58.8 | 60.8 | 47.8 | 71.5 | 91.7 | 62.2 | 59.0 | 42.7 | 61.9 |
| | 40-44 | 10.9 | 23.5 | 32.6 | 38.9 | 29.9 | 32.0 | 11.9 | 20.2 | 2.5 |
| | 45-49 | 3.6 | 8.2 | 17.7 | 17.8 | 9.4 | 0.4 | 4.8 | 7.0 | 0.0 |
| General fertility rate | | 46.9 | 51.0 | 52.8 | 94.8 | 69.1 | 49.8 | 45.2 | 43.0 | 52.1 |
| Total fertility rate | | 1.7 | 1.6 | 2.0 | 3.1 | 2.5 | 1.8 | 1.5 | 1.2 | 1.1 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 23.4 | 3.3 | 0.0 | 31.4 | 0.0 | 1.7 | 4.2 | 0.4 | 0.0 |
| | 20-24 | 23.9 | 43.0 | 77.8 | 112.5 | 69.7 | 38.0 | 46.8 | 27.0 | 38.0 |
| | 25-29 | 116.5 | 98.8 | 152.4 | 192.3 | 115.9 | 97.0 | 104.6 | 93.5 | 58.9 |
| | 30-34 | 106.7 | 121.1 | 137.8 | 167.7 | 205.5 | 95.6 | 133.4 | 86.8 | 88.4 |
| | 35-39 | 64.8 | 62.8 | 69.7 | 94.6 | 83.7 | 55.6 | 69.7 | 26.8 | 52.1 |
| | 40-44 | 13.4 | 25.8 | 33.5 | 51.2 | 38.9 | 16.8 | 19.0 | 19.6 | 4.6 |
| | 45-49 | 4.9 | 8.9 | 11.3 | 26.9 | 13.6 | 0.7 | 2.6 | 12.2 | 0.0 |
| General fertility rate | | 52.4 | 57.1 | 61.0 | 104.1 | 73.9 | 45.0 | 56.0 | 50.3 | 57.5 |
| Total fertility rate | | 1.8 | 1.8 | 2.4 | 3.4 | 2.6 | 1.5 | 1.9 | 1.3 | 1.2 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 1.6 | 0.0 | 0.0 | 13.8 | 0.0 | 0.3 | 0.0 | 0.0 |
| | 20-24 | 128.5 | 32.3 | 0.0 | 78.4 | 31.6 | 101.9 | 17.8 | 21.2 | 24.9 |
| | 25-29 | 122.7 | 45.8 | 42.3 | 94.7 | 185.0 | 96.1 | 29.4 | 33.1 | 34.8 |
| | 30-34 | 33.1 | 81.4 | 120.8 | 278.2 | 37.6 | 131.4 | 53.1 | 53.4 | 79.7 |
| | 35-39 | 39.7 | 57.5 | 22.5 | 18.7 | 122.1 | 78.6 | 41.7 | 71.1 | 69.0 |
| | 40-44 | 3.6 | 19.8 | 31.3 | 4.9 | 0.0 | 57.8 | 2.3 | 21.1 | 1.1 |
| | 45-49 | 0.0 | 7.2 | 29.2 | 0.0 | 0.0 | 0.0 | 7.1 | 0.0 | 0.0 |
| General fertility rate | | 28.7 | 38.7 | 39.4 | 67.8 | 51.2 | 62.7 | 22.7 | 29.9 | 46.6 |
| Total fertility rate | | 1.6 | 1.2 | 1.2 | 2.4 | 2.0 | 2.3 | 0.8 | 1.0 | 1.0 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Jharkhand**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 24.2 | 13.4 | 54.7 | 17.2 | 18.1 | 11.6 | 4.7 | 9.7 | 0.0 |
| | 20-24 | 214.0 | 131.7 | 201.3 | 414.6 | 284.0 | 143.2 | 81.4 | 30.9 | 44.8 |
| | 25-29 | 226.6 | 148.1 | 161.1 | 293.8 | 250.3 | 163.4 | 121.3 | 76.6 | 50.6 |
| | 30-34 | 127.4 | 100.4 | 90.7 | 271.0 | 130.5 | 86.4 | 58.9 | 74.5 | 55.4 |
| | 35-39 | 56.1 | 38.3 | 39.3 | 35.7 | 42.0 | 24.1 | 32.1 | 73.5 | 43.9 |
| | 40-44 | 26.3 | 21.5 | 19.2 | 9.0 | 15.3 | 12.7 | 48.7 | 17.4 | 32.1 |
| | 45-49 | 3.7 | 5.2 | 2.6 | 1.9 | 18.1 | 2.5 | 1.7 | 0.0 | 5.4 |
| General fertility rate | | 91.2 | 77.9 | 89.0 | 159.5 | 111.1 | 66.4 | 59.7 | 47.2 | 44.3 |
| Total fertility rate | | 3.4 | 2.3 | 2.8 | 5.2 | 3.8 | 2.2 | 1.7 | 1.4 | 1.2 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 22.9 | 12.9 | 59.1 | 19.7 | 19.5 | 9.6 | 2.4 | 0.0 | 0.0 |
| | 20-24 | 218.7 | 140.4 | 201.7 | 437.3 | 303.3 | 143.3 | 70.1 | 18.1 | 13.4 |
| | 25-29 | 237.7 | 163.1 | 168.1 | 331.0 | 285.3 | 167.6 | 101.8 | 51.2 | 24.9 |
| | 30-34 | 126.7 | 108.8 | 93.4 | 289.3 | 145.0 | 87.4 | 44.5 | 47.8 | 8.5 |
| | 35-39 | 59.0 | 39.4 | 45.7 | 30.2 | 46.7 | 27.4 | 39.1 | 70.6 | 44.6 |
| | 40-44 | 29.3 | 23.4 | 5.9 | 10.8 | 20.3 | 17.4 | 93.8 | 26.9 | 33.6 |
| | 45-49 | 4.3 | 6.0 | 0.0 | 2.4 | 24.3 | 2.1 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 95.1 | 83.8 | 92.1 | 172.9 | 125.1 | 68.2 | 53.6 | 31.7 | 20.7 |
| Total fertility rate | | 3.5 | 2.5 | 2.9 | 5.6 | 4.2 | 2.3 | 1.8 | 1.1 | 0.6 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 39.9 | 15.0 | 0.0 | 0.0 | 12.0 | 18.5 | 11.0 | 21.1 | 0.0 |
| | 20-24 | 165.1 | 105.7 | 197.3 | 269.0 | 182.3 | 143.0 | 117.2 | 50.8 | 63.6 |
| | 25-29 | 141.9 | 113.9 | 102.0 | 84.5 | 111.8 | 148.2 | 163.1 | 114.9 | 63.6 |
| | 30-34 | 133.2 | 83.6 | 67.7 | 189.7 | 70.6 | 83.4 | 75.5 | 99.8 | 72.6 |
| | 35-39 | 35.6 | 36.4 | 0.0 | 60.3 | 28.2 | 14.1 | 24.9 | 75.1 | 43.7 |
| | 40-44 | 7.3 | 18.3 | 96.2 | 0.0 | 0.0 | 0.0 | 10.6 | 12.7 | 31.7 |
| | 45-49 | 0.0 | 3.8 | 14.2 | 0.0 | 0.0 | 3.8 | 3.3 | 0.0 | 6.1 |
| General fertility rate | | 62.4 | 63.5 | 66.5 | 87.9 | 55.5 | 60.2 | 72.3 | 65.4 | 53.4 |
| Total fertility rate | | 2.6 | 1.9 | 2.4 | 3.0 | 2.0 | 2.1 | 2.0 | 1.9 | 1.4 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Karnataka**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 24.2 | 7.9 | 0.0 | 1.9 | 13.7 | 11.1 | 6.6 | 5.0 | 0.0 |
| | 20-24 | 121.7 | 102.7 | 80.3 | 189.2 | 205.9 | 152.1 | 105.2 | 52.6 | 54.1 |
| | 25-29 | 145.4 | 120.4 | 119.8 | 141.0 | 123.6 | 148.4 | 130.4 | 119.6 | 76.5 |
| | 30-34 | 56.7 | 78.0 | 106.9 | 65.3 | 50.0 | 94.0 | 62.4 | 79.5 | 113.6 |
| | 35-39 | 13.4 | 23.8 | 14.4 | 31.2 | 16.8 | 18.0 | 27.7 | 33.6 | 25.3 |
| | 40-44 | 6.4 | 6.1 | 4.9 | 7.4 | 7.6 | 4.6 | 6.5 | 9.4 | 0.4 |
| | 45-49 | 0.0 | 3.8 | 0.0 | 17.8 | 1.9 | 1.2 | 1.8 | 0.5 | 0.0 |
| General fertility rate | | 31.7 | 59.5 | 33.4 | 51.5 | 58.4 | 70.7 | 57.8 | 55.0 | 61.7 |
| Total fertility rate | | 1.8 | 1.7 | 1.6 | 2.3 | 2.1 | 2.1 | 1.7 | 1.5 | 1.3 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 27.6 | 8.7 | 0.0 | 2.0 | 19.6 | 12.1 | 5.6 | 8.2 | 0.0 |
| | 20-24 | 120.5 | 123.6 | 70.9 | 166.8 | 207.0 | 168.2 | 115.6 | 67.7 | 86.3 |
| | 25-29 | 143.8 | 129.2 | 93.5 | 145.6 | 124.8 | 149.9 | 139.1 | 112.0 | 69.7 |
| | 30-34 | 69.0 | 72.4 | 97.2 | 51.6 | 56.3 | 75.5 | 74.6 | 93.7 | 101.8 |
| | 35-39 | 16.9 | 18.8 | 17.7 | 13.6 | 16.9 | 23.3 | 18.9 | 22.2 | 20.9 |
| | 40-44 | 8.8 | 5.3 | 4.9 | 8.4 | 5.1 | 4.3 | 5.0 | 2.2 | 4.4 |
| | 45-49 | 0.0 | 1.7 | 0.0 | 0.1 | 2.7 | 1.9 | 4.0 | 1.4 | 0.0 |
| General fertility rate | | 37.0 | 63.5 | 29.3 | 41.5 | 60.3 | 75.3 | 66.7 | 60.5 | 71.6 |
| Total fertility rate | | 1.9 | 1.8 | 1.4 | 1.9 | 2.2 | 2.2 | 1.8 | 1.5 | 1.4 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 6.5 | 0.0 | 0.0 | 0.0 | 9.0 | 8.1 | 0.0 | 0.0 |
| | 20-24 | 131.7 | 70.7 | 114.5 | 275.1 | 202.8 | 109.6 | 83.1 | 36.4 | 40.6 |
| | 25-29 | 151.5 | 108.2 | 248.5 | 114.1 | 120.1 | 144.3 | 114.4 | 128.1 | 78.6 |
| | 30-34 | 4.4 | 85.5 | 0.0 | 117.7 | 34.6 | 142.1 | 45.7 | 67.6 | 115.8 |
| | 35-39 | 2.1 | 30.5 | 0.0 | 97.3 | 16.6 | 8.9 | 38.3 | 41.0 | 25.8 |
| | 40-44 | 0.0 | 7.2 | 4.7 | 3.2 | 13.5 | 5.2 | 7.9 | 13.0 | 0.0 |
| | 45-49 | 0.0 | 6.9 | 0.0 | 100.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 15.5 | 53.7 | 52.2 | 94.8 | 53.4 | 60.4 | 44.6 | 49.6 | 59.3 |
| Total fertility rate | | 1.4 | 1.6 | 1.8 | 3.5 | 1.9 | 2.1 | 1.5 | 1.4 | 1.3 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Kerala**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 12.2 | 0.0 | 0.0 | 0.0 | 0.0 | 11.2 | 21.3 | 0.0 |
| | 20-24 | 0.0 | 88.5 | 0.0 | 0.0 | 49.8 | 93.7 | 113.1 | 71.8 | 112.2 |
| | 25-29 | 256.6 | 111.8 | 0.0 | 134.3 | 175.8 | 83.4 | 115.0 | 97.7 | 124.8 |
| | 30-34 | 0.0 | 84.5 | 0.0 | 79.6 | 58.6 | 53.4 | 74.8 | 92.5 | 108.6 |
| | 35-39 | 64.1 | 29.2 | 0.0 | 43.0 | 5.6 | 13.5 | 29.4 | 31.1 | 51.4 |
| | 40-44 | 23.1 | 6.0 | 0.0 | 0.0 | 0.0 | 5.3 | 5.9 | 2.9 | 14.2 |
| | 45-49 | 8.8 | 0.6 | 0.0 | 0.0 | 0.0 | 0.6 | 1.7 | 0.0 | 0.0 |
| General fertility rate | | 34.9 | 48.9 | 0.0 | 14.7 | 12.5 | 19.3 | 39.8 | 58.4 | 84.9 |
| Total fertility rate | | 1.8 | 1.7 | 0.0 | 1.3 | 1.4 | 1.2 | 1.8 | 1.6 | 2.1 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 11.2 | 0.0 | 0.0 | 0.0 | 0.0 | 6.8 | 26.9 | 0.0 |
| | 20-24 | 0.0 | 89.0 | 0.0 | 0.0 | 75.1 | 99.6 | 93.8 | 79.7 | 107.0 |
| | 25-29 | 507.2 | 103.0 | 0.0 | 158.4 | 156.0 | 70.4 | 91.8 | 97.0 | 119.3 |
| | 30-34 | 0.0 | 87.4 | 0.0 | 103.6 | 54.3 | 51.5 | 63.6 | 95.7 | 141.4 |
| | 35-39 | 89.7 | 30.6 | 0.0 | 0.0 | 9.8 | 17.7 | 28.1 | 34.1 | 65.0 |
| | 40-44 | 33.0 | 8.3 | 0.0 | 0.0 | 0.0 | 7.6 | 7.7 | 5.8 | 24.4 |
| | 45-49 | 12.5 | 0.7 | 0.0 | 0.0 | 0.0 | 1.3 | 1.2 | 0.0 | 0.0 |
| General fertility rate | | 50.4 | 48.9 | 0.0 | 12.6 | 13.9 | 20.8 | 34.9 | 63.0 | 97.1 |
| Total fertility rate | | 3.2 | 1.7 | 0.0 | 1.3 | 1.5 | 1.2 | 1.5 | 1.7 | 2.3 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 13.3 | 0.0 | 0.0 | 0.0 | 0.0 | 15.1 | 15.9 | 0.0 |
| | 20-24 | 0.0 | 88.1 | 0.0 | 0.0 | 0.0 | 82.6 | 134.5 | 64.3 | 117.3 |
| | 25-29 | 0.0 | 121.4 | 0.0 | 0.0 | 222.2 | 101.6 | 148.4 | 98.4 | 129.6 |
| | 30-34 | 0.0 | 81.5 | 0.0 | 0.0 | 64.7 | 55.8 | 88.4 | 89.4 | 86.0 |
| | 35-39 | 0.0 | 27.8 | 0.0 | 131.9 | 0.0 | 8.9 | 30.9 | 27.9 | 43.3 |
| | 40-44 | 0.0 | 3.8 | 0.0 | 0.0 | 0.0 | 2.8 | 3.8 | 0.0 | 8.9 |
| | 45-49 | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 0.0 | 0.0 |
| General fertility rate | | 0.0 | 48.9 | 0.0 | 19.3 | 10.7 | 17.6 | 45.1 | 53.8 | 76.0 |
| Total fertility rate | | 0.0 | 1.7 | 0.0 | 0.7 | 1.4 | 1.3 | 2.1 | 1.5 | 1.9 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Madhya Pradesh**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 103.7 | 13.5 | 95.3 | 75.7 | 28.0 | 9.1 | 2.3 | 16.8 | 0.0 |
| | 20-24 | 328.5 | 157.4 | 370.7 | 287.0 | 268.7 | 160.1 | 86.4 | 79.5 | 103.5 |
| | 25-29 | 237.6 | 194.2 | 180.1 | 185.7 | 218.5 | 219.2 | 208.6 | 199.9 | 103.3 |
| | 30-34 | 97.3 | 104.7 | 89.7 | 86.6 | 93.1 | 94.1 | 69.5 | 195.9 | 155.3 |
| | 35-39 | 43.7 | 41.9 | 65.4 | 53.2 | 23.8 | 13.8 | 53.6 | 80.9 | 59.9 |
| | 40-44 | 11.0 | 14.1 | 5.7 | 19.1 | 26.8 | 11.7 | 0.0 | 0.0 | 15.6 |
| | 45-49 | 6.5 | 2.7 | 0.0 | 6.9 | 0.0 | 1.2 | 0.0 | 21.1 | 0.0 |
| General fertility rate | | 82.5 | 93.5 | 82.6 | 113.1 | 118.0 | 87.4 | 64.2 | 100.7 | 91.2 |
| Total fertility rate | | 4.1 | 2.6 | 4.0 | 3.6 | 3.3 | 2.5 | 2.1 | 3.0 | 2.2 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 109.7 | 16.2 | 77.0 | 80.4 | 32.4 | 10.3 | 3.3 | 29.3 | 0.0 |
| | 20-24 | 333.0 | 177.9 | 396.8 | 293.6 | 283.9 | 166.8 | 90.5 | 91.4 | 135.0 |
| | 25-29 | 240.7 | 225.9 | 182.7 | 186.8 | 237.8 | 238.7 | 248.1 | 247.1 | 164.7 |
| | 30-34 | 100.6 | 99.6 | 100.7 | 95.4 | 93.9 | 98.6 | 60.9 | 190.8 | 147.5 |
| | 35-39 | 44.5 | 38.6 | 47.5 | 54.8 | 24.2 | 14.8 | 97.2 | 59.7 | 21.6 |
| | 40-44 | 12.4 | 15.4 | 7.3 | 11.0 | 27.5 | 19.5 | 0.0 | 0.0 | 0.0 |
| | 45-49 | 7.4 | 2.2 | 0.0 | 8.6 | 0.0 | 2.2 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 85.3 | 105.1 | 85.1 | 117.8 | 130.6 | 96.9 | 72.8 | 120.6 | 125.1 |
| Total fertility rate | | 4.2 | 2.9 | 4.1 | 3.7 | 3.5 | 2.8 | 2.5 | 3.1 | 2.3 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 37.0 | 5.4 | 167.3 | 44.8 | 10.2 | 4.8 | 0.0 | 4.8 | 0.0 |
| | 20-24 | 289.2 | 101.9 | 234.4 | 247.5 | 183.9 | 127.5 | 76.7 | 65.3 | 84.1 |
| | 25-29 | 205.9 | 127.4 | 170.5 | 178.4 | 140.6 | 154.3 | 141.5 | 148.1 | 75.1 |
| | 30-34 | 61.9 | 114.3 | 43.6 | 38.3 | 90.3 | 82.6 | 79.9 | 200.2 | 157.3 |
| | 35-39 | 36.7 | 47.5 | 138.5 | 45.3 | 22.6 | 11.8 | 13.9 | 93.3 | 68.3 |
| | 40-44 | 0.0 | 12.3 | 0.0 | 49.5 | 24.8 | 0.0 | 0.0 | 0.0 | 18.1 |
| | 45-49 | 0.0 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.8 | 0.0 |
| General fertility rate | | 57.4 | 68.3 | 73.3 | 88.7 | 72.2 | 57.6 | 49.0 | 82.4 | 79.7 |
| Total fertility rate | | 3.2 | 2.1 | 3.8 | 3.0 | 2.4 | 1.9 | 1.6 | 2.7 | 2.0 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Maharashtra**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 19.3 | 8.8 | 11.4 | 9.0 | 9.2 | 7.0 | 8.6 | 12.2 | 0.0 |
| | 20-24 | 126.0 | 119.5 | 96.9 | 118.3 | 205.3 | 163.1 | 132.4 | 86.5 | 70.8 |
| | 25-29 | 144.9 | 106.9 | 128.9 | 83.5 | 141.6 | 117.7 | 104.7 | 118.0 | 77.5 |
| | 30-34 | 58.4 | 69.7 | 25.5 | 94.2 | 63.9 | 59.6 | 67.0 | 77.8 | 79.3 |
| | 35-39 | 25.9 | 20.9 | 19.5 | 17.4 | 21.7 | 25.6 | 16.0 | 19.5 | 26.1 |
| | 40-44 | 12.3 | 5.6 | 12.8 | 1.0 | 7.1 | 3.5 | 5.3 | 4.3 | 10.0 |
| | 45-49 | 0.5 | 1.8 | 0.6 | 0.8 | 0.0 | 0.9 | 1.2 | 12.4 | 0.2 |
| General fertility rate | | 40.4 | 56.0 | 41.8 | 38.1 | 55.5 | 52.5 | 57.7 | 66.6 | 55.8 |
| Total fertility rate | | 1.9 | 1.7 | 1.5 | 1.6 | 2.2 | 1.9 | 1.7 | 1.7 | 1.3 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 14.8 | 8.1 | 8.0 | 4.4 | 8.8 | 5.7 | 8.7 | 11.5 | 0.0 |
| | 20-24 | 148.0 | 139.0 | 90.3 | 69.9 | 199.1 | 172.7 | 147.0 | 112.0 | 98.1 |
| | 25-29 | 178.8 | 125.9 | 98.2 | 85.9 | 147.7 | 141.7 | 116.9 | 150.3 | 83.2 |
| | 30-34 | 18.7 | 61.9 | 29.8 | 95.3 | 60.8 | 56.3 | 56.1 | 77.6 | 56.2 |
| | 35-39 | 19.8 | 20.4 | 24.4 | 15.9 | 21.0 | 27.7 | 14.9 | 19.3 | 21.5 |
| | 40-44 | 5.9 | 6.0 | 4.2 | 1.5 | 9.5 | 5.0 | 5.4 | 5.1 | 17.7 |
| | 45-49 | 1.1 | 1.5 | 0.9 | 1.1 | 0.0 | 1.5 | 2.2 | 5.7 | 1.3 |
| General fertility rate | | 33.9 | 60.6 | 36.8 | 31.1 | 52.4 | 57.0 | 64.2 | 85.1 | 61.9 |
| Total fertility rate | | 1.9 | 1.8 | 1.3 | 1.4 | 2.2 | 2.1 | 1.8 | 1.9 | 1.4 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 23.8 | 9.7 | 19.4 | 17.8 | 10.0 | 9.1 | 8.5 | 12.6 | 0.0 |
| | 20-24 | 107.6 | 95.5 | 116.3 | 180.1 | 214.5 | 146.7 | 105.0 | 59.1 | 61.5 |
| | 25-29 | 126.6 | 88.8 | 215.6 | 80.5 | 134.9 | 89.1 | 88.8 | 82.7 | 75.5 |
| | 30-34 | 80.6 | 77.0 | 13.3 | 92.8 | 67.2 | 63.6 | 80.8 | 78.1 | 85.7 |
| | 35-39 | 30.0 | 21.6 | 4.6 | 20.3 | 22.6 | 22.6 | 17.3 | 19.7 | 27.2 |
| | 40-44 | 17.0 | 5.2 | 33.8 | 0.0 | 3.7 | 1.7 | 5.2 | 3.8 | 8.3 |
| | 45-49 | 0.0 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17.7 | 0.0 |
| General fertility rate | | 45.2 | 50.8 | 55.1 | 50.0 | 59.8 | 46.2 | 48.8 | 49.2 | 54.0 |
| Total fertility rate | | 1.9 | 1.5 | 2.0 | 2.0 | 2.3 | 1.7 | 1.5 | 1.4 | 1.3 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Odisha**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 37.2 | 10.3 | 40.6 | 43.4 | 22.1 | 8.1 | 7.3 | 7.7 | 0.0 |
| | 20-24 | 166.9 | 111.8 | 141.1 | 180.1 | 182.5 | 146.4 | 83.4 | 61.1 | 52.7 |
| | 25-29 | 114.5 | 131.1 | 121.2 | 169.6 | 134.7 | 136.3 | 134.2 | 116.9 | 93.8 |
| | 30-34 | 67.7 | 81.5 | 83.4 | 104.3 | 88.4 | 69.1 | 71.1 | 83.9 | 86.4 |
| | 35-39 | 24.3 | 30.4 | 34.6 | 28.8 | 24.8 | 23.0 | 35.1 | 46.7 | 36.2 |
| | 40-44 | 8.0 | 12.7 | 15.6 | 16.9 | 12.1 | 7.6 | 7.3 | 14.4 | 19.3 |
| | 45-49 | 0.0 | 3.6 | 8.6 | 5.8 | 2.2 | 0.0 | 4.8 | 0.0 | 0.0 |
| General fertility rate | | 45.5 | 66.2 | 54.7 | 82.0 | 79.7 | 68.3 | 54.8 | 56.2 | 61.1 |
| Total fertility rate | | 2.1 | 1.9 | 2.2 | 2.7 | 2.3 | 2.0 | 1.7 | 1.7 | 1.4 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 38.9 | 11.0 | 47.0 | 42.1 | 23.7 | 8.6 | 7.8 | 7.8 | 0.0 |
| | 20-24 | 179.3 | 117.8 | 151.5 | 194.8 | 183.5 | 148.4 | 84.6 | 65.1 | 57.9 |
| | 25-29 | 117.7 | 138.7 | 131.3 | 174.1 | 140.5 | 141.4 | 139.5 | 123.4 | 98.9 |
| | 30-34 | 69.6 | 88.3 | 87.8 | 114.5 | 97.4 | 72.7 | 72.6 | 91.5 | 109.0 |
| | 35-39 | 26.6 | 34.0 | 37.1 | 31.4 | 27.5 | 25.4 | 40.7 | 55.8 | 55.5 |
| | 40-44 | 9.0 | 14.8 | 15.0 | 19.1 | 14.1 | 9.6 | 7.6 | 23.8 | 25.5 |
| | 45-49 | 0.0 | 3.9 | 9.6 | 6.5 | 0.0 | 0.0 | 7.6 | 0.0 | 0.0 |
| General fertility rate | | 47.0 | 71.1 | 58.6 | 87.0 | 84.0 | 72.2 | 57.4 | 60.6 | 73.0 |
| Total fertility rate | | 2.2 | 2.0 | 2.4 | 2.9 | 2.4 | 2.0 | 1.8 | 1.8 | 1.7 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 28.8 | 7.0 | 0.0 | 50.0 | 11.2 | 5.4 | 4.8 | 7.5 | 0.0 |
| | 20-24 | 103.3 | 83.3 | 62.8 | 97.4 | 175.2 | 132.3 | 77.3 | 47.7 | 42.6 |
| | 25-29 | 90.5 | 97.9 | 0.0 | 132.2 | 90.5 | 102.6 | 112.9 | 98.7 | 87.3 |
| | 30-34 | 51.9 | 53.9 | 48.5 | 29.4 | 27.6 | 47.9 | 65.9 | 67.2 | 65.5 |
| | 35-39 | 2.9 | 17.5 | 12.9 | 10.5 | 8.2 | 11.4 | 20.2 | 30.5 | 21.1 |
| | 40-44 | 0.0 | 5.6 | 21.2 | 0.0 | 0.0 | 0.0 | 6.5 | 0.0 | 14.3 |
| | 45-49 | 0.0 | 2.3 | 0.0 | 0.0 | 14.7 | 0.0 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 33.5 | 45.7 | 20.8 | 45.6 | 51.0 | 46.6 | 44.5 | 44.0 | 48.0 |
| Total fertility rate | | 1.4 | 1.3 | 0.7 | 1.6 | 1.6 | 1.5 | 1.4 | 1.3 | 1.2 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Punjab**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 38.1 | 4.8 | 2.4 | 11.4 | 7.8 | 2.6 | 4.6 | 6.2 | 0.0 |
| | 20-24 | 131.2 | 77.8 | 34.7 | 74.6 | 180.5 | 151.2 | 78.3 | 50.8 | 41.6 |
| | 25-29 | 106.0 | 109.4 | 49.4 | 95.4 | 146.7 | 158.4 | 142.3 | 91.0 | 61.7 |
| | 30-34 | 49.9 | 79.3 | 20.3 | 72.8 | 76.5 | 83.6 | 84.6 | 77.0 | 93.0 |
| | 35-39 | 23.9 | 33.5 | 33.8 | 22.1 | 42.1 | 29.5 | 30.2 | 35.3 | 43.3 |
| | 40-44 | 8.7 | 10.1 | 15.0 | 4.7 | 13.3 | 9.4 | 13.0 | 2.1 | 14.0 |
| | 45-49 | 3.2 | 3.6 | 2.4 | 8.4 | 1.4 | 1.4 | 4.0 | 8.5 | 0.0 |
| General fertility rate | | 35.3 | 54.0 | 25.0 | 40.4 | 64.0 | 61.0 | 55.2 | 53.2 | 53.9 |
| Total fertility rate | | 1.8 | 1.6 | 0.8 | 1.4 | 2.3 | 2.2 | 1.8 | 1.4 | 1.3 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 16.1 | 5.5 | 7.5 | 18.2 | 9.5 | 3.1 | 4.0 | 8.8 | 0.0 |
| | 20-24 | 104.5 | 86.2 | 56.1 | 104.7 | 188.0 | 144.7 | 89.4 | 53.7 | 44.3 |
| | 25-29 | 121.1 | 111.6 | 70.5 | 94.2 | 134.6 | 152.5 | 135.5 | 93.1 | 62.1 |
| | 30-34 | 66.1 | 82.6 | 33.7 | 79.9 | 79.1 | 87.4 | 87.7 | 82.3 | 89.1 |
| | 35-39 | 31.1 | 31.1 | 42.9 | 23.8 | 39.2 | 28.6 | 24.2 | 27.9 | 57.0 |
| | 40-44 | 12.2 | 9.7 | 0.0 | 7.6 | 14.9 | 12.4 | 9.9 | 0.0 | 15.6 |
| | 45-49 | 5.0 | 4.8 | 3.8 | 9.7 | 2.1 | 2.2 | 2.7 | 20.2 | 0.0 |
| General fertility rate | | 37.3 | 56.5 | 33.1 | 45.0 | 63.2 | 61.0 | 56.2 | 56.9 | 57.7 |
| Total fertility rate | | 1.8 | 1.7 | 1.1 | 1.7 | 2.3 | 2.2 | 1.8 | 1.4 | 1.3 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 55.5 | 3.7 | 0.0 | 5.5 | 5.8 | 1.8 | 5.7 | 2.6 | 0.0 |
| | 20-24 | 160.4 | 66.2 | 22.4 | 41.3 | 168.3 | 161.7 | 59.5 | 46.5 | 39.3 |
| | 25-29 | 88.6 | 106.5 | 33.3 | 97.0 | 168.8 | 168.5 | 154.0 | 87.8 | 61.3 |
| | 30-34 | 32.2 | 75.1 | 7.6 | 61.4 | 71.9 | 77.0 | 79.2 | 70.2 | 94.9 |
| | 35-39 | 12.9 | 36.7 | 22.2 | 19.6 | 48.6 | 30.9 | 40.3 | 43.5 | 38.3 |
| | 40-44 | 3.5 | 10.7 | 39.1 | 0.0 | 10.0 | 4.0 | 17.3 | 3.9 | 13.5 |
| | 45-49 | 0.0 | 2.0 | 0.0 | 5.8 | 0.0 | 0.0 | 5.4 | 0.0 | 0.0 |
| General fertility rate | | 32.4 | 50.8 | 18.0 | 33.8 | 65.5 | 61.0 | 53.4 | 48.3 | 51.6 |
| Total fertility rate | | 1.8 | 1.5 | 0.6 | 1.2 | 2.4 | 2.2 | 1.8 | 1.3 | 1.2 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Rajasthan**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 33.5 | 8.2 | 62.4 | 38.7 | 30.1 | 10.3 | 2.8 | 2.9 | 0.0 |
| | 20-24 | 251.8 | 147.6 | 301.8 | 509.4 | 244.2 | 184.5 | 94.7 | 56.8 | 31.6 |
| | 25-29 | 281.7 | 170.8 | 291.1 | 264.4 | 203.1 | 157.7 | 130.2 | 153.9 | 77.3 |
| | 30-34 | 144.4 | 86.2 | 99.2 | 120.7 | 88.1 | 75.3 | 65.5 | 163.1 | 43.2 |
| | 35-39 | 57.7 | 29.7 | 36.4 | 36.4 | 19.5 | 24.6 | 22.0 | 76.8 | 23.7 |
| | 40-44 | 15.5 | 9.3 | 12.7 | 14.5 | 6.4 | 4.3 | 2.9 | 36.8 | 0.9 |
| | 45-49 | 10.7 | 2.5 | 1.6 | 3.8 | 1.6 | 5.4 | 5.1 | 0.0 | 0.0 |
| General fertility rate | | 100.5 | 83.0 | 96.8 | 180.2 | 119.0 | 84.5 | 43.4 | 54.7 | 40.7 |
| Total fertility rate | | 4.0 | 2.3 | 4.0 | 4.9 | 3.0 | 2.3 | 1.6 | 2.5 | 0.9 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 31.2 | 8.5 | 54.8 | 33.9 | 28.8 | 11.6 | 2.9 | 3.1 | 0.0 |
| | 20-24 | 255.2 | 155.3 | 308.2 | 479.1 | 239.0 | 194.8 | 89.5 | 61.3 | 34.3 |
| | 25-29 | 289.2 | 176.6 | 267.5 | 217.6 | 208.4 | 172.8 | 124.0 | 121.3 | 106.1 |
| | 30-34 | 143.2 | 86.4 | 93.0 | 111.0 | 83.6 | 93.1 | 53.8 | 95.0 | 52.5 |
| | 35-39 | 61.4 | 27.5 | 37.2 | 27.4 | 21.8 | 21.4 | 30.5 | 32.7 | 17.2 |
| | 40-44 | 17.5 | 10.4 | 15.5 | 15.1 | 7.3 | 5.1 | 2.2 | 0.0 | 5.1 |
| | 45-49 | 12.2 | 3.2 | 2.0 | 5.6 | 2.4 | 3.6 | 13.7 | 0.0 | 0.0 |
| General fertility rate | | 104.5 | 86.8 | 94.7 | 169.5 | 121.2 | 94.1 | 41.7 | 46.3 | 53.3 |
| Total fertility rate | | 4.0 | 2.3 | 3.9 | 4.4 | 3.0 | 2.5 | 1.6 | 1.6 | 1.1 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 50.6 | 7.3 | 87.8 | 54.8 | 34.8 | 5.4 | 2.3 | 2.2 | 0.0 |
| | 20-24 | 227.8 | 125.4 | 271.1 | 666.5 | 263.3 | 152.2 | 115.6 | 44.7 | 27.4 |
| | 25-29 | 229.9 | 157.9 | 404.3 | 445.5 | 188.0 | 114.4 | 143.7 | 216.3 | 51.0 |
| | 30-34 | 152.3 | 85.8 | 125.5 | 150.4 | 102.1 | 39.6 | 84.0 | 237.1 | 38.8 |
| | 35-39 | 35.3 | 33.9 | 32.1 | 69.9 | 12.8 | 30.0 | 12.3 | 112.2 | 25.9 |
| | 40-44 | 5.7 | 7.5 | 2.6 | 13.1 | 4.4 | 3.3 | 3.4 | 56.8 | 0.0 |
| | 45-49 | 2.6 | 1.2 | 0.0 | 0.0 | 0.0 | 8.0 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 77.1 | 74.0 | 106.0 | 216.0 | 112.2 | 59.7 | 47.8 | 72.7 | 30.5 |
| Total fertility rate | | 3.5 | 2.1 | 4.6 | 7.0 | 3.0 | 1.8 | 1.8 | 3.3 | 0.7 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Tamil Nadu**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 48.2 | 8.6 | 0.0 | 11.5 | 5.0 | 3.2 | 8.2 | 11.5 | 0.0 |
| | 20-24 | 101.5 | 96.2 | 136.2 | 111.9 | 133.0 | 148.5 | 134.9 | 61.2 | 91.6 |
| | 25-29 | 110.2 | 123.3 | 77.2 | 91.9 | 101.5 | 108.4 | 139.5 | 130.3 | 123.2 |
| | 30-34 | 14.8 | 65.7 | 23.2 | 35.6 | 44.2 | 50.5 | 52.1 | 92.7 | 99.2 |
| | 35-39 | 0.0 | 20.2 | 18.8 | 10.6 | 12.7 | 14.7 | 28.7 | 16.0 | 33.4 |
| | 40-44 | 0.0 | 3.4 | 2.1 | 2.8 | 6.3 | 2.5 | 1.0 | 5.3 | 2.9 |
| | 45-49 | 5.5 | 0.9 | 3.8 | 0.0 | 0.0 | 0.0 | 3.9 | 0.0 | 0.0 |
| General fertility rate | | 11.9 | 52.8 | 21.5 | 20.4 | 28.7 | 36.4 | 57.6 | 59.4 | 86.1 |
| Total fertility rate | | 1.4 | 1.6 | 1.3 | 1.3 | 1.5 | 1.6 | 1.8 | 1.6 | 1.8 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 80.5 | 7.4 | 0.0 | 9.0 | 2.8 | 3.4 | 8.9 | 10.0 | 0.0 |
| | 20-24 | 175.2 | 103.0 | 105.1 | 132.9 | 164.9 | 136.1 | 141.0 | 72.7 | 80.7 |
| | 25-29 | 123.2 | 120.1 | 45.5 | 109.2 | 109.3 | 110.7 | 144.6 | 127.1 | 104.8 |
| | 30-34 | 0.0 | 63.2 | 17.0 | 39.6 | 48.4 | 49.5 | 57.1 | 101.2 | 105.3 |
| | 35-39 | 0.0 | 20.3 | 19.0 | 8.8 | 13.1 | 18.5 | 35.2 | 15.8 | 33.0 |
| | 40-44 | 0.0 | 3.3 | 3.9 | 0.0 | 6.0 | 2.5 | 2.6 | 8.0 | 0.0 |
| | 45-49 | 9.1 | 0.4 | 6.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 12.3 | 53.9 | 18.6 | 22.1 | 33.2 | 39.3 | 68.0 | 67.4 | 84.4 |
| Total fertility rate | | 1.9 | 1.6 | 1.0 | 1.5 | 1.7 | 1.6 | 1.9 | 1.7 | 1.6 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 9.9 | 0.0 | 15.9 | 9.2 | 3.1 | 7.6 | 12.7 | 0.0 |
| | 20-24 | 42.8 | 89.4 | 188.0 | 81.9 | 88.2 | 165.9 | 126.5 | 50.0 | 99.0 |
| | 25-29 | 97.4 | 126.1 | 133.2 | 60.9 | 89.0 | 104.9 | 133.6 | 133.3 | 132.4 |
| | 30-34 | 30.2 | 67.6 | 30.5 | 29.4 | 38.8 | 51.6 | 47.9 | 87.1 | 97.3 |
| | 35-39 | 0.0 | 20.2 | 18.4 | 13.7 | 12.4 | 10.8 | 23.8 | 16.1 | 33.5 |
| | 40-44 | 0.0 | 3.4 | 0.0 | 7.3 | 6.7 | 2.5 | 0.0 | 4.2 | 3.4 |
| | 45-49 | 0.0 | 1.2 | 0.0 | 0.0 | 0.0 | 0.0 | 6.0 | 0.0 | 0.0 |
| General fertility rate | | 11.4 | 51.8 | 25.2 | 17.7 | 23.1 | 33.3 | 48.3 | 53.2 | 86.7 |
| Total fertility rate | | 0.9 | 1.6 | 1.9 | 1.0 | 1.2 | 1.7 | 1.7 | 1.5 | 1.8 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Telangana**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 7.1 | 15.9 | 6.7 | 5.9 | 5.2 | 9.3 | 6.5 | 13.5 |
| | 20-24 | 174.3 | 110.6 | 88.8 | 256.9 | 214.3 | 139.7 | 124.2 | 77.5 | 87.7 |
| | 25-29 | 133.1 | 116.3 | 113.1 | 130.6 | 133.3 | 125.6 | 138.0 | 99.2 | 95.6 |
| | 30-34 | 52.6 | 60.5 | 37.3 | 82.6 | 77.2 | 57.6 | 43.1 | 65.5 | 76.1 |
| | 35-39 | 12.9 | 17.8 | 18.0 | 16.9 | 7.3 | 19.8 | 20.5 | 19.4 | 21.8 |
| | 40-44 | 6.7 | 7.7 | 8.0 | 6.2 | 0.0 | 11.2 | 18.1 | 3.0 | 0.0 |
| | 45-49 | 2.0 | 2.8 | 6.3 | 0.0 | 3.6 | 0.0 | 4.0 | 0.0 | 0.0 |
| General fertility rate | | 35.2 | 58.6 | 41.1 | 59.6 | 54.4 | 48.8 | 67.0 | 60.3 | 68.5 |
| Total fertility rate | | 1.9 | 1.6 | 1.4 | 2.5 | 2.2 | 1.8 | 1.8 | 1.4 | 1.5 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 7.4 | 20.6 | 10.4 | 2.9 | 6.2 | 7.6 | 11.7 | 27.1 |
| | 20-24 | 201.6 | 126.7 | 84.9 | 275.7 | 222.2 | 146.0 | 140.0 | 97.1 | 112.3 |
| | 25-29 | 118.3 | 120.2 | 105.1 | 133.2 | 143.9 | 113.6 | 134.0 | 114.2 | 101.6 |
| | 30-34 | 51.6 | 52.3 | 42.1 | 60.1 | 52.3 | 39.3 | 42.6 | 68.1 | 89.0 |
| | 35-39 | 16.0 | 17.3 | 17.3 | 21.8 | 9.6 | 14.8 | 24.4 | 13.6 | 23.0 |
| | 40-44 | 4.2 | 5.8 | 11.0 | 9.1 | 0.0 | 3.0 | 3.3 | 11.2 | 0.0 |
| | 45-49 | 2.5 | 4.0 | 7.9 | 0.0 | 6.2 | 0.0 | 0.0 | 0.0 | 0.0 |
| General fertility rate | | 35.3 | 62.5 | 41.8 | 57.5 | 52.9 | 45.5 | 75.1 | 76.5 | 91.2 |
| Total fertility rate | | 2.0 | 1.7 | 1.4 | 2.6 | 2.2 | 1.6 | 1.8 | 1.6 | 1.8 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 6.5 | 0.0 | 0.0 | 10.8 | 3.6 | 11.7 | 1.0 | 6.1 |
| | 20-24 | 81.9 | 88.4 | 106.8 | 230.8 | 203.2 | 130.1 | 96.4 | 54.1 | 70.6 |
| | 25-29 | 192.2 | 111.4 | 141.5 | 124.3 | 115.2 | 144.4 | 144.3 | 82.9 | 92.0 |
| | 30-34 | 56.6 | 69.2 | 21.4 | 136.9 | 116.1 | 82.4 | 43.5 | 63.3 | 71.5 |
| | 35-39 | 0.0 | 18.3 | 20.0 | 0.0 | 3.9 | 26.7 | 17.2 | 22.3 | 21.6 |
| | 40-44 | 15.2 | 9.6 | 0.0 | 0.0 | 0.0 | 20.1 | 27.8 | 0.0 | 0.0 |
| | 45-49 | 0.7 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0 | 0.0 |
| General fertility rate | | 34.7 | 53.8 | 38.7 | 64.3 | 56.8 | 53.7 | 56.9 | 44.7 | 58.5 |
| Total fertility rate | | 1.7 | 1.5 | 1.4 | 2.5 | 2.2 | 2.0 | 1.7 | 1.1 | 1.3 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Uttar Pradesh**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 9.6 | 8.4 | 14.9 | 6.0 | 8.6 | 6.9 | 9.3 | 15.7 | 0.0 |
| | 20-24 | 175.6 | 121.4 | 138.8 | 165.9 | 143.8 | 129.8 | 93.5 | 99.8 | 162.8 |
| | 25-29 | 203.7 | 187.1 | 215.5 | 243.3 | 208.7 | 189.0 | 206.2 | 167.3 | 147.4 |
| | 30-34 | 141.7 | 150.8 | 138.1 | 180.5 | 157.7 | 158.0 | 143.9 | 148.7 | 134.0 |
| | 35-39 | 73.3 | 73.2 | 79.2 | 97.6 | 71.1 | 69.2 | 64.2 | 73.3 | 70.5 |
| | 40-44 | 28.6 | 28.8 | 52.6 | 36.0 | 29.1 | 24.8 | 36.3 | 12.4 | 10.5 |
| | 45-49 | 11.5 | 9.5 | 6.6 | 21.5 | 8.1 | 18.0 | 8.3 | 0.0 | 0.7 |
| General fertility rate | | 87.4 | 92.8 | 97.0 | 101.4 | 86.3 | 83.5 | 84.7 | 101.7 | 116.1 |
| Total fertility rate | | 3.2 | 2.9 | 3.2 | 3.8 | 3.1 | 3.0 | 2.8 | 2.6 | 2.6 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 12.2 | 9.2 | 17.9 | 7.6 | 10.5 | 6.2 | 11.0 | 14.3 | 0.0 |
| | 20-24 | 193.3 | 134.4 | 134.9 | 188.9 | 146.6 | 143.3 | 104.6 | 114.5 | 191.2 |
| | 25-29 | 214.4 | 205.0 | 235.1 | 266.8 | 228.1 | 193.1 | 224.8 | 176.6 | 167.8 |
| | 30-34 | 142.8 | 154.3 | 138.2 | 187.9 | 163.3 | 162.9 | 146.7 | 152.7 | 114.3 |
| | 35-39 | 73.7 | 76.4 | 79.9 | 93.8 | 72.5 | 66.7 | 76.5 | 97.5 | 61.9 |
| | 40-44 | 29.3 | 29.2 | 38.5 | 31.7 | 22.8 | 29.5 | 47.5 | 13.9 | 10.6 |
| | 45-49 | 12.8 | 13.0 | 8.1 | 28.2 | 9.1 | 26.1 | 0.0 | 0.0 | 3.5 |
| General fertility rate | | 89.7 | 99.1 | 96.8 | 109.1 | 91.6 | 88.4 | 92.4 | 113.4 | 137.1 |
| Total fertility rate | | 3.4 | 3.1 | 3.3 | 4.0 | 3.3 | 3.1 | 3.1 | 2.8 | 2.7 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 0.0 | 6.0 | 6.2 | 0.0 | 2.4 | 9.3 | 3.8 | 20.3 | 0.0 |
| | 20-24 | 115.4 | 83.4 | 152.1 | 84.6 | 132.5 | 79.0 | 62.9 | 63.3 | 113.9 |
| | 25-29 | 152.5 | 146.5 | 155.1 | 165.3 | 136.6 | 174.6 | 161.6 | 147.5 | 125.8 |
| | 30-34 | 135.4 | 143.2 | 137.8 | 152.0 | 137.1 | 141.7 | 137.9 | 141.4 | 148.6 |
| | 35-39 | 70.4 | 66.9 | 76.4 | 116.1 | 66.0 | 76.1 | 45.6 | 40.4 | 75.0 |
| | 40-44 | 24.8 | 27.8 | 102.5 | 53.4 | 53.4 | 12.3 | 21.7 | 10.7 | 10.4 |
| | 45-49 | 3.9 | 3.6 | 0.0 | 0.0 | 5.3 | 0.0 | 18.6 | 0.0 | 0.0 |
| General fertility rate | | 74.9 | 76.8 | 97.5 | 72.4 | 67.1 | 67.3 | 66.0 | 77.6 | 98.0 |
| Total fertility rate | | 2.5 | 2.4 | 3.2 | 2.9 | 2.7 | 2.5 | 2.3 | 2.1 | 2.4 |

## Table 4

## Fertility indicators by level of education of women, 2018

**Uttarakhand**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 25.9 | 5.4 | 21.9 | 31.3 | 13.8 | 3.4 | 2.3 | 6.9 | 0.0 |
| | 20-24 | 163.8 | 92.2 | 130.7 | 127.7 | 132.1 | 107.4 | 92.6 | 63.5 | 110.7 |
| | 25-29 | 156.6 | 133.0 | 167.6 | 146.5 | 160.3 | 150.1 | 137.5 | 124.3 | 112.2 |
| | 30-34 | 82.1 | 78.4 | 116.2 | 86.2 | 78.1 | 68.7 | 64.3 | 71.2 | 88.2 |
| | 35-39 | 41.4 | 33.9 | 28.7 | 61.3 | 45.0 | 25.1 | 23.4 | 26.9 | 40.7 |
| | 40-44 | 5.1 | 10.8 | 17.5 | 8.7 | 12.1 | 9.0 | 8.6 | 2.1 | 14.7 |
| | 45-49 | 3.4 | 3.5 | 9.4 | 0.0 | 1.8 | 5.5 | 3.8 | 1.6 | 0.0 |
| General fertility rate | | 54.9 | 62.7 | 60.5 | 72.2 | 71.5 | 54.6 | 51.5 | 60.9 | 80.6 |
| Total fertility rate | | 2.4 | 1.8 | 2.5 | 2.3 | 2.2 | 1.8 | 1.7 | 1.5 | 1.8 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 10.3 | 5.3 | 38.1 | 34.7 | 11.7 | 3.6 | 2.3 | 7.4 | 0.0 |
| | 20-24 | 178.4 | 98.8 | 130.6 | 105.4 | 144.8 | 109.1 | 101.4 | 71.3 | 124.3 |
| | 25-29 | 156.4 | 138.1 | 167.1 | 142.2 | 157.4 | 148.0 | 141.1 | 132.1 | 122.2 |
| | 30-34 | 75.4 | 73.4 | 123.1 | 82.3 | 76.2 | 65.2 | 60.4 | 65.6 | 80.0 |
| | 35-39 | 41.9 | 29.7 | 23.8 | 43.0 | 45.4 | 17.7 | 17.7 | 22.9 | 42.8 |
| | 40-44 | 3.4 | 11.4 | 18.0 | 3.2 | 13.7 | 11.0 | 11.2 | 1.8 | 14.8 |
| | 45-49 | 3.7 | 3.6 | 11.8 | 0.0 | 0.0 | 6.0 | 1.7 | 0.0 | 0.0 |
| General fertility rate | | 51.6 | 64.2 | 57.4 | 61.8 | 70.9 | 54.1 | 54.3 | 66.9 | 89.8 |
| Total fertility rate | | 2.3 | 1.8 | 2.6 | 2.1 | 2.2 | 1.8 | 1.7 | 1.5 | 1.9 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 48.4 | 5.5 | 0.0 | 22.3 | 20.0 | 2.9 | 2.5 | 5.8 | 0.0 |
| | 20-24 | 133.6 | 74.1 | 130.8 | 174.0 | 99.8 | 101.5 | 62.6 | 40.6 | 89.4 |
| | 25-29 | 157.2 | 120.4 | 168.7 | 155.0 | 168.7 | 158.1 | 126.2 | 100.8 | 96.5 |
| | 30-34 | 103.2 | 90.2 | 100.4 | 98.8 | 85.5 | 83.9 | 75.0 | 82.9 | 98.8 |
| | 35-39 | 39.8 | 43.6 | 45.2 | 122.4 | 43.6 | 54.9 | 37.6 | 33.7 | 38.6 |
| | 40-44 | 11.7 | 9.6 | 16.0 | 28.0 | 6.5 | 2.8 | 3.0 | 2.5 | 14.5 |
| | 45-49 | 2.5 | 3.2 | 0.0 | 0.0 | 9.8 | 4.1 | 7.2 | 3.3 | 0.0 |
| General fertility rate | | 66.0 | 59.1 | 69.0 | 101.2 | 73.3 | 56.4 | 43.4 | 46.0 | 69.2 |
| Total fertility rate | | 2.5 | 1.7 | 2.3 | 3.0 | 2.2 | 2.0 | 1.6 | 1.3 | 1.7 |

## Table 4

## Fertility indicators by level of education of women, 2018

**West Bengal**

| Indicators | Age group | Educational level | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Illiterate | Literate | | | | | | | |
| | | | Total literate | Without any formal education | Below primary | Primary | Middle | Class X | Class XII | Graduate and above |
| **Total** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 44.3 | 33.3 | 14.4 | 59.0 | 49.3 | 31.2 | 19.2 | 16.6 | 0.0 |
| | 20-24 | 66.9 | 117.6 | 83.1 | 129.6 | 175.1 | 135.8 | 103.2 | 68.3 | 62.6 |
| | 25-29 | 66.1 | 70.7 | 46.3 | 73.2 | 69.0 | 80.3 | 82.1 | 69.0 | 51.9 |
| | 30-34 | 41.5 | 58.8 | 43.1 | 43.4 | 56.4 | 67.7 | 72.0 | 68.1 | 54.3 |
| | 35-39 | 13.7 | 19.4 | 11.6 | 19.2 | 24.7 | 16.1 | 20.9 | 24.4 | 20.4 |
| | 40-44 | 8.7 | 7.8 | 4.8 | 8.7 | 7.1 | 10.2 | 7.0 | 10.7 | 5.2 |
| | 45-49 | 3.5 | 3.4 | 5.0 | 7.3 | 0.9 | 0.8 | 2.4 | 7.7 | 2.4 |
| General fertility rate | | 25.1 | 53.1 | 25.3 | 46.2 | 61.1 | 59.1 | 57.6 | 52.9 | 38.1 |
| Total fertility rate | | 1.2 | 1.6 | 1.0 | 1.7 | 1.9 | 1.7 | 1.5 | 1.3 | 1.0 |
| **Rural** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 46.0 | 38.1 | 4.0 | 77.2 | 54.7 | 36.7 | 20.6 | 25.1 | 0.0 |
| | 20-24 | 73.4 | 129.5 | 90.4 | 135.8 | 178.8 | 145.3 | 117.5 | 82.4 | 56.5 |
| | 25-29 | 68.4 | 71.5 | 46.0 | 65.6 | 66.4 | 80.6 | 88.1 | 64.5 | 66.5 |
| | 30-34 | 45.8 | 64.1 | 44.8 | 47.5 | 59.0 | 69.5 | 86.0 | 84.7 | 82.0 |
| | 35-39 | 11.6 | 21.4 | 12.2 | 23.2 | 27.4 | 17.1 | 23.1 | 33.9 | 17.6 |
| | 40-44 | 8.0 | 9.8 | 5.3 | 11.1 | 8.8 | 13.6 | 10.8 | 10.3 | 3.8 |
| | 45-49 | 4.0 | 5.1 | 5.9 | 8.9 | 0.9 | 1.0 | 5.6 | 23.6 | 9.8 |
| General fertility rate | | 25.8 | 59.3 | 25.8 | 49.7 | 64.0 | 65.2 | 67.7 | 64.1 | 52.8 |
| Total fertility rate | | 1.3 | 1.7 | 1.0 | 1.8 | 2.0 | 1.8 | 1.8 | 1.6 | 1.2 |
| **Urban** | | | | | | | | | | |
| Age specific fertility rates | 15-19 | 39.2 | 19.4 | 58.1 | 17.5 | 34.6 | 14.6 | 15.1 | 0.0 | 0.0 |
| | 20-24 | 39.9 | 87.0 | 55.6 | 108.1 | 163.3 | 105.0 | 68.1 | 43.8 | 70.1 |
| | 25-29 | 55.9 | 68.9 | 47.4 | 96.9 | 78.3 | 79.5 | 70.7 | 75.1 | 41.4 |
| | 30-34 | 23.6 | 49.0 | 36.6 | 30.8 | 48.1 | 63.4 | 52.6 | 53.8 | 42.8 |
| | 35-39 | 24.3 | 15.7 | 9.2 | 7.1 | 16.1 | 14.1 | 18.4 | 17.2 | 21.4 |
| | 40-44 | 12.3 | 4.3 | 2.7 | 2.1 | 2.8 | 3.6 | 3.6 | 10.9 | 5.6 |
| | 45-49 | 1.3 | 0.9 | 1.6 | 3.0 | 1.0 | 0.4 | 0.0 | 0.0 | 0.7 |
| General fertility rate | | 21.7 | 39.8 | 22.9 | 36.0 | 52.6 | 43.0 | 39.2 | 39.4 | 30.6 |
| Total fertility rate | | 1.0 | 1.2 | 1.1 | 1.3 | 1.7 | 1.4 | 1.1 | 1.0 | 0.9 |

## Table 5

## Percentage distribution of live births by order of birth, 2018

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **India** | | | | | |
| 1 | 49.5 | 49.6 | 49.3 | 47.3 | 47.3 | 47.3 | 55.2 | 55.8 | 54.5 |
| 2 | 29.9 | 29.6 | 30.2 | 29.5 | 29.5 | 29.6 | 30.7 | 30.0 | 31.6 |
| 3 | 12.6 | 12.7 | 12.5 | 13.7 | 13.8 | 13.5 | 9.8 | 9.8 | 9.9 |
| 4 | 4.9 | 5.0 | 4.8 | 5.7 | 5.8 | 5.6 | 2.8 | 2.9 | 2.8 |
| 5+ | 3.2 | 3.1 | 3.2 | 3.8 | 3.7 | 3.9 | 1.4 | 1.6 | 1.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 5

## Percentage distribution of live births by order of birth, 2018

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| **Andhra Pradesh** | | | | | | | | | |
| 1 | 57.7 | 57.3 | 58.2 | 58.3 | 57.1 | 59.6 | 56.3 | 57.7 | 54.9 |
| 2 | 35.7 | 35.9 | 35.6 | 34.7 | 35.3 | 34.0 | 38.2 | 37.3 | 39.2 |
| 3 | 5.5 | 5.6 | 5.4 | 5.9 | 6.2 | 5.6 | 4.5 | 4.2 | 4.9 |
| 4 | 0.9 | 1.0 | 0.8 | 1.0 | 1.2 | 0.8 | 0.8 | 0.6 | 1.1 |
| 5+ | 0.1 | 0.2 | 0.0 | 0.2 | 0.2 | 0.0 | 0.1 | 0.2 | 0.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Assam** | | | | | | | | | |
| 1 | 53.9 | 53.8 | 54.0 | 52.9 | 52.7 | 53.1 | 62.8 | 63.1 | 62.4 |
| 2 | 27.8 | 28.2 | 27.5 | 27.8 | 28.3 | 27.3 | 28.1 | 27.7 | 28.5 |
| 3 | 12.7 | 11.6 | 13.9 | 13.3 | 12.0 | 14.6 | 7.7 | 7.6 | 7.8 |
| 4 | 4.2 | 5.0 | 3.5 | 4.6 | 5.4 | 3.7 | 1.2 | 1.2 | 1.1 |
| 5+ | 1.3 | 1.4 | 1.2 | 1.4 | 1.5 | 1.3 | 0.3 | 0.3 | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Bihar** | | | | | | | | | |
| 1 | 34.1 | 34.3 | 34.0 | 33.5 | 33.7 | 33.3 | 39.4 | 39.2 | 39.7 |
| 2 | 28.9 | 29.4 | 28.2 | 28.6 | 29.1 | 28.0 | 31.2 | 31.9 | 30.3 |
| 3 | 19.6 | 19.3 | 20.0 | 19.9 | 19.6 | 20.2 | 17.6 | 17.1 | 18.1 |
| 4 | 9.8 | 9.6 | 10.0 | 10.1 | 9.8 | 10.3 | 7.8 | 7.9 | 7.7 |
| 5+ | 7.5 | 7.3 | 7.8 | 8.0 | 7.8 | 8.2 | 4.0 | 3.9 | 4.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Chhattisgarh** | | | | | | | | | |
| 1 | 41.3 | 40.9 | 41.7 | 39.7 | 39.3 | 40.2 | 48.0 | 48.1 | 48.0 |
| 2 | 36.0 | 36.5 | 35.4 | 35.3 | 36.0 | 34.4 | 39.1 | 39.1 | 39.2 |
| 3 | 15.5 | 14.9 | 16.2 | 16.6 | 15.7 | 17.5 | 10.9 | 11.1 | 10.7 |
| 4 | 5.1 | 5.3 | 4.8 | 5.9 | 6.1 | 5.6 | 1.6 | 1.7 | 1.5 |
| 5+ | 2.1 | 2.3 | 1.9 | 2.6 | 2.8 | 2.3 | 0.3 | 0.1 | 0.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 5

## Percentage distribution of live births by order of birth, 2018

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Delhi** | | | | | |
| 1 | 54.9 | 57.2 | 52.3 | 61.4 | 60.3 | 62.5 | 54.7 | 57.1 | 52.0 |
| 2 | 29.5 | 27.8 | 31.3 | 23.2 | 25.4 | 20.8 | 29.7 | 27.9 | 31.7 |
| 3 | 10.6 | 10.1 | 11.2 | 12.6 | 11.9 | 13.3 | 10.5 | 10.0 | 11.1 |
| 4 | 3.5 | 3.8 | 3.1 | 1.2 | 1.6 | 0.8 | 3.6 | 3.9 | 3.2 |
| 5+ | 1.5 | 1.1 | 2.0 | 1.6 | 0.8 | 2.5 | 1.5 | 1.1 | 2.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Gujarat** | | | | | |
| 1 | 61.3 | 62.0 | 60.5 | 58.3 | 58.8 | 57.6 | 66.0 | 67.0 | 64.9 |
| 2 | 26.5 | 25.4 | 27.8 | 27.3 | 26.8 | 27.8 | 25.4 | 23.1 | 27.8 |
| 3 | 8.0 | 7.9 | 8.2 | 9.1 | 8.8 | 9.6 | 6.3 | 6.6 | 6.1 |
| 4 | 2.4 | 3.1 | 1.6 | 3.0 | 3.4 | 2.5 | 1.3 | 2.4 | 0.1 |
| 5+ | 1.8 | 1.6 | 1.9 | 2.3 | 2.1 | 2.5 | 0.9 | 0.9 | 1.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Haryana** | | | | | |
| 1 | 47.3 | 47.7 | 46.8 | 45.5 | 45.8 | 45.1 | 51.0 | 51.7 | 50.3 |
| 2 | 31.4 | 31.5 | 31.3 | 31.6 | 31.3 | 31.9 | 31.1 | 31.8 | 30.3 |
| 3 | 13.7 | 13.5 | 14.0 | 13.6 | 13.7 | 13.4 | 14.0 | 13.0 | 15.1 |
| 4 | 3.9 | 3.5 | 4.3 | 4.2 | 3.9 | 4.7 | 3.1 | 2.6 | 3.6 |
| 5+ | 3.7 | 3.9 | 3.6 | 5.2 | 5.3 | 5.0 | 0.8 | 0.9 | 0.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Himachal Pradesh** | | | | | |
| 1 | 52.9 | 52.4 | 53.4 | 52.8 | 52.6 | 53.0 | 54.5 | 48.3 | 60.3 |
| 2 | 37.3 | 38.5 | 36.1 | 37.3 | 38.4 | 36.2 | 37.2 | 40.9 | 33.7 |
| 3 | 7.3 | 6.6 | 8.1 | 7.4 | 6.5 | 8.3 | 7.2 | 9.2 | 5.2 |
| 4 | 1.9 | 2.0 | 1.7 | 1.9 | 2.1 | 1.7 | 1.1 | 1.6 | 0.7 |
| 5+ | 0.6 | 0.5 | 0.7 | 0.6 | 0.5 | 0.7 | 0.0 | 0.0 | 0.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 5

## Percentage distribution of live births by order of birth, 2018

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| **Jammu & Kashmir** | | | | | | | | | |
| 1 | 68.8 | 68.6 | 68.9 | 67.0 | 66.5 | 67.5 | 74.8 | 75.9 | 73.6 |
| 2 | 18.8 | 19.7 | 17.9 | 19.9 | 20.7 | 19.1 | 15.3 | 16.3 | 14.3 |
| 3 | 8.1 | 7.2 | 9.0 | 8.1 | 7.3 | 8.9 | 8.3 | 7.1 | 9.4 |
| 4 | 2.5 | 2.7 | 2.3 | 2.8 | 3.3 | 2.4 | 1.3 | 0.6 | 1.9 |
| 5+ | 1.8 | 1.8 | 1.9 | 2.2 | 2.3 | 2.2 | 0.4 | 0.0 | 0.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Jharkhand** | | | | | | | | | |
| 1 | 42.7 | 44.4 | 40.8 | 41.7 | 43.4 | 39.9 | 46.8 | 48.2 | 45.0 |
| 2 | 31.2 | 27.2 | 35.7 | 31.0 | 26.6 | 35.8 | 32.2 | 29.8 | 35.1 |
| 3 | 16.7 | 17.8 | 15.5 | 17.2 | 18.6 | 15.8 | 14.7 | 14.9 | 14.4 |
| 4 | 6.2 | 7.3 | 5.0 | 6.8 | 8.2 | 5.2 | 3.7 | 3.7 | 3.7 |
| 5+ | 3.1 | 3.2 | 3.0 | 3.2 | 3.2 | 3.3 | 2.7 | 3.3 | 1.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Karnataka** | | | | | | | | | |
| 1 | 49.6 | 48.9 | 50.4 | 48.1 | 46.9 | 49.5 | 52.2 | 52.4 | 52.0 |
| 2 | 36.5 | 36.6 | 36.3 | 35.7 | 36.2 | 35.1 | 37.8 | 37.3 | 38.3 |
| 3 | 10.5 | 11.4 | 9.5 | 12.0 | 13.3 | 10.5 | 8.0 | 8.2 | 7.8 |
| 4 | 2.7 | 2.3 | 3.1 | 3.4 | 3.0 | 3.9 | 1.4 | 1.1 | 1.7 |
| 5+ | 0.7 | 0.8 | 0.7 | 0.8 | 0.6 | 1.0 | 0.6 | 1.1 | 0.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Kerala** | | | | | | | | | |
| 1 | 46.1 | 46.5 | 45.7 | 45.9 | 45.8 | 46.1 | 46.2 | 47.1 | 45.2 |
| 2 | 39.1 | 38.4 | 39.9 | 38.5 | 38.0 | 38.9 | 39.7 | 38.7 | 40.9 |
| 3 | 11.2 | 11.1 | 11.4 | 12.5 | 12.6 | 12.3 | 10.0 | 9.6 | 10.4 |
| 4 | 2.9 | 3.3 | 2.4 | 2.6 | 3.0 | 2.1 | 3.2 | 3.6 | 2.7 |
| 5+ | 0.7 | 0.8 | 0.7 | 0.5 | 0.6 | 0.5 | 0.9 | 1.0 | 0.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 5

## Percentage distribution of live births by order of birth, 2018

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| **Madhya Pradesh** | | | | | | | | | |
| 1 | 42.2 | 43.0 | 41.3 | 41.1 | 41.6 | 40.5 | 46.4 | 48.5 | 44.2 |
| 2 | 34.2 | 33.5 | 34.9 | 33.3 | 32.8 | 33.7 | 37.7 | 36.0 | 39.4 |
| 3 | 14.4 | 14.0 | 14.8 | 15.6 | 15.2 | 16.0 | 9.9 | 9.4 | 10.4 |
| 4 | 5.8 | 6.0 | 5.6 | 6.2 | 6.4 | 5.9 | 4.5 | 4.5 | 4.4 |
| 5+ | 3.4 | 3.4 | 3.4 | 3.9 | 3.9 | 3.9 | 1.6 | 1.6 | 1.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Maharashtra** | | | | | | | | | |
| 1 | 59.6 | 59.2 | 60.0 | 59.5 | 58.8 | 60.3 | 59.7 | 59.7 | 59.7 |
| 2 | 29.4 | 29.5 | 29.3 | 29.8 | 30.1 | 29.5 | 28.8 | 28.6 | 29.1 |
| 3 | 8.7 | 9.0 | 8.3 | 8.3 | 8.4 | 8.1 | 9.1 | 9.6 | 8.6 |
| 4 | 1.7 | 1.7 | 1.7 | 1.7 | 1.8 | 1.5 | 1.7 | 1.6 | 1.8 |
| 5+ | 0.7 | 0.7 | 0.7 | 0.7 | 0.9 | 0.6 | 0.6 | 0.5 | 0.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Odisha** | | | | | | | | | |
| 1 | 48.8 | 49.1 | 48.5 | 48.0 | 48.3 | 47.6 | 54.4 | 54.2 | 54.6 |
| 2 | 34.0 | 33.8 | 34.1 | 33.8 | 33.5 | 34.2 | 34.8 | 36.1 | 33.3 |
| 3 | 12.1 | 11.9 | 12.3 | 12.5 | 12.4 | 12.7 | 9.3 | 9.0 | 9.7 |
| 4 | 3.6 | 3.5 | 3.7 | 3.9 | 4.0 | 3.9 | 1.4 | 0.6 | 2.2 |
| 5+ | 1.6 | 1.6 | 1.5 | 1.8 | 1.8 | 1.7 | 0.2 | 0.2 | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Punjab** | | | | | | | | | |
| 1 | 67.6 | 67.1 | 68.3 | 67.4 | 66.3 | 68.6 | 68.1 | 68.2 | 67.9 |
| 2 | 22.2 | 22.4 | 22.0 | 23.0 | 23.8 | 22.2 | 21.0 | 20.3 | 21.7 |
| 3 | 7.7 | 7.9 | 7.5 | 7.5 | 7.5 | 7.5 | 8.2 | 8.6 | 7.6 |
| 4 | 2.1 | 2.3 | 1.9 | 1.7 | 2.1 | 1.4 | 2.7 | 2.6 | 2.8 |
| 5+ | 0.3 | 0.3 | 0.2 | 0.4 | 0.4 | 0.3 | 0.1 | 0.2 | 0.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 5

## Percentage distribution of live births by order of birth, 2018

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Rajasthan** | | | | | |
| 1 | 45.9 | 47.2 | 44.5 | 44.0 | 45.5 | 42.3 | 52.3 | 52.8 | 51.8 |
| 2 | 30.5 | 29.5 | 31.5 | 30.5 | 30.1 | 31.0 | 30.3 | 27.5 | 33.3 |
| 3 | 14.0 | 13.8 | 14.2 | 14.8 | 14.4 | 15.2 | 11.4 | 11.8 | 11.0 |
| 4 | 5.9 | 5.6 | 6.2 | 6.6 | 6.1 | 7.1 | 3.5 | 3.9 | 3.1 |
| 5+ | 3.7 | 3.9 | 3.5 | 4.1 | 3.8 | 4.4 | 2.5 | 4.0 | 0.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Tamil Nadu** | | | | | |
| 1 | 58.6 | 57.2 | 60.1 | 58.1 | 56.3 | 60.2 | 59.0 | 58.1 | 60.0 |
| 2 | 34.9 | 35.4 | 34.3 | 33.5 | 34.5 | 32.3 | 36.2 | 36.3 | 36.1 |
| 3 | 5.9 | 6.7 | 5.1 | 7.3 | 7.8 | 6.7 | 4.6 | 5.6 | 3.6 |
| 4 | 0.5 | 0.6 | 0.4 | 0.9 | 1.2 | 0.6 | 0.1 | 0.0 | 0.3 |
| 5+ | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Telangana** | | | | | |
| 1 | 56.8 | 55.9 | 57.8 | 56.8 | 55.9 | 57.8 | 56.8 | 55.9 | 57.8 |
| 2 | 32.6 | 32.0 | 33.3 | 32.6 | 32.0 | 33.3 | 32.6 | 32.0 | 33.3 |
| 3 | 9.1 | 10.1 | 7.9 | 9.1 | 10.1 | 7.9 | 9.1 | 10.1 | 7.9 |
| 4 | 0.7 | 0.5 | 0.9 | 0.7 | 0.5 | 0.9 | 0.7 | 0.5 | 0.9 |
| 5+ | 0.8 | 1.5 | 0.0 | 0.8 | 1.5 | 0.0 | 0.8 | 1.5 | 0.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Uttar Pradesh** | | | | | |
| 1 | 45.9 | 45.8 | 46.0 | 44.2 | 44.0 | 44.4 | 52.1 | 53.0 | 51.2 |
| 2 | 26.3 | 26.3 | 26.4 | 26.3 | 26.3 | 26.3 | 26.4 | 26.1 | 26.8 |
| 3 | 15.0 | 15.4 | 14.6 | 15.5 | 16.2 | 14.7 | 13.3 | 12.4 | 14.2 |
| 4 | 7.4 | 7.4 | 7.4 | 8.1 | 8.1 | 8.2 | 4.9 | 5.0 | 4.9 |
| 5+ | 5.3 | 5.0 | 5.6 | 5.9 | 5.4 | 6.4 | 3.2 | 3.5 | 2.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 5

### Percentage distribution of live births by order of birth, 2018

| Birth order | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| | | | | **Uttarakhand** | | | | | |
| 1 | 43.6 | 42.8 | 44.7 | 43.8 | 42.9 | 44.8 | 43.3 | 42.5 | 44.3 |
| 2 | 33.3 | 34.1 | 32.4 | 32.5 | 33.5 | 31.5 | 35.5 | 35.7 | 35.1 |
| 3 | 14.9 | 15.3 | 14.4 | 14.9 | 15.3 | 14.3 | 14.9 | 15.3 | 14.4 |
| 4 | 5.2 | 5.2 | 5.2 | 5.7 | 5.6 | 5.7 | 4.0 | 4.2 | 3.7 |
| 5+ | 3.0 | 2.6 | 3.4 | 3.2 | 2.7 | 3.7 | 2.4 | 2.4 | 2.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **West Bengal** | | | | | |
| 1 | 66.4 | 66.9 | 65.8 | 66.1 | 66.1 | 66.0 | 67.5 | 69.4 | 65.3 |
| 2 | 24.1 | 23.2 | 25.2 | 24.9 | 24.5 | 25.5 | 21.5 | 19.3 | 24.1 |
| 3 | 7.1 | 7.2 | 7.1 | 6.9 | 6.9 | 6.9 | 7.7 | 7.9 | 7.5 |
| 4 | 1.7 | 2.0 | 1.4 | 1.5 | 1.8 | 1.1 | 2.6 | 2.7 | 2.4 |
| 5+ | 0.6 | 0.7 | 0.6 | 0.6 | 0.7 | 0.5 | 0.7 | 0.7 | 0.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 6

### Percentage distribution of current live births by birth interval, 2018

| Birth interval in months | India | | | Andhra Pradesh | | | Assam | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 1.6 | 1.6 | 1.7 | 1.6 | 1.6 | 1.4 | 1.2 | 1.3 | 1.0 |
| 12-18 | 7.8 | 8.2 | 6.4 | 10.4 | 11.0 | 9.1 | 2.6 | 2.7 | 1.8 |
| 18-24 | 13.8 | 14.7 | 11.3 | 17.9 | 17.1 | 19.9 | 6.8 | 7.0 | 4.1 |
| 24-30 | 14.3 | 15.4 | 10.9 | 16.0 | 18.2 | 10.7 | 10.5 | 10.6 | 9.5 |
| 30-36 | 12.9 | 13.5 | 11.1 | 15.4 | 16.4 | 13.3 | 8.8 | 8.7 | 9.1 |
| 36+ | 49.6 | 46.7 | 58.6 | 38.7 | 35.7 | 45.7 | 70.1 | 69.7 | 74.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| Birth interval in months | Bihar | | | Chhattisgarh | | | Delhi | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 1.6 | 1.6 | 1.7 | 1.3 | 0.8 | 3.5 | 0.5 | 1.6 | 0.5 |
| 12-18 | 12.4 | 12.6 | 10.9 | 2.9 | 3.0 | 2.3 | 4.4 | 3.3 | 4.4 |
| 18-24 | 17.5 | 17.5 | 17.3 | 13.0 | 13.8 | 9.0 | 6.2 | 4.7 | 6.3 |
| 24-30 | 17.5 | 17.5 | 17.6 | 14.1 | 15.2 | 8.5 | 8.5 | 13.0 | 8.4 |
| 30-36 | 13.8 | 13.8 | 13.6 | 16.3 | 16.7 | 14.3 | 11.1 | 14.5 | 11.0 |
| 36+ | 37.1 | 36.9 | 38.9 | 52.5 | 50.5 | 62.4 | 69.3 | 60.7 | 69.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| Birth interval in months | Gujarat | | | Haryana | | | Himachal Pradesh | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 1.7 | 1.6 | 1.9 | 2.6 | 3.2 | 1.1 | 1.3 | 1.3 | 1.7 |
| 12-18 | 7.5 | 7.4 | 7.5 | 8.7 | 8.9 | 8.4 | 6.7 | 6.6 | 9.9 |
| 18-24 | 13.9 | 15.6 | 10.7 | 16.1 | 17.2 | 13.6 | 12.3 | 12.8 | 4.7 |
| 24-30 | 13.5 | 15.4 | 10.1 | 12.1 | 13.7 | 8.6 | 11.1 | 11.3 | 7.3 |
| 30-36 | 13.4 | 14.9 | 10.5 | 12.6 | 13.5 | 10.5 | 14.0 | 14.2 | 9.7 |
| 36+ | 50.0 | 45.1 | 59.4 | 47.9 | 43.5 | 57.8 | 54.6 | 53.9 | 66.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| Birth interval in months | Jammu & Kashmir | | | Jharkhand | | | Karnataka | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 3.2 | 3.3 | 2.6 | 0.8 | 0.8 | 0.9 | 0.9 | 0.9 | 1.1 |
| 12-18 | 5.8 | 5.8 | 5.7 | 6.1 | 6.4 | 5.1 | 7.1 | 8.6 | 4.3 |
| 18-24 | 14.8 | 13.6 | 19.9 | 13.5 | 13.9 | 11.8 | 16.3 | 19.3 | 10.7 |
| 24-30 | 12.9 | 12.2 | 16.1 | 19.1 | 19.3 | 18.0 | 15.6 | 18.3 | 10.5 |
| 30-36 | 11.4 | 12.4 | 7.1 | 17.3 | 17.6 | 16.1 | 11.8 | 12.4 | 10.6 |
| 36+ | 52.0 | 52.7 | 48.6 | 43.1 | 42.1 | 47.9 | 48.3 | 40.5 | 62.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 6

### Percentage distribution of current live births by birth interval, 2018

| Birth interval in months | Kerala | | | Madhya Pradesh | | | Maharashtra | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 0.4 | 0.5 | 0.3 | 2.1 | 2.1 | 2.2 | 1.3 | 1.6 | 0.9 |
| 12-18 | 3.2 | 3.4 | 3.0 | 9.6 | 10.3 | 6.8 | 5.6 | 5.9 | 5.3 |
| 18-24 | 6.6 | 6.5 | 6.6 | 18.8 | 20.7 | 10.9 | 14.2 | 15.6 | 12.4 |
| 24-30 | 8.2 | 7.7 | 8.8 | 18.4 | 19.5 | 13.4 | 14.9 | 16.7 | 12.5 |
| 30-36 | 9.5 | 10.4 | 8.7 | 13.6 | 14.2 | 11.0 | 11.3 | 13.4 | 8.6 |
| 36+ | 72.0 | 71.5 | 72.5 | 37.6 | 33.3 | 55.7 | 52.7 | 46.9 | 60.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| Birth interval in months | Odisha | | | Punjab | | | Rajasthan | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 0.8 | 0.7 | 1.4 | 2.3 | 1.3 | 3.8 | 2.6 | 2.5 | 2.9 |
| 12-18 | 3.0 | 3.3 | 1.3 | 7.4 | 9.4 | 4.2 | 9.4 | 9.7 | 8.2 |
| 18-24 | 5.6 | 5.6 | 5.7 | 11.1 | 13.6 | 7.2 | 15.9 | 17.1 | 11.2 |
| 24-30 | 9.2 | 9.2 | 9.4 | 10.8 | 11.4 | 10.0 | 15.6 | 16.8 | 11.1 |
| 30-36 | 11.5 | 12.2 | 5.4 | 12.7 | 14.1 | 10.4 | 15.3 | 15.2 | 15.3 |
| 36+ | 69.9 | 69.0 | 76.8 | 55.0 | 49.2 | 64.1 | 41.2 | 38.6 | 51.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| Birth interval in months | Tamil Nadu | | | Telangana | | | Uttar Pradesh | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 1.1 | 1.0 | 1.1 | 1.8 | 2.0 | 1.5 | 1.4 | 1.2 | 2.5 |
| 12-18 | 6.7 | 7.6 | 5.9 | 10.9 | 11.3 | 10.5 | 7.8 | 7.8 | 7.7 |
| 18-24 | 14.3 | 16.8 | 12.0 | 16.3 | 18.9 | 13.7 | 12.7 | 12.9 | 11.8 |
| 24-30 | 14.2 | 16.8 | 11.8 | 15.0 | 15.9 | 14.2 | 13.1 | 14.3 | 7.9 |
| 30-36 | 13.9 | 14.1 | 13.6 | 12.2 | 11.8 | 12.7 | 12.5 | 13.0 | 10.3 |
| 36+ | 49.8 | 43.6 | 55.6 | 43.5 | 39.9 | 47.1 | 52.6 | 50.8 | 59.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| Birth interval in months | Uttarakhand | | | West Bengal | | |
|---|---|---|---|---|---|---|
| | Total | Rural | Urban | Total | Rural | Urban |
| 10-12 | 2.4 | 2.8 | 1.2 | 2.3 | 2.7 | 0.8 |
| 12-18 | 7.8 | 8.5 | 5.8 | 2.2 | 2.2 | 1.9 |
| 18-24 | 10.0 | 11.1 | 6.9 | 5.6 | 5.6 | 5.7 |
| 24-30 | 14.0 | 14.9 | 11.5 | 7.5 | 7.4 | 7.9 |
| 30-36 | 12.5 | 12.9 | 11.3 | 8.9 | 9.1 | 8.4 |
| 36+ | 53.4 | 49.8 | 63.3 | 73.7 | 72.9 | 76.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 7

### Percentage distribution of current live births by birth interval and birth order, 2018

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **India** | | | | | | | | | | | | | | | |
| 10-12 | 0.9 | 0.4 | 0.2 | 0.1 | 1.6 | 0.9 | 0.4 | 0.2 | 0.1 | 1.6 | 1.2 | 0.2 | 0.1 | 0.1 | 1.7 |
| 12-18 | 4.6 | 1.9 | 0.7 | 0.5 | 7.8 | 4.6 | 2.1 | 0.9 | 0.6 | 8.2 | 4.4 | 1.4 | 0.3 | 0.2 | 6.4 |
| 18-24 | 8.0 | 3.4 | 1.5 | 1.0 | 13.8 | 8.0 | 3.7 | 1.8 | 1.2 | 14.7 | 7.7 | 2.4 | 0.8 | 0.4 | 11.3 |
| 24-30 | 8.5 | 3.4 | 1.4 | 1.0 | 14.3 | 8.9 | 3.8 | 1.6 | 1.1 | 15.4 | 7.4 | 2.3 | 0.7 | 0.4 | 10.9 |
| 30-36 | 7.6 | 3.3 | 1.2 | 0.8 | 12.9 | 7.6 | 3.5 | 1.4 | 0.9 | 13.5 | 7.6 | 2.7 | 0.5 | 0.3 | 11.1 |
| 36+ | 29.5 | 12.6 | 4.7 | 2.8 | 49.6 | 26.0 | 12.5 | 4.9 | 3.2 | 46.7 | 40.2 | 12.8 | 3.9 | 1.7 | 58.6 |
| Total | 59.1 | 25.0 | 9.7 | 6.2 | 100.0 | 56.1 | 25.9 | 10.8 | 7.2 | 100.0 | 68.6 | 21.9 | 6.3 | 3.2 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 7

### Percentage distribution of current live births by birth interval and birth order, 2018

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **Andhra Pradesh** | | | | | | | | | | | | | | | |
| 10-12 | 1.2 | 0.3 | 0.0 | 0.0 | 1.6 | 1.3 | 0.4 | 0.0 | 0.0 | 1.6 | 1.1 | 0.3 | 0.0 | 0.0 | 1.4 |
| 12-18 | 8.9 | 1.4 | 0.1 | 0.0 | 10.4 | 9.5 | 1.4 | 0.1 | 0.0 | 11.0 | 7.7 | 1.4 | 0.0 | 0.0 | 9.1 |
| 18-24 | 14.9 | 2.1 | 0.7 | 0.1 | 17.9 | 13.6 | 2.4 | 0.9 | 0.2 | 17.1 | 18.0 | 1.5 | 0.3 | 0.0 | 19.9 |
| 24-30 | 13.8 | 2.0 | 0.1 | 0.0 | 16.0 | 15.7 | 2.4 | 0.1 | 0.1 | 18.2 | 9.3 | 1.1 | 0.3 | 0.0 | 10.7 |
| 30-36 | 12.9 | 2.0 | 0.5 | 0.1 | 15.4 | 13.6 | 2.1 | 0.6 | 0.0 | 16.4 | 11.3 | 1.6 | 0.2 | 0.2 | 13.3 |
| 36+ | 32.7 | 5.2 | 0.8 | 0.1 | 38.7 | 29.5 | 5.4 | 0.7 | 0.1 | 35.7 | 40.1 | 4.5 | 1.1 | 0.0 | 45.7 |
| Total | 84.4 | 13.0 | 2.2 | 0.3 | 100.0 | 83.1 | 14.1 | 2.4 | 0.4 | 100.0 | 87.4 | 10.4 | 1.9 | 0.2 | 100.0 |
| **Assam** | | | | | | | | | | | | | | | |
| 10-12 | 0.7 | 0.3 | 0.2 | 0.0 | 1.2 | 0.7 | 0.3 | 0.3 | 0.0 | 1.3 | 0.9 | 0.1 | 0.0 | 0.0 | 1.0 |
| 12-18 | 1.3 | 1.1 | 0.2 | 0.0 | 2.6 | 1.3 | 1.1 | 0.2 | 0.0 | 2.7 | 1.0 | 0.7 | 0.0 | 0.1 | 1.8 |
| 18-24 | 4.1 | 1.6 | 0.6 | 0.4 | 6.8 | 4.2 | 1.7 | 0.7 | 0.4 | 7.0 | 2.8 | 1.1 | 0.2 | 0.0 | 4.1 |
| 24-30 | 5.9 | 3.1 | 1.1 | 0.4 | 10.5 | 5.8 | 3.2 | 1.2 | 0.5 | 10.6 | 7.6 | 1.6 | 0.3 | 0.0 | 9.5 |
| 30-36 | 5.3 | 2.2 | 0.9 | 0.4 | 8.8 | 5.3 | 2.2 | 0.9 | 0.4 | 8.7 | 5.9 | 2.2 | 0.7 | 0.3 | 9.1 |
| 36+ | 43.1 | 19.4 | 6.1 | 1.5 | 70.1 | 41.8 | 19.8 | 6.5 | 1.6 | 69.7 | 57.3 | 14.9 | 1.9 | 0.2 | 74.3 |
| Total | 60.4 | 27.6 | 9.2 | 2.7 | 100.0 | 59.1 | 28.3 | 9.7 | 2.9 | 100.0 | 75.4 | 20.7 | 3.1 | 0.8 | 100.0 |
| **Bihar** | | | | | | | | | | | | | | | |
| 10-12 | 0.6 | 0.5 | 0.3 | 0.2 | 1.6 | 0.6 | 0.6 | 0.3 | 0.2 | 1.6 | 0.9 | 0.2 | 0.5 | 0.0 | 1.7 |
| 12-18 | 5.1 | 3.8 | 1.8 | 1.8 | 12.4 | 5.0 | 3.9 | 1.8 | 1.8 | 12.6 | 6.0 | 2.9 | 1.0 | 1.0 | 10.9 |
| 18-24 | 7.2 | 5.3 | 2.9 | 2.1 | 17.5 | 6.9 | 5.4 | 2.9 | 2.2 | 17.5 | 9.8 | 4.2 | 2.2 | 1.0 | 17.3 |
| 24-30 | 8.4 | 4.8 | 2.5 | 1.8 | 17.5 | 8.3 | 4.8 | 2.6 | 1.9 | 17.5 | 9.3 | 4.9 | 2.4 | 0.9 | 17.6 |
| 30-36 | 6.5 | 4.0 | 2.0 | 1.3 | 13.8 | 6.4 | 4.0 | 2.0 | 1.4 | 13.8 | 7.0 | 4.7 | 1.2 | 0.8 | 13.6 |
| 36+ | 16.0 | 11.3 | 5.5 | 4.3 | 37.1 | 15.8 | 11.2 | 5.5 | 4.4 | 36.9 | 18.4 | 12.1 | 5.6 | 2.8 | 38.9 |
| Total | 43.8 | 29.8 | 14.9 | 11.5 | 100.0 | 43.0 | 29.9 | 15.1 | 12.0 | 100.0 | 51.5 | 29.0 | 12.9 | 6.7 | 100.0 |
| **Chhattisgarh** | | | | | | | | | | | | | | | |
| 10-12 | 0.8 | 0.2 | 0.2 | 0.0 | 1.3 | 0.3 | 0.3 | 0.2 | 0.0 | 0.8 | 3.5 | 0.0 | 0.0 | 0.0 | 3.5 |
| 12-18 | 2.0 | 0.4 | 0.5 | 0.0 | 2.9 | 2.1 | 0.3 | 0.6 | 0.0 | 3.0 | 1.5 | 0.5 | 0.3 | 0.0 | 2.3 |
| 18-24 | 8.2 | 2.8 | 1.4 | 0.6 | 13.0 | 8.3 | 3.1 | 1.7 | 0.7 | 13.8 | 7.4 | 1.4 | 0.2 | 0.0 | 9.0 |
| 24-30 | 8.5 | 3.9 | 1.4 | 0.3 | 14.1 | 9.0 | 4.3 | 1.6 | 0.2 | 15.2 | 6.0 | 1.5 | 0.4 | 0.5 | 8.5 |
| 30-36 | 10.0 | 4.1 | 1.2 | 1.0 | 16.3 | 10.0 | 4.0 | 1.5 | 1.2 | 16.7 | 10.0 | 4.2 | 0.0 | 0.0 | 14.3 |
| 36+ | 31.8 | 15.0 | 3.9 | 1.7 | 52.5 | 28.8 | 15.3 | 4.3 | 2.1 | 50.5 | 46.9 | 13.3 | 2.2 | 0.0 | 62.4 |
| Total | 61.3 | 26.4 | 8.7 | 3.6 | 100.0 | 58.5 | 27.5 | 9.8 | 4.3 | 100.0 | 75.3 | 21.0 | 3.1 | 0.6 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 7

### Percentage distribution of current live births by birth interval and birth order, 2018

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **Delhi** | | | | | | | | | | | | | | | |
| 10-12 | 0.0 | 0.3 | 0.1 | 0.0 | 0.5 | 1.6 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.4 | 0.1 | 0.0 | 0.5 |
| 12-18 | 3.8 | 0.4 | 0.2 | 0.0 | 4.4 | 1.6 | 1.7 | 0.0 | 0.0 | 3.3 | 3.9 | 0.4 | 0.2 | 0.0 | 4.4 |
| 18-24 | 4.2 | 1.5 | 0.3 | 0.3 | 6.2 | 4.7 | 0.0 | 0.0 | 0.0 | 4.7 | 4.2 | 1.5 | 0.3 | 0.3 | 6.3 |
| 24-30 | 5.1 | 1.8 | 1.1 | 0.5 | 8.5 | 7.9 | 5.2 | 0.0 | 0.0 | 13.0 | 5.0 | 1.8 | 1.1 | 0.5 | 8.4 |
| 30-36 | 7.7 | 2.3 | 0.8 | 0.2 | 11.1 | 11.1 | 3.4 | 0.0 | 0.0 | 14.5 | 7.7 | 2.3 | 0.9 | 0.2 | 11.0 |
| 36+ | 44.6 | 17.1 | 5.2 | 2.4 | 69.3 | 33.2 | 22.3 | 3.2 | 2.1 | 60.7 | 44.8 | 17.0 | 5.3 | 2.4 | 69.5 |
| Total | 65.4 | 23.5 | 7.7 | 3.4 | 100.0 | 60.0 | 32.6 | 3.2 | 4.2 | 100.0 | 65.5 | 23.2 | 7.9 | 3.4 | 100.0 |
| **Gujarat** | | | | | | | | | | | | | | | |
| 10-12 | 1.1 | 0.4 | 0.1 | 0.1 | 1.7 | 1.1 | 0.4 | 0.1 | 0.1 | 1.6 | 1.3 | 0.5 | 0.1 | 0.0 | 1.9 |
| 12-18 | 6.2 | 1.0 | 0.1 | 0.1 | 7.5 | 6.1 | 1.1 | 0.2 | 0.0 | 7.4 | 6.4 | 0.8 | 0.0 | 0.2 | 7.5 |
| 18-24 | 9.5 | 3.0 | 0.8 | 0.6 | 13.9 | 10.2 | 3.6 | 1.0 | 0.8 | 15.6 | 8.3 | 1.8 | 0.3 | 0.3 | 10.7 |
| 24-30 | 8.9 | 3.0 | 0.8 | 0.8 | 13.5 | 9.8 | 3.4 | 1.1 | 1.1 | 15.4 | 7.3 | 2.2 | 0.3 | 0.3 | 10.1 |
| 30-36 | 9.1 | 2.7 | 0.6 | 0.9 | 13.4 | 9.7 | 3.3 | 0.9 | 1.0 | 14.9 | 8.1 | 1.4 | 0.2 | 0.7 | 10.5 |
| 36+ | 33.6 | 10.7 | 3.7 | 2.0 | 50.0 | 28.6 | 10.1 | 4.0 | 2.5 | 45.1 | 43.2 | 12.0 | 3.0 | 1.2 | 59.4 |
| Total | 68.6 | 20.8 | 6.1 | 4.5 | 100.0 | 65.4 | 21.9 | 7.3 | 5.5 | 100.0 | 74.6 | 18.7 | 3.9 | 2.8 | 100.0 |
| **Haryana** | | | | | | | | | | | | | | | |
| 10-12 | 1.7 | 0.4 | 0.3 | 0.2 | 2.6 | 2.3 | 0.3 | 0.3 | 0.2 | 3.2 | 0.3 | 0.6 | 0.2 | 0.0 | 1.1 |
| 12-18 | 4.8 | 2.4 | 0.6 | 0.9 | 8.7 | 4.5 | 2.5 | 0.8 | 1.1 | 8.9 | 5.6 | 2.3 | 0.2 | 0.3 | 8.4 |
| 18-24 | 9.9 | 3.9 | 1.1 | 1.2 | 16.1 | 9.8 | 4.5 | 1.3 | 1.7 | 17.2 | 10.0 | 2.6 | 0.8 | 0.2 | 13.6 |
| 24-30 | 7.1 | 2.8 | 1.1 | 1.1 | 12.1 | 7.9 | 2.8 | 1.5 | 1.6 | 13.7 | 5.6 | 2.7 | 0.3 | 0.0 | 8.6 |
| 30-36 | 7.6 | 3.3 | 0.8 | 0.9 | 12.6 | 8.2 | 3.2 | 0.8 | 1.2 | 13.5 | 6.0 | 3.4 | 0.8 | 0.2 | 10.5 |
| 36+ | 28.5 | 13.1 | 3.5 | 2.8 | 47.9 | 25.2 | 11.5 | 3.2 | 3.6 | 43.5 | 36.0 | 16.8 | 4.2 | 1.0 | 57.8 |
| Total | 59.6 | 26.0 | 7.3 | 7.1 | 100.0 | 57.8 | 24.9 | 7.8 | 9.5 | 100.0 | 63.5 | 28.5 | 6.3 | 1.6 | 100.0 |
| **Himachal Pradesh** | | | | | | | | | | | | | | | |
| 10-12 | 1.0 | 0.3 | 0.0 | 0.0 | 1.3 | 1.0 | 0.3 | 0.0 | 0.0 | 1.3 | 1.2 | 0.5 | 0.0 | 0.0 | 1.7 |
| 12-18 | 5.7 | 0.9 | 0.0 | 0.2 | 6.7 | 5.5 | 0.9 | 0.0 | 0.2 | 6.6 | 9.4 | 0.5 | 0.0 | 0.0 | 9.9 |
| 18-24 | 10.0 | 1.5 | 0.4 | 0.3 | 12.3 | 10.3 | 1.6 | 0.4 | 0.4 | 12.8 | 4.7 | 0.0 | 0.0 | 0.0 | 4.7 |
| 24-30 | 8.1 | 2.2 | 0.8 | 0.0 | 11.1 | 8.3 | 2.2 | 0.8 | 0.0 | 11.3 | 4.7 | 2.1 | 0.5 | 0.0 | 7.3 |
| 30-36 | 10.7 | 2.7 | 0.5 | 0.0 | 14.0 | 10.9 | 2.8 | 0.5 | 0.0 | 14.2 | 8.2 | 1.5 | 0.0 | 0.0 | 9.7 |
| 36+ | 43.7 | 8.0 | 2.3 | 0.6 | 54.6 | 43.2 | 7.8 | 2.3 | 0.7 | 53.9 | 53.7 | 11.1 | 2.0 | 0.0 | 66.8 |
| Total | 79.3 | 15.6 | 4.0 | 1.2 | 100.0 | 79.1 | 15.6 | 4.0 | 1.2 | 100.0 | 81.7 | 15.8 | 2.5 | 0.0 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 7

### Percentage distribution of current live births by birth interval and birth order, 2018

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **Jammu & Kashmir** | | | | | | | | | | | | | | | |
| 10-12 | 1.6 | 1.2 | 0.1 | 0.3 | 3.2 | 2.0 | 0.9 | 0.1 | 0.3 | 3.3 | 0.2 | 2.4 | 0.0 | 0.0 | 2.6 |
| 12-18 | 3.4 | 2.3 | 0.1 | 0.0 | 5.8 | 3.8 | 1.9 | 0.1 | 0.0 | 5.8 | 1.8 | 4.0 | 0.0 | 0.0 | 5.7 |
| 18-24 | 9.4 | 3.9 | 0.4 | 1.1 | 14.8 | 8.7 | 3.1 | 0.5 | 1.3 | 13.6 | 12.6 | 7.3 | 0.0 | 0.0 | 19.9 |
| 24-30 | 8.2 | 3.2 | 0.9 | 0.6 | 12.9 | 8.4 | 2.2 | 0.8 | 0.8 | 12.2 | 7.5 | 7.4 | 1.3 | 0.0 | 16.1 |
| 30-36 | 8.2 | 2.1 | 0.7 | 0.3 | 11.4 | 8.5 | 2.6 | 0.9 | 0.4 | 12.4 | 7.1 | 0.0 | 0.0 | 0.0 | 7.1 |
| 36+ | 29.3 | 13.4 | 5.7 | 3.6 | 52.0 | 28.8 | 13.8 | 6.1 | 4.1 | 52.7 | 31.5 | 11.7 | 3.8 | 1.5 | 48.6 |
| Total | 60.2 | 26.0 | 8.0 | 5.8 | 100.0 | 60.1 | 24.4 | 8.6 | 6.8 | 100.0 | 60.6 | 32.8 | 5.1 | 1.5 | 100.0 |
| **Jharkhand** | | | | | | | | | | | | | | | |
| 10-12 | 0.4 | 0.3 | 0.1 | 0.0 | 0.8 | 0.5 | 0.2 | 0.1 | 0.0 | 0.8 | 0.0 | 0.8 | 0.2 | 0.0 | 0.9 |
| 12-18 | 2.9 | 2.1 | 0.8 | 0.4 | 6.1 | 3.3 | 2.1 | 0.8 | 0.2 | 6.4 | 1.3 | 1.8 | 0.8 | 1.2 | 5.1 |
| 18-24 | 7.9 | 3.7 | 1.4 | 0.5 | 13.5 | 8.3 | 3.6 | 1.4 | 0.6 | 13.9 | 6.2 | 3.9 | 1.4 | 0.3 | 11.8 |
| 24-30 | 11.2 | 4.1 | 2.6 | 1.1 | 19.1 | 11.2 | 4.1 | 2.9 | 1.1 | 19.3 | 11.0 | 4.3 | 1.5 | 1.2 | 18.0 |
| 30-36 | 9.7 | 5.4 | 1.4 | 0.9 | 17.3 | 9.8 | 5.4 | 1.5 | 0.9 | 17.6 | 9.4 | 5.4 | 0.6 | 0.7 | 16.1 |
| 36+ | 22.4 | 13.8 | 4.5 | 2.5 | 43.1 | 20.1 | 14.3 | 4.9 | 2.8 | 42.1 | 32.6 | 11.3 | 2.6 | 1.5 | 47.9 |
| Total | 54.5 | 29.2 | 10.8 | 5.5 | 100.0 | 53.2 | 29.6 | 11.7 | 5.6 | 100.0 | 60.5 | 27.6 | 7.0 | 5.0 | 100.0 |
| **Karnataka** | | | | | | | | | | | | | | | |
| 10-12 | 0.8 | 0.1 | 0.0 | 0.0 | 0.9 | 0.7 | 0.2 | 0.0 | 0.0 | 0.9 | 1.1 | 0.0 | 0.0 | 0.0 | 1.1 |
| 12-18 | 5.0 | 1.5 | 0.5 | 0.2 | 7.1 | 6.6 | 1.4 | 0.4 | 0.2 | 8.6 | 1.9 | 1.6 | 0.6 | 0.1 | 4.3 |
| 18-24 | 11.2 | 3.8 | 1.1 | 0.2 | 16.3 | 12.9 | 4.8 | 1.4 | 0.2 | 19.3 | 8.0 | 2.1 | 0.5 | 0.1 | 10.7 |
| 24-30 | 10.3 | 3.8 | 1.2 | 0.3 | 15.6 | 11.7 | 4.6 | 1.6 | 0.4 | 18.3 | 7.7 | 2.3 | 0.3 | 0.2 | 10.5 |
| 30-36 | 8.1 | 2.7 | 0.9 | 0.1 | 11.8 | 8.2 | 3.1 | 1.0 | 0.2 | 12.4 | 7.9 | 2.0 | 0.8 | 0.0 | 10.6 |
| 36+ | 37.0 | 8.9 | 1.7 | 0.6 | 48.3 | 28.7 | 9.1 | 2.2 | 0.5 | 40.5 | 52.5 | 8.7 | 0.8 | 0.9 | 62.8 |
| Total | 72.4 | 20.9 | 5.3 | 1.4 | 100.0 | 68.8 | 23.1 | 6.6 | 1.5 | 100.0 | 79.0 | 16.8 | 2.9 | 1.3 | 100.0 |
| **Kerala** | | | | | | | | | | | | | | | |
| 10-12 | 0.2 | 0.0 | 0.0 | 0.1 | 0.4 | 0.4 | 0.1 | 0.0 | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.3 | 0.3 |
| 12-18 | 2.8 | 0.4 | 0.1 | 0.0 | 3.2 | 2.8 | 0.5 | 0.1 | 0.1 | 3.4 | 2.8 | 0.3 | 0.0 | 0.0 | 3.0 |
| 18-24 | 4.8 | 1.2 | 0.4 | 0.3 | 6.6 | 5.0 | 1.3 | 0.2 | 0.0 | 6.5 | 4.6 | 1.0 | 0.6 | 0.5 | 6.6 |
| 24-30 | 6.3 | 1.6 | 0.4 | 0.0 | 8.2 | 5.1 | 2.1 | 0.4 | 0.1 | 7.7 | 7.5 | 1.0 | 0.3 | 0.0 | 8.8 |
| 30-36 | 7.3 | 1.7 | 0.2 | 0.3 | 9.5 | 7.8 | 2.2 | 0.2 | 0.2 | 10.4 | 6.8 | 1.3 | 0.3 | 0.3 | 8.7 |
| 36+ | 51.2 | 16.0 | 4.3 | 0.6 | 72.0 | 50.1 | 16.9 | 3.8 | 0.7 | 71.5 | 52.2 | 15.0 | 4.8 | 0.6 | 72.5 |
| Total | 72.5 | 20.8 | 5.3 | 1.4 | 100.0 | 71.2 | 23.1 | 4.8 | 1.0 | 100.0 | 73.9 | 18.5 | 5.9 | 1.7 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 7

### Percentage distribution of current live births by birth interval and birth order, 2018

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **Madhya Pradesh** | | | | | | | | | | | | | | | |
| 10-12 | 1.4 | 0.3 | 0.2 | 0.1 | 2.1 | 1.3 | 0.4 | 0.2 | 0.1 | 2.1 | 1.7 | 0.1 | 0.1 | 0.2 | 2.2 |
| 12-18 | 6.4 | 2.0 | 0.8 | 0.4 | 9.6 | 6.7 | 2.2 | 0.9 | 0.5 | 10.3 | 4.9 | 1.2 | 0.5 | 0.2 | 6.8 |
| 18-24 | 10.5 | 4.5 | 2.5 | 1.2 | 18.8 | 11.1 | 5.4 | 2.9 | 1.3 | 20.7 | 8.1 | 1.2 | 1.1 | 0.5 | 10.9 |
| 24-30 | 10.6 | 5.0 | 1.6 | 1.2 | 18.4 | 11.1 | 5.3 | 1.7 | 1.4 | 19.5 | 8.6 | 3.4 | 1.0 | 0.3 | 13.4 |
| 30-36 | 7.5 | 3.9 | 1.4 | 0.7 | 13.6 | 7.5 | 4.4 | 1.5 | 0.8 | 14.2 | 7.5 | 2.2 | 1.1 | 0.3 | 11.0 |
| 36+ | 22.7 | 9.2 | 3.5 | 2.3 | 37.6 | 18.7 | 8.9 | 3.2 | 2.5 | 33.3 | 39.4 | 10.4 | 4.5 | 1.4 | 55.7 |
| Total | 59.1 | 24.9 | 10.1 | 5.9 | 100.0 | 56.4 | 26.5 | 10.5 | 6.6 | 100.0 | 70.3 | 18.5 | 8.3 | 2.9 | 100.0 |
| **Maharashtra** | | | | | | | | | | | | | | | |
| 10-12 | 0.8 | 0.3 | 0.1 | 0.1 | 1.3 | 0.9 | 0.4 | 0.2 | 0.1 | 1.6 | 0.6 | 0.2 | 0.1 | 0.0 | 0.9 |
| 12-18 | 4.2 | 1.1 | 0.2 | 0.1 | 5.6 | 4.6 | 0.9 | 0.2 | 0.1 | 5.9 | 3.6 | 1.4 | 0.1 | 0.1 | 5.3 |
| 18-24 | 10.4 | 3.2 | 0.6 | 0.0 | 14.2 | 11.5 | 3.5 | 0.5 | 0.1 | 15.6 | 8.9 | 2.7 | 0.7 | 0.0 | 12.4 |
| 24-30 | 11.4 | 2.6 | 0.8 | 0.1 | 14.9 | 12.3 | 3.1 | 1.0 | 0.2 | 16.7 | 10.3 | 1.8 | 0.4 | 0.0 | 12.5 |
| 30-36 | 8.0 | 2.6 | 0.4 | 0.3 | 11.3 | 9.6 | 3.2 | 0.4 | 0.1 | 13.4 | 5.9 | 1.8 | 0.4 | 0.6 | 8.6 |
| 36+ | 37.9 | 11.6 | 2.1 | 1.0 | 52.7 | 34.6 | 9.3 | 1.8 | 1.2 | 46.9 | 42.2 | 14.7 | 2.4 | 0.9 | 60.3 |
| Total | 72.7 | 21.4 | 4.1 | 1.7 | 100.0 | 73.6 | 20.5 | 4.1 | 1.8 | 100.0 | 71.6 | 22.7 | 4.1 | 1.6 | 100.0 |
| **Odisha** | | | | | | | | | | | | | | | |
| 10-12 | 0.5 | 0.2 | 0.0 | 0.0 | 0.8 | 0.4 | 0.3 | 0.0 | 0.0 | 0.7 | 1.4 | 0.0 | 0.0 | 0.0 | 1.4 |
| 12-18 | 2.0 | 0.6 | 0.4 | 0.1 | 3.0 | 2.0 | 0.7 | 0.5 | 0.1 | 3.3 | 1.3 | 0.0 | 0.0 | 0.0 | 1.3 |
| 18-24 | 3.7 | 1.1 | 0.6 | 0.2 | 5.6 | 3.7 | 1.1 | 0.6 | 0.2 | 5.6 | 3.6 | 1.4 | 0.3 | 0.3 | 5.7 |
| 24-30 | 6.6 | 1.7 | 0.7 | 0.2 | 9.2 | 6.5 | 1.8 | 0.8 | 0.2 | 9.2 | 7.8 | 1.4 | 0.1 | 0.0 | 9.4 |
| 30-36 | 7.4 | 2.9 | 0.8 | 0.4 | 11.5 | 8.0 | 3.1 | 0.8 | 0.4 | 12.2 | 3.1 | 1.6 | 0.8 | 0.0 | 5.4 |
| 36+ | 46.1 | 17.1 | 4.5 | 2.2 | 69.9 | 44.4 | 17.2 | 4.9 | 2.5 | 69.0 | 58.9 | 16.0 | 1.7 | 0.1 | 76.8 |
| Total | 66.3 | 23.6 | 7.0 | 3.1 | 100.0 | 65.0 | 24.0 | 7.5 | 3.4 | 100.0 | 76.2 | 20.4 | 3.0 | 0.4 | 100.0 |
| **Punjab** | | | | | | | | | | | | | | | |
| 10-12 | 2.0 | 0.3 | 0.0 | 0.0 | 2.3 | 1.3 | 0.0 | 0.0 | 0.0 | 1.3 | 3.1 | 0.7 | 0.0 | 0.0 | 3.8 |
| 12-18 | 5.3 | 1.7 | 0.4 | 0.0 | 7.4 | 6.7 | 2.4 | 0.4 | 0.0 | 9.4 | 3.1 | 0.7 | 0.4 | 0.0 | 4.2 |
| 18-24 | 7.9 | 2.1 | 1.1 | 0.0 | 11.1 | 10.4 | 1.9 | 1.3 | 0.0 | 13.6 | 4.1 | 2.4 | 0.7 | 0.0 | 7.2 |
| 24-30 | 8.5 | 1.6 | 0.7 | 0.0 | 10.8 | 8.7 | 1.7 | 1.0 | 0.0 | 11.4 | 8.1 | 1.4 | 0.4 | 0.0 | 10.0 |
| 30-36 | 8.3 | 4.0 | 0.4 | 0.0 | 12.7 | 9.7 | 4.1 | 0.3 | 0.0 | 14.1 | 6.1 | 3.9 | 0.4 | 0.0 | 10.4 |
| 36+ | 36.7 | 14.2 | 4.0 | 0.1 | 55.0 | 33.9 | 12.9 | 2.3 | 0.1 | 49.2 | 41.1 | 16.4 | 6.6 | 0.0 | 64.1 |
| Total | 68.7 | 23.9 | 6.6 | 0.9 | 100.0 | 70.6 | 22.9 | 5.3 | 1.2 | 100.0 | 65.6 | 25.5 | 8.5 | 0.3 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

## Table 7

### Percentage distribution of current live births by birth interval and birth order, 2018

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **Rajasthan** | | | | | | | | | | | | | | | |
| 10-12 | 1.3 | 0.6 | 0.4 | 0.2 | 2.6 | 1.3 | 0.6 | 0.5 | 0.2 | 2.5 | 1.6 | 0.8 | 0.0 | 0.5 | 2.9 |
| 12-18 | 5.3 | 2.8 | 0.8 | 0.5 | 9.4 | 5.4 | 2.8 | 1.0 | 0.6 | 9.7 | 4.8 | 2.9 | 0.3 | 0.2 | 8.2 |
| 18-24 | 9.4 | 3.8 | 1.6 | 1.1 | 15.9 | 9.8 | 4.3 | 1.7 | 1.3 | 17.1 | 7.9 | 1.7 | 0.9 | 0.6 | 11.2 |
| 24-30 | 8.6 | 3.9 | 1.8 | 1.3 | 15.6 | 9.1 | 4.4 | 2.0 | 1.3 | 16.8 | 6.8 | 2.1 | 1.0 | 1.3 | 11.1 |
| 30-36 | 8.7 | 3.9 | 1.5 | 1.2 | 15.3 | 8.4 | 3.8 | 1.8 | 1.3 | 15.2 | 9.8 | 4.4 | 0.6 | 0.6 | 15.3 |
| 36+ | 23.0 | 10.9 | 4.8 | 2.5 | 41.2 | 20.6 | 10.5 | 4.8 | 2.6 | 38.6 | 32.6 | 12.1 | 4.5 | 2.1 | 51.3 |
| Total | 56.3 | 25.9 | 10.9 | 6.9 | 100.0 | 54.5 | 26.4 | 11.8 | 7.3 | 100.0 | 63.5 | 23.9 | 7.3 | 5.3 | 100.0 |
| **Tamil Nadu** | | | | | | | | | | | | | | | |
| 10-12 | 0.9 | 0.1 | 0.0 | 0.0 | 1.1 | 0.9 | 0.1 | 0.0 | 0.0 | 1.0 | 1.0 | 0.1 | 0.0 | 0.0 | 1.1 |
| 12-18 | 5.9 | 0.8 | 0.1 | 0.0 | 6.7 | 6.5 | 1.1 | 0.1 | 0.0 | 7.6 | 5.3 | 0.5 | 0.0 | 0.0 | 5.9 |
| 18-24 | 11.6 | 2.3 | 0.3 | 0.1 | 14.3 | 13.0 | 3.1 | 0.6 | 0.1 | 16.8 | 10.2 | 1.7 | 0.0 | 0.1 | 12.0 |
| 24-30 | 12.1 | 1.8 | 0.2 | 0.0 | 14.2 | 13.7 | 2.6 | 0.4 | 0.0 | 16.8 | 10.6 | 1.1 | 0.0 | 0.0 | 11.8 |
| 30-36 | 11.5 | 2.2 | 0.1 | 0.0 | 13.9 | 11.7 | 2.2 | 0.2 | 0.0 | 14.1 | 11.3 | 2.2 | 0.1 | 0.0 | 13.6 |
| 36+ | 42.3 | 6.9 | 0.5 | 0.1 | 49.8 | 34.2 | 8.3 | 0.9 | 0.1 | 43.6 | 49.7 | 5.7 | 0.1 | 0.1 | 55.6 |
| Total | 84.3 | 14.2 | 1.2 | 0.2 | 100.0 | 80.0 | 17.5 | 2.2 | 0.3 | 100.0 | 88.2 | 11.3 | 0.4 | 0.2 | 100.0 |
| **Telangana** | | | | | | | | | | | | | | | |
| 10-12 | 1.5 | 0.1 | 0.1 | 0.0 | 1.8 | 1.8 | 0.0 | 0.1 | 0.0 | 2.0 | 1.2 | 0.3 | 0.1 | 0.0 | 1.5 |
| 12-18 | 8.7 | 2.1 | 0.1 | 0.0 | 10.9 | 9.1 | 2.1 | 0.1 | 0.0 | 11.3 | 8.4 | 2.0 | 0.1 | 0.0 | 10.5 |
| 18-24 | 12.1 | 2.6 | 0.4 | 1.2 | 16.3 | 13.9 | 2.6 | 0.7 | 1.6 | 18.9 | 10.3 | 2.5 | 0.1 | 0.8 | 13.7 |
| 24-30 | 10.9 | 3.6 | 0.1 | 0.4 | 15.0 | 11.7 | 4.1 | 0.1 | 0.0 | 15.9 | 10.2 | 3.0 | 0.2 | 0.8 | 14.2 |
| 30-36 | 8.6 | 3.4 | 0.2 | 0.0 | 12.2 | 9.0 | 2.8 | 0.0 | 0.0 | 11.8 | 8.3 | 4.0 | 0.4 | 0.0 | 12.7 |
| 36+ | 33.4 | 9.4 | 0.7 | 0.0 | 43.5 | 29.8 | 9.5 | 0.5 | 0.0 | 39.9 | 37.0 | 9.3 | 0.8 | 0.0 | 47.1 |
| Total | 75.3 | 21.2 | 1.6 | 1.9 | 100.0 | 75.3 | 21.2 | 1.6 | 1.9 | 100.0 | 75.3 | 21.2 | 1.6 | 1.9 | 100.0 |
| **Uttar Pradesh** | | | | | | | | | | | | | | | |
| 10-12 | 0.8 | 0.4 | 0.1 | 0.2 | 1.4 | 0.5 | 0.4 | 0.1 | 0.2 | 1.2 | 1.9 | 0.1 | 0.2 | 0.3 | 2.5 |
| 12-18 | 4.2 | 2.0 | 1.0 | 0.7 | 7.8 | 4.0 | 2.0 | 1.1 | 0.7 | 7.8 | 5.0 | 2.0 | 0.4 | 0.4 | 7.7 |
| 18-24 | 6.2 | 3.2 | 1.9 | 1.4 | 12.7 | 6.1 | 3.1 | 2.1 | 1.6 | 12.9 | 6.3 | 3.3 | 1.2 | 0.9 | 11.8 |
| 24-30 | 6.6 | 3.3 | 1.7 | 1.4 | 13.1 | 7.4 | 3.5 | 1.8 | 1.5 | 14.3 | 3.3 | 2.6 | 1.2 | 0.8 | 7.9 |
| 30-36 | 6.3 | 3.6 | 1.5 | 1.1 | 12.5 | 6.2 | 3.7 | 1.8 | 1.3 | 13.0 | 6.4 | 3.4 | 0.2 | 0.2 | 10.3 |
| 36+ | 24.6 | 15.3 | 7.5 | 5.0 | 52.6 | 22.8 | 15.1 | 7.7 | 5.3 | 50.8 | 32.3 | 16.4 | 7.1 | 4.0 | 59.8 |
| Total | 48.6 | 27.8 | 13.7 | 9.8 | 100.0 | 47.1 | 27.8 | 14.6 | 10.6 | 100.0 | 55.2 | 27.8 | 10.3 | 6.7 | 100.0 |

## Table 7

### Percentage distribution of current live births by birth interval and birth order, 2018

| Birth interval in months | Birth order | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | | | | | Rural | | | | | Urban | | | | |
| | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total | 2 | 3 | 4 | 5+ | Total |
| **Uttarakhand** | | | | | | | | | | | | | | | |
| 10-12 | 1.5 | 0.7 | 0.2 | 0.0 | 2.4 | 1.8 | 0.8 | 0.2 | 0.1 | 2.8 | 0.6 | 0.4 | 0.2 | 0.0 | 1.2 |
| 12-18 | 5.3 | 1.7 | 0.5 | 0.3 | 7.8 | 5.8 | 1.8 | 0.6 | 0.3 | 8.5 | 4.1 | 1.4 | 0.2 | 0.1 | 5.8 |
| 18-24 | 6.0 | 2.6 | 0.8 | 0.7 | 10.0 | 6.5 | 2.9 | 0.9 | 0.8 | 11.1 | 4.6 | 1.5 | 0.4 | 0.4 | 6.9 |
| 24-30 | 8.4 | 3.8 | 1.1 | 0.7 | 14.0 | 8.7 | 4.3 | 1.1 | 0.7 | 14.9 | 7.6 | 2.5 | 0.8 | 0.6 | 11.5 |
| 30-36 | 7.1 | 3.6 | 1.2 | 0.5 | 12.5 | 7.3 | 3.7 | 1.4 | 0.5 | 12.9 | 6.6 | 3.3 | 0.8 | 0.6 | 11.3 |
| 36+ | 30.7 | 14.0 | 5.5 | 3.0 | 53.4 | 27.8 | 13.0 | 5.9 | 3.2 | 49.8 | 38.9 | 17.0 | 4.7 | 2.6 | 63.3 |
| Total | 59.1 | 26.4 | 9.3 | 5.3 | 100.0 | 57.8 | 26.4 | 10.1 | 5.7 | 100.0 | 62.5 | 26.2 | 7.0 | 4.2 | 100.0 |
| **West Bengal** | | | | | | | | | | | | | | | |
| 10-12 | 1.7 | 0.4 | 0.1 | 0.0 | 2.3 | 2.0 | 0.6 | 0.2 | 0.0 | 2.7 | 0.8 | 0.0 | 0.0 | 0.0 | 0.8 |
| 12-18 | 1.5 | 0.5 | 0.1 | 0.0 | 2.2 | 1.6 | 0.5 | 0.1 | 0.0 | 2.2 | 1.2 | 0.6 | 0.0 | 0.0 | 1.9 |
| 18-24 | 3.7 | 1.5 | 0.4 | 0.1 | 5.6 | 4.0 | 1.3 | 0.3 | 0.1 | 5.6 | 2.9 | 1.9 | 0.8 | 0.1 | 5.7 |
| 24-30 | 5.8 | 1.4 | 0.2 | 0.0 | 7.5 | 5.7 | 1.4 | 0.2 | 0.0 | 7.4 | 6.0 | 1.7 | 0.2 | 0.0 | 7.9 |
| 30-36 | 6.3 | 1.8 | 0.5 | 0.3 | 8.9 | 6.4 | 1.8 | 0.5 | 0.4 | 9.1 | 6.0 | 1.7 | 0.6 | 0.2 | 8.4 |
| 36+ | 52.8 | 15.5 | 3.8 | 1.5 | 73.7 | 53.9 | 14.8 | 3.1 | 1.1 | 72.9 | 49.4 | 17.9 | 6.3 | 2.9 | 76.5 |
| Total | 71.8 | 21.2 | 5.1 | 1.8 | 100.0 | 73.5 | 20.4 | 4.3 | 1.8 | 100.0 | 66.2 | 23.9 | 7.9 | 2.1 | 100.0 |

Note : Total may not add up to 100 due to rounding off.

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**India**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 37.5 | 36.9 | 38.1 | 42.3 | 41.9 | 42.6 | 25.3 | 23.9 | 26.8 |
| 1-4 | 1.1 | 1.0 | 1.1 | 1.2 | 1.1 | 1.2 | 0.8 | 0.7 | 0.9 |
| 0-4 | 8.9 | 8.7 | 9.0 | 9.9 | 9.8 | 10.0 | 6.1 | 5.8 | 6.6 |
| 5-9 | 0.5 | 0.4 | 0.6 | 0.5 | 0.5 | 0.6 | 0.4 | 0.4 | 0.5 |
| 10-14 | 0.5 | 0.5 | 0.5 | 0.6 | 0.6 | 0.5 | 0.3 | 0.3 | 0.4 |
| 15-19 | 0.8 | 0.8 | 0.7 | 0.9 | 0.9 | 0.8 | 0.6 | 0.6 | 0.5 |
| 20-24 | 1.1 | 1.2 | 0.9 | 1.2 | 1.3 | 1.1 | 0.8 | 1.0 | 0.6 |
| 25-29 | 1.3 | 1.6 | 1.0 | 1.5 | 1.8 | 1.2 | 0.9 | 1.3 | 0.6 |
| 30-34 | 1.8 | 2.1 | 1.3 | 2.0 | 2.4 | 1.5 | 1.3 | 1.6 | 1.0 |
| 35-39 | 2.3 | 2.9 | 1.6 | 2.5 | 3.3 | 1.8 | 1.7 | 2.3 | 1.1 |
| 40-44 | 3.5 | 4.3 | 2.7 | 4.2 | 5.1 | 3.2 | 2.4 | 2.9 | 1.8 |
| 45-49 | 4.9 | 6.0 | 3.7 | 5.5 | 6.8 | 4.2 | 3.7 | 4.6 | 2.8 |
| 50-54 | 7.8 | 8.7 | 6.7 | 8.5 | 9.4 | 7.6 | 6.5 | 7.6 | 5.3 |
| 55-59 | 13.5 | 15.4 | 11.5 | 15.1 | 17.9 | 12.4 | 10.7 | 11.5 | 9.9 |
| 60-64 | 19.5 | 22.2 | 16.7 | 20.4 | 23.7 | 17.1 | 17.7 | 19.5 | 15.8 |
| 65-69 | 31.3 | 35.1 | 27.4 | 32.7 | 37.1 | 28.3 | 28.5 | 31.3 | 25.5 |
| 70-74 | 47.5 | 52.6 | 42.7 | 52.2 | 58.4 | 46.5 | 37.7 | 41.2 | 34.3 |
| 75-79 | 66.0 | 70.6 | 61.7 | 69.8 | 74.9 | 65.1 | 57.8 | 61.6 | 53.9 |
| 80-84 | 106.5 | 111.9 | 101.5 | 118.3 | 124.6 | 112.3 | 83.5 | 86.9 | 80.4 |
| 85+ | 174.7 | 189.4 | 163.3 | 183.3 | 189.5 | 177.9 | 155.5 | 189.0 | 135.6 |
| All ages (Crude death rate) | 6.2 | 6.6 | 5.7 | 6.7 | 7.2 | 6.2 | 5.1 | 5.5 | 4.7 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**India**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 9 | 10 | 6 |
| Under-five mortality rate | 36 | 40 | 26 |
| Infant mortality rate | 32 | 36 | 23 |
| Neo-natal mortality rate | 23 | 27 | 14 |
| Early neo-natal mortality rate | 18 | 20 | 10 |
| Late neo-natal mortality rate | 6 | 6 | 3 |
| Post neo-natal mortality rate | 9 | 9 | 9 |
| Peri-natal mortality rate | 22 | 25 | 14 |
| Still birth rate | 4 | 4 | 4 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Andhra Pradesh**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 27.5 | 30.3 | 24.8 | 29.2 | 32.9 | 25.8 | 22.6 | 23.1 | 22.1 |
| 1-4 | 1.1 | 1.2 | 0.9 | 1.2 | 1.3 | 1.0 | 0.8 | 0.8 | 0.8 |
| 0-4 | 9.0 | 9.6 | 8.5 | 10.1 | 10.9 | 9.3 | 6.5 | 6.3 | 6.7 |
| 5-9 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.2 | 0.7 | 0.5 | 0.9 |
| 10-14 | 0.5 | 0.6 | 0.5 | 0.6 | 0.7 | 0.5 | 0.4 | 0.4 | 0.4 |
| 15-19 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.7 | 0.7 | 0.6 |
| 20-24 | 1.0 | 1.0 | 0.9 | 1.2 | 1.2 | 1.2 | 0.4 | 0.6 | 0.3 |
| 25-29 | 1.1 | 1.3 | 0.9 | 1.3 | 1.5 | 1.2 | 0.5 | 0.8 | 0.3 |
| 30-34 | 2.2 | 2.4 | 2.0 | 2.3 | 2.5 | 2.0 | 2.1 | 2.4 | 1.8 |
| 35-39 | 2.4 | 3.2 | 1.7 | 2.9 | 3.8 | 2.0 | 1.6 | 2.1 | 1.0 |
| 40-44 | 3.9 | 5.0 | 2.7 | 4.7 | 6.2 | 3.1 | 2.1 | 2.6 | 1.6 |
| 45-49 | 7.4 | 8.6 | 6.1 | 8.3 | 9.5 | 6.9 | 5.6 | 6.8 | 4.2 |
| 50-54 | 9.3 | 11.2 | 7.4 | 10.4 | 12.4 | 8.6 | 6.9 | 8.9 | 5.0 |
| 55-59 | 13.1 | 14.9 | 11.2 | 13.8 | 15.9 | 11.6 | 11.4 | 12.4 | 10.3 |
| 60-64 | 21.1 | 23.0 | 19.2 | 21.0 | 23.1 | 18.8 | 21.5 | 22.8 | 20.1 |
| 65-69 | 30.3 | 30.1 | 30.5 | 30.0 | 29.9 | 30.1 | 31.1 | 30.6 | 31.6 |
| 70-74 | 42.2 | 41.6 | 42.8 | 43.0 | 42.0 | 44.1 | 39.6 | 40.3 | 38.9 |
| 75-79 | 65.3 | 67.0 | 63.3 | 72.3 | 73.3 | 71.1 | 46.4 | 50.9 | 40.6 |
| 80-84 | 93.2 | 104.7 | 82.6 | 95.0 | 111.3 | 80.2 | 86.8 | 82.3 | 90.8 |
| 85+ | 115.5 | 121.2 | 110.0 | 106.3 | 112.5 | 99.7 | 154.0 | 165.5 | 145.8 |
| All ages (Crude death rate) | 6.7 | 7.4 | 5.9 | 7.4 | 8.2 | 6.6 | 5.0 | 5.5 | 4.5 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Andhra Pradesh**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 9 | 10 | 7 |
| Under-five mortality rate | 33 | 37 | 24 |
| Infant mortality rate | 29 | 33 | 21 |
| Neo-natal mortality rate | 21 | 25 | 10 |
| Early neo-natal mortality rate | 15 | 19 | 7 |
| Late neo-natal mortality rate | 6 | 7 | 3 |
| Post neo-natal mortality rate | 9 | 7 | 11 |
| Peri-natal mortality rate | 18 | 21 | 11 |
| Still birth rate | 3 | 2 | 5 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Assam**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 39.2 | 36.3 | 42.7 | 45.9 | 42.7 | 49.6 | 10.4 | 9.5 | 11.5 |
| 1-4 | 1.5 | 1.1 | 1.9 | 1.6 | 1.2 | 2.1 | 0.6 | 0.8 | 0.3 |
| 0-4 | 11.1 | 10.2 | 12.1 | 11.9 | 10.9 | 13.0 | 4.6 | 4.6 | 4.7 |
| 5-9 | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | 0.2 | 0.3 | 0.2 |
| 10-14 | 0.2 | 0.3 | 0.1 | 0.2 | 0.2 | 0.1 | 0.4 | 0.6 | 0.2 |
| 15-19 | 1.9 | 1.7 | 2.0 | 2.0 | 1.8 | 2.1 | 1.1 | 0.9 | 1.2 |
| 20-24 | 1.3 | 1.5 | 1.0 | 1.3 | 1.6 | 1.1 | 0.7 | 1.0 | 0.4 |
| 25-29 | 1.6 | 1.2 | 2.0 | 1.7 | 1.2 | 2.3 | 0.6 | 1.0 | 0.2 |
| 30-34 | 1.8 | 2.4 | 1.3 | 1.8 | 2.4 | 1.2 | 1.9 | 2.2 | 1.6 |
| 35-39 | 3.1 | 2.9 | 3.4 | 3.4 | 3.0 | 3.8 | 2.1 | 2.6 | 1.7 |
| 40-44 | 3.8 | 4.7 | 2.8 | 4.1 | 5.0 | 3.0 | 2.4 | 3.0 | 1.7 |
| 45-49 | 7.6 | 8.8 | 6.1 | 8.2 | 9.3 | 6.7 | 4.9 | 6.5 | 3.2 |
| 50-54 | 9.3 | 9.5 | 9.1 | 10.1 | 9.8 | 10.6 | 6.3 | 8.5 | 4.1 |
| 55-59 | 14.3 | 15.3 | 13.3 | 15.7 | 16.8 | 14.6 | 9.3 | 10.5 | 7.8 |
| 60-64 | 18.7 | 20.3 | 16.9 | 20.0 | 22.0 | 17.8 | 13.4 | 14.0 | 12.5 |
| 65-69 | 35.6 | 33.3 | 38.3 | 38.7 | 36.1 | 41.8 | 22.8 | 22.4 | 23.2 |
| 70-74 | 51.2 | 58.0 | 42.3 | 53.3 | 61.4 | 42.4 | 41.6 | 41.4 | 41.8 |
| 75-79 | 65.7 | 77.3 | 52.8 | 65.5 | 80.0 | 49.5 | 66.7 | 62.9 | 71.0 |
| 80-84 | 144.1 | 152.8 | 133.7 | 154.9 | 168.1 | 139.8 | 94.2 | 87.9 | 102.8 |
| 85+ | 182.1 | 203.4 | 159.8 | 197.2 | 227.4 | 166.0 | 121.0 | 109.0 | 134.1 |
| All ages (Crude death rate) | 6.4 | 6.9 | 5.8 | 6.6 | 7.1 | 6.1 | 5.1 | 5.7 | 4.4 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Assam**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 11 | 12 | 5 |
| Under-five mortality rate | 47 | 50 | 23 |
| Infant mortality rate | 41 | 44 | 20 |
| Neo-natal mortality rate | 21 | 22 | 12 |
| Early neo-natal mortality rate | 15 | 16 | 8 |
| Late neo-natal mortality rate | 6 | 6 | 5 |
| Post neo-natal mortality rate | 20 | 22 | 8 |
| Peri-natal mortality rate | 17 | 18 | 10 |
| Still birth rate | 2 | 2 | 2 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Bihar**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 29.5 | 26.4 | 33.3 | 29.8 | 26.8 | 33.3 | 27.5 | 23.1 | 32.6 |
| 1-4 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.3 | 0.7 | 1.0 | 0.4 |
| 0-4 | 8.2 | 7.5 | 8.9 | 8.2 | 7.6 | 8.9 | 7.6 | 6.7 | 8.8 |
| 5-9 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.4 | 0.2 | 0.5 |
| 10-14 | 0.8 | 0.7 | 0.9 | 0.8 | 0.7 | 0.9 | 0.7 | 0.5 | 1.0 |
| 15-19 | 0.6 | 0.6 | 0.7 | 0.7 | 0.6 | 0.7 | 0.3 | 0.4 | 0.2 |
| 20-24 | 1.1 | 0.8 | 1.3 | 1.1 | 0.9 | 1.4 | 0.6 | 0.6 | 0.5 |
| 25-29 | 1.2 | 1.4 | 0.9 | 1.3 | 1.6 | 1.0 | 0.4 | 0.2 | 0.5 |
| 30-34 | 1.7 | 1.9 | 1.6 | 1.8 | 2.0 | 1.6 | 1.1 | 0.9 | 1.4 |
| 35-39 | 1.8 | 2.0 | 1.4 | 1.9 | 2.1 | 1.6 | 1.0 | 1.6 | 0.4 |
| 40-44 | 1.9 | 2.3 | 1.5 | 1.9 | 2.3 | 1.4 | 2.1 | 2.1 | 2.0 |
| 45-49 | 3.1 | 3.7 | 2.4 | 3.3 | 4.1 | 2.5 | 1.6 | 1.3 | 1.8 |
| 50-54 | 4.0 | 4.3 | 3.7 | 3.6 | 3.9 | 3.3 | 6.3 | 6.3 | 6.2 |
| 55-59 | 12.0 | 11.2 | 12.8 | 12.8 | 11.3 | 14.3 | 8.5 | 10.8 | 6.0 |
| 60-64 | 21.7 | 18.9 | 25.0 | 23.3 | 19.4 | 28.1 | 13.9 | 16.4 | 11.1 |
| 65-69 | 33.3 | 34.6 | 32.0 | 34.6 | 35.7 | 33.3 | 27.1 | 29.1 | 24.7 |
| 70-74 | 75.9 | 66.7 | 86.4 | 81.1 | 72.0 | 91.0 | 50.3 | 42.7 | 60.6 |
| 75-79 | 97.1 | 97.0 | 97.2 | 102.0 | 106.7 | 98.0 | 70.2 | 55.1 | 92.0 |
| 80-84 | 194.8 | 200.0 | 189.1 | 200.4 | 208.3 | 191.5 | 165.3 | 157.1 | 175.2 |
| 85+ | 225.3 | 225.8 | 224.8 | 238.7 | 243.1 | 233.7 | 162.9 | 141.9 | 184.7 |
| All ages (Crude death rate) | 5.8 | 5.7 | 6.0 | 5.9 | 5.8 | 6.1 | 5.1 | 5.0 | 5.2 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Bihar**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 8 | 8 | 8 |
| Under-five mortality rate | 37 | 37 | 32 |
| Infant mortality rate | 32 | 32 | 30 |
| Neo-natal mortality rate | 25 | 26 | 20 |
| Early neo-natal mortality rate | 20 | 20 | 14 |
| Late neo-natal mortality rate | 5 | 5 | 6 |
| Post neo-natal mortality rate | 7 | 6 | 10 |
| Peri-natal mortality rate | 22 | 22 | 16 |
| Still birth rate | 2 | 2 | 2 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Chhattisgarh**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 47.7 | 50.1 | 45.1 | 50.0 | 53.5 | 46.3 | 38.2 | 36.6 | 39.9 |
| 1-4 | 1.1 | 0.9 | 1.4 | 1.2 | 1.0 | 1.4 | 0.8 | 0.2 | 1.5 |
| 0-4 | 11.1 | 11.6 | 10.6 | 11.6 | 12.5 | 10.8 | 8.9 | 8.1 | 9.6 |
| 5-9 | 0.9 | 0.9 | 0.8 | 0.8 | 0.8 | 0.7 | 1.2 | 1.1 | 1.3 |
| 10-14 | 0.5 | 0.9 | 0.1 | 0.6 | 1.1 | 0.1 | 0.2 | 0.2 | 0.2 |
| 15-19 | 1.4 | 1.5 | 1.4 | 1.8 | 1.9 | 1.7 | 0.1 | 0.2 | 0.1 |
| 20-24 | 1.4 | 1.8 | 0.9 | 1.6 | 2.3 | 1.0 | 0.5 | 0.1 | 0.8 |
| 25-29 | 2.3 | 2.8 | 1.7 | 2.4 | 2.9 | 1.9 | 1.8 | 2.5 | 1.1 |
| 30-34 | 2.2 | 2.0 | 2.5 | 1.9 | 1.4 | 2.5 | 3.1 | 4.0 | 2.3 |
| 35-39 | 4.2 | 5.7 | 2.7 | 4.7 | 5.8 | 3.6 | 2.8 | 5.2 | 0.3 |
| 40-44 | 5.1 | 4.0 | 6.1 | 5.8 | 4.4 | 7.1 | 3.1 | 2.9 | 3.3 |
| 45-49 | 8.0 | 9.3 | 6.7 | 9.3 | 10.3 | 8.4 | 4.1 | 6.5 | 1.9 |
| 50-54 | 9.8 | 8.0 | 11.7 | 9.9 | 8.0 | 12.0 | 9.5 | 8.3 | 10.9 |
| 55-59 | 20.6 | 23.6 | 17.7 | 22.9 | 27.9 | 18.3 | 13.4 | 11.2 | 15.6 |
| 60-64 | 25.0 | 27.5 | 22.4 | 25.5 | 25.8 | 25.2 | 23.4 | 34.4 | 13.1 |
| 65-69 | 39.4 | 47.0 | 32.6 | 41.5 | 48.2 | 35.3 | 31.6 | 42.1 | 22.6 |
| 70-74 | 70.3 | 91.9 | 56.8 | 72.5 | 102.0 | 56.2 | 62.1 | 64.8 | 59.4 |
| 75-79 | 125.3 | 144.6 | 110.8 | 122.8 | 146.2 | 105.2 | 137.5 | 137.0 | 137.8 |
| 80-84 | 207.3 | 168.1 | 237.4 | 207.3 | 180.6 | 227.1 | 207.4 | 133.5 | 269.9 |
| 85+ | 285.6 | 387.4 | 229.0 | 289.4 | 344.6 | 255.0 | 270.3 | 649.7 | 143.0 |
| All ages (Crude death rate) | 8.0 | 8.4 | 7.7 | 8.6 | 8.9 | 8.2 | 6.3 | 6.7 | 5.8 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Chhattisgarh**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 11 | 12 | 9 |
| Under-five mortality rate | 45 | 47 | 38 |
| Infant mortality rate | 41 | 42 | 35 |
| Neo-natal mortality rate | 29 | 30 | 22 |
| Early neo-natal mortality rate | 22 | 23 | 19 |
| Late neo-natal mortality rate | 6 | 7 | 3 |
| Post neo-natal mortality rate | 12 | 12 | 13 |
| Peri-natal mortality rate | 32 | 33 | 27 |
| Still birth rate | 9 | 10 | 8 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Delhi**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 13.1 | 14.3 | 11.7 | 11.0 | 31.2 | 0.0 | 13.2 | 14.1 | 12.1 |
| 1-4 | 1.5 | 1.5 | 1.4 | 2.4 | 2.2 | 2.6 | 1.4 | 1.5 | 1.4 |
| 0-4 | 4.1 | 4.4 | 3.7 | 3.9 | 5.8 | 2.0 | 4.1 | 4.3 | 3.7 |
| 5-9 | 0.4 | 0.4 | 0.4 | 0.8 | 1.4 | 0.0 | 0.4 | 0.4 | 0.4 |
| 10-14 | 0.4 | 0.5 | 0.2 | 0.8 | 0.0 | 1.8 | 0.4 | 0.5 | 0.2 |
| 15-19 | 0.8 | 0.7 | 0.9 | 1.4 | 1.2 | 1.6 | 0.8 | 0.6 | 0.9 |
| 20-24 | 0.6 | 0.5 | 0.6 | 0.5 | 0.0 | 1.2 | 0.6 | 0.6 | 0.6 |
| 25-29 | 0.7 | 1.0 | 0.5 | 0.9 | 0.8 | 1.0 | 0.7 | 1.0 | 0.4 |
| 30-34 | 0.9 | 0.9 | 0.9 | 0.6 | 0.0 | 1.4 | 0.9 | 0.9 | 0.8 |
| 35-39 | 1.5 | 2.0 | 0.9 | 2.4 | 1.4 | 3.8 | 1.5 | 2.0 | 0.9 |
| 40-44 | 2.0 | 2.3 | 1.8 | 4.4 | 6.2 | 2.4 | 2.0 | 2.2 | 1.8 |
| 45-49 | 2.8 | 3.4 | 2.1 | 2.8 | 2.6 | 2.9 | 2.8 | 3.4 | 2.1 |
| 50-54 | 5.5 | 6.4 | 4.4 | 9.8 | 13.7 | 4.6 | 5.4 | 6.2 | 4.4 |
| 55-59 | 7.4 | 8.0 | 6.6 | 6.2 | 7.3 | 4.7 | 7.4 | 8.0 | 6.6 |
| 60-64 | 13.6 | 15.5 | 11.5 | 20.9 | 35.4 | 5.4 | 13.4 | 15.1 | 11.6 |
| 65-69 | 22.1 | 22.0 | 22.2 | 16.9 | 24.3 | 8.9 | 22.2 | 21.9 | 22.5 |
| 70-74 | 31.8 | 36.2 | 27.6 | 19.8 | 24.4 | 14.4 | 32.1 | 36.6 | 27.9 |
| 75-79 | 51.0 | 60.1 | 42.1 | 42.7 | 25.9 | 54.6 | 51.2 | 60.8 | 41.7 |
| 80-84 | 61.0 | 64.8 | 58.1 | 66.1 | 33.1 | 99.2 | 60.8 | 65.9 | 57.1 |
| 85+ | 163.9 | 402.1 | 105.9 | 141.8 | 117.8 | 157.8 | 164.9 | 430.2 | 104.2 |
| All ages (Crude death rate) | 3.3 | 3.6 | 3.1 | 3.7 | 3.8 | 3.6 | 3.3 | 3.6 | 3.0 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Delhi**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 4 | 4 | 4 |
| Under-five mortality rate | 19 | 17 | 19 |
| Infant mortality rate | 13 | 8 | 13 |
| Neo-natal mortality rate | 10 | 8 | 10 |
| Early neo-natal mortality rate | 9 | 4 | 9 |
| Late neo-natal mortality rate | 1 | 4 | 1 |
| Post neo-natal mortality rate | 3 | 0 | 3 |
| Peri-natal mortality rate | 13 | 4 | 13 |
| Still birth rate | 5 | 0 | 5 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Gujarat**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 41.3 | 43.8 | 38.5 | 52.0 | 56.4 | 47.3 | 27.3 | 28.2 | 26.2 |
| 1-4 | 0.8 | 0.9 | 0.7 | 1.1 | 1.2 | 0.9 | 0.4 | 0.4 | 0.5 |
| 0-4 | 8.0 | 8.3 | 7.5 | 9.8 | 10.4 | 9.2 | 5.3 | 5.5 | 5.2 |
| 5-9 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.6 | 0.4 | 0.5 | 0.3 |
| 10-14 | 0.3 | 0.2 | 0.3 | 0.4 | 0.4 | 0.4 | 0.1 | 0.0 | 0.2 |
| 15-19 | 0.7 | 0.9 | 0.4 | 0.9 | 1.2 | 0.6 | 0.3 | 0.5 | 0.1 |
| 20-24 | 1.2 | 1.7 | 0.8 | 1.3 | 1.8 | 0.8 | 1.1 | 1.4 | 0.7 |
| 25-29 | 1.1 | 1.5 | 0.7 | 1.6 | 2.4 | 0.9 | 0.5 | 0.5 | 0.5 |
| 30-34 | 1.7 | 2.1 | 1.3 | 2.1 | 2.7 | 1.4 | 1.4 | 1.5 | 1.2 |
| 35-39 | 2.1 | 2.5 | 1.6 | 3.0 | 4.0 | 1.9 | 1.1 | 1.0 | 1.2 |
| 40-44 | 3.4 | 4.2 | 2.6 | 4.5 | 6.1 | 2.8 | 2.2 | 2.1 | 2.3 |
| 45-49 | 4.1 | 5.1 | 3.1 | 4.4 | 5.9 | 2.9 | 3.8 | 4.1 | 3.4 |
| 50-54 | 7.5 | 8.9 | 6.0 | 7.8 | 9.4 | 6.1 | 7.2 | 8.4 | 5.9 |
| 55-59 | 15.0 | 18.5 | 11.6 | 15.7 | 21.0 | 11.1 | 14.1 | 15.9 | 12.2 |
| 60-64 | 20.7 | 25.1 | 16.5 | 20.0 | 25.8 | 14.6 | 21.6 | 24.2 | 19.1 |
| 65-69 | 28.9 | 36.3 | 22.5 | 24.7 | 31.7 | 18.6 | 35.4 | 43.1 | 28.4 |
| 70-74 | 43.6 | 54.5 | 34.2 | 46.0 | 63.7 | 31.9 | 40.5 | 43.7 | 37.4 |
| 75-79 | 53.4 | 63.3 | 45.2 | 45.9 | 58.6 | 36.3 | 63.0 | 68.9 | 57.6 |
| 80-84 | 97.6 | 116.8 | 82.7 | 106.8 | 130.9 | 90.2 | 87.2 | 102.9 | 73.3 |
| 85+ | 156.0 | 230.3 | 118.4 | 165.4 | 222.7 | 131.5 | 143.3 | 243.3 | 103.0 |
| All ages (Crude death rate) | 5.9 | 6.6 | 5.1 | 6.3 | 7.4 | 5.2 | 5.3 | 5.6 | 5.0 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Gujarat**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 8 | 10 | 5 |
| Under-five mortality rate | 31 | 37 | 21 |
| Infant mortality rate | 28 | 33 | 20 |
| Neo-natal mortality rate | 19 | 24 | 11 |
| Early neo-natal mortality rate | 15 | 18 | 9 |
| Late neo-natal mortality rate | 5 | 6 | 2 |
| Post neo-natal mortality rate | 9 | 8 | 9 |
| Peri-natal mortality rate | 19 | 23 | 11 |
| Still birth rate | 4 | 5 | 2 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Haryana**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 37.6 | 37.2 | 38.1 | 41.3 | 40.1 | 42.8 | 30.6 | 30.9 | 30.2 |
| 1-4 | 1.5 | 1.2 | 2.0 | 1.7 | 1.4 | 2.0 | 1.3 | 0.9 | 1.8 |
| 0-4 | 8.7 | 8.3 | 9.1 | 9.6 | 9.3 | 10.0 | 6.9 | 6.4 | 7.6 |
| 5-9 | 0.5 | 0.6 | 0.5 | 0.6 | 0.7 | 0.5 | 0.4 | 0.4 | 0.5 |
| 10-14 | 0.4 | 0.4 | 0.5 | 0.3 | 0.4 | 0.2 | 0.6 | 0.4 | 1.0 |
| 15-19 | 1.0 | 1.0 | 0.9 | 1.1 | 1.3 | 0.9 | 0.7 | 0.6 | 0.9 |
| 20-24 | 1.4 | 1.5 | 1.3 | 1.7 | 1.8 | 1.7 | 0.8 | 1.1 | 0.6 |
| 25-29 | 1.6 | 2.1 | 1.1 | 1.6 | 1.9 | 1.2 | 1.7 | 2.4 | 1.0 |
| 30-34 | 2.3 | 3.5 | 0.9 | 2.8 | 4.1 | 1.3 | 1.5 | 2.4 | 0.4 |
| 35-39 | 2.7 | 4.0 | 1.3 | 3.1 | 4.3 | 1.9 | 2.0 | 3.5 | 0.5 |
| 40-44 | 3.7 | 5.1 | 2.1 | 3.5 | 4.9 | 2.1 | 3.8 | 5.5 | 2.1 |
| 45-49 | 5.8 | 8.1 | 3.2 | 6.1 | 8.5 | 3.3 | 5.4 | 7.5 | 3.0 |
| 50-54 | 9.1 | 11.7 | 6.2 | 10.7 | 15.2 | 5.7 | 6.9 | 7.0 | 6.8 |
| 55-59 | 12.8 | 17.1 | 8.5 | 15.9 | 22.2 | 10.1 | 9.0 | 11.4 | 6.3 |
| 60-64 | 22.3 | 28.5 | 15.9 | 23.6 | 31.5 | 15.6 | 20.4 | 24.1 | 16.4 |
| 65-69 | 31.8 | 43.1 | 20.8 | 32.6 | 39.5 | 25.9 | 30.5 | 49.6 | 11.9 |
| 70-74 | 46.9 | 57.8 | 36.8 | 51.6 | 62.7 | 40.8 | 37.8 | 47.6 | 29.7 |
| 75-79 | 59.1 | 56.0 | 62.1 | 57.9 | 55.3 | 60.5 | 61.4 | 57.4 | 65.3 |
| 80-84 | 90.9 | 92.9 | 88.9 | 107.7 | 109.5 | 105.8 | 59.4 | 60.3 | 58.6 |
| 85+ | 143.2 | 187.5 | 107.5 | 147.0 | 189.3 | 107.5 | 132.0 | 180.0 | 107.3 |
| All ages (Crude death rate) | 5.9 | 6.9 | 4.8 | 6.6 | 7.6 | 5.4 | 4.9 | 5.6 | 4.0 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Haryana**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 9 | 10 | 7 |
| Under-five mortality rate | 36 | 39 | 30 |
| Infant mortality rate | 30 | 33 | 25 |
| Neo-natal mortality rate | 22 | 24 | 16 |
| Early neo-natal mortality rate | 15 | 17 | 11 |
| Late neo-natal mortality rate | 7 | 7 | 5 |
| Post neo-natal mortality rate | 8 | 8 | 8 |
| Peri-natal mortality rate | 21 | 23 | 18 |
| Still birth rate | 6 | 6 | 7 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Himachal Pradesh**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 21.6 | 25.5 | 17.4 | 21.8 | 25.7 | 17.6 | 18.1 | 22.2 | 14.3 |
| 1-4 | 1.8 | 1.9 | 1.7 | 1.8 | 1.9 | 1.8 | 0.9 | 1.7 | 0.0 |
| 0-4 | 5.8 | 6.8 | 4.8 | 5.9 | 6.9 | 5.0 | 4.2 | 5.5 | 2.8 |
| 5-9 | 0.3 | 0.2 | 0.4 | 0.2 | 0.1 | 0.4 | 1.1 | 1.1 | 1.1 |
| 10-14 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.5 | 0.0 | 1.0 |
| 15-19 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.1 | 0.4 | 0.9 | 0.0 |
| 20-24 | 1.0 | 2.0 | 0.2 | 1.1 | 2.1 | 0.3 | 0.4 | 0.8 | 0.0 |
| 25-29 | 0.9 | 1.7 | 0.3 | 0.9 | 1.7 | 0.3 | 1.2 | 1.6 | 0.8 |
| 30-34 | 0.9 | 1.1 | 0.6 | 0.9 | 1.2 | 0.6 | 0.4 | 0.0 | 0.8 |
| 35-39 | 1.8 | 2.6 | 1.0 | 1.9 | 2.8 | 1.0 | 0.4 | 0.9 | 0.0 |
| 40-44 | 2.3 | 2.6 | 2.1 | 2.5 | 2.8 | 2.2 | 0.9 | 0.9 | 0.9 |
| 45-49 | 3.6 | 4.8 | 2.4 | 3.6 | 4.9 | 2.4 | 3.3 | 3.9 | 2.5 |
| 50-54 | 5.9 | 6.9 | 4.8 | 5.9 | 7.2 | 4.7 | 4.9 | 4.4 | 5.6 |
| 55-59 | 10.6 | 13.3 | 7.9 | 10.7 | 13.4 | 8.1 | 9.6 | 12.9 | 5.4 |
| 60-64 | 14.4 | 16.3 | 12.6 | 14.1 | 15.8 | 12.3 | 19.6 | 22.9 | 15.9 |
| 65-69 | 27.6 | 36.5 | 19.4 | 27.7 | 36.7 | 19.3 | 27.1 | 33.8 | 19.9 |
| 70-74 | 49.5 | 50.1 | 48.9 | 50.9 | 52.1 | 49.8 | 28.8 | 24.2 | 34.2 |
| 75-79 | 71.9 | 109.6 | 41.3 | 73.7 | 115.2 | 40.9 | 48.7 | 49.3 | 47.9 |
| 80-84 | 81.1 | 129.5 | 44.8 | 81.8 | 131.3 | 44.2 | 70.1 | 97.6 | 52.5 |
| 85+ | 158.2 | 170.7 | 149.3 | 158.2 | 167.5 | 151.5 | 158.8 | 239.4 | 111.0 |
| All ages (Crude death rate) | 6.9 | 8.3 | 5.5 | 7.1 | 8.5 | 5.7 | 4.8 | 5.6 | 4.0 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Himachal Pradesh**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 6 | 6 | 4 |
| Under-five mortality rate | 23 | 23 | 17 |
| Infant mortality rate | 19 | 20 | 14 |
| Neo-natal mortality rate | 13 | 13 | 9 |
| Early neo-natal mortality rate | 10 | 10 | 6 |
| Late neo-natal mortality rate | 3 | 3 | 3 |
| Post neo-natal mortality rate | 6 | 6 | 5 |
| Peri-natal mortality rate | 16 | 17 | 11 |
| Still birth rate | 7 | 7 | 5 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Jammu & Kashmir**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 29.4 | 29.5 | 29.3 | 32.0 | 31.9 | 32.2 | 22.3 | 22.7 | 21.9 |
| 1-4 | 0.2 | 0.3 | 0.1 | 0.3 | 0.4 | 0.1 | 0.1 | 0.1 | 0.1 |
| 0-4 | 5.5 | 5.2 | 5.8 | 6.0 | 5.7 | 6.2 | 4.2 | 3.7 | 4.7 |
| 5-9 | 0.5 | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 | 0.4 | 0.4 | 0.3 |
| 10-14 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 |
| 15-19 | 0.4 | 0.4 | 0.4 | 0.5 | 0.6 | 0.4 | 0.1 | 0.0 | 0.2 |
| 20-24 | 0.4 | 0.5 | 0.3 | 0.5 | 0.6 | 0.4 | 0.1 | 0.3 | 0.0 |
| 25-29 | 0.6 | 0.8 | 0.5 | 0.8 | 1.1 | 0.6 | 0.2 | 0.2 | 0.1 |
| 30-34 | 1.2 | 1.7 | 0.8 | 1.2 | 1.3 | 1.1 | 1.3 | 2.5 | 0.2 |
| 35-39 | 1.5 | 2.0 | 1.0 | 2.0 | 2.6 | 1.5 | 0.6 | 0.9 | 0.2 |
| 40-44 | 3.5 | 4.7 | 2.2 | 4.1 | 5.1 | 3.0 | 2.3 | 4.0 | 0.6 |
| 45-49 | 5.0 | 6.0 | 4.0 | 6.2 | 7.3 | 5.0 | 2.9 | 3.6 | 2.2 |
| 50-54 | 7.7 | 8.4 | 6.8 | 9.3 | 10.3 | 8.2 | 4.7 | 4.8 | 4.6 |
| 55-59 | 11.6 | 12.4 | 10.7 | 13.4 | 15.2 | 11.3 | 8.3 | 7.4 | 9.4 |
| 60-64 | 17.4 | 21.6 | 13.3 | 18.3 | 23.1 | 13.7 | 15.6 | 18.7 | 12.5 |
| 65-69 | 22.3 | 24.5 | 19.7 | 23.6 | 26.7 | 20.0 | 19.7 | 20.3 | 19.0 |
| 70-74 | 31.3 | 35.7 | 26.6 | 33.0 | 37.8 | 27.5 | 28.3 | 31.7 | 24.9 |
| 75-79 | 42.3 | 49.2 | 35.1 | 42.4 | 48.7 | 35.9 | 42.3 | 50.2 | 33.5 |
| 80-84 | 78.2 | 85.4 | 70.0 | 89.2 | 97.1 | 80.4 | 60.5 | 66.9 | 53.0 |
| 85+ | 76.4 | 83.4 | 69.2 | 76.7 | 77.1 | 76.4 | 75.5 | 101.2 | 54.2 |
| All ages (Crude death rate) | 4.9 | 5.6 | 4.1 | 5.1 | 5.9 | 4.3 | 4.2 | 5.0 | 3.5 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Jammu & kashmir**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 5 | 6 | 4 |
| Under-five mortality rate | 23 | 24 | 20 |
| Infant mortality rate | 22 | 23 | 20 |
| Neo-natal mortality rate | 17 | 18 | 14 |
| Early neo-natal mortality rate | 12 | 13 | 9 |
| Late neo-natal mortality rate | 5 | 5 | 5 |
| Post neo-natal mortality rate | 5 | 5 | 6 |
| Peri-natal mortality rate | 13 | 14 | 10 |
| Still birth rate | 1 | 1 | 1 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Jharkhand**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 33.8 | 30.5 | 37.3 | 34.0 | 30.5 | 37.7 | 32.8 | 30.6 | 35.0 |
| 1-4 | 1.1 | 0.8 | 1.4 | 1.2 | 0.9 | 1.5 | 0.8 | 0.5 | 1.3 |
| 0-4 | 8.4 | 7.3 | 9.6 | 8.6 | 7.4 | 9.8 | 7.5 | 6.5 | 8.6 |
| 5-9 | 0.4 | 0.2 | 0.6 | 0.4 | 0.2 | 0.5 | 0.6 | 0.3 | 1.0 |
| 10-14 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.3 | 0.3 | 0.3 |
| 15-19 | 0.7 | 0.6 | 0.9 | 0.7 | 0.5 | 0.9 | 0.7 | 0.8 | 0.7 |
| 20-24 | 1.1 | 1.2 | 1.0 | 1.2 | 1.3 | 1.2 | 0.7 | 0.8 | 0.6 |
| 25-29 | 1.4 | 1.6 | 1.1 | 1.5 | 1.8 | 1.2 | 1.0 | 1.1 | 0.9 |
| 30-34 | 1.8 | 2.3 | 1.4 | 1.9 | 2.2 | 1.6 | 1.7 | 2.4 | 0.8 |
| 35-39 | 1.9 | 1.9 | 1.9 | 1.9 | 2.0 | 1.9 | 1.8 | 1.6 | 1.9 |
| 40-44 | 3.7 | 3.4 | 4.0 | 4.4 | 4.3 | 4.4 | 2.0 | 1.3 | 2.8 |
| 45-49 | 4.8 | 5.7 | 3.9 | 5.8 | 6.8 | 4.6 | 2.4 | 2.9 | 1.8 |
| 50-54 | 7.6 | 7.4 | 7.8 | 8.6 | 7.9 | 9.5 | 5.1 | 6.3 | 3.6 |
| 55-59 | 13.4 | 12.9 | 13.9 | 14.0 | 14.3 | 13.7 | 12.1 | 10.0 | 14.7 |
| 60-64 | 19.4 | 15.2 | 23.8 | 21.1 | 14.7 | 27.6 | 15.1 | 16.4 | 13.9 |
| 65-69 | 31.9 | 30.2 | 33.7 | 34.0 | 30.8 | 37.1 | 26.6 | 28.5 | 24.7 |
| 70-74 | 45.7 | 46.7 | 44.8 | 45.8 | 46.4 | 45.4 | 45.0 | 47.5 | 42.4 |
| 75-79 | 97.9 | 88.4 | 106.7 | 110.7 | 101.4 | 119.1 | 72.4 | 63.7 | 81.0 |
| 80-84 | 134.6 | 110.5 | 158.5 | 142.3 | 103.1 | 184.5 | 111.3 | 136.8 | 91.3 |
| 85+ | 273.7 | 256.0 | 290.1 | 336.4 | 293.2 | 380.2 | 130.4 | 156.0 | 111.2 |
| All ages (Crude death rate) | 5.4 | 4.9 | 6.0 | 5.7 | 5.1 | 6.4 | 4.5 | 4.5 | 4.6 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Jharkhand**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 8 | 9 | 7 |
| Under-five mortality rate | 34 | 36 | 29 |
| Infant mortality rate | 30 | 31 | 26 |
| Neo-natal mortality rate | 21 | 22 | 14 |
| Early neo-natal mortality rate | 17 | 19 | 10 |
| Late neo-natal mortality rate | 3 | 3 | 3 |
| Post neo-natal mortality rate | 10 | 9 | 12 |
| Peri-natal mortality rate | 18 | 20 | 11 |
| Still birth rate | 1 | 1 | 1 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Karnataka**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 26.9 | 25.3 | 28.7 | 29.6 | 26.8 | 32.8 | 22.4 | 22.8 | 22.1 |
| 1-4 | 1.3 | 1.2 | 1.4 | 1.5 | 1.6 | 1.3 | 1.0 | 0.6 | 1.5 |
| 0-4 | 6.5 | 6.2 | 6.9 | 7.2 | 6.9 | 7.6 | 5.3 | 5.0 | 5.7 |
| 5-9 | 0.5 | 0.6 | 0.4 | 0.6 | 0.6 | 0.6 | 0.3 | 0.5 | 0.1 |
| 10-14 | 0.4 | 0.3 | 0.6 | 0.5 | 0.4 | 0.6 | 0.3 | 0.1 | 0.5 |
| 15-19 | 0.7 | 0.8 | 0.7 | 0.9 | 1.0 | 0.8 | 0.5 | 0.4 | 0.5 |
| 20-24 | 1.1 | 1.1 | 1.1 | 1.5 | 1.6 | 1.5 | 0.3 | 0.1 | 0.4 |
| 25-29 | 2.0 | 2.8 | 1.3 | 1.6 | 2.4 | 0.8 | 2.8 | 3.5 | 2.0 |
| 30-34 | 1.7 | 2.1 | 1.3 | 2.4 | 3.3 | 1.5 | 0.7 | 0.5 | 0.9 |
| 35-39 | 2.4 | 3.2 | 1.6 | 2.8 | 4.3 | 1.3 | 1.8 | 1.6 | 2.0 |
| 40-44 | 3.4 | 4.4 | 2.3 | 4.0 | 6.0 | 2.1 | 2.5 | 2.4 | 2.6 |
| 45-49 | 4.7 | 5.8 | 3.6 | 6.3 | 8.6 | 4.1 | 2.2 | 1.8 | 2.8 |
| 50-54 | 7.4 | 8.7 | 6.0 | 9.7 | 11.4 | 7.6 | 4.2 | 4.6 | 3.7 |
| 55-59 | 14.2 | 14.1 | 14.3 | 14.3 | 13.5 | 15.2 | 14.0 | 15.1 | 12.8 |
| 60-64 | 21.3 | 26.8 | 15.8 | 22.7 | 29.6 | 16.4 | 18.9 | 22.6 | 14.8 |
| 65-69 | 31.4 | 36.6 | 26.3 | 34.7 | 39.4 | 30.3 | 25.8 | 32.1 | 19.0 |
| 70-74 | 60.7 | 74.8 | 49.3 | 63.2 | 77.4 | 52.3 | 55.5 | 69.8 | 42.6 |
| 75-79 | 64.9 | 71.8 | 58.9 | 62.8 | 66.9 | 59.4 | 69.7 | 81.3 | 57.7 |
| 80-84 | 105.8 | 103.4 | 107.7 | 118.3 | 122.7 | 115.0 | 82.1 | 67.9 | 93.4 |
| 85+ | 222.3 | 199.2 | 241.2 | 276.0 | 191.0 | 388.1 | 144.9 | 223.2 | 114.3 |
| All ages (Crude death rate) | 6.3 | 6.8 | 5.8 | 7.2 | 7.8 | 6.6 | 4.8 | 5.2 | 4.4 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Karnataka**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 7 | 7 | 5 |
| Under-five mortality rate | 28 | 30 | 24 |
| Infant mortality rate | 23 | 25 | 20 |
| Neo-natal mortality rate | 16 | 20 | 10 |
| Early neo-natal mortality rate | 12 | 16 | 7 |
| Late neo-natal mortality rate | 4 | 4 | 3 |
| Post neo-natal mortality rate | 7 | 5 | 10 |
| Peri-natal mortality rate | 18 | 22 | 10 |
| Still birth rate | 5 | 7 | 3 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Kerala**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 8.1 | 10.2 | 6.0 | 10.1 | 9.0 | 11.2 | 6.0 | 11.4 | 0.0 |
| 1-4 | 0.7 | 0.4 | 1.1 | 0.4 | 0.8 | 0.1 | 1.1 | 0.0 | 2.3 |
| 0-4 | 2.1 | 2.2 | 2.0 | 2.1 | 2.2 | 2.1 | 2.0 | 2.1 | 1.8 |
| 5-9 | 0.3 | 0.2 | 0.4 | 0.3 | 0.3 | 0.2 | 0.3 | 0.0 | 0.6 |
| 10-14 | 0.2 | 0.4 | 0.1 | 0.2 | 0.3 | 0.1 | 0.2 | 0.5 | 0.0 |
| 15-19 | 0.5 | 0.6 | 0.4 | 0.3 | 0.3 | 0.3 | 0.7 | 0.9 | 0.5 |
| 20-24 | 0.5 | 0.5 | 0.6 | 0.4 | 0.4 | 0.3 | 0.7 | 0.5 | 0.9 |
| 25-29 | 0.8 | 1.2 | 0.4 | 0.7 | 1.0 | 0.4 | 0.9 | 1.5 | 0.4 |
| 30-34 | 0.8 | 0.9 | 0.7 | 0.9 | 1.2 | 0.5 | 0.7 | 0.5 | 0.9 |
| 35-39 | 1.0 | 1.7 | 0.5 | 1.1 | 1.7 | 0.6 | 1.0 | 1.6 | 0.4 |
| 40-44 | 2.3 | 3.3 | 1.5 | 1.5 | 2.0 | 1.0 | 3.1 | 4.6 | 1.9 |
| 45-49 | 2.5 | 3.1 | 1.9 | 2.4 | 3.4 | 1.5 | 2.6 | 2.8 | 2.4 |
| 50-54 | 4.7 | 6.3 | 3.2 | 5.1 | 7.2 | 3.1 | 4.3 | 5.4 | 3.3 |
| 55-59 | 7.9 | 11.5 | 4.8 | 7.9 | 11.1 | 4.9 | 8.0 | 11.9 | 4.6 |
| 60-64 | 13.4 | 16.8 | 10.2 | 13.2 | 16.4 | 10.3 | 13.7 | 17.2 | 10.2 |
| 65-69 | 28.0 | 38.5 | 18.7 | 26.1 | 35.0 | 17.8 | 30.0 | 42.5 | 19.8 |
| 70-74 | 35.1 | 46.4 | 26.0 | 45.2 | 57.6 | 35.6 | 25.0 | 35.7 | 16.1 |
| 75-79 | 58.0 | 73.6 | 47.6 | 51.8 | 67.7 | 40.3 | 65.1 | 80.9 | 55.4 |
| 80-84 | 98.6 | 122.9 | 83.3 | 91.5 | 113.6 | 77.4 | 107.3 | 134.5 | 90.5 |
| 85+ | 236.2 | 301.4 | 204.2 | 227.0 | 250.3 | 213.9 | 249.8 | 395.7 | 191.5 |
| All ages (Crude death rate) | 6.9 | 7.9 | 5.9 | 7.1 | 8.0 | 6.1 | 6.7 | 7.8 | 5.7 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Kerala**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 2 | 2 | 2 |
| Under-five mortality rate | 10 | 11 | 9 |
| Infant mortality rate | 7 | 9 | 5 |
| Neo-natal mortality rate | 5 | 6 | 4 |
| Early neo-natal mortality rate | 5 | 5 | 4 |
| Late neo-natal mortality rate | 1 | 1 | 0 |
| Post neo-natal mortality rate | 2 | 3 | 1 |
| Peri-natal mortality rate | 10 | 9 | 11 |
| Still birth rate | 5 | 4 | 7 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Madhya Pradesh**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 56.2 | 58.5 | 53.6 | 61.5 | 65.2 | 57.6 | 37.9 | 36.3 | 39.7 |
| 1-4 | 2.0 | 2.0 | 2.0 | 2.3 | 2.4 | 2.3 | 0.9 | 0.7 | 1.0 |
| 0-4 | 14.2 | 14.8 | 13.6 | 15.7 | 16.7 | 14.7 | 9.2 | 8.7 | 9.7 |
| 5-9 | 0.8 | 0.7 | 0.9 | 0.8 | 0.8 | 0.8 | 0.8 | 0.5 | 1.3 |
| 10-14 | 0.7 | 1.0 | 0.3 | 0.8 | 1.2 | 0.4 | 0.1 | 0.1 | 0.1 |
| 15-19 | 1.1 | 1.3 | 0.8 | 1.2 | 1.3 | 1.0 | 0.8 | 1.1 | 0.5 |
| 20-24 | 1.0 | 1.4 | 0.7 | 1.1 | 1.5 | 0.8 | 0.8 | 1.1 | 0.6 |
| 25-29 | 1.6 | 2.2 | 1.1 | 1.7 | 2.1 | 1.2 | 1.5 | 2.3 | 0.7 |
| 30-34 | 1.9 | 2.5 | 1.2 | 2.1 | 2.9 | 1.2 | 1.3 | 1.5 | 1.1 |
| 35-39 | 2.8 | 3.6 | 1.9 | 2.6 | 3.3 | 1.9 | 3.1 | 4.2 | 1.9 |
| 40-44 | 3.3 | 4.2 | 2.3 | 3.7 | 4.9 | 2.4 | 2.3 | 2.7 | 1.9 |
| 45-49 | 5.0 | 6.2 | 3.8 | 5.4 | 6.9 | 3.8 | 4.0 | 4.4 | 3.5 |
| 50-54 | 7.2 | 7.7 | 6.7 | 7.2 | 8.2 | 6.3 | 7.2 | 6.6 | 7.8 |
| 55-59 | 15.8 | 19.2 | 12.4 | 18.3 | 23.3 | 13.6 | 10.1 | 10.6 | 9.4 |
| 60-64 | 19.7 | 25.2 | 14.5 | 18.9 | 25.4 | 12.6 | 21.9 | 24.5 | 19.3 |
| 65-69 | 32.2 | 35.3 | 29.1 | 32.6 | 35.7 | 29.7 | 31.0 | 34.4 | 27.3 |
| 70-74 | 48.0 | 54.2 | 42.2 | 50.8 | 57.2 | 44.8 | 40.3 | 46.1 | 34.5 |
| 75-79 | 69.4 | 62.2 | 78.2 | 70.5 | 60.4 | 83.7 | 65.6 | 68.8 | 62.2 |
| 80-84 | 113.8 | 113.2 | 114.4 | 124.7 | 124.6 | 124.7 | 88.0 | 87.3 | 88.7 |
| 85+ | 252.5 | 275.2 | 235.9 | 270.3 | 284.2 | 259.2 | 204.4 | 245.5 | 181.0 |
| All ages (Crude death rate) | 6.7 | 7.2 | 6.1 | 7.1 | 7.7 | 6.4 | 5.5 | 5.8 | 5.2 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Madhya Pradesh**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 14 | 16 | 9 |
| Under-five mortality rate | 56 | 60 | 39 |
| Infant mortality rate | 48 | 52 | 36 |
| Neo-natal mortality rate | 35 | 38 | 23 |
| Early neo-natal mortality rate | 26 | 27 | 19 |
| Late neo-natal mortality rate | 9 | 11 | 4 |
| Post neo-natal mortality rate | 14 | 14 | 13 |
| Peri-natal mortality rate | 30 | 32 | 24 |
| Still birth rate | 5 | 5 | 5 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Maharashtra**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 18.5 | 18.1 | 19.1 | 24.5 | 23.9 | 25.2 | 12.2 | 11.7 | 12.7 |
| 1-4 | 0.6 | 0.6 | 0.7 | 0.9 | 0.9 | 1.0 | 0.1 | 0.2 | 0.1 |
| 0-4 | 4.5 | 4.3 | 4.6 | 5.3 | 5.1 | 5.5 | 3.2 | 3.1 | 3.3 |
| 5-9 | 0.4 | 0.3 | 0.4 | 0.3 | 0.2 | 0.5 | 0.4 | 0.4 | 0.4 |
| 10-14 | 0.3 | 0.4 | 0.3 | 0.2 | 0.2 | 0.3 | 0.5 | 0.6 | 0.3 |
| 15-19 | 0.4 | 0.6 | 0.2 | 0.6 | 0.8 | 0.3 | 0.2 | 0.3 | 0.2 |
| 20-24 | 0.9 | 1.2 | 0.6 | 0.8 | 1.1 | 0.6 | 1.0 | 1.3 | 0.7 |
| 25-29 | 1.1 | 1.4 | 0.9 | 1.5 | 1.5 | 1.5 | 0.8 | 1.3 | 0.3 |
| 30-34 | 1.8 | 2.2 | 1.3 | 2.2 | 3.1 | 1.2 | 1.4 | 1.4 | 1.4 |
| 35-39 | 2.0 | 2.9 | 1.1 | 2.5 | 3.4 | 1.5 | 1.6 | 2.4 | 0.7 |
| 40-44 | 3.2 | 3.9 | 2.6 | 4.1 | 4.6 | 3.5 | 2.4 | 3.1 | 1.6 |
| 45-49 | 4.6 | 5.7 | 3.4 | 4.9 | 5.8 | 3.8 | 4.3 | 5.6 | 2.8 |
| 50-54 | 6.9 | 8.8 | 4.8 | 7.9 | 9.6 | 6.1 | 5.8 | 8.0 | 3.4 |
| 55-59 | 11.0 | 13.0 | 9.1 | 12.6 | 15.9 | 9.5 | 9.2 | 9.9 | 8.5 |
| 60-64 | 18.0 | 21.9 | 14.0 | 18.1 | 23.4 | 13.2 | 17.7 | 20.0 | 15.2 |
| 65-69 | 27.2 | 28.1 | 26.3 | 25.5 | 29.3 | 22.2 | 29.8 | 26.3 | 34.1 |
| 70-74 | 36.7 | 41.8 | 32.2 | 38.6 | 45.3 | 32.9 | 33.1 | 35.4 | 31.0 |
| 75-79 | 58.2 | 63.6 | 52.1 | 61.0 | 66.5 | 55.0 | 52.7 | 58.2 | 46.1 |
| 80-84 | 98.8 | 97.1 | 100.6 | 106.6 | 108.6 | 104.6 | 86.1 | 79.3 | 93.9 |
| 85+ | 151.6 | 160.9 | 144.4 | 139.8 | 137.8 | 141.5 | 176.6 | 228.4 | 149.3 |
| All ages (Crude death rate) | 5.5 | 6.0 | 4.9 | 6.3 | 6.9 | 5.7 | 4.5 | 5.0 | 4.0 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Maharashtra**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 4 | 5 | 3 |
| Under-five mortality rate | 22 | 27 | 15 |
| Infant mortality rate | 19 | 24 | 14 |
| Neo-natal mortality rate | 13 | 18 | 8 |
| Early neo-natal mortality rate | 10 | 14 | 6 |
| Late neo-natal mortality rate | 3 | 4 | 2 |
| Post neo-natal mortality rate | 6 | 6 | 6 |
| Peri-natal mortality rate | 15 | 20 | 8 |
| Still birth rate | 5 | 6 | 3 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Odisha**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 37.8 | 39.0 | 36.7 | 41.5 | 43.1 | 39.9 | 21.1 | 20.5 | 21.7 |
| 1-4 | 1.1 | 1.1 | 1.0 | 1.1 | 1.1 | 1.1 | 1.0 | 1.5 | 0.6 |
| 0-4 | 10.7 | 10.8 | 10.6 | 11.5 | 11.6 | 11.4 | 6.7 | 6.9 | 6.6 |
| 5-9 | 0.7 | 0.7 | 0.7 | 0.8 | 0.8 | 0.7 | 0.3 | 0.4 | 0.3 |
| 10-14 | 0.8 | 1.1 | 0.5 | 0.8 | 1.2 | 0.4 | 0.8 | 0.6 | 1.0 |
| 15-19 | 0.8 | 0.6 | 1.0 | 0.8 | 0.5 | 1.1 | 0.8 | 1.1 | 0.6 |
| 20-24 | 1.0 | 1.0 | 1.1 | 1.1 | 1.0 | 1.2 | 0.8 | 1.3 | 0.3 |
| 25-29 | 1.4 | 2.1 | 0.7 | 1.5 | 2.3 | 0.8 | 0.8 | 1.3 | 0.2 |
| 30-34 | 2.3 | 2.9 | 1.6 | 2.4 | 3.1 | 1.8 | 1.5 | 2.2 | 0.8 |
| 35-39 | 2.7 | 3.2 | 2.2 | 2.7 | 3.2 | 2.2 | 2.5 | 3.1 | 1.9 |
| 40-44 | 5.0 | 5.9 | 4.0 | 5.6 | 6.6 | 4.5 | 2.9 | 3.4 | 2.2 |
| 45-49 | 4.9 | 5.9 | 3.7 | 4.8 | 5.9 | 3.5 | 5.4 | 6.3 | 4.3 |
| 50-54 | 7.5 | 8.1 | 6.8 | 7.7 | 8.2 | 7.2 | 6.8 | 7.9 | 5.5 |
| 55-59 | 13.5 | 14.5 | 12.5 | 14.3 | 15.2 | 13.3 | 9.9 | 11.2 | 8.5 |
| 60-64 | 19.3 | 20.1 | 18.4 | 19.5 | 20.5 | 18.5 | 18.2 | 18.4 | 18.0 |
| 65-69 | 34.5 | 35.9 | 32.8 | 34.0 | 35.8 | 32.0 | 37.4 | 36.7 | 38.3 |
| 70-74 | 44.2 | 48.9 | 39.7 | 44.1 | 50.9 | 37.6 | 44.7 | 37.5 | 52.0 |
| 75-79 | 65.2 | 64.6 | 65.8 | 62.3 | 64.8 | 59.8 | 84.6 | 63.2 | 111.3 |
| 80-84 | 76.6 | 70.3 | 83.2 | 75.8 | 65.1 | 87.4 | 81.6 | 104.8 | 62.7 |
| 85+ | 116.7 | 121.2 | 112.2 | 120.4 | 122.2 | 118.5 | 92.4 | 113.7 | 76.8 |
| All ages (Crude death rate) | 7.3 | 7.8 | 6.7 | 7.6 | 8.2 | 7.0 | 5.9 | 6.4 | 5.5 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Odisha**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 11 | 12 | 7 |
| Under-five mortality rate | 44 | 45 | 35 |
| Infant mortality rate | 40 | 41 | 31 |
| Neo-natal mortality rate | 31 | 33 | 22 |
| Early neo-natal mortality rate | 24 | 25 | 16 |
| Late neo-natal mortality rate | 8 | 8 | 6 |
| Post neo-natal mortality rate | 8 | 8 | 8 |
| Peri-natal mortality rate | 34 | 35 | 25 |
| Still birth rate | 10 | 11 | 9 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Punjab**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 22.1 | 21.1 | 23.3 | 23.6 | 23.5 | 23.8 | 19.9 | 18.1 | 22.5 |
| 1-4 | 0.5 | 0.6 | 0.4 | 0.4 | 0.6 | 0.2 | 0.7 | 0.7 | 0.8 |
| 0-4 | 5.4 | 5.4 | 5.4 | 5.6 | 5.6 | 5.5 | 5.1 | 5.0 | 5.3 |
| 5-9 | 0.4 | 0.2 | 0.7 | 0.4 | 0.1 | 0.8 | 0.4 | 0.4 | 0.5 |
| 10-14 | 0.4 | 0.5 | 0.4 | 0.5 | 0.6 | 0.3 | 0.4 | 0.4 | 0.5 |
| 15-19 | 0.8 | 0.9 | 0.6 | 0.8 | 1.1 | 0.4 | 0.7 | 0.7 | 0.8 |
| 20-24 | 1.7 | 1.7 | 1.7 | 1.8 | 1.7 | 2.0 | 1.4 | 1.6 | 1.2 |
| 25-29 | 1.5 | 1.8 | 1.0 | 1.9 | 2.6 | 1.1 | 0.8 | 0.8 | 0.9 |
| 30-34 | 2.3 | 3.0 | 1.5 | 2.9 | 4.4 | 1.2 | 1.4 | 1.2 | 1.7 |
| 35-39 | 3.1 | 4.5 | 1.4 | 3.5 | 4.9 | 1.9 | 2.6 | 4.0 | 0.8 |
| 40-44 | 3.5 | 4.6 | 2.2 | 4.0 | 5.9 | 2.1 | 2.8 | 3.1 | 2.4 |
| 45-49 | 6.3 | 9.4 | 3.1 | 7.4 | 10.9 | 3.7 | 4.9 | 7.4 | 2.2 |
| 50-54 | 8.4 | 10.4 | 6.4 | 10.5 | 12.2 | 8.6 | 6.0 | 8.2 | 4.0 |
| 55-59 | 14.0 | 16.9 | 10.6 | 15.4 | 19.8 | 10.1 | 12.3 | 13.3 | 11.1 |
| 60-64 | 16.9 | 20.5 | 13.0 | 17.5 | 21.5 | 13.5 | 15.9 | 19.2 | 12.3 |
| 65-69 | 28.3 | 30.0 | 26.5 | 31.7 | 33.5 | 29.7 | 23.0 | 24.7 | 21.1 |
| 70-74 | 37.2 | 43.3 | 31.1 | 43.6 | 48.7 | 38.4 | 25.8 | 33.4 | 18.6 |
| 75-79 | 52.0 | 50.6 | 53.5 | 53.7 | 48.6 | 59.6 | 48.8 | 54.6 | 42.9 |
| 80-84 | 57.9 | 65.5 | 49.3 | 57.7 | 58.1 | 57.2 | 58.4 | 81.8 | 34.3 |
| 85+ | 150.2 | 157.7 | 144.1 | 143.2 | 145.3 | 141.3 | 174.1 | 204.7 | 152.7 |
| All ages (Crude death rate) | 6.6 | 7.4 | 5.7 | 7.7 | 8.5 | 6.7 | 5.1 | 5.8 | 4.3 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Punjab**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 5 | 6 | 5 |
| Under-five mortality rate | 23 | 23 | 22 |
| Infant mortality rate | 20 | 21 | 19 |
| Neo-natal mortality rate | 13 | 13 | 11 |
| Early neo-natal mortality rate | 9 | 9 | 9 |
| Late neo-natal mortality rate | 4 | 5 | 2 |
| Post neo-natal mortality rate | 8 | 8 | 8 |
| Peri-natal mortality rate | 14 | 13 | 14 |
| Still birth rate | 5 | 4 | 5 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Rajasthan**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 49.9 | 46.0 | 54.8 | 52.5 | 48.3 | 57.9 | 39.8 | 36.1 | 43.6 |
| 1-4 | 0.8 | 0.9 | 0.7 | 0.6 | 0.7 | 0.5 | 1.3 | 1.5 | 1.2 |
| 0-4 | 10.3 | 9.9 | 10.8 | 10.9 | 10.5 | 11.3 | 8.3 | 7.7 | 9.0 |
| 5-9 | 0.5 | 0.5 | 0.6 | 0.5 | 0.4 | 0.6 | 0.6 | 0.5 | 0.6 |
| 10-14 | 0.6 | 0.6 | 0.7 | 0.7 | 0.7 | 0.7 | 0.4 | 0.3 | 0.6 |
| 15-19 | 0.9 | 0.8 | 0.9 | 0.9 | 0.7 | 1.1 | 0.7 | 1.1 | 0.3 |
| 20-24 | 1.3 | 1.4 | 1.1 | 1.2 | 1.2 | 1.2 | 1.6 | 2.1 | 1.1 |
| 25-29 | 1.2 | 1.7 | 0.7 | 1.4 | 1.9 | 0.9 | 0.7 | 1.1 | 0.2 |
| 30-34 | 1.6 | 1.7 | 1.3 | 1.7 | 2.0 | 1.4 | 1.1 | 1.1 | 1.1 |
| 35-39 | 2.2 | 3.0 | 1.3 | 2.3 | 3.3 | 1.1 | 1.9 | 2.1 | 1.7 |
| 40-44 | 3.5 | 5.1 | 1.9 | 4.5 | 6.4 | 2.5 | 1.3 | 1.9 | 0.7 |
| 45-49 | 5.1 | 6.0 | 4.2 | 5.9 | 7.5 | 4.3 | 3.2 | 2.3 | 4.1 |
| 50-54 | 9.2 | 10.9 | 7.3 | 9.7 | 11.5 | 7.6 | 8.1 | 9.7 | 6.5 |
| 55-59 | 15.4 | 19.8 | 11.5 | 16.7 | 22.5 | 11.5 | 12.8 | 14.3 | 11.3 |
| 60-64 | 19.5 | 23.1 | 16.0 | 19.8 | 24.7 | 15.3 | 18.6 | 18.9 | 18.3 |
| 65-69 | 31.5 | 42.9 | 22.4 | 33.1 | 48.8 | 21.4 | 26.7 | 27.5 | 25.8 |
| 70-74 | 39.8 | 51.8 | 31.0 | 39.2 | 55.1 | 27.7 | 41.6 | 42.8 | 40.7 |
| 75-79 | 53.4 | 68.1 | 41.7 | 56.0 | 73.0 | 42.9 | 46.5 | 55.7 | 38.2 |
| 80-84 | 106.1 | 113.8 | 100.2 | 125.8 | 146.2 | 111.4 | 68.7 | 60.3 | 76.4 |
| 85+ | 207.2 | 252.5 | 182.3 | 201.3 | 223.2 | 188.3 | 229.3 | 396.2 | 162.4 |
| All ages (Crude death rate) | 5.9 | 6.4 | 5.3 | 6.1 | 6.8 | 5.4 | 5.0 | 5.1 | 5.0 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Rajasthan**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 10 | 11 | 8 |
| Under-five mortality rate | 40 | 43 | 31 |
| Infant mortality rate | 37 | 41 | 26 |
| Neo-natal mortality rate | 26 | 29 | 15 |
| Early neo-natal mortality rate | 20 | 23 | 12 |
| Late neo-natal mortality rate | 6 | 7 | 3 |
| Post neo-natal mortality rate | 11 | 11 | 11 |
| Peri-natal mortality rate | 26 | 28 | 21 |
| Still birth rate | 6 | 6 | 9 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Tamil Nadu**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 18.5 | 19.4 | 17.5 | 20.5 | 21.5 | 19.4 | 16.4 | 17.2 | 15.6 |
| 1-4 | 0.6 | 0.6 | 0.7 | 0.9 | 0.9 | 0.9 | 0.3 | 0.2 | 0.4 |
| 0-4 | 4.0 | 4.1 | 3.9 | 4.7 | 4.8 | 4.5 | 3.3 | 3.4 | 3.3 |
| 5-9 | 0.4 | 0.5 | 0.3 | 0.5 | 0.6 | 0.4 | 0.2 | 0.3 | 0.2 |
| 10-14 | 0.2 | 0.3 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.3 | 0.2 |
| 15-19 | 0.8 | 1.1 | 0.5 | 0.8 | 1.0 | 0.5 | 0.9 | 1.2 | 0.6 |
| 20-24 | 1.3 | 1.7 | 0.9 | 1.6 | 2.0 | 1.3 | 0.9 | 1.4 | 0.6 |
| 25-29 | 1.2 | 1.5 | 0.9 | 1.6 | 2.1 | 1.1 | 0.9 | 1.0 | 0.8 |
| 30-34 | 1.5 | 1.8 | 1.1 | 2.2 | 2.5 | 1.9 | 0.9 | 1.2 | 0.5 |
| 35-39 | 2.0 | 2.8 | 1.2 | 2.3 | 3.2 | 1.3 | 1.8 | 2.4 | 1.1 |
| 40-44 | 3.4 | 4.8 | 1.9 | 4.6 | 6.4 | 2.8 | 2.4 | 3.5 | 1.3 |
| 45-49 | 4.4 | 6.4 | 2.2 | 4.9 | 7.4 | 2.3 | 4.0 | 5.7 | 2.1 |
| 50-54 | 8.3 | 11.2 | 5.5 | 11.5 | 14.6 | 8.2 | 6.0 | 8.6 | 3.6 |
| 55-59 | 11.8 | 14.7 | 9.1 | 13.9 | 19.8 | 8.8 | 10.1 | 10.7 | 9.4 |
| 60-64 | 15.9 | 17.8 | 14.0 | 19.4 | 22.4 | 16.3 | 13.2 | 14.2 | 12.2 |
| 65-69 | 29.0 | 33.9 | 24.3 | 35.1 | 43.2 | 27.8 | 23.7 | 26.3 | 20.9 |
| 70-74 | 42.7 | 44.5 | 40.9 | 57.3 | 57.5 | 57.1 | 31.9 | 35.0 | 28.9 |
| 75-79 | 62.8 | 66.6 | 59.0 | 74.7 | 74.1 | 75.2 | 51.2 | 59.6 | 43.0 |
| 80-84 | 76.4 | 90.0 | 63.4 | 100.1 | 110.9 | 89.1 | 58.8 | 73.6 | 45.4 |
| 85+ | 126.6 | 110.8 | 140.3 | 162.9 | 145.6 | 177.6 | 97.9 | 83.4 | 110.4 |
| All ages (Crude death rate) | 6.5 | 7.4 | 5.5 | 7.8 | 8.8 | 6.7 | 5.3 | 6.1 | 4.4 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Tamil Nadu**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 4 | 5 | 3 |
| Under-five mortality rate | 17 | 22 | 14 |
| Infant mortality rate | 15 | 18 | 12 |
| Neo-natal mortality rate | 10 | 14 | 6 |
| Early neo-natal mortality rate | 7 | 10 | 4 |
| Late neo-natal mortality rate | 3 | 3 | 2 |
| Post neo-natal mortality rate | 5 | 4 | 6 |
| Peri-natal mortality rate | 11 | 15 | 8 |
| Still birth rate | 4 | 5 | 3 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Telangana**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 29.8 | 29.0 | 30.8 | 37.5 | 39.7 | 35.2 | 20.6 | 16.7 | 25.3 |
| 1-4 | 0.8 | 0.7 | 1.0 | 1.2 | 1.3 | 1.0 | 0.4 | 0.0 | 0.9 |
| 0-4 | 8.2 | 8.0 | 8.5 | 10.7 | 11.6 | 9.8 | 5.4 | 4.1 | 6.8 |
| 5-9 | 0.6 | 0.4 | 0.7 | 0.7 | 0.7 | 0.8 | 0.3 | 0.0 | 0.6 |
| 10-14 | 0.6 | 0.6 | 0.6 | 0.9 | 1.0 | 0.9 | 0.1 | 0.0 | 0.3 |
| 15-19 | 0.9 | 1.1 | 0.7 | 1.2 | 1.6 | 0.8 | 0.4 | 0.4 | 0.5 |
| 20-24 | 1.1 | 1.4 | 0.9 | 1.3 | 1.6 | 1.0 | 0.9 | 1.0 | 0.8 |
| 25-29 | 1.1 | 1.2 | 1.0 | 1.7 | 1.8 | 1.6 | 0.3 | 0.4 | 0.2 |
| 30-34 | 1.9 | 2.0 | 1.9 | 3.1 | 3.3 | 2.9 | 0.4 | 0.4 | 0.5 |
| 35-39 | 2.3 | 3.2 | 1.5 | 3.3 | 4.3 | 2.3 | 1.1 | 1.8 | 0.5 |
| 40-44 | 4.7 | 5.3 | 4.1 | 5.7 | 6.4 | 5.0 | 3.4 | 3.9 | 2.7 |
| 45-49 | 7.1 | 8.8 | 5.0 | 9.5 | 12.2 | 6.4 | 3.5 | 4.1 | 2.8 |
| 50-54 | 9.0 | 11.7 | 6.6 | 8.9 | 12.0 | 6.3 | 9.1 | 11.2 | 7.1 |
| 55-59 | 11.6 | 14.1 | 9.0 | 13.6 | 17.5 | 10.1 | 8.0 | 9.0 | 6.6 |
| 60-64 | 22.0 | 24.0 | 20.0 | 20.6 | 23.3 | 18.1 | 25.0 | 25.5 | 24.5 |
| 65-69 | 28.7 | 29.9 | 27.4 | 26.2 | 28.4 | 24.1 | 34.3 | 32.9 | 36.2 |
| 70-74 | 45.6 | 45.8 | 45.4 | 43.0 | 43.3 | 42.6 | 53.1 | 53.0 | 53.2 |
| 75-79 | 79.2 | 81.1 | 77.2 | 80.5 | 90.9 | 69.4 | 75.9 | 55.4 | 97.2 |
| 80-84 | 106.7 | 112.6 | 100.8 | 107.7 | 117.1 | 97.9 | 104.2 | 100.8 | 107.2 |
| 85+ | 184.9 | 232.3 | 154.3 | 175.5 | 206.2 | 149.6 | 211.1 | 388.1 | 163.3 |
| All ages (Crude death rate) | 6.3 | 6.9 | 5.6 | 7.5 | 8.5 | 6.4 | 4.5 | 4.5 | 4.4 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Telangana**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 8 | 11 | 5 |
| Under-five mortality rate | 30 | 35 | 23 |
| Infant mortality rate | 27 | 30 | 21 |
| Neo-natal mortality rate | 19 | 21 | 14 |
| Early neo-natal mortality rate | 13 | 16 | 9 |
| Late neo-natal mortality rate | 5 | 5 | 6 |
| Post neo-natal mortality rate | 8 | 9 | 7 |
| Peri-natal mortality rate | 15 | 18 | 10 |
| Still birth rate | 2 | 2 | 1 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Uttar Pradesh**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 68.3 | 66.5 | 70.3 | 70.2 | 69.5 | 71.1 | 60.4 | 54.2 | 67.3 |
| 1-4 | 0.9 | 0.8 | 1.1 | 1.0 | 0.7 | 1.3 | 0.9 | 1.0 | 0.7 |
| 0-4 | 13.8 | 13.5 | 14.2 | 14.2 | 14.1 | 14.4 | 12.1 | 10.9 | 13.5 |
| 5-9 | 0.6 | 0.4 | 0.8 | 0.7 | 0.5 | 0.9 | 0.4 | 0.3 | 0.6 |
| 10-14 | 0.6 | 0.6 | 0.7 | 0.7 | 0.6 | 0.8 | 0.4 | 0.4 | 0.4 |
| 15-19 | 0.8 | 0.8 | 0.7 | 0.9 | 1.0 | 0.7 | 0.4 | 0.2 | 0.7 |
| 20-24 | 1.0 | 0.9 | 1.1 | 1.1 | 1.0 | 1.3 | 0.5 | 0.6 | 0.4 |
| 25-29 | 1.4 | 1.6 | 1.2 | 1.6 | 1.8 | 1.5 | 0.8 | 1.1 | 0.5 |
| 30-34 | 2.0 | 2.4 | 1.5 | 2.0 | 2.2 | 1.7 | 2.1 | 3.1 | 0.9 |
| 35-39 | 2.5 | 2.9 | 2.1 | 2.7 | 3.2 | 2.3 | 1.9 | 2.4 | 1.4 |
| 40-44 | 4.6 | 5.2 | 3.9 | 5.3 | 6.0 | 4.5 | 2.6 | 3.1 | 2.1 |
| 45-49 | 5.2 | 5.2 | 5.2 | 6.1 | 6.1 | 6.2 | 2.6 | 2.8 | 2.4 |
| 50-54 | 9.8 | 8.5 | 11.2 | 10.4 | 9.2 | 11.8 | 8.3 | 6.9 | 9.8 |
| 55-59 | 19.0 | 21.6 | 16.6 | 20.9 | 25.0 | 17.6 | 14.4 | 14.7 | 14.2 |
| 60-64 | 23.2 | 27.3 | 19.2 | 23.6 | 28.5 | 18.8 | 22.3 | 23.9 | 20.6 |
| 65-69 | 37.1 | 42.5 | 31.8 | 38.0 | 42.8 | 33.4 | 34.3 | 41.7 | 26.7 |
| 70-74 | 59.4 | 65.6 | 53.4 | 63.8 | 71.7 | 56.5 | 46.2 | 49.1 | 42.8 |
| 75-79 | 64.2 | 68.4 | 60.4 | 67.1 | 70.4 | 64.1 | 54.6 | 61.8 | 47.8 |
| 80-84 | 131.5 | 132.9 | 130.0 | 145.4 | 155.3 | 135.8 | 86.8 | 64.8 | 110.6 |
| 85+ | 198.2 | 223.7 | 179.5 | 193.0 | 204.8 | 183.3 | 219.2 | 337.2 | 167.1 |
| All ages (Crude death rate) | 6.6 | 6.8 | 6.4 | 7.0 | 7.2 | 6.8 | 5.3 | 5.4 | 5.1 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Uttar Pradesh**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 14 | 14 | 12 |
| Under-five mortality rate | 47 | 49 | 38 |
| Infant mortality rate | 43 | 46 | 35 |
| Neo-natal mortality rate | 32 | 34 | 21 |
| Early neo-natal mortality rate | 24 | 27 | 15 |
| Late neo-natal mortality rate | 7 | 8 | 6 |
| Post neo-natal mortality rate | 12 | 11 | 14 |
| Peri-natal mortality rate | 28 | 30 | 18 |
| Still birth rate | 3 | 3 | 3 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**Uttarakhand**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 24.6 | 27.4 | 21.6 | 25.7 | 29.4 | 21.7 | 22.0 | 22.4 | 21.5 |
| 1-4 | 0.6 | 0.3 | 0.8 | 0.4 | 0.2 | 0.7 | 0.9 | 0.6 | 1.1 |
| 0-4 | 5.3 | 5.6 | 5.0 | 5.3 | 5.8 | 4.8 | 5.2 | 5.1 | 5.3 |
| 5-9 | 0.4 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 | 0.6 | 0.4 | 0.7 |
| 10-14 | 0.5 | 0.5 | 0.4 | 0.4 | 0.6 | 0.3 | 0.7 | 0.4 | 0.9 |
| 15-19 | 0.7 | 0.9 | 0.4 | 0.6 | 0.8 | 0.3 | 0.9 | 0.9 | 0.8 |
| 20-24 | 1.5 | 1.8 | 1.3 | 1.7 | 2.0 | 1.5 | 1.1 | 1.3 | 0.7 |
| 25-29 | 1.6 | 2.2 | 1.1 | 1.8 | 2.4 | 1.2 | 1.2 | 1.6 | 0.7 |
| 30-34 | 1.7 | 2.2 | 1.3 | 1.8 | 2.3 | 1.3 | 1.6 | 1.8 | 1.3 |
| 35-39 | 3.2 | 3.5 | 2.8 | 3.3 | 3.4 | 3.3 | 2.7 | 3.8 | 1.6 |
| 40-44 | 3.8 | 5.3 | 2.2 | 4.2 | 5.9 | 2.3 | 3.0 | 4.0 | 2.0 |
| 45-49 | 5.6 | 7.2 | 3.9 | 5.8 | 7.8 | 3.9 | 5.0 | 5.9 | 4.1 |
| 50-54 | 7.9 | 9.8 | 6.2 | 8.5 | 10.4 | 6.9 | 6.4 | 8.6 | 4.4 |
| 55-59 | 14.0 | 17.7 | 10.5 | 13.9 | 18.5 | 9.6 | 14.4 | 15.6 | 13.2 |
| 60-64 | 16.0 | 17.9 | 14.5 | 15.5 | 16.9 | 14.3 | 17.8 | 20.6 | 15.0 |
| 65-69 | 39.8 | 51.4 | 30.0 | 40.4 | 54.8 | 29.0 | 37.8 | 41.3 | 34.1 |
| 70-74 | 44.3 | 43.8 | 44.8 | 44.0 | 41.1 | 46.9 | 45.3 | 54.0 | 36.7 |
| 75-79 | 89.1 | 98.8 | 79.6 | 92.5 | 103.5 | 82.7 | 76.1 | 83.9 | 66.4 |
| 80-84 | 79.1 | 96.2 | 65.9 | 76.8 | 88.4 | 68.0 | 88.9 | 128.1 | 57.3 |
| 85+ | 140.1 | 187.8 | 100.0 | 131.6 | 181.7 | 88.1 | 175.8 | 215.9 | 146.3 |
| All ages (Crude death rate) | 6.2 | 6.9 | 5.4 | 6.5 | 7.3 | 5.6 | 5.3 | 6.0 | 4.6 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**Uttarakhand**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 5 | 5 | 5 |
| Under-five mortality rate | 33 | 33 | 33 |
| Infant mortality rate | 31 | 31 | 29 |
| Neo-natal mortality rate | 22 | 23 | 21 |
| Early neo-natal mortality rate | 17 | 17 | 18 |
| Late neo-natal mortality rate | 5 | 6 | 3 |
| Post neo-natal mortality rate | 8 | 8 | 8 |
| Peri-natal mortality rate | 24 | 24 | 25 |
| Still birth rate | 8 | 8 | 7 |

**Table 8**

**Age-specific death rate by sex and residence, 2018**

**West Bengal**

| Age-group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Below 1 | 24.0 | 23.3 | 24.7 | 28.1 | 28.2 | 27.9 | 15.7 | 13.7 | 18.0 |
| 1-4 | 1.1 | 1.2 | 1.1 | 1.1 | 1.1 | 1.1 | 1.3 | 1.4 | 1.2 |
| 0-4 | 5.6 | 5.5 | 5.6 | 5.8 | 5.8 | 5.7 | 5.0 | 4.7 | 5.3 |
| 5-9 | 0.3 | 0.2 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 0.4 |
| 10-14 | 0.4 | 0.4 | 0.3 | 0.4 | 0.5 | 0.3 | 0.2 | 0.2 | 0.3 |
| 15-19 | 0.8 | 0.7 | 0.9 | 0.8 | 0.5 | 1.0 | 0.9 | 1.1 | 0.8 |
| 20-24 | 0.8 | 0.9 | 0.6 | 0.7 | 1.0 | 0.6 | 0.8 | 0.8 | 0.9 |
| 25-29 | 1.1 | 1.3 | 0.9 | 1.2 | 1.4 | 1.0 | 1.0 | 1.3 | 0.7 |
| 30-34 | 1.2 | 1.7 | 0.8 | 1.4 | 1.6 | 1.1 | 1.0 | 1.9 | 0.2 |
| 35-39 | 1.7 | 2.5 | 0.9 | 1.8 | 2.8 | 0.9 | 1.4 | 2.0 | 0.9 |
| 40-44 | 2.4 | 2.9 | 1.8 | 2.9 | 3.3 | 2.4 | 1.3 | 2.0 | 0.6 |
| 45-49 | 3.9 | 5.3 | 2.5 | 3.6 | 4.8 | 2.4 | 4.6 | 6.4 | 2.8 |
| 50-54 | 6.9 | 7.5 | 6.2 | 7.5 | 7.5 | 7.5 | 5.9 | 7.5 | 4.4 |
| 55-59 | 11.1 | 11.9 | 10.4 | 12.2 | 14.6 | 9.9 | 9.4 | 7.9 | 11.3 |
| 60-64 | 18.2 | 21.4 | 14.7 | 19.3 | 25.2 | 13.7 | 16.4 | 16.4 | 16.5 |
| 65-69 | 30.9 | 34.8 | 26.7 | 33.6 | 40.2 | 26.7 | 26.7 | 26.7 | 26.7 |
| 70-74 | 42.7 | 48.0 | 37.4 | 48.8 | 58.0 | 40.7 | 32.1 | 33.3 | 30.7 |
| 75-79 | 71.2 | 78.3 | 64.9 | 82.7 | 97.4 | 71.1 | 52.2 | 51.5 | 52.9 |
| 80-84 | 103.5 | 111.5 | 96.1 | 117.4 | 122.2 | 113.1 | 85.2 | 98.2 | 72.4 |
| 85+ | 170.4 | 182.2 | 161.3 | 213.1 | 242.3 | 190.7 | 120.1 | 111.8 | 126.5 |
| All ages (Crude death rate) | 5.6 | 6.3 | 5.0 | 5.6 | 6.3 | 4.9 | 5.7 | 6.2 | 5.2 |

**Table 9**

**Child (Aged 0-4 years) and infant mortality indicators, 2018**

**West Bengal**

| Indicators | Total | Rural | Urban |
|---|---|---|---|
| Child mortality rate | 6 | 6 | 5 |
| Under-five mortality rate | 26 | 27 | 25 |
| Infant mortality rate | 22 | 22 | 20 |
| Neo-natal mortality rate | 16 | 17 | 12 |
| Early neo-natal mortality rate | 12 | 13 | 9 |
| Late neo-natal mortality rate | 4 | 5 | 3 |
| Post neo-natal mortality rate | 6 | 5 | 8 |
| Peri-natal mortality rate | 17 | 17 | 16 |
| Still birth rate | 5 | 5 | 7 |

## Table 10

### Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **India** | | | | | |
| Below 1 | 10.5 | 9.8 | 11.2 | 11.6 | 11.0 | 12.3 | 7.4 | 6.7 | 8.4 |
| 1-4 | 1.1 | 1.0 | 1.2 | 1.2 | 1.1 | 1.3 | 0.8 | 0.7 | 0.9 |
| 0-4 | 11.5 | 10.8 | 12.5 | 12.8 | 12.1 | 13.6 | 8.2 | 7.3 | 9.3 |
| 5-9 | 0.7 | 0.6 | 0.9 | 0.7 | 0.6 | 0.9 | 0.6 | 0.5 | 0.8 |
| 10-14 | 0.8 | 0.8 | 0.8 | 0.9 | 0.9 | 0.9 | 0.6 | 0.5 | 0.6 |
| 15-19 | 1.3 | 1.3 | 1.3 | 1.4 | 1.4 | 1.4 | 1.0 | 1.1 | 1.0 |
| 20-24 | 1.8 | 1.8 | 1.8 | 1.9 | 1.9 | 2.0 | 1.6 | 1.8 | 1.4 |
| 25-29 | 2.1 | 2.5 | 1.8 | 2.2 | 2.5 | 1.9 | 1.9 | 2.4 | 1.4 |
| 30-34 | 2.4 | 2.7 | 2.0 | 2.4 | 2.7 | 2.0 | 2.4 | 2.8 | 1.9 |
| 35-39 | 2.7 | 3.2 | 2.0 | 2.6 | 3.1 | 2.1 | 2.7 | 3.4 | 1.9 |
| 40-44 | 3.5 | 4.0 | 2.9 | 3.6 | 4.1 | 3.0 | 3.2 | 3.7 | 2.6 |
| 45-49 | 4.2 | 4.8 | 3.5 | 4.2 | 4.8 | 3.5 | 4.2 | 4.9 | 3.4 |
| 50-54 | 5.3 | 5.6 | 5.0 | 5.0 | 5.2 | 4.7 | 6.2 | 6.7 | 5.6 |
| 55-59 | 7.6 | 7.8 | 7.3 | 7.3 | 7.6 | 6.9 | 8.3 | 8.3 | 8.2 |
| 60-64 | 9.4 | 9.8 | 8.9 | 8.8 | 9.2 | 8.2 | 11.0 | 11.4 | 10.6 |
| 65-69 | 10.7 | 11.0 | 10.5 | 10.3 | 10.5 | 10.1 | 12.0 | 12.3 | 11.7 |
| 70-74 | 10.9 | 10.6 | 11.2 | 11.0 | 10.7 | 11.4 | 10.5 | 10.3 | 10.7 |
| 75-79 | 9.3 | 8.8 | 9.9 | 9.2 | 8.6 | 9.9 | 9.5 | 9.1 | 10.0 |
| 80-84 | 7.9 | 7.2 | 8.7 | 7.9 | 7.3 | 8.7 | 7.8 | 7.0 | 8.7 |
| 85+ | 7.8 | 6.7 | 9.2 | 7.8 | 6.7 | 9.0 | 8.0 | 6.5 | 9.9 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

### Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **Andhra Pradesh** | | | | | | | | | |
| Below 1 | 7.0 | 6.7 | 7.5 | 7.3 | 7.0 | 7.6 | 6.4 | 5.6 | 7.3 |
| 1-4 | 0.6 | 0.6 | 0.6 | 0.6 | 0.7 | 0.6 | 0.6 | 0.6 | 0.7 |
| 0-4 | 7.7 | 7.3 | 8.1 | 7.9 | 7.6 | 8.2 | 7.0 | 6.2 | 8.0 |
| 5-9 | 0.4 | 0.3 | 0.5 | 0.3 | 0.3 | 0.2 | 0.9 | 0.6 | 1.3 |
| 10-14 | 0.6 | 0.6 | 0.6 | 0.6 | 0.7 | 0.5 | 0.6 | 0.5 | 0.7 |
| 15-19 | 0.8 | 0.7 | 0.9 | 0.7 | 0.6 | 0.8 | 1.1 | 1.1 | 1.2 |
| 20-24 | 1.5 | 1.4 | 1.7 | 1.7 | 1.5 | 1.9 | 0.9 | 1.0 | 0.7 |
| 25-29 | 1.7 | 1.8 | 1.7 | 1.9 | 1.8 | 1.9 | 1.2 | 1.5 | 0.7 |
| 30-34 | 3.0 | 3.0 | 3.0 | 2.7 | 2.6 | 2.8 | 4.1 | 4.2 | 3.9 |
| 35-39 | 3.2 | 3.8 | 2.5 | 3.3 | 3.8 | 2.6 | 2.9 | 3.6 | 2.0 |
| 40-44 | 4.3 | 5.1 | 3.2 | 4.6 | 5.5 | 3.3 | 3.2 | 3.6 | 2.6 |
| 45-49 | 6.9 | 7.5 | 6.0 | 6.9 | 7.4 | 6.3 | 6.7 | 7.9 | 5.3 |
| 50-54 | 7.7 | 8.0 | 7.2 | 7.6 | 7.8 | 7.4 | 7.7 | 8.8 | 6.4 |
| 55-59 | 8.6 | 8.9 | 8.4 | 8.4 | 8.6 | 8.1 | 9.5 | 9.8 | 9.2 |
| 60-64 | 11.0 | 10.6 | 11.5 | 10.3 | 9.9 | 10.8 | 13.1 | 12.8 | 13.4 |
| 65-69 | 12.1 | 11.7 | 12.5 | 11.7 | 11.5 | 12.0 | 13.2 | 12.4 | 14.2 |
| 70-74 | 10.9 | 10.3 | 11.6 | 11.1 | 10.5 | 11.9 | 10.0 | 9.6 | 10.7 |
| 75-79 | 8.4 | 8.3 | 8.5 | 8.9 | 8.6 | 9.4 | 6.8 | 7.6 | 5.9 |
| 80-84 | 6.6 | 6.3 | 7.0 | 6.8 | 6.7 | 6.9 | 5.9 | 4.7 | 7.3 |
| 85+ | 4.8 | 4.4 | 5.3 | 4.6 | 4.4 | 4.9 | 5.2 | 4.2 | 6.4 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Assam** | | | | | | | | | |
| Below 1 | 13.7 | 12.1 | 15.7 | 14.7 | 13.1 | 16.8 | 5.8 | 5.1 | 6.9 |
| 1-4 | 1.6 | 1.1 | 2.1 | 1.7 | 1.2 | 2.4 | 0.5 | 0.6 | 0.3 |
| 0-4 | 15.3 | 13.2 | 17.8 | 16.5 | 14.3 | 19.2 | 6.3 | 5.7 | 7.2 |
| 5-9 | 0.4 | 0.3 | 0.5 | 0.4 | 0.3 | 0.5 | 0.3 | 0.3 | 0.3 |
| 10-14 | 0.3 | 0.4 | 0.2 | 0.3 | 0.3 | 0.2 | 0.6 | 0.8 | 0.3 |
| 15-19 | 2.9 | 2.4 | 3.5 | 3.0 | 2.5 | 3.7 | 1.8 | 1.4 | 2.3 |
| 20-24 | 2.1 | 2.3 | 1.9 | 2.2 | 2.4 | 2.1 | 1.3 | 1.6 | 0.9 |
| 25-29 | 2.4 | 1.6 | 3.5 | 2.6 | 1.6 | 3.9 | 1.3 | 1.8 | 0.6 |
| 30-34 | 2.5 | 3.0 | 1.9 | 2.4 | 2.9 | 1.7 | 3.6 | 3.7 | 3.4 |
| 35-39 | 3.6 | 3.1 | 4.3 | 3.6 | 3.0 | 4.4 | 3.7 | 4.0 | 3.4 |
| 40-44 | 3.8 | 4.5 | 2.9 | 3.8 | 4.6 | 2.9 | 3.5 | 4.0 | 2.7 |
| 45-49 | 6.2 | 7.1 | 5.1 | 6.2 | 7.0 | 5.1 | 6.2 | 7.3 | 4.6 |
| 50-54 | 5.8 | 5.9 | 5.8 | 5.6 | 5.5 | 5.8 | 7.4 | 8.7 | 5.7 |
| 55-59 | 7.6 | 7.3 | 8.0 | 7.4 | 7.0 | 8.0 | 8.9 | 9.7 | 8.0 |
| 60-64 | 7.0 | 7.3 | 6.7 | 6.8 | 7.1 | 6.5 | 8.5 | 9.1 | 7.8 |
| 65-69 | 9.4 | 8.5 | 10.5 | 9.3 | 8.4 | 10.5 | 10.2 | 9.7 | 10.8 |
| 70-74 | 8.5 | 9.9 | 6.9 | 8.3 | 9.8 | 6.3 | 10.7 | 10.0 | 11.7 |
| 75-79 | 7.3 | 8.1 | 6.3 | 7.0 | 8.0 | 5.6 | 10.1 | 8.7 | 11.9 |
| 80-84 | 7.8 | 8.0 | 7.5 | 7.8 | 8.1 | 7.3 | 7.8 | 7.3 | 8.5 |
| 85+ | 6.9 | 7.1 | 6.7 | 6.8 | 7.2 | 6.3 | 7.8 | 6.4 | 9.9 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

### Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Bihar** | | | | | |
| Below 1 | 14.4 | 13.7 | 15.0 | 14.6 | 14.1 | 15.0 | 12.7 | 11.1 | 14.5 |
| 1-4 | 1.8 | 1.8 | 1.7 | 1.9 | 1.9 | 1.9 | 1.0 | 1.4 | 0.6 |
| 0-4 | 16.1 | 15.6 | 16.7 | 16.4 | 16.0 | 16.9 | 13.7 | 12.4 | 15.0 |
| 5-9 | 1.1 | 1.1 | 1.1 | 1.2 | 1.2 | 1.2 | 0.7 | 0.5 | 1.0 |
| 10-14 | 1.6 | 1.4 | 1.8 | 1.6 | 1.4 | 1.7 | 1.5 | 1.0 | 2.1 |
| 15-19 | 1.3 | 1.3 | 1.3 | 1.4 | 1.3 | 1.4 | 0.7 | 0.9 | 0.5 |
| 20-24 | 2.0 | 1.6 | 2.4 | 2.1 | 1.6 | 2.5 | 1.3 | 1.4 | 1.0 |
| 25-29 | 1.9 | 2.3 | 1.5 | 2.0 | 2.6 | 1.5 | 0.7 | 0.5 | 1.0 |
| 30-34 | 2.1 | 2.3 | 1.9 | 2.1 | 2.4 | 1.8 | 1.7 | 1.4 | 2.1 |
| 35-39 | 1.8 | 2.2 | 1.4 | 1.9 | 2.2 | 1.5 | 1.2 | 2.0 | 0.5 |
| 40-44 | 1.5 | 1.8 | 1.2 | 1.4 | 1.7 | 1.0 | 2.2 | 2.3 | 2.1 |
| 45-49 | 2.1 | 2.5 | 1.7 | 2.3 | 2.7 | 1.8 | 1.3 | 1.0 | 1.5 |
| 50-54 | 2.1 | 2.3 | 2.0 | 1.8 | 2.0 | 1.6 | 4.6 | 4.6 | 4.5 |
| 55-59 | 5.1 | 4.8 | 5.3 | 5.0 | 4.5 | 5.4 | 6.0 | 7.6 | 4.2 |
| 60-64 | 8.7 | 8.2 | 9.3 | 8.7 | 7.9 | 9.6 | 8.6 | 10.3 | 6.7 |
| 65-69 | 9.8 | 10.4 | 9.1 | 9.5 | 10.1 | 9.0 | 11.5 | 12.7 | 10.1 |
| 70-74 | 13.4 | 12.3 | 14.6 | 13.5 | 12.4 | 14.7 | 13.0 | 12.3 | 13.7 |
| 75-79 | 10.9 | 10.3 | 11.5 | 10.9 | 10.4 | 11.5 | 10.4 | 9.4 | 11.6 |
| 80-84 | 10.8 | 11.6 | 10.0 | 10.6 | 11.5 | 9.7 | 12.5 | 12.5 | 12.5 |
| 85+ | 7.7 | 8.0 | 7.4 | 7.6 | 8.1 | 7.1 | 8.5 | 7.3 | 9.8 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Chhattisgarh** | | | | | |
| Below 1 | 11.5 | 11.9 | 11.0 | 11.8 | 12.5 | 11.1 | 9.9 | 9.2 | 10.8 |
| 1-4 | 1.0 | 0.7 | 1.3 | 1.1 | 0.9 | 1.2 | 0.8 | 0.2 | 1.5 |
| 0-4 | 12.5 | 12.6 | 12.3 | 12.9 | 13.4 | 12.3 | 10.7 | 9.4 | 12.3 |
| 5-9 | 1.0 | 1.0 | 1.0 | 0.9 | 0.9 | 0.8 | 1.6 | 1.5 | 1.8 |
| 10-14 | 0.6 | 1.1 | 0.2 | 0.7 | 1.2 | 0.2 | 0.3 | 0.3 | 0.3 |
| 15-19 | 1.8 | 1.9 | 1.8 | 2.2 | 2.2 | 2.1 | 0.2 | 0.2 | 0.2 |
| 20-24 | 1.8 | 2.3 | 1.3 | 2.0 | 2.8 | 1.3 | 0.8 | 0.2 | 1.6 |
| 25-29 | 2.7 | 3.2 | 2.1 | 2.7 | 3.1 | 2.2 | 3.0 | 3.9 | 2.0 |
| 30-34 | 2.2 | 2.0 | 2.5 | 1.8 | 1.3 | 2.3 | 4.4 | 5.1 | 3.5 |
| 35-39 | 3.9 | 5.0 | 2.6 | 3.9 | 4.7 | 3.1 | 3.6 | 6.3 | 0.4 |
| 40-44 | 3.9 | 2.9 | 5.0 | 4.0 | 2.8 | 5.2 | 3.5 | 3.1 | 3.9 |
| 45-49 | 5.6 | 6.2 | 5.0 | 6.0 | 6.3 | 5.7 | 4.1 | 5.8 | 2.0 |
| 50-54 | 4.9 | 4.1 | 5.9 | 4.4 | 3.6 | 5.4 | 7.2 | 6.1 | 8.4 |
| 55-59 | 8.1 | 8.6 | 7.5 | 8.3 | 9.4 | 7.2 | 7.0 | 5.6 | 8.7 |
| 60-64 | 8.1 | 8.7 | 7.3 | 7.9 | 8.0 | 7.7 | 8.9 | 11.7 | 5.5 |
| 65-69 | 10.3 | 11.1 | 9.3 | 10.5 | 11.3 | 9.7 | 9.2 | 10.5 | 7.7 |
| 70-74 | 10.7 | 10.3 | 11.1 | 10.7 | 10.3 | 11.2 | 10.7 | 10.5 | 10.9 |
| 75-79 | 10.1 | 9.6 | 10.6 | 10.0 | 9.8 | 10.2 | 10.6 | 8.6 | 12.9 |
| 80-84 | 6.1 | 4.1 | 8.3 | 5.6 | 4.0 | 7.4 | 8.4 | 4.6 | 12.9 |
| 85+ | 5.6 | 5.2 | 6.1 | 5.6 | 4.9 | 6.3 | 5.8 | 6.5 | 5.0 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

### Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Delhi** | | | | | |
| Below 1 | 5.7 | 5.9 | 5.4 | 3.4 | 6.1 | 0.0 | 5.8 | 5.9 | 5.6 |
| 1-4 | 2.2 | 2.1 | 2.4 | 3.4 | 3.0 | 4.0 | 2.2 | 2.1 | 2.3 |
| 0-4 | 7.9 | 8.0 | 7.8 | 6.9 | 9.1 | 4.0 | 8.0 | 8.0 | 7.9 |
| 5-9 | 1.0 | 0.9 | 1.1 | 1.7 | 3.0 | 0.0 | 1.0 | 0.9 | 1.2 |
| 10-14 | 1.0 | 1.3 | 0.7 | 1.7 | 0.0 | 4.0 | 1.0 | 1.3 | 0.6 |
| 15-19 | 2.3 | 1.8 | 2.9 | 3.4 | 3.0 | 4.0 | 2.2 | 1.7 | 2.9 |
| 20-24 | 2.0 | 1.7 | 2.4 | 1.7 | 0.0 | 4.0 | 2.0 | 1.7 | 2.3 |
| 25-29 | 2.5 | 3.0 | 1.7 | 3.4 | 3.0 | 4.0 | 2.4 | 3.0 | 1.7 |
| 30-34 | 2.7 | 2.5 | 2.9 | 1.7 | 0.0 | 4.0 | 2.7 | 2.6 | 2.8 |
| 35-39 | 3.6 | 4.5 | 2.5 | 5.2 | 3.0 | 8.0 | 3.6 | 4.6 | 2.3 |
| 40-44 | 4.1 | 4.3 | 3.8 | 6.9 | 9.1 | 4.0 | 4.0 | 4.2 | 3.8 |
| 45-49 | 4.3 | 5.1 | 3.4 | 3.4 | 3.0 | 4.0 | 4.4 | 5.1 | 3.4 |
| 50-54 | 6.6 | 7.3 | 5.6 | 8.6 | 12.1 | 4.0 | 6.5 | 7.1 | 5.7 |
| 55-59 | 7.2 | 7.5 | 6.7 | 5.2 | 6.1 | 4.0 | 7.2 | 7.5 | 6.8 |
| 60-64 | 10.7 | 11.2 | 10.0 | 13.8 | 21.2 | 4.0 | 10.6 | 10.9 | 10.2 |
| 65-69 | 11.5 | 10.9 | 12.2 | 6.9 | 9.1 | 4.0 | 11.6 | 11.0 | 12.5 |
| 70-74 | 9.5 | 9.2 | 9.9 | 5.2 | 6.1 | 4.0 | 9.6 | 9.3 | 10.0 |
| 75-79 | 9.3 | 9.5 | 9.1 | 6.9 | 3.0 | 12.0 | 9.4 | 9.7 | 9.1 |
| 80-84 | 6.3 | 5.0 | 8.0 | 6.9 | 3.0 | 12.0 | 6.3 | 5.1 | 7.9 |
| 85+ | 7.6 | 6.4 | 9.2 | 10.3 | 6.1 | 16.0 | 7.5 | 6.4 | 9.0 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Gujarat** | | | | | |
| Below 1 | 9.3 | 8.9 | 9.8 | 11.2 | 10.3 | 12.5 | 6.5 | 6.6 | 6.4 |
| 1-4 | 0.8 | 0.8 | 0.8 | 1.1 | 1.1 | 1.0 | 0.4 | 0.4 | 0.5 |
| 0-4 | 10.1 | 9.7 | 10.7 | 12.2 | 11.4 | 13.5 | 6.9 | 6.9 | 7.0 |
| 5-9 | 0.7 | 0.6 | 0.8 | 0.7 | 0.5 | 1.0 | 0.6 | 0.7 | 0.5 |
| 10-14 | 0.4 | 0.3 | 0.6 | 0.6 | 0.5 | 0.8 | 0.1 | 0.0 | 0.3 |
| 15-19 | 1.1 | 1.4 | 0.7 | 1.5 | 1.8 | 1.1 | 0.6 | 0.9 | 0.2 |
| 20-24 | 2.2 | 2.6 | 1.6 | 2.2 | 2.5 | 1.6 | 2.1 | 2.6 | 1.5 |
| 25-29 | 1.9 | 2.2 | 1.4 | 2.5 | 3.0 | 1.6 | 1.1 | 1.0 | 1.2 |
| 30-34 | 2.7 | 3.0 | 2.3 | 2.7 | 3.1 | 2.2 | 2.6 | 2.8 | 2.4 |
| 35-39 | 2.6 | 2.8 | 2.3 | 3.2 | 3.7 | 2.5 | 1.7 | 1.5 | 2.0 |
| 40-44 | 3.8 | 4.2 | 3.3 | 4.5 | 5.2 | 3.4 | 2.9 | 2.6 | 3.2 |
| 45-49 | 3.9 | 4.2 | 3.4 | 3.8 | 4.3 | 3.0 | 4.0 | 4.0 | 4.0 |
| 50-54 | 5.7 | 6.1 | 5.3 | 5.3 | 5.5 | 5.1 | 6.3 | 7.0 | 5.5 |
| 55-59 | 9.0 | 9.4 | 8.5 | 8.7 | 9.0 | 8.1 | 9.6 | 10.0 | 9.1 |
| 60-64 | 10.9 | 11.2 | 10.6 | 10.1 | 10.5 | 9.4 | 12.2 | 12.3 | 12.2 |
| 65-69 | 10.6 | 10.6 | 10.4 | 9.1 | 9.0 | 9.2 | 12.7 | 13.2 | 12.0 |
| 70-74 | 10.9 | 10.8 | 11.0 | 10.9 | 11.2 | 10.6 | 10.9 | 10.3 | 11.6 |
| 75-79 | 8.2 | 7.6 | 9.2 | 6.7 | 6.2 | 7.6 | 10.5 | 9.9 | 11.2 |
| 80-84 | 7.4 | 6.6 | 8.5 | 7.2 | 6.0 | 9.1 | 7.6 | 7.6 | 7.7 |
| 85+ | 7.8 | 6.6 | 9.4 | 8.0 | 6.6 | 10.0 | 7.6 | 6.7 | 8.7 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

### Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **Haryana** | | | | | | | | | |
| Below 1 | 10.3 | 9.0 | 12.3 | 10.7 | 9.6 | 12.6 | 9.2 | 7.7 | 11.5 |
| 1-4 | 1.7 | 1.2 | 2.6 | 1.7 | 1.3 | 2.5 | 1.6 | 1.0 | 2.7 |
| 0-4 | 12.0 | 10.2 | 14.8 | 12.5 | 10.9 | 15.1 | 10.8 | 8.7 | 14.2 |
| 5-9 | 0.8 | 0.7 | 0.8 | 0.8 | 0.8 | 0.7 | 0.8 | 0.6 | 1.0 |
| 10-14 | 0.7 | 0.6 | 0.9 | 0.5 | 0.5 | 0.4 | 1.1 | 0.6 | 2.0 |
| 15-19 | 1.7 | 1.6 | 1.8 | 1.8 | 1.8 | 1.8 | 1.4 | 1.0 | 2.0 |
| 20-24 | 2.7 | 2.4 | 3.2 | 3.1 | 2.6 | 3.9 | 1.9 | 2.1 | 1.6 |
| 25-29 | 2.9 | 3.2 | 2.4 | 2.5 | 2.6 | 2.2 | 3.9 | 4.6 | 2.8 |
| 30-34 | 3.3 | 4.3 | 1.6 | 3.5 | 4.5 | 1.9 | 2.7 | 3.8 | 0.9 |
| 35-39 | 3.3 | 4.1 | 2.1 | 3.4 | 3.9 | 2.6 | 3.1 | 4.4 | 0.9 |
| 40-44 | 3.9 | 4.6 | 2.8 | 3.3 | 3.9 | 2.4 | 5.1 | 6.0 | 3.7 |
| 45-49 | 5.1 | 6.1 | 3.5 | 4.6 | 5.5 | 3.2 | 6.3 | 7.5 | 4.3 |
| 50-54 | 6.4 | 7.0 | 5.4 | 6.3 | 7.6 | 4.1 | 6.7 | 5.7 | 8.4 |
| 55-59 | 6.6 | 7.1 | 5.8 | 6.6 | 7.1 | 5.8 | 6.7 | 7.2 | 5.9 |
| 60-64 | 9.6 | 10.1 | 8.9 | 8.9 | 9.6 | 7.7 | 11.4 | 11.3 | 11.5 |
| 65-69 | 10.0 | 10.8 | 8.7 | 9.5 | 9.1 | 10.1 | 11.1 | 14.4 | 5.7 |
| 70-74 | 9.9 | 9.4 | 10.5 | 10.3 | 10.0 | 10.9 | 8.8 | 8.1 | 9.7 |
| 75-79 | 7.5 | 5.7 | 10.3 | 7.1 | 5.5 | 9.7 | 8.2 | 6.1 | 11.6 |
| 80-84 | 7.2 | 5.8 | 9.3 | 8.0 | 6.6 | 10.4 | 5.2 | 4.1 | 7.0 |
| 85+ | 6.5 | 6.2 | 7.1 | 7.3 | 7.3 | 7.2 | 4.9 | 3.7 | 6.8 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Himachal Pradesh** | | | | | | | | | |
| Below 1 | 4.0 | 4.1 | 3.8 | 4.0 | 4.1 | 3.8 | 3.9 | 3.9 | 3.9 |
| 1-4 | 1.3 | 1.1 | 1.4 | 1.3 | 1.1 | 1.5 | 0.8 | 1.3 | 0.0 |
| 0-4 | 5.2 | 5.3 | 5.2 | 5.3 | 5.3 | 5.3 | 4.7 | 5.2 | 3.9 |
| 5-9 | 0.3 | 0.1 | 0.6 | 0.2 | 0.1 | 0.5 | 1.6 | 1.3 | 1.9 |
| 10-14 | 0.4 | 0.3 | 0.6 | 0.4 | 0.3 | 0.5 | 0.8 | 0.0 | 1.9 |
| 15-19 | 1.2 | 1.1 | 1.3 | 1.2 | 1.1 | 1.4 | 0.8 | 1.3 | 0.0 |
| 20-24 | 1.5 | 2.1 | 0.5 | 1.5 | 2.2 | 0.5 | 0.8 | 1.3 | 0.0 |
| 25-29 | 1.4 | 1.9 | 0.6 | 1.3 | 1.9 | 0.5 | 2.3 | 2.6 | 1.9 |
| 30-34 | 1.1 | 1.1 | 1.0 | 1.1 | 1.2 | 1.0 | 0.8 | 0.0 | 1.9 |
| 35-39 | 2.0 | 2.4 | 1.3 | 2.0 | 2.4 | 1.4 | 0.8 | 1.3 | 0.0 |
| 40-44 | 2.3 | 2.1 | 2.6 | 2.4 | 2.2 | 2.6 | 1.6 | 1.3 | 1.9 |
| 45-49 | 3.0 | 3.4 | 2.4 | 2.9 | 3.3 | 2.3 | 4.7 | 5.3 | 3.9 |
| 50-54 | 4.7 | 4.7 | 4.8 | 4.6 | 4.6 | 4.6 | 6.2 | 5.2 | 7.6 |
| 55-59 | 7.4 | 7.8 | 6.8 | 7.3 | 7.5 | 6.9 | 9.4 | 11.9 | 5.8 |
| 60-64 | 7.8 | 7.5 | 8.3 | 7.5 | 7.2 | 8.1 | 12.5 | 13.2 | 11.5 |
| 65-69 | 10.7 | 11.5 | 9.5 | 10.5 | 11.3 | 9.4 | 13.3 | 14.4 | 11.5 |
| 70-74 | 13.6 | 11.3 | 16.9 | 13.9 | 11.6 | 17.2 | 8.6 | 6.6 | 11.5 |
| 75-79 | 12.4 | 14.3 | 9.7 | 12.6 | 14.7 | 9.6 | 10.2 | 9.3 | 11.5 |
| 80-84 | 10.2 | 11.8 | 7.9 | 10.3 | 12.1 | 7.8 | 8.6 | 7.9 | 9.6 |
| 85+ | 14.7 | 11.2 | 20.0 | 14.9 | 11.1 | 20.4 | 12.5 | 11.9 | 13.5 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

### Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Jammu & Kashmir** | | | | | |
| Below 1 | 7.0 | 5.8 | 8.8 | 7.6 | 6.4 | 9.4 | 5.4 | 4.4 | 7.0 |
| 1-4 | 0.2 | 0.3 | 0.1 | 0.3 | 0.4 | 0.1 | 0.1 | 0.1 | 0.1 |
| 0-4 | 7.3 | 6.1 | 8.9 | 7.9 | 6.8 | 9.5 | 5.5 | 4.4 | 7.1 |
| 5-9 | 0.7 | 0.6 | 0.8 | 0.7 | 0.6 | 0.9 | 0.5 | 0.5 | 0.5 |
| 10-14 | 0.6 | 0.5 | 0.7 | 0.6 | 0.6 | 0.7 | 0.5 | 0.5 | 0.7 |
| 15-19 | 0.8 | 0.8 | 0.9 | 1.0 | 1.0 | 1.0 | 0.3 | 0.1 | 0.5 |
| 20-24 | 0.9 | 1.0 | 0.8 | 1.1 | 1.2 | 1.0 | 0.4 | 0.5 | 0.1 |
| 25-29 | 1.5 | 1.6 | 1.4 | 1.9 | 2.1 | 1.8 | 0.4 | 0.4 | 0.5 |
| 30-34 | 2.3 | 2.8 | 1.7 | 2.1 | 2.0 | 2.2 | 3.1 | 4.9 | 0.5 |
| 35-39 | 2.4 | 2.7 | 2.0 | 2.9 | 3.2 | 2.5 | 1.1 | 1.5 | 0.5 |
| 40-44 | 4.6 | 5.4 | 3.4 | 4.9 | 5.3 | 4.2 | 3.9 | 5.7 | 1.2 |
| 45-49 | 5.5 | 5.6 | 5.3 | 5.9 | 6.0 | 5.8 | 4.2 | 4.3 | 4.0 |
| 50-54 | 7.2 | 7.0 | 7.4 | 7.6 | 7.6 | 7.6 | 6.0 | 5.3 | 7.1 |
| 55-59 | 8.6 | 8.4 | 8.7 | 8.7 | 9.1 | 8.2 | 8.2 | 6.7 | 10.3 |
| 60-64 | 11.1 | 11.5 | 10.5 | 10.7 | 11.2 | 9.9 | 12.4 | 12.5 | 12.2 |
| 65-69 | 10.6 | 10.6 | 10.6 | 10.1 | 10.4 | 9.8 | 11.8 | 11.1 | 12.9 |
| 70-74 | 9.6 | 9.6 | 9.5 | 8.8 | 9.1 | 8.4 | 11.5 | 10.8 | 12.5 |
| 75-79 | 9.3 | 9.4 | 9.2 | 8.6 | 8.5 | 8.7 | 11.4 | 11.9 | 10.6 |
| 80-84 | 9.1 | 8.9 | 9.3 | 8.7 | 8.5 | 9.0 | 10.1 | 10.1 | 10.1 |
| 85+ | 7.9 | 7.4 | 8.7 | 7.7 | 6.9 | 8.8 | 8.6 | 8.8 | 8.4 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Jharkhand** | | | | | |
| Below 1 | 12.6 | 12.4 | 12.7 | 13.1 | 13.3 | 13.0 | 10.4 | 9.6 | 11.2 |
| 1-4 | 1.4 | 1.2 | 1.7 | 1.5 | 1.3 | 1.7 | 1.0 | 0.6 | 1.5 |
| 0-4 | 14.0 | 13.6 | 14.3 | 14.6 | 14.6 | 14.7 | 11.4 | 10.2 | 12.8 |
| 5-9 | 0.7 | 0.4 | 1.0 | 0.6 | 0.4 | 0.8 | 1.2 | 0.5 | 1.9 |
| 10-14 | 0.8 | 0.8 | 0.8 | 0.8 | 0.9 | 0.8 | 0.6 | 0.5 | 0.6 |
| 15-19 | 1.5 | 1.3 | 1.6 | 1.4 | 1.2 | 1.6 | 1.6 | 1.7 | 1.5 |
| 20-24 | 2.2 | 2.5 | 1.9 | 2.3 | 2.7 | 2.0 | 1.7 | 1.9 | 1.5 |
| 25-29 | 2.5 | 3.2 | 1.8 | 2.5 | 3.4 | 1.8 | 2.3 | 2.5 | 2.1 |
| 30-34 | 2.7 | 3.7 | 1.9 | 2.6 | 3.3 | 1.9 | 3.4 | 5.1 | 1.5 |
| 35-39 | 2.4 | 2.6 | 2.3 | 2.3 | 2.6 | 2.0 | 3.0 | 2.7 | 3.4 |
| 40-44 | 3.8 | 3.9 | 3.8 | 4.1 | 4.5 | 3.7 | 2.8 | 1.9 | 3.9 |
| 45-49 | 4.3 | 5.6 | 3.1 | 4.7 | 6.2 | 3.4 | 2.8 | 3.5 | 2.1 |
| 50-54 | 4.8 | 5.4 | 4.3 | 4.9 | 5.3 | 4.6 | 4.6 | 5.9 | 3.2 |
| 55-59 | 7.0 | 6.8 | 7.1 | 6.6 | 6.6 | 6.6 | 8.5 | 7.4 | 9.7 |
| 60-64 | 8.9 | 7.5 | 10.1 | 8.8 | 6.8 | 10.4 | 9.4 | 9.9 | 8.9 |
| 65-69 | 10.9 | 11.1 | 10.8 | 10.5 | 10.5 | 10.6 | 12.5 | 13.1 | 11.8 |
| 70-74 | 9.6 | 9.7 | 9.5 | 9.3 | 9.2 | 9.4 | 10.5 | 11.1 | 10.0 |
| 75-79 | 9.0 | 8.3 | 9.6 | 8.5 | 8.1 | 8.9 | 10.9 | 9.1 | 12.8 |
| 80-84 | 7.4 | 6.4 | 8.2 | 7.4 | 6.1 | 8.5 | 7.4 | 7.7 | 7.2 |
| 85+ | 7.4 | 7.1 | 7.7 | 8.0 | 7.7 | 8.2 | 5.3 | 5.1 | 5.4 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

### Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Karnataka** | | | | | |
| Below 1 | 6.3 | 5.6 | 7.1 | 6.2 | 5.3 | 7.2 | 6.6 | 6.3 | 7.0 |
| 1-4 | 1.2 | 1.1 | 1.3 | 1.2 | 1.2 | 1.1 | 1.2 | 0.7 | 1.8 |
| 0-4 | 7.5 | 6.7 | 8.5 | 7.4 | 6.6 | 8.3 | 7.8 | 7.0 | 8.8 |
| 5-9 | 0.6 | 0.7 | 0.5 | 0.7 | 0.7 | 0.7 | 0.5 | 0.8 | 0.1 |
| 10-14 | 0.6 | 0.4 | 0.8 | 0.6 | 0.4 | 0.7 | 0.5 | 0.2 | 0.9 |
| 15-19 | 1.0 | 1.0 | 1.0 | 1.1 | 1.2 | 1.1 | 0.8 | 0.7 | 0.9 |
| 20-24 | 1.9 | 1.7 | 2.1 | 2.4 | 2.3 | 2.6 | 0.6 | 0.2 | 1.1 |
| 25-29 | 3.6 | 4.5 | 2.4 | 2.3 | 3.3 | 1.2 | 6.4 | 7.3 | 5.2 |
| 30-34 | 2.5 | 2.9 | 2.0 | 2.9 | 3.7 | 2.0 | 1.5 | 1.1 | 2.0 |
| 35-39 | 2.9 | 3.6 | 2.1 | 2.8 | 4.0 | 1.4 | 3.1 | 2.7 | 3.6 |
| 40-44 | 3.7 | 4.5 | 2.7 | 3.7 | 5.0 | 2.1 | 3.7 | 3.3 | 4.1 |
| 45-49 | 4.3 | 4.9 | 3.6 | 5.0 | 6.1 | 3.6 | 2.7 | 2.0 | 3.6 |
| 50-54 | 5.5 | 6.3 | 4.7 | 6.1 | 7.0 | 4.9 | 4.3 | 4.5 | 4.0 |
| 55-59 | 8.3 | 7.6 | 9.1 | 7.4 | 6.4 | 8.6 | 10.3 | 10.4 | 10.2 |
| 60-64 | 10.4 | 11.8 | 8.7 | 9.9 | 11.2 | 8.4 | 11.6 | 13.3 | 9.4 |
| 65-69 | 11.3 | 11.8 | 10.7 | 11.3 | 11.2 | 11.4 | 11.3 | 13.2 | 8.9 |
| 70-74 | 11.8 | 11.8 | 11.8 | 11.9 | 11.5 | 12.4 | 11.7 | 12.8 | 10.5 |
| 75-79 | 9.2 | 8.6 | 9.9 | 8.8 | 7.6 | 10.2 | 10.1 | 10.9 | 9.2 |
| 80-84 | 7.1 | 5.5 | 9.1 | 7.5 | 6.0 | 9.3 | 6.3 | 4.2 | 8.9 |
| 85+ | 7.7 | 5.7 | 10.3 | 8.1 | 5.8 | 11.0 | 6.8 | 5.4 | 8.6 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Kerala** | | | | | |
| Below 1 | 1.4 | 1.6 | 1.1 | 1.8 | 1.4 | 2.2 | 1.1 | 1.9 | 0.0 |
| 1-4 | 0.6 | 0.3 | 1.0 | 0.3 | 0.6 | 0.1 | 0.9 | 0.0 | 1.9 |
| 0-4 | 2.0 | 1.9 | 2.1 | 2.1 | 2.0 | 2.3 | 1.9 | 1.9 | 1.9 |
| 5-9 | 0.3 | 0.2 | 0.4 | 0.3 | 0.3 | 0.2 | 0.3 | 0.0 | 0.6 |
| 10-14 | 0.3 | 0.4 | 0.1 | 0.2 | 0.3 | 0.1 | 0.3 | 0.5 | 0.0 |
| 15-19 | 0.6 | 0.7 | 0.5 | 0.3 | 0.3 | 0.3 | 0.8 | 1.0 | 0.6 |
| 20-24 | 0.6 | 0.5 | 0.8 | 0.4 | 0.4 | 0.4 | 0.8 | 0.5 | 1.3 |
| 25-29 | 0.9 | 1.2 | 0.6 | 0.8 | 0.9 | 0.5 | 1.1 | 1.5 | 0.6 |
| 30-34 | 0.9 | 0.8 | 1.0 | 0.9 | 1.1 | 0.7 | 0.9 | 0.5 | 1.3 |
| 35-39 | 1.2 | 1.5 | 0.7 | 1.2 | 1.6 | 0.8 | 1.1 | 1.5 | 0.6 |
| 40-44 | 2.5 | 3.0 | 1.9 | 1.5 | 1.7 | 1.3 | 3.5 | 4.3 | 2.6 |
| 45-49 | 2.6 | 2.8 | 2.4 | 2.5 | 3.0 | 1.8 | 2.8 | 2.6 | 3.2 |
| 50-54 | 4.2 | 5.0 | 3.3 | 4.4 | 5.6 | 3.0 | 4.1 | 4.4 | 3.6 |
| 55-59 | 6.1 | 7.6 | 4.3 | 5.8 | 7.2 | 4.1 | 6.4 | 8.0 | 4.5 |
| 60-64 | 9.0 | 9.9 | 7.9 | 8.6 | 9.3 | 7.8 | 9.4 | 10.5 | 8.0 |
| 65-69 | 12.9 | 15.0 | 10.3 | 12.0 | 14.2 | 9.4 | 13.9 | 15.9 | 11.4 |
| 70-74 | 11.4 | 12.2 | 10.4 | 14.0 | 14.3 | 13.7 | 8.5 | 9.9 | 6.7 |
| 75-79 | 13.0 | 12.0 | 14.2 | 11.8 | 11.8 | 11.8 | 14.3 | 12.1 | 17.0 |
| 80-84 | 12.5 | 10.9 | 14.5 | 12.3 | 10.8 | 14.1 | 12.8 | 11.0 | 15.1 |
| 85+ | 19.0 | 14.5 | 24.6 | 20.8 | 15.1 | 27.7 | 17.0 | 13.8 | 21.1 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

### Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **Madhya Pradesh** | | | | | | | | | |
| Below 1 | 17.9 | 17.3 | 18.6 | 19.4 | 18.9 | 20.1 | 12.4 | 11.6 | 13.4 |
| 1-4 | 2.2 | 2.0 | 2.4 | 2.5 | 2.3 | 2.8 | 1.0 | 0.8 | 1.2 |
| 0-4 | 20.0 | 19.3 | 21.0 | 21.9 | 21.2 | 22.9 | 13.4 | 12.3 | 14.7 |
| 5-9 | 1.2 | 0.9 | 1.4 | 1.1 | 1.0 | 1.2 | 1.3 | 0.7 | 2.1 |
| 10-14 | 1.0 | 1.5 | 0.5 | 1.3 | 1.8 | 0.6 | 0.2 | 0.2 | 0.2 |
| 15-19 | 1.7 | 2.0 | 1.4 | 1.8 | 1.9 | 1.6 | 1.5 | 2.0 | 0.9 |
| 20-24 | 1.7 | 2.1 | 1.3 | 1.8 | 2.1 | 1.3 | 1.6 | 2.0 | 1.2 |
| 25-29 | 2.4 | 2.9 | 1.7 | 2.2 | 2.6 | 1.7 | 2.9 | 4.0 | 1.5 |
| 30-34 | 2.3 | 2.8 | 1.6 | 2.3 | 2.9 | 1.5 | 2.1 | 2.3 | 1.8 |
| 35-39 | 2.7 | 3.2 | 2.1 | 2.3 | 2.7 | 1.9 | 4.1 | 5.3 | 2.7 |
| 40-44 | 2.9 | 3.5 | 2.2 | 3.0 | 3.6 | 2.1 | 2.7 | 2.9 | 2.4 |
| 45-49 | 3.5 | 4.0 | 2.9 | 3.4 | 4.0 | 2.7 | 3.8 | 4.0 | 3.7 |
| 50-54 | 4.2 | 4.1 | 4.3 | 3.8 | 4.0 | 3.7 | 5.5 | 4.8 | 6.4 |
| 55-59 | 7.3 | 7.9 | 6.6 | 7.6 | 8.3 | 6.7 | 6.4 | 6.5 | 6.3 |
| 60-64 | 7.9 | 8.8 | 6.8 | 7.1 | 8.2 | 5.6 | 11.0 | 11.1 | 10.8 |
| 65-69 | 8.6 | 8.3 | 9.0 | 8.1 | 7.5 | 8.8 | 10.6 | 11.1 | 9.9 |
| 70-74 | 9.2 | 8.9 | 9.4 | 9.1 | 8.7 | 9.6 | 9.2 | 9.6 | 8.8 |
| 75-79 | 8.4 | 7.4 | 9.6 | 8.4 | 7.2 | 9.9 | 8.4 | 8.3 | 8.5 |
| 80-84 | 6.8 | 5.7 | 8.2 | 6.7 | 5.6 | 8.2 | 7.1 | 6.3 | 8.0 |
| 85+ | 8.1 | 6.7 | 10.0 | 8.1 | 6.7 | 9.9 | 8.1 | 6.4 | 10.0 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Maharashtra** | | | | | | | | | |
| Below 1 | 5.5 | 5.0 | 6.1 | 6.0 | 5.5 | 6.5 | 4.7 | 4.2 | 5.4 |
| 1-4 | 0.7 | 0.6 | 0.8 | 1.0 | 0.9 | 1.2 | 0.1 | 0.2 | 0.1 |
| 0-4 | 6.2 | 5.6 | 6.9 | 7.0 | 6.4 | 7.7 | 4.8 | 4.3 | 5.5 |
| 5-9 | 0.5 | 0.4 | 0.7 | 0.4 | 0.3 | 0.6 | 0.6 | 0.6 | 0.7 |
| 10-14 | 0.5 | 0.5 | 0.5 | 0.4 | 0.3 | 0.5 | 0.8 | 1.0 | 0.6 |
| 15-19 | 0.7 | 0.9 | 0.4 | 0.9 | 1.2 | 0.5 | 0.4 | 0.5 | 0.4 |
| 20-24 | 1.7 | 2.0 | 1.3 | 1.4 | 1.6 | 1.1 | 2.3 | 2.7 | 1.7 |
| 25-29 | 2.1 | 2.3 | 1.8 | 2.2 | 2.0 | 2.4 | 1.9 | 2.7 | 0.9 |
| 30-34 | 2.9 | 3.3 | 2.4 | 2.7 | 3.5 | 1.7 | 3.2 | 2.9 | 3.6 |
| 35-39 | 2.9 | 3.7 | 1.7 | 2.7 | 3.4 | 1.9 | 3.1 | 4.3 | 1.5 |
| 40-44 | 3.9 | 4.3 | 3.5 | 4.0 | 4.1 | 3.7 | 3.8 | 4.5 | 3.0 |
| 45-49 | 4.7 | 5.3 | 3.8 | 4.3 | 4.7 | 3.8 | 5.4 | 6.4 | 4.0 |
| 50-54 | 5.7 | 6.7 | 4.5 | 5.4 | 5.9 | 4.8 | 6.3 | 8.0 | 4.0 |
| 55-59 | 7.5 | 7.7 | 7.2 | 7.4 | 7.8 | 6.8 | 7.8 | 7.7 | 8.0 |
| 60-64 | 10.3 | 11.1 | 9.4 | 9.4 | 10.3 | 8.1 | 12.0 | 12.4 | 11.5 |
| 65-69 | 11.5 | 10.4 | 13.0 | 10.7 | 10.0 | 11.5 | 12.9 | 11.0 | 15.5 |
| 70-74 | 11.1 | 10.3 | 12.1 | 12.0 | 11.4 | 12.8 | 9.5 | 8.5 | 11.0 |
| 75-79 | 10.3 | 10.4 | 10.2 | 11.4 | 11.3 | 11.6 | 8.5 | 9.0 | 7.8 |
| 80-84 | 9.1 | 8.2 | 10.3 | 9.6 | 8.8 | 10.7 | 8.2 | 7.1 | 9.7 |
| 85+ | 8.3 | 6.7 | 10.3 | 8.2 | 6.8 | 10.1 | 8.4 | 6.6 | 10.7 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

### Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Odisha** | | | | | |
| Below 1 | 9.9 | 9.4 | 10.5 | 10.4 | 9.9 | 10.9 | 7.0 | 6.4 | 7.7 |
| 1-4 | 0.8 | 0.8 | 0.8 | 0.8 | 0.7 | 0.8 | 0.9 | 1.2 | 0.5 |
| 0-4 | 10.7 | 10.2 | 11.3 | 11.1 | 10.6 | 11.8 | 7.8 | 7.5 | 8.2 |
| 5-9 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | 0.4 | 0.4 | 0.4 |
| 10-14 | 0.9 | 1.2 | 0.6 | 0.9 | 1.2 | 0.5 | 1.1 | 0.8 | 1.4 |
| 15-19 | 1.1 | 0.8 | 1.5 | 1.0 | 0.6 | 1.5 | 1.3 | 1.6 | 0.9 |
| 20-24 | 1.5 | 1.3 | 1.7 | 1.5 | 1.2 | 1.9 | 1.4 | 2.1 | 0.5 |
| 25-29 | 1.9 | 2.6 | 1.1 | 2.0 | 2.7 | 1.2 | 1.3 | 2.0 | 0.4 |
| 30-34 | 2.7 | 3.2 | 2.2 | 2.8 | 3.2 | 2.3 | 2.4 | 3.2 | 1.4 |
| 35-39 | 2.8 | 3.1 | 2.4 | 2.6 | 2.9 | 2.3 | 3.5 | 4.0 | 2.9 |
| 40-44 | 4.2 | 4.8 | 3.5 | 4.4 | 5.0 | 3.6 | 3.5 | 4.0 | 2.8 |
| 45-49 | 3.6 | 4.3 | 2.8 | 3.3 | 4.0 | 2.5 | 5.4 | 6.4 | 4.2 |
| 50-54 | 4.7 | 5.0 | 4.3 | 4.5 | 4.7 | 4.2 | 5.8 | 6.5 | 4.9 |
| 55-59 | 7.5 | 7.6 | 7.4 | 7.7 | 7.7 | 7.7 | 6.5 | 7.1 | 5.7 |
| 60-64 | 9.3 | 9.6 | 9.0 | 9.3 | 9.6 | 8.9 | 9.7 | 9.8 | 9.5 |
| 65-69 | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 | 10.7 | 11.1 | 10.8 | 11.5 |
| 70-74 | 10.9 | 10.9 | 11.0 | 10.8 | 11.2 | 10.4 | 11.6 | 8.9 | 14.9 |
| 75-79 | 9.3 | 8.4 | 10.3 | 9.0 | 8.4 | 9.7 | 11.1 | 8.5 | 14.4 |
| 80-84 | 9.3 | 7.9 | 10.9 | 9.1 | 7.4 | 11.1 | 10.4 | 10.9 | 9.7 |
| 85+ | 8.1 | 7.7 | 8.5 | 8.5 | 8.1 | 8.9 | 5.9 | 5.6 | 6.2 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Punjab** | | | | | |
| Below 1 | 4.6 | 4.1 | 5.3 | 4.3 | 3.8 | 4.9 | 5.3 | 4.6 | 6.3 |
| 1-4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.2 | 0.6 | 0.5 | 0.8 |
| 0-4 | 5.0 | 4.5 | 5.7 | 4.5 | 4.2 | 5.0 | 5.9 | 5.1 | 7.1 |
| 5-9 | 0.5 | 0.2 | 0.8 | 0.4 | 0.1 | 0.8 | 0.6 | 0.5 | 0.8 |
| 10-14 | 0.5 | 0.6 | 0.5 | 0.5 | 0.6 | 0.3 | 0.7 | 0.5 | 0.8 |
| 15-19 | 1.1 | 1.2 | 0.8 | 1.0 | 1.3 | 0.5 | 1.2 | 1.0 | 1.6 |
| 20-24 | 2.8 | 2.5 | 3.2 | 2.6 | 2.2 | 3.2 | 3.0 | 3.0 | 3.1 |
| 25-29 | 2.4 | 2.7 | 2.1 | 2.7 | 3.3 | 1.9 | 1.8 | 1.5 | 2.4 |
| 30-34 | 3.2 | 3.7 | 2.4 | 3.4 | 4.6 | 1.7 | 2.8 | 2.0 | 3.9 |
| 35-39 | 3.5 | 4.6 | 1.9 | 3.3 | 4.1 | 2.1 | 4.0 | 5.7 | 1.5 |
| 40-44 | 3.5 | 4.0 | 2.7 | 3.3 | 4.2 | 2.1 | 3.7 | 3.6 | 3.9 |
| 45-49 | 5.7 | 7.3 | 3.3 | 5.6 | 7.1 | 3.4 | 5.8 | 7.6 | 3.1 |
| 50-54 | 6.5 | 6.8 | 6.1 | 6.5 | 6.7 | 6.3 | 6.5 | 7.1 | 5.5 |
| 55-59 | 8.6 | 9.3 | 7.4 | 7.7 | 9.1 | 5.7 | 10.3 | 9.8 | 10.9 |
| 60-64 | 8.1 | 8.5 | 7.5 | 7.3 | 7.7 | 6.7 | 9.9 | 10.3 | 9.3 |
| 65-69 | 10.6 | 9.8 | 11.7 | 10.8 | 9.9 | 12.0 | 10.2 | 9.6 | 11.0 |
| 70-74 | 10.9 | 10.6 | 11.4 | 12.2 | 11.6 | 13.0 | 8.3 | 8.7 | 7.8 |
| 75-79 | 9.8 | 8.3 | 11.9 | 9.8 | 8.0 | 12.4 | 9.9 | 9.1 | 11.0 |
| 80-84 | 6.5 | 6.5 | 6.4 | 6.4 | 5.9 | 7.2 | 6.5 | 7.7 | 4.8 |
| 85+ | 11.0 | 8.7 | 14.3 | 12.0 | 9.5 | 15.5 | 8.9 | 7.1 | 11.6 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

### Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Rajasthan** | | | | | |
| Below 1 | 15.2 | 13.8 | 17.1 | 16.4 | 14.8 | 18.6 | 11.0 | 9.9 | 12.3 |
| 1-4 | 1.0 | 1.0 | 0.9 | 0.8 | 0.8 | 0.8 | 1.7 | 1.9 | 1.4 |
| 0-4 | 16.2 | 14.8 | 18.0 | 17.2 | 15.6 | 19.4 | 12.7 | 11.8 | 13.8 |
| 5-9 | 0.9 | 0.7 | 1.1 | 0.9 | 0.7 | 1.1 | 1.0 | 0.9 | 1.0 |
| 10-14 | 1.1 | 1.0 | 1.3 | 1.2 | 1.1 | 1.3 | 0.8 | 0.5 | 1.0 |
| 15-19 | 1.6 | 1.4 | 1.7 | 1.6 | 1.2 | 2.1 | 1.4 | 2.2 | 0.5 |
| 20-24 | 2.5 | 2.5 | 2.5 | 2.2 | 2.0 | 2.5 | 3.4 | 4.2 | 2.5 |
| 25-29 | 2.1 | 2.7 | 1.3 | 2.3 | 2.8 | 1.6 | 1.4 | 2.3 | 0.5 |
| 30-34 | 2.2 | 2.3 | 2.0 | 2.2 | 2.4 | 2.0 | 1.9 | 1.9 | 2.0 |
| 35-39 | 2.6 | 3.3 | 1.7 | 2.5 | 3.3 | 1.4 | 2.9 | 3.3 | 2.5 |
| 40-44 | 3.3 | 4.3 | 2.1 | 3.8 | 4.9 | 2.4 | 1.6 | 2.2 | 0.9 |
| 45-49 | 4.1 | 4.3 | 3.8 | 4.3 | 4.8 | 3.7 | 3.3 | 2.4 | 4.3 |
| 50-54 | 5.4 | 6.0 | 4.6 | 4.9 | 5.5 | 4.1 | 6.9 | 7.8 | 5.8 |
| 55-59 | 7.5 | 8.2 | 6.6 | 7.1 | 7.8 | 6.1 | 8.9 | 9.5 | 8.2 |
| 60-64 | 8.6 | 8.9 | 8.2 | 8.2 | 8.6 | 7.6 | 9.9 | 9.8 | 10.0 |
| 65-69 | 9.7 | 10.5 | 8.7 | 9.9 | 10.9 | 8.5 | 9.1 | 9.0 | 9.3 |
| 70-74 | 8.8 | 8.7 | 9.0 | 8.3 | 8.5 | 8.0 | 10.8 | 9.4 | 12.2 |
| 75-79 | 7.6 | 7.7 | 7.5 | 7.5 | 7.4 | 7.6 | 7.9 | 8.6 | 7.2 |
| 80-84 | 7.7 | 6.5 | 9.4 | 7.7 | 6.5 | 9.4 | 7.8 | 6.3 | 9.4 |
| 85+ | 8.2 | 6.3 | 10.6 | 8.1 | 5.9 | 11.1 | 8.5 | 8.1 | 9.0 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **Tamil Nadu** | | | | | |
| Below 1 | 3.4 | 3.2 | 3.7 | 3.4 | 3.2 | 3.7 | 3.4 | 3.1 | 3.8 |
| 1-4 | 0.5 | 0.4 | 0.6 | 0.7 | 0.6 | 0.7 | 0.3 | 0.2 | 0.5 |
| 0-4 | 3.9 | 3.6 | 4.4 | 4.1 | 3.8 | 4.4 | 3.7 | 3.3 | 4.3 |
| 5-9 | 0.4 | 0.4 | 0.3 | 0.4 | 0.5 | 0.4 | 0.3 | 0.3 | 0.3 |
| 10-14 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.4 | 0.3 |
| 15-19 | 1.1 | 1.3 | 0.8 | 0.9 | 1.0 | 0.6 | 1.3 | 1.6 | 1.0 |
| 20-24 | 1.9 | 2.0 | 1.6 | 2.1 | 2.2 | 1.9 | 1.6 | 1.9 | 1.2 |
| 25-29 | 1.8 | 1.9 | 1.7 | 2.0 | 2.3 | 1.6 | 1.5 | 1.4 | 1.7 |
| 30-34 | 2.1 | 2.3 | 1.8 | 2.5 | 2.5 | 2.4 | 1.5 | 1.9 | 1.0 |
| 35-39 | 2.5 | 3.0 | 1.8 | 2.2 | 2.8 | 1.5 | 2.8 | 3.3 | 2.2 |
| 40-44 | 3.9 | 4.8 | 2.6 | 4.1 | 4.9 | 2.9 | 3.6 | 4.6 | 2.2 |
| 45-49 | 4.4 | 5.7 | 2.5 | 3.9 | 5.2 | 2.2 | 5.0 | 6.5 | 2.9 |
| 50-54 | 7.5 | 8.7 | 5.9 | 7.7 | 8.9 | 6.2 | 7.2 | 8.5 | 5.4 |
| 55-59 | 8.8 | 9.2 | 8.2 | 8.4 | 9.7 | 6.7 | 9.2 | 8.5 | 10.1 |
| 60-64 | 9.8 | 9.7 | 10.0 | 9.3 | 9.5 | 9.1 | 10.5 | 9.9 | 11.3 |
| 65-69 | 13.4 | 13.4 | 13.4 | 13.4 | 13.6 | 13.2 | 13.4 | 13.2 | 13.8 |
| 70-74 | 12.7 | 11.4 | 14.5 | 12.8 | 11.1 | 15.1 | 12.6 | 11.9 | 13.7 |
| 75-79 | 11.2 | 10.1 | 12.8 | 11.6 | 9.7 | 14.2 | 10.8 | 10.6 | 11.0 |
| 80-84 | 7.1 | 7.0 | 7.1 | 7.0 | 6.8 | 7.2 | 7.3 | 7.4 | 7.1 |
| 85+ | 7.3 | 5.1 | 10.4 | 7.4 | 5.3 | 10.2 | 7.3 | 5.0 | 10.7 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

### Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| **Telangana** | | | | | | | | | |
| Below 1 | 7.2 | 6.6 | 7.9 | 6.9 | 6.6 | 7.3 | 7.8 | 6.6 | 9.1 |
| 1-4 | 0.6 | 0.4 | 0.7 | 0.6 | 0.6 | 0.6 | 0.5 | 0.0 | 1.0 |
| 0-4 | 7.7 | 7.1 | 8.6 | 7.5 | 7.2 | 8.0 | 8.3 | 6.6 | 10.1 |
| 5-9 | 0.6 | 0.4 | 0.9 | 0.7 | 0.6 | 0.8 | 0.5 | 0.0 | 1.0 |
| 10-14 | 0.7 | 0.6 | 0.9 | 0.9 | 0.9 | 1.0 | 0.2 | 0.0 | 0.5 |
| 15-19 | 1.4 | 1.6 | 1.2 | 1.6 | 1.9 | 1.2 | 1.0 | 0.9 | 1.0 |
| 20-24 | 2.1 | 2.3 | 1.9 | 2.1 | 2.3 | 1.8 | 2.2 | 2.4 | 2.0 |
| 25-29 | 1.9 | 1.9 | 2.0 | 2.4 | 2.2 | 2.7 | 0.7 | 0.9 | 0.5 |
| 30-34 | 2.8 | 2.6 | 3.0 | 3.6 | 3.3 | 4.0 | 1.0 | 0.9 | 1.0 |
| 35-39 | 3.1 | 3.6 | 2.3 | 3.4 | 3.8 | 3.0 | 2.2 | 3.2 | 1.0 |
| 40-44 | 5.4 | 5.6 | 5.1 | 5.3 | 5.3 | 5.3 | 5.6 | 6.6 | 4.6 |
| 45-49 | 6.5 | 7.8 | 4.8 | 7.3 | 8.7 | 5.5 | 4.5 | 5.6 | 3.4 |
| 50-54 | 6.8 | 7.5 | 5.9 | 6.0 | 6.4 | 5.4 | 8.8 | 10.4 | 7.1 |
| 55-59 | 6.9 | 7.5 | 6.1 | 7.3 | 7.7 | 6.8 | 5.8 | 7.0 | 4.6 |
| 60-64 | 10.5 | 10.2 | 10.8 | 9.5 | 9.1 | 10.0 | 12.8 | 13.1 | 12.4 |
| 65-69 | 10.7 | 10.4 | 11.2 | 9.5 | 8.9 | 10.4 | 13.7 | 14.3 | 12.9 |
| 70-74 | 10.7 | 10.3 | 11.1 | 10.5 | 10.0 | 11.2 | 11.1 | 11.2 | 11.0 |
| 75-79 | 9.2 | 8.6 | 9.8 | 9.5 | 9.6 | 9.3 | 8.4 | 6.1 | 11.0 |
| 80-84 | 6.6 | 6.2 | 7.1 | 6.7 | 6.4 | 6.9 | 6.5 | 5.6 | 7.5 |
| 85+ | 6.4 | 5.7 | 7.3 | 6.3 | 5.9 | 6.8 | 6.7 | 5.0 | 8.4 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| **Uttar Pradesh** | | | | | | | | | |
| Below 1 | 16.7 | 16.5 | 17.0 | 17.2 | 17.4 | 17.1 | 14.8 | 13.2 | 16.7 |
| 1-4 | 1.0 | 0.8 | 1.2 | 1.0 | 0.7 | 1.3 | 0.9 | 1.1 | 0.7 |
| 0-4 | 17.7 | 17.3 | 18.2 | 18.2 | 18.1 | 18.4 | 15.7 | 14.2 | 17.5 |
| 5-9 | 0.9 | 0.6 | 1.3 | 1.0 | 0.7 | 1.3 | 0.7 | 0.5 | 0.9 |
| 10-14 | 1.0 | 0.9 | 1.2 | 1.1 | 0.9 | 1.3 | 0.7 | 0.7 | 0.7 |
| 15-19 | 1.4 | 1.4 | 1.4 | 1.5 | 1.7 | 1.3 | 0.9 | 0.4 | 1.5 |
| 20-24 | 1.7 | 1.5 | 2.0 | 1.9 | 1.6 | 2.2 | 1.1 | 1.2 | 0.9 |
| 25-29 | 2.2 | 2.4 | 1.9 | 2.3 | 2.5 | 2.1 | 1.7 | 2.1 | 1.1 |
| 30-34 | 2.4 | 2.9 | 1.8 | 2.1 | 2.3 | 1.8 | 3.4 | 5.0 | 1.5 |
| 35-39 | 2.5 | 2.8 | 2.2 | 2.5 | 2.7 | 2.2 | 2.7 | 3.2 | 2.0 |
| 40-44 | 3.7 | 4.1 | 3.3 | 3.9 | 4.3 | 3.6 | 2.9 | 3.5 | 2.3 |
| 45-49 | 3.6 | 3.4 | 3.7 | 3.8 | 3.7 | 4.1 | 2.4 | 2.4 | 2.4 |
| 50-54 | 5.0 | 4.3 | 5.8 | 4.7 | 4.1 | 5.3 | 6.2 | 4.9 | 7.6 |
| 55-59 | 7.7 | 7.8 | 7.7 | 7.4 | 7.6 | 7.3 | 8.9 | 8.6 | 9.2 |
| 60-64 | 8.9 | 9.7 | 8.0 | 8.4 | 9.3 | 7.2 | 11.1 | 11.3 | 10.9 |
| 65-69 | 10.2 | 10.9 | 9.4 | 9.9 | 10.3 | 9.3 | 11.5 | 13.2 | 9.6 |
| 70-74 | 10.6 | 10.8 | 10.2 | 10.6 | 10.8 | 10.4 | 10.4 | 11.1 | 9.5 |
| 75-79 | 7.7 | 7.4 | 8.1 | 7.7 | 7.3 | 8.2 | 7.6 | 7.9 | 7.4 |
| 80-84 | 6.6 | 6.3 | 7.0 | 7.0 | 6.9 | 7.1 | 5.3 | 3.8 | 7.0 |
| 85+ | 6.2 | 5.5 | 6.9 | 6.0 | 5.4 | 6.7 | 6.8 | 6.0 | 7.8 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

## Table 10

### Percentage distribution of deaths to total deaths by residence, sex and age-group, 2018

| Age group | Total | | | Rural | | | Urban | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | | | | **Uttarakhand** | | | | | |
| Below 1 | 8.3 | 8.5 | 8.1 | 8.1 | 8.5 | 7.6 | 9.0 | 8.3 | 10.0 |
| 1-4 | 0.8 | 0.4 | 1.3 | 0.6 | 0.2 | 1.0 | 1.4 | 0.9 | 2.1 |
| 0-4 | 9.1 | 8.8 | 9.4 | 8.7 | 8.7 | 8.6 | 10.4 | 9.2 | 12.1 |
| 5-9 | 0.6 | 0.5 | 0.8 | 0.6 | 0.5 | 0.7 | 0.9 | 0.6 | 1.3 |
| 10-14 | 0.7 | 0.7 | 0.7 | 0.7 | 0.8 | 0.5 | 1.0 | 0.6 | 1.6 |
| 15-19 | 1.1 | 1.3 | 0.8 | 0.9 | 1.2 | 0.6 | 1.6 | 1.5 | 1.7 |
| 20-24 | 3.0 | 3.2 | 2.6 | 3.2 | 3.3 | 2.9 | 2.4 | 2.9 | 1.7 |
| 25-29 | 2.5 | 3.0 | 2.0 | 2.6 | 3.0 | 2.1 | 2.3 | 2.7 | 1.7 |
| 30-34 | 2.2 | 2.4 | 2.0 | 2.1 | 2.4 | 1.8 | 2.6 | 2.7 | 2.5 |
| 35-39 | 3.3 | 3.2 | 3.4 | 3.2 | 2.8 | 3.7 | 3.7 | 4.5 | 2.5 |
| 40-44 | 3.3 | 4.2 | 2.1 | 3.3 | 4.3 | 2.0 | 3.5 | 4.1 | 2.5 |
| 45-49 | 3.5 | 3.9 | 2.9 | 3.4 | 3.9 | 2.7 | 4.0 | 4.1 | 3.8 |
| 50-54 | 4.8 | 4.8 | 4.7 | 4.7 | 4.6 | 4.8 | 4.8 | 5.3 | 4.2 |
| 55-59 | 7.3 | 7.8 | 6.5 | 6.9 | 7.8 | 5.7 | 8.5 | 7.9 | 9.2 |
| 60-64 | 8.8 | 7.9 | 10.0 | 8.4 | 7.3 | 9.8 | 10.1 | 9.8 | 10.5 |
| 65-69 | 12.4 | 12.7 | 11.9 | 12.7 | 13.4 | 11.8 | 11.2 | 10.6 | 12.1 |
| 70-74 | 11.3 | 9.8 | 13.4 | 11.7 | 9.6 | 14.4 | 10.2 | 10.3 | 10.0 |
| 75-79 | 10.0 | 9.5 | 10.6 | 10.7 | 10.0 | 11.7 | 7.6 | 8.0 | 7.1 |
| 80-84 | 8.0 | 7.4 | 8.7 | 8.2 | 7.2 | 9.5 | 7.2 | 7.9 | 6.2 |
| 85+ | 8.1 | 8.7 | 7.3 | 8.0 | 9.1 | 6.7 | 8.2 | 7.3 | 9.5 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | | **West Bengal** | | | | | |
| Below 1 | 5.8 | 5.2 | 6.5 | 6.6 | 6.0 | 7.3 | 4.1 | 3.5 | 4.9 |
| 1-4 | 1.1 | 1.1 | 1.2 | 1.2 | 1.1 | 1.3 | 1.0 | 1.0 | 1.0 |
| 0-4 | 6.9 | 6.3 | 7.8 | 7.8 | 7.1 | 8.6 | 5.1 | 4.4 | 5.9 |
| 5-9 | 0.3 | 0.2 | 0.5 | 0.3 | 0.2 | 0.4 | 0.4 | 0.2 | 0.5 |
| 10-14 | 0.5 | 0.5 | 0.5 | 0.6 | 0.7 | 0.6 | 0.3 | 0.2 | 0.4 |
| 15-19 | 1.4 | 1.1 | 1.8 | 1.4 | 0.9 | 2.1 | 1.4 | 1.5 | 1.2 |
| 20-24 | 1.5 | 1.5 | 1.4 | 1.5 | 1.6 | 1.3 | 1.4 | 1.2 | 1.7 |
| 25-29 | 2.0 | 2.1 | 1.8 | 2.1 | 2.2 | 2.0 | 1.7 | 1.9 | 1.4 |
| 30-34 | 1.9 | 2.3 | 1.4 | 2.0 | 2.1 | 1.9 | 1.6 | 2.7 | 0.3 |
| 35-39 | 2.4 | 3.1 | 1.4 | 2.5 | 3.4 | 1.4 | 2.1 | 2.6 | 1.5 |
| 40-44 | 2.9 | 3.2 | 2.5 | 3.4 | 3.6 | 3.1 | 1.8 | 2.5 | 0.9 |
| 45-49 | 4.4 | 5.4 | 3.1 | 3.8 | 4.6 | 2.8 | 5.6 | 7.1 | 3.7 |
| 50-54 | 5.7 | 6.0 | 5.3 | 5.5 | 5.6 | 5.3 | 6.1 | 6.9 | 5.1 |
| 55-59 | 7.8 | 7.6 | 8.0 | 7.6 | 7.9 | 7.2 | 8.2 | 7.0 | 9.8 |
| 60-64 | 10.7 | 11.5 | 9.6 | 10.0 | 11.1 | 8.5 | 12.3 | 12.6 | 12.0 |
| 65-69 | 11.6 | 12.2 | 10.9 | 11.3 | 12.1 | 10.1 | 12.5 | 12.3 | 12.8 |
| 70-74 | 11.3 | 11.2 | 11.3 | 11.8 | 11.6 | 12.0 | 10.1 | 10.4 | 9.9 |
| 75-79 | 11.1 | 10.2 | 12.2 | 11.6 | 10.6 | 12.8 | 10.0 | 9.3 | 10.8 |
| 80-84 | 8.8 | 8.0 | 9.7 | 8.2 | 7.0 | 9.7 | 10.1 | 10.4 | 9.7 |
| 85+ | 8.9 | 7.4 | 10.9 | 8.7 | 7.6 | 10.1 | 9.4 | 6.9 | 12.4 |
| All ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

**Table 11**

**Birth rate, death rate and infant mortality rate by NSSO natural Division, 2018**

| Bigger States | Name of the natural Division | Number of ND | No. of Sample Units | | | Estimated vital rates | | |
|---|---|---|---|---|---|---|---|---|
| | | | Total | Rural | Urban | Birth rate | Death rate | Infant mortality rate |
| Jammu & Kashmir | Mountainous | 1 | 133 | 70 | 63 | 13.7 | 5.1 | 17 |
| | Outer Hills | 2 | 73 | 66 | 7 | 17.6 | 4.5 | 24 |
| | Jhelam Valley | 3 | 73 | 41 | 32 | 15.1 | 4.9 | 23 |
| | Ladakh | 4 | 71 | 49 | 22 | 15.3 | 5.1 | 22 |
| | **Total** | | **350** | **226** | **124** | **15.4** | **4.9** | **22** |
| Punjab | Northern | 1 | 118 | 62 | 56 | 14.4 | 6.3 | 20 |
| | Southern | 2 | 131 | 68 | 63 | 15.1 | 6.8 | 21 |
| | **Total** | | **249** | **130** | **119** | **14.8** | **6.6** | **20** |
| Haryana | Eastern | 1 | 155 | 75 | 80 | 20.1 | 5.8 | 30 |
| | Western | 2 | 101 | 69 | 32 | 20.7 | 6.2 | 30 |
| | **Total** | | **256** | **144** | **112** | **20.3** | **5.9** | **30** |
| Rajasthan | Western | 1 | 73 | 51 | 22 | 23.4 | 5.3 | 37 |
| | North Eastern | 2 | 81 | 49 | 32 | 24.0 | 5.8 | 36 |
| | Southern | 3 | 49 | 39 | 10 | 26.2 | 6.3 | 44 |
| | South Eastern | 4 | 65 | 41 | 24 | 25.4 | 6.4 | 38 |
| | Northern | 5 | 82 | 56 | 26 | 22.2 | 6.0 | 33 |
| | **Total** | | **350** | **236** | **114** | **24.0** | **5.9** | **37** |
| Uttar Pradesh | Northern Upper G | 1 | 119 | 61 | 58 | 21.9 | 5.8 | 30 |
| | Central | 2 | 101 | 64 | 37 | 23.0 | 6.0 | 46 |
| | Eastern | 3 | 98 | 81 | 17 | 29.3 | 7.1 | 45 |
| | Southern | 4 | 96 | 66 | 30 | 24.0 | 6.9 | 41 |
| | Southern Upper G | 5 | 86 | 56 | 30 | 22.1 | 6.3 | 45 |
| | **Total** | | **500** | **328** | **172** | **25.6** | **6.6** | **43** |
| Bihar | Northern | 1 | 158 | 96 | 62 | 26.3 | 5.8 | 33 |
| | Central | 2 | 172 | 104 | 68 | 25.8 | 5.9 | 30 |
| | **Total** | | **330** | **200** | **130** | **26.2** | **5.8** | **32** |
| Assam | Plains Eastern | 1 | 70 | 21 | 49 | 21.0 | 6.9 | 31 |
| | Plains Western | 2 | 87 | 26 | 61 | 21.2 | 5.8 | 40 |
| | Cachar Plain | 3 | 73 | 22 | 51 | 21.6 | 6.9 | 47 |
| | Central Brahampı | 4 | 70 | 21 | 49 | 20.7 | 6.4 | 50 |
| | **Total** | | **300** | **90** | **210** | **21.1** | **6.4** | **41** |
| West Bengal | Himalayan | 1 | 93 | 62 | 31 | 15.0 | 5.3 | 20 |
| | Eastern Plains | 2 | 62 | 46 | 16 | 17.6 | 5.5 | 29 |
| | Southern Plains | 3 | 150 | 81 | 69 | 14.2 | 5.4 | 17 |
| | Central Plains | 4 | 155 | 54 | 101 | 12.4 | 5.9 | 16 |
| | Western Plains | 5 | 95 | 61 | 34 | 14.8 | 6.0 | 22 |
| | **Total** | | **555** | **304** | **251** | **15.0** | **5.6** | **22** |

**Table 11**

**Birth rate, death rate and infant mortality rate by NSSO natural Division, 2018**

| Bigger States | Name of the natural Division | Number of ND | No. of Sample Units | | | Estimated vital rates | | |
|---|---|---|---|---|---|---|---|---|
| | | | Total | Rural | Urban | Birth rate | Death rate | Infant mortality rate |
| Jharkhand | Ranchi Plateau | 1 | 118 | 51 | 67 | 22.1 | 5.7 | 31 |
| | Hazaribagh Platea | 2 | 92 | 40 | 52 | 22.9 | 5.3 | 30 |
| | **Total** | | **210** | **91** | **119** | **22.6** | **5.4** | **30** |
| Orissa | Coastal | 1 | 193 | 138 | 55 | 17.7 | 6.2 | 31 |
| | Southern | 2 | 137 | 98 | 39 | 19.0 | 8.0 | 43 |
| | Northern | 3 | 75 | 54 | 21 | 17.9 | 7.9 | 47 |
| | **Total** | | **405** | **290** | **115** | **18.2** | **7.3** | **40** |
| Chattisgarh | Northern Chhattis | 1 | 53 | 24 | 29 | 22.9 | 7.6 | 42 |
| | Mahanadi Basin | 2 | 71 | 33 | 38 | 22.2 | 8.0 | 41 |
| | Southern Chhattis | 3 | 34 | 16 | 18 | 23.9 | 8.9 | 40 |
| | **Total** | | **158** | **73** | **85** | **22.5** | **8.0** | **41** |
| Madhya Pradesh | Vindhya | 1 | 65 | 35 | 30 | 26.6 | 7.2 | 51 |
| | Central | 2 | 79 | 45 | 34 | 22.0 | 5.8 | 47 |
| | Malwa | 3 | 67 | 41 | 26 | 24.4 | 6.1 | 46 |
| | South | 4 | 90 | 59 | 31 | 22.7 | 7.7 | 44 |
| | South Western | 5 | 94 | 66 | 28 | 23.4 | 6.6 | 47 |
| | Northern | 6 | 53 | 39 | 14 | 27.4 | 6.4 | 54 |
| | **Total** | | **448** | **285** | **163** | **24.6** | **6.7** | **48** |
| Gujarat | South Eastern | 1 | 78 | 53 | 25 | 21.4 | 5.9 | 27 |
| | Plains Northern | 2 | 115 | 53 | 62 | 18.7 | 6.3 | 30 |
| | Dry areas | 3 | 123 | 51 | 72 | 20.8 | 5.3 | 32 |
| | Saurashtra | 4 | 162 | 74 | 88 | 17.7 | 5.4 | 25 |
| | **Total** | | **478** | **231** | **247** | **19.7** | **5.9** | **28** |
| Maharashtra | Coastal | 1 | 179 | 28 | 151 | 15.3 | 4.7 | 14 |
| | Inland Western | 2 | 95 | 65 | 30 | 14.6 | 5.6 | 17 |
| | Inland Northern | 3 | 83 | 46 | 37 | 18.1 | 5.9 | 21 |
| | Inland Central | 4 | 79 | 40 | 39 | 17.3 | 5.3 | 24 |
| | Inland Eastern | 5 | 142 | 73 | 69 | 14.4 | 6.0 | 24 |
| | Eastern | 6 | 84 | 54 | 30 | 14.0 | 7.3 | 27 |
| | **Total** | | **662** | **306** | **356** | **15.6** | **5.5** | **19** |
| Telangana | Inland North Wes | 1 | 111 | 46 | 65 | 16.8 | 5.8 | 26 |
| | Inland North East | 2 | 113 | 75 | 38 | 17.1 | 6.9 | 27 |
| | **Total** | | **224** | **121** | **103** | **16.9** | **6.3** | **27** |
| Andhra Pradesh | Coastal Northern | 1 | 115 | 73 | 42 | 15.1 | 7.5 | 29 |
| | Coastal Southern | 2 | 114 | 67 | 47 | 16.4 | 6.7 | 31 |
| | Inland Southern | 3 | 96 | 58 | 38 | 16.7 | 5.7 | 28 |
| | **Total** | | **325** | **198** | **127** | **16.0** | **6.7** | **29** |

**Table 11**

**Birth rate, death rate and infant mortality rate by NSSO natural Division, 2018**

| Bigger States | Name of the natural Division | Number of ND | No. of Sample Units | | | Estimated vital rates | | |
|---|---|---|---|---|---|---|---|---|
| | | | Total | Rural | Urban | Birth rate | Death rate | Infant mortality rate |
| Karnataka | Coastal & Ghats | 1 | 227 | 160 | 67 | 13.7 | 6.3 | 12 |
| | Inland Eastern | 2 | 119 | 84 | 35 | 14.2 | 8.1 | 20 |
| | Inland Southern | 3 | 58 | 41 | 17 | 15.8 | 5.9 | 22 |
| | Inland Northern | 4 | 107 | 76 | 31 | 19.3 | 6.3 | 25 |
| | **Total** | | **511** | **361** | **150** | **17.2** | **6.3** | **23** |
| Kerala | Northern | 1 | 110 | 66 | 44 | 16.3 | 5.5 | 7 |
| | Southern | 2 | 170 | 109 | 61 | 11.9 | 8.0 | 7 |
| | **Total** | | **280** | **175** | **105** | **13.9** | **6.9** | **7** |
| Tamil Nadu | Coastal Northern | 1 | 197 | 80 | 117 | 15.3 | 5.9 | 15 |
| | Coastal | 2 | 87 | 54 | 33 | 14.6 | 7.1 | 18 |
| | Southern | 3 | 138 | 57 | 81 | 14.9 | 6.8 | 14 |
| | Inland | 4 | 123 | 44 | 79 | 13.8 | 6.5 | 14 |
| | **Total** | | **545** | **235** | **310** | **14.7** | **6.5** | **15** |

# Table on Trend

**Table 12: Annual estimates of Birth rate by residence, India and bigger States/UTs, 2013-18**

| India & | Total | | | | | | Rural | | | | | | Urban | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| bigger States/Uts | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
| **India** | **21.4** | **21.0** | **20.8** | **20.4** | **20.2** | **20.0** | **22.9** | **22.7** | **22.4** | **22.1** | **21.8** | **21.6** | **17.3** | **17.4** | **17.3** | **17.0** | **16.8** | **16.7** |
| Andhra Pradesh | 17.4 | 17.0 | 16.8 | 16.4 | 16.2 | 16.0 | 17.7 | 17.3 | 17.1 | 16.7 | 16.5 | 16.4 | 16.7 | 16.3 | 16.1 | 15.8 | 15.5 | 15.3 |
| Assam | 22.4 | 22.4 | 22.0 | 21.7 | 21.2 | 21.1 | 23.5 | 23.6 | 23.2 | 22.8 | 22.4 | 22.2 | 15.4 | 15.5 | 15.3 | 15.0 | 14.7 | 14.6 |
| Bihar | 27.6 | 25.9 | 26.3 | 26.8 | 26.4 | 26.2 | 28.3 | 26.9 | 27.1 | 27.7 | 27.2 | 26.8 | 21.5 | 19.9 | 20.6 | 21.1 | 20.9 | 21.9 |
| Chhatisgarh | 24.4 | 23.4 | 23.2 | 22.8 | 22.7 | 22.5 | 25.8 | 25.0 | 24.8 | 24.3 | 24.1 | 24.0 | 17.9 | 18.4 | 18.3 | 18.1 | 18.0 | 17.8 |
| Delhi | 17.2 | 16.8 | 16.4 | 15.5 | 15.2 | 14.7 | 18.9 | 18.1 | 17.9 | 17.0 | 16.5 | 16.2 | 16.9 | 16.7 | 16.4 | 15.5 | 15.2 | 14.7 |
| Gujarat | 20.8 | 20.6 | 20.4 | 20.1 | 19.9 | 19.7 | 22.2 | 22.6 | 22.4 | 22.0 | 21.8 | 21.6 | 18.5 | 18.2 | 18.0 | 17.7 | 17.6 | 17.4 |
| Haryana | 21.3 | 21.2 | 20.9 | 20.7 | 20.5 | 20.3 | 22.4 | 22.6 | 22.3 | 22.0 | 21.9 | 21.7 | 19.0 | 18.7 | 18.4 | 18.3 | 18.2 | 18.0 |
| Himachal Pradesh | 16.0 | 16.4 | 16.3 | 16.0 | 15.8 | 15.7 | 16.5 | 16.9 | 16.8 | 16.5 | 16.3 | 16.2 | 10.9 | 10.8 | 10.6 | 10.5 | 10.3 | 10.3 |
| Jammu & Kashmir | 17.5 | 16.8 | 16.2 | 15.7 | 15.4 | 15.4 | 18.7 | 18.7 | 18.0 | 17.4 | 17.1 | 17.0 | 12.6 | 12.5 | 10.7 | 11.9 | 11.6 | 11.7 |
| Jharkhand | 24.6 | 23.8 | 23.5 | 22.9 | 22.7 | 22.6 | 25.9 | 25.2 | 25.0 | 24.5 | 24.2 | 24.0 | 18.5 | 19.3 | 19.2 | 18.4 | 18.2 | 18.1 |
| Karnataka | 18.3 | 18.1 | 17.9 | 17.6 | 17.4 | 17.2 | 19.1 | 19.0 | 18.8 | 18.5 | 18.2 | 18.1 | 16.7 | 16.6 | 16.5 | 16.2 | 16.1 | 15.9 |
| Kerala | 14.7 | 14.8 | 14.8 | 14.3 | 14.2 | 13.9 | 15.0 | 14.9 | 14.8 | 14.3 | 14.1 | 13.8 | 14.0 | 14.8 | 14.8 | 14.4 | 14.2 | 14.0 |
| Madhya Pradesh | 26.3 | 25.7 | 25.5 | 25.1 | 24.8 | 24.6 | 28.2 | 27.9 | 27.6 | 27.1 | 26.8 | 26.6 | 19.6 | 19.9 | 19.7 | 19.5 | 19.4 | 19.1 |
| Maharashtra | 16.5 | 16.5 | 16.3 | 15.9 | 15.7 | 15.6 | 17.2 | 16.8 | 16.6 | 16.3 | 16.0 | 15.9 | 15.4 | 16.0 | 15.9 | 15.5 | 15.4 | 15.2 |
| Odisha | 19.6 | 19.4 | 19.2 | 18.6 | 18.3 | 18.2 | 20.5 | 20.5 | 20.3 | 19.6 | 19.3 | 19.2 | 14.4 | 14.2 | 14.1 | 13.7 | 13.5 | 13.4 |
| Punjab | 15.7 | 15.5 | 15.2 | 14.9 | 14.9 | 14.8 | 16.3 | 16.2 | 15.9 | 15.6 | 15.5 | 15.3 | 14.7 | 14.5 | 14.2 | 14.1 | 14.1 | 14.0 |
| Rajasthan | 25.6 | 25.0 | 24.8 | 24.3 | 24.1 | 24.0 | 26.7 | 26.0 | 25.7 | 25.2 | 25.0 | 24.9 | 22.0 | 22.1 | 22.0 | 21.6 | 21.5 | 21.3 |
| Tamil Nadu | 15.6 | 15.4 | 15.2 | 15.0 | 14.9 | 14.7 | 15.7 | 15.5 | 15.3 | 15.1 | 15.0 | 14.8 | 15.5 | 15.4 | 15.2 | 15.0 | 14.9 | 14.6 |
| Telangana | * | 18.0 | 17.8 | 17.5 | 17.2 | 16.9 | * | 18.4 | 18.2 | 17.8 | 17.5 | 17.2 | * | 17.4 | 17.2 | 17.0 | 16.8 | 16.5 |
| Uttar Pradesh | 27.2 | 27.0 | 26.7 | 26.2 | 25.9 | 25.6 | 28.1 | 28.3 | 27.9 | 27.3 | 27.0 | 26.6 | 23.3 | 23.3 | 23.0 | 22.8 | 22.6 | 22.5 |
| Uttarakhand | 18.2 | 18.2 | 17.8 | 16.6 | 17.3 | 16.7 | 18.9 | 18.5 | 18.0 | 16.8 | 17.6 | 16.8 | 15.7 | 17.3 | 17.1 | 16.0 | 16.4 | 16.4 |
| West Bengal | 16.0 | 15.6 | 15.5 | 15.4 | 15.2 | 15.0 | 17.7 | 17.6 | 17.3 | 16.9 | 16.7 | 16.5 | 11.4 | 11.1 | 11.6 | 11.8 | 11.7 | 11.5 |

***** : Included in Andhra Pradesh

**Table 13: Annual estimates of Death rate by sex, India and bigger States/UTs, 2013-18**

| India & | Total | | | | | | Male | | | | | | Female | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| bigger States/Uts | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
| **India** | **7.0** | **6.7** | **6.5** | **6.4** | **6.3** | **6.2** | **7.5** | **7.1** | **6.9** | **6.8** | **6.7** | **6.6** | **6.4** | **6.2** | **6.1** | **5.9** | **5.9** | **5.7** |
| Andhra Pradesh | 7.3 | 7.3 | 7.1 | 6.8 | 7.2 | 6.7 | 8.1 | 8.0 | 7.8 | 7.5 | 8.1 | 7.4 | 6.6 | 6.5 | 6.4 | 6.1 | 6.4 | 5.9 |
| Assam | 7.8 | 7.2 | 7.1 | 6.7 | 6.5 | 6.4 | 8.5 | 7.8 | 7.7 | 7.4 | 7.1 | 6.9 | 7.1 | 6.6 | 6.4 | 6.0 | 5.9 | 5.8 |
| Bihar | 6.6 | 6.2 | 6.2 | 6.0 | 5.8 | 5.8 | 6.7 | 6.3 | 5.8 | 6.0 | 5.7 | 5.7 | 6.5 | 6.1 | 6.6 | 6.0 | 5.9 | 6.0 |
| Chhattisgarh | 7.9 | 7.7 | 7.5 | 7.4 | 7.5 | 8.0 | 8.2 | 8.1 | 7.9 | 7.8 | 8.2 | 8.4 | 7.6 | 7.3 | 7.0 | 7.0 | 6.9 | 7.7 |
| Delhi | 4.1 | 3.8 | 3.6 | 4.0 | 3.7 | 3.3 | 4.4 | 4.3 | 3.8 | 4.5 | 4.0 | 3.6 | 3.8 | 3.4 | 3.3 | 3.5 | 3.3 | 3.1 |
| Gujarat | 6.5 | 6.2 | 6.1 | 6.1 | 6.2 | 5.9 | 7.2 | 6.7 | 6.6 | 6.6 | 6.8 | 6.6 | 5.8 | 5.6 | 5.6 | 5.5 | 5.6 | 5.1 |
| Haryana | 6.3 | 6.1 | 6.1 | 5.9 | 5.8 | 5.9 | 7.0 | 6.7 | 6.6 | 6.5 | 6.5 | 6.9 | 5.5 | 5.5 | 5.4 | 5.2 | 5.0 | 4.8 |
| Himachal Pradesh | 6.7 | 6.7 | 6.6 | 6.8 | 6.6 | 6.9 | 7.5 | 8.2 | 8.1 | 8.0 | 7.7 | 8.3 | 5.9 | 5.1 | 5.1 | 5.6 | 5.5 | 5.5 |
| Jammu & Kashmir | 5.3 | 5.1 | 4.9 | 5.0 | 4.8 | 4.9 | 6.2 | 6.0 | 5.7 | 5.8 | 5.4 | 5.6 | 4.4 | 4.2 | 4.0 | 4.1 | 4.2 | 4.1 |
| Jharkhand | 6.8 | 5.9 | 5.8 | 5.5 | 5.5 | 5.4 | 7.0 | 5.8 | 5.7 | 5.1 | 5.0 | 4.9 | 6.5 | 6.0 | 5.9 | 6.0 | 6.1 | 6.0 |
| Karnataka | 7.0 | 6.8 | 6.6 | 6.7 | 6.5 | 6.3 | 7.5 | 7.1 | 7 | 7.2 | 7.1 | 6.8 | 6.5 | 6.4 | 6.3 | 6.2 | 6.0 | 5.8 |
| Kerala | 6.9 | 6.6 | 6.6 | 7.6 | 6.8 | 6.9 | 7.9 | 7.6 | 7.6 | 8.5 | 7.7 | 7.9 | 6.0 | 5.8 | 5.7 | 6.7 | 6.0 | 5.9 |
| Madhya Pradesh | 8.0 | 7.8 | 7.5 | 7.1 | 6.8 | 6.7 | 8.7 | 8.3 | 8.1 | 7.8 | 7.5 | 7.2 | 7.2 | 7.2 | 6.9 | 6.4 | 6.1 | 6.1 |
| Maharashtra | 6.2 | 6.0 | 5.8 | 5.9 | 5.7 | 5.5 | 6.8 | 6.6 | 6 | 6.2 | 5.9 | 6.0 | 5.5 | 5.3 | 5.5 | 5.5 | 5.4 | 4.9 |
| Odisha | 8.4 | 7.9 | 7.6 | 7.8 | 7.4 | 7.3 | 8.9 | 8.8 | 8.5 | 8.5 | 8.1 | 7.8 | 7.9 | 7.0 | 6.7 | 7.1 | 6.8 | 6.7 |
| Punjab | 6.7 | 6.4 | 6.2 | 6.0 | 7.0 | 6.6 | 7.1 | 6.8 | 6.5 | 6.4 | 7.7 | 7.4 | 6.2 | 5.8 | 5.7 | 5.4 | 6.2 | 5.7 |
| Rajasthan | 6.5 | 6.4 | 6.3 | 6.1 | 6.0 | 5.9 | 7.0 | 7.0 | 6.9 | 6.7 | 6.6 | 6.4 | 5.9 | 5.8 | 5.7 | 5.4 | 5.3 | 5.3 |
| Tamil Nadu | 7.3 | 7.0 | 6.7 | 6.4 | 6.7 | 6.5 | 8.2 | 7.9 | 7.6 | 7.2 | 7.5 | 7.4 | 6.4 | 6.2 | 5.8 | 5.5 | 5.8 | 5.5 |
| Telangana | * | 6.7 | 6.5 | 6.1 | 6.6 | 6.3 | * | 7.3 | 7.1 | 6.7 | 7.2 | 6.9 | * | 6.1 | 6.0 | 5.4 | 6.0 | 5.6 |
| Uttar Pradesh | 7.7 | 7.4 | 7.2 | 6.9 | 6.7 | 6.6 | 8.1 | 7.5 | 7.3 | 7.0 | 6.9 | 6.8 | 7.1 | 7.3 | 7.1 | 6.7 | 6.5 | 6.4 |
| Uttarakhand | 6.1 | 6.0 | 6.4 | 6.7 | 6.7 | 6.2 | 6.9 | 6.8 | 7.2 | 7.9 | 7.8 | 6.9 | 5.2 | 5.1 | 5.6 | 5.5 | 5.5 | 5.4 |
| West Bengal | 6.4 | 6.1 | 5.9 | 5.8 | 5.8 | 5.6 | 6.9 | 6.5 | 6.3 | 6.1 | 6.0 | 6.3 | 5.9 | 5.6 | 5.5 | 5.5 | 5.5 | 5.0 |

***** : Includes in Andhra Pradesh

**Table 14: Annual estimates of Infant mortality rate by sex, India and bigger States/UTs, 2013-18**

| India & | Total | | | | | | Male | | | | | | Female | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| bigger States/Uts | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
| **India** | **40** | **39** | **37** | **34** | **33** | **32** | **39** | **37** | **35** | **33** | **32** | **32** | **42** | **40** | **39** | **36** | **34** | **33** |
| Andhra Pradesh | 39 | 39 | 37 | 34 | 32 | 29 | 39 | 38 | 36 | 33 | 31 | 30 | 40 | 39 | 38 | 35 | 33 | 29 |
| Assam | 54 | 49 | 47 | 44 | 44 | 41 | 53 | 49 | 47 | 43 | 41 | 40 | 55 | 49 | 47 | 45 | 46 | 44 |
| Bihar | 42 | 42 | 42 | 38 | 35 | 32 | 40 | 39 | 36 | 31 | 34 | 30 | 43 | 46 | 50 | 46 | 37 | 35 |
| Chhatisgarh | 46 | 43 | 41 | 39 | 38 | 41 | 45 | 41 | 40 | 39 | 39 | 42 | 47 | 44 | 41 | 38 | 37 | 39 |
| Delhi | 24 | 20 | 18 | 18 | 16 | 13 | 23 | 18 | 18 | 18 | 17 | 14 | 25 | 22 | 19 | 17 | 16 | 12 |
| Gujarat | 36 | 35 | 33 | 30 | 30 | 28 | 35 | 34 | 33 | 31 | 30 | 29 | 37 | 37 | 34 | 30 | 30 | 27 |
| Haryana | 41 | 36 | 36 | 33 | 30 | 30 | 40 | 35 | 36 | 31 | 28 | 31 | 42 | 38 | 37 | 35 | 31 | 29 |
| Himachal Pradesh | 35 | 32 | 28 | 25 | 23 | 19 | 33 | 31 | 28 | 23 | 22 | 19 | 36 | 33 | 27 | 26 | 23 | 20 |
| Jammu & Kashmir | 37 | 34 | 26 | 24 | 23 | 22 | 36 | 33 | 25 | 24 | 22 | 22 | 38 | 36 | 27 | 25 | 23 | 23 |
| Jharkhand | 37 | 34 | 32 | 29 | 29 | 30 | 35 | 32 | 30 | 27 | 25 | 27 | 38 | 36 | 35 | 31 | 33 | 34 |
| Karnataka | 31 | 29 | 28 | 24 | 25 | 23 | 30 | 27 | 26 | 22 | 24 | 21 | 32 | 30 | 30 | 27 | 26 | 25 |
| Kerala | 12 | 12 | 12 | 10 | 10 | 7 | 10 | 10 | 10 | 9 | 9 | 9 | 13 | 13 | 13 | 11 | 10 | 5 |
| Madhya Pradesh | 54 | 52 | 50 | 47 | 47 | 48 | 52 | 51 | 51 | 49 | 48 | 51 | 55 | 53 | 48 | 44 | 45 | 46 |
| Maharashtra | 24 | 22 | 21 | 19 | 19 | 19 | 23 | 21 | 19 | 18 | 18 | 19 | 25 | 22 | 22 | 19 | 19 | 19 |
| Odisha | 51 | 49 | 46 | 44 | 41 | 40 | 50 | 48 | 45 | 44 | 40 | 40 | 52 | 51 | 47 | 44 | 41 | 39 |
| Punjab | 26 | 24 | 23 | 21 | 21 | 20 | 25 | 23 | 22 | 20 | 20 | 21 | 27 | 25 | 24 | 21 | 22 | 20 |
| Rajasthan | 47 | 46 | 43 | 41 | 38 | 37 | 45 | 44 | 40 | 39 | 37 | 37 | 49 | 49 | 47 | 44 | 40 | 38 |
| Tamil Nadu | 21 | 20 | 19 | 17 | 16 | 15 | 20 | 20 | 19 | 18 | 17 | 16 | 21 | 20 | 19 | 17 | 16 | 14 |
| Telangana | * | 35 | 34 | 31 | 29 | 27 | * | 34 | 33 | 31 | 28 | 27 | * | 35 | 34 | 30 | 29 | 26 |
| Uttar Pradesh | 50 | 48 | 46 | 43 | 41 | 43 | 49 | 47 | 44 | 41 | 39 | 43 | 52 | 50 | 48 | 45 | 43 | 44 |
| Uttarakhand | 33 | 33 | 34 | 38 | 32 | 31 | 30 | 31 | 31 | 36 | 35 | 33 | 35 | 35 | 38 | 41 | 29 | 28 |
| West Bengal | 31 | 28 | 26 | 25 | 24 | 22 | 30 | 26 | 25 | 24 | 23 | 22 | 32 | 31 | 28 | 26 | 24 | 22 |

***** : Included in Andhra Pradesh

**Table 15: Annual estimates of Total Fertility rate by residence, India and bigger States/UTs, 2013-18**

| India & | Total | | | | | | Rural | | | | | | Urban | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| bigger States/Uts | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
| **India** | **2.3** | **2.3** | **2.3** | **2.3** | **2.2** | **2.2** | **2.5** | **2.5** | **2.5** | **2.5** | **2.4** | **2.4** | **1.8** | **1.8** | **1.8** | **1.8** | **1.7** | **1.7** |
| Andhra Pradesh | 1.8 | 1.8 | 1.7 | 1.7 | 1.6 | 1.6 | 1.9 | 1.8 | 1.8 | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.5 | 1.5 | 1.5 |
| Assam | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.2 | 2.4 | 2.5 | 2.4 | 2.4 | 2.4 | 2.4 | 1.5 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 |
| Bihar | 3.4 | 3.2 | 3.2 | 3.3 | 3.2 | 3.2 | 3.5 | 3.3 | 3.3 | 3.4 | 3.3 | 3.3 | 2.5 | 2.4 | 2.5 | 2.5 | 2.4 | 2.5 |
| Chhatisgarh | 2.6 | 2.6 | 2.5 | 2.5 | 2.4 | 2.4 | 2.8 | 2.8 | 2.7 | 2.7 | 2.6 | 2.6 | 1.8 | 1.9 | 1.9 | 1.9 | 1.8 | 1.8 |
| Delhi | 1.7 | 1.7 | 1.7 | 1.6 | 1.5 | 1.5 | 1.8 | 1.8 | 1.8 | 1.8 | 1.6 | 1.5 | 1.7 | 1.7 | 1.7 | 1.6 | 1.5 | 1.5 |
| Gujarat | 2.3 | 2.3 | 2.2 | 2.2 | 2.2 | 2.1 | 2.5 | 2.5 | 2.5 | 2.5 | 2.4 | 2.4 | 2.0 | 2.0 | 1.9 | 1.9 | 1.8 | 1.8 |
| Haryana | 2.2 | 2.3 | 2.2 | 2.3 | 2.2 | 2.2 | 2.3 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.0 | 2.0 | 2.0 | 2.0 | 1.9 | 1.9 |
| Himachal Pradesh | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.2 | 1.2 | 1.2 | 1.2 | 1.1 | 1.1 |
| Jammu & Kashmir | 1.9 | 1.7 | 1.6 | 1.7 | 1.6 | 1.6 | 2.0 | 1.9 | 1.9 | 1.9 | 1.8 | 1.8 | 1.3 | 1.2 | 1.0 | 1.2 | 1.2 | 1.2 |
| Jharkhand | 2.7 | 2.8 | 2.7 | 2.6 | 2.5 | 2.5 | 2.9 | 3.0 | 2.9 | 2.9 | 2.7 | 2.7 | 2.0 | 2.1 | 2.1 | 2.0 | 1.9 | 1.9 |
| Karnataka | 1.9 | 1.8 | 1.8 | 1.8 | 1.7 | 1.7 | 2.0 | 1.9 | 1.9 | 1.9 | 1.8 | 1.8 | 1.6 | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 |
| Kerala | 1.8 | 1.9 | 1.8 | 1.8 | 1.7 | 1.7 | 1.9 | 1.9 | 1.8 | 1.8 | 1.7 | 1.7 | 1.8 | 1.8 | 1.8 | 1.8 | 1.7 | 1.7 |
| Madhya Pradesh | 2.9 | 2.8 | 2.8 | 2.8 | 2.7 | 2.7 | 3.1 | 3.1 | 3.0 | 3.1 | 3.0 | 3.0 | 2.0 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 |
| Maharashtra | 1.8 | 1.8 | 1.8 | 1.8 | 1.7 | 1.7 | 1.9 | 1.9 | 2.0 | 1.9 | 1.8 | 1.8 | 1.6 | 1.7 | 1.6 | 1.6 | 1.5 | 1.5 |
| Odisha | 2.1 | 2.1 | 2.0 | 2.0 | 1.9 | 1.9 | 2.2 | 2.2 | 2.1 | 2.1 | 2.0 | 2.0 | 1.5 | 1.5 | 1.4 | 1.4 | 1.3 | 1.3 |
| Punjab | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.5 | 1.6 | 1.5 | 1.5 |
| Rajasthan | 2.8 | 2.8 | 2.7 | 2.7 | 2.6 | 2.5 | 3.0 | 2.9 | 2.8 | 2.8 | 2.7 | 2.7 | 2.3 | 2.3 | 2.3 | 2.3 | 2.2 | 2.2 |
| Tamil Nadu | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 | 1.6 | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 | 1.6 |
| Telangana | * | 1.8 | 1.8 | 1.7 | 1.7 | 1.6 | * | 1.9 | 1.9 | 1.8 | 1.7 | 1.7 | * | 1.7 | 1.6 | 1.6 | 1.6 | 1.5 |
| Uttar Pradesh | 3.1 | 3.2 | 3.1 | 3.1 | 3.0 | 2.9 | 3.3 | 3.4 | 3.4 | 3.4 | 3.2 | 3.1 | 2.5 | 2.5 | 2.4 | 2.4 | 2.4 | 2.4 |
| Uttarakhand | * | 2.0 | 2.0 | 1.9 | 1.9 | 1.8 | * | 2.1 | 2.0 | 1.9 | 1.9 | 1.8 | * | 1.9 | 1.8 | 1.7 | 1.8 | 1.8 |
| West Bengal | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.5 | 1.8 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.2 | 1.2 | 1.2 | 1.3 | 1.3 | 1.2 |

***** : Telangana and Uttarakhand included in Andhra Pradesh and Uttar Pradesh respectively

**Table 16: Sex ratio at birth (female per 1000 male) by residence, India and bigger States/UTs, 2012-14 to 2016-18**

| India & bigger States/Uts | Total | | | | | Rural | | | | | Urban | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 2012-14 | 2013-15 | 2014-16 | 2015-17 | 2016-18 | 2012-14 | 2013-15 | 2014-16 | 2015-17 | 2016-18 | 2012-14 | 2013-15 | 2014-16 | 2015-17 | 2016-18 |
| **India** | **906** | **900** | **898** | **896** | **899** | **907** | **903** | **902** | **898** | **900** | **905** | **890** | **888** | **890** | **897** |
| Andhra Pradesh | 919 | 918 | 913 | 916 | 920 | 917 | 933 | 923 | 928 | 930 | 925 | 885 | 888 | 885 | 898 |
| Assam | 918 | 900 | 896 | 915 | 925 | 919 | 902 | 898 | 918 | 927 | 908 | 876 | 880 | 891 | 905 |
| Bihar | 907 | 916 | 908 | 900 | 895 | 909 | 921 | 912 | 904 | 896 | 889 | 870 | 871 | 865 | 883 |
| Chhattisgarh | 973 | 961 | 963 | 961 | 958 | 982 | 987 | 995 | 985 | 976 | 921 | 839 | 833 | 862 | 881 |
| Delhi | 876 | 869 | 857 | 850 | 844 | 899 | 909 | 917 | 926 | 960 | 873 | 866 | 856 | 848 | 841 |
| Gujarat | 907 | 854 | 848 | 855 | 866 | 917 | 871 | 867 | 865 | 866 | 890 | 826 | 820 | 838 | 865 |
| Haryana | 866 | 831 | 832 | 833 | 843 | 869 | 836 | 835 | 828 | 840 | 859 | 821 | 824 | 844 | 847 |
| Himachal Pradesh | 938 | 924 | 917 | 918 | 930 | 940 | 929 | 921 | 920 | 932 | 901 | 844 | 852 | 878 | 891 |
| Jammu & Kashmir | 899 | 899 | 906 | 917 | 927 | 899 | 895 | 903 | 919 | 930 | 897 | 915 | 919 | 910 | 917 |
| Jharkhand | 910 | 902 | 918 | 916 | 923 | 918 | 914 | 927 | 927 | 932 | 867 | 852 | 882 | 876 | 888 |
| Karnataka | 950 | 939 | 935 | 929 | 924 | 957 | 967 | 965 | 958 | 949 | 936 | 887 | 883 | 879 | 881 |
| Kerala | 974 | 967 | 959 | 948 | 957 | 970 | 978 | 972 | 965 | 967 | 985 | 950 | 946 | 931 | 947 |
| Madhya Pradesh | 927 | 919 | 922 | 916 | 925 | 925 | 911 | 913 | 908 | 914 | 934 | 954 | 957 | 950 | 968 |
| Maharashtra | 896 | 878 | 876 | 881 | 880 | 888 | 871 | 872 | 886 | 878 | 908 | 890 | 882 | 875 | 881 |
| Odisha | 953 | 950 | 948 | 938 | 933 | 957 | 961 | 959 | 946 | 940 | 922 | 869 | 871 | 881 | 891 |
| Punjab | 870 | 889 | 893 | 886 | 890 | 863 | 869 | 876 | 874 | 878 | 881 | 924 | 921 | 905 | 908 |
| Rajasthan | 893 | 861 | 857 | 856 | 871 | 896 | 867 | 862 | 858 | 874 | 880 | 840 | 838 | 851 | 860 |
| Tamil Nadu | 921 | 911 | 915 | 907 | 908 | 923 | 920 | 926 | 919 | 913 | 918 | 901 | 903 | 896 | 903 |
| Telangana | Included in A.P. | | 901 | 897 | 901 | Included in A.P. | | 940 | 922 | 918 | Included in A.P. | | 841 | 859 | 875 |
| Uttar Pradesh | 869 | 879 | 882 | 878 | 880 | 866 | 869 | 871 | 862 | 865 | 882 | 923 | 923 | 938 | 934 |
| Uttarakhand | 871 | 844 | 850 | 841 | 840 | 879 | 850 | 857 | 849 | 851 | 848 | 828 | 832 | 816 | 810 |
| West Bengal | 952 | 951 | 937 | 939 | 941 | 949 | 953 | 938 | 943 | 947 | 964 | 944 | 932 | 925 | 923 |

**Table 17: Percent of live births where the mothers received medical attention at delivery either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2013-18**

| India & | Total | | | | | | Rural | | | | | | Urban | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| bigger States/Uts | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
| **India** | **74.4** | **78.5** | **79.3** | **80.8** | **81.9** | **82.5** | **69.7** | **73.2** | **74.2** | **76.1** | **77.4** | **78.1** | **92.1** | **93.2** | **93.5** | **94.2** | **94.4** | **94.7** |
| Andhra Pradesh | 93.6 | 94.9 | 95.5 | 96.6 | 97.3 | 97.4 | 91.3 | 92.6 | 93.6 | 95.3 | 96.5 | 96.6 | 99.7 | 99.8 | 99.8 | 99.8 | 99.6 | 99.8 |
| Assam | 73.7 | 77.7 | 79.3 | 81.1 | 82.3 | 82.8 | 71.6 | 75.8 | 77.6 | 79.5 | 80.7 | 81.2 | 93.2 | 94.3 | 94.7 | 95.4 | 96.0 | 96.4 |
| Bihar | 60.3 | 64.0 | 66.1 | 68.0 | 68.9 | 70.3 | 58.1 | 61.1 | 63.4 | 65.4 | 66.5 | 67.9 | 86.6 | 88.1 | 89.3 | 90.0 | 91.0 | 91.5 |
| Chhattisgarh | 66.5 | 71.8 | 73.6 | 75.5 | 76.1 | 77.0 | 64.0 | 68.2 | 70.2 | 72.2 | 72.8 | 73.7 | 83.3 | 85.2 | 86.1 | 88.6 | 89.1 | 90.1 |
| Delhi | 91.1 | 92.3 | 93.5 | 94.8 | 95.3 | 95.8 | 89.6 | 91.8 | 92.4 | 93.8 | 94.9 | 96.5 | 91.3 | 92.3 | 93.6 | 94.9 | 95.4 | 95.8 |
| Gujarat | 88.6 | 91.1 | 92.2 | 93.4 | 93.9 | 94.6 | 83.3 | 85.7 | 87.0 | 89.4 | 90.5 | 91.6 | 98.7 | 99.7 | 99.4 | 99.5 | 99.5 | 99.6 |
| Haryana | 77.3 | 80.4 | 81.8 | 83.6 | 84.7 | 85.6 | 74.8 | 77.8 | 79.4 | 81.9 | 82.9 | 83.8 | 84.1 | 86.0 | 86.5 | 87.3 | 88.2 | 89.0 |
| Himachal Pradesh | 70.8 | 74.2 | 75.4 | 76.8 | 78.5 | 78.9 | 69.2 | 72.9 | 74.3 | 75.6 | 77.5 | 77.9 | 94.1 | 94.9 | 95.2 | 95.8 | 96.2 | 96.5 |
| Jammu & Kashmir | 81.6 | 85.2 | 84.8 | 86.9 | 87.7 | 89.0 | 79.0 | 81.1 | 82.0 | 83.4 | 84.7 | 86.4 | 96.4 | 96.3 | 96.6 | 97.0 | 97.0 | 97.1 |
| Jharkhand | 51.2 | 56.7 | 58.3 | 59.3 | 60.9 | 61.7 | 45.3 | 52.1 | 54.2 | 55.1 | 56.6 | 57.4 | 86.6 | 87.2 | 88.0 | 90.3 | 91.3 | 91.8 |
| Karnataka | 92.9 | 95.7 | 96.5 | 97.1 | 97.3 | 97.6 | 90.7 | 93.7 | 94.7 | 95.3 | 95.9 | 96.3 | 97.3 | 98.9 | 99.4 | 99.6 | 99.6 | 99.7 |
| Kerala | 99.5 | 99.7 | 99.7 | 99.7 | 99.7 | 99.8 | 99.6 | 99.6 | 99.7 | 99.7 | 99.8 | 99.8 | 99.3 | 99.7 | 99.8 | 99.7 | 99.7 | 99.7 |
| Madhya Pradesh | 75.5 | 79.3 | 80.4 | 81.7 | 82.1 | 83.1 | 71.9 | 75.0 | 76.1 | 77.2 | 77.9 | 79.1 | 94.2 | 95.9 | 96.3 | 96.9 | 97.2 | 97.6 |
| Maharashtra | 94.5 | 95.2 | 96.0 | 96.2 | 96.8 | 97.0 | 91.6 | 92.3 | 93.6 | 94.0 | 94.8 | 95.2 | 99.0 | 99.3 | 99.5 | 99.4 | 99.6 | 99.6 |
| Odisha | 72.3 | 77.2 | 78.3 | 79.8 | 80.5 | 81.0 | 70.3 | 74.8 | 75.9 | 77.7 | 78.6 | 79.0 | 91.0 | 92.5 | 93.1 | 93.3 | 93.6 | 93.9 |
| Punjab | 84.3 | 86.2 | 87.5 | 88.3 | 89.3 | 89.7 | 80.1 | 81.9 | 82.9 | 84.4 | 85.6 | 86.0 | 92.1 | 92.8 | 93.7 | 94.2 | 94.7 | 95.0 |
| Rajasthan | 83.0 | 85.8 | 86.7 | 87.6 | 88.2 | 88.5 | 81.1 | 83.8 | 84.9 | 85.9 | 86.6 | 86.9 | 90.6 | 92.2 | 93.0 | 93.4 | 93.7 | 94.0 |
| Tamil Nadu | 93.4 | 95.0 | 95.2 | 95.5 | 95.8 | 96.0 | 89.3 | 90.4 | 90.7 | 91.4 | 91.9 | 92.2 | 99.0 | 99.5 | 99.6 | 99.6 | 99.7 | 99.8 |
| Telangana | * | 90.6 | 92.0 | 93.4 | 93.9 | 94.2 | * | 88.3 | 89.5 | 91.4 | 92.0 | 92.4 | * | 94.4 | 95.6 | 96.6 | 97.0 | 97.2 |
| Uttar Pradesh | 58.1 | 62.2 | 63.2 | 66.0 | 67.2 | 67.6 | 54.7 | 58.2 | 59.0 | 62.3 | 63.1 | 63.5 | 76.0 | 79.2 | 80.0 | 80.9 | 82.0 | 82.3 |
| Uttarakhand | N.A. | 68.0 | 69.5 | 71.8 | 72.5 | 73.1 | N.A. | 65.9 | 67.1 | 69.4 | 70.0 | 70.6 | N.A. | 74.4 | 76.2 | 78.5 | 79.4 | 79.9 |
| West Bengal | 77.2 | 81.8 | 83.4 | 84.7 | 85.6 | 86.1 | 73.9 | 78.0 | 80.0 | 81.7 | 82.4 | 82.9 | 90.9 | 92.6 | 93.3 | 94.1 | 94.5 | 94.9 |

***** : Includes in Andhra Pradesh

**Table 18: Percent of deaths where medical attention received before death was either at Government hospitals or at Private hospitals, India and bigger States/UTs, 2013-18**

| India & | Total | | | | | | Rural | | | | | | Urban | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| bigger States/Uts | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
| **India** | **39.2** | **42.6** | **44.4** | **46.2** | **47.0** | **47.8** | **35.3** | **38.0** | **39.6** | **41.5** | **42.4** | **43.2** | **53.5** | **56.7** | **57.2** | **58.7** | **59.5** | **60.4** |
| Andhra Pradesh | 38.7 | 43.2 | 45.4 | 45.2 | 46.2 | 47.2 | 35.3 | 40.3 | 41.2 | 42.0 | 43.0 | 43.9 | 51.9 | 55.2 | 56.6 | 57.9 | 58.7 | 60.0 |
| Assam | 28.9 | 31.8 | 32.8 | 33.7 | 34.7 | 35.6 | 28.6 | 30.4 | 31.3 | 32.0 | 33.0 | 33.9 | 38.7 | 40.9 | 41.9 | 44.9 | 45.8 | 46.6 |
| Bihar | 26.1 | 28.2 | 29.0 | 30.6 | 31.3 | 32.1 | 24.7 | 25.9 | 26.7 | 28.1 | 28.8 | 29.6 | 42.3 | 45.6 | 46.5 | 49.1 | 49.7 | 50.6 |
| Chhattisgarh | 32.1 | 35.9 | 36.7 | 38.6 | 39.5 | 40.1 | 28.8 | 31.5 | 32.3 | 33.4 | 34.4 | 35.0 | 53.7 | 56.8 | 58.8 | 59.9 | 60.5 | 61.2 |
| Delhi | 57.1 | 63.5 | 64.1 | 64.9 | 65.7 | 66.7 | 35.6 | 38.6 | 39.3 | 39.9 | 40.6 | 41.5 | 61.3 | 63.9 | 64.6 | 65.5 | 66.3 | 67.4 |
| Gujarat | 38.6 | 40.7 | 42.8 | 43.1 | 44.1 | 44.8 | 32.4 | 33.3 | 34.6 | 36.3 | 37.4 | 38.2 | 51.4 | 56.1 | 56.9 | 57.7 | 58.4 | 59.0 |
| Haryana | 30.0 | 32.8 | 34.2 | 35.9 | 36.6 | 37.3 | 29.2 | 31.5 | 32.9 | 34.8 | 35.5 | 36.3 | 32.2 | 35.8 | 36.8 | 38.8 | 39.5 | 40.1 |
| Himachal Pradesh | 62.1 | 64.4 | 65.3 | 65.7 | 66.3 | 66.8 | 62.0 | 64.4 | 65.2 | 65.6 | 66.1 | 66.7 | 62.5 | 65.4 | 66.7 | 67.8 | 68.6 | 69.3 |
| Jammu & Kashmir | 48.8 | 56.4 | 54.3 | 55.1 | 56.0 | 56.8 | 44.0 | 46.4 | 46.6 | 47.2 | 48.2 | 49.1 | 71.7 | 72.8 | 73.3 | 74.7 | 75.2 | 75.8 |
| Jharkhand | 28.0 | 30.8 | 31.4 | 32.8 | 33.8 | 34.8 | 23.8 | 26.7 | 27.4 | 28.8 | 29.8 | 30.7 | 54.4 | 56.7 | 57.5 | 58.4 | 59.3 | 60.2 |
| Karnataka | 44.1 | 44.5 | 46.9 | 48.9 | 49.8 | 50.8 | 37.7 | 40.4 | 41.7 | 42.8 | 43.7 | 44.7 | 61.9 | 62.4 | 63.1 | 64.9 | 65.7 | 66.8 |
| Kerala | 76.8 | 75.1 | 76.5 | 77.4 | 78.5 | 79.6 | 80.3 | 83.1 | 83.5 | 83.9 | 85.1 | 86.2 | 65.7 | 69.1 | 69.7 | 71.0 | 72.0 | 73.0 |
| Madhya Pradesh | 48.4 | 52.4 | 53.6 | 54.4 | 55.1 | 55.9 | 44.9 | 47.9 | 48.4 | 49.7 | 50.3 | 51.1 | 66.0 | 69.2 | 70.4 | 71.2 | 72.1 | 73.0 |
| Maharashtra | 44.2 | 46.3 | 46.9 | 48.2 | 49.1 | 49.9 | 37.5 | 40.5 | 41.0 | 42.6 | 43.4 | 44.2 | 57.3 | 58.7 | 59.6 | 60.9 | 61.9 | 63.0 |
| Odisha | 29.1 | 43.4 | 44.6 | 46.1 | 47.0 | 47.7 | 27.9 | 42.2 | 43.3 | 44.9 | 45.8 | 46.4 | 39.1 | 52.0 | 54.1 | 54.5 | 55.4 | 56.2 |
| Punjab | 49.8 | 50.7 | 52.9 | 55.1 | 55.7 | 56.4 | 45.1 | 47.3 | 47.9 | 50.6 | 51.1 | 51.7 | 60.8 | 61.1 | 62.6 | 63.5 | 64.2 | 65.1 |
| Rajasthan | 38.5 | 42.2 | 42.6 | 47.3 | 48.1 | 49.1 | 36.1 | 39.4 | 40.0 | 45.2 | 46.0 | 47.0 | 48.4 | 50.6 | 51.5 | 53.7 | 54.6 | 55.6 |
| Tamil Nadu | 38.7 | 41.6 | 43.0 | 45.2 | 46.2 | 46.9 | 31.1 | 32.8 | 34.1 | 36.3 | 37.2 | 38.0 | 51.5 | 53.2 | 54.1 | 55.3 | 56.3 | 57.0 |
| Telangana | * | 39.9 | 41.4 | 43.4 | 44.1 | 44.9 | * | 37.3 | 37.9 | 38.4 | 39.1 | 39.8 | * | 53.2 | 54.1 | 55.5 | 56.1 | 57.0 |
| Uttar Pradesh | 39.2 | 44.9 | 45.6 | 48.1 | 49.0 | 49.8 | 37.5 | 43.2 | 43.8 | 46.3 | 47.2 | 48.0 | 49.2 | 51.5 | 53.3 | 54.3 | 55.3 | 56.3 |
| Uttarakhand | N.A. | 50.1 | 51.3 | 53.1 | 54.1 | 55.0 | N.A. | 49.4 | 50.4 | 52.5 | 53.4 | 54.4 | N.A. | 52.5 | 54.3 | 55.0 | 56.1 | 57.1 |
| West Bengal | 36.0 | 40.4 | 41.9 | 44.1 | 44.9 | 45.6 | 29.1 | 32.8 | 33.5 | 37.2 | 37.9 | 38.8 | 53.6 | 56.3 | 57.1 | 58.0 | 58.9 | 59.3 |

***** : Included in Andhra Pradesh


INDIA
NATURAL DIVISIONS 2018
BOUNDARY, INTERNATIONAL
BOUNDARY, NATURAL DIVISIONS
BOUNDARY, STATE / U.T.
KILOMETRES
100 0 100 200 300 400
AFGHANISTAN
PAKISTAN
CHINA
NEPAL
BHUTAN
BANGLADESH
MYANMAR
SRI LANKA
ARABIAN SEA
BAY OF BENGAL
ANDAMAN SEA
INDIAN OCEAN
LAKSHADWEEP SEA
JAMMU & KASHMIR
JHELAM VALLEY
LADAKH
OUTER HILLS MOUNTAINOUS
HIMACHAL PRADESH
NORTHERN
PUNJAB
SOUTHERN
EASTERN
WESTERN
HARYANA
UTTARAKHAND
NORTHERN-UPPER GANGA PLAIN
NORTHERN
SOUTHERN UPPER GANGA PLAIN
WESTERN
RAJASTHAN
NORTH EASTERN
CENTRAL
UTTAR PRADESH
EASTERN
NORTHERN
SOUTHERN
SOUTH EASTERN
NORTHERN BIHAR
CENTRAL
VINDHYA
RANN OF KACHCHH
SOUTHERN
DRY AREA
PLAIN NORTHERN
MALWA
CENTRAL
MADHYA PRADESH
HAZARIBAGH PLATEAU
EASTERN PLAINS
JHARKHAND
NORTHERN CHHATTISGARH
RANCHI PLATEAU
WESTERN PLAINS
WEST BENGAL
CENTRAL PLAINS
SOUTHERN PLAINS
GUJARAT
SAURASHTRA
SOUTH EASTERN
SOUTH WESTERN
SOUTH
CHHATTISGARH
MAHANADI BASIN
NORTHERN
ODISHA
COASTAL
DAMAN & DIU
DADRA & NAGAR HAVELI
INLAND NORTHERN
INLAND EASTERN
EASTERN
SOUTHERN
SOUTHERN CHHATTISGARH
COASTAL
INLAND CENTRAL
MAHARASHTRA
TELANGANA
INLAND WESTERN
INLAND NORTH WESTERN
INLAND NORTH EASTERN
COASTAL NORTHERN
INLAND NORTHERN
COASTAL SOUTHERN
GOA
KARNATAKA
ANDHRA PRADESH
COASTAL & GHATS
INLAND SOUTHERN
INLAND EASTERN
INLAND SOUTHERN
COASTAL NORTHERN
PUDUCHERRY
NORTHERN
INLAND
TAMIL NADU
COASTAL
KERALA
SOUTHERN
SOUTHERN
SIKKIM
HIMALAYAN
ARUNACHAL PRADESH
PLAINS EASTERN
ASSAM
BRAHAMPUTRA PLAINS
CENTRAL
PLAINS WESTERN
CACHAR PLAIN
NAGALAND
MEGHALAYA
MANIPUR
TRIPURA
MIZORAM
New Moore I. (INDIA)
Coco Is. (MYANMAR)
Narcondam I. (INDIA)
Barren I. (INDIA)
ANDAMAN AND NICOBAR ISLANDS (INDIA)
INDIRA POINT
LAKSHADWEEP (INDIA)
A
DELHI
KILOMETRES 0 2 4 6
DATA NOT AVAILABLE
P - PUDUCHERRY
CH - CHANDIGARH
The State boundary between Andhra Pradesh and Telangana have not been verified by the Government Concerned.
68 0
72 0
76 0
80 0
84 0
88 0
92 0
96 0
36 0
32 0
28 0
24 0
20 0
16 0
12 0
8 0
North
72 0 East

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| 01 | Jammu & Kashmir | 1 | Mountainous | 007 | 07 | Kathua |
| | | | | 021 | 21 | Jammu |
| | | | | 022 | 22 | Samba |
| | | 2 | Outer Hills | 005 | 05 | Punch |
| | | | | 006 | 06 | Rajouri |
| | | | | 016 | 16 | Doda |
| | | | | 017 | 17 | Ramban |
| | | | | 018 | 18 | Kishtwar |
| | | | | 019 | 19 | Udhampur |
| | | | | 020 | 20 | Reasi |
| | | 3 | Jhelam Valley | 001 | 01 | Kupwara |
| | | | | 002 | 02 | Badgam |
| | | | | 008 | 08 | Baramula |
| | | | | 009 | 09 | Bandipore |
| | | | | 010 | 10 | Srinagar |
| | | | | 011 | 11 | Ganderbal |
| | | | | 012 | 12 | Pulwama |
| | | | | 013 | 13 | Shupiyan |
| | | | | 014 | 14 | Anantnag |
| | | | | 015 | 15 | Kulgam |
| | | 4 | Ladakh | 003 | 03 | Leh(Ladakh) |
| | | | | 004 | 04 | Kargil |
| 02 | Himachal Pradesh | 1 | Himachal Pradesh | 023 | 01 | Chamba |
| | | | | 024 | 02 | Kangra |
| | | | | 025 | 03 | Lahul & Spiti |
| | | | | 026 | 04 | Kullu |
| | | | | 027 | 05 | Mandi |
| | | | | 028 | 06 | Hamirpur |
| | | | | 029 | 07 | Una |
| | | | | 030 | 08 | Bilaspur |
| | | | | 031 | 09 | Solan |
| | | | | 032 | 10 | Sirmaur |
| | | | | 033 | 11 | Shimla |
| | | | | 034 | 12 | Kinnaur |
| 03 | Punjab | 1 | Northern | 035 | 01 | Gurdaspur |
| | | | | 036 | 02 | Kapurthala |
| | | | | 037 | 03 | Jalandhar |
| | | | | 038 | 04 | Hoshiarpur |
| | | | | 039 | 05 | Shahid Bhagat Singh Nagar |
| | | | | 049 | 15 | Amritsar |
| | | | | 050 | 16 | Tarn Taran |
| | | | | 051 | 17 | Rupnagar |
| | | | | 052 | 18 | Sahibzada Ajit Singh Nagar |

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 2 | Southern | 040 | 06 | Fatehgarh Sahib |
| | | | | 041 | 07 | Ludhiana |
| | | | | 042 | 08 | Moga |
| | | | | 043 | 09 | Firozpur |
| | | | | 044 | 10 | Muktsar |
| | | | | 045 | 11 | Faridkot |
| | | | | 046 | 12 | Bathinda |
| | | | | 047 | 13 | Mansa |
| | | | | 048 | 14 | Patiala |
| | | | | 053 | 19 | Sangrur |
| | | | | 054 | 20 | Barnala |
| 04 | Chandigarh | 1 | Chandigarh | 055 | 01 | Chandigarh |
| 05 | Uttarakhand | 1 | Uttarakhand | 056 | 01 | Uttarkashi |
| | | | | 057 | 02 | Chamoli |
| | | | | 058 | 03 | Rudraprayag |
| | | | | 059 | 04 | Tehri Garhwal |
| | | | | 060 | 05 | Dehradun |
| | | | | 061 | 06 | Garhwal |
| | | | | 062 | 07 | Pithoragarh |
| | | | | 063 | 08 | Bageshwar |
| | | | | 064 | 09 | Almora |
| | | | | 065 | 10 | Champawat |
| | | | | 066 | 11 | Nainital |
| | | | | 067 | 12 | Udham Singh Nagar |
| | | | | 068 | 13 | Hardwar |
| 06 | Haryana | 1 | Eastern | 069 | 01 | Panchkula |
| | | | | 070 | 02 | Ambala |
| | | | | 071 | 03 | Yamunanagar |
| | | | | 072 | 04 | Kurukshetra |
| | | | | 073 | 05 | Kaithal |
| | | | | 074 | 06 | Karnal |
| | | | | 075 | 07 | Panipat |
| | | | | 076 | 08 | Sonipat |
| | | | | 082 | 14 | Rohtak |
| | | | | 083 | 15 | Jhajjar |
| | | | | 086 | 18 | Gurgaon |
| | | | | 087 | 19 | Mewat |
| | | | | 088 | 20 | Faridabad |
| | | | | 089 | 21 | Palwal |
| | | 2 | Western | 077 | 09 | Jind |
| | | | | 078 | 10 | Fatehabad |
| | | | | 079 | 11 | Sirsa |
| | | | | 080 | 12 | Hisar |
| | | | | 081 | 13 | Bhiwani |
| | | | | 084 | 16 | Mahendragarh |
| | | | | 085 | 17 | Rewari |

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| 07 | Delhi | 1 | Delhi | 090 | 01 | North West |
| | | | | 091 | 02 | North |
| | | | | 092 | 03 | North East |
| | | | | 093 | 04 | East |
| | | | | 094 | 05 | New Delhi |
| | | | | 095 | 06 | Central |
| | | | | 096 | 07 | West |
| | | | | 097 | 08 | South West |
| | | | | 098 | 09 | South |
| 08 | Rajasthan | 1 | Western | 101 | 03 | Bikaner |
| | | | | 113 | 15 | Jodhpur |
| | | | | 114 | 16 | Jaisalmer |
| | | | | 115 | 17 | Barmer |
| | | | | 116 | 18 | Jalor |
| | | | | 117 | 19 | Sirohi |
| | | | | 118 | 20 | Pali |
| | | 2 | North Eastern | 104 | 06 | Alwar |
| | | | | 105 | 07 | Bharatpur |
| | | | | 106 | 08 | Dhaulpur |
| | | | | 107 | 09 | Karauli |
| | | | | 108 | 10 | Sawai Madhopur |
| | | | | 109 | 11 | Dausa |
| | | | | 110 | 12 | Jaipur |
| | | | | 119 | 21 | Ajmer |
| | | | | 120 | 22 | Tonk |
| | | | | 122 | 24 | Bhilwara |
| | | 3 | Southern | 123 | 25 | Rajsamand |
| | | | | 124 | 26 | Dungarpur |
| | | | | 125 | 27 | Banswara |
| | | | | 130 | 32 | Udaipur |
| | | 4 | South Eastern | 121 | 23 | Bundi |
| | | | | 126 | 28 | Chittaurgarh |
| | | | | 127 | 29 | Kota |
| | | | | 128 | 30 | Baran |
| | | | | 129 | 31 | Jhalawar |
| | | | | 131 | 33 | Pratapgarh |
| | | 5 | Northern | 99 | 01 | Ganganagar |
| | | | | 100 | 02 | Hanumangarh |
| | | | | 102 | 04 | Churu |
| | | | | 103 | 05 | Jhunjhunun |
| | | | | 111 | 13 | Sikar |
| | | | | 112 | 14 | Nagaur |

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| 09 | Uttar Pradesh | 1 | Northern Upper Ganga Plain | 132 | 01 | Saharanpur |
| | | | | 133 | 02 | Muzaffarnagar |
| | | | | 134 | 03 | Bijnor |
| | | | | 135 | 04 | Moradabad |
| | | | | 136 | 05 | Rampur |
| | | | | 137 | 06 | Jyotiba Phule Nagar |
| | | | | 138 | 07 | Meerut |
| | | | | 139 | 08 | Baghpat |
| | | | | 140 | 09 | Ghaziabad |
| | | | | 141 | 10 | Gautam Buddha Nagar |
| | | 2 | Central | 154 | 23 | Sitapur |
| | | | | 155 | 24 | Hardoi |
| | | | | 156 | 25 | Unnao |
| | | | | 157 | 26 | Lucknow |
| | | | | 158 | 27 | Rae Bareli |
| | | | | 163 | 32 | Kanpur Dehat |
| | | | | 164 | 33 | Kanpur Nagar |
| | | | | 172 | 41 | Fatehpur |
| | | | | 176 | 45 | Bara Banki |
| | | 3 | Eastern | 173 | 42 | Pratapgarh |
| | | | | 174 | 43 | Kaushambi |
| | | | | 175 | 44 | Allahabad |
| | | | | 177 | 46 | Faizabad |
| | | | | 178 | 47 | Ambedkar Nagar |
| | | | | 179 | 48 | Sultanpur |
| | | | | 180 | 49 | Bahraich |
| | | | | 181 | 50 | Shrawasti |
| | | | | 182 | 51 | Balrampur |
| | | | | 183 | 52 | Gonda |
| | | | | 184 | 53 | Siddharthnagar |
| | | | | 185 | 54 | Basti |
| | | | | 186 | 55 | Sant Kabir Nagar |
| | | | | 187 | 56 | Mahrajganj |
| | | | | 188 | 57 | Gorakhpur |
| | | | | 189 | 58 | Kushinagar |
| | | | | 190 | 59 | Deoria |
| | | | | 191 | 60 | Azamgarh |
| | | | | 192 | 61 | Mau |
| | | | | 193 | 62 | Ballia |
| | | | | 194 | 63 | Jaunpur |
| | | | | 195 | 64 | Ghazipur |
| | | | | 196 | 65 | Chandauli |
| | | | | 197 | 66 | Varanasi |
| | | | | 198 | 67 | Sant Ravidas Nagar (Bhadohi) |
| | | | | 199 | 68 | Mirzapur |
| | | | | 200 | 69 | Sonbhadra |

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 4 | Southern | 165 | 34 | Jalaun |
| | | | | 166 | 35 | Jhansi |
| | | | | 167 | 36 | Lalitpur |
| | | | | 168 | 37 | Hamirpur |
| | | | | 169 | 38 | Mahoba |
| | | | | 170 | 39 | Banda |
| | | | | 171 | 40 | Chitrakoot |
| | | 5 | Southern Upper Ganga Plain | 142 | 11 | Bulandshahr |
| | | | | 143 | 12 | Aligarh |
| | | | | 144 | 13 | Mahamaya Nagar (Hathras) |
| | | | | 145 | 14 | Mathura |
| | | | | 146 | 15 | Agra |
| | | | | 147 | 16 | Firozabad |
| | | | | 148 | 17 | Mainpuri |
| | | | | 149 | 18 | Budaun |
| | | | | 150 | 19 | Bareilly |
| | | | | 151 | 20 | Pilibhit |
| | | | | 152 | 21 | Shahjahanpur |
| | | | | 153 | 22 | Kheri |
| | | | | 159 | 28 | Farrukhabad |
| | | | | 160 | 29 | Kannauj |
| | | | | 161 | 30 | Etawah |
| | | | | 162 | 31 | Auraiya |
| | | | | 201 | 70 | Etah |
| | | | | 202 | 71 | Kanshiram Nagar |
| 10 | Bihar | 1 | Northern | 203 | 01 | Pashchim Champaran |
| | | | | 204 | 02 | Purba Champaran |
| | | | | 205 | 03 | Sheohar |
| | | | | 206 | 04 | Sitamarhi |
| | | | | 207 | 05 | Madhubani |
| | | | | 208 | 06 | Supaul |
| | | | | 209 | 07 | Araria |
| | | | | 210 | 08 | Kishanganj |
| | | | | 211 | 09 | Purnia |
| | | | | 212 | 10 | Katihar |
| | | | | 213 | 11 | Madhepura |
| | | | | 214 | 12 | Saharsa |
| | | | | 215 | 13 | Darbhanga |
| | | | | 216 | 14 | Muzaffarpur |
| | | | | 217 | 15 | Gopalganj |
| | | | | 218 | 16 | Siwan |
| | | | | 219 | 17 | Saran |
| | | | | 220 | 18 | Vaishali |
| | | | | 221 | 19 | Samastipur |
| | | | | 222 | 20 | Begusarai |
| | | | | 223 | 21 | Khagaria |

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 2 | Central | 224 | 22 | Bhagalpur |
| | | | | 225 | 23 | Banka |
| | | | | 226 | 24 | Munger |
| | | | | 227 | 25 | Lakhisarai |
| | | | | 228 | 26 | Sheikhpura |
| | | | | 229 | 27 | Nalanda |
| | | | | 230 | 28 | Patna |
| | | | | 231 | 29 | Bhojpur |
| | | | | 232 | 30 | Buxar |
| | | | | 233 | 31 | Kaimur (Bhabua) |
| | | | | 234 | 32 | Rohtas |
| | | | | 235 | 33 | Aurangabad |
| | | | | 236 | 34 | Gaya |
| | | | | 237 | 35 | Nawada |
| | | | | 238 | 36 | Jamui |
| | | | | 239 | 37 | Jehanabad |
| | | | | 240 | 38 | Arwal |
| 11 | Sikkim | 1 | Sikkim | 241 | 01 | North District |
| | | | | 242 | 02 | West District |
| | | | | 243 | 03 | South District |
| | | | | 244 | 04 | East District |
| 12 | Arnachal Pradesh | 1 | Arnachal Pradesh | 245 | 01 | Tawang |
| | | | | 246 | 02 | West Kameng |
| | | | | 247 | 03 | East Kameng |
| | | | | 248 | 04 | Papum Pare |
| | | | | 249 | 05 | Upper Subansiri |
| | | | | 250 | 06 | West Siang |
| | | | | 251 | 07 | East Siang |
| | | | | 252 | 08 | Upper Siang |
| | | | | 253 | 09 | Changlang |
| | | | | 254 | 10 | Tirap |
| | | | | 255 | 11 | Lower Subansiri |
| | | | | 256 | 12 | Kurung Kumey |
| | | | | 257 | 13 | Dibang Valley |
| | | | | 258 | 14 | Lower Dibang Valley |
| | | | | 259 | 15 | Lohit |
| | | | | 260 | 16 | Anjaw |
| 13 | Nagaland | 1 | Nagaland | 261 | 01 | Mon |
| | | | | 262 | 02 | Mokokchung |
| | | | | 263 | 03 | Zunheboto |
| | | | | 264 | 04 | Wokha |
| | | | | 265 | 05 | Dimapur |
| | | | | 266 | 06 | Phek |
| | | | | 267 | 07 | Tuensang |
| | | | | 268 | 08 | Longleng |
| | | | | 269 | 09 | Kiphire |
| | | | | 270 | 10 | Kohima |
| | | | | 271 | 11 | Peren |

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| 14 | Manipur | 1 | Manipur | 272 | 01 | Senapati |
| | | | | 273 | 02 | Tamenglong |
| | | | | 274 | 03 | Churachandpur |
| | | | | 275 | 04 | Bishnupur |
| | | | | 276 | 05 | Thoubal |
| | | | | 277 | 06 | Imphal West |
| | | | | 278 | 07 | Imphal East |
| | | | | 279 | 08 | Ukhrul |
| | | | | 280 | 09 | Chandel |
| 15 | Mizoram | 1 | Mizoram | 281 | 01 | Mamit |
| | | | | 282 | 02 | Kolasib |
| | | | | 283 | 03 | Aizawl |
| | | | | 284 | 04 | Champhai |
| | | | | 285 | 05 | Serchhip |
| | | | | 286 | 06 | Lunglei |
| | | | | 287 | 07 | Lawngtlai |
| | | | | 288 | 08 | Saiha |
| 16 | Tripura | 1 | Tripura | 289 | 01 | West Tripura |
| | | | | 290 | 02 | South Tripura |
| | | | | 291 | 03 | Dhalai |
| | | | | 292 | 04 | North Tripura |
| 17 | Meghalaya | 1 | Meghalaya | 293 | 01 | West Garo Hills |
| | | | | 294 | 02 | East Garo Hills |
| | | | | 295 | 03 | South Garo Hills |
| | | | | 296 | 04 | West Khasi Hills |
| | | | | 297 | 05 | Ribhoi |
| | | | | 298 | 06 | East Khasi Hills |
| | | | | 299 | 07 | Jaintia Hills |
| 18 | Assam | 1 | Plains Eastern | 307 | 08 | Lakhimpur |
| | | | | 308 | 09 | Dhemaji |
| | | | | 309 | 10 | Tinsukia |
| | | | | 310 | 11 | Dibrugarh |
| | | | | 311 | 12 | Sivasagar |
| | | | | 312 | 13 | Jorhat |
| | | | | 313 | 14 | Golaghat |
| | | 2 | Plains Western | 300 | 01 | Kokrajhar |
| | | | | 301 | 02 | Dhubri |
| | | | | 302 | 03 | Goalpara |
| | | | | 303 | 04 | Barpeta |
| | | | | 319 | 20 | Bongaigaon |
| | | | | 320 | 21 | Chirang |
| | | | | 321 | 22 | Kamrup |
| | | | | 322 | 23 | Kamrup Metropolitan |
| | | | | 323 | 24 | Nalbari |
| | | | | 324 | 25 | Baksa |

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 3 | Cachar Plain | 314 | 15 | Karbi Anglong |
| | | | | 315 | 16 | Dima Hasao* |
| | | | | 316 | 17 | Cachar |
| | | | | 317 | 18 | Karimganj |
| | | | | 318 | 19 | Hailakandi |
| | | 4 | Central Brahamputra plains | 304 | 05 | Morigaon |
| | | | | 305 | 06 | Nagaon |
| | | | | 306 | 07 | Sonitpur |
| | | | | 325 | 26 | Darrang |
| | | | | 326 | 27 | Udalguri |
| 19 | West Bengal | 1 | Himalayan | 327 | 01 | Darjiling |
| | | | | 328 | 02 | Jalpaiguri |
| | | | | 329 | 03 | Koch Bihar |
| | | 2 | Eastern Plains | 330 | 04 | Uttar Dinajpur |
| | | | | 331 | 05 | Dakshin Dinajpur |
| | | | | 332 | 06 | Maldah |
| | | | | 333 | 07 | Murshidabad |
| | | | | 334 | 08 | Birbhum |
| | | | | 336 | 10 | Nadia |
| | | 3 | Southern Plains | 337 | 11 | North Twenty Four Parganas |
| | | | | 343 | 17 | Kolkata |
| | | | | 344 | 18 | South Twenty Four Parganas |
| | | 4 | Central Plains | 335 | 09 | Barddhaman |
| | | | | 338 | 12 | Hugli |
| | | | | 342 | 16 | Howrah |
| | | 5 | Western Plains | 339 | 13 | Bankura |
| | | | | 340 | 14 | Puruliya |
| | | | | 341 | 15 | Paschim Medinipur |
| | | | | 345 | 19 | Purba Medinipur |
| 20 | Jharkhand | 1 | Ranchi Plateau | 346 | 01 | Garhwa |
| | | | | 356 | 11 | Lohardaga |
| | | | | 357 | 12 | Purbi Singhbhum |
| | | | | 358 | 13 | Palamu |
| | | | | 359 | 14 | Latehar |
| | | | | 364 | 19 | Ranchi |
| | | | | 365 | 20 | Khunti |
| | | | | 366 | 21 | Gumla |
| | | | | 367 | 22 | Simdega |
| | | | | 368 | 23 | Pashchimi Singhbhum |
| | | | | 369 | 24 | Saraikela-Kharsawan |

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 2 | Hazaribagh Plateau | 347 | 02 | Chatra |
| | | | | 349 | 04 | Giridih |
| | | | | 350 | 05 | Deoghar |
| | | | | 351 | 06 | Godda |
| | | | | 352 | 07 | Sahibganj |
| | | | | 353 | 08 | Pakur |
| | | | | 354 | 09 | Dhanbad |
| | | | | 355 | 10 | Bokaro |
| | | | | 360 | 15 | Hazaribagh |
| | | | | 361 | 16 | Ramgarh |
| | | | | 362 | 17 | Dumka |
| | | | | 363 | 18 | Jamtara |
| | | | | 348 | 03 | Kodarma |
| 21 | Odisha | 1 | Coastal | 377 | 08 | Baleshwar |
| | | | | 378 | 09 | Bhadrak |
| | | | | 379 | 10 | Kendrapara |
| | | | | 380 | 11 | Jagatsinghapur |
| | | | | 381 | 12 | Cuttack |
| | | | | 382 | 13 | Jajapur |
| | | | | 385 | 16 | Nayagarh |
| | | | | 386 | 17 | Khordha |
| | | | | 387 | 18 | Puri |
| | | 2 | Southern | 388 | 19 | Ganjam |
| | | | | 389 | 20 | Gajapati |
| | | | | 390 | 21 | Kandhamal |
| | | | | 391 | 22 | Baudh |
| | | | | 392 | 23 | Subarnapur |
| | | | | 393 | 24 | Balangir |
| | | | | 394 | 25 | Nuapada |
| | | | | 395 | 26 | Kalahandi |
| | | | | 396 | 27 | Rayagada |
| | | | | 397 | 28 | Nabarangapur |
| | | | | 398 | 29 | Koraput |
| | | | | 399 | 30 | Malkangiri |
| | | 3 | Northern | 370 | 01 | Bargarh |
| | | | | 371 | 02 | Jharsuguda |
| | | | | 372 | 03 | Sambalpur |
| | | | | 373 | 04 | Debagarh |
| | | | | 374 | 05 | Sundargarh |
| | | | | 375 | 06 | Kendujhar |
| | | | | 376 | 07 | Mayurbhanj |
| | | | | 383 | 14 | Dhenkanal |
| | | | | 384 | 15 | Anugul |

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| 22 | Chhatisgarh | 1 | Northern Chhattisgarh | 400 | 01 | Koriya |
| | | | | 401 | 02 | Surguja |
| | | 2 | Mahanadi Basin | 402 | 03 | Jashpur |
| | | | | 403 | 04 | Raigarh |
| | | | | 404 | 05 | Korba |
| | | | | 405 | 06 | Janjgir - Champa |
| | | | | 406 | 07 | Bilaspur |
| | | | | 407 | 08 | Kabeerdham |
| | | | | 408 | 09 | Rajnandgaon |
| | | | | 409 | 10 | Durg |
| | | | | 410 | 11 | Raipur |
| | | | | 411 | 12 | Mahasamund |
| | | | | 412 | 13 | Dhamtari |
| | | 3 | Southern Chhattisgarh | 413 | 14 | Uttar Bastar Kanker |
| | | | | 414 | 15 | Bastar |
| | | | | 415 | 16 | Narayanpur |
| | | | | 416 | 17 | Dakshin Bastar Dantewada |
| | | | | 417 | 18 | Bijapur |
| 23 | Madhya Pradesh | 1 | Vindhya | 424 | 07 | Tikamgarh |
| | | | | 425 | 08 | Chhatarpur |
| | | | | 426 | 09 | Panna |
| | | | | 429 | 12 | Satna |
| | | | | 430 | 13 | Rewa |
| | | | | 431 | 14 | Umaria |
| | | | | 460 | 43 | Shahdol |
| | | | | 461 | 44 | Anuppur |
| | | | | 462 | 45 | Sidhi |
| | | | | 463 | 46 | Singrauli |
| | | 2 | Central | 427 | 10 | Sagar |
| | | | | 428 | 11 | Damoh |
| | | | | 443 | 26 | Vidisha |
| | | | | 444 | 27 | Bhopal |
| | | | | 445 | 28 | Sehore |
| | | | | 446 | 29 | Raisen |
| | | 3 | Malwa | 432 | 15 | Neemuch |
| | | | | 433 | 16 | Mandsaur |
| | | | | 434 | 17 | Ratlam |
| | | | | 435 | 18 | Ujjain |
| | | | | 436 | 19 | Shajapur |
| | | | | 437 | 20 | Dewas |
| | | | | 438 | 21 | Dhar |
| | | | | 439 | 22 | Indore |
| | | | | 442 | 25 | Rajgarh |
| | | | | 464 | 47 | Jhabua |
| | | | | 465 | 48 | Alirajpur |

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 4 | South | 450 | 33 | Katni |
| | | | | 451 | 34 | Jabalpur |
| | | | | 452 | 35 | Narsimhapur |
| | | | | 453 | 36 | Dindori |
| | | | | 454 | 37 | Mandla |
| | | | | 455 | 38 | Chhindwara |
| | | | | 456 | 39 | Seoni |
| | | | | 457 | 40 | Balaghat |
| | | 5 | South Western | 440 | 23 | Khargone (West Nimar) |
| | | | | 441 | 24 | Barwani |
| | | | | 447 | 30 | Betul |
| | | | | 448 | 31 | Harda |
| | | | | 449 | 32 | Hoshangabad |
| | | | | 466 | 49 | Khandwa (East Nimar) |
| | | | | 467 | 50 | Burhanpur |
| | | 6 | Northern | 418 | 01 | Sheopur |
| | | | | 419 | 02 | Morena |
| | | | | 420 | 03 | Bhind |
| | | | | 421 | 04 | Gwalior |
| | | | | 422 | 05 | Datia |
| | | | | 423 | 06 | Shivpuri |
| | | | | 458 | 41 | Guna |
| | | | | 459 | 42 | Ashoknagar |
| 24 | Gujarat | 1 | South Eastern | 484 | 17 | Panch Mahals |
| | | | | 485 | 18 | Dohad |
| | | | | 486 | 19 | Vadodara |
| | | | | 487 | 20 | Narmada |
| | | | | 488 | 21 | Bharuch |
| | | | | 489 | 22 | The Dangs |
| | | | | 490 | 23 | Navsari |
| | | | | 491 | 24 | Valsad |
| | | | | 492 | 25 | Surat |
| | | | | 493 | 26 | Tapi |
| | | 2 | Plains Northern | 471 | 04 | Mahesana |
| | | | | 472 | 05 | Sabar Kantha |
| | | | | 473 | 06 | Gandhinagar |
| | | | | 474 | 07 | Ahmadabad |
| | | | | 482 | 15 | Anand |
| | | | | 483 | 16 | Kheda |
| | | 3 | Dry areas | 469 | 02 | Banas Kantha |
| | | | | 470 | 03 | Patan |
| | | | | 468 | 01 | Kachchh |

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 4 | Saurashtra | 475 | 08 | Surendranagar |
| | | | | 476 | 09 | Rajkot |
| | | | | 477 | 10 | Jamnagar |
| | | | | 478 | 11 | Porbandar |
| | | | | 479 | 12 | Junagadh |
| | | | | 480 | 13 | Amreli |
| | | | | 481 | 14 | Bhavnagar |
| 25 | Daman & Diu | 1 | Daman & Diu | 494 | 01 | Diu |
| | | | | 495 | 02 | Daman |
| 26 | Dadra & Nagar Haveli | 1 | Dadra & Nagar Haveli | 496 | 01 | Dadra & Nagar Haveli |
| 27 | Maharashtra | 1 | Coastal | 517 | 21 | Thane |
| | | | | 518 | 22 | Mumbai Suburban |
| | | | | 519 | 23 | Mumbai |
| | | | | 520 | 24 | Raigarh |
| | | | | 528 | 32 | Ratnagiri |
| | | | | 529 | 33 | Sindhudurg |
| | | 2 | Inland Western | 521 | 25 | Pune |
| | | | | 522 | 26 | Ahmadnagar |
| | | | | 526 | 30 | Solapur |
| | | | | 527 | 31 | Satara |
| | | | | 530 | 34 | Kolhapur |
| | | | | 531 | 35 | Sangli |
| | | 3 | Inland Northern | 497 | 01 | Nandurbar |
| | | | | 498 | 02 | Dhule |
| | | | | 499 | 03 | Jalgaon |
| | | | | 516 | 20 | Nashik |
| | | 4 | Inland Central | 511 | 15 | Nanded |
| | | | | 512 | 16 | Hingoli |
| | | | | 513 | 17 | Parbhani |
| | | | | 514 | 18 | Jalna |
| | | | | 515 | 19 | Aurangabad |
| | | | | 523 | 27 | Bid |
| | | | | 524 | 28 | Latur |
| | | | | 525 | 29 | Osmanabad |
| | | 5 | Inland Eastern | 500 | 04 | Buldana |
| | | | | 501 | 05 | Akola |
| | | | | 502 | 06 | Washim |
| | | | | 503 | 07 | Amravati |
| | | | | 504 | 08 | Wardha |
| | | | | 505 | 09 | Nagpur |
| | | | | 510 | 14 | Yavatmal |

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 6 | Eastern | 506 | 10 | Bhandara |
| | | | | 507 | 11 | Gondiya |
| | | | | 508 | 12 | Gadchiroli |
| | | | | 509 | 13 | Chandrapur |
| 36 | Telangana | 3 | Inland North Western | 532 | 01 | Adilabad |
| | | | | 533 | 02 | Nizamabad |
| | | | | 535 | 04 | Medak |
| | | | | 536 | 05 | Hyderabad |
| | | | | 537 | 06 | Rangareddy |
| | | | | 538 | 07 | Mahbubnagar |
| | | 4 | Inland North Eastern | 534 | 03 | Karimnagar |
| | | | | 539 | 08 | Nalgonda |
| | | | | 540 | 09 | Warangal |
| | | | | 541 | 10 | Khammam |
| 37 | Andhra Pradesh | 1 | Coastal Northern | 542 | 11 | Srikakulam |
| | | | | 543 | 12 | Vizianagaram |
| | | | | 544 | 13 | Visakhapatnam |
| | | | | 545 | 14 | East Godavari |
| | | | | 546 | 15 | West Godavari |
| | | 2 | Coastal Southern | 547 | 16 | Krishna |
| | | | | 548 | 17 | Guntur |
| | | | | 549 | 18 | Prakasam |
| | | | | 550 | 19 | Sri Potti Sriramulu Nellore |
| | | 5 | Inland Southern | 551 | 20 | Y.S.R. |
| | | | | 552 | 21 | Kurnool |
| | | | | 553 | 22 | Anantapur |
| | | | | 554 | 23 | Chittoor |
| 29 | Karnataka | 1 | Coastal & Ghats | 563 | 09 | Uttara Kannada |
| | | | | 569 | 15 | Udupi |
| | | | | 575 | 21 | Dakshina Kannada |
| | | 2 | Inland Eastern | 568 | 14 | Shimoga |
| | | | | 570 | 16 | Chikmagalur |
| | | | | 574 | 20 | Hassan |
| | | | | 576 | 22 | Kodagu |
| | | 3 | Inland Southern | 571 | 17 | Tumkur |
| | | | | 572 | 18 | Bangalore |
| | | | | 573 | 19 | Mandya |
| | | | | 577 | 23 | Mysore |
| | | | | 578 | 24 | Chamarajanagar |
| | | | | 581 | 27 | Kolar |
| | | | | 582 | 28 | Chikkaballapura |
| | | | | 583 | 29 | Bangalore Rural |
| | | | | 584 | 30 | Ramanagara |

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 4 | Inland Northern | 555 | 01 | Belgaum |
| | | | | 556 | 02 | Bagalkot |
| | | | | 557 | 03 | Bijapur |
| | | | | 558 | 04 | Bidar |
| | | | | 559 | 05 | Raichur |
| | | | | 560 | 06 | Koppal |
| | | | | 561 | 07 | Gadag |
| | | | | 562 | 08 | Dharwad |
| | | | | 564 | 10 | Haveri |
| | | | | 565 | 11 | Bellary |
| | | | | 566 | 12 | Chitradurga |
| | | | | 567 | 13 | Davanagere |
| | | | | 579 | 25 | Gulbarga |
| | | | | 580 | 26 | Yadgir |
| 30 | Goa | 1 | Goa | 585 | 01 | North Goa |
| | | | | 586 | 02 | South Goa |
| 31 | Lakshadweep | 1 | Lakshadweep | 587 | 01 | Lakshadweep |
| 32 | Kerala | 1 | Northern | 588 | 01 | Kasaragod |
| | | | | 589 | 02 | Kannur |
| | | | | 590 | 03 | Wayanad |
| | | | | 591 | 04 | Kozhikode |
| | | | | 592 | 05 | Malappuram |
| | | | | 593 | 06 | Palakkad |
| | | 2 | Southern | 594 | 07 | Thrissur |
| | | | | 595 | 08 | Ernakulam |
| | | | | 596 | 09 | Idukki |
| | | | | 597 | 10 | Kottayam |
| | | | | 598 | 11 | Alappuzha |
| | | | | 599 | 12 | Pathanamthitta |
| | | | | 600 | 13 | Kollam |
| | | | | 601 | 14 | Thiruvananthapuram |
| 33 | Tamil Nadu | 1 | Coastal Northern | 602 | 01 | Thiruvallur |
| | | | | 603 | 02 | Chennai |
| | | | | 604 | 03 | Kancheepuram |
| | | | | 605 | 04 | Vellore |
| | | | | 606 | 05 | Tiruvannamalai |
| | | | | 607 | 06 | Viluppuram |
| | | | | 617 | 16 | Cuddalore |
| | | 2 | Coastal | 613 | 12 | Karur |
| | | | | 614 | 13 | Tiruchirappalli |
| | | | | 615 | 14 | Perambalur |
| | | | | 616 | 15 | Ariyalur |
| | | | | 618 | 17 | Nagapattinam |
| | | | | 619 | 18 | Thiruvarur |
| | | | | 620 | 19 | Thanjavur |
| | | | | 621 | 20 | Pudukkottai |

*Annexure-2*

# SAMPLE REGISTRATION SYSTEM
## List of Natural Division

| State code | State Name | ND Code | Region | Sl. No. of Distt. | Distt. Code | Name of District |
|---|---|---|---|---|---|---|
| | | 3 | Southern | 612 | 11 | Dindigul |
| | | | | 622 | 21 | Sivaganga |
| | | | | 623 | 22 | Madurai |
| | | | | 624 | 23 | Theni |
| | | | | 625 | 24 | Virudhunagar |
| | | | | 626 | 25 | Ramanathapuram |
| | | | | 627 | 26 | Thoothukkudi |
| | | | | 628 | 27 | Tirunelveli |
| | | | | 629 | 28 | Kanniyakumari |
| | | 4 | Inland | 608 | 07 | Salem |
| | | | | 609 | 08 | Namakkal |
| | | | | 610 | 09 | Erode |
| | | | | 611 | 10 | The Nilgiris |
| | | | | 630 | 29 | Dharmapuri |
| | | | | 631 | 30 | Krishnagiri |
| | | | | 632 | 31 | Coimbatore |
| | | | | 633 | 32 | Tiruppur |
| 34 | Puducherry | 1 | Puducherry | 634 | 01 | Yanam |
| | | | | 635 | 02 | Puducherry |
| | | | | 636 | 03 | Mahe |
| | | | | 637 | 04 | Karaikal |
| 35 | Andaman & Nicobar Island | 1 | Andaman & Nicobar Island | 638 | 01 | Nicobars |
| | | | | 639 | 02 | North & Middle Andaman |
| | | | | 640 | 03 | South Andaman |

## LIST OF OFFICERS ASSOCIATED WITH THE REPORT
## SRS UNIT

| | |
|---|---|
| **Shri Sanjeev Kumar** | Deputy Director General |
| **Smt. Sandhya Singh** | Deputy Registrar General |
| **Shri Ram Kesh** | Senior Research Officer |
| **Smt. Jasleen Kaur Rekhi** | Research Officer |

**Data Processing:** **Shri Ravi Kant,** Statistical Investigator Grade-II
**Shri Rakesh Kumar Sharma**, Statistical Investigator Grade-II
**Smt. Charu Ghansela**, Compiler
**Shri Nand Lal,** Sr. Supervisor