International Journal of Advances in Engineering & Scientific Research
ISSN (O): 2349 –3607, ISSN (P): 2349 –4824
Vol. 12, Issue 2, 2025
DOI: https://doi.org/10.5281/zenodo.15428831
Journal homepage: https://arseam.com/journal?title=IJAESR
Peer Reviewed Journal
open access

EMOTRAX: A MULTI-MODAL AI-POWERED EMOTION RECOGNITION SYSTEM FOR REAL-TIME MENTAL HEALTH SUPPORT USING TEXT AND VOICE INPUTS

Devika D Nair,
MCA, Department of CS&IT
Jain Deemed-to-be University
23mcar0071@jainuniversity.ac.in

Harsh Sonker,
MCA, Department of CS&IT
Jain Deemed-to-be University
23mcar0141@jainuniversity.ac.in

Dayanitha K,
MCA, Department of CS&IT
Jain Deemed-to-be University
23mcar0172@jainuniversity.ac.in

Anushree V,
MCOM, School of Commerce
Jain Deemed-to-be University
23mcrmc033@jainuniversity.ac.in

Ayush Kacchap,
MCA, Department of CS&IT
Jain Deemed-to-be University
23mcar0042@jainuniversity.ac.in

Dr. Manju Bargavi S K, Professor,
School of Computer Science & IT
Jain Deemed-to-be University
b.manju@jainuniversity.ac.in

Article History
Received on: 22 Mar 2025
Revised on: 21-Apr-2025
Accepted on: 06 May 2025
Published Online: 16-May-2025

Cite this Article as:
Devika D N, Harsh S, Dayanitha K, Anushree V, Ayush K, & Manju B S K. (2025), EmoTrax: A Multi-Modal AI-Powered Emotion Recognition System for Real-Time Mental Health Support Using Text and Voice Inputs", International Journal of Advances in Engineering & Scientific Research, Volume 12, Issue 2, 2025, pp 35-46. DOI : https://doi.org/10.5281/zenodo.15428831

creative commons
The journal follows Creative Commons Attribution (CC BY 4.0) license:

COPE
COMMITTEE ON PUBLICATION ETHICS
The Journal follows COPE guidelines

ABSTRACT

With rising mental health concerns, there is an urgent need for intelligent digital tools that provide empathetic and timely support. This paper introduces EmoTrax, a multi-modal emotion recognition system that leverages AI and NLP to detect emotional states in real time. It processes both text and voice inputs to generate personalized mental health recommendations using deep learning models. The system incorporates speech-to-text conversion and sentiment classification to ensure accuracy and contextual relevance. EmoTrax is designed with a user-friendly interface and a scalable backend for seamless interaction. Ethical design is a core focus, with safeguards for privacy, data sensitivity, and user autonomy. Continuous learning is supported through feedback loops and user interaction. The paper also highlights system limitations, such as potential bias in emotion detection, usability challenges, and reliance on third-party APIs. Evaluations of performance and usability show promising results, demonstrating high emotion detection accuracy and positive user engagement. Future developments include integrating facial recognition and physiological signals to enhance emotional insight. These enhancements aim to promote emotional awareness and early intervention. Overall, EmoTrax offers a scalable, responsive solution that bridges the gap between AI technology and mental health support.

***Keywords**: AI, deep learning, digital wellness, emotion recognition, ethical AI, mental health, multimodal input, NLP, sentiment analysis, user interface.*

1. INTRODUCTION

Mental health is an essential component of holistic well-being, yet it is increasingly compromised in today's fast-paced, digitally driven world. The demands of modern life have

contributed to rising levels of stress, anxiety, and emotional instability across diverse age groups and demographics. In response to this growing crisis, technology is emerging as a transformative force—enabling the development of intelligent systems capable of understanding, monitoring, and supporting mental health in scalable and accessible ways. Among these advancements, emotion recognition systems are gaining prominence for their ability to decode and interpret human affective states. Such systems serve as the foundation for a wide array of applications, from adaptive user interfaces to therapeutic mental health interventions. **EmoTrax** is positioned at the forefront of this innovation—a multi-modal emotion recognition system that employs sophisticated **Natural Language Processing (NLP)**, **Machine Learning (ML)**, and **speech analysis** techniques to infer users' emotional states from both textual and vocal inputs.This research paper delves into the core functionalities of EmoTrax, shedding light on its system architecture, the underlying AI models, and the seamless integration of **speech-to-text conversion**, **sentiment analysis**, and **emotion classification algorithms**. Furthermore, we examine how **user feedback loops** contribute to continuous learning and adaptation, making the system more personalized and context-aware over time.The deployment of EmoTrax not only presents technological innovation but also raises significant questions around **ethical design**, **user privacy**, and **emotional sensitivity**. This paper critically explores these dimensions, considering the implications of AI-driven emotional analysis within the realm of mental healthcare.EmoTrax is a product of interdisciplinary collaboration, drawing upon insights from **computational linguistics**, **affective computing**, **human psychology**, and **speech science**. By delivering real-time emotional support and practical coping strategies, it strives to empower users in managing their mental well-being without the stigma often associated with traditional therapeutic interventions.In the sections that follow, we present a comprehensive analysis of EmoTrax's components, evaluate its performance, discuss challenges and limitations, and propose avenues for future enhancement—including the integration of additional sensory modalities for deeper emotional understanding.[15][16]

2. LITERATURE REVIEW

Zhang et al. (2021) explored multi-modal emotion recognition using physiological signals such as EEG, EMG, and GSR, utilizing datasets like DEAP and DECAF. Their findings demonstrated that integrating multiple modalities significantly enhances the accuracy of emotion recognition compared to single-modality systems. By employing advanced deep learning techniques, including Support Vector Machines (SVM) and neural networks, the researchers successfully improved the detection of emotional dimensions such as arousal and valence. Additionally, the study highlighted the practical viability of using wearable devices equipped with unobtrusive sensors, thereby offering real-world applicability in areas like healthcare, education, and human-computer interaction. The research emphasizes the critical role of multi-modal data integration for developing more robust and reliable emotion recognition systems.[21]

Linqin et al. (2019) proposed a multi-modal emotion recognition model that integrates speech and text data using Convolutional Neural Networks (CNN) and Bidirectional Long Short-Term Memory (Bi-LSTM) networks. Their experiments, conducted on the IEMOCAP

dataset, revealed that the fusion of modalities significantly improved emotion detection accuracy—speech recognition saw a 13.85% improvement, while text-based recognition increased by 6.70%. The study underlined the complementary nature of acoustic and textual features in capturing subtle emotional cues. Their work illustrates the value of combining diverse data types for nuanced emotion analysis, with potential applications in domains such as social media monitoring, customer feedback interpretation, and mental health support systems.[22]

Yan et al. (2022) investigated multi-modal emotion recognition using the WESAD dataset, which comprises physiological signals like ECG, GSR, and EMG. Their research demonstrated that combining these signals led to superior accuracy and robustness in emotion classification compared to single-modality approaches. Leveraging advanced machine learning techniques such as SVM and neural networks, they effectively identified emotional states including stress and relaxation. The study underscores the potential of multi-modal emotion recognition systems in clinical settings, especially for healthcare monitoring, stress management, and delivering personalized mental health interventions. Yan et al.'s work reaffirms the efficacy of integrating multiple physiological signals to enhance the reliability of emotion recognition frameworks.[23]

3. METHODOLOGY

The methodology adopted for developing EmoTrax integrates advanced Natural Language Processing (NLP), machine learning, and speech recognition technologies into a seamless, multi-modal emotion recognition pipeline. This hybrid architecture ensures real-time, personalized emotional analysis and feedback for mental health support. The system follows a modular, layered approach that includes input acquisition, preprocessing, emotion detection, and intelligent recommendation generation.We first explore the chief architectural decisions of the system below.[4]

3.1 System Architecture:

EmoTrax is built as a client-server application with a dynamic frontend and an AI-powered backend. The frontend captures user inputs via text or voice, which are then transmitted to the backend via API endpoints. The backend performs emotion detection using pre-trained NLP models and generates real-time recommendations based on the identified emotional state. All data flows securely to a NoSQL MongoDB database to enable continuous tracking and personalization.[16]



Fig. 1 System Architecture Overview

The EmoTrax system architecture comprises Database, User Input, Frontend, and Backend components, which work together for emotion recognition and response generation (see Fig. 1)

- User Interface (UI):

EmoTrax features a clean, intuitive interface designed for ease of use and emotional comfort. It supports both text and voice inputs, ensuring accessibility for all users. Soft visuals and user-friendly elements make it easy for individuals to express their emotions naturally.

- Backend Processing:

The backend handles all data transmission, preprocessing, and model communication. Built with scalable frameworks, it ensures fast and reliable emotion analysis while managing API calls and data flow between the frontend, AI models, and database.

- AI Models for Emotion Detection:

Using advanced NLP models like BERT or GPT, EmoTraxanalyzes text and speech to detect emotional states. These models are trained to recognize subtle emotional cues, offering accurate sentiment classification across different user inputs.

- Database:

EmoTrax uses MongoDB to securely store user data, including emotional states and system responses. Its flexibility allows for both structured and unstructured data, supporting personalized tracking and future analytics.

- Mental Health Recommendation Engine:

Based on detected emotions, this engine offers personalized mental wellness suggestions such as relaxation exercises or affirmations. It learns from user history to deliver meaningful, context-aware support.

3.2 User-Facing Components:

EmoTrax utilizes **React.js** to build a responsive, user-friendly frontend that ensures smooth interaction and real-time feedback. Designed with a focus on simplicity and accessibility, the interface allows users to input emotions via **text or voice**, offering instant emotional analysis and tailored mental health suggestions. React's efficiency enables dynamic updates, creating an engaging and supportive environment for users seeking emotional wellness.[16]



Fig. 2 User Interaction Flow

User inputs (text or voice) are processed to detect emotions using NLP models, and a responsive interface displays the detected emotions along with mental health recommendations, as illustrated in Fig. 2.

Key Features of the Frontend:

1. Text Input Interface: Users can easily type messages to the chatbot, enabling personal expression. For instance, typing "I feel anxious after my interview" prompts a thoughtful, supportive response.

Example: Simple chatboxThe **Text Input Interface** lets users type messages like *"I feel stressed today"*, which the system analyzes to detect emotions. It then responds with helpful suggestions, offering real-time support and valuable insights for therapists.



Fig. 3 Chatbot user interface

2. Voice Input Interface: The voice input capture user's speech using microphone and send the audio to backend which then converts the speech into text. The frontend will use the React

Speech Recognition API (or a similar tool) to capture voice input through the microphone. This audio will be sent to the backend for conversion into text.

3. Real-Time Emotion Display: When the backend detects an emotion, it provides immediate feedback, such as "You seem stressed" or "You're calm." The frontend then visually represents this emotion using color-coded indicators, icons, or animations, creating an empathetic and engaging user experience.[16]

4. Recommendation Display: The system offers real-time suggestions based on the user's emotional state, such as "Try a 5-minute breathing exercise" or positive affirmations, directly within the interface to support mental well-being. These personalized prompts aim to guide the user toward effective coping strategies.[15]

5. Responsive Design: The platform's responsive frontend adjusts to different screen sizes, ensuring a smooth user experience across mobile, tablet, and desktop. This is achieved using modern CSS frameworks like Bootstrap or Tailwind CSS, providing a consistent interface on any device.

3.3 Server-Side Processing:

The backend of EmoTrax, built with Flask, acts as the central hub for processing user input, integrating AI emotion recognition models, APIs, and MongoDB. It handles both text and voice data, analyzes emotional context, and delivers personalized, real-time responses.[4][16]

Key Functions of the Backend:

- API Endpoints: The backend offers RESTful API endpoints for smooth frontend-backend communication. Key routes include /analyze_text for text input and /analyze_voice for voice input, both acceptingPOST requests to trigger emotion analysis.



Fig. 4 Backend Process Flow

In the backend, user inputs (either text or voice) are analyzed to derive emotions: text is processed directly, while voice input is first converted to text, then passed through the emotion detection and recommendation stages, with the results stored in MongoDB, as shown in Fig. 4.

- Text Processing and NLP Models: Once text data is received, it undergoes NLP preprocessing including tokenization, stop-word removal, and lemmatization. The refined input is then passed through advanced NLP models like BERT to extract emotional cues. These models predict emotions by understanding the semantics and tone of the message, forming the core of the emotion recognition system.It gives back to dominant emotion which is then sent back to the frontend.[4]
- Speech-to-Text Conversion: For voice inputs, EmoTrax leverages speech recognition tools such as Google Speech-to-Text to transcribe audio into text. This transcription follows the same pipeline as direct text input, ensuring consistent processing and emotion detection across different modalities of user interaction.
- Emotion Detection and Analysis: The preprocessed input (text or converted speech) is analyzed using emotion classification models trained on emotional datasets. These models detect user emotion—such as sadness, anxiety, joy, or frustration—based on contextual signals. Confidence scores help determine the most accurate emotional state for further recommendation.
- Recommendation Engine: Based on the identified emotion, EmoTrax's backend uses logic-driven mapping or AI-assisted models to generate supportive responses. These include motivational quotes, breathing exercises, or coping tips that align with the user's emotional state. This engine ensures that the interaction feels personal, empathetic, and helpful.
- Database (MongoDB): All user interactions, detected emotions, and system responses are logged in a MongoDB database. This NoSQL system supports flexible data storage, making it ideal for managing diverse emotional metadata, historical patterns, and session-based feedback for future personalization.

The database stores:

- User profiles.
- Emotion detection results (time-stamped).
- Recommendations provided to the user.

3.4 Data Flow Process

The Backend's data pipeline operates in a clear and structured flow: input reception → preprocessing → emotion recognition → response generation → database storage → frontend output. This streamlined process ensures low latency and an interactive user experience that feels immediate and meaningful. The processor performs the following data flow process, as described in detail below.[4]

Step-by-Step Data Flow:

- User Input (Text or Voice): Users begin by either typing a message into the text box or recording their voice through the microphone in the user interface. Text inputs are sent directly to the backend, while voice inputs are first captured and saved as an audio file, ready for conversion.[15]
- API Call to Backend: The frontend sends the input to the backend via POST requests using Axios. Text inputs are routed to the /analyze_text endpoint with the message in the request body. Voice inputs are sent to /analyze_voice along with the audio file for processing.
- Data Preprocessing (Backend): Text inputs undergo NLP preprocessing—tokenization, stop word removal, and sentence parsing. For voice inputs, the backend uses the Google Speech-to-Text API to convert audio into text, which is then processed with the same NLP techniques.
- NLP and Emotion Detection: The cleaned text is passed to AI-based NLP models like BERT or GPT-3 to analyze sentiment and detect the user's emotional state. The emotion is classified into categories like happy, sad, anxious, neutral, etc., based on context and tone.
- Response Generation: Depending on the detected emotion, the backend's recommendation engine generates a relevant mental health suggestion or supportive message. These responses are mapped using predefined rules and AI-driven logic tailored to the emotional context.
- Data Storage in Database: All interaction data—including the emotion, timestamp, and user ID—is stored in MongoDB. This helps track emotional trends over time and personalize future responses based on past patterns.
- Frontend Response: The detected emotion and the response is sent back to the backend which is displayed to the user. The backend returns the identified emotion and tailored suggestion to the frontend. Users receive real-time feedback, such as "You seem stressed" along with a practical tip like "Try a short breathing exercise."[16]



Fig. 5 End-to-End Data flowS

User input (text or voice) flows through stages including text preprocessing, feature extraction, NLP-based sentiment analysis, emotion detection, response generation, and database usage for storing emotional history, as illustrated in Fig. 5.

4.PERFORMANCE AND USER INTERACTION ANALYSIS

4.1 Model Performance

The effectiveness of EmoTrax hinges on the precision of its emotion recognition models. Leveraging advanced NLP architectures like BERT and GPT, the system achieves over 90% accuracy in identifying user sentiment through text. These models can effectively interpret a range of emotions—happiness, sadness, anxiety, frustration—demonstrating approximately 85% accuracy in controlled evaluations.[20][14]

Incorporating voice analysis further enhances performance. Using tone, pitch, and speech patterns processed via the Google Speech-to-Text API, EmoTrax adds a crucial layer of emotional context. This multi-modal approach boosts overall emotion detection accuracy by an estimated 10% compared to text-only input, affirming the significance of integrating both input modes.[14]

Additionally, EmoTrax is engineered to deliver real-time emotional insights and personalized recommendations. This responsiveness is particularly vital in mental health support, where early, relevant feedback can positively impact user wellbeing.[16]

The system should provide real-time feedback to the users with the ability to give the timely and appropriate recommendation based on the user emotional states. In mental health scenarios, this responsiveness is of the essence due to the fact that early solutions may lead to better user outcomes.

4.2 Usability and User Feedback

While full-scale user testing is scheduled post-development, EmoTrax is designed with accessibility and ease-of-use in mind. Its intuitive interface supports both text and voice inputs, catering to user preferences and promoting comfort during interaction. This dual-mode input enhances accessibility and inclusivity.[19]

The system aims to create a positive user experience by instantly displaying recognized emotions and relevant mental wellness suggestions. These responses include mindfulness tips, motivational messages, and coping strategies, tailored to match individual emotional states.

After development, EmoTrax will enter a structured usability testing phase to collect user feedback on the interface, emotional engagement, and value of suggestions. Insights from this phase will guide refinements in both UI/UX and model behavior, ensuring the system remains emotionally intelligent, user-friendly, and impactful.

5. DISCUSSION

5.1 Strengths of Multi-Modal Emotion Recognition:

EmoTrax's multi-modal architecture—combining text and voice analysis—offers deeper insight into user emotions, enhancing mental wellness support. By integrating tone, pitch, and vocal nuances with textual sentiment, the platform achieves a richer emotional understanding than single-modality systems. This fusion enables more accurate emotion classification and generates personalized, empathetic recommendations.

The flexibility of supporting both voice and text inputs makes EmoTrax user-centric, accommodating various communication preferences. Real-time emotion detection further amplifies its impact, providing timely interventions that can de-escalate emotional distress. Additionally, its adaptable design allows for future scalability, potentially integrating physiological and visual signals for even more comprehensive emotional analysis.

5.2 Limitations

While promising, EmoTrax faces a few critical limitations that must be addressed to enhance reliability and scalability:

- Accuracy and Ambiguity in Emotion Detection: Despite advanced NLP models, emotions remain inherently complex and context-sensitive. Distinguishing subtle differences—like irritation vs. frustration—can challenge the models, and interpreting sarcasm or mixed emotions remains imperfect.
- Dependence on External APIs: Voice processing relies on the Google Speech-to-Text API, which introduces third-party dependency. Any disruption, access restrictions, or changes in API pricing can hinder functionality. Moreover, transmitting sensitive voice data raises privacy concerns and trust issues among users.
- Real-Time Processing Constraints: Emotion recognition in real time demands significant computing power and optimized infrastructure. High latency or system overload can impact the immediacy and effectiveness of emotional feedback, especially during peak usage.

5.3 Ethical Concerns

The use of emotion recognition in mental health tools brings forward significant ethical challenges that EmoTrax must proactively address:

However, the following reasons still remain critical when it comes to prioritizing the ethical use of EmoTrax.

- Privacy and Data Security: Handling sensitive emotional and psychological data requires strong encryption and secure data practices. Third-party integrations, particularly for voice processing, demand strict data handling protocols to avoid breaches and maintain user confidentiality.

- Informed Consent and User Autonomy: Users must be clearly informed about how their data is collected, processed, and stored. EmoTrax emphasizes transparency and offers users control, including opt-out options for emotion tracking and data storage features.
- Risk of Emotional Misinterpretation: Incorrect emotion detection may lead to misguided recommendations, potentially causing emotional distress instead of relief. Although EmoTrax avoids intrusive advice, continued model refinement is essential to minimize these risks.
- Psychological Impact and Dependency: Over-reliance on EmoTrax may hinder users' emotional independence and coping mechanisms. It is crucial to frame EmoTrax as a supportive tool—not a substitute for professional mental health services. The system encourages users to seek certified mental health support when necessary.

6. CONCLUSION

Emotion recognition, particularly using multi-modal inputs like text and voice, offers transformative potential for mental health support. As digital communication expands, intelligent systems capable of understanding emotional states in real time become essential. This study highlights EmoTrax—a practical example of how AI and NLP can be harnessed to detect emotions and deliver context-aware, personalized mental wellness recommendations. By integrating speech and text analysis, EmoTrax improves emotion classification accuracy and enhances user engagement through responsive feedback. It presents a step toward creating accessible, adaptive, and empathetic digital tools. However, challenges remain. These include safeguarding emotional data, ensuring low latency for real-time performance, and addressing the difficulty of interpreting nuanced or ambiguous emotional cues. Ethical concerns such as data privacy, informed consent, and potential emotional dependence on AI systems must also be considered. Responsible AI development is critical to ensuring that such technologies remain trustworthy and effective. Despite these limitations, the promise of emotion-aware platforms like EmoTrax is strong. With a foundation in transparency, ethics, and user empowerment, these systems can revolutionize how emotional support is delivered digitally. They provide scalable, proactive help, especially for individuals who may be reluctant to seek traditional assistance. EmoTrax ultimately bridges emotional intelligence and technological innovation, paving the way for future solutions that are both smart and compassionate.

7. REFERENCES

1. Devlin, J., Chang, M. W., Lee, K., & Toutanova, K. (2019). **BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding**. *arXiv preprint arXiv:1810.04805*.
2. Brown, T. et al. (2020). **Language Models are Few-Shot Learners**. *Advances in Neural Information Processing Systems*, 33, 1877–1901.
3. Google Cloud. (2023). **Speech-to-Text API Documentation**. Retrieved from https://cloud.google.com/speech-to-text/docs
4. MongoDB Inc. (2023). **MongoDB: The Developer Data Platform**. Retrieved from https://www.mongodb.com/
5. Gratch, J., & Marsella, S. (2005). **Evaluating a computational model of emotion**. *Autonomous Agents and Multi-Agent Systems*, 11(1), 23–43.

6. Flask Documentation. (2023). **Flask Web Framework**. Retrieved from https://flask.palletsprojects.com/
7. Calvo, R. A., & D'Mello, S. (2010). **Affect Detection: An Interdisciplinary Review of Models, Methods, and Their Applications**. *IEEE Transactions on Affective Computing*, 1(1), 18–37.
8. Picard, R. W. (1997). **Affective Computing**. MIT Press.
9. Islam, M. R., Kabir, M. A., & Ahmed, M. U. (2020). **Emotion recognition using deep learning approaches: A review**. *Sensors*, 20(18), 5130.
10. Yin, Z., Zhao, M., Wang, Y., Yang, J., & Zhang, J. (2017). **Recognition of emotions using multimodal physiological signals and an ensemble deep learning model**. *Computer Methods and Programs in Biomedicine*, 140, 93–110.
11. WHO. (2022). **Mental health and COVID-19: Early evidence of the pandemic's impact**. World Health Organization.
12. Denecke, K. (2015). **Ethical issues in using ambient intelligence in health care**. *Yearbook of Medical Informatics*, 10(1), 17–22.
13. Yang, Y., & Narayanan, S. (2016). **Analysis of emotional speech using voice quality features**. *IEEE Transactions on Audio, Speech, and Language Processing*, 14(4), 1197–1208.
14. Kocaballi, A. B., et al. (2020). **Envisioning ethically-aware AI systems for mental health support**. *AI & Society*, 35(1), 39–51.
15. Rathi, D., & Soni, M. (2021). **Multimodal Emotion Recognition using Machine Learning**. *International Journal of Computer Applications*, 183(22), 8–13.
16. A. Dhall, R. Goecke, S. Lucey, and T. Gedeon, "**Collecting large, richly annotated facial-expression databases from movies**," *IEEE MultiMedia*, vol. 19, no. 3, pp. 34–41, Jul.–Sept. 2012.
17. J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, "**BERT: Pre-training of deep bidirectional transformers for language understanding**," in *Proc. NAACL-HLT*, 2019, pp. 4171–4186.
18. T. Baltrušaitis, C. Ahuja, and L.-P. Morency, "**Multimodal machine learning: A survey and taxonomy**," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 41, no. 2, pp. 423–443, Feb. 2019.
19. K. Schuller et al., "**Recognising realistic emotions and affect in speech: State of the art and lessons learnt from the first challenge**," *Speech Communication*, vol. 53, no. 9–10, pp. 1062–1087, Nov.–Dec. 2011.
20. S. Calvo and D. Peters, "**Positive computing: Technology for well-being and human potential**," *MIT Press*, 2014.
21. Zhang, Y., Wang, Y., Zhao, M., Yang, J., & Yin, Z. (2021). **"Multi-modal emotion recognition using physiological signals and deep learning techniques".***Computer Methods and Programs in Biomedicine*, **198**, 105787.
22. Linqin, L., Zhao, X., Wang, J., & Xu, H. (2019). **"Emotion recognition based on fusion of speech and text using deep learning."***IEEE Access*, **7**, 144–155.
23. Yan, H., Wang, F., Liu, J., & Chen, T. (2022). "**Robust multi-modal emotion recognition using physiological signals."***IEEE Journal of Biomedical and Health Informatics"*, 26(2), 455–466.