Mitigating Physical Layer Security Vulnerabilities in 4G and 5G Cellular Networks

Sowjanya Ramisetty
Department of Computer Science and Engineering
Faculty of Science and Technology (ICFAI Tech)
The ICFAI Foundation for Higher Education
Hyderabad, Telangana
sowjanyaramisetty@ifheindia.org

G. S. Pradeep Ghantasala
Department of Computer Science and Engineering
Alliance College of Engineering and Design
Alliance University
Bengaluru, India
ggspradeep@gmail.com

Rajesh Sharma R.
Department of Computer Science and Engineering
Alliance College of Engineering and Design
Alliance University
Bengaluru, India
sharmaphd10@gmail.com

Pellakuri Vidyullatha
Department of Computer Science and Engineering
Koneru Lakshmaiah Education Foundation
Andhra Pradesh, India
latha22pellakuri@gmail.com

Akey Sungheetha
Department of Computer Science and Engineering
Alliance College of Engineering and Design
Alliance University
Bengaluru, India
sun20it@gmail.com

***Abstract*— Security vulnerabilities on the physical layer in 4G and 5G networks divulge those networks to diverse threats. Eavesdropping, in which unauthorized interception of consumer information occurs,is mitigated through encryption and stable key change protocols in 4G, at the same time as 5G carries stronger encryption radio interface assaults, probably inflicting sign disruptions, are mitigated via way of means of sign jamming detection, frequency hopping, and unfold spectrum strategies in 4G, and beamforming, MIMO, and Rogue base stations are addressed through authentication mechanisms, consisting of IMSI catcher detection in 4G, and stronger authentication approaches in 5G.Physical layer assaults, such as hardware compromise, are countered via way of means of tracking radio parameters and using hardware protection modules (HSMs).Man-in-the-middle assaults are mitigated the use of public key infrastructure (PKI) for certificate-primarily based totally authentication. Denial of carrier assaults are tackled thru site visitors sample tracking and fee proscribing in 4G, and stronger detection mechanisms and community reducing for isolation in 5G. This work specifically focuses on the practical implications of these vulnerabilities in real-world deployments. The novelty in this study, encompasses the comprehensive adaption of security that uses advanced signal processing, encryption techniques and analytics that are machine learning based with the aim of enhancing resilience with evolving threats. Additionally, modern telecommunication security falls within this scope of real-time intrusion detection and compliance to global security standards. These mitigations enhance community protection on the physical layer, making sure sturdy and dependable Wi-Fi communication.**

Keywords*— *Security vulnerabilities, physical layer, Eavesdropping, radio interface assaults, Rogue base stations, Physical Layer Attacks, Man-in-the-middle

I. Introduction

Mitigating physical layer protection vulnerabilities in 4G and 5G [1] mobiliary networks is paramount as those networks evolve to supply quicker speeds, better capacities, and broader connectivity. The bodily layer, important for transmitting and receiving signals, faces particular worrying situations in protection because of the inherent openness of Wi-Fi communique. Threats like eavesdropping, signal jamming, and spoofing pose enormous dangers to records confidentiality and community integrity. These worrying situations are exacerbated with the beneficial useful resource of using the appearance of superior generation at the aspect of large MIMO [2] and beamforming in 5G networks, which boom assault surfaces and get in touch with for modern protection solutions.

To address those worrying situations, a multifaceted approach is necessary. Advanced sign processing strategies like adaptive modulation and interference cancellation bolster sign reliability with inside the direction of eavesdropping [3] and interference. Secure transmission schemes, collectively with bodily layer encryption and strong key management, make sure records confidentiality with inside the course of transmission. Authentication mechanisms and get admission to govern suggestions on the bodily layer save you unauthorized get admission to, at the identical time as anti-jamming and anti-spoofing generation mitigate malicious assaults on sign availability. Furthermore, adherence to bodily layer protection requirements and non-prevent community tracking with intrusion detection structures are important for figuring out and mitigating developing threats in real-time.

Looking forward, ongoing studies into quantum cryptography [4], AI-pushed protection analytics, and secure-with the beneficial useful resource of using-layout necessities will further beautify the resilience of mobiliary networks. International collaboration and stakeholder education on protection dangers and terrific practices are important for preserving accept as true with and protection with inside the increasingly more interconnected global of 4G and 5G generation. By integrating those strategies, stakeholders can shield Wi-Fi communications, shield touchy records, and make

Authorized licensed use limited to: INDIAN INSTITUTE OF TECHNOLOGY BOMBAY. Downloaded on October 28,2025 at 07:57:39 UTC from IEEE Xplore. Restrictions apply.

sure the persevering with development of cell communique generation with inside the virtual age.

High-speed internet is paving the way for a new era of virtual reality. This paper explores [5] some of the key components of 5G, including latency, MIMO, cell distribution, speed, mm Wave, slicing, and spectrum, which will shape future technologies like IoT and AI. This paper [6] presents an ML-based framework for predicting downlink throughput in 4G/5G networks. Key parameters like RSRP, SINR, RSSI, and RSRQ are used, achieving a prediction accuracy of 89% to 96%.

This paper analyses TCP/IP performance [7] in 5G networks and proposes a Tuned Energy-Efficient TCP (TEETCP) that can enhance QoS. Performance evaluation shows improvements in PDR, throughput, delay, energy use, and computation overhead. This paper proposes a novel scheduling algorithm for V2X communication [8] over 5G, optimizing QoS by prioritizing traffic. Simulation results show minimized latencies, with an average below 0.001 ms for 100 users. Author compares LSTM [9] and Bi-LSTM for cellular traffic prediction, showing Bi-LSTM's superior accuracy. A smart application is proposed to predict crowd gatherings or data broadcast situations for proactive local administration alerts.

II. Literature Study

The Physical Layer Security (PLS) framework [10] is noteworthy since it not only includes the winning works but also empowers the progress of PLS techniques for the future. Thus, PLS's importance for the collaboratively emerging era's joint distinguishing and communication, automobile communication, millimeter-wave, non-terrestrial networks, terahertz communication, etc. The author described the current and recently proposed era intended to stabilize the 5G environment, as well as the cause evaluation of 5G protection [11] issues. Using outstanding Systems Interconnection (OSI) layers, they classify protective eras and note vulnerabilities, threats, protection solutions, gaps, challenges, and outstanding research issues for each layer.

The optimization ontology was changed to include a discussion of unique safety metrics for gauging PLS performance. Unlike the other surveys, it comprises a full conversation of the suggested PLS techniques based primarily on artificial intelligence [12] and device analysis techniques. We particularly highlight the work done with the use of algorithms for deep analysis and reinforcement analysis, which enables us to apprehend how artificial intelligence could aid to accumulate better PLS.

The author discussed growing regions that may be engaged for increasing PLS together with Intelligent Reflecting Surface (IRS) and the software program software of crucial a terrible lot masses a bargain loads tons a great deal considerably less PLS in IoT [13]. In order to help readers take benefit of the many aids that originated with using 5G, this paper describes the risks associated with 5G networks, the security flaws present in the new technological requirements, and provides recommendations for future measures to address these unsettling security situations. In this work, we also give a brief overview of the future generations (XG)—the mobile phone age that follows 5G [14]—and their security weaknesses.

This article focuses on the current and upcoming security concerns in 5G wireless networks, as well as future recommendations for reliable 5G wireless networks. A wide-ranging survey of gift authentication and privacy-preserving techniques for 4G and 5G mobile networks is provided in this research [15].Furthermore, we offer a class of countermeasures that are divided into three categories: intrusion detection techniques, people factors, and cryptography techniques. Tables provide an overview of the countermeasures and formal and informal safety evaluation methods that are employed by the schemes for ensuring privacy and authentication.

The subjects it covers, such as fading channels, interference exploitation, multi-antenna systems[16], and secrecy metrics, have greatly added to our understanding of physical layer protection. The ways that physical layer protection strategies can enhance the privacy and security of wireless communications in 5G networks have been validated by these investigations. A variety of commands demand additional research, but the enhancements made. Initially, developing new transmission techniques is necessary to improve 5G network physical layer protection. Critical security holes in the 4 G network are extensively examined and discussed in this paper [17]. Malicious actors must have a way to exploit these vulnerabilities. This study has outlined and expanded upon a number of variables that are present in developing global locations that keep an eye on offenders.

Furthermore, some remedies to address those problems are put forth. The very good parameters of a protection format model to awareness at the vulnerabilities were surveyed in this paper [18]. Lastly, they have suggested a method to improve the security of WSNs by assuming the alpha approach and handshake mechanism through encryption and decryption. Further authors have cited the multiple attacks on very good layers of the TCP/IP model beside by their mitigation techniques and have also particularized on the programs of WSNs. Device capabilities statistics unique to 4G and 5G devices are presented in this research [19], along with their role in forming security connections among different devices and networks. The findings of our investigation show that device competences are shared with the network afore the authentication certificate without any security and are not confirmed through a methodical manner. Thus, they introduce three new attack methods: identification attacks, bidding down assaults, and battery drain attacks that take advantage of exposed device abilities statistics in 4G and future 5G networks. This work [20] offers a comprehensive analysis of many vulnerabilities, defenses, and security-enhancing capabilities pertaining to the LoRaWAN physical layer. The influence of the researched subjects on LoRaWAN protection was then mentioned by the authors, who also acknowledged the study gaps and provided recommendations for future research. This study[21] looks on factors that are no longer in the ordinary surroundings that affect IoT security on gift and future networks.

These factors include human-centric problems and the procedures that could lead to confidentiality loss. This newsletter's comprehensive assessment of the literature on gift research has led to the identification of five crucial aspects that affect IoT security for next-generation, futuristic networks.

Authorized licensed use limited to: INDIAN INSTITUTE OF TECHNOLOGY BOMBAY. Downloaded on October 28,2025 at 07:57:39 UTC from IEEE Xplore. Restrictions apply.



Fig. 1. Cellular data showing using software defined radio

III. Techniques Used to Detect Security Vulnerabilities

Detecting security vulnerabilities at the physical layer in 4G and 5G networks requires specialized tools and techniques. Here are some tools commonly used for this purpose shown in Table 1.

TABLE I. List of the tools and their persistence

Name of the Tool	Persistence of the tool
Spectrum Analyzers	Monitoring the radio frequency spectrum to identify unusual or unauthorized signals and interference.
Signal Jamming Detection Systems	These systems detect and identify jamming attacks by analyzing signal patterns and interference.
Baseband Analyzers	Used for baseband analyzers examine the digital baseband signal, allowing for the detection of anomalies, malicious code, or unauthorizedaccess.
IMSs	Monitor and analyze network traffic and systemlogs for signs of intrusion and anomalies.
Spectrum Monitoring and Management Systems	These systems continuously monitor the spectrum, enabling the detection of unauthorizedtransmitters or rogue base stations.
Radio Frequency Fingerprinting Tools	These tools identify devices based on their unique radio frequency fingerprints, helping to differentiate legitimate devices from potentialthreats.

IV. Results and discussions

By using software defined radio [22] we have captured and demodulated a cellular signal. It shows in the following fig. 1.Wireshark [23] is a widely-used packet analyzer that can capture and dissect network traffic. While it's nota dedicated signal jamming detection tool, it can be used to scrutinize network performance and categorize irregular patterns that may designate interference or jamming. Fig.2 shows the type of the network selected on mobile network.

Fig. 2. Network Type is 5G on Mobile device

Authorized licensed use limited to: INDIAN INSTITUTE OF TECHNOLOGY BOMBAY. Downloaded on October 28,2025 at 07:57:39 UTC from IEEE Xplore. Restrictions apply.



Fig. 3. Visualization of ARP, TCP and DNS on Wireshark

Fig 3 shows the information of Transmission control protocol, Domain name space and ARP information of 5G communication. In TCP messages, you can find information related to the establishment, maintenance, and termination of connections between devices. Data transmission and connection status are indicated by header fields such source and destination ports, acknowledgment numbers, sequence numbers, and flags (like ACK, SYN, and FIN).TCP may carry application- layer data, such as HTTP or FTP payloads, within its segments. In the context of 5G communication, TCP may be used to transport various application data over the 5G network. DNS queries and replies are essentially used in DNS messages to firmness domain names to IP addresses. The domain name being searched, the record type (such as A, AAAA, or MX), and the desired flag for recursion are all included in the query. Resolved IP addresses and other requested data, including mail server information, are included in the responses. DNS plays a crucial role in 5G communication by converting domain names to IP addresses for a range of services and uses.

IP addresses within a local network segment are mapped to MAC addresses via ARP. Details regarding the IP address being questioned and the associated MAC address are included in ARP messages. The mapping information is provided via ARP responses, which are utilized to obtain the MAC address connected to an IP address. Address resolution for devices inside the same network segment and local network connection are two functions of ARP in 5G communication. Fig.4 shows the information of internet control message protocol. ICMP messages are typically used for network diagnostics, error reporting, and control messages. Common ICMP messages comprise echo requests and replies (used for ping), time exceeded, destination inaccessible, and others. ICMP can provide information about network connectivity, errors, and the health of network devices. ICMP is an integral part of the internet and is used in various network troubleshooting scenarios.



Fig. 4. Visualization of ICMP protocol 5G Information

Fig 5 and Fig 6 shows the information related to the 4G communication and internet control message protocol information like checksum, destination address, source address and number of bytes capturedon network.



Fig. 5. Network Type is 4G on Mobile device

1) Mitigations

Mitigations at the physical layer in 4G and 5G networks involve implementing security practices and technologies, which may include the following measures.

Authorized licensed use limited to: INDIAN INSTITUTE OF TECHNOLOGY BOMBAY. Downloaded on October 28,2025 at 07:57:39 UTC from IEEE Xplore. Restrictions apply.



Fig. 6. Visualization of ICMP protocol 4G Information

2) Encryption

Use strong encryption protocols like AES to protect user data and control plane traffic from eavesdropping.

3) Authentication

To avert attacks by rogue base stations, implement strong authentication protocols for devices and base stations, such as Authentication and Key Agreement (AKA) and Extensible Authentication Protocol (EAP).

4) Beamforming and MIMO

Utilize superior antenna technology like beamforming and Multiple-Input Multiple-Output (MIMO) to enhance sign reliability and face up to radio interface attacks.

5) Secure Boot

Ensure that community system begins off evolved securely with the aid of using enforcing stable boot mechanisms to protect towards bodily layer attacks.

6) Hardware Security Modules (HSMs)

Employ HSMs for stable key garage and cryptographic operations to save you bodily layer attacks.

7) Network Slicing

Implement community reducing to isolate offerings and resources, improving resistance to denial of carrier attacks.

8) Intrusion Detection and Monitoring

Continuously screen community parameters and examine logs to locate anomalies and reply to capacity bodily layer vulnerabilities.

9) Enhanced Authentication

In 5G, superior authentication techniques and safety certificate offer greater sturdy safety towards safety threats Interference

10) Detection and Mitigation

Utilize interference detection mechanisms to become aware of and mitigate interference, stopping radio interface attacks.

11) Jamming Countermeasures

Deploy countermeasures towards sign jamming, consisting of frequency hopping and strength adjustments, to keep community stability.

V. Conclusion and Future Scope

Addressing protection vulnerabilities on the bodily layer in 4G and 5G networks, mainly in phrases of sign jamming, is critical for making sure community integrity. Mitigations like dynamic frequency hopping, superior antenna tech, and regulatory measures are vital. However, the evolving danger panorama necessitates ongoing vigilance and adaptation. Future efforts have to attention on AI-pushed danger detection, more potent encryption, and global cooperation in combatting sign jamming. Additionally, studies have to discover the mixing of quantum-resistant cryptography to steady Wi-Fi communications with inside the lengthy term.

References

[1] Harvanek M, Bolcek J, Kufa J, Polak L, Simka M, Marsalek R., " Survey on 5G Physical Layer Security Threats and Countermeasure," Sensors (Basel). vol.24,no.17,pp.5523,Aug 2024.

[2] Nazrin Haziq Jemaludin, Ahmed Jamal Abdullah Al-Gburi, Rania Hamdy Elabd, Tale Saeidi, Muhammad Firdaus Akbar, Imran Mohd Ibrahim, Zahriladha Zakaria, "A comprehensive review on MIMO antennas for 5G smartphones: Mutual coupling techniques, comparative studies, SAR analysis, and future directions," Results in Engineering,vol. 23,ISSN 2590-1230,2024.

[3] Y. Wu, A. Khisti, C. Xiao, G. Caire, K. -K. Wong and X. Gao, "A Survey of Physical Layer Security Techniques for 5G Wireless Networks and Challenges Ahead," in IEEE Journal on Selected Areas in Communications, vol. 36, no. 4, pp. 679-695, April 2018.

Authorized licensed use limited to: INDIAN INSTITUTE OF TECHNOLOGY BOMBAY. Downloaded on October 28,2025 at 07:57:39 UTC from IEEE Xplore. Restrictions apply.

[4] D'Urbano, Andrea & Catalano, Christian & Corallo, Angelo, " A Perspective on the Interplay Between 5G and Quantum Computing for Secure Algorithm and Software Engineering," in Product-Focused Software Process Improvement: 24th International Conference, PROFES 2023, Dornbirn, Austria, December 10–13, 2023.

[5] K. Kaur, S. Kumar, and A. Baliyan, "5G: a new era of wireless communication," Int. J. Inf. Technol., vol. 12, pp. 619–624, 2020.

[6] A. Al-Thaedan, Z. Shakir, A. Y. Mjhool, et al., "A machine learning framework for predicting downlink throughput in 4G-LTE/5G cellular networks," Int. J. Inf. Technol., vol. 16, pp. 651–657, 2024.

[7] S. Kagi, A. Venugopal, V. S. Ramaiah, et al., "Sustainable augmented framework using smart sensors with ATM inspired 5G technologies for enterprise networks," Int. J. Inf. Technol., 2024.

[8] W. A. Mansouri, D. Mohammed Elmourssi, and W. A. Elyass, "Enhancing V2X QoS: dynamic scheduling scheme over 5G networks and byon," Int. J. Inf. Technol., vol. 16, pp. 4427–4433, 2024.

[9] P. Shrivastava, S. Patel, G. Shrivastava, et al., "Cellular Data Analysis using Machine Learning for Crowd Gathering Prediction," Int. J. Inf. Technol., 2024.

[10] M. S. J. Solaija, H. Salman, and H. Arslan, "Towards a unified framework for Physical Layer Security in 5G and beyond Networks," IEEE Open J. Veh. Technol., Turkey, 2022.

[11] S. Sullivan, A. Brighente, S. Kumar, and M. Conti, "5G Security Challenges and Solutions: A Review by OSI Layers," IEEE Access, vol. PP, pp. 1–1, 2021.

[12] A. Irram, M. Ali, M. Naeem, and S. Mumtaz, "Physical layer security for beyond 5G/6G networks: Emerging technologies and future directions," J. Netw. Comput. Appl., vol. 206, 2022, Art. no. 103431, ISSN 1084-8045.

[13] M. S. Kumar, R. Ramanathan, and M. Jayakumar, "Keyless physical layer security for wireless networks: A survey," Eng. Sci. Technol. Int. J., vol. 35, 2022, Art. no. 101260, ISSN 2215-0986.

[14] I. Ahmad, S. Shahabuddin, T. Kumar, J. Okwuibe, A. Gurtov, and M. Ylianttila, "Security for 5G and Beyond," IEEE Commun. Surv. Tuts., vol. 21, no. 4, pp. 3682–3722, 2019.

.

[15] M. A. Ferrag, L. Maglaras, A. Argyriou, D. Kosmanos, and H. Janicke, "Security for 4G and 5G cellular networks: A survey of existing authentication and privacy-preserving schemes," J. Netw. Comput. Appl., vol. 101, pp. 55–82, 2018, ISSN 1084-8045.

[16] J. Boodai, A. Alqahtani, and M. Frikha, "Review of Physical Layer Security in 5G Wireless Networks," Appl. Sci., vol. 13, no. 12, p. 7277, 2023.

[17] F. M. Asmare and L. G. Ayalew, "Security challenges in the transition to 4G mobile systems in developing countries," Cogent Eng., vol. 10, no. 1, p. 2166214, 2023.

[18] A. U. Rehman, M. S. Mahmood, S. Zafar, M. A. Raza, F. Qaswar, S. S. Aljameel, I. U. Khan, and N. Aslam, "A Survey on MAC-Based Physical Layer Security over Wireless Sensor Network," Electronics, vol. 11, no. 16, p. 2529, 2022.

[19] A. Shaik, R. Borgaonkar, S. Park, and J.-P. Seifert, "New vulnerabilities in 4G and 5G cellular access network protocols: exposing device capabilities," in Proc. 12th Conf. Security Privacy Wireless Mobile Netw. (WiSec '19), ACM, New York, NY, USA, pp. 221–231, 2019.

[20] H. Ruotsalainen, G. Shen, J. Zhang, and R. Fujdiak, "LoRaWAN Physical Layer-Based Attacks and Countermeasures, A Review," Sensors (Basel), vol. 22, no. 9, p. 3127, Apr. 2022.

[21] J. Cook, S. Rehman, and M. A. Khan, "Security and Privacy for Low Power IoT Devices on 5G and Beyond Networks: Challenges and Future Directions," 2023.

[22] Machado, Raquel & Wyglinski, Alexander.,"Software-Defined Radio: Bridging the Analog–Digital Divide," Proceedings of the IEEE. 103. 409-423,2015.

[23] Shaoqiang Wang, DongSheng Xu and ShiLiang Yan, "Analysis and application of Wireshark in TCP/IP protocol teaching," 2010 International Conference on E-Health Networking Digital Ecosystems and Technologies (EDT), Shenzhen,pp. 269-272,2010

Authorized licensed use limited to: INDIAN INSTITUTE OF TECHNOLOGY BOMBAY. Downloaded on October 28,2025 at 07:57:39 UTC from IEEE Xplore. Restrictions apply.