

MF Engine V2 API (1.0.0)

Download OpenAPI specification: [Download](#)

Auto-generated API documentation for Mutual Fund Engine V2.

Authentication & Authorization

This API uses JWT tokens for authentication. Different endpoints require different user roles:

- **Partner Authentication:** Required for partner-specific operations. Partners have restricted access to schemes based on their type:
 - MFD (Multi-channel Financial Distributor): Can only sell non-direct schemes from empanelled AMCs
 - RIA (Registered Investment Adviser): Can only sell direct schemes from all AMCs
- **Investor Authentication:** Required for investor operations. NRI investors may have additional restrictions based on AMC policies for their tax status and country of residence.

Scheme Access Restrictions

The scheme endpoints (`/scheme` and `/scheme/{id}`) automatically apply the following restrictions based on the authenticated user:

Partner Restrictions

- **MFD Partners:** Limited to non-direct schemes from their empanelled AMCs only
- **RIA Partners:** Limited to direct schemes from all AMCs
- **Other Partners:** Limited to non-direct schemes from all AMCs

NRI Investor Restrictions

- Investors with NRI tax status may be blocked from certain AMCs based on regulatory restrictions
- Restrictions are determined by the investor's tax status and country of birth
- Blocked schemes return 404 Not Found for restricted investors

Query Parameters

- `limit`: Maximum number of results (default: 10)
- `page`: Page number for pagination (default: 1)
- `name`: Case-insensitive search by scheme name

accord

Auto-generated stub for GET /accord/bulk/Mf_portfolio

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /accord/bulk/Mf_portfolio

Auto-generated stub for GET /accord/RawData/GetRawDataJSON

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /accord/RawData/GetRawDataJSON

address

Auto-generated stub for POST /address

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

line1 required	string [10 .. 40] characters
line2	string [10 .. 40] characters
line3	string [10 .. 40] characters
city required	string >= 2 characters
state required	string >= 2 characters
postal_code required	string >= 3 characters
country required	string Enum: "AFG" "ALA" "ALB" "DZA" "ASM" "AND" "AGO" "AIA" "ATA" "ATG" "ARG" "ARM" "ABW" "AUS" "AUT" "AZE" "BHS" "BHR" "BGD" "BRB" "BLR" "BEL" "BLZ" "BEN" "BMU" "BTN" "BOL" "BES" "BIH" "BWA" "BVT" "BRA" "IOT" "BRN" "BGR" "BFA" "BDI" "CPV" "KHM" "CMR" "CAN" "CYM" "CAF" "TCD" "CHL" "CHN" "CXR" "CCK" "COL" "COM" "COG" "COD" "COK" "CRI" "CIV" "HRV" "CUB" "CUW" "CYP" "CZE" "DNK" "DJI" "DMA" "DOM" "ECU" "EGY" "SLV" "GNQ" "ERI" "EST" "SWZ" "ETH" "FLK" "FRO" "FJI" "FIN" "FRA" "GUF" "PYF" "ATF" "GAB" "GMB" "GEO" "DEU" "GHA" "GIB" "GRC" "GRL" "GRD" "GLP" "GUM" "GTM" "GGY" "GIN" "GNB" "GUY"

"HTI"	"HMD"	"VAT"	"HND"	"HKG"	"HUN"	"ISL"	"IND"
"IDN"	"IRN"	"IRQ"	"IRL"	"IMN"	"ISR"	"ITA"	"JAM"
"JPN"	"JEY"	"JOR"	"KAZ"	"KEN"	"KIR"	"PRK"	"KOR"
"KWT"	"KGZ"	"LAO"	"LVA"	"LBN"	"LSO"	"LBR"	"LBY"
"LIE"	"LTU"	"LUX"	"MAC"	"MDG"	"MWI"	"MYS"	"MDV"
"MLI"	"MLT"	"MHL"	"MTQ"	"MRT"	"MUS"	"MYT"	"MEX"
"FSM"	"MDA"	"MCO"	"MNG"	"MNE"	"MSR"	"MAR"	"MOZ"
"MMR"	"NAM"	"NRU"	"NPL"	"NLD"	"NCL"	"NZL"	"NIC"
"NER"	"NGA"	"NIU"	"NFK"	"MKD"	"MNP"	"NOR"	"OMN"
"PAK"	"PLW"	"PSE"	"PAN"	"PNG"	"PRY"	"PER"	"PHL"
"PCN"	"POL"	"PRT"	"PRI"	"QAT"	"REU"	"ROU"	"RUS"
"RWA"	"BLM"	"SHN"	"KNA"	"LCA"	"MAF"	"SPM"	"VCT"
"WSM"	"SMR"	"STP"	"SAU"	"SEN"	"SRB"	"SYC"	"SLE"
"SGP"	"SXM"	"SVK"	"SVN"	"SLB"	"SOM"	"ZAF"	"SGS"
"SSD"	"ESP"	"LKA"	"SDN"	"SUR"	"SJM"	"SWE"	"CHE"
"SYR"	"TWN"	"TJK"	"TZA"	"THA"	"TLS"	"TGO"	"TKL"
"TON"	"TTO"	"TUN"	"TUR"	"TKM"	"TCA"	"TUV"	"UGA"
"UKR"	"ARE"	"GBR"	"USA"	"UMI"	"URY"	"UZB"	"VUT"
"VEN"	"VNM"	"VGB"	"VIR"	"WLF"	"ESH"	"YEM"	"ZMB"
"ZWE"							

type
required

string
Enum: "RESIDENTIAL_OR_BUSINESS" "RESIDENTIAL" "BUSINESS"
"REGISTERED_OFFICE" "UNSPECIFIED"
"RESIDENT_OR_BUSINESS_FOREIGN" "RESIDENTIAL_FOREIGN"
"BUSINESS_FOREIGN" "REGISTERED_OFFICE_FOREIGN"
"UNSPECIFIED_FOREIGN"

district

string

Responses

— 201 Created

POST /address

Request samples

Payload

Content type
application/json

Copy

```
{
  "line1": "stringstri",
  "line2": "stringstri",
  "line3": "stringstri",
  "city": "string",
  "state": "string",
  "postal_code": "string",
  "country": "AFG",
  "type": "RESIDENTIAL_OR_BUSINESS",
  "district": "string"
}
```

Auto-generated stub for PATCH /address/{id}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id
required integer

REQUEST BODY SCHEMA: application/json
required

line1	string [10 .. 40] characters
line2	string [10 .. 40] characters
line3	string [10 .. 40] characters
city	string >= 2 characters
state	string >= 2 characters
postal_code	string >= 3 characters
country	string Enum: "AFG" "ALA" "ALB" "DZA" "ASM" "AND" "AGO" "AIA" "ATA" "ATG" "ARG" "ARM" "ABW" "AUS" "AUT" "AZE" "BHS" "BHR" "BGD" "BRB" "BLR" "BEL" "BLZ" "BEN"

"BMU"	"BTN"	"BOL"	"BES"	"BIH"	"BWA"	"BVT"	"BRA"
"IOT"	"BRN"	"BGR"	"BFA"	"BDI"	"CPV"	"KHM"	"CMR"
"CAN"	"CYM"	"CAF"	"TCD"	"CHL"	"CHN"	"CXR"	"CCK"
"COL"	"COM"	"COG"	"COD"	"COK"	"CRI"	"CIV"	"HRV"
"CUB"	"CUW"	"CYP"	"CZE"	"DNK"	"DJI"	"DMA"	"DOM"
"ECU"	"EGY"	"SLV"	"GNQ"	"ERI"	"EST"	"SWZ"	"ETH"
"FLK"	"FRO"	"FJI"	"FIN"	"FRA"	"GUF"	"PYF"	"ATF"
"GAB"	"GMB"	"GEO"	"DEU"	"GHA"	"GIB"	"GRC"	"GRL"
"GRD"	"GLP"	"GUM"	"GTM"	"GGY"	"GIN"	"GNB"	"GUY"
"HTI"	"HMD"	"VAT"	"HND"	"HKG"	"HUN"	"ISL"	"IND"
"IDN"	"IRN"	"IRQ"	"IRL"	"IMN"	"ISR"	"ITA"	"JAM"
"JPN"	"JEY"	"JOR"	"KAZ"	"KEN"	"KIR"	"PRK"	"KOR"
"KWT"	"KGZ"	"LAO"	"LVA"	"LBN"	"LSO"	"LBR"	"LBY"
"LIE"	"LTU"	"LUX"	"MAC"	"MDG"	"MWI"	"MYS"	"MDV"
"MLI"	"MLT"	"MHL"	"MTQ"	"MRT"	"MUS"	"MYT"	"MEX"
"FSM"	"MDA"	"MCO"	"MNG"	"MNE"	"MSR"	"MAR"	"MOZ"
"MMR"	"NAM"	"NRU"	"NPL"	"NLD"	"NCL"	"NZL"	"NIC"
"NER"	"NGA"	"NIU"	"NFK"	"MKD"	"MNP"	"NOR"	"OMN"
"PAK"	"PLW"	"PSE"	"PAN"	"PNG"	"PRY"	"PER"	"PHL"
"PCN"	"POL"	"PRT"	"PRI"	"QAT"	"REU"	"ROU"	"RUS"
"RWA"	"BLM"	"SHN"	"KNA"	"LCA"	"MAF"	"SPM"	"VCT"
"WSM"	"SMR"	"STP"	"SAU"	"SEN"	"SRB"	"SYC"	"SLE"
"SGP"	"SXM"	"SVK"	"SVN"	"SLB"	"SOM"	"ZAF"	"SGS"
"SSD"	"ESP"	"LKA"	"SDN"	"SUR"	"SJM"	"SWE"	"CHE"
"SYR"	"TWN"	"TJK"	"TZA"	"THA"	"TLS"	"TGO"	"TKL"
"TON"	"TTO"	"TUN"	"TUR"	"TKM"	"TCA"	"TUV"	"UGA"
"UKR"	"ARE"	"GBR"	"USA"	"UMI"	"URY"	"UZB"	"VUT"
"VEN"	"VNM"	"VGB"	"VIR"	"WLF"	"ESH"	"YEM"	"ZMB"
"ZWE"							

type

string

Enum: "RESIDENTIAL_OR_BUSINESS" "RESIDENTIAL" "BUSINESS" "REGISTERED_OFFICE" "UNSPECIFIED" "RESIDENT_OR_BUSINESS_FOREIGN" "RESIDENTIAL_FOREIGN" "BUSINESS_FOREIGN" "REGISTERED_OFFICE_FOREIGN" "UNSPECIFIED_FOREIGN"

district

string

Responses

— 200 Success

PATCH /address/{id}

Request samples

Payload

Content type
application/json

Copy

```
{
  "line1": "stringstri",
  "line2": "stringstri",
  "line3": "stringstri",
  "city": "string",
  "state": "string",
  "postal_code": "string",
  "country": "AFG",
  "type": "RESIDENTIAL_OR_BUSINESS",
  "district": "string"
}
```

advisor

Auto-generated stub for POST /advisor/threads

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

investorId required	string
partnerId required	string

title

string [1 .. 500] characters

Responses

— 201 Created

POST /advisor/threads

Request samples

Payload

Content type
application/json

Copy

```
{
  "investorId": "string",
  "partnerId": "string",
  "title": "string"
}
```

Auto-generated stub for GET /advisor/threads

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

investorId	string
partnerId	string
limit	number
offset	number

q	string
status	string
sortBy	string
sortOrder	string

Responses

— 200 Success

GET /advisor/threads

Auto-generated stub for GET /advisor/threads/{threadId}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

threadId required	integer
----------------------	---------

Responses

— 200 Success

GET /advisor/threads/{threadId}

Auto-generated stub for PATCH /advisor/threads/{threadId}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

threadId required	integer
----------------------	---------

REQUEST BODY SCHEMA: application/json
required

title required	string [1 .. 120] characters
-------------------	--------------------------------

Responses

— 200 Success

PATCH /advisor/threads/{threadId}

Request samples

Payload

Content type
application/json

Copy

```
{
  "title": "string"
}
```

Auto-generated stub for DELETE /advisor/threads/{threadId}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

threadId required	integer
----------------------	---------

Responses

— 200 Success

DELETE /advisor/threads/{threadId}

Auto-generated stub for POST /advisor/chat/stream

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

threadId required	string
message required	string [1 .. 10000] characters
serverScope required	string
investorId	string
allowMutations	boolean

Responses

— 201 Created

POST /advisor/chat/stream

Request samples

Payload

Content type
application/json

Copy

```
{
  "threadId": "string",
  "message": "string",
  "serverScope": "string",
  "investorId": "string",
  "allowMutations": true
}
```

Auto-generated stub for GET /advisor/threads/{threadId}/events

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

threadId required	integer
----------------------	---------

QUERY PARAMETERS

limit	number
offset	number

before_seq	number
------------	--------

types	string
-------	--------

Responses

— 200 Success

GET /advisor/threads/{threadId}/events

Auto-generated stub for GET /advisor/settings/{investorId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

investorId required	integer
------------------------	---------

Responses

— 200 Success

GET /advisor/settings/{investorId}

Auto-generated stub for POST /advisor/settings/{investorId}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

investorId	integer
required	

REQUEST BODY SCHEMA: application/json
required

modelProvider	string
modelName	string
maxTurns	number
maxTokens	number
timeoutMs	number

Responses

— 201 Created

POST /advisor/settings/{investorId}

Request samples

Payload

Content type
application/json

Copy

```
{  
  "modelProvider": "string",  
  "modelName": "string",  
  "maxTurns": 1,  
  "maxTokens": 1,  
  "timeoutMs": 1
```

```
"modelName": "string",
"maxTurns": 0,
"maxTokens": 0,
"timeoutMs": 0
}
```

Auto-generated stub for GET /advisor/investors

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

partnerId required	string
search	string
limit	number
offset	number

Responses

— 200 Success

GET /advisor/investors

Auto-generated stub for GET /advisor/investors/{investorId}/details

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

investorId

required

integer

Responses

— 200 Success

GET /advisor/investors/{investorId}/details

agent

Auto-generated stub for POST /agent/chat

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

message	string	<= 5000 characters
server_scope	string	
investor_id	string	
allow_mutations	boolean	
debug	boolean	

Responses

— 201 Created

POST /agent/chat

Request samples

Payload

Content type
application/json

Copy

```
{
  "message": "string",
  "server_scope": "string",
  "investor_id": "string",
  "allow_mutations": true,
  "debug": true
}
```

Auto-generated stub for GET /agent/mcp/discover

AUTHORIZATIONS: > ALL_ROLES

Responses

— 200 Success

GET /agent/mcp/discover

Auto-generated stub for GET /agent/mcp/servers/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
<i>required</i>	

Responses

— 200 Success

GET /agent/mcp/servers/{id}

Auto-generated stub for GET /agent/mcp/servers/{id}/tools

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
<i>required</i>	

Responses

— 200 Success

GET /agent/mcp/servers/{id}/tools

Auto-generated stub for POST /agent/evals/evaluate

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /agent/evals/evaluate

Auto-generated stub for POST /agent/evals/compare

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /agent/evals/compare

Auto-generated stub for POST /agent/evals/playground/session

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /agent/evals/playground/session

Auto-generated stub for POST /agent/evals/playground/session/{id}/evaluate

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

POST /agent/evals/playground/session/{id}/evaluate

Auto-generated stub for GET /agent/evals/playground/session/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— 200 Success

GET /agent/evals/playground/session/{id}

Auto-generated stub for POST /agent/evals/threads/{threadId}/evaluate

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

threadId required	integer
----------------------	---------

Responses

— 200 Success

POST /agent/evals/threads/{threadId}/evaluate

Auto-generated stub for POST /agent/evals/tools/analyze

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /agent/evals/tools/analyze

amc_factsheet

Auto-generated stub for GET /amc_factsheet/history

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /amc_factsheet/history

Auto-generated stub for GET /amc_factsheet/history/{snapshotId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

snapshotId	integer
<i>required</i>	

Responses

— **200** Success

GET /amc_factsheet/history/{snapshotId}

amc_portfolio_disclosure

Auto-generated stub for GET /amc_portfolio_disclosure

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /amc_portfolio_disclosure

Auto-generated stub for GET /amc_portfolio_disclosure/months

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

isin	string
required	

Responses

— 200 Success

GET /amc_portfolio_disclosure/months

Auto-generated stub for GET /amc_portfolio_disclosure/scheme/{isin}/holding-changes

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

isin
required

integer

QUERY PARAMETERS

period

string

bucket

string

Responses

— 200 Success

GET /amc_portfolio_disclosure/scheme/{isin}/holding-changes

Auto-generated stub for GET /amc_portfolio_disclosure/{disclosureId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

disclosureId
required

integer

Responses

— 200 Success

GET /amc_portfolio_disclosure/{disclosureId}

amfi_nfo

Auto-generated stub for GET /amfi_nfo

AUTHORIZATIONS: > None

Responses

— 200 Success

GET /amfi_nfo

Auto-generated stub for GET /amfi_nfo/{scheme_id}

AUTHORIZATIONS: > None

PATH PARAMETERS

scheme_id required	integer
-----------------------	---------

Responses

— 200 Success

GET /amfi_nfo/{scheme_id}

artifacts

Auto-generated stub for GET /artifacts

AUTHORIZATIONS: > *PARTNER*

Responses

— 200 Success

GET /artifacts

aum

Auto-generated stub for POST /aum_report_data

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

POST /aum_report_data

Auto-generated stub for POST /aum/drilldown

AUTHORIZATIONS: > ADMIN_PARTNER

Responses

— 200 Success

POST /aum/drilldown

Auto-generated stub for POST /aum/drilldown_by_category

AUTHORIZATIONS: > ADMIN_PARTNER

Responses

— 200 Success

POST /aum/drilldown_by_category

Auto-generated stub for POST /aum/drilldown_for_chart

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— **200** Success

POST /aum/drilldown_for_chart

Auto-generated stub for POST /aum/get_clients

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— **200** Success

POST /aum/get_clients

Auto-generated stub for POST /aum/get_graph_drilldown

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

POST /aum/get_graph_drilldown

Auto-generated stub for POST /aum/get_transaction_details

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

POST /aum/get_transaction_details

Auto-generated stub for POST /aum/growth

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

POST /aum/growth

Auto-generated stub for POST /aum/growth_by_category

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

POST /aum/growth_by_category

Auto-generated stub for POST /aum/investor_report_data

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

POST /aum/investor_report_data

Auto-generated stub for POST /aum/overview

AUTHORIZATIONS: > ADMIN_PARTNER

Responses

— 200 Success

POST /aum/overview

Auto-generated stub for POST /aum/recent_transactions

AUTHORIZATIONS: > ADMIN_PARTNER

Responses

— 200 Success

POST /aum/recent_transactions

auth

Auto-generated stub for POST /user/signup

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

name	string ^[A-Za-z]+(?:\s[A-Za-z]+)*\$
arn required	string
email required	string ^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\$
mobile required	string
partner_type	string Enum: "MFD" "RIA"
password required	string
confirm_password required	string

Responses

— 201 Created

POST /user/signup

Request samples

Payload

Content type
application/json

Copy

```
{
  "name": "^A(?:\\sA)*$",
  "arn": "string",
  "email": "^A@A\\.A{2,}$",
  "mobile": "string",
  "partner_type": "MFD",
  "password": "string",
  "confirm_password": "string"
}
```

Auto-generated stub for POST /user/login

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

identifier required	string
password required	string

Responses

— 200 Success

POST /user/login

Request samples

Payload

Content type
application/json

Copy

```
{
  "identifier": "string",
  "password": "string"
}
```

Auto-generated stub for POST /user/google_login

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

id_token required	string
partner_id	string

Responses

— 201 Created

POST /user/google_login

Request samples

Payload

Content type

application/json

Copy

```
{
  "id_token": "string",
  "partner_id": "string"
}
```

Auto-generated stub for PATCH /user/update_password

AUTHORIZATIONS: > INVESTOR

REQUEST BODY SCHEMA: application/json
required

old_password required	string
new_password required	string

Responses

— 200 Success

PATCH /user/update_password

Request samples

Payload

Content type

application/json

Copy


```
{
  "old_password": "string",
  "new_password": "string"
}
```

Auto-generated stub for POST /user/reset_password

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

otp_id required	string
otp required	string
password required	string

Responses

— 201 Created

POST /user/reset_password

Request samples

Payload

Content type
application/json

Copy

```
{
  "otp_id": "string",
  "otp": "string",

```

```
"password": "string"
}
```

Auto-generated stub for POST /user/set_password

AUTHORIZATIONS: > *INVESTOR*

REQUEST BODY SCHEMA: application/json
required

otp_id required	string
otp required	string
password required	string

Responses

— 201 Created

POST /user/set_password

Request samples

Payload

Content type
application/json

Copy

```
{  
  "otp_id": "string",  
  "otp": "string",  
  "password": "string"  
}
```

b2b_leads

Auto-generated stub for GET /b2b_leads/list

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /b2b_leads/list

Auto-generated stub for POST /b2b_leads

AUTHORIZATIONS: > *ALL_ROLES*

REQUEST BODY SCHEMA: application/json
required

name required	string [1 .. 200] characters
email	string <= 254 characters

phone	string	<= 32 characters
company	string	<= 200 characters
source	string	
source_detail	string	<= 300 characters
stage	string	
next_followup_at	string	^\d{4}-\d{2}-\d{2}\$
notes	string	<= 2000 characters
cal_booking_id	string	<= 100 characters

Responses

— 201 Created

POST /b2b_leads

Request samples

Payload

Content type
application/json

Copy

```
{
  "name": "string",
  "email": "string",
  "phone": "string",
  "company": "string",
  "source": "string",
  "source_detail": "string",
  "stage": "string",
  "next_followup_at": "^\d{4}-\d{2}-\d{2}$",
  "notes": "string",
```

```
"cal_booking_id": "string"
}
```

Auto-generated stub for PATCH /b2b_leads/{id}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id	integer
required	

REQUEST BODY SCHEMA: application/json
required

name	string	[1 .. 200] characters
email	string	<= 254 characters
phone	string	<= 32 characters
company	string	<= 200 characters
stage	string	
next_followup_at	string	^\d{4}-\d{2}-\d{2}\$
notes	string	<= 2000 characters

Responses

— 200 Success

PATCH /b2b_leads/{id}

Request samples

Payload

Content type

application/json

Copy

```
{
  "name": "string",
  "email": "string",
  "phone": "string",
  "company": "string",
  "stage": "string",
  "next_followup_at": "^\\dddd-\\dd-\\dd$",
  "notes": "string"
}
```

Auto-generated stub for DELETE /b2b_leads/{id}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

DELETE /b2b_leads/{id}

Auto-generated stub for POST /b2b_leads/import_cal

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /b2b_leads/import_cal

bank_account

Auto-generated stub for POST /bank_account

AUTHORIZATIONS: > *ALL_ROLES*

REQUEST BODY SCHEMA: application/json
required

account_holder_name required	string [3 .. 50] characters ^[A-Za-z]+(?:\s[A-Za-z]+)*\$
account_number required	string ^[0-9]{9,18}\$
ifsc_code required	string ^[A-Z]{4}0[A-Z0-9]{6}\$
bank_type required	string Enum: "SAVINGS_BANK" "CURRENT_BANK" "NRE" "NRO"
bank_owner required	string Enum: "SELF" "GUARDIAN"
branch_name	string [2 .. 50] characters
bank_name	string [2 .. 50] characters

branch_address	string	[5 .. 500] characters
branch_contact_number	string	
branch_city	string	<= 50 characters
branch_district	string	<= 50 characters
branch_state	string	<= 50 characters
cancelled_cheque_id	string	

Responses

— 201 Created

POST /bank_account

Request samples

Payload

Content type
application/json

Copy

```
{
  "account_holder_name": "^A(?:\\sA)*$",
  "account_number": "^000000000$",
  "ifsc_code": "^AAAA0AAAAA$",
  "bank_type": "SAVINGS_BANK",
  "bank_owner": "SELF",
  "branch_name": "string",
  "bank_name": "string",
  "branch_address": "string",
  "branch_contact_number": "string",
  "branch_city": "string",
  "branch_district": "string",
  "branch_state": "string",
  "cancelled_cheque_id": "string"
```


}

Auto-generated stub for PATCH /bank_account/{id}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id integer
required

REQUEST BODY SCHEMA: application/json
required

account_holder_name	string [3 .. 50] characters ^[A-Za-z]+(?:\s[A-Za-z]+)*\$
account_number	string ^[0-9]{9,18}\$
ifsc_code	string ^[A-Z]{4}0[A-Z0-9]{6}\$
bank_type	string Enum: "SAVINGS_BANK" "CURRENT_BANK" "NRE" "NRO"
bank_owner	string Enum: "SELF" "GUARDIAN"
branch_name	string [2 .. 50] characters
bank_name	string [2 .. 50] characters
branch_address	string [5 .. 500] characters
branch_contact_number	string
branch_city	string <= 50 characters
branch_district	string <= 50 characters
branch_state	string <= 50 characters
cancelled_cheque_id	string

Responses

— 200 Success

PATCH /bank_account/{id}

Request samples

Payload

Content type
application/json

Copy

```
{
  "account_holder_name": "^A(?:\\sA)*$",
  "account_number": "^000000000$",
  "ifsc_code": "AAAA0AAAAA$",
  "bank_type": "SAVINGS_BANK",
  "bank_owner": "SELF",
  "branch_name": "string",
  "bank_name": "string",
  "branch_address": "string",
  "branch_contact_number": "string",
  "branch_city": "string",
  "branch_district": "string",
  "branch_state": "string",
  "cancelled_cheque_id": "string"
}
```

Auto-generated stub for DELETE /bank_account/{id}

AUTHORIZATIONS: > INVESTOR

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

DELETE /bank_account/{id}

Auto-generated stub for GET /bank_account/payment_options

AUTHORIZATIONS: > *INVESTOR*

Responses

— 200 Success

GET /bank_account/payment_options

Auto-generated stub for GET /bank_account/all

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /bank_account/all

billing

Auto-generated stub for GET /billing/products

AUTHORIZATIONS: > ADMIN

Responses

— 200 Success

GET /billing/products

Auto-generated stub for POST /billing/products

AUTHORIZATIONS: > ADMIN

REQUEST BODY SCHEMA: application/json
required

product_key required	string
display_name required	string
billing_model required	string

standard_price_paise number >= 0 characters
required

Responses

— 201 Created

POST /billing/products

Request samples

Payload

Content type
application/json

Copy

```
{
  "product_key": "string",
  "display_name": "string",
  "billing_model": "string",
  "standard_price_paise": 0
}
```

Auto-generated stub for GET /billing/partners/{partner_id}/subscriptions

AUTHORIZATIONS: > ADMIN

PATH PARAMETERS

partner_id integer
required

Responses

— 200 Success

GET /billing/partners/{partner_id}/subscriptions

Auto-generated stub for POST /billing/partners/{partner_id}/subscriptions

AUTHORIZATIONS: > ADMIN

PATH PARAMETERS

partner_id required	integer
------------------------	---------

REQUEST BODY SCHEMA: application/json
required

product_key required	string
subscription_start_date required	string
trial_ends_at	string
custom_price_rupees	number [0 .. 1000000] characters

Responses

— 201 Created

POST /billing/partners/{partner_id}/subscriptions

Request samples

Payload

Content type

application/json

Copy

```
{
  "product_key": "string",
  "subscription_start_date": "string",
  "trial_ends_at": "string",
  "custom_price_rupees": 0
}
```

Auto-generated stub for PATCH
/billing/partners/{partner_id}/subscriptions/{subscription_id}

AUTHORIZATIONS: > ADMIN

PATH PARAMETERS

partner_id	integer
required	

REQUEST BODY SCHEMA: application/json
required

custom_price_rupees	number	[0 .. 1000000] characters
trial_ends_at	string	
status	string	

Responses

— 200 Success

PATCH /billing/partners/{partner_id}/subscriptions/{subscription_id}

Request samples

Payload

Content type

application/json

Copy

```
{
  "custom_price_rupees": 0,
  "trial_ends_at": "string",
  "status": "string"
}
```

Auto-generated stub for GET /billing/invoices

AUTHORIZATIONS: > *ADMIN* or *PARTNER*

Responses

— 200 Success

GET /billing/invoices

Auto-generated stub for PATCH /billing/invoices/{invoice_id}/mark-paid

AUTHORIZATIONS: > *ADMIN*

PATH PARAMETERS

<code>invoice_id</code> <code>required</code>	<code>integer</code>
--	----------------------

REQUEST BODY SCHEMA: `application/json`
`required`

<code>payment_date</code> <code>required</code>	<code>string</code>
--	---------------------

<code>notes</code>	<code>string</code>
--------------------	---------------------

Responses

— 200 Success

PATCH `/billing/invoices/{invoice_id}/mark-paid`

Request samples

Payload

Content type
`application/json`

Copy

```
{
  "payment_date": "string",
  "notes": "string"
}
```

Auto-generated stub for POST
`/billing/invoices/{invoice_id}/retry-payment`

AUTHORIZATIONS: > ADMIN

PATH PARAMETERS

invoice_id required	integer
------------------------	---------

Responses

— 200 Success

POST /billing/invoices/{invoice_id}/retry-payment

Auto-generated stub for GET /billing/invoices/{invoice_id}/pdf

AUTHORIZATIONS: > *ADMIN* or *PARTNER*

PATH PARAMETERS

invoice_id required	integer
------------------------	---------

invoice_id required	integer
------------------------	---------

Responses

— 200 Success

GET /billing/invoices/{invoice_id}/pdf

Auto-generated stub for GET /billing/wallets/reconcile

AUTHORIZATIONS: > *ADMIN*

Responses

— **200** Success

GET /billing/wallets/reconcile

Auto-generated stub for GET /billing/developers/keys

AUTHORIZATIONS: > *ADMIN*

Responses

— **200** Success

GET /billing/developers/keys

Auto-generated stub for POST /billing/developers/keys/{key_id}/revoke

AUTHORIZATIONS: > *ADMIN*

PATH PARAMETERS

<code>key_id</code> <code>required</code>	integer
--	---------

Responses

— **200** Success

POST `/billing/developers/keys/{key_id}/revoke`

Auto-generated stub for GET `/billing/developers/keys/{key_id}/usage`

AUTHORIZATIONS: > *ADMIN*

PATH PARAMETERS

<code>key_id</code> <code>required</code>	integer
--	---------

Responses

— **200** Success

GET `/billing/developers/keys/{key_id}/usage`

Auto-generated stub for GET /billing/wallet/balance

AUTHORIZATIONS: > *PARTNER*

Responses

— 200 Success

GET /billing/wallet/balance

Auto-generated stub for POST /billing/wallet/create-topup

AUTHORIZATIONS: > *PARTNER*

REQUEST BODY SCHEMA: application/json
required

amount_paise required	number [10000 .. 100000000] characters
--------------------------	--

description	string
-------------	--------

Responses

— 201 Created

POST /billing/wallet/create-topup

Request samples

Payload**Content type**

application/json

Copy

```
{
  "amount_paise": 0,
  "description": "string"
}
```

Auto-generated stub for GET /billing/wallet/transactions

AUTHORIZATIONS: > *PARTNER*

Responses

— **200** Success

GET /billing/wallet/transactions

Auto-generated stub for GET /billing/subscriptions

AUTHORIZATIONS: > *PARTNER*

Responses

— **200** Success

GET /billing/subscriptions

Auto-generated stub for POST /billing/razorpay

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /billing/razorpay

Auto-generated stub for POST /billing

AUTHORIZATIONS: > *PARTNER*

REQUEST BODY SCHEMA: application/json
required

tier	string
required	

Responses

— 201 Created

POST /billing

Request samples

Payload

Content type
application/json

Copy

```
{  
  "tier": "string"  
}
```

Auto-generated stub for GET /billing

AUTHORIZATIONS: > *PARTNER*

Responses

— 200 Success

GET /billing

Auto-generated stub for POST /billing/{key_id}/rotate

AUTHORIZATIONS: > *PARTNER*

PATH PARAMETERS

key_id
required

integer

Responses

— 200 Success

POST /billing/{key_id}/rotate

Auto-generated stub for POST /billing/{key_id}/revoke

AUTHORIZATIONS: > PARTNER

PATH PARAMETERS

key_id
required

integer

Responses

— 200 Success

POST /billing/{key_id}/revoke

Auto-generated stub for GET /billing/market/indices

AUTHORIZATIONS: > ALL_ROLES

Responses

— 200 Success

GET /billing/market/indices

Auto-generated stub for GET /billing/market/fii-dii

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /billing/market/fii-dii

Auto-generated stub for GET /billing/scheme/amcs

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /billing/scheme/amcs

Auto-generated stub for GET /billing/scheme/filter-options

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /billing/scheme/filter-options

Auto-generated stub for GET /billing/scheme/factsheet/{isin}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

isin
required

integer

Responses

— 200 Success

GET /billing/scheme/factsheet/{isin}

Auto-generated stub for GET /billing/scheme/mf-data/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— **200** Success

GET /billing/scheme/mf-data/{id}

Auto-generated stub for GET /billing/scheme/{id}/related

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /billing/scheme/{id}/related

Auto-generated stub for GET /billing/scheme/{id}/holding-changes

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /billing/scheme/{id}/holding-changes

Auto-generated stub for GET /billing/scheme/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /billing/scheme/{id}

Auto-generated stub for GET /billing/scheme

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /billing/scheme

Auto-generated stub for GET /billing/nav/amfi/{amfi_code}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

amfi_code	integer
required	

Responses

— 200 Success

GET /billing/nav/amfi/{amfi_code}

Auto-generated stub for GET /billing/nav/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /billing/nav/{id}

Auto-generated stub for GET /billing/amc_factsheet/history/{snapshotId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

snapshotId	integer
required	

Responses

— 200 Success

```
GET /billing/amc_factsheet/history/{snapshotId}
```

Auto-generated stub for GET
/billing/amc_factsheet/history

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

```
GET /billing/amc_factsheet/history
```

Auto-generated stub for GET
/billing/amc_portfolio_disclosure/months

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /billing/amc_portfolio_disclosure/months

Auto-generated stub for GET /billing/amc_portfolio_disclosure/scheme/{isin}/holding- changes

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

isin required	integer
------------------	---------

Responses

— 200 Success

GET /billing/amc_portfolio_disclosure/scheme/{isin}/holding-changes

Auto-generated stub for GET /billing/amc_portfolio_disclosure/{disclosureId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

disclosureId required	integer
--------------------------	---------

Responses

— 200 Success

```
GET    /billing/amc_portfolio_disclosure/{disclosureId}
```

Auto-generated stub for GET
/billing/amc_portfolio_disclosure

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

```
GET    /billing/amc_portfolio_disclosure
```

broker

Auto-generated stub for GET /broker/{broker}/callback

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

broker required	integer
--------------------	---------

Responses

— 200 Success

GET /broker/{broker}/callback

Auto-generated stub for GET /broker/{broker}/auth

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

broker required	integer
--------------------	---------

Responses

— 200 Success

GET /broker/{broker}/auth

Auto-generated stub for POST /broker/{broker}/import

[AUTHORIZATIONS:](#) >*INVESTOR*PATH PARAMETERS

broker
required

integer

Responses

— 200 Success

POST /broker/{broker}/import

bse_index

Auto-generated stub for GET /bse_index/indices

[AUTHORIZATIONS:](#) >*ALL_ROLES*QUERY PARAMETERS

type

string

Responses

— 200 Success

GET /bse_index/indices

Auto-generated stub for GET /bse_index/ohlcv

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /bse_index/ohlcv

Auto-generated stub for GET /bse_index/latest

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

indexCode	string
required	

Responses

— 200 Success

GET /bse_index/latest

bucket

Auto-generated stub for POST /bucket

AUTHORIZATIONS: > PARTNER

REQUEST BODY SCHEMA: application/json
required

title required	string >= 3 characters
description required	string >= 5 characters
risk_level required	string Enum: "HIGHLY_CONSERVATIVE" "CONSERVATIVE" "MODERATE" "AGGRESSIVE" "HIGHLY_AGGRESSIVE"
investment_mode required	string Enum: "SIP" "LUMPSUM"
is_recommended	boolean
rebalance_threshold	number <= 100 characters
schemes	Array of objects
scheme_id required	string
allocation_perc required	number [1 .. 100] characters

Responses

— 201 Created

POST /bucket

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all

```
{
  "title": "string",
  "description": "string",
  "risk_level": "HIGHLY_CONSERVATIVE",
  "investment_mode": "SIP",
  "is_recommended": true,
  "rebalance_threshold": 0,
  - "schemes": [
    { }
  ],
  "scheme_id": "string",
  "allocation_perc": 0
}
```

Auto-generated stub for GET /bucket

AUTHORIZATIONS: > ALL_ROLES

Responses

— 200 Success

GET /bucket

Auto-generated stub for PATCH /bucket

AUTHORIZATIONS: > PARTNER

REQUEST BODY SCHEMA: application/json
required

bank_account_id	string
payment_mode	string Enum: "UPI" "MANDATE" "NETBANKING"
upi	string ^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\$
mandate_id	string

Responses

— 200 Success

PATCH /bucket

Request samples

Payload

Content type
application/json

Copy

```
{
  "bank_account_id": "string",
  "payment_mode": "UPI",
```



```
"upi": "^a@a$",  
"mandate_id": "string"  
}
```

Auto-generated stub for DELETE /bucket/{id}

AUTHORIZATIONS: > PARTNER

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— 200 Success

DELETE /bucket/{id}

Auto-generated stub for POST /bucket/{id}/purchase

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id required	integer
----------------	---------

REQUEST BODY SCHEMA: application/json
required

amount required	number
ninstallments	number

start_date

string

Responses

— 201 Created

POST /bucket/{id}/purchase

Request samples

Payload

Content type
application/json

Copy

```
{
  "amount": 0,
  "ninstallments": 0,
  "start_date": "string"
}
```

Auto-generated stub for GET /bucket/{id}/performance

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id
required

integer

Responses

— 200 Success

GET /bucket/{id}/performance

Auto-generated stub for GET /bucket/{id}/investor-performance

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /bucket/{id}/investor-performance

Auto-generated stub for GET /bucket/rebalance/watchlist

AUTHORIZATIONS: > *PARTNER*

Responses

— 200 Success

GET /bucket/rebalance/watchlist

Auto-generated stub for GET /bucket/{id}/rebalance/check

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /bucket/{id}/rebalance/check

Auto-generated stub for POST /bucket/{id}/rebalance/cart

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

REQUEST BODY SCHEMA: application/json
required

replace_existing boolean

Responses

— 201 Created

POST /bucket/{id}/rebalance/cart

Request samples

Payload

Content type
application/json

Copy

```
{
  "replace_existing": true
}
```

Auto-generated stub for POST /bucket/{id}/rebalance/exec

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id	integer
required	

REQUEST BODY SCHEMA: application/json
required

bank_account_id	string
payment_mode	string
Enum:	"UPI" "MANDATE" "NETBANKING"

upi	string <code>^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\$</code>
mandate_id	string

Responses

— 201 Created

POST `/bucket/{id}/rebalance/exec`

Request samples

Payload

Content type
application/json

Copy

```
{
  "bank_account_id": "string",
  "payment_mode": "UPI",
  "upi": "^a@a$",
  "mandate_id": "string"
}
```

cal_booking

Auto-generated stub for POST /cal_booking/save

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json

required

booking_uid	string	<= 120 characters
name	string	[1 .. 200] characters
email	string	<= 254 characters
phone	string	<= 32 characters
event_title	string	<= 200 characters
event_type_id	number	
start_time	string	
end_time	string	
attendees_count	number	non-empty
raw_payload	string	

Responses

— 201 Created

POST /cal_booking/save

Request samples

Payload

Content type
application/json

Copy

```
{
  "booking_uid": "string",
  "name": "string",
  "email": "string",
```

```
"phone": "string",  
"event_title": "string",  
"event_type_id": 0,  
"start_time": "string",  
"end_time": "string",  
"attendees_count": 0,  
"raw_payload": "string"  
}
```

Auto-generated stub for POST /cal_booking/webhook

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /cal_booking/webhook

Auto-generated stub for GET /cal_booking/list

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /cal_booking/list

Auto-generated stub for POST /cal_booking/sync

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

POST /cal_booking/sync

cart

Auto-generated stub for GET /cart

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /cart

Auto-generated stub for POST /cart

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

type required	string Enum: "ORDER" "SXP"
amount required	number
scheme_id required	string
dest_scheme_id	string
order_type	string Enum: "PURCHASE" "REDEMPTION" "SWITCH"
folio	string
is_external	boolean
is_units	boolean
freq	string Enum: "MONTHLY" "WEEKLY" "DAILY" "FORTNIGHTLY" "QUARTERLY" "HALF_YEARLY" "YEARLY"
end_date	string
parent_sxp_id	string
sxp_type	string Enum: "SIP" "SWP" "STP" "TOPUP" "SPROD"
ninstallments	number
start_date	string

first_order_today	boolean
bucket_id	string
bucket_version	number
target_percentage	number

Responses

— 201 Created

POST /cart

Request samples

Payload

Content type
application/json

Copy

```
{
  "type": "ORDER",
  "amount": 0,
  "scheme_id": "string",
  "dest_scheme_id": "string",
  "order_type": "PURCHASE",
  "folio": "string",
  "is_external": true,
  "is_units": true,
  "freq": "MONTHLY",
  "end_date": "string",
  "parent_sxp_id": "string",
  "sxp_type": "SIP",
  "ninstallments": 0,
  "start_date": "string",
  "first_order_today": true,
  "bucket_id": "string",
```

```
"bucket_version": 0,
"target_percentage": 0
}
```

Auto-generated stub for POST /cart/preview

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

type required	string Enum: "ORDER" "SXP"
amount required	number
scheme_id required	string
dest_scheme_id	string
order_type	string Enum: "PURCHASE" "REDEMPTION" "SWITCH"
folio	string
is_external	boolean
is_units	boolean
freq	string Enum: "MONTHLY" "WEEKLY" "DAILY" "FORTNIGHTLY" "QUARTERLY" "HALF_YEARLY" "YEARLY"
end_date	string
parent_sxp_id	string
sxp_type	string Enum: "SIP" "SWP" "STP" "TOPUP" "SPROD"
ninstallments	number
start_date	string

first_order_today	boolean
bucket_id	string
bucket_version	number
target_percentage	number

Responses

— 201 Created

POST /cart/preview

Request samples

Payload

Content type
application/json

Copy

```
{
  "type": "ORDER",
  "amount": 0,
  "scheme_id": "string",
  "dest_scheme_id": "string",
  "order_type": "PURCHASE",
  "folio": "string",
  "is_external": true,
  "is_units": true,
  "freq": "MONTHLY",
  "end_date": "string",
  "parent_sxp_id": "string",
  "sxp_type": "SIP",
  "ninstallments": 0,
  "start_date": "string",
  "first_order_today": true,
  "bucket_id": "string",
```

```
"bucket_version": 0,
"target_percentage": 0
}
```

Auto-generated stub for POST /cart/delete

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

cart_ids required	Array of strings	non-empty
----------------------	------------------	-----------

Responses

— 201 Created

POST /cart/delete

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all

```
{
  - "cart_ids": [
    "string"
  ]
}
```

Auto-generated stub for GET /cart/{investorId}/approval_link

AUTHORIZATIONS: > PARTNER

PATH PARAMETERS

investorId required	integer
------------------------	---------

Responses

— 200 Success

GET /cart/{investorId}/approval_link

Auto-generated stub for PATCH /cart/{id}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id required	integer
----------------	---------

REQUEST BODY SCHEMA: application/json
required

type required	string Enum: "ORDER" "SXP"
amount required	number
scheme_id required	string

dest_scheme_id	string
order_type	string Enum: "PURCHASE" "REDEMPTION" "SWITCH"
folio	string
is_external	boolean
is_units	boolean
freq	string Enum: "MONTHLY" "WEEKLY" "DAILY" "FORTNIGHTLY" "QUARTERLY" "HALF_YEARLY" "YEARLY"
end_date	string
parent_sxp_id	string
sxp_type	string Enum: "SIP" "SWP" "STP" "TOPUP" "SPROD"
ninstallments	number
start_date	string
first_order_today	boolean
bucket_id	string
bucket_version	number
target_percentage	number

Responses

— 200 Success

PATCH /cart/{id}

Request samples

Payload

Content type

application/json

Copy

```
{
  "type": "ORDER",
  "amount": 0,
  "scheme_id": "string",
  "dest_scheme_id": "string",
  "order_type": "PURCHASE",
  "folio": "string",
  "is_external": true,
  "is_units": true,
  "freq": "MONTHLY",
  "end_date": "string",
  "parent_sxp_id": "string",
  "sxp_type": "SIP",
  "ninstallments": 0,
  "start_date": "string",
  "first_order_today": true,
  "bucket_id": "string",
  "bucket_version": 0,
  "target_percentage": 0
}
```

Auto-generated stub for DELETE /cart/{id}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

DELETE /cart/{id}

Auto-generated stub for PATCH /cart/bucket/{bucketId}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

bucketId required	integer
----------------------	---------

REQUEST BODY SCHEMA: application/json
required

total_amount required	number
--------------------------	--------

start_date	string
------------	--------

ninstallments	number
---------------	--------

freq	string Enum: "MONTHLY" "WEEKLY" "DAILY" "FORTNIGHTLY" "QUARTERLY" "HALF_YEARLY" "YEARLY"
------	--

end_date	string
----------	--------

first_order_today	boolean
-------------------	---------

Responses

— 200 Success

PATCH /cart/bucket/{bucketId}

Request samples

Payload

Content type
application/json

Copy

```
{
  "total_amount": 0,
  "start_date": "string",
  "ninstallments": 0,
  "freq": "MONTHLY",
  "end_date": "string",
  "first_order_today": true
}
```

Auto-generated stub for DELETE /cart/bucket/{bucketId}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

bucketId	integer
required	

Responses

— 200 Success

DELETE /cart/bucket/{bucketId}

Auto-generated stub for POST /cart/order

AUTHORIZATIONS: > INVESTOR

REQUEST BODY SCHEMA: application/json
required

otp_id required	string
otp required	string
bank_account_id	string
ref_id	string
payment_mode	string Enum: "UPI" "MANDATE" "NETBANKING"
upi	string ^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\$
mandate_id	string

Responses

— 201 Created

POST /cart/order

Request samples

Payload

Content type

application/json

Copy

```
{
  "otp_id": "string",
  "otp": "string",
  "bank_account_id": "string",
  "ref_id": "string",
  "payment_mode": "UPI",
  "upi": "^a@a$",
  "mandate_id": "string"
}
```

Auto-generated stub for POST /cart/payment-test

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /cart/payment-test

cas

Auto-generated stub for POST /cas

AUTHORIZATIONS: > *ALL_ROLES*

REQUEST BODY SCHEMA: application/json
required

password	string
----------	--------

Responses

— 201 Created

POST /cas

Request samples

Payload

Content type
application/json

Copy

```
{
  "password": "string"
}
```

Auto-generated stub for POST /cas/import

AUTHORIZATIONS: > *ALL_ROLES*

REQUEST BODY SCHEMA: application/json
required

password	string
----------	--------

Responses

— 201 Created

POST /cas/import

Request samples

Payload

Content type
application/json

Copy

```
{
  "password": "string"
}
```

Auto-generated stub for POST /cas/ai/parse

AUTHORIZATIONS: > None

REQUEST BODY SCHEMA: application/json
required

password	string
----------	--------

Responses

— 201 Created

POST /cas/ai/parse

Request samples

Payload**Content type**

application/json

Copy

```
{  
  "password": "string"  
}
```

Auto-generated stub for GET /cas/recent-parses

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /cas/recent-parses

Auto-generated stub for POST /cas/format

AUTHORIZATIONS: > *ALL_ROLES*

REQUEST BODY SCHEMA: application/json
required

password	string
----------	--------

Responses

— 201 Created

POST /cas/format

Request samples

Payload

Content type
application/json

Copy

```
{
  "password": "string"
}
```

child_order

Auto-generated stub for GET /child_order

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

limit	number
page	number
investor_id	string
sxp_id	string

Responses

— 200 Success

GET /child_order

Auto-generated stub for GET /child_order/{id}/bse_details

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /child_order/{id}/bse_details

communication_test

Auto-generated stub for POST /communication_test

AUTHORIZATIONS: > *ADMIN_PARTNER*

REQUEST BODY SCHEMA: `application/json`
required

mode	string
partner_id	string
target_phone	string
target_email	string
template_type	string
override_template_id	string
sample_vars	string

Responses

— 201 Created

POST `/communication_test`

Request samples

Payload

Content type
application/json

Copy

```
{  
  "mode": "string",  
  "partner_id": "string",  
  "target_phone": "string",  
  "target_email": "string",  
  "template_type": "string",  
  "override_template_id": "string",  
  "sample_vars": "string"  
}
```

community

Auto-generated stub for POST /community/attachments

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /community/attachments

Auto-generated stub for DELETE /community/attachments/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id
required

integer

Responses

— 200 Success

DELETE /community/attachments/{id}

Auto-generated stub for GET /community/posts/{postId}/attachments

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

postId
required

integer

Responses

— 200 Success

GET /community/posts/{postId}/attachments

Auto-generated stub for GET /community/replies/{replyId}/attachments

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

<code>replyId</code> <i>required</i>	<code>integer</code>
---	----------------------

Responses

— **200** Success

GET /community/replies/{replyId}/attachments

Auto-generated stub for GET /community/leaderboard

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /community/leaderboard

Auto-generated stub for GET /community/notifications

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /community/notifications

Auto-generated stub for GET /community/notifications/unread

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /community/notifications/unread

Auto-generated stub for PUT /community/notifications/read-all

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

PUT /community/notifications/read-all

Auto-generated stub for POST /community/posts/{postId}/follow

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

postId required	integer
--------------------	---------

Responses

— **200** Success

POST /community/posts/{postId}/follow

Auto-generated stub for DELETE /community/posts/{postId}/follow

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

postId required	integer
--------------------	---------

Responses

— 200 Success

DELETE /community/posts/{postId}/follow

Auto-generated stub for GET /community/feed

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /community/feed

Auto-generated stub for GET /community/posts/{postId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

postId
required

integer

Responses

— 200 Success

GET /community/posts/{postId}

Auto-generated stub for PUT /community/posts/{postId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

postId
required

integer

Responses

— 200 Success

PUT /community/posts/{postId}

Auto-generated stub for DELETE /community/posts/{postId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

postId required	integer
--------------------	---------

Responses

— **200** Success

DELETE /community/posts/{postId}

Auto-generated stub for POST /community/posts

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /community/posts

Auto-generated stub for GET /community/members/{userId}/profile

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

userId required	integer
--------------------	---------

Responses

— 200 Success

GET /community/members/{userId}/profile

Auto-generated stub for POST /community/posts/{postId}/reactions

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

postId required	integer
--------------------	---------

Responses

— 200 Success

POST /community/posts/{postId}/reactions

Auto-generated stub for POST /community/replies/{replyId}/reactions

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

<code>replyId</code> <i>required</i>	integer
---	---------

Responses

— **200** Success

POST /community/replies/{replyId}/reactions

Auto-generated stub for GET /community/posts/{postId}/replies

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

<code>postId</code> <i>required</i>	integer
--	---------

Responses

— **200** Success

GET /community/posts/{postId}/replies

Auto-generated stub for POST /community/posts/{postId}/replies

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

postId required	integer
--------------------	---------

Responses

— **200** Success

POST /community/posts/{postId}/replies

Auto-generated stub for PUT /community/replies/{replyId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

replyId required	integer
---------------------	---------

Responses

— 200 Success

PUT /community/replies/{replyId}

Auto-generated stub for DELETE /community/replies/{replyId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

replyId required	integer
---------------------	---------

Responses

— 200 Success

DELETE /community/replies/{replyId}

Auto-generated stub for GET /community/spaces

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /community/spaces

Auto-generated stub for GET /community/spaces/my

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /community/spaces/my

Auto-generated stub for GET /community/spaces/{spaceId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

spaceId	integer
required	

Responses

— 200 Success

GET /community/spaces/{spaceId}

Auto-generated stub for GET /community/tags

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /community/tags

Auto-generated stub for POST /community/tags

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /community/tags

Auto-generated stub for GET /community/tags/search

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /community/tags/search

crm

Auto-generated stub for GET /crm/dashboard/stats

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /crm/dashboard/stats

Auto-generated stub for GET /crm/companies

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /crm/companies

Auto-generated stub for POST /crm/companies

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /crm/companies

Auto-generated stub for GET /crm/companies/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— 200 Success

GET /crm/companies/{id}

Auto-generated stub for PUT /crm/companies/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— 200 Success

PUT /crm/companies/{id}

Auto-generated stub for DELETE /crm/companies/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
<i>required</i>	

Responses

— **200** Success

DELETE /crm/companies/{id}

Auto-generated stub for GET /crm/agreements

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /crm/agreements

Auto-generated stub for POST /crm/agreements

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /crm/agreements

Auto-generated stub for GET /crm/agreements/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /crm/agreements/{id}

Auto-generated stub for PUT /crm/agreements/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
<i>required</i>	

Responses

— **200** Success

PUT /crm/agreements/{id}

Auto-generated stub for DELETE /crm/agreements/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
<i>required</i>	

Responses

— 200 Success

DELETE /crm/agreements/{id}

Auto-generated stub for PATCH /crm/agreements/{id}/status

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

PATCH /crm/agreements/{id}/status

Auto-generated stub for POST /crm/extract-from-emails

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /crm/extract-from-emails

device_price

Auto-generated stub for GET /device_price

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /device_price

Auto-generated stub for POST /device_price/upsert-delta

AUTHORIZATIONS: > *ALL_ROLES*

REQUEST BODY SCHEMA: application/json
required

device_name	string	[1 .. 255] characters
required		

lead_count

number

>= 0 characters

Responses

— 201 Created

POST /device_price/upsert-delta

Request samples

Payload

Content type
application/json

Copy

```
{
  "device_name": "string",
  "lead_count": 0
}
```

Auto-generated stub for POST /device_price/bulk-insert-historic

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

device_arr

Array of objects

device_name

string

[1 .. 255] characters

required

lead_count

number

>= 0 characters

Responses

— 201 Created

POST /device_price/bulk-insert-historic

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all

```
{
  - "device_arr": [
    { }
  ],
  "device_name": "string",
  "lead_count": 0
}
```

Auto-generated stub for POST /device_price/update

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

request_body	Array of objects
device_name required	string [1 .. 255] characters
device_model_name required	string <= 255 characters
device_price required	string

device_price_category	string	<= 50 characters
additional_details	string	non-empty

Responses

— 201 Created

POST /device_price/update

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all

```
{
  - "request_body": [
    { }
  ],
  "device_name": "string",
  "device_model_name": "string",
  "device_price": "string",
  "device_price_category": "string",
  "additional_details": "string"
}
```

distributor

Auto-generated stub for GET /distributor

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

page	string
limit	string
search	string

Responses

— 200 Success

GET /distributor

Auto-generated stub for GET /distributor/search

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

page	string
limit	string
arn	string
arn_holder_name	string
city	string
pin	string

email	string
euin	string

Responses

— 200 Success

GET /distributor/search

Auto-generated stub for GET /distributor/{arn}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

arn required	integer
-----------------	---------

QUERY PARAMETERS

fetchIfNotFound	string
-----------------	--------

Responses

— 200 Success

GET /distributor/{arn}

email_address

Auto-generated stub for POST /email_address

AUTHORIZATIONS: > *INVESTOR*

REQUEST BODY SCHEMA: application/json
required

email required	string <code>^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\$</code>
belongs_to required	string Enum: "SELF" "SPOUSE" "DEPENDENT_CHILDREN" "DEPENDENT_SIBLINGS" "DEPENDENT_PARENTS" "GUARDIAN" "PMS" "CUSTODIAN" "POA" "NOT_APPLICABLE"

Responses

— 201 Created

POST /email_address

Request samples

Payload

Content type
application/json

Copy

```
{
  "email": "^A@A\\.A{2,}$",
  "belongs_to": "SELF"
}
```

Auto-generated stub for PATCH /email_address/{id}

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

id
required integer

REQUEST BODY SCHEMA: application/json
required

email string `^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}$`

belongs_to string
Enum: "SELF" "SPOUSE" "DEPENDENT_CHILDREN"
"DEPENDENT_SIBLINGS" "DEPENDENT_PARENTS" "GUARDIAN"
"PMS" "CUSTODIAN" "POA" "NOT_APPLICABLE"

Responses

— 200 Success

PATCH /email_address/{id}

Request samples

Payload

Content type
application/json


```
{  
  "email": "^A@A\\.A{2,}$",  
  "belongs_to": "SELF"  
}
```

email_sync

Auto-generated stub for POST /email_sync/sync

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /email_sync/sync

Auto-generated stub for POST /email_sync/sync/{leadId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

leadId	integer
required	

Responses

— 200 Success

POST /email_sync/sync/{leadId}

Auto-generated stub for POST /email_sync/sync-by-email

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /email_sync/sync-by-email

Auto-generated stub for GET /email_sync/lead/{leadId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

leadId	integer
required	

Responses

— 200 Success

GET /email_sync/lead/{leadId}

Auto-generated stub for GET /email_sync/lead-by-email

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /email_sync/lead-by-email

Auto-generated stub for GET /email_sync/counts

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /email_sync/counts

Auto-generated stub for GET /email_sync/counts-by-email

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /email_sync/counts-by-email

Auto-generated stub for GET /email_sync/attachment/{attachmentId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

attachmentId	integer
required	

Responses

— **200** Success

GET /email_sync/attachment/{attachmentId}

family

Auto-generated stub for GET /family

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /family

Auto-generated stub for GET /family/portfolio

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /family/portfolio

Auto-generated stub for POST /family/member

AUTHORIZATIONS: > ADMIN_PARTNER

REQUEST BODY SCHEMA: application/json
required

member_investor_id	string
pan	string <code>^[A-Z]{5}[0-9]{4}[A-Z]\$</code>
phone	string <code>^[6-9]\d{9}\$</code>

Responses

— 201 Created

POST /family/member

Request samples

Payload

Content type
application/json

Copy

```
{
  "member_investor_id": "string",
  "pan": "^AAAAA0000A$",
  "phone": "^6\\d{10}$"
}
```

Auto-generated stub for DELETE /family/member

AUTHORIZATIONS: > *ADMIN_PARTNER*

REQUEST BODY SCHEMA: application/json

required

member_id	string
required	

Responses

— **200** Success

DELETE /family/member

Request samples

Payload

Content type
application/json

```
{
  "member_id": "string"
}
```

Copy

file

Auto-generated stub for GET /file/{id}/signed_url

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id <i>required</i>	integer
-----------------------	---------

Responses

— 200 Success

GET /file/{id}/signed_url

Auto-generated stub for POST /file

AUTHORIZATIONS: > *ALL_ROLES*

REQUEST BODY SCHEMA: application/json
required

purpose <i>required</i>	string Enum: "INVESTOR_AOF" "INVESTOR_DOCUMENT" "INVESTOR_SIGN" "PARTNER_BANNER" "PARTNER_LOGO" "CANCELLED_CHEQUE" "CAS_IMPORT_PDF" "NSDL_IMPORT_PDF" "CDSL_IMPORT_PDF" "COMMUNITY_ATTACHMENT"
----------------------------	--

Responses

— 201 Created

POST /file

Request samples

Payload

Content type
application/json

Copy

```
{
  "purpose": "INVESTOR_AOF"
}
```

Auto-generated stub for POST /file/base64

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

base64 required	string
purpose required	string Enum: "INVESTOR_AOF" "INVESTOR_DOCUMENT" "INVESTOR_SIGN" "PARTNER_BANNER" "PARTNER_LOGO" "CANCELLED_CHEQUE" "CAS_IMPORT_PDF" "NSDL_IMPORT_PDF" "CDSL_IMPORT_PDF" "COMMUNITY_ATTACHMENT"
mimetype required	string
filename required	string

Responses

— 201 Created

POST /file/base64

Request samples

Payload

Content type
application/json

Copy

```
{
  "base64": "string",
  "purpose": "INVESTOR_AOF",
  "mimetype": "string",
  "filename": "string"
}
```

finsense

Auto-generated stub for POST /finsense/consent

AUTHORIZATIONS: > None

REQUEST BODY SCHEMA: application/json
required

consentDescription string

templateName string

redirectUrl	string
userSessionId	string
aaId	string

Responses

— 201 Created

POST /finsense/consent

Request samples

Payload

Content type
application/json

Copy

```
{
  "consentDescription": "string",
  "templateName": "string",
  "redirectUrl": "string",
  "userSessionId": "string",
  "aaId": "string"
}
```

Auto-generated stub for GET
/finsense/consent/{consentHandle}/status/{custId}

AUTHORIZATIONS: > None

PATH PARAMETERS

consentHandle
required

integer

Responses

— 200 Success

GET /finsense/consent/{consentHandle}/status/{custId}

Auto-generated stub for GET /finsense/consent/detail/{consentId}

AUTHORIZATIONS: > None

PATH PARAMETERS

consentId
required

integer

Responses

— 200 Success

GET /finsense/consent/detail/{consentId}

Auto-generated stub for POST /finsense/fi/request

AUTHORIZATIONS: > None

REQUEST BODY SCHEMA: application/json
required

consentHandleId required	string
consentId required	string

Responses

— 201 Created

POST /finsense/fi/request

Request samples

Payload

Content type
application/json

Copy

```
{
  "consentHandleId": "string",
  "consentId": "string"
}
```

Auto-generated stub for GET
/finsense/fi/status/{consentId}/{sessionId}/{consentHandleId}/{c

AUTHORIZATIONS: > None

PATH PARAMETERS

consentId
required

integer

Responses

— 200 Success

GET /finsense/fi/status/{consentId}/{sessionId}/{consentHandleId}/{cus...

Auto-generated stub for GET /finsense/fi/data/{handleId}/{sessionId}

AUTHORIZATIONS: > None

PATH PARAMETERS

handleId
required

integer

Responses

— 200 Success

GET /finsense/fi/data/{handleId}/{sessionId}

fund_manager_rating

Auto-generated stub for GET /fund_manager_rating/ratings

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

assetClass	string
starRating	string
amc	string
dataQuality	string
sort	string
sortBy	string

Responses

— 200 Success

GET /fund_manager_rating/ratings

Auto-generated stub for GET /fund_manager_rating/ratings/{managerId}/schemes

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

managerId required	integer
-----------------------	---------

Responses

— 200 Success

GET /fund_manager_rating/ratings/{managerId}/schemes

Auto-generated stub for GET /fund_manager_rating/ratings/{managerId}/detail

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

managerId required	integer
-----------------------	---------

Responses

— 200 Success

GET /fund_manager_rating/ratings/{managerId}/detail

Auto-generated stub for GET /fund_manager_rating/ratings/{managerId}/metrics

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

managerId <i>required</i>	integer
------------------------------	---------

QUERY PARAMETERS

pillar	string
--------	--------

Responses

— **200** Success

GET /fund_manager_rating/ratings/{managerId}/metrics

Auto-generated stub for GET /fund_manager_rating/ratings/{managerId}/history

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

managerId <i>required</i>	integer
------------------------------	---------

QUERY PARAMETERS

limit	string
-------	--------

Responses

— 200 Success

GET /fund_manager_rating/ratings/{managerId}/history

Auto-generated stub for GET
/fund_manager_rating/ratings/{managerId}/narrative

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

managerId required	integer
-----------------------	---------

QUERY PARAMETERS

audience	string
----------	--------

Responses

— 200 Success

GET /fund_manager_rating/ratings/{managerId}/narrative

Auto-generated stub for GET
/fund_manager_rating/ratings/{managerId}/peer-compare

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

<code>managerId</code> <i>required</i>	integer
---	---------

QUERY PARAMETERS

<code>metric</code> <i>required</i>	string
--	--------

Responses

— 200 Success

GET /fund_manager_rating/ratings/{managerId}/peer-compare

Auto-generated stub for GET /fund_manager_rating/ratings/{managerId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

<code>managerId</code> <i>required</i>	integer
---	---------

Responses

— 200 Success

GET /fund_manager_rating/ratings/{managerId}

Auto-generated stub for GET /fund_manager_rating/amcs

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /fund_manager_rating/amcs

Auto-generated stub for GET /fund_manager_rating/summary

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /fund_manager_rating/summary

gift_city

Auto-generated stub for POST /gift_city/scheme-details

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

flag	string
------	--------

Responses

— 201 Created

POST /gift_city/scheme-details

Request samples

Payload

Content type
application/json

Copy

```
{
  "flag": "string"
}
```

Auto-generated stub for POST /gift_city/fresh-purchase

AUTHORIZATIONS: > *ALL_ROLES*

REQUEST BODY SCHEMA: application/json
required

pan	string	<code>^[A-Z]{5}[0-9]{4}[A-Z]{1}\$</code>
pekrn	string	
mobile	string	
email	string	
data required	Array of objects	<code>non-empty</code>

Responses

— 201 Created

POST /gift_city/fresh-purchase

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all

```
{
  "pan": "^AAAAA0000A$",
  "pekrn": "string",
  "mobile": "string",
  "email": "string",
  - "data": [
    { }
  ]
}
```

Auto-generated stub for POST /gift_city/additional-purchase

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

pan	string ^[A-Z]{5}[0-9]{4}[A-Z]{1}\$
pekrn	string
mobile	string
email	string
data required	Array of objects non-empty

Responses

— 201 Created

POST /gift_city/additional-purchase

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all

```
{
  "pan": "^AAAAA0000A$",
  "pekrn": "string",
  "mobile": "string",
  "email": "string",
```

```
- "data": [  
  { }  
]  
}
```

Auto-generated stub for POST /gift_city/transaction-status

AUTHORIZATIONS: > *ALL_ROLES*

REQUEST BODY SCHEMA: application/json
required

reqId <i>required</i>	string
amc	string

Responses

— 201 Created

POST /gift_city/transaction-status

Request samples

Payload

Content type
application/json

Copy

```
{  
  "reqId": "string",  
  "amc": "string"  
}
```


Auto-generated stub for GET /gift_city/transactions

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /gift_city/transactions

Auto-generated stub for GET /gift_city/investor-prefill

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /gift_city/investor-prefill

Auto-generated stub for GET /gift_city

AUTHORIZATIONS: > None

Responses

— 200 Success

GET /gift_city

Auto-generated stub for GET /gift_city/{id}

AUTHORIZATIONS: > None

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— 200 Success

GET /gift_city/{id}

google_meet

Auto-generated stub for POST /google_meet/webhook

[AUTHORIZATIONS:](#) >*ALL_ROLES*

Responses

— **200** Success

POST /google_meet/webhook

Auto-generated stub for POST /google_meet/spaces

[AUTHORIZATIONS:](#) >*ADMIN_PARTNER*

REQUEST BODY SCHEMA: application/json
required

object (createSpaceSchema)

Responses

— **201** Created

POST /google_meet/spaces

Request samples

Payload

Content type
application/json

Copy

{ }

Auto-generated stub for GET /google_meet/spaces/{spaceName}

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

spaceName <i>required</i>	integer
------------------------------	---------

Responses

— **200** Success

GET /google_meet/spaces/{spaceName}

Auto-generated stub for PATCH /google_meet/spaces/{spaceName}

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

spaceName <i>required</i>	integer
------------------------------	---------

REQUEST BODY SCHEMA: *required* application/json

object (updateSpaceSchema)

Responses

— 200 Success

PATCH /google_meet/spaces/{spaceName}

Request samples

Payload

Content type
application/json

Copy

{ }

Auto-generated stub for DELETE /google_meet/spaces/{spaceName}

AUTHORIZATIONS: > ADMIN_PARTNER

PATH PARAMETERS

spaceName	integer
required	

Responses

— 200 Success

DELETE /google_meet/spaces/{spaceName}

Auto-generated stub for POST /google_meet/spaces/{spaceName}/end

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

spaceName <i>required</i>	integer
------------------------------	---------

Responses

— **200** Success

POST /google_meet/spaces/{spaceName}/end

Auto-generated stub for GET /google_meet/spaces/{spaceName}/instances

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

spaceName <i>required</i>	integer
------------------------------	---------

Responses

— 200 Success

GET /google_meet/spaces/{spaceName}/instances

Auto-generated stub for GET /google_meet/spaces/{spaceName}/participants

AUTHORIZATIONS: > ADMIN_PARTNER

PATH PARAMETERS

spaceName	integer
required	

Responses

— 200 Success

GET /google_meet/spaces/{spaceName}/participants

Auto-generated stub for GET /google_meet/spaces/{spaceName}/participant-sessions

AUTHORIZATIONS: > ADMIN_PARTNER

PATH PARAMETERS

spaceName
required

integer

Responses

— 200 Success

GET /google_meet/spaces/{spaceName}/participant-sessions

Auto-generated stub for GET /google_meet/spaces/{spaceName}/recordings

AUTHORIZATIONS: > ADMIN_PARTNER

PATH PARAMETERS

spaceName
required

integer

Responses

— 200 Success

GET /google_meet/spaces/{spaceName}/recordings

Auto-generated stub for GET /google_meet/spaces/{spaceName}/transcripts

AUTHORIZATIONS: > ADMIN_PARTNER

PATH PARAMETERS

spaceName required	integer
-----------------------	---------

Responses

— 200 Success

GET /google_meet/spaces/{spaceName}/transcripts

Auto-generated stub for POST /google_meet/calendar-events

AUTHORIZATIONS: > ADMIN_PARTNER

REQUEST BODY SCHEMA: application/json
required

topic required	string
agenda	string
start_time required	string
end_time required	string
attendee_emails	Array of objects

generate_meet_link	boolean
meeting_uri	string

Responses

— 201 Created

POST /google_meet/calendar-events

Request samples

Payload

Content type

application/json

Copy

Expand all

Collapse all

```
{
  "topic": "string",
  "agenda": "string",
  "start_time": "string",
  "end_time": "string",
  - "attendee_emails": [
    { }
  ],
  "generate_meet_link": true,
  "meeting_uri": "string"
}
```

Auto-generated stub for DELETE /google_meet/calendar-events/{eventId}

AUTHORIZATIONS: >

ADMIN_PARTNER

PATH PARAMETERS

eventId required	integer
---------------------	---------

Responses

— 200 Success

DELETE /google_meet/calendar-events/{eventId}

Auto-generated stub for PATCH /google_meet/calendar-events/{eventId}/invite

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

eventId required	integer
---------------------	---------

REQUEST BODY SCHEMA: application/json
required

emails required	Array of objects non-empty
--------------------	-------------------------------

Responses

— 200 Success

PATCH /google_meet/calendar-events/{eventId}/invite

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all

```
{
  - "emails": [
    { }
  ]
}
```

Auto-generated stub for POST /google_meet/subscriptions

AUTHORIZATIONS: > ADMIN_PARTNER

REQUEST BODY SCHEMA: application/json
required

space_name required	string
------------------------	--------

Responses

— 201 Created

POST /google_meet/subscriptions

Request samples

Payload**Content type**

application/json

Copy

```
{  
  "space_name": "string"  
}
```

Auto-generated stub for GET /google_meet/subscriptions/{subscriptionName}

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

subscriptionName	integer
<i>required</i>	

Responses

— **200** Success

GET /google_meet/subscriptions/{subscriptionName}

Auto-generated stub for DELETE /google_meet/subscriptions/{subscriptionName}

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

subscriptionName
required integer

Responses

— 200 Success

DELETE /google_meet/subscriptions/{subscriptionName}

Auto-generated stub for PATCH /google_meet/subscriptions/{subscriptionName}/renew

AUTHORIZATIONS: > ADMIN_PARTNER

PATH PARAMETERS

subscriptionName
required integer

REQUEST BODY SCHEMA: application/json
required

t1l_seconds number [3600 .. 604800] characters

Responses

— 200 Success

PATCH /google_meet/subscriptions/{subscriptionName}/renew

Request samples

Payload**Content type**

application/json

Copy

```
{
  "ttl_seconds": 0
}
```

grip

Auto-generated stub for POST /grip/webhook

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /grip/webhook

Auto-generated stub for GET /grip/assets

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

asset_class	string
min_return	number
max_return	number
tenure_min	number
tenure_max	number

Responses

— 200 Success

GET /grip/assets

Auto-generated stub for GET /grip/assets/{assetId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

assetId required	integer
---------------------	---------

Responses

— 200 Success

GET /grip/assets/{assetId}

Auto-generated stub for GET /grip/assets/{assetId}/schedule

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

assetId <i>required</i>	integer
----------------------------	---------

QUERY PARAMETERS

lots	number
------	--------

Responses

— **200** Success

GET /grip/assets/{assetId}/schedule

Auto-generated stub for GET /grip/assets/{assetId}/calculator

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

assetId <i>required</i>	integer
----------------------------	---------

Responses

— 200 Success

GET /grip/assets/{assetId}/calculator

Auto-generated stub for GET /grip/document

AUTHORIZATIONS: > *INVESTOR*

QUERY PARAMETERS

objectPath <i>required</i>	string
-------------------------------	--------

Responses

— 200 Success

GET /grip/document

Auto-generated stub for GET /grip/redirect

AUTHORIZATIONS: > *INVESTOR*

QUERY PARAMETERS

page required	string
assetId	string
value	number
section	string

Responses

— 200 Success

GET /grip/redirect

Auto-generated stub for GET /grip/investor/{investorId}/redirect

AUTHORIZATIONS: > ADMIN_PARTNER

PATH PARAMETERS

investorId required	integer
------------------------	---------

QUERY PARAMETERS

page required	string
assetId	string
value	number
section	string

Responses

— 200 Success

GET /grip/investor/{investorId}/redirect

Auto-generated stub for POST /grip/kyc/prefill

AUTHORIZATIONS: > *INVESTOR*

Responses

— 200 Success

POST /grip/kyc/prefill

Auto-generated stub for GET /grip/kyc/status

AUTHORIZATIONS: > *INVESTOR*

Responses

— 200 Success

GET /grip/kyc/status

Auto-generated stub for GET /grip/kyc/investor/{investorId}

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

investorId required	integer
------------------------	---------

Responses

— 200 Success

GET /grip/kyc/investor/{investorId}

Auto-generated stub for POST /grip/kyc/investor/{investorId}/sync

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

investorId required	integer
------------------------	---------

Responses

— 200 Success

POST /grip/kyc/investor/{investorId}/sync

Auto-generated stub for POST /grip/kyc/sync

AUTHORIZATIONS: > *INVESTOR*

Responses

— 200 Success

POST /grip/kyc/sync

Auto-generated stub for GET /grip/kyc/ucc-status

AUTHORIZATIONS: > *INVESTOR*

Responses

— 200 Success

GET /grip/kyc/ucc-status

Auto-generated stub for GET /grip/portfolio

AUTHORIZATIONS: > *INVESTOR*

Responses

— **200** Success

GET /grip/portfolio

Auto-generated stub for GET /grip/portfolio/orders

AUTHORIZATIONS: > *INVESTOR*

Responses

— **200** Success

GET /grip/portfolio/orders

Auto-generated stub for GET /grip/portfolio/orders/live

AUTHORIZATIONS: > *INVESTOR*

Responses

— **200** Success

GET /grip/portfolio/orders/live

Auto-generated stub for GET /grip/portfolio/orders/{orderId}

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

orderId	integer
required	

Responses

— **200** Success

GET /grip/portfolio/orders/{orderId}

Auto-generated stub for GET /grip/investor/{investorId}/portfolio

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

investorId <i>required</i>	integer
-------------------------------	---------

Responses

— **200** Success

GET /grip/investor/{investorId}/portfolio

Auto-generated stub for GET /grip/investor/{investorId}/portfolio/live

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

investorId <i>required</i>	integer
-------------------------------	---------

Responses

— **200** Success

GET /grip/investor/{investorId}/portfolio/live

Auto-generated stub for GET
/grip/investor/{investorId}/orders/{orderId}

AUTHORIZATIONS: > ADMIN_PARTNER

PATH PARAMETERS

investorId required	integer
------------------------	---------

Responses

— 200 Success

GET /grip/investor/{investorId}/orders/{orderId}

Auto-generated stub for POST /grip/checkout/order

AUTHORIZATIONS: > INVESTOR

REQUEST BODY SCHEMA: application/json
required

assetID required	number
units required	number
paymentMode required	string

Responses

— 201 Created

POST /grip/checkout/order

Request samples

Payload

Content type
application/json

Copy

```
{
  "assetID": 0,
  "units": 0,
  "paymentMode": "string"
}
```

Auto-generated stub for GET /grip/checkout/order/{orderId}/link

AUTHORIZATIONS: > INVESTOR

PATH PARAMETERS

orderId	integer
required	

Responses

— 200 Success

GET /grip/checkout/order/{orderId}/link

health

Auto-generated stub for GET /health/diagnose

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /health/diagnose

Auto-generated stub for POST /health/heal

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /health/heal

Auto-generated stub for POST /health/heal/dry-run

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /health/heal/dry-run

Auto-generated stub for GET /health/heal/history

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /health/heal/history

Auto-generated stub for GET /health/pipeline-status

AUTHORIZATIONS: > ALL_ROLES

Responses

— 200 Success

GET /health/pipeline-status

holder

Auto-generated stub for POST /holder

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

first_name required	string [3 .. 30] characters ^[A-Za-z](?:\s[A-Za-z]) *\$
middle_name	string ^[A-Za-z](?:\s[A-Za-z]) *\$
last_name required	string [3 .. 30] characters ^[A-Za-z](?:\s[A-Za-z]) *\$
holder_rank required	string Enum: "FIRST" "SECOND" "THIRD" "GUARDIAN"
gender	string

required	Enum: "MALE" "FEMALE" "OTHER"
date_of_birth required	string
place_of_birth required	string [2 .. 50] characters
country_of_birth required	string [2 .. 50] characters
occupation required	string Enum: "BUSINESS" "SERVICE" "PROFESSIONAL" "AGRICULTURIST" "RETIRED" "HOUSEWIFE" "STUDENT" "OTHERS" "DOCTOR" "PRIVATE_SECTOR_SERVICE" "PUBLIC_SECTOR_SERVICE" "FOREX_DEALER" "GOVERNMENT_SERVICE" "UNKNOWN_OR_NOT_APPLICABLE"
source_of_wealth required	string Enum: "SALARY" "BUSINESS" "GIFT" "ANCESTRAL_PROPERTY" "RENTAL_INCOME" "PRIZE_MONEY" "ROYALTY" "OTHERS"
income_slab required	string Enum: "BELOW_1_LAKH" "FROM_1_TO_5_LAKHS" "FROM_5_TO_10_LAKHS" "FROM_10_TO_25_LAKHS" "FROM_25_LAKHS_TO_1_CRORE" "ABOVE_1_CRORE"
pep_details required	string Enum: "YES" "NO" "RELATIVE"
email required	string ^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\$
mobile required	string ^[6-9]\d{9}\$

Responses

— 201 Created

POST /holder

Request samples

Payload

Content type

application/json

Copy

```
{
  "first_name": "^A(?:\\sA)*$",
  "middle_name": "^A(?:\\sA)*$",
  "last_name": "^A(?:\\sA)*$",
  "holder_rank": "FIRST",
  "gender": "MALE",
  "date_of_birth": "string",
  "place_of_birth": "string",
  "country_of_birth": "string",
  "occupation": "BUSINESS",
  "source_of_wealth": "SALARY",
  "income_slab": "BELOW_1_LAKH",
  "pep_details": "YES",
  "email": "^A@A\\.A{2,}$",
  "mobile": "^6\\d{10}$"
}
```

Auto-generated stub for PATCH /holder/{id}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id integer
required

REQUEST BODY SCHEMA: application/json
required

first_name	string [3 .. 30] characters ^[A-Za-z](?:\s[A-Za-z])*\$
middle_name	string ^[A-Za-z](?:\s[A-Za-z])*\$
last_name	string [3 .. 30] characters ^[A-Za-z](?:\s[A-Za-z])*\$
holder_rank	string Enum: "FIRST" "SECOND" "THIRD" "GUARDIAN"

gender	string Enum: "MALE" "FEMALE" "OTHER"
date_of_birth	string
place_of_birth	string [2 .. 50] characters
country_of_birth	string [2 .. 50] characters
occupation	string Enum: "BUSINESS" "SERVICE" "PROFESSIONAL" "AGRICULTURIST" "RETIRED" "HOUSEWIFE" "STUDENT" "OTHERS" "DOCTOR" "PRIVATE_SECTOR_SERVICE" "PUBLIC_SECTOR_SERVICE" "FOREX_DEALER" "GOVERNMENT_SERVICE" "UNKNOWN_OR_NOT_APPLICABLE"
source_of_wealth	string Enum: "SALARY" "BUSINESS" "GIFT" "ANCESTRAL_PROPERTY" "RENTAL_INCOME" "PRIZE_MONEY" "ROYALTY" "OTHERS"
income_slab	string Enum: "BELOW_1_LAKH" "FROM_1_TO_5_LAKHS" "FROM_5_TO_10_LAKHS" "FROM_10_TO_25_LAKHS" "FROM_25_LAKHS_TO_1_CRORE" "ABOVE_1_CRORE"
pep_details	string Enum: "YES" "NO" "RELATIVE"
email	string ^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\$
mobile	string ^[6-9]\d{9}\$

Responses

— 200 Success

PATCH /holder/{id}

Request samples

Payload

Content type
application/json

Copy

```
{
  "first_name": "^A(?:\\sA)*$",
  "middle_name": "^A(?:\\sA)*$",
  "last_name": "^A(?:\\sA)*$",
  "holder_rank": "FIRST",
  "gender": "MALE",
  "date_of_birth": "string",
  "place_of_birth": "string",
  "country_of_birth": "string",
  "occupation": "BUSINESS",
  "source_of_wealth": "SALARY",
  "income_slab": "BELOW_1_LAKH",
  "pep_details": "YES",
  "email": "^A@A\\.A{2,}$",
  "mobile": "^6\\d{10}$"
}
```

identifier

Auto-generated stub for POST /identifier

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

file_id	string
issue_date	string
expiry_date	string
investor_id	string

holder_id	string
related_party_id	string

Responses

— 201 Created

POST /identifier

Request samples

Payload

Content type
application/json

Copy

```
{
  "file_id": "string",
  "issue_date": "string",
  "expiry_date": "string",
  "investor_id": "string",
  "holder_id": "string",
  "related_party_id": "string"
}
```

Auto-generated stub for PATCH /identifier/{id}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id required	integer
----------------	---------

REQUEST BODY SCHEMA: application/json

required

file_id	string
issue_date	string
expiry_date	string
investor_id	string
holder_id	string
related_party_id	string

Responses

— 200 Success

PATCH /identifier/{id}

Request samples

Payload

Content type
application/json

Copy

```
{
  "file_id": "string",
  "issue_date": "string",
  "expiry_date": "string",
  "investor_id": "string",
  "holder_id": "string",
  "related_party_id": "string"
}
```

index_returns

Auto-generated stub for GET /index_returns/latest

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

indexName <i>required</i>	string
------------------------------	--------

exchange	string
----------	--------

Responses

— 200 Success

GET /index_returns/latest

Auto-generated stub for GET /index_returns/indices

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

exchange	string
----------	--------

Responses

— 200 Success

GET /index_returns/indices

internal_user

Auto-generated stub for POST /internal_user/login

AUTHORIZATIONS: > *ALL_ROLES*

REQUEST BODY SCHEMA: application/json
required

identifier <i>required</i>	string
-------------------------------	--------

password <i>required</i>	string
-----------------------------	--------

Responses

— 201 Created

POST /internal_user/login

Request samples

Payload

Content type
application/json

Copy

```
{
  "identifier": "string",
  "password": "string"
}
```

Auto-generated stub for POST /internal_user

AUTHORIZATIONS: > ADMIN

REQUEST BODY SCHEMA: application/json
required

name required	string <= 100 characters
email required	string
password required	string >= 8 characters
role required	string

Responses

— 201 Created

POST /internal_user

Request samples

Payload

Content type

application/json

Copy

```
{
  "name": "string",
  "email": "string",
  "password": "stringst",
  "role": "string"
}
```

Auto-generated stub for GET /internal_user

AUTHORIZATIONS: > *ADMIN*

Responses

— **200** Success

GET /internal_user

Auto-generated stub for DELETE /internal_user/{userId}

AUTHORIZATIONS: > *ADMIN*

PATH PARAMETERS

userId	integer
required	

Responses

— 200 Success

DELETE /internal_user/{userId}

Auto-generated stub for GET /internal_user/{userId}

AUTHORIZATIONS: > None

PATH PARAMETERS

userId required	integer
--------------------	---------

Responses

— 200 Success

GET /internal_user/{userId}

Auto-generated stub for PATCH /internal_user/{userId}

AUTHORIZATIONS: > None

PATH PARAMETERS

userId required	integer
--------------------	---------

REQUEST BODY SCHEMA: application/json
required

name	string <= 100 characters
email	string

Responses

— 200 Success

PATCH /internal_user/{userId}

Request samples

Payload

Content type
application/json

Copy

```
{
  "name": "string",
  "email": "string"
}
```

investor_settings

Auto-generated stub for GET /investor_settings/resolved

AUTHORIZATIONS: > ALL_ROLES

Responses

— 200 Success

GET /investor_settings/resolved

Auto-generated stub for GET /investor_settings

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

GET /investor_settings

Auto-generated stub for PATCH /investor_settings

AUTHORIZATIONS: > *ADMIN_PARTNER*

REQUEST BODY SCHEMA: application/json
required

investor_id	string
-------------	--------

Responses

— 200 Success

PATCH /investor_settings

Request samples

Payload

Content type

application/json

Copy

```
{
  "investor_id": "string"
}
```

investor_ubo

Auto-generated stub for GET /investor_ubo

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /investor_ubo

Auto-generated stub for POST /investor_ubo

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

investor_id	string
first_name required	string
middle_name	string
last_name	string
date_of_birth required	string
ubo_type_code required	string
ubo_category	string
identifier_type	string
identifier_number required	string ^[A-Z]{5}[0-9]{4}[A-Z]\$
designation_code	string
din_number	string
nationality	string
poi_type	string
poi_reference	string
poi_expiry	string
gender	string

father_spouse_name	string
mother_name	string

Responses

— 201 Created

POST /investor_ubo

Request samples

Payload

Content type
application/json

Copy

```
{
  "investor_id": "string",
  "first_name": "string",
  "middle_name": "string",
  "last_name": "string",
  "date_of_birth": "string",
  "ubo_type_code": "string",
  "ubo_category": "string",
  "identifier_type": "string",
  "identifier_number": "^AAAAA0000A$",
  "designation_code": "string",
  "din_number": "string",
  "nationality": "string",
  "poi_type": "string",
  "poi_reference": "string",
  "poi_expiry": "string",
  "gender": "string",
  "father_spouse_name": "string",
  "mother_name": "string"
}
```

Auto-generated stub for PATCH /investor_ubo/{id}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id	integer
required	

REQUEST BODY SCHEMA: application/json
required

first_name	string
middle_name	string
last_name	string
date_of_birth	string
ubo_type_code	string

ubo_category	string
identifier_type	string
identifier_number	string <code>^[A-Z]{5}[0-9]{4}[A-Z]\$</code>
designation_code	string
din_number	string
nationality	string
poi_type	string
poi_reference	string
poi_expiry	string
gender	string
father_spouse_name	string
mother_name	string

Responses

— 200 Success

PATCH /investor_ubo/{id}

Request samples

Payload

Content type
application/json

Copy

```
{
  "first_name": "string",
  "middle_name": "string",
```



```
"last_name": "string",
"date_of_birth": "string",
"ubo_type_code": "string",
"ubo_category": "string",
"identifier_type": "string",
"identifier_number": "^AAAAA0000A$",
"designation_code": "string",
"din_number": "string",
"nationality": "string",
"poi_type": "string",
"poi_reference": "string",
"poi_expiry": "string",
"gender": "string",
"father_spouse_name": "string",
"mother_name": "string"
}
```

Auto-generated stub for DELETE /investor_ubo/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— **200** Success

DELETE /investor_ubo/{id}

investor

Auto-generated stub for GET /investor

AUTHORIZATIONS: > None

Responses

— 200 Success

GET /investor

Auto-generated stub for PATCH /investor

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

first_name	string ^[A-Za-z]+(?:\s[A-Za-z]+)*\$
middle_name	string ^[A-Za-z]+(?:\s[A-Za-z]+)*\$
last_name	string ^[A-Za-z]+(?:\s[A-Za-z]+)*\$
date_of_birth	string
gender	string Enum: "MALE" "FEMALE" "OTHER"

occupation

string

Enum: "BUSINESS" "SERVICE" "PROFESSIONAL"
 "AGRICULTURIST" "RETIRED" "HOUSEWIFE" "STUDENT"
 "OTHERS" "DOCTOR" "PRIVATE_SECTOR_SERVICE"
 "PUBLIC_SECTOR_SERVICE" "FOREX_DEALER"
 "GOVERNMENT_SERVICE" "UNKNOWN_OR_NOT_APPLICABLE"

income_slab

string

Enum: "BELOW_1_LAKH" "FROM_1_TO_5_LAKHS"
 "FROM_5_TO_10_LAKHS" "FROM_10_TO_25_LAKHS"
 "FROM_25_LAKHS_TO_1_CRORE" "ABOVE_1_CRORE"

source_of_wealth

string

Enum: "SALARY" "BUSINESS" "GIFT"
 "ANCESTRAL_PROPERTY" "RENTAL_INCOME" "PRIZE_MONEY"
 "ROYALTY" "OTHERS"

pep_details

string

Enum: "YES" "NO" "RELATIVE"

country_of_birth

string

Enum: "AFG" "ALA" "ALB" "DZA" "ASM" "AND" "AGO"
 "AIA" "ATA" "ATG" "ARG" "ARM" "ABW" "AUS" "AUT"
 "AZE" "BHS" "BHR" "BGD" "BRB" "BLR" "BEL" "BLZ"
 "BEN" "BMU" "BTN" "BOL" "BES" "BIH" "BWA" "BVT"
 "BRA" "IOT" "BRN" "BGR" "BFA" "BDI" "CPV" "KHM"
 "CMR" "CAN" "CYM" "CAF" "TCD" "CHL" "CHN" "CXR"
 "CCK" "COL" "COM" "COG" "COD" "COK" "CRI" "CIV"
 "HRV" "CUB" "CUW" "CYP" "CZE" "DNK" "DJI" "DMA"
 "DOM" "ECU" "EGY" "SLV" "GNQ" "ERI" "EST" "SWZ"
 "ETH" "FLK" "FRO" "FJI" "FIN" "FRA" "GUF" "PYF"
 "ATF" "GAB" "GMB" "GEO" "DEU" "GHA" "GIB" "GRC"
 "GRL" "GRD" "GLP" "GUM" "GTM" "GGY" "GIN" "GNB"
 "GUY" "HTI" "HMD" "VAT" "HND" "HKG" "HUN" "ISL"
 "IND" "IDN" "IRN" "IRQ" "IRL" "IMN" "ISR" "ITA"
 "JAM" "JPN" "JEY" "JOR" "KAZ" "KEN" "KIR" "PRK"
 "KOR" "KWT" "KGZ" "LAO" "LVA" "LBN" "LSO" "LBR"
 "LBY" "LIE" "LTU" "LUX" "MAC" "MDG" "MWI" "MYS"
 "MDV" "MLI" "MLT" "MHL" "MTQ" "MRT" "MUS" "MYT"
 "MEX" "FSM" "MDA" "MCO" "MNG" "MNE" "MSR" "MAR"
 "MOZ" "MMR" "NAM" "NRU" "NPL" "NLD" "NCL" "NZL"
 "NIC" "NER" "NGA" "NIU" "NFK" "MKD" "MNP" "NOR"
 "OMN" "PAK" "PLW" "PSE" "PAN" "PNG" "PRY" "PER"
 "PHL" "PCN" "POL" "PRT" "PRI" "QAT" "REU" "ROU"
 "RUS" "RWA" "BLM" "SHN" "KNA" "LCA" "MAF" "SPM"
 "VCT" "WSM" "SMR" "STP" "SAU" "SEN" "SRB" "SYC"
 "SLE" "SGP" "SXM" "SVK" "SVN" "SLB" "SOM" "ZAF"
 "SGS" "SSD" "ESP" "LKA" "SDN" "SUR" "SJM" "SWE"

"CHE"	"SYR"	"TWN"	"TJK"	"TZA"	"THA"	"TLS"	"TGO"
"TKL"	"TON"	"TTO"	"TUN"	"TUR"	"TKM"	"TCA"	"TUV"
"UGA"	"UKR"	"ARE"	"GBR"	"USA"	"UMI"	"URY"	"UZB"
"VUT"	"VEN"	"VNM"	"VGB"	"VIR"	"WLF"	"ESH"	"YEM"
"ZMB"	"ZWE"						

tax_status

string
Enum: "INDIVIDUAL" "ON_BEHALF_OF_MINOR" "HUF"
"COMPANY" "AOP" "PARTNERSHIP_FIRM" "BODY_CORPORATE"
"TRUST" "SOCIETY" "OTHERS" "NRI_OTHERS" "DFI"
"SOLE_PROPRIETORSHIP" "NRE" "OCB" "FII" "NRO"
"OVERSEAS_CORP_BODY_OTHERS" "NRI_CHILD"
"NRI_HUF_NRO" "NRI_MINOR_NRO" "NRI_HUF_NRE"
"PROVIDENT_FUND" "SUPER_ANNUATION_FUND"
"GRATUITY_FUND" "PENSION_FUND"
"MUTUAL_FUNDS_FOF_SCHEMES" "NPS_TRUST"
"GLOBAL_DEVELOPMENT_NETWORK" "FCRA" "QFI_INDIVIDUAL"
"QFI_MINORS" "QFI_CORPORATE" "QFI_PENSION_FUNDS"
"QFI_HEDGE_FUNDS" "QFI_MUTUAL_FUNDS" "LLP"
"NON_PROFIT_ORGANIZATION_NPO"
"PUBLIC_LIMITED_COMPANY" "PRIVATE_LIMITED_COMPANY"
"UNLISTED_COMPANY" "MUTUAL_FUNDS" "FPI_CATEGORY_I"
"FPI_CATEGORY_II" "FPI_CATEGORY_III"
"FINANCIAL_INSTITUTIONS" "BODY_OF_INDIVIDUALS"
"INSURANCE_COMPANY" "OCI_REPATRIATION"
"OCI_NON_REPATRIATION" "PERSON_OF_INDIAN_ORIGIN"
"GOVERNMENT_BODY" "DEFENSE_ESTABLISHMENT"
"NON_GOVERNMENT_ORGANISATION" "BANK_COOPERATIVE_BANK"
"ARTIFICIAL_JURIDICAL_PERSON" "SEAFARER_NRE"
"SEAFARER_NRO"

place_of_birth

string

ni_registration_number

string

ni_incorp_place

string

ni_commencement_date

string

ni_country_of_incorp

string
Enum: "AFG" "ALA" "ALB" "DZA" "ASM" "AND" "AGO"
"AIA" "ATA" "ATG" "ARG" "ARM" "ABW" "AUS" "AUT"
"AZE" "BHS" "BHR" "BGD" "BRB" "BLR" "BEL" "BLZ"
"BEN" "BMU" "BTN" "BOL" "BES" "BIH" "BWA" "BVT"
"BRA" "IOT" "BRN" "BGR" "BFA" "BDI" "CPV" "KHM"
"CMR" "CAN" "CYM" "CAF" "TCD" "CHL" "CHN" "CXR"
"CCK" "COL" "COM" "COG" "COD" "COK" "CRI" "CIV"
"HRV" "CUB" "CUW" "CYP" "CZE" "DNK" "DJI" "DMA"
"DOM" "ECU" "EGY" "SLV" "GNQ" "ERI" "EST" "SWZ"

"ETH"	"FLK"	"FRO"	"FJI"	"FIN"	"FRA"	"GUF"	"PYF"
"ATF"	"GAB"	"GMB"	"GEO"	"DEU"	"GHA"	"GIB"	"GRC"
"GRL"	"GRD"	"GLP"	"GUM"	"GTM"	"GGY"	"GIN"	"GNB"
"GUY"	"HTI"	"HMD"	"VAT"	"HND"	"HKG"	"HUN"	"ISL"
"IND"	"IDN"	"IRN"	"IRQ"	"IRL"	"IMN"	"ISR"	"ITA"
"JAM"	"JPN"	"JEY"	"JOR"	"KAZ"	"KEN"	"KIR"	"PRK"
"KOR"	"KWT"	"KGZ"	"LAO"	"LVA"	"LBN"	"LSO"	"LBR"
"LBY"	"LIE"	"LTU"	"LUX"	"MAC"	"MDG"	"MWI"	"MYS"
"MDV"	"MLI"	"MLT"	"MHL"	"MTQ"	"MRT"	"MUS"	"MYT"
"MEX"	"FSM"	"MDA"	"MCO"	"MNG"	"MNE"	"MSR"	"MAR"
"MOZ"	"MMR"	"NAM"	"NRU"	"NPL"	"NLD"	"NCL"	"NZL"
"NIC"	"NER"	"NGA"	"NIU"	"NFK"	"MKD"	"MNP"	"NOR"
"OMN"	"PAK"	"PLW"	"PSE"	"PAN"	"PNG"	"PRY"	"PER"
"PHL"	"PCN"	"POL"	"PRT"	"PRI"	"QAT"	"REU"	"ROU"
"RUS"	"RWA"	"BLM"	"SHN"	"KNA"	"LCA"	"MAF"	"SPM"
"VCT"	"WSM"	"SMR"	"STP"	"SAU"	"SEN"	"SRB"	"SYC"
"SLE"	"SGP"	"SXM"	"SVK"	"SVN"	"SLB"	"SOM"	"ZAF"
"SGS"	"SSD"	"ESP"	"LKA"	"SDN"	"SUR"	"SJM"	"SWE"
"CHE"	"SYR"	"TWN"	"TJK"	"TZA"	"THA"	"TLS"	"TGO"
"TKL"	"TON"	"TTO"	"TUN"	"TUR"	"TKM"	"TCA"	"TUV"
"UGA"	"UKR"	"ARE"	"GBR"	"USA"	"UMI"	"URY"	"UZB"
"VUT"	"VEN"	"VNM"	"VGB"	"VIR"	"WLF"	"ESH"	"YEM"
"ZMB"	"ZWE"						

ni_ubo_dod

string

ni_shp_available

boolean

ni_shp_dod

string

ni_bs_available

boolean

ni_bs_dod

string

ni_net_worth

number

ni_date_of_net_worth

string

ni_ffi_drnfe

string

ni_giin_no

string

ni_spr_name

string

ni_nfe_category

string

ni_nfe_sub_category

string

ni_nature_of_business string

ni_npo_form string

ni_npo_dcl string

ni_npo_rg_no string

father_name string

marital_status string

Enum: "MARRIED" "UNMARRIED"

is_ubo_applicable boolean

pan string `^[A-Z]{5}[0-9]{4}[A-Z]$`

signature_id string

tin_no string

tin_country string

Enum: "AFG" "ALA" "ALB" "DZA" "ASM" "AND" "AGO"

"AIA" "ATA" "ATG" "ARG" "ARM" "ABW" "AUS" "AUT"

"AZE" "BHS" "BHR" "BGD" "BRB" "BLR" "BEL" "BLZ"

"BEN" "BMU" "BTN" "BOL" "BES" "BIH" "BWA" "BVT"

"BRA" "IOT" "BRN" "BGR" "BFA" "BDI" "CPV" "KHM"

"CMR" "CAN" "CYM" "CAF" "TCD" "CHL" "CHN" "CXR"

"CCK" "COL" "COM" "COG" "COD" "COK" "CRI" "CIV"

"HRV" "CUB" "CUW" "CYP" "CZE" "DNK" "DJI" "DMA"

"DOM" "ECU" "EGY" "SLV" "GNQ" "ERI" "EST" "SWZ"

"ETH" "FLK" "FRO" "FJI" "FIN" "FRA" "GUF" "PYF"

"ATF" "GAB" "GMB" "GEO" "DEU" "GHA" "GIB" "GRC"

"GRL" "GRD" "GLP" "GUM" "GTM" "GGY" "GIN" "GNB"

"GUY" "HTI" "HMD" "VAT" "HND" "HKG" "HUN" "ISL"

"IND" "IDN" "IRN" "IRQ" "IRL" "IMN" "ISR" "ITA"

"JAM" "JPN" "JEY" "JOR" "KAZ" "KEN" "KIR" "PRK"

"KOR" "KWT" "KGZ" "LAO" "LVA" "LBN" "LSO" "LBR"

"LBY" "LIE" "LTU" "LUX" "MAC" "MDG" "MWI" "MYS"

"MDV" "MLI" "MLT" "MHL" "MTQ" "MRT" "MUS" "MYT"

"MEX" "FSM" "MDA" "MCO" "MNG" "MNE" "MSR" "MAR"

"MOZ" "MMR" "NAM" "NRU" "NPL" "NLD" "NCL" "NZL"

"NIC" "NER" "NGA" "NIU" "NFK" "MKD" "MNP" "NOR"

"OMN" "PAK" "PLW" "PSE" "PAN" "PNG" "PRY" "PER"

"PHL" "PCN" "POL" "PRT" "PRI" "QAT" "REU" "ROU"

"RUS" "RWA" "BLM" "SHN" "KNA" "LCA" "MAF" "SPM"

"VCT" "WSM" "SMR" "STP" "SAU" "SEN" "SRB" "SYC"

"SLE" "SGP" "SXM" "SVK" "SVN" "SLB" "SOM" "ZAF"

"SGS"	"SSD"	"ESP"	"LKA"	"SDN"	"SUR"	"SJM"	"SWE"
"CHE"	"SYR"	"TWN"	"TJK"	"TZA"	"THA"	"TLS"	"TGO"
"TKL"	"TON"	"TTO"	"TUN"	"TUR"	"TKM"	"TCA"	"TUV"
"UGA"	"UKR"	"ARE"	"GBR"	"USA"	"UMI"	"URY"	"UZB"
"VUT"	"VEN"	"VNM"	"VGB"	"VIR"	"WLF"	"ESH"	"YEM"
"ZMB"	"ZWE"						

Responses

— 200 Success

PATCH /investor

Request samples

Payload

Content type
application/json

Copy

```
{
  "first_name": "^A(?:\\sA)*$",
  "middle_name": "^A(?:\\sA)*$",
  "last_name": "^A(?:\\sA)*$",
  "date_of_birth": "string",
  "gender": "MALE",
  "occupation": "BUSINESS",
  "income_slab": "BELOW_1_LAKH",
  "source_of_wealth": "SALARY",
  "pep_details": "YES",
  "country_of_birth": "AFG",
  "tax_status": "INDIVIDUAL",
  "place_of_birth": "string",
  "ni_registration_number": "string",
  "ni_incorp_place": "string",
  "ni_commencement_date": "string",
  "ni_country_of_incorp": "AFG",
  "ni_ubo_dod": "string",
  "ni_shp_available": true,
```

```
"ni_shp_dod": "string",
"ni_bs_available": true,
"ni_bs_dod": "string",
"ni_net_worth": 0,
"ni_date_of_net_worth": "string",
"ni_ffi_drnfe": "string",
"ni_giin_no": "string",
"ni_spr_name": "string",
"ni_nfe_category": "string",
"ni_nfe_sub_category": "string",
"ni_nature_of_business": "string",
"ni_npo_form": "string",
"ni_npo_dcl": "string",
"ni_npo_rg_no": "string",
"father_name": "string",
"marital_status": "MARRIED",
"is_ubo_applicable": true,
"pan": "^AAAAA0000A$",
"signature_id": "string",
"tin_no": "string",
"tin_country": "AFG"
}
```

Auto-generated stub for GET /investor/list

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /investor/list

Auto-generated stub for POST /investor/prospect

AUTHORIZATIONS: > PARTNER

REQUEST BODY SCHEMA: application/json
required

first_name required	string ^[A-Za-z]+(?:\s[A-Za-z]+)*\$
last_name required	string ^[A-Za-z]+(?:\s[A-Za-z]+)*\$
phone required	string ^[6-9]\d{9}\$

Responses

— 201 Created

POST /investor/prospect

Request samples

Payload

Content type

application/json

Copy

```
{
  "first_name": "^A(?:\\sA)*$",
  "last_name": "^A(?:\\sA)*$",
  "phone": "^6\\d{9}$"
}
```

Auto-generated stub for POST /investor/create_physical_ucc

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /investor/create_physical_ucc

Auto-generated stub for GET /investor/upload_aof

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /investor/upload_aof

Auto-generated stub for GET /investor/bse_details

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

investor_id string

holding_nature string

Enum: "SINGLE" "JOINT" "ANYONE_OR_SURVIVOR"

Responses

— 200 Success

GET /investor/bse_details

Auto-generated stub for GET /investor/kyc_link

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

investor_id string

holding_nature string

Enum: "SINGLE" "JOINT" "ANYONE_OR_SURVIVOR"

Responses

— 200 Success

GET /investor/kyc_link

Auto-generated stub for POST /investor/update_ucc

AUTHORIZATIONS: > INVESTOR

REQUEST BODY SCHEMA: application/json
required

otp_id required	string
otp required	string

Responses

— 201 Created

POST /investor/update_ucc

Request samples

Payload

Content type
application/json

Copy

```
{
  "otp_id": "string",
  "otp": "string"
}
```

Auto-generated stub for GET /investor/{id}/related_party/approval_link

AUTHORIZATIONS: > PARTNER

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /investor/{id}/related_party/approval_link

Auto-generated stub for DELETE /investor/clear

AUTHORIZATIONS: > PARTNER

REQUEST BODY SCHEMA: application/json
required

phone_number	string
email	string
investor_id	string
pan	string

Responses

— 200 Success

DELETE /investor/clear

Request samples

Payload

Content type

application/json

Copy

```
{
  "phone_number": "string",
  "email": "string",
  "investor_id": "string",
  "pan": "string"
}
```

Auto-generated stub for GET /investor/lookup

AUTHORIZATIONS: > PARTNER

Responses

— 200 Success

GET /investor/lookup

Auto-generated stub for POST /investor/create

AUTHORIZATIONS: > PARTNER

REQUEST BODY SCHEMA: application/json
required

first_name required	string ^[A-Za-z]+(?:\s[A-Za-z]+)*\$
last_name required	string ^[A-Za-z]+(?:\s[A-Za-z]+)*\$
phone required	string ^[6-9]\d{9}\$

Responses

— 201 Created

POST /investor/create

Request samples

Payload

Content type
application/json

Copy

```
{
  "first_name": "^A(?:\\sA)*$",
  "last_name": "^A(?:\\sA)*$",
  "phone": "^6\\d{9}$"
}
```

ipo

Auto-generated stub for GET /ipo

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /ipo

Auto-generated stub for GET /ipo/board

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /ipo/board

Auto-generated stub for GET /ipo/gmp

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /ipo/gmp

Auto-generated stub for GET /ipo/reviews

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /ipo/reviews

Auto-generated stub for GET /ipo/allotment

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /ipo/allotment

Auto-generated stub for GET /ipo/stats

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /ipo/stats

Auto-generated stub for GET /ipo/by-slug/{slug}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

slug
required

integer

Responses

— 200 Success

GET /ipo/by-slug/{slug}

Auto-generated stub for GET /ipo/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /ipo/{id}

job

Auto-generated stub for POST /job/enqueue

AUTHORIZATIONS: > *ADMIN*

Responses

— 200 Success

POST /job/enqueue

Auto-generated stub for POST /job/enqueue-rta-feeds

AUTHORIZATIONS: > ADMIN

Responses

— 200 Success

POST /job/enqueue-rta-feeds

kfin_kra

Auto-generated stub for POST /kfin_kra/token

AUTHORIZATIONS: > ADMIN_PARTNER

REQUEST BODY SCHEMA: application/json
required

partner_id	string
tokenvalidity	string

Responses

— 201 Created

POST /kfin_kra/token

Request samples

Payload

Content type
application/json

Copy

```
{
  "partner_id": "string",
  "tokenvalidity": "string"
}
```

Auto-generated stub for POST /kfin_kra/status

AUTHORIZATIONS: > ADMIN_PARTNER

REQUEST BODY SCHEMA: application/json
required

pan required	string
posCode	string
cached	boolean

Responses

— 201 Created

POST /kfin_kra/status

Request samples

Payload

Content type

application/json

Copy

```
{
  "pan": "string",
  "posCode": "string",
  "cached": true
}
```

Auto-generated stub for POST /kfin_kra/details

AUTHORIZATIONS: > ADMIN_PARTNER

REQUEST BODY SCHEMA: application/json

required

object (kfinKraDetailsSchema)

Responses

— 201 Created

POST /kfin_kra/details

Request samples

Payload

Content type
application/json

{ }

Copy

Auto-generated stub for POST /kfin_kra/upload

AUTHORIZATIONS: > ADMIN_PARTNER

REQUEST BODY SCHEMA: application/json
required

object (kfinKraUploadSchema)

Responses

— 201 Created

POST /kfin_kra/upload

Request samples

Payload

Content type
application/json

Copy

{ }

Auto-generated stub for POST /kfin_kra/files

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— **200** Success

POST /kfin_kra/files

Auto-generated stub for GET /kfin_kra/non_individual/document_checklist

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— **200** Success

GET /kfin_kra/non_individual/document_checklist

Auto-generated stub for GET /kfin_kra/investor/kyc_status

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /kfin_kra/investor/kyc_status

Auto-generated stub for GET /kfin_kra/investor/kyc_history

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /kfin_kra/investor/kyc_history

Auto-generated stub for POST /kfin_kra/investor/kyc_push

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /kfin_kra/investor/kyc_push

Auto-generated stub for POST
/kfin_kra/investor/kyc_modify

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

email	string
mobile	string <code>^[0-9]{10}\$</code>
office_no	string
res_no	string
income	string
occupation	string

Responses

— 201 Created

POST /kfin_kra/investor/kyc_modify

Request samples

Payload

Content type

application/json

[Copy](#)

```
{
  "email": "string",
  "mobile": "^0000000000$",
  "office_no": "string",
  "res_no": "string",
  "income": "string",
  "occupation": "string"
}
```

Auto-generated stub for POST /kfin_kra/investor/files

AUTHORIZATIONS: > *INVESTOR*

Responses

— **200** Success

POST /kfin_kra/investor/files

Auto-generated stub for POST /kfin_kra/investor/ubo/{ubo_id}/signature

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

<code>ubo_id</code> <code>required</code>	integer
--	---------

Responses

— 200 Success

POST /kfin_kra/investor/ubo/{ubo_id}/signature

Auto-generated stub for GET /kfin_kra/investor/{investor_id}/ni_kyc_form

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

<code>investor_id</code> <code>required</code>	integer
---	---------

Responses

— 200 Success

GET /kfin_kra/investor/{investor_id}/ni_kyc_form

lead_capture

Auto-generated stub for POST /lead_capture

AUTHORIZATIONS: > *ALL_ROLES*

REQUEST BODY SCHEMA: application/json
required

name required	string [2 .. 120] characters
email required	string <= 254 characters
phone required	string <= 24 characters
topic	string <= 120 characters
message required	string [10 .. 1200] characters
source	string <= 80 characters
pagePath	string <= 200 characters

Responses

— 201 Created

POST /lead_capture

Request samples

Payload

Content type

application/json

Copy

```
{
  "name": "string",
  "email": "string",
  "phone": "string",
  "topic": "string",
  "message": "stringstri",
  "source": "string",
  "pagePath": "string"
}
```

Auto-generated stub for GET /lead_capture/list

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /lead_capture/list

Auto-generated stub for POST /lead_capture/admin/backfill-devices

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /lead_capture/admin/backfill-devices

learn

Auto-generated stub for GET /learn/content/topics

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /learn/content/topics

Auto-generated stub for GET /learn/content/topics/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /learn/content/topics/{id}

Auto-generated stub for GET /learn/content/lessons/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /learn/content/lessons/{id}

Auto-generated stub for GET /learn/content/quick-games

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /learn/content/quick-games

Auto-generated stub for GET /learn/content/badges

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /learn/content/badges

Auto-generated stub for GET /learn/profile

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /learn/profile

Auto-generated stub for POST /learn/lesson/complete

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /learn/lesson/complete

Auto-generated stub for GET /learn/leaderboard/weekly

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /learn/leaderboard/weekly

Auto-generated stub for POST /learn/gems/spend

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST `/learn/gems/spend`

Auto-generated stub for PUT /learn/daily-goal

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

PUT `/learn/daily-goal`

Auto-generated stub for GET /learn/game-history

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /learn/game-history

Auto-generated stub for GET /learn/daily-log

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /learn/daily-log

Auto-generated stub for POST /learn/sync

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /learn/sync

Auto-generated stub for POST /learn/journey/submit

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /learn/journey/submit

Auto-generated stub for PUT /learn/profile/avatar

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

PUT /learn/profile/avatar

Auto-generated stub for PUT /learn/profile/parent-reward

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

PUT /learn/profile/parent-reward

lottery

Auto-generated stub for POST /lottery/ticket

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /lottery/ticket

Auto-generated stub for GET /lottery/verify/{token}

AUTHORIZATIONS: > *ADMIN*

PATH PARAMETERS

token
required

integer

Responses

— 200 Success

GET /lottery/verify/{token}

Auto-generated stub for GET /lottery/stats

AUTHORIZATIONS: > ADMIN

Responses

— 200 Success

GET /lottery/stats

Auto-generated stub for POST /lottery/pay

AUTHORIZATIONS: > ALL_ROLES

Responses

— 200 Success

POST /lottery/pay

Auto-generated stub for POST /lottery/pay/verify

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /lottery/pay/verify

macro_indicators

Auto-generated stub for GET /macro_indicators/rbi-rates/latest

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /macro_indicators/rbi-rates/latest

Auto-generated stub for GET /macro_indicators/rbi-rates/history

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /macro_indicators/rbi-rates/history

Auto-generated stub for GET /macro_indicators/cpi/latest

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /macro_indicators/cpi/latest

Auto-generated stub for GET /macro_indicators/cpi/history

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

series	string
--------	--------

Responses

— **200** Success

GET /macro_indicators/cpi/history

mandate

Auto-generated stub for GET /mandate

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

limit	number
-------	--------

page	number
investor_id	string

Responses

— 200 Success

GET /mandate

Auto-generated stub for POST /mandate

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

amount required	number
bank_account_id required	string
type required	string Enum: "ENACH" "NACH" "UPI"
upi_id	string <code>^[a-zA-Z0-9._-]+\@[a-zA-Z0-9.-]+\.\$</code> Enum: "INITIATED" "ACTIVE" "REJECTED" "CANCELLED" "COMPLETED" "INVESTOR_AUTH_AWAITED" "IN_PROCESS_AGENCY" "AUTO_REJECTED" "PRE_DEBIT_NOTIFICATION_SENT_SUCCESSFULLY" "SCAN_UPLOAD_PENDING"

Responses

— 201 Created

POST /mandate

Request samples

Payload

Content type
application/json

Copy

```
{
  "amount": 0,
  "bank_account_id": "string",
  "type": "ENACH",
  "upi_id": "INITIATED"
}
```

Auto-generated stub for GET /mandate/{id}/bse_details

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /mandate/{id}/bse_details

Auto-generated stub for GET /mandate/{id}/approval_link

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

id	integer
<i>required</i>	

Responses

— **200** Success

GET /mandate/{id}/approval_link

market_activity

Auto-generated stub for GET /market_activity/latest

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /market_activity/latest

Auto-generated stub for GET /market_activity/history

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /market_activity/history

market_block_deals

Auto-generated stub for GET /market_block_deals/latest

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /market_block_deals/latest

Auto-generated stub for GET /market_block_deals

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbol	string
--------	--------

dealType	string
----------	--------

Responses

— 200 Success

GET /market_block_deals

market_fii_dii

Auto-generated stub for GET /market_fii_dii/latest

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /market_fii_dii/latest

Auto-generated stub for GET /market_fii_dii/history

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

category	string
----------	--------

Responses

— 200 Success

GET /market_fii_dii/history

market_global

Auto-generated stub for GET /market_global/latest

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /market_global/latest

Auto-generated stub for GET /market_global/history

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbol	string
required	

Responses

— **200** Success

GET /market_global/history

Auto-generated stub for GET /market_global/currency/latest

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /market_global/currency/latest

Auto-generated stub for GET /market_global/currency/history

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

currency_pair	string
required	

Responses

— 200 Success

GET /market_global/currency/history

market_indices

Auto-generated stub for GET /market_indices/nse/latest

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /market_indices/nse/latest

Auto-generated stub for GET /market_indices/nse/history

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

index_name	string
required	
from	string
to	string

Responses

— 200 Success

GET /market_indices/nse/history

Auto-generated stub for GET /market_indices/nse/list

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /market_indices/nse/list

Auto-generated stub for GET /market_indices/bse/latest

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /market_indices/bse/latest

Auto-generated stub for GET /market_indices/bse/history

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

index_name required	string
from	string
to	string

Responses

— 200 Success

GET /market_indices/bse/history

market_mcx

Auto-generated stub for GET /market_mcx/eod/latest

AUTHORIZATIONS: > ALL_ROLES

Responses

— 200 Success

GET /market_mcx/eod/latest

Auto-generated stub for GET /market_mcx/eod/history

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

commodity	string
required	

Responses

— 200 Success

GET /market_mcx/eod/history

Auto-generated stub for GET /market_mcx/ticks/latest

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /market_mcx/ticks/latest

Auto-generated stub for GET /market_mcx/ticks/history

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

commodity	string
required	
from	string
to	string

Responses

— 200 Success

GET /market_mcx/ticks/history

market_news

Auto-generated stub for GET /market_news

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbol	string
category	string
source	string
from	string
to	string
sort	string

Responses

— 200 Success

GET /market_news

Auto-generated stub for GET /market_news/latest

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /market_news/latest

Auto-generated stub for GET /market_news/categories

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /market_news/categories

masquerade

Auto-generated stub for POST /masquerade/start

AUTHORIZATIONS: > *ADMIN_PARTNER*

REQUEST BODY SCHEMA: application/json
required

investor_id <i>required</i>	string
--------------------------------	--------

return_to	string
-----------	--------

Responses

— 201 Created

POST /masquerade/start

Request samples

Payload

Content type
application/json

Copy

```
{
  "investor_id": "string",
  "return_to": "string"
}
```

Auto-generated stub for POST /masquerade/bootstrap

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

code required	string
------------------	--------

Responses

— 201 Created

POST /masquerade/bootstrap

Request samples

Payload

Content type
application/json

Copy

```
{  
  "code": "string"  
}
```

Auto-generated stub for POST /masquerade/stop

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /masquerade/stop

mca_company_master

Auto-generated stub for GET /mca_company_master/search

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

q	string
required	
state	string
status	string
listing_status	string
limit	string ^\d+\$
page	string ^\d+\$

Responses

— 200 Success

GET /mca_company_master/search

Auto-generated stub for GET /mca_company_master/{cin}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

cin	integer
required	

Responses

— 200 Success

GET /mca_company_master/{cin}

mf_query

Auto-generated stub for POST /mf_query/screen

AUTHORIZATIONS: > None

REQUEST BODY SCHEMA: application/json
required

query required	string <= 500 characters
options	string
limit	number [1 .. 50] characters
explanation_style	string
include_sql_preview	boolean
include_idcw_options	boolean

Responses

— 201 Created

POST /mf_query/screen

Request samples

Payload

Content type
application/json

Copy

```
{
  "query": "string",
  "options": "string",
  "limit": 0,
  "explanation_style": "string",
  "include_sql_preview": true,
  "include_idcw_options": true
}
```

mfcentral

Auto-generated stub for POST /mfcentral/new-cas

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

pan required	string ^[A-Z]{5}[0-9]{4}[A-Z]{1}\$
email	string
mobile	string
fromDate	string

toDate	string
partnerId	string
investorId	string

Responses

— 201 Created

POST /mfcentral/new-cas

Request samples

Payload

Content type
application/json

Copy

```
{
  "pan": "^AAAAA0000A$",
  "email": "string",
  "mobile": "string",
  "fromDate": "string",
  "toDate": "string",
  "partnerId": "string",
  "investorId": "string"
}
```

Auto-generated stub for POST /mfcentral/validate-qr

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

reqId required	string
clientRefNo required	string
qrCode required	string
partnerId	string
investorId	string
pan	string
email	string
mobile	string

Responses

— 201 Created

POST /mfcentral/validate-qr

Request samples

Payload

Content type
application/json

Copy

```
{
  "reqId": "string",
  "clientRefNo": "string",
  "qrCode": "string",
  "partnerId": "string",
  "investorId": "string",
  "pan": "string",
  "email": "string",
  "mobile": "string"
```



```
}
```

Auto-generated stub for POST /mfcentral/analyze-cas-json

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /mfcentral/analyze-cas-json

Auto-generated stub for GET /mfcentral/status/{reqId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

reqId	integer
required	

Responses

— **200** Success

GET /mfcentral/status/{reqId}

Auto-generated stub for GET /mfcentral/poll-status/{reqId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

reqId required	integer
-------------------	---------

Responses

— **200** Success

GET /mfcentral/poll-status/{reqId}

nav

Auto-generated stub for GET /nav/amfi/{amfi_code}

AUTHORIZATIONS: > None

PATH PARAMETERS

amfi_code required	integer
-----------------------	---------

Responses

— 200 Success

GET /nav/amfi/{amfi_code}

Auto-generated stub for GET /nav/{id}

AUTHORIZATIONS: > None

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /nav/{id}

notification

Auto-generated stub for POST /notification

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /notification

Auto-generated stub for GET /notification

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /notification

Auto-generated stub for POST /notification/device-tokens

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /notification/device-tokens

Auto-generated stub for GET /notification/stream

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /notification/stream

Auto-generated stub for PATCH /notification/{id}/read

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

PATCH /notification/{id}/read

nse_index_constituents

Auto-generated stub for GET
/nse_index_constituents/indices

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /nse_index_constituents/indices

Auto-generated stub for GET /nse_index_constituents

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

indexName	string
required	

sort

string

Responses

— 200 Success

GET /nse_index_constituents

Auto-generated stub for GET
/nse_index_constituents/changes

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

indexName required	string
changeType	string
sort	string

Responses

— 200 Success

GET /nse_index_constituents/changes

nse_index

Auto-generated stub for GET /nse_index/indices

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /nse_index/indices

Auto-generated stub for GET /nse_index/ohlc

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /nse_index/ohlc

Auto-generated stub for GET /nse_index/valuation

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /nse_index/valuation

Auto-generated stub for GET /nse_index/latest

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

indexName	string
required	

Responses

— 200 Success

GET /nse_index/latest

Auto-generated stub for GET /nse_index/history

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

include	string
---------	--------

Responses

— 200 Success

GET /nse_index/history

order

Auto-generated stub for GET /order

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

limit	number
-------	--------

page	number
------	--------

investor_id	string
-------------	--------

Responses

— 200 Success

GET /order

Auto-generated stub for GET /order/{id}/bse_details

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /order/{id}/bse_details

Auto-generated stub for GET /order/{id}/payloads

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /order/{id}/payloads

Auto-generated stub for POST /order/{id}/cancel

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

POST /order/{id}/cancel

otp_verification

Auto-generated stub for POST /otp/signup

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

identifier required	string ^[6-9]\d{9}\$
type required	string Enum: "MOBILE" "EMAIL" "BOTH"
partner_id required	string

Responses

— 201 Created

POST /otp/signup

Request samples

Payload

Content type
application/json

Copy

```
{
  "identifier": "^6\\ddddddddd$",
  "type": "MOBILE",
  "partner_id": "string"
}
```

Auto-generated stub for POST /otp/transaction

AUTHORIZATIONS: > INVESTOR

REQUEST BODY SCHEMA: application/json
required

cart_ids
required Array of strings non-empty

Responses

— 201 Created

POST /otp/transaction

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all

```
{
  - "cart_ids": [
    "string"
  ]
}
```

Auto-generated stub for POST /otp/update_ucc

AUTHORIZATIONS: > INVESTOR

REQUEST BODY SCHEMA: application/json
required

type
required string
Enum: "SIGN_UP" "FORGOT_PASSWORD" "TRANSACTION"
"CANCEL_SXP" "UPDATE_ADDRESS" "ADD_BANK_ACCOUNT"
"DELETE_BANK_ACCOUNT" "UPDATE_BANK_ACCOUNT"

- "UPDATE_PERSONAL_INFO"
- "ADD_NOMINEE"
- "UPDATE_NOMINEE"
- "DELETE_NOMINEE"

payload	string
id required	string
first_name	string
middle_name	string
last_name	string
date_of_birth	string
gender	string Enum: "MALE" "FEMALE" "OTHER"

Responses

— 201 Created

POST /otp/update_ucc

Request samples

Payload

Content type
application/json

Copy

```
{
  "type": "SIGN_UP",
  "payload": "string",
  "id": "string",
  "first_name": "string",
  "middle_name": "string",
  "last_name": "string",
  "date_of_birth": "string",
```

```
"gender": "MALE"
}
```

Auto-generated stub for POST /otp/cancel_sxp

AUTHORIZATIONS: > *INVESTOR*

REQUEST BODY SCHEMA: application/json
required

sxp_id required	string
reason required	string Enum: "NON_AVAILABILITY_OF_FUNDS" "SCHEME_NOT_PERFORMING" "SERVICE_ISSUE" "LOAD_REVISIED" "WISH_TO_INVEST_IN_OTHER_SCHEMES" "CHANGE_IN_FUND_MANAGER" "GOAL_ACHIEVED" "NOT_COMFORTABLE_WITH_MARKET_VOLATILITY" "WILL_BE_RESTARTING_SIP_AFTER_FEW_MONTHS" "MODIFICATIONS_IN_BANK_MANDATE_DATE_ETC" "I_HAVE_DECIDED_TO_INVEST_ELSEWHERE" "THIS_IS_NOT_THE_RIGHT_TIME_TO_INVEST" "OTHERS"
reason_msg	string

Responses

— 201 Created

POST /otp/cancel_sxp

Request samples

Payload

Content type
application/json

Copy

```
{
  "sxp_id": "string",
  "reason": "NON_AVAILABILITY_OF_FUNDS",
  "reason_msg": "string"
}
```

Auto-generated stub for POST /otp/reset_password

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

identifier required	string <code>^[6-9]\d{9}\$</code>
type required	string Enum: "MOBILE" "EMAIL" "BOTH"

Responses

— 201 Created

POST /otp/reset_password

Request samples

Payload

Content type
application/json

Copy

```
{
  "identifier": "^6\\dddddddd$",
  "type": "MOBILE"
}
```

```
}
```

partner_amc

Auto-generated stub for GET /partner_amc/supported

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /partner_amc/supported

Auto-generated stub for POST /partner_amc

AUTHORIZATIONS: > *ADMIN_PARTNER*

REQUEST BODY SCHEMA: application/json
required

object (createPartnerAmcSchema)

Responses

— **201** Created

POST /partner_amc

Request samples

Payload

Content type
application/json

```
{ }
```

Copy

Auto-generated stub for GET /partner_amc

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

GET /partner_amc

Auto-generated stub for GET /partner_amc/{id}

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /partner_amc/{id}

Auto-generated stub for PATCH /partner_amc/{id}

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

id	integer
required	

REQUEST BODY SCHEMA: application/json
required

object (patchPartnerAmcSchema)

Responses

— 200 Success

PATCH /partner_amc/{id}

Request samples

Payload

Content type
application/json

{ }

Auto-generated stub for DELETE /partner_amc/{id}

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

id	integer
required	

Responses

— **200** Success

DELETE /partner_amc/{id}

partner_settings

Auto-generated stub for GET /partner_settings

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

GET /partner_settings

Auto-generated stub for PATCH /partner_settings

AUTHORIZATIONS: > *ADMIN_PARTNER*

REQUEST BODY SCHEMA: application/json
required

partner_id	string
------------	--------

Responses

— 200 Success

PATCH /partner_settings

Request samples

Payload

Content type
application/json

Copy

```
{  
  "partner_id": "string"  
}
```

Auto-generated stub for POST /partner_settings

AUTHORIZATIONS: > ADMIN_PARTNER

REQUEST BODY SCHEMA: application/json
required

partner_id	string
------------	--------

Responses

— 201 Created

POST /partner_settings

Request samples

Payload

Content type
application/json

Copy

```
{
  "partner_id": "string"
}
```

Auto-generated stub for GET /partner_settings/{partnerId}

AUTHORIZATIONS: > ADMIN_PARTNER

PATH PARAMETERS

partnerId required	integer
-----------------------	---------

Responses

— **200** Success

GET /partner_settings/{partnerId}

partner_team

Auto-generated stub for POST /partner_team/login

AUTHORIZATIONS: > *ALL_ROLES*

REQUEST BODY SCHEMA: application/json

required

username required	string
-----------------------------	--------

password required	string
-----------------------------	--------

Responses

— **201** Created

POST /partner_team/login

Request samples

Payload

Content type

application/json

Copy

```
{
  "username": "string",
  "password": "string"
}
```

Auto-generated stub for GET /partner_team

AUTHORIZATIONS: > None

Responses

— 200 Success

GET /partner_team

Auto-generated stub for POST /partner_team

AUTHORIZATIONS: > ADMIN_PARTNER

REQUEST BODY SCHEMA: application/json
required

name required	string <= 100 characters
suffix required	string [3 .. 30] characters ^[a-zA-Z0-9_]+\$

email	string	<= 254 characters
phone	string	<= 15 characters ^\+?[0-9]{7,15}\$
role required	string	
partner_id	string	

Responses

— 201 Created

POST /partner_team

Request samples

Payload

Content type

application/json

Copy

```
{
  "name": "string",
  "suffix": "^a$",
  "email": "string",
  "phone": "^\+?0000000$",
  "role": "string",
  "partner_id": "string"
}
```

Auto-generated stub for PATCH
/partner_team/{memberId}

PATH PARAMETERS

memberId

required

integer

REQUEST BODY SCHEMA:

application/json

required

name

string

<= 100 characters

email

string

<= 254 characters

phone

string

<= 15 characters ^\+?[0-9]{7,15}\$

role

string

Responses

— 200 Success

PATCH /partner_team/{memberId}

Request samples

Payload

Content type
application/json

Copy

```
{
  "name": "string",
  "email": "string",
  "phone": "^\+?0000000$",
  "role": "string"
}
```

Auto-generated stub for DELETE /partner_team/{memberId}

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

memberId required	integer
----------------------	---------

Responses

— 200 Success

DELETE /partner_team/{memberId}

Auto-generated stub for POST /partner_team/{memberId}/send-credentials

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

memberId required	integer
----------------------	---------

Responses

— 200 Success

POST /partner_team/{memberId}/send-credentials

partner_whitelabeling

Auto-generated stub for GET /partner_whitelabeling/{referral_link}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

referral_link <i>required</i>	integer
----------------------------------	---------

Responses

— **200** Success

GET /partner_whitelabeling/{referral_link}

Auto-generated stub for PATCH /partner_whitelabeling/config

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

PATCH /partner_whitelabeling/config

partner

Auto-generated stub for POST /partner/signup

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

name	string ^[A-Za-z]+(?:\s[A-Za-z]+)*\$
arn required	string
email required	string ^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\$
mobile required	string
partner_type	string Enum: "MFD" "RIA"
password required	string
confirm_password required	string

Responses

— 201 Created

POST /partner/signup

Request samples

Payload

Content type
application/json

Copy

```
{
  "name": "^A(?:\\sA)*$",
  "arn": "string",
  "email": "^A@A\\.A{2,}$",
  "mobile": "string",
  "partner_type": "MFD",
  "password": "string",
  "confirm_password": "string"
}
```

Auto-generated stub for POST /partner/login

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

identifier required	string
password required	string

Responses

— 201 Created

POST /partner/login

Request samples

Payload

Content type

application/json

Copy

```
{
  "identifier": "string",
  "password": "string"
}
```

Auto-generated stub for GET /partner/list

AUTHORIZATIONS: > ADMIN

Responses

— 200 Success

GET /partner/list

Auto-generated stub for GET /partner

Responses

— 200 Success

GET /partner

Auto-generated stub for PATCH /partner

REQUEST BODY SCHEMA: application/json
required

name	string ^[A-Za-z]+(?:\s[A-Za-z]+)*\$
email	string ^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\$
referral_link	string
member_id	string
arn	string
euin	string
ucc_prefix	string
bse_username	string
bse_password	string
mobile	string ^[6-9]\d{9}\$
pan	string ^[A-Z]{5}[0-9]{4}[A-Z]\$
gst	string

dob	string
gender	string Enum: "MALE" "FEMALE" "OTHER"
occupation	string Enum: "BUSINESS" "SERVICE" "PROFESSIONAL" "AGRICULTURIST" "RETIRED" "HOUSEWIFE" "STUDENT" "OTHERS" "DOCTOR" "PRIVATE_SECTOR_SERVICE" "PUBLIC_SECTOR_SERVICE" "FOREX_DEALER" "GOVERNMENT_SERVICE" "UNKNOWN_OR_NOT_APPLICABLE"
payment_redirection_url	string
cams_email	string <code>^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\$</code>
cams_password	string
karvy_email	string <code>^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\$</code>
karvy_password	string
communication_templates	Array of objects
mf_central_qr_cas_webhook_url	string

Responses

— 200 Success

PATCH /partner

Request samples

Payload

Content type
application/json

```
{
  "name": "^A(?:\\sA)*$",
  "email": "^A@A\\.A{2,}$",
  "referral_link": "string",
  "member_id": "string",
  "arn": "string",
  "euin": "string",
  "ucc_prefix": "string",
  "bse_username": "string",
  "bse_password": "string",
  "mobile": "^6\\d{10}$",
  "pan": "^AAAAA0000A$",
  "gst": "string",
  "dob": "string",
  "gender": "MALE",
  "occupation": "BUSINESS",
  "payment_redirection_url": "string",
  "cams_email": "^A@A\\.A{2,}$",
  "cams_password": "string",
  "karvy_email": "^A@A\\.A{2,}$",
  "karvy_password": "string",
  - "communication_templates": [
    { }
  ],
  "mf_central_qr_cas_webhook_url": "string"
}
```

Auto-generated stub for GET /partner/investor_support

AUTHORIZATIONS: > *PARTNER*

Responses

— **200** Success

GET /partner/investor_support

Auto-generated stub for POST /partner/investor_support/mcp_test

AUTHORIZATIONS: > PARTNER

REQUEST BODY SCHEMA: application/json
required

mode required	string
investor_id	string
tool_name	string
arguments	string

Responses

— 201 Created

POST /partner/investor_support/mcp_test

Request samples

Payload

Content type
application/json

Copy

```
{  
  "mode": "string",
```

```
"investor_id": "string",  
"tool_name": "string",  
"arguments": "string"  
}
```

Auto-generated stub for GET /partner/contact

AUTHORIZATIONS: > *INVESTOR*

Responses

— 200 Success

GET /partner/contact

Auto-generated stub for GET /partner/public/{slug}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

slug required	integer
------------------	---------

Responses

— 200 Success

GET /partner/public/{slug}

Auto-generated stub for GET /partner/{id}

AUTHORIZATIONS: > ADMIN

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /partner/{id}

Auto-generated stub for PATCH /partner/{id}

AUTHORIZATIONS: > ADMIN

PATH PARAMETERS

id	integer
required	

REQUEST BODY SCHEMA: application/json
required

name	string ^[A-Za-z](?:\s[A-Za-z])*\$
email	string ^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\$

referral_link	string
member_id	string
arn	string
euin	string
ucc_prefix	string
bse_username	string
bse_password	string
mobile	string <code>^[6-9]\d{9}\$</code>
pan	string <code>^[A-Z]{5}[0-9]{4}[A-Z]\$</code>
gst	string
dob	string
gender	string Enum: "MALE" "FEMALE" "OTHER"
occupation	string Enum: "BUSINESS" "SERVICE" "PROFESSIONAL" "AGRICULTURIST" "RETIRED" "HOUSEWIFE" "STUDENT" "OTHERS" "DOCTOR" "PRIVATE_SECTOR_SERVICE" "PUBLIC_SECTOR_SERVICE" "FOREX_DEALER" "GOVERNMENT_SERVICE" "UNKNOWN_OR_NOT_APPLICABLE"
payment_redirection_url	string
cams_email	string <code>^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\$</code>
cams_password	string
karvy_email	string <code>^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\$</code>
karvy_password	string
communication_templates	Array of objects
mf_central_qr_cas_webhook_url	string

Responses

— 200 Success

PATCH /partner/{id}

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all


```
{
  "name": "^A(?:\\sA)*$",
  "email": "^A@A\\.A{2,}$",
  "referral_link": "string",
  "member_id": "string",
  "arn": "string",
  "euin": "string",
  "ucc_prefix": "string",
  "bse_username": "string",
  "bse_password": "string",
  "mobile": "^6\\d{10}$",
  "pan": "^AAAAA0000A$",
  "gst": "string",
  "dob": "string",
  "gender": "MALE",
  "occupation": "BUSINESS",
  "payment_redirection_url": "string",
  "cams_email": "^A@A\\.A{2,}$",
  "cams_password": "string",
  "karvy_email": "^A@A\\.A{2,}$",
  "karvy_password": "string",
  - "communication_templates": [
    { }
  ],
  "mf_central_qr_cas_webhook_url": "string"
}
```

Auto-generated stub for POST /partner/{id}/cams/generate-mailback

AUTHORIZATIONS: > *ADMIN*

PATH PARAMETERS

id	integer
<i>required</i>	

Responses

— 200 Success

POST /partner/{id}/cams/generate-mailback

Auto-generated stub for PATCH /partner/communication-config

AUTHORIZATIONS: > *PARTNER*

REQUEST BODY SCHEMA: application/json
required

object (patchPartnerCommunicationSchema)

Responses

— 200 Success

PATCH /partner/communication-config

Request samples

Payload

Content type
application/json

{ }

Copy

Auto-generated stub for POST /partner/rm-assign

AUTHORIZATIONS: > *PARTNER*

REQUEST BODY SCHEMA: application/json
required

investor_id required	string
rm_id required	string

Responses

— 201 Created

POST /partner/rm-assign

Request samples

Payload

Content type
application/json

Copy

```
{
  "investor_id": "string",
  "rm_id": "string"
}
```

Auto-generated stub for DELETE /partner/rm-assign/{investorId}

AUTHORIZATIONS: > *PARTNER*

PATH PARAMETERS

<code>investorId</code> <code>required</code>	<code>integer</code>
--	----------------------

Responses

— **200** Success

DELETE `/partner/rm-assign/{investorId}`

Auto-generated stub for GET /partner/learn/topics

AUTHORIZATIONS: > *PARTNER*

Responses

— **200** Success

GET `/partner/learn/topics`

Auto-generated stub for POST /partner/learn/topics

AUTHORIZATIONS: > *PARTNER*

Responses

— 200 Success

POST /partner/learn/topics

Auto-generated stub for PATCH /partner/learn/topics/{id}

AUTHORIZATIONS: > *PARTNER*

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— 200 Success

PATCH /partner/learn/topics/{id}

Auto-generated stub for DELETE /partner/learn/topics/{id}

AUTHORIZATIONS: > *PARTNER*

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— 200 Success

DELETE /partner/learn/topics/{id}

Auto-generated stub for POST /partner/learn/modules

AUTHORIZATIONS: > *PARTNER*

Responses

— 200 Success

POST /partner/learn/modules

Auto-generated stub for PATCH /partner/learn/modules/{id}

AUTHORIZATIONS: > *PARTNER*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

PATCH /partner/learn/modules/{id}

Auto-generated stub for DELETE /partner/learn/modules/{id}

AUTHORIZATIONS: > *PARTNER*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

DELETE /partner/learn/modules/{id}

Auto-generated stub for POST /partner/learn/lessons

AUTHORIZATIONS: > *PARTNER*

Responses

— 200 Success

POST /partner/learn/lessons

Auto-generated stub for PATCH /partner/learn/lessons/{id}

AUTHORIZATIONS: > *PARTNER*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

PATCH /partner/learn/lessons/{id}

Auto-generated stub for DELETE /partner/learn/lessons/{id}

AUTHORIZATIONS: > *PARTNER*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

DELETE /partner/learn/lessons/{id}

Auto-generated stub for POST /partner/learn/quiz-questions

AUTHORIZATIONS: > *PARTNER*

Responses

— 200 Success

POST /partner/learn/quiz-questions

Auto-generated stub for PATCH /partner/learn/quiz-questions/{id}

AUTHORIZATIONS: > *PARTNER*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

PATCH /partner/learn/quiz-questions/{id}

Auto-generated stub for DELETE /partner/learn/quiz-questions/{id}

AUTHORIZATIONS: > *PARTNER*

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— 200 Success

DELETE /partner/learn/quiz-questions/{id}

past_order

Auto-generated stub for GET /past_order

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

GET /past_order

payment

Auto-generated stub for GET /payment/status

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

limit	number
page	number
investor_id	string

Responses

— 200 Success

GET /payment/status

Auto-generated stub for GET /payment/{id}

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /payment/{id}

periskope

Auto-generated stub for GET /periskope/status

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/status

Auto-generated stub for POST
/periskope/app/message/send

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/app/message/send

Auto-generated stub for POST
/periskope/app/message/reply

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/app/message/reply

Auto-generated stub for POST /periskope/app/message/react

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /periskope/app/message/react

Auto-generated stub for POST /periskope/app/message/send-media

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /periskope/app/message/send-media

Auto-generated stub for POST /periskope/app/chat

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/app/chat

Auto-generated stub for POST /periskope/app/contact

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/app/contact

Auto-generated stub for POST /periskope/app/ticket

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /periskope/app/ticket

Auto-generated stub for POST /periskope/app/task

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /periskope/app/task

Auto-generated stub for GET /periskope/app/log/{type}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

type
required

integer

Responses

— 200 Success

GET /periskope/app/log/{type}

Auto-generated stub for POST /periskope/private/analytics/team-metrics-v2

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/private/analytics/team-metrics-v2

Auto-generated stub for POST /periskope/private/analytics/phone-metrics-v2

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/private/analytics/phone-metrics-v2

Auto-generated stub for POST
/periskope/private/analytics/chat-metrics-v2

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/private/analytics/chat-metrics-v2

Auto-generated stub for POST
/periskope/private/analytics/message-metrics-v2

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/private/analytics/message-metrics-v2

Auto-generated stub for POST /periskope/private/analytics/ticket-metrics-v2

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/private/analytics/ticket-metrics-v2

Auto-generated stub for POST /periskope/private/analytics/member-metrics-v2

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/private/analytics/member-metrics-v2

Auto-generated stub for GET /periskope/private/analytics/exports

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/private/analytics/exports

Auto-generated stub for GET /periskope/private/ai/overview

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/private/ai/overview

Auto-generated stub for GET /periskope/private/knowledge/archetypes

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/private/knowledge/archetypes

Auto-generated stub for GET /periskope/rest/v1/rpc/get_org

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/rest/v1/rpc/get_org

Auto-generated stub for POST /periskope/rest/v1/rpc/get_org

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/rest/v1/rpc/get_org

Auto-generated stub for GET /periskope/rest/v1/rpc/get_counts

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/rest/v1/rpc/get_counts

Auto-generated stub for GET /periskope/rest/v1/rpc/get_org_credits

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/rest/v1/rpc/get_org_credits

Auto-generated stub for POST /periskope/rest/v1/rpc/get_org_credits

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/rest/v1/rpc/get_org_credits

Auto-generated stub for GET /periskope/rest/v1/rpc/get_scheduled_messages

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/rest/v1/rpc/get_scheduled_messages

Auto-generated stub for POST /periskope/rest/v1/rpc/get_scheduled_messages

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/rest/v1/rpc/get_scheduled_messages

Auto-generated stub for GET /periskope/rest/v1/rpc/get_media_library

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/rest/v1/rpc/get_media_library

Auto-generated stub for POST /periskope/rest/v1/rpc/get_media_library

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/rest/v1/rpc/get_media_library

Auto-generated stub for GET /periskope/phones/all

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/phones/all

Auto-generated stub for POST /periskope/phones/create

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/phones/create

Auto-generated stub for POST /periskope/phones/reset

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /periskope/phones/reset

Auto-generated stub for POST /periskope/phones/restart

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /periskope/phones/restart

Auto-generated stub for GET /periskope/phones/qrcode

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/phones/qr

Auto-generated stub for DELETE /periskope/phones/delete

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

DELETE /periskope/phones/delete

Auto-generated stub for GET /periskope/phones

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/phones

Auto-generated stub for POST /periskope/contacts/check

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/contacts/check

Auto-generated stub for GET /periskope/chat/{chat_id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chat_id	integer
required	

Responses

— 200 Success

GET /periskope/chat/{chat_id}

Auto-generated stub for GET /periskope/chats/messages

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/chats/messages

Auto-generated stub for GET /periskope/chats/notifications

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/chats/notifications

Auto-generated stub for GET /periskope/message/{message_id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

message_id required	integer
------------------------	---------

Responses

— 200 Success

GET /periskope/message/{message_id}

Auto-generated stub for POST /periskope/message/send

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/message/send

Auto-generated stub for GET /periskope/api/webhooks/signing-key

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/api/webhooks/signing-key

Auto-generated stub for POST /periskope/api/webhooks/signing-key/regenerate

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/api/webhooks/signing-key/regenerate

Auto-generated stub for GET /periskope/api/webhooks

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/api/webhooks

Auto-generated stub for POST /periskope/api/webhooks

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/api/webhooks

Auto-generated stub for PUT /periskope/api/webhooks/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id
required

integer

Responses

— 200 Success

PUT /periskope/api/webhooks/{id}

Auto-generated stub for DELETE /periskope/api/webhooks/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

DELETE /periskope/api/webhooks/{id}

Auto-generated stub for POST /periskope/api/webhooks/{id}/test

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— 200 Success

POST /periskope/api/webhooks/{id}/test

Auto-generated stub for GET /periskope/app/members

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/app/members

Auto-generated stub for POST /periskope/app/members

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/app/members

Auto-generated stub for PATCH /periskope/app/members/{id}/preferences

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

PATCH /periskope/app/members/{id}/preferences

Auto-generated stub for POST /periskope/app/broadcast

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/app/broadcast

Auto-generated stub for GET /periskope/app/broadcast/{id}/stats

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /periskope/app/broadcast/{id}/stats

Auto-generated stub for GET /periskope/rest/v1/tbl_broadcast_templates

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/rest/v1/tbl_broadcast_templates

Auto-generated stub for POST /periskope/rest/v1/tbl_broadcast_templates

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/rest/v1/tbl_broadcast_templates

Auto-generated stub for PATCH /periskope/rest/v1/tbl_broadcast_templates/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

PATCH /periskope/rest/v1/tbl_broadcast_templates/{id}

Auto-generated stub for DELETE /periskope/rest/v1/tbl_broadcast_templates/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

DELETE /periskope/rest/v1/tbl_broadcast_templates/{id}

Auto-generated stub for GET /periskope/rest/v1/tbl_broadcast_chatlist

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/rest/v1/tbl_broadcast_chatlist

Auto-generated stub for POST /periskope/rest/v1/tbl_broadcast_chatlist

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /periskope/rest/v1/tbl_broadcast_chatlist

Auto-generated stub for DELETE /periskope/rest/v1/tbl_broadcast_chatlist/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

DELETE /periskope/rest/v1/tbl_broadcast_chatlist/{id}

Auto-generated stub for GET /periskope/rest/v1/view_broadcast_logs

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/rest/v1/view_broadcast_logs

Auto-generated stub for GET /periskope/rest/v1/tbl_ai_sessions

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/rest/v1/tbl_ai_sessions

Auto-generated stub for GET /periskope/rest/v1/tbl_ai_tools

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /periskope/rest/v1/tbl_ai_tools

phone_number

Auto-generated stub for POST /phone_number

AUTHORIZATIONS: > *INVESTOR*

REQUEST BODY SCHEMA: application/json
required

isd	string
number required	string <code>^[6-9]\d{9}\$</code>
belongs_to	string

required

Enum: "SELF" "SPOUSE" "DEPENDENT_CHILDREN" "DEPENDENT_SIBLINGS" "DEPENDENT_PARENTS" "GUARDIAN" "PMS" "CUSTODIAN" "POA" "NOT_APPLICABLE"

type
required

string
Enum: "RESIDENTIAL" "OFFICE" "PRIMARY" "OTHER"

Responses

— 201 Created

POST /phone_number

Request samples

Payload

Content type
application/json

Copy

```
{
  "isd": "string",
  "number": "^6\\ddddddd$",
  "belongs_to": "SELF",
  "type": "RESIDENTIAL"
}
```

Auto-generated stub for GET /phone_number/{id}

AUTHORIZATIONS: > INVESTOR

PATH PARAMETERS

id
required integer

REQUEST BODY SCHEMA: **application/json**
required

isd	string
number	string <code>^[6-9]\d{9}\$</code>
belongs_to	string Enum: "SELF" "SPOUSE" "DEPENDENT_CHILDREN" "DEPENDENT_SIBLINGS" "DEPENDENT_PARENTS" "GUARDIAN" "PMS" "CUSTODIAN" "POA" "NOT_APPLICABLE"
type	string Enum: "RESIDENTIAL" "OFFICE" "PRIMARY" "OTHER"

Responses

— 200 Success

GET /phone_number/{id}

Request samples

Payload

Content type
application/json

Copy

```
{
  "isd": "string",
  "number": "^6\\ddddddd$",
  "belongs_to": "SELF",
  "type": "RESIDENTIAL"
}
```

Auto-generated stub for GET /portfolio

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /portfolio

Auto-generated stub for GET /portfolio/partner

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /portfolio/partner

Auto-generated stub for GET /portfolio/holdings

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /portfolio/holdings

Auto-generated stub for GET /portfolio/analytics/import-orders

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /portfolio/analytics/import-orders

Auto-generated stub for GET /portfolio/analytics/past-orders

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /portfolio/analytics/past-orders

Auto-generated stub for GET /portfolio/xray

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /portfolio/xray

Auto-generated stub for GET /portfolio/factor-exposure

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /portfolio/factor-exposure

Auto-generated stub for GET /portfolio/stress-test

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /portfolio/stress-test

Auto-generated stub for GET /portfolio/smart-redemption

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /portfolio/smart-redemption

Auto-generated stub for GET /portfolio/scheme

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /portfolio/scheme

Auto-generated stub for GET /portfolio/scheme/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— **200** Success

GET /portfolio/scheme/{id}

prospect_booking

Auto-generated stub for POST /prospect_booking/hosts

AUTHORIZATIONS: > ADMIN_PARTNER

REQUEST BODY SCHEMA: application/json
required

name required	string
email required	string
timezone	string
slot_duration	number [15 .. 120] characters
slot_interval	number [0 .. 60] characters
buffer_mins required	number [0 .. 120] characters

Responses

— 201 Created

POST /prospect_booking/hosts

Request samples

Payload

Content type
application/json

```
{
  "name": "string",
  "email": "string",
  "timezone": "string",
  "slot_duration": 0,
  "slot_interval": 0,
  "buffer_mins": 0
}
```

Auto-generated stub for GET /prospect_booking/hosts

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— **200** Success

GET /prospect_booking/hosts

Auto-generated stub for PATCH /prospect_booking/hosts/{id}

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

id	integer
required	

REQUEST BODY SCHEMA: application/json
required

name	string
timezone	string
slot_duration	number [15 .. 120] characters
slot_interval	number [0 .. 60] characters
buffer_mins	number [0 .. 120] characters
active	boolean

Responses

— 200 Success

PATCH /prospect_booking/hosts/{id}

Request samples

Payload

Content type
application/json

Copy

```
{
  "name": "string",
  "timezone": "string",
  "slot_duration": 0,
  "slot_interval": 0,
  "buffer_mins": 0,
  "active": true
}
```

AUTHORIZATIONS: > ADMIN_PARTNER

QUERY PARAMETERS

page	number
limit	number
status	string
host_id	string
from	string
to	string
search	string

Responses

— 200 Success

GET /prospect_booking

Auto-generated stub for GET
/prospect_booking/hosts/{hostId}/slots

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

hostId required	integer
--------------------	---------

Responses

— 200 Success

GET /prospect_booking/hosts/{hostId}/slots

Auto-generated stub for POST /prospect_booking/book

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

host_id required	string
start_time required	string
end_time required	string
timezone required	string
name required	string
email required	string
phone required	string
company	string
notes	string

Responses

— 201 Created

POST /prospect_booking/book

Request samples

Payload

Content type
application/json

Copy

```
{
  "host_id": "string",
  "start_time": "string",
  "end_time": "string",
  "timezone": "string",
  "name": "string",
  "email": "string",
  "phone": "string",
  "company": "string",
  "notes": "string"
}
```

Auto-generated stub for GET /prospect_booking/{id}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /prospect_booking/{id}

Auto-generated stub for POST /prospect_booking/{id}/cancel

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— **200** Success

POST /prospect_booking/{id}/cancel

Auto-generated stub for GET /prospect_booking/{id}/session

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— 200 Success

GET /prospect_booking/{id}/session

Auto-generated stub for POST /prospect_booking/admin/add-team-to-recent

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

POST /prospect_booking/admin/add-team-to-recent

Auto-generated stub for POST /prospect_booking/{id}/enrich

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

POST /prospect_booking/{id}/enrich

Auto-generated stub for GET /prospect_booking/recordings/{recordingId}/signed-url

AUTHORIZATIONS: > *ADMIN_PARTNER*

PATH PARAMETERS

recordingId <i>required</i>	integer
--------------------------------	---------

Responses

— 200 Success

GET /prospect_booking/recordings/{recordingId}/signed-url

razorpay_checkout

Auto-generated stub for POST /razorpay_checkout/create_order

[AUTHORIZATIONS:](#) > *ALL_ROLES*

Responses

— **200** Success

POST /razorpay_checkout/create_order

Auto-generated stub for POST /razorpay_checkout/verify_payment

[AUTHORIZATIONS:](#) > *ALL_ROLES*

Responses

— **200** Success

POST /razorpay_checkout/verify_payment

Auto-generated stub for GET /razorpay_checkout/my_orders

[AUTHORIZATIONS:](#) > *INVESTOR*

Responses

— 200 Success

GET /razorpay_checkout/my_orders

Auto-generated stub for GET
/razorpay_checkout/admin/all

AUTHORIZATIONS: > None

Responses

— 200 Success

GET /razorpay_checkout/admin/all

Auto-generated stub for POST
/razorpay_checkout/admin/backfill-contacts

AUTHORIZATIONS: > None

Responses

— 200 Success

POST /razorpay_checkout/admin/backfill-contacts

Auto-generated stub for POST /razorpay_checkout/webhook

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /razorpay_checkout/webhook

referral

Auto-generated stub for GET /referral/my_stats

AUTHORIZATIONS: > *INVESTOR*

Responses

— 200 Success

GET /referral/my_stats

Auto-generated stub for GET /referral/my_referrals

AUTHORIZATIONS: > *INVESTOR*

Responses

— 200 Success

GET /referral/my_referrals

Auto-generated stub for GET /referral/check/{code}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

code
required

integer

Responses

— 200 Success

GET /referral/check/{code}

Auto-generated stub for GET /referral/admin/all

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /referral/admin/all

related_party

Auto-generated stub for POST /related_party

AUTHORIZATIONS: > *ALL_ROLES*

REQUEST BODY SCHEMA: application/json
required

first_name	string	[3 .. 30] characters	^[A-Za-z]+(?:\s[A-Za-z]+)*\$
required			

middle_name	string [3 .. 30] characters <code>^[A-Za-z]+(?:\s[A-Za-z]+)*\$</code>
last_name	string <code>^[A-Za-z]+(?:\s[A-Za-z]+)*\$</code>
date_of_birth required	string
relationship	string Enum: "AUNT" "BROTHER" "DAUGHTER" "DAUGHTER_IN_LAW" "FATHER" "FATHER_IN_LAW" "GRAND_DAUGHTER" "GRAND_SON" "GRAND_FATHER" "GRAND_MOTHER" "HUSBAND" "MOTHER" "MOTHER_IN_LAW" "NEPHEW" "NIECE" "FRIEND" "SISTER" "SON" "SON_IN_LAW" "UNCLE" "WIFE" "OTHERS"
minor_flag	boolean
nomination_percent required	number [0 .. 100] characters <code>^[A-Z]{5}[0-9]{4}[A-Z]\$</code>
email required	string <code>^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\$</code>
mobile required	string <code>^[6-9]\d{9}\$</code>
line1 required	string [10 .. 40] characters
line2	string [10 .. 120] characters
line3	string [10 .. 120] characters
city required	string >= 2 characters
state	string
postal_code required	string >= 3 characters
country	string Enum: "AFG" "ALA" "ALB" "DZA" "ASM" "AND" "AGO" "AIA" "ATA" "ATG" "ARG" "ARM" "ABW" "AUS" "AUT" "AZE" "BHS" "BHR" "BGD" "BRB" "BLR" "BEL" "BLZ" "BEN" "BMU" "BTN" "BOL" "BES" "BIH" "BWA" "BVT" "BRA" "IOT" "BRN" "BGR" "BFA" "BDI" "CPV" "KHM" "CMR" "CAN" "CYM" "CAF" "TCD" "CHL" "CHN" "CXR" "CCK" "COL" "COM" "COG" "COD" "COK" "CRI" "CIV" "HRV" "CUB" "CUW" "CYP" "CZE" "DNK" "DJI" "DMA" "DOM" "ECU" "EGY" "SLV" "GNQ" "ERI" "EST" "SWZ" "ETH" "FLK" "FRO" "FJI" "FIN" "FRA" "GUF" "PYF" "ATF" "GAB" "GMB" "GEO" "DEU" "GHA" "GIB" "GRC"

"GRL"	"GRD"	"GLP"	"GUM"	"GTM"	"GGY"	"GIN"	"GNB"
"GUY"	"HTI"	"HMD"	"VAT"	"HND"	"HKG"	"HUN"	"ISL"
"IND"	"IDN"	"IRN"	"IRQ"	"IRL"	"IMN"	"ISR"	"ITA"
"JAM"	"JPN"	"JEY"	"JOR"	"KAZ"	"KEN"	"KIR"	"PRK"
"KOR"	"KWT"	"KGZ"	"LAO"	"LVA"	"LBN"	"LSO"	"LBR"
"LBY"	"LIE"	"LTU"	"LUX"	"MAC"	"MDG"	"MWI"	"MYS"
"MDV"	"MLI"	"MLT"	"MHL"	"MTQ"	"MRT"	"MUS"	"MYT"
"MEX"	"FSM"	"MDA"	"MCO"	"MNG"	"MNE"	"MSR"	"MAR"
"MOZ"	"MMR"	"NAM"	"NRU"	"NPL"	"NLD"	"NCL"	"NZL"
"NIC"	"NER"	"NGA"	"NIU"	"NFK"	"MKD"	"MNP"	"NOR"
"OMN"	"PAK"	"PLW"	"PSE"	"PAN"	"PNG"	"PRY"	"PER"
"PHL"	"PCN"	"POL"	"PRT"	"PRI"	"QAT"	"REU"	"ROU"
"RUS"	"RWA"	"BLM"	"SHN"	"KNA"	"LCA"	"MAF"	"SPM"
"VCT"	"WSM"	"SMR"	"STP"	"SAU"	"SEN"	"SRB"	"SYC"
"SLE"	"SGP"	"SXM"	"SVK"	"SVN"	"SLB"	"SOM"	"ZAF"
"SGS"	"SSD"	"ESP"	"LKA"	"SDN"	"SUR"	"SJM"	"SWE"
"CHE"	"SYR"	"TWN"	"TJK"	"TZA"	"THA"	"TLS"	"TGO"
"TKL"	"TON"	"TTO"	"TUN"	"TUR"	"TKM"	"TCA"	"TUV"
"UGA"	"UKR"	"ARE"	"GBR"	"USA"	"UMI"	"URY"	"UZB"
"VUT"	"VEN"	"VNM"	"VGB"	"VIR"	"WLF"	"ESH"	"YEM"
"ZMB"	"ZWE"						

Responses

— 201 Created

POST /related_party

Request samples

Payload

Content type
application/json

Copy

```
{
  "first_name": "^A(?:\\sA)*$",
  "middle_name": "^A(?:\\sA)*$",
  "last_name": "^A(?:\\sA)*$",
  "date_of_birth": "string",
```

```
"relationship": "AUNT",
"minor_flag": true,
"nomination_percent": 0,
"email": "^A@A\\.A{2,}$",
"mobile": "^6\\ddddddd$",
"line1": "stringtri",
"line2": "stringtri",
"line3": "stringtri",
"city": "string",
"state": "string",
"postal_code": "string",
"country": "AFG"
}
```

Auto-generated stub for PATCH /related_party/{id}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id integer
required

REQUEST BODY SCHEMA: application/json
required

first_name	string	[3 .. 30] characters	^[A-Za-z]+(?:\s[A-Za-z]+)*\$
middle_name	string	[3 .. 30] characters	^[A-Za-z]+(?:\s[A-Za-z]+)*\$
last_name	string	[3 .. 30] characters	^[A-Za-z]+(?:\s[A-Za-z]+)*\$
date_of_birth	string		
relationship	string	Enum:	"AUNT" "BROTHER" "DAUGHTER" "DAUGHTER_IN_LAW" "FATHER" "FATHER_IN_LAW" "GRAND_DAUGHTER" "GRAND_SON" "GRAND_FATHER" "GRAND_MOTHER" "HUSBAND" "MOTHER" "MOTHER_IN_LAW" "NEPHEW" "NIECE" "FRIEND" "SISTER" "SON" "SON_IN_LAW" "UNCLE" "WIFE" "OTHERS"
minor_flag	boolean		
nomination_percent	number	[0 .. 100] characters	

email	string <code>^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}\$</code>
mobile	string <code>^[6-9]\d{9}\$</code>
line1	string <code>[10 .. 40] characters</code>
line2	string <code>[10 .. 120] characters</code>
line3	string <code>[10 .. 120] characters</code>
city	string <code>>= 2 characters</code>
state	string
postal_code	string <code>>= 3 characters</code>
country	string

Enum:	"AFG"	"ALA"	"ALB"	"DZA"	"ASM"	"AND"	"AGO"	
	"AIA"	"ATA"	"ATG"	"ARG"	"ARM"	"ABW"	"AUS"	"AUT"
	"AZE"	"BHS"	"BHR"	"BGD"	"BRB"	"BLR"	"BEL"	"BLZ"
	"BEN"	"BMU"	"BTN"	"BOL"	"BES"	"BIH"	"BWA"	"BVT"
	"BRA"	"IOT"	"BRN"	"BGR"	"BFA"	"BDI"	"CPV"	"KHM"
	"CMR"	"CAN"	"CYM"	"CAF"	"TCD"	"CHL"	"CHN"	"CXR"
	"CCK"	"COL"	"COM"	"COG"	"COD"	"COK"	"CRI"	"CIV"
	"HRV"	"CUB"	"CUW"	"CYP"	"CZE"	"DNK"	"DJI"	"DMA"
	"DOM"	"ECU"	"EGY"	"SLV"	"GNQ"	"ERI"	"EST"	"SWZ"
	"ETH"	"FLK"	"FRO"	"FJI"	"FIN"	"FRA"	"GUF"	"PYF"
	"ATF"	"GAB"	"GMB"	"GEO"	"DEU"	"GHA"	"GIB"	"GRC"
	"GRL"	"GRD"	"GLP"	"GUM"	"GTM"	"GGY"	"GIN"	"GNB"
	"GUY"	"HTI"	"HMD"	"VAT"	"HND"	"HKG"	"HUN"	"ISL"
	"IND"	"IDN"	"IRN"	"IRQ"	"IRL"	"IMN"	"ISR"	"ITA"
	"JAM"	"JPN"	"JEY"	"JOR"	"KAZ"	"KEN"	"KIR"	"PRK"
	"KOR"	"KWT"	"KGZ"	"LAO"	"LVA"	"LBN"	"LSO"	"LBR"
	"LBY"	"LIE"	"LTU"	"LUX"	"MAC"	"MDG"	"MWI"	"MYS"
	"MDV"	"MLI"	"MLT"	"MHL"	"MTQ"	"MRT"	"MUS"	"MYT"
	"MEX"	"FSM"	"MDA"	"MCO"	"MNG"	"MNE"	"MSR"	"MAR"
	"MOZ"	"MMR"	"NAM"	"NRU"	"NPL"	"NLD"	"NCL"	"NZL"
	"NIC"	"NER"	"NGA"	"NIU"	"NFK"	"MKD"	"MNP"	"NOR"
	"OMN"	"PAK"	"PLW"	"PSE"	"PAN"	"PNG"	"PRY"	"PER"
	"PHL"	"PCN"	"POL"	"PRT"	"PRI"	"QAT"	"REU"	"ROU"
	"RUS"	"RWA"	"BLM"	"SHN"	"KNA"	"LCA"	"MAF"	"SPM"
	"VCT"	"WSM"	"SMR"	"STP"	"SAU"	"SEN"	"SRB"	"SYC"
	"SLE"	"SGP"	"SXM"	"SVK"	"SVN"	"SLB"	"SOM"	"ZAF"
	"SGS"	"SSD"	"ESP"	"LKA"	"SDN"	"SUR"	"SJM"	"SWE"
	"CHE"	"SYR"	"TWN"	"TJK"	"TZA"	"THA"	"TLS"	"TGO"
	"TKL"	"TON"	"TTO"	"TUN"	"TUR"	"TKM"	"TCA"	"TUV"
	"UGA"	"UKR"	"ARE"	"GBR"	"USA"	"UMI"	"URY"	"UZB"

"VUT"	"VEN"	"VNM"	"VGB"	"VIR"	"WLF"	"ESH"	"YEM"
"ZMB"	"ZWE"						

Responses

— 200 Success

PATCH /related_party/{id}

Request samples

Payload

Content type
application/json

Copy

```
{
  "first_name": "^A(?:\\sA)*$",
  "middle_name": "^A(?:\\sA)*$",
  "last_name": "^A(?:\\sA)*$",
  "date_of_birth": "string",
  "relationship": "AUNT",
  "minor_flag": true,
  "nomination_percent": 0,
  "email": "^A@A\\.A{2,}$",
  "mobile": "^6\\d{10}$",
  "line1": "stringstri",
  "line2": "stringstri",
  "line3": "stringstri",
  "city": "string",
  "state": "string",
  "postal_code": "string",
  "country": "AFG"
}
```

ria

Auto-generated stub for GET /ria/list

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

page	string
limit	string

Responses

— 200 Success

GET /ria/list

Auto-generated stub for GET /ria/search

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

intm_id	string
name	string
registration_no	string
email	string

city	string
state	string
page	string
limit	string

Responses

— **200** Success

GET /ria/search

Auto-generated stub for GET /ria/count

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /ria/count

Auto-generated stub for GET /ria/{intm_id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

<code>intm_id</code> <code>required</code>	integer
---	---------

Responses

— **200** Success

GET `/ria/{intm_id}`

risk_profiling

Auto-generated stub for GET /risk/questionnaires

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET `/risk/questionnaires`

Auto-generated stub for POST /risk/questionnaires

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

name required	string <= 255 characters
version required	number non-empty
description	string <= 2000 characters
partner_id	string
is_active	boolean
questions required	Array of objects non-empty

Responses

— 201 Created

POST /risk/questionnaires

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all

```
{
  "name": "string",
  "version": 0,
  "description": "string",
```



```
"partner_id": "string",
"is_active": true,
- "questions": [
    { }
  ]
}
```

Auto-generated stub for GET /risk/questionnaires/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— **200** Success

GET /risk/questionnaires/{id}

Auto-generated stub for PATCH /risk/questionnaires/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

REQUEST BODY SCHEMA: application/json
required

name	string	<= 255 characters
description	string	<= 2000 characters
is_active	boolean	

Responses

— 200 Success

PATCH /risk/questionnaires/{id}

Request samples

Payload

Content type
application/json

Copy

```
{
  "name": "string",
  "description": "string",
  "is_active": true
}
```

Auto-generated stub for POST
/risk/questionnaires/{id}/questions

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id	integer
required	

REQUEST BODY SCHEMA: application/json
required

question_text	string	<= 1000 characters
question_order	number	non-empty
options	Array of objects	>= 2 items

Responses

— 201 Created

POST /risk/questionnaires/{id}/questions

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all

```
{
  "question_text": "string",
  "question_order": 0,
  "options": [
    { },
    { }
  ]
}
```

Auto-generated stub for PATCH
/risk/questionnaires/{questionnaireId}/questions/{questionId}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

questionnaireId

required

integer

REQUEST BODY SCHEMA: **required** application/json

question_text

string

<= 1000 characters

question_order

number

non-empty

options

Array of objects

>= 2 items

Responses

— 200 Success

PATCH /risk/questionnaires/{questionnaireId}/questions/{questionId}

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all

```
{
  "question_text": "string",
  "question_order": 0,
  "options": [
    { },
    { }
  ]
}
```

Auto-generated stub for POST /risk/assessments

AUTHORIZATIONS: > ALL_ROLES

REQUEST BODY SCHEMA: application/json
required

risk_questionnaire_id	number	non-empty
performed_by	string	Enum: "INVESTOR" "ADVISOR"
restart	boolean	

Responses

— 201 Created

POST /risk/assessments

Request samples

Payload

Content type
application/json

Copy

```
{
  "risk_questionnaire_id": 0,
  "performed_by": "INVESTOR",
  "restart": true
}
```

Auto-generated stub for GET /risk/assessments

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

`risk_questionnaire_id` number
required

`investor_id` string

Responses

— **200** Success

GET /risk/assessments

Auto-generated stub for GET /risk/buckets

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /risk/buckets

Auto-generated stub for GET /risk/assessments/all

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

investor_id	string
page	number
limit	number

Responses

— 200 Success

GET /risk/assessments/all

Auto-generated stub for GET /risk/assessments/{assessmentId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

assessmentId required	integer
--------------------------	---------

Responses

— 200 Success

GET /risk/assessments/{assessmentId}

Auto-generated stub for POST /risk/assessments/{assessmentId}/answers

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

assessmentId	integer
required	

REQUEST BODY SCHEMA: application/json
required

risk_question_id	number	non-empty
required		

risk_question_option_id	number	non-empty
required		

Responses

— 201 Created

POST /risk/assessments/{assessmentId}/answers

Request samples

Payload

Content type

application/json

Copy

```
{
  "risk_question_id": 0,
  "risk_question_option_id": 0
}
```

Auto-generated stub for POST /risk/assessments/{assessmentId}/complete

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

assessmentId	integer
<i>required</i>	

Responses

— **200** Success

POST /risk/assessments/{assessmentId}/complete

scheme

Auto-generated stub for GET /scheme

List mutual fund schemes with partner and investor restrictions applied automatically.

Partner Restrictions:

- MFD (Multi-channel Financial Distributor) partners can only access non-direct schemes from their empanelled AMCs
- RIA (Registered Investment Adviser) partners can only access direct schemes from all AMCs

NRI Investor Restrictions:

- Non-resident Indian investors cannot access schemes from AMCs that have restrictions based on their tax status and country of birth
- Restrictions are applied automatically based on the authenticated user's investor profile

Query Parameters:

- `limit`: Number of schemes to return (default: 10)
- `page`: Page number for pagination (default: 1)
- `name`: Search schemes by name (case-insensitive partial match)

AUTHORIZATIONS: > *PARTNER* or *ALL_ROLES* or None

QUERY PARAMETERS

limit	number
page	number
name	string
q	string
amc	string
category	string
sub_category	string
plan	string
option	string
isin	string
investor_id	string
partner_id	string
sort_by	string

sort_dir

string

Responses

- > 200 Success
- 404 Scheme not found or not accessible to the authenticated user

GET /scheme

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
  - "list": [
    + { ... }
  ],
  "total": 0,
  "page": 0,
  "limit": 0
}
```

Auto-generated stub for GET /scheme/amcs

AUTHORIZATIONS: > PARTNER or ALL_ROLES or None

QUERY PARAMETERS

name

string

q

string

category	string
sub_category	string
plan	string
option	string
isin	string
investor_id	string
partner_id	string

Responses

> 200 Success

— 404 Scheme not found or not accessible to the authenticated user

GET /scheme/amcs

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
  - "list": [
    + { ... }
  ],
  "total": 0,
  "page": 0,
  "limit": 0
}
```

Auto-generated stub for GET /scheme/mf-data/{id}

AUTHORIZATIONS: > *PARTNER* or *ALL_ROLES* or None

PATH PARAMETERS

id	integer
required	

Responses

> **200** Success

— **404** Scheme not found or not accessible to the authenticated user

GET /scheme/mf-data/{id}

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
  - "list": [
    + { ... }
  ],
  "total": 0,
  "page": 0,
  "limit": 0
}
```

Auto-generated stub for GET /scheme/filter-options

AUTHORIZATIONS: > *PARTNER* or *ALL_ROLES* or None

Responses

> **200** Success

— **404** Scheme not found or not accessible to the authenticated user

GET /scheme/filter-options

Response samples

200

Content type

application/json

Copy

Expand all

Collapse all

```
{
  - "list": [
    + { ... }
  ],
  "total": 0,
  "page": 0,
  "limit": 0
}
```

}

Auto-generated stub for GET /scheme/factsheet/{isin}

AUTHORIZATIONS: > PARTNER or ALL_ROLES or None

PATH PARAMETERS

isin required	integer
------------------	---------

Responses

- > 200 Success
- 404 Scheme not found or not accessible to the authenticated user

GET /scheme/factsheet/{isin}

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
  - "list": [
    + { ... }
  ],
  "total": 0,
  "page": 0,
  "limit": 0
}
```

Auto-generated stub for GET /scheme/{id}/holding-changes

Get detailed information for a specific mutual fund scheme.

Access Restrictions:

- Partners can only access schemes according to their type (MFD/RIA) and AMC mappings
- NRI investors cannot access schemes from restricted AMCs
- Returns 404 if the scheme is not accessible to the authenticated user

AUTHORIZATIONS: > *PARTNER* or *ALL_ROLES* or None

PATH PARAMETERS

id	integer
required	

QUERY PARAMETERS

months	number
holding_type	string
holding_name	string

Responses

> 200 Success

— 404 Scheme not found or not accessible to the authenticated user

GET /scheme/{id}/holding-changes

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
  - "list": [
    + { ... }
  ],
  "total": 0,
  "page": 0,
  "limit": 0
}
```

Auto-generated stub for GET /scheme/{id}/related

Get detailed information for a specific mutual fund scheme.

Access Restrictions:

- Partners can only access schemes according to their type (MFD/RIA) and AMC mappings
- NRI investors cannot access schemes from restricted AMCs
- Returns 404 if the scheme is not accessible to the authenticated user

AUTHORIZATIONS: > PARTNER or ALL_ROLES or None

PATH PARAMETERS

id	integer
required	

Responses

> 200 Success

— 404 Scheme not found or not accessible to the authenticated user

GET /scheme/{id}/related

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
  - "list": [
    + { ... }
  ],
  "total": 0,
  "page": 0,
  "limit": 0
}
```

Auto-generated stub for GET /scheme/{id}

Get detailed information for a specific mutual fund scheme.

Access Restrictions:

- Partners can only access schemes according to their type (MFD/RIA) and AMC mappings
- NRI investors cannot access schemes from restricted AMCs
- Returns 404 if the scheme is not accessible to the authenticated user

AUTHORIZATIONS: > PARTNER or ALL_ROLES or None

PATH PARAMETERS

id
required

integer

Responses

> 200 Success

— 404 Scheme not found or not accessible to the authenticated user

GET /scheme/{id}

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
  - "list": [
    + { ... }
  ],
  "total": 0,
  "page": 0,
  "limit": 0
}
```

sif_nav

Auto-generated stub for GET /sif_nav

AUTHORIZATIONS: >

None

Responses

— **200** Success

GET /sif_nav

Auto-generated stub for GET /sif_nav/{scheme_id}

AUTHORIZATIONS: >

None

PATH PARAMETERS

<code>scheme_id</code> <code>required</code>	<code>integer</code>
---	----------------------

Responses

— **200** Success

GET /sif_nav/{scheme_id}

sip_book

Auto-generated stub for POST /sip_book/active_sips

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— **200** Success

POST /sip_book/active_sips

Auto-generated stub for POST /sip_book/cancelled_sips

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— **200** Success

POST /sip_book/cancelled_sips

Auto-generated stub for POST /sip_book/drilldown

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

POST /sip_book/drilldown

Auto-generated stub for POST
/sip_book/drilldown_by_category

AUTHORIZATIONS: > ADMIN_PARTNER

Responses

— 200 Success

POST /sip_book/drilldown_by_category

Auto-generated stub for POST
/sip_book/drilldown_for_chart

AUTHORIZATIONS: > ADMIN_PARTNER

Responses

— 200 Success

POST /sip_book/drilldown_for_chart

Auto-generated stub for POST /sip_book/get_clients

AUTHORIZATIONS: > ADMIN_PARTNER

Responses

— 200 Success

POST /sip_book/get_clients

Auto-generated stub for POST /sip_book/get_graph_drilldown

AUTHORIZATIONS: > ADMIN_PARTNER

Responses

— 200 Success

POST /sip_book/get_graph_drilldown

Auto-generated stub for POST /sip_book/get_transaction_details

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— **200** Success

POST /sip_book/get_transaction_details

Auto-generated stub for POST /sip_book/growth

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— **200** Success

POST /sip_book/growth

Auto-generated stub for POST /sip_book/growth_by_category

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— **200** Success

POST /sip_book/growth_by_category

Auto-generated stub for POST /sip_book/overview

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— **200** Success

POST /sip_book/overview

stocks_announcements

Auto-generated stub for GET /stocks_announcements

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

isin	string
symbol	string
category	string
exchange	string
from	string
to	string
sort	string

Responses

— 200 Success

GET /stocks_announcements

Auto-generated stub for GET /stocks_announcements/today

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks_announcements/today

Auto-generated stub for GET /stocks_announcements/categories

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks_announcements/categories

stocks_concalls

Auto-generated stub for GET /stocks_concalls/transcripts

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

isin	string
required	

Responses

— 200 Success

GET /stocks_concalls/transcripts

Auto-generated stub for GET /stocks_concalls/summaries

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

isin	string
required	

Responses

— 200 Success

GET /stocks_concalls/summaries

Auto-generated stub for GET /stocks_concalls/presentations

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

isin
required

string

Responses

— 200 Success

GET /stocks_concalls/presentations

Auto-generated stub for GET /stocks_concalls/transcripts/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id
required

integer

Responses

— 200 Success

GET /stocks_concalls/transcripts/{id}

Auto-generated stub for GET /stocks_concalls/pdf

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

url	string
required	

Responses

— 200 Success

GET /stocks_concalls/pdf

stocks_corporate_actions

Auto-generated stub for GET /stocks_corporate_actions

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

isin	string
symbol	string
action_type	string
sort	string

Responses

— 200 Success

GET /stocks_corporate_actions

Auto-generated stub for GET /stocks_corporate_actions/upcoming

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks_corporate_actions/upcoming

Auto-generated stub for GET /stocks_corporate_actions/dividends

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks_corporate_actions/dividends

stocks_dossier

Auto-generated stub for GET /stocks_dossier

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

isin	string
required	

Responses

— 200 Success

GET /stocks_dossier

stocks_financials

Auto-generated stub for GET /stocks_financials/{isin}/pl

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

isin required	integer
------------------	---------

QUERY PARAMETERS

period_type	string
-------------	--------

reporting_basis	string
-----------------	--------

reportingBasis	string
----------------	--------

Responses

— 200 Success

GET /stocks_financials/{isin}/pl

Auto-generated stub for GET /stocks_financials/{isin}/bs

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

isin required	integer
------------------	---------

QUERY PARAMETERS

period_type	string
-------------	--------

reporting_basis	string
-----------------	--------

reportingBasis	string
----------------	--------

Responses

— 200 Success

GET /stocks_financials/{isin}/bs

Auto-generated stub for GET /stocks_financials/{isin}/cf

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

isin	integer
required	

QUERY PARAMETERS

period_type	string
-------------	--------

reporting_basis	string
-----------------	--------

reportingBasis	string
----------------	--------

Responses

— 200 Success

GET /stocks_financials/{isin}/cf

Auto-generated stub for GET /stocks_financials/{isin}/ratios

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

isin required	integer
------------------	---------

QUERY PARAMETERS

period_type	string
-------------	--------

reporting_basis	string
-----------------	--------

reportingBasis	string
----------------	--------

Responses

— 200 Success

GET /stocks_financials/{isin}/ratios

Auto-generated stub for GET /stocks_financials/{isin}/summary

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

isin required	integer
------------------	---------

QUERY PARAMETERS

period_type	string
reporting_basis	string
reportingBasis	string

Responses

— 200 Success

GET /stocks_financials/{isin}/summary

stocks_fno

Auto-generated stub for GET /stocks_fno/eod

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

symbol required	string
instrument_type	string

Responses

— 200 Success

GET /stocks_fno/eod

Auto-generated stub for GET /stocks_fno/option-chain

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbol	string
required	

Responses

— 200 Success

GET /stocks_fno/option-chain

Auto-generated stub for GET /stocks_fno/expiries

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbol	string
required	

Responses

— 200 Success

GET /stocks_fno/expiries

Auto-generated stub for GET /stocks_fno/oi-analysis

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks_fno/oi-analysis

stocks_fundamentals

Auto-generated stub for GET /stocks_fundamentals/latest

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbol	string
required	

exchange

string

Responses

— 200 Success

GET /stocks_fundamentals/latest

Auto-generated stub for GET
/stocks_fundamentals/history

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

symbol required	string
exchange	string

Responses

— 200 Success

GET /stocks_fundamentals/history

Auto-generated stub for GET /stocks_fundamentals/bulk

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbols required	string
---------------------	--------

exchange	string
----------	--------

Responses

— 200 Success

GET /stocks_fundamentals/bulk

stocks_international

Auto-generated stub for GET /stocks/international/symbols

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks/international/symbols

Auto-generated stub for GET /stocks/international/ohlcv/latest

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbol

string

Responses

— 200 Success

GET /stocks/international/ohlcv/latest

Auto-generated stub for GET /stocks/international/ohlcv/history

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbol
required

string

Responses

— 200 Success

GET /stocks/international/ohlcv/history

Auto-generated stub for GET /stocks/international/fundamentals/latest

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbol	string
--------	--------

Responses

— 200 Success

GET /stocks/international/fundamentals/latest

Auto-generated stub for GET /stocks/international/fundamentals/history

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbol required	string
--------------------	--------

Responses

— 200 Success

GET /stocks/international/fundamentals/history

Auto-generated stub for GET /stocks/international/ticker-map

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

isin	string
yahooTicker	string
openfigiTicker	string
exchCode	string

Responses

— 200 Success

GET /stocks/international/ticker-map

Auto-generated stub for GET /stocks/international/ticker-map/{isin}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

isin required	integer
------------------	---------

Responses

— **200** Success

GET /stocks/international/ticker-map/{isin}

stocks_ipo

Auto-generated stub for GET /stocks_ipo/list

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

status	string
--------	--------

ipo_type

string

Responses

— **200** Success

GET /stocks_ipo/list

Auto-generated stub for GET /stocks_ipo/upcoming

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /stocks_ipo/upcoming

Auto-generated stub for GET /stocks_ipo/performance

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks_ipo/performance

Auto-generated stub for GET /stocks_ipo/{id}/subscription

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /stocks_ipo/{id}/subscription

Auto-generated stub for GET /stocks_ipo/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /stocks_ipo/{id}

stocks_logos

Auto-generated stub for GET /stocks_logos/batch

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

isins required	string
-------------------	--------

Responses

— 200 Success

GET /stocks_logos/batch

Auto-generated stub for GET /stocks_logos/{isin}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

<code>isin</code> <code>required</code>	<code>integer</code>
--	----------------------

Responses

— 200 Success

GET /stocks_logos/{isin}

stocks_ohlc

Auto-generated stub for GET /stocks_ohlc/history

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

<code>symbol</code> <code>required</code>	<code>string</code>
<code>exchange</code>	<code>string</code>

Responses

— 200 Success

GET /stocks_ohlcvc/history

Auto-generated stub for GET /stocks_ohlcvc/latest

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbol <i>required</i>	string
---------------------------	--------

exchange	string
----------	--------

Responses

— **200** Success

GET /stocks_ohlcvc/latest

Auto-generated stub for GET /stocks_ohlcvc/multi-latest

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbols <i>required</i>	string
----------------------------	--------

exchange	string
----------	--------

Responses

— 200 Success

GET /stocks_ohlcv/multi-latest

Auto-generated stub for GET /stocks_ohlcv/candles

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

symbol required	string
exchange	string
interval	string

Responses

— 200 Success

GET /stocks_ohlcv/candles

stocks_phase5_screen

Auto-generated stub for GET /stocks_phase5_screen

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

sector string

sort string

Responses

— 200 Success

GET /stocks_phase5_screen

stocks_price_feed

Auto-generated stub for GET /stocks_price_feed/latest

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

symbols string

is_etf string

Responses

— 200 Success

GET /stocks_price_feed/latest

Auto-generated stub for GET /stocks_price_feed/history

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

symbol	string
required	
from	string
to	string

Responses

— 200 Success

GET /stocks_price_feed/history

Auto-generated stub for GET /stocks_price_feed/snapshot

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

`tick_time``string`

Responses

— **200** Success

GET `/stocks_price_feed/snapshot`

Auto-generated stub for GET `/stocks_price_feed/etf-premium`

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET `/stocks_price_feed/etf-premium`

stocks_promoter

Auto-generated stub for GET `/stocks_promoter/latest`

[AUTHORIZATIONS:](#) >*ALL_ROLES*QUERY PARAMETERS

isin
required

string

Responses

— 200 Success

GET /stocks_promoter/latest

Auto-generated stub for GET /stocks_promoter/history

[AUTHORIZATIONS:](#) >*ALL_ROLES*QUERY PARAMETERS

isin
required

string

Responses

— 200 Success

GET /stocks_promoter/history

Auto-generated stub for GET /stocks_promoter/pledge/recent

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

event_type	string
------------	--------

Responses

— 200 Success

GET /stocks_promoter/pledge/recent

Auto-generated stub for GET /stocks_promoter/pledge

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

isin required	string
------------------	--------

Responses

— 200 Success

GET /stocks_promoter/pledge

stocks_ratios_xval

Auto-generated stub for GET /stocks_ratios_xval/latest

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

isin	string
required	

Responses

— 200 Success

GET /stocks_ratios_xval/latest

Auto-generated stub for GET /stocks_ratios_xval/history

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

isin	string
required	

Responses

— 200 Success

GET /stocks_ratios_xval/history

stocks_screener

Auto-generated stub for GET /stocks_screener/equity

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

above_sma50	string
above_sma200	string
volume_surge	string
sort_by	string
sort_dir	string

Responses

— 200 Success

GET /stocks_screener/equity

Auto-generated stub for GET /stocks_screener/equity/{symbol}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

symbol required	integer
--------------------	---------

Responses

— 200 Success

GET /stocks_screener/equity/{symbol}

Auto-generated stub for GET /stocks_screener/fno

AUTHORIZATIONS: > ALL_ROLES

QUERY PARAMETERS

symbol	string
pcr_min	string
pcr_max	string
sort_by	string

Responses

— 200 Success

GET /stocks_screener/fno

Auto-generated stub for GET /stocks_screener/movers

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

type	string
required	

Responses

— 200 Success

GET /stocks_screener/movers

stocks_sector_peers

Auto-generated stub for GET /stocks_sector_peers/list

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /stocks_sector_peers/list

Auto-generated stub for GET /stocks_sector_peers/stocks

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

sector	string
required	

Responses

— **200** Success

GET /stocks_sector_peers/stocks

Auto-generated stub for GET /stocks_sector_peers

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

sector required	string
--------------------	--------

Responses

— 200 Success

GET /stocks_sector_peers

stocks_symbol_master

Auto-generated stub for GET /stocks_symbol_master/search

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

q required	string
limit	string ^\d+\$
is_fno	string

`is_etf``string`

Responses

— **200** Success

GET `/stocks_symbol_master/search`

Auto-generated stub for GET `/stocks_symbol_master/fno`

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

<code>limit</code>	<code>string</code> <code>^\d+\$</code>
--------------------	---

<code>offset</code>	<code>string</code> <code>^\d+\$</code>
---------------------	---

Responses

— **200** Success

GET `/stocks_symbol_master/fno`

Auto-generated stub for GET `/stocks_symbol_master/{isin}`

[AUTHORIZATIONS:](#) >*ALL_ROLES*PATH PARAMETERS

isin
required

integer

Responses

— 200 Success

GET /stocks_symbol_master/{isin}

stocks_ticker_resolution

Auto-generated stub for GET /stocks_ticker_resolution

[AUTHORIZATIONS:](#) >*ALL_ROLES*QUERY PARAMETERS

q

string

exchange

string

Responses

— 200 Success

GET /stocks_ticker_resolution

stocks_ttm_financials

Auto-generated stub for GET /stocks_ttm_financials

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks_ttm_financials

Auto-generated stub for GET /stocks_ttm_financials/bulk

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks_ttm_financials/bulk

stocks

Auto-generated stub for GET /stocks/summary

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks/summary

Auto-generated stub for GET /stocks/symbols

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks/symbols

Auto-generated stub for GET /stocks/symbols/{isin}/financials

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

isin required	integer
------------------	---------

Responses

— 200 Success

GET /stocks/symbols/{isin}/financials

Auto-generated stub for GET /stocks/symbols/{isin}/ratios

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

isin required	integer
------------------	---------

Responses

— 200 Success

GET /stocks/symbols/{isin}/ratios

Auto-generated stub for GET /stocks/symbols/{isin}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

isin	integer
required	

Responses

— 200 Success

GET /stocks/symbols/{isin}

Auto-generated stub for GET /stocks/corporate-actions

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks/corporate-actions

Auto-generated stub for GET /stocks/announcements

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks/announcements

Auto-generated stub for GET /stocks/news

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks/news

Auto-generated stub for GET /stocks/global-markets

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks/global-markets

Auto-generated stub for GET /stocks/currency-rates

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks/currency-rates

Auto-generated stub for GET /stocks/mcx-futures

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks/mcx-futures

Auto-generated stub for GET /stocks/ipos

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /stocks/ipos

sxp

Auto-generated stub for GET /sxp

AUTHORIZATIONS: > *ALL_ROLES*

QUERY PARAMETERS

limit	number
page	number
name	string
investor_id	string
type	string Enum: "SIP" "SWP" "STP" "TOPUP" "SPROD"

Responses

— 200 Success

GET /sxp

Auto-generated stub for GET /sxp/{id}/bse_details

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— 200 Success

GET /sxp/{id}/bse_details

Auto-generated stub for GET /sxp/{id}/bse_trxn_history

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /sxp/{id}/bse_trxn_history

Auto-generated stub for GET /sxp/{id}/payloads

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

GET /sxp/{id}/payloads

Auto-generated stub for POST /sxp/cancel

AUTHORIZATIONS: > INVESTOR

REQUEST BODY SCHEMA: application/json
required

otp_id required	string
otp required	string

Responses

— 201 Created

POST /sxp/cancel

Request samples

Payload

Content type
application/json

Copy

```
{
  "otp_id": "string",
  "otp": "string"
}
```

tax_filing

Auto-generated stub for POST /tax_filing/initiate

AUTHORIZATIONS: > *INVESTOR*

Responses

— 200 Success

POST /tax_filing/initiate

Auto-generated stub for POST /tax_filing/partner-initiate

AUTHORIZATIONS: > None

Responses

— 200 Success

POST /tax_filing/partner-initiate

Auto-generated stub for GET /tax_filing/my

AUTHORIZATIONS: > *INVESTOR*

Responses

— 200 Success

GET /tax_filing/my

Auto-generated stub for GET /tax_filing/{orderId}

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

orderId	integer
required	

Responses

— 200 Success

GET /tax_filing/{orderId}

Auto-generated stub for PATCH /tax_filing/{orderId}/sources

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

orderId <i>required</i>	integer
----------------------------	---------

Responses

— **200** Success

PATCH /tax_filing/{orderId}/sources

Auto-generated stub for PATCH /tax_filing/{orderId}/financial-details

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

orderId <i>required</i>	integer
----------------------------	---------

Responses

— **200** Success

PATCH /tax_filing/{orderId}/financial-details

Auto-generated stub for PATCH /tax_filing/{orderId}/personal-info

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

orderId required	integer
---------------------	---------

Responses

— 200 Success

PATCH /tax_filing/{orderId}/personal-info

Auto-generated stub for PATCH /tax_filing/{orderId}/personal-info-2

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

orderId required	integer
---------------------	---------

Responses

— 200 Success

PATCH /tax_filing/{orderId}/personal-info-2

Auto-generated stub for PATCH /tax_filing/{orderId}/income

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

orderId required	integer
---------------------	---------

Responses

— 200 Success

PATCH /tax_filing/{orderId}/income

Auto-generated stub for PATCH /tax_filing/{orderId}/deductions

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

orderId
required

integer

Responses

— 200 Success

PATCH /tax_filing/{orderId}/deductions

Auto-generated stub for PATCH /tax_filing/{orderId}/bank-details

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

orderId
required

integer

Responses

— 200 Success

PATCH /tax_filing/{orderId}/bank-details

Auto-generated stub for POST /tax_filing/{orderId}/documents/upload-url

AUTHORIZATIONS: > None

PATH PARAMETERS

orderId required	integer
---------------------	---------

Responses

— 200 Success

POST /tax_filing/{orderId}/documents/upload-url

Auto-generated stub for POST /tax_filing/{orderId}/documents/confirm

AUTHORIZATIONS: > None

PATH PARAMETERS

orderId required	integer
---------------------	---------

Responses

— 200 Success

POST /tax_filing/{orderId}/documents/confirm

Auto-generated stub for DELETE /tax_filing/{orderId}/documents/{key}

AUTHORIZATIONS: > None

PATH PARAMETERS

orderId required	integer
---------------------	---------

Responses

— 200 Success

DELETE /tax_filing/{orderId}/documents/{key}

Auto-generated stub for POST /tax_filing/{orderId}/submit

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

orderId required	integer
---------------------	---------

Responses

— 200 Success

POST /tax_filing/{orderId}/submit

Auto-generated stub for PATCH /tax_filing/{orderId}/plan

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

orderId required	integer
---------------------	---------

Responses

— 200 Success

PATCH /tax_filing/{orderId}/plan

Auto-generated stub for PATCH /tax_filing/{orderId}/status

AUTHORIZATIONS: > *INVESTOR*

PATH PARAMETERS

orderId required	integer
---------------------	---------

Responses

— 200 Success

PATCH /tax_filing/{orderId}/status

Auto-generated stub for GET /tax_filing/admin/all

AUTHORIZATIONS: > None

Responses

— 200 Success

GET /tax_filing/admin/all

Auto-generated stub for GET /tax_filing/admin/{orderId}

AUTHORIZATIONS: > None

PATH PARAMETERS

orderId	integer
required	

Responses

— 200 Success

GET /tax_filing/admin/{orderId}

Auto-generated stub for POST /tax_filing/{orderId}/ca-itr/store

AUTHORIZATIONS: > None

PATH PARAMETERS

orderId required	integer
---------------------	---------

REQUEST BODY SCHEMA: application/json
required

password required	string >= 6 characters
----------------------	--

Responses

— 201 Created

POST /tax_filing/{orderId}/ca-itr/store

Request samples

Payload

Content type
application/json

```
{  
  "password": "string"  
}
```

Auto-generated stub for GET /tax_filing/{orderId}/ca-itr/retrieve

AUTHORIZATIONS: > None

PATH PARAMETERS

orderId required	integer
---------------------	---------

Responses

— 200 Success

GET /tax_filing/{orderId}/ca-itr/retrieve

Auto-generated stub for DELETE /tax_filing/{orderId}/ca-itr/delete

AUTHORIZATIONS: > None

PATH PARAMETERS

orderId required	integer
---------------------	---------

Responses

— 200 Success

DELETE /tax_filing/{orderId}/ca-itr/delete

taxquest

Auto-generated stub for POST /taxquest/start

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /taxquest/start

Auto-generated stub for GET /taxquest/q/{questionNumber}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

questionNumber
required integer

Responses

— 200 Success

GET /taxquest/q/{questionNumber}

Auto-generated stub for POST /taxquest/answer

AUTHORIZATIONS: > ALL_ROLES

Responses

— 200 Success

POST /taxquest/answer

Auto-generated stub for POST /taxquest/tier-done

AUTHORIZATIONS: > ALL_ROLES

Responses

— 200 Success

POST /taxquest/tier-done

Auto-generated stub for POST /taxquest/complete

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /taxquest/complete

Auto-generated stub for POST /taxquest/prepare-share

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /taxquest/prepare-share

Auto-generated stub for GET /taxquest/oauth/callback

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /taxquest/oauth/callback

Auto-generated stub for POST /taxquest/post-share

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /taxquest/post-share

Auto-generated stub for POST /taxquest/validate-code

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /taxquest/validate-code

Auto-generated stub for GET /taxquest/profile

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /taxquest/profile

Auto-generated stub for POST /taxquest/submit

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /taxquest/submit

Auto-generated stub for GET /taxquest/progression

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /taxquest/progression

total_net_sales

Auto-generated stub for POST /total_net_sales

AUTHORIZATIONS: > *ADMIN_PARTNER*

Responses

— 200 Success

POST /total_net_sales

wa_chat_persistence

Auto-generated stub for POST
/wa_chat_persistence/chats

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /wa_chat_persistence/chats

Auto-generated stub for GET /wa_chat_persistence/chats

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /wa_chat_persistence/chats

Auto-generated stub for GET /wa_chat_persistence/chats/{chatId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId required	integer
--------------------	---------

Responses

— 200 Success

GET /wa_chat_persistence/chats/{chatId}

Auto-generated stub for PATCH /wa_chat_persistence/chats/{chatId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId required	integer
--------------------	---------

Responses

— 200 Success

PATCH /wa_chat_persistence/chats/{chatId}

Auto-generated stub for POST /wa_chat_persistence/chats/{chatId}/archive

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId required	integer
--------------------	---------

Responses

— 200 Success

POST /wa_chat_persistence/chats/{chatId}/archive

Auto-generated stub for POST /wa_chat_persistence/chats/{chatId}/mute

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId required	integer
--------------------	---------

Responses

— 200 Success

POST /wa_chat_persistence/chats/{chatId}/mute

Auto-generated stub for POST /wa_chat_persistence/messages

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /wa_chat_persistence/messages

Auto-generated stub for GET /wa_chat_persistence/messages/{messageId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId required	integer
-----------------------	---------

Responses

— 200 Success

GET /wa_chat_persistence/messages/{messageId}

Auto-generated stub for DELETE /wa_chat_persistence/messages/{messageId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId required	integer
-----------------------	---------

Responses

— 200 Success

DELETE /wa_chat_persistence/messages/{messageId}

Auto-generated stub for GET /wa_chat_persistence/chats/{chatId}/messages

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId <i>required</i>	integer
---------------------------	---------

Responses

— **200** Success

GET /wa_chat_persistence/chats/{chatId}/messages

Auto-generated stub for PATCH /wa_chat_persistence/messages/{messageId}/ack

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId <i>required</i>	integer
------------------------------	---------

Responses

— **200** Success

PATCH /wa_chat_persistence/messages/{messageId}/ack

Auto-generated stub for PATCH /wa_chat_persistence/messages/{messageId}/delivery

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId required	integer
-----------------------	---------

Responses

— **200** Success

PATCH /wa_chat_persistence/messages/{messageId}/delivery

Auto-generated stub for GET /wa_chat_persistence/messages/{messageId}/delivery

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId required	integer
-----------------------	---------

Responses

— 200 Success

GET /wa_chat_persistence/messages/{messageId}/delivery

Auto-generated stub for POST /wa_chat_persistence/messages/{messageId}/reactions

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId	integer
required	

Responses

— 200 Success

POST /wa_chat_persistence/messages/{messageId}/reactions

Auto-generated stub for GET /wa_chat_persistence/messages/{messageId}/reactions

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId
required

integer

Responses

— 200 Success

GET /wa_chat_persistence/messages/{messageId}/reactions

Auto-generated stub for DELETE

/wa_chat_persistence/messages/{messageId}/reactions/{phone}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId
required

integer

Responses

— 200 Success

DELETE /wa_chat_persistence/messages/{messageId}/reactions/{phone}/{em...

Auto-generated stub for POST /wa_chat_persistence/messages/{messageId}/attachments

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId required	integer
-----------------------	---------

Responses

— 200 Success

POST /wa_chat_persistence/messages/{messageId}/attachments

Auto-generated stub for GET /wa_chat_persistence/messages/{messageId}/attachments

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId required	integer
-----------------------	---------

Responses

— 200 Success

GET /wa_chat_persistence/messages/{messageId}/attachments

Auto-generated stub for POST /wa_chat_persistence/messages/{messageId}/flags

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId required	integer
-----------------------	---------

Responses

— 200 Success

POST /wa_chat_persistence/messages/{messageId}/flags

Auto-generated stub for GET /wa_chat_persistence/messages/{messageId}/flags

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId required	integer
-----------------------	---------

Responses

— 200 Success

GET /wa_chat_persistence/messages/{messageId}/flags

Auto-generated stub for PATCH /wa_chat_persistence/flags/{flagId}/resolve

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

flagId required	integer
--------------------	---------

Responses

— 200 Success

PATCH /wa_chat_persistence/flags/{flagId}/resolve

Auto-generated stub for GET /wa_chat_persistence/flags/unresolved

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /wa_chat_persistence/flags/unresolved

Auto-generated stub for POST /wa_chat_persistence/messages/bulk

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /wa_chat_persistence/messages/bulk

Auto-generated stub for PATCH /wa_chat_persistence/delivery/bulk

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

PATCH /wa_chat_persistence/delivery/bulk

Auto-generated stub for GET /wa_chat_persistence/chats/{chatId}/members

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId required	integer
--------------------	---------

Responses

— 200 Success

GET /wa_chat_persistence/chats/{chatId}/members

Auto-generated stub for POST /wa_chat_persistence/chats/{chatId}/members

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId required	integer
--------------------	---------

Responses

— 200 Success

POST /wa_chat_persistence/chats/{chatId}/members

Auto-generated stub for DELETE

/wa_chat_persistence/chats/{chatId}/members/{contactId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId	integer
required	

Responses

— 200 Success

DELETE /wa_chat_persistence/chats/{chatId}/members/{contactId}

Auto-generated stub for GET

/wa_chat_persistence/chats/{chatId}/metadata

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId
required

integer

Responses

— 200 Success

GET /wa_chat_persistence/chats/{chatId}/metadata

Auto-generated stub for PATCH /wa_chat_persistence/chats/{chatId}/metadata

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId
required

integer

Responses

— 200 Success

PATCH /wa_chat_persistence/chats/{chatId}/metadata

Auto-generated stub for GET

/wa_chat_persistence/messages/{messageId}/payload

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId <i>required</i>	integer
------------------------------	---------

Responses

— **200** Success

GET /wa_chat_persistence/messages/{messageId}/payload

Auto-generated stub for PUT

/wa_chat_persistence/messages/{messageId}/payload

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId <i>required</i>	integer
------------------------------	---------

Responses

— **200** Success

PUT /wa_chat_persistence/messages/{messageId}/payload

Auto-generated stub for GET /wa_chat_persistence/chats/{chatId}/payload

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId required	integer
--------------------	---------

Responses

— 200 Success

GET /wa_chat_persistence/chats/{chatId}/payload

Auto-generated stub for PUT /wa_chat_persistence/chats/{chatId}/payload

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId required	integer
--------------------	---------

Responses

— 200 Success

PUT /wa_chat_persistence/chats/{chatId}/payload

whatsapp

Auto-generated stub for GET /whatsapp/admin/orgs

AUTHORIZATIONS: > ADMIN

Responses

— 200 Success

GET /whatsapp/admin/orgs

Auto-generated stub for POST /whatsapp/admin/orgs

AUTHORIZATIONS: > ADMIN

Responses

— 200 Success

POST /whatsapp/admin/orgs

Auto-generated stub for GET /whatsapp/phones/all

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/phones/all

Auto-generated stub for POST /whatsapp/phones/create

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /whatsapp/phones/create

Auto-generated stub for GET /whatsapp/phones

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /whatsapp/phones

Auto-generated stub for GET /whatsapp/phones/qr

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /whatsapp/phones/qr

Auto-generated stub for POST /whatsapp/phones/pairing-code

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /whatsapp/phones/pairing-code

Auto-generated stub for DELETE /whatsapp/phones/delete

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

DELETE /whatsapp/phones/delete

Auto-generated stub for POST /whatsapp/phones/reset

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /whatsapp/phones/reset

Auto-generated stub for POST /whatsapp/phones/restart

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /whatsapp/phones/restart

Auto-generated stub for POST /whatsapp/message/send

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /whatsapp/message/send

Auto-generated stub for POST /whatsapp/message/reply

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /whatsapp/message/reply

Auto-generated stub for POST /whatsapp/message/react

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /whatsapp/message/react

Auto-generated stub for POST /whatsapp/message/send-media

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /whatsapp/message/send-media

Auto-generated stub for GET /whatsapp/chats/messages

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /whatsapp/chats/messages

Auto-generated stub for GET /whatsapp/chats/notifications

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/chats/notifications

Auto-generated stub for GET /whatsapp/chat/{chatId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId required	integer
--------------------	---------

Responses

— 200 Success

GET /whatsapp/chat/{chatId}

Auto-generated stub for GET /whatsapp/message/{messageId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

messageId required	integer
-----------------------	---------

Responses

— 200 Success

GET /whatsapp/message/{messageId}

Auto-generated stub for POST /whatsapp/contacts/check

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /whatsapp/contacts/check

Auto-generated stub for GET /whatsapp/v1/contacts

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/v1/contacts

Auto-generated stub for POST /whatsapp/v1/contacts/create

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /whatsapp/v1/contacts/create

Auto-generated stub for PATCH /whatsapp/v1/contacts/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— **200** Success

PATCH /whatsapp/v1/contacts/{id}

Auto-generated stub for GET /whatsapp/v1/chats

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/v1/chats

Auto-generated stub for POST /whatsapp/v1/chats/{id}/assign

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

POST /whatsapp/v1/chats/{id}/assign

Auto-generated stub for POST /whatsapp/v1/chats/{id}/label

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— **200** Success

POST /whatsapp/v1/chats/{id}/label

Auto-generated stub for GET /whatsapp/api/chats

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /whatsapp/api/chats

Auto-generated stub for GET /whatsapp/api/chats/label/{labelId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

labelId required	integer
---------------------	---------

Responses

— **200** Success

GET /whatsapp/api/chats/label/{labelId}

Auto-generated stub for GET /whatsapp/api/chats/{chatId}/status

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId required	integer
--------------------	---------

Responses

— 200 Success

GET /whatsapp/api/chats/{chatId}/status

Auto-generated stub for PUT /whatsapp/api/chats/{chatId}/status

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId required	integer
--------------------	---------

Responses

— 200 Success

PUT /whatsapp/api/chats/{chatId}/status

Auto-generated stub for GET /whatsapp/api/chats/{chatId}/labels

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId
required

integer

Responses

— 200 Success

GET /whatsapp/api/chats/{chatId}/labels

Auto-generated stub for POST /whatsapp/api/chats/{chatId}/labels

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId
required

integer

Responses

— 200 Success

POST /whatsapp/api/chats/{chatId}/labels

Auto-generated stub for DELETE /whatsapp/api/chats/{chatId}/labels/{labelId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

chatId	integer
<i>required</i>	

Responses

— **200** Success

DELETE /whatsapp/api/chats/{chatId}/labels/{labelId}

Auto-generated stub for GET /whatsapp/v1/labels

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /whatsapp/v1/labels

Auto-generated stub for GET /whatsapp/api/labels

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /whatsapp/api/labels

Auto-generated stub for POST /whatsapp/api/labels

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /whatsapp/api/labels

Auto-generated stub for PATCH /whatsapp/api/labels/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id
required

integer

Responses

— 200 Success

PATCH /whatsapp/api/labels/{id}

Auto-generated stub for DELETE /whatsapp/api/labels/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id
required

integer

Responses

— 200 Success

DELETE /whatsapp/api/labels/{id}

Auto-generated stub for GET /whatsapp/api/quick-replies

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/api/quick-replies

Auto-generated stub for POST /whatsapp/api/quick-replies

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /whatsapp/api/quick-replies

Auto-generated stub for DELETE /whatsapp/api/quick-replies/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

DELETE /whatsapp/api/quick-replies/{id}

Auto-generated stub for GET /whatsapp/api/webhooks

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/api/webhooks

Auto-generated stub for POST /whatsapp/api/webhooks

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /whatsapp/api/webhooks

Auto-generated stub for PUT /whatsapp/api/webhooks/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— 200 Success

PUT /whatsapp/api/webhooks/{id}

Auto-generated stub for DELETE /whatsapp/api/webhooks/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id required	integer
----------------	---------

Responses

— 200 Success

DELETE /whatsapp/api/webhooks/{id}

Auto-generated stub for POST /whatsapp/api/webhooks/{id}/test

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

POST /whatsapp/api/webhooks/{id}/test

Auto-generated stub for GET /whatsapp/api/webhooks/signing-key

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/api/webhooks/signing-key

Auto-generated stub for POST /whatsapp/api/webhooks/signing-key/regenerate

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /whatsapp/api/webhooks/signing-key/regenerate

Auto-generated stub for GET /whatsapp/api/tickets

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/api/tickets

Auto-generated stub for POST /whatsapp/api/tickets

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /whatsapp/api/tickets

Auto-generated stub for PUT /whatsapp/api/tickets/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

PUT /whatsapp/api/tickets/{id}

Auto-generated stub for DELETE /whatsapp/api/tickets/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

DELETE /whatsapp/api/tickets/{id}

Auto-generated stub for GET /whatsapp/v1/tickets

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/v1/tickets

Auto-generated stub for POST /whatsapp/v1/tickets/create

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /whatsapp/v1/tickets/create

Auto-generated stub for PATCH /whatsapp/v1/tickets/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— 200 Success

PATCH /whatsapp/v1/tickets/{id}

Auto-generated stub for GET /whatsapp/api/ai-agent

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/api/ai-agent

Auto-generated stub for PUT /whatsapp/api/ai-agent

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

PUT /whatsapp/api/ai-agent

Auto-generated stub for POST /whatsapp/api/ai-agent/toggle

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /whatsapp/api/ai-agent/toggle

Auto-generated stub for POST /whatsapp/api/ai-agent/test

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /whatsapp/api/ai-agent/test

Auto-generated stub for GET /whatsapp/v1/knowledge-base

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /whatsapp/v1/knowledge-base

Auto-generated stub for POST /whatsapp/v1/knowledge-base/faq/create

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /whatsapp/v1/knowledge-base/faq/create

Auto-generated stub for DELETE /whatsapp/v1/knowledge-base/faq/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— **200** Success

DELETE /whatsapp/v1/knowledge-base/faq/{id}

Auto-generated stub for GET /whatsapp/api/scheduled

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /whatsapp/api/scheduled

Auto-generated stub for POST /whatsapp/api/scheduled

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /whatsapp/api/scheduled

Auto-generated stub for DELETE /whatsapp/api/scheduled/{id}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
required	

Responses

— **200** Success

DELETE /whatsapp/api/scheduled/{id}

Auto-generated stub for GET /whatsapp/api/analytics

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /whatsapp/api/analytics

Auto-generated stub for GET /whatsapp/api/search

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /whatsapp/api/search

Auto-generated stub for GET /whatsapp/api/db-stats

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/api/db-stats

Auto-generated stub for GET /whatsapp/api/messages

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/api/messages

Auto-generated stub for GET /whatsapp/v1/team

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/v1/team

Auto-generated stub for GET /whatsapp/v1/messages

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/v1/messages

Auto-generated stub for GET /whatsapp/api/events

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /whatsapp/api/events

Auto-generated stub for GET /whatsapp/health

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /whatsapp/health

wiki

Auto-generated stub for GET /wiki/threads

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /wiki/threads

Auto-generated stub for POST /wiki/threads

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

POST /wiki/threads

Auto-generated stub for PATCH /wiki/threads/{threadId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

threadId	integer
required	

Responses

— **200** Success

PATCH /wiki/threads/{threadId}

Auto-generated stub for DELETE /wiki/threads/{threadId}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

<code>threadId</code> <i>required</i>	integer
--	---------

Responses

— **200** Success

DELETE /wiki/threads/{threadId}

Auto-generated stub for GET /wiki/threads/{threadId}/messages

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

<code>threadId</code> <i>required</i>	integer
--	---------

Responses

— **200** Success

GET /wiki/threads/{threadId}/messages

Auto-generated stub for POST /wiki/threads/{threadId}/messages

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

threadId required	integer
----------------------	---------

Responses

— **200** Success

POST /wiki/threads/{threadId}/messages

Auto-generated stub for GET /wiki

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— **200** Success

GET /wiki

Auto-generated stub for POST /wiki

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /wiki

Auto-generated stub for GET /wiki/{slug}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

slug required	integer
------------------	---------

slug required	integer
------------------	---------

Responses

— 200 Success

GET /wiki/{slug}

Auto-generated stub for PATCH /wiki/{slug}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

slug required	integer
------------------	---------

slug required	integer
------------------	---------

Responses

— 200 Success

PATCH /wiki/{slug}

Auto-generated stub for DELETE /wiki/{slug}

AUTHORIZATIONS: > ALL_ROLES

PATH PARAMETERS

slug required	integer
------------------	---------

slug required	integer
------------------	---------

slug required	integer
------------------	---------

Responses

— 200 Success

DELETE /wiki/{slug}

Auto-generated stub for PUT /wiki/{slug}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

slug	integer
<i>required</i>	

Responses

— 200 Success

PUT /wiki/{slug}

Auto-generated stub for GET /wiki/{slug}/indexing_status

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

slug
required

integer

Responses

— 200 Success

GET /wiki/{slug}/indexing_status

Auto-generated stub for POST /wiki/{slug}/reindex

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

slug
required

integer

Responses

— 200 Success

POST /wiki/{slug}/reindex

Auto-generated stub for POST /wiki/upload_attachment

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /wiki/upload_attachment

Auto-generated stub for GET /wiki/{revisionNumber}

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

revisionNumber required	integer
----------------------------	---------

Responses

— 200 Success

GET /wiki/{revisionNumber}

Auto-generated stub for POST /wiki/search

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /wiki/search

Auto-generated stub for POST /wiki/ask

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

POST /wiki/ask

Auto-generated stub for GET /wiki/ask/history

AUTHORIZATIONS: > *ALL_ROLES*

Responses

— 200 Success

GET /wiki/ask/history

Auto-generated stub for PATCH /wiki/ask/{id}/feedback

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

id	integer
<i>required</i>	

Responses

— **200** Success

PATCH /wiki/ask/{id}/feedback

Auto-generated stub for PATCH /wiki/{slug}/update_nav

AUTHORIZATIONS: > *ALL_ROLES*

PATH PARAMETERS

slug	integer
<i>required</i>	

Responses

— **200** Success

PATCH /wiki/{slug}/update_nav